

Vital Statistics Illinois 2001

Illinois Department of Public Health
Illinois Center for Health Statistics
525 W. Jefferson St.
Springfield, IL 62761

217-785-1064
TTY (hearing impaired use only) 800-547-0466

March 2005

Explanation of Symbols

Quantity zero in frequency tables	--
Rate or percent more than 0 but less than 0.05	0.0
Figures within parentheses not included in totals	()
Rate zero corresponding to -- on frequency table	-0-
Rate or ratio does not meet standards of reliability or precision	*
Category is not applicable or data are not available	...
Confidence interval does not meet standards of reliability or precision	**

TABLE OF CONTENTS

TABLE OF CONTENTS

VITAL STATISTICS ILLINOIS

CALENDAR YEAR 2001

INTRODUCTION	xi
--------------------	----

PART I. GENERAL SUMMARY

Marriage and Divorce	
Marriages.....	I-3
Divorces and Annulments	I-7
Natality	
Live Births	I-11
Births to Unmarried Women.....	I-13
Prenatal Care	I-15
Infant Health.....	I-17
Hispanic Births	I-18
Mortality	
General Mortality.....	I-29
Perinatal and Infant Mortality.....	I-30
Leading Causes of Death	I-34
Death Due to Drugs.....	I-39
Deaths Due to Firearms	I-40
Life Tables and Life Expectancy.....	I-40
Vital Statistics Special Reports	I-59

FIGURES

Figure 1.	Marriage and Divorce Rates, Illinois: 1965-2001	I-3
Figure 2.	Crude Birth and Death Rates, Illinois: 1965-2001	I-11
Figure 3.	Resident Births to Unmarried Women by Race, Illinois: 1950-2001	I-13
Figure 4.	Percent of Resident Live Births with Low Birthweight by Age and Marital Status of Mother, Illinois: 2001	I-16
Figure 5.	Cumulative Infant Deaths by Period, Illinois: 1970-2001	I-31
Figure 6.	Infant Mortality Rates with 95 Percent Confidence Intervals, Illinois: 1980-2001	I-32
Figure 7.	Infant Mortality Rates by Race Category, Illinois: 1960-2001	I-32

TABLES

Table A.	Live Births, Deaths, Infant Deaths, Neonatal Deaths and Maternal Deaths, with Rates for Each, and Fetal Deaths, with Ratios, Illinois: 1918 - 2001	xii
Table 1.	Occurrences of Marriages, Divorces and Annulments, Illinois: 1970-2001	I-4
Table 2.	Marriages by Age of Bride and Groom, Illinois: 2001	I-5
Table 3.	Number of Previous Marriages of Bride and Groom, Illinois: 2001	I-5
Table 4.	Marital Status of Bride and Groom at Time of Marriage, Illinois: 2001	I-6
Table 5.	Median Age of Brides and Grooms and Median Duration of Marriage, Illinois: 1965, 1970, 1975, 1980 and 1985-2001	I-6

TABLES (Continued)

Table 6.	Divorces and Annulments by Age of Husband and Wife at Time of Decree, Illinois: 2001	I-7
Table 7.	Divorces and Annulments Classified by Duration of Marriage, Illinois: 2001	I-7
Table 8.	Resident Live Births and Birth Rates by Age of Mother for All Births and for First Child, Illinois: 1980, 1990, 1995-2001	I-12
Table 9.	Proportion of Nonmarital Births by Age of Mother, Illinois: 1980, 1990, 2000 and 2001	I-13
Table 10.	Number and Percent Distribution of Resident Live Births by Educational Attainment and Race Category of Mother, Illinois: 2001	I-14
Table 11.	Prenatal Care Initiated in the First Trimester of Pregnancy as Percent of Resident Live Births by Race Category, Age and Marital Status of Mother, Illinois: 2001	I-15
Table 12.	Percent of Resident Live Births of Low Birthweight by Marital Status, Race Category and Age of Mother, Illinois: 2001	I-16
Table 13.	Number and Percent Distribution of Live Births by Race Category of Mother According to Hispanic Origin of Mother, Illinois: 2001	I-17
Table 14.	Live Births by Selected Counties of Residence and Hispanic Origin of Mother and by Race of Non-Hispanic Mothers, Illinois: 2001	I-18
Table 15.	Live Births by Age and Hispanic Origin of Mother and by Race Category of Non-Hispanic Mothers, Illinois: 2001	I-19
Table 16.	Percent of Live Births with Selected Characteristics by Hispanic Origin of Mother and by Race Category of Non-Hispanic Mothers, Illinois: 2001	I-20
Table 17.	Resident Live Births by Birthweight, Sex and Race Category, Illinois: 2001	I-21
Table 18.	Resident Live Births by Birthweight, Sex and Race Category, City of Chicago: 2001	I-22
Table 19.	Resident Live Births by Birthweight, Sex and Race Category, Downstate: 2001	I-23
Table 20.	Resident Live Births by Race Category, Sex, Place of Birth, Attendant and Marital Status of Mother, Illinois, Chicago and Downstate: 2001	I-24
Table 21.	Resident Total Live Births with Numbers and Ratios of Births to Unmarried Women, Illinois: 1950, 1955, 1960, 1965, 1970, 1975, 1980-2001	I-25
Table 22.	Age-specific Death Rates, Illinois: 1980, 1990 and 2001	I-29
Table 23.	Age-specific Death Rates by Sex and Race Category, Illinois: 2001	I-29
Table 24.	Resident Perinatal Losses and Perinatal Mortality Ratio by Race Categories and Sex, Illinois, Chicago and Downstate: 2001	I-30
Table 25.	Number of Deaths and Rates for Infants by Race Category for Neonatal and Postneonatal Periods, Illinois, Chicago and Downstate: 1990, 1998 and 2001	I-33
Table 26.	Leading Causes of Infant Deaths by Age, Illinois: 2001	I-34
Table 27.	Leading Causes of Deaths by Age and Sex: 2001	I-35
Table 28.	Components of Resident Heart Disease by Age, Illinois: 2001	I-35
Table 29.	Resident Cancer Deaths by Site and Age, Illinois: 2001	I-36
Table 30.	Components of Resident Chronic Lower Respiratory Diseases Deaths by Age, Illinois: 2001	I-37
Table 31.	Components of Resident Influenza and Pneumonia Deaths by Age, Illinois: 2001	I-38
Table 32.	Death Due to Drugs by Age and Circumstance, Number and Rate, Illinois: 2001	I-39
Table 33.	Death Due to Firearms by Age and Cause, Number and Rate, Illinois: 2001	I-40
Table 34.	Life Table for Illinois Residents, 1999-2001	I-41

TABLES (Continued)

Table 35.	Life Table for Illinois Resident Females, 1999-2001	I-42
Table 36.	Life Table for Illinois Resident Males, 1999-2001	I-42
Table 37.	White Race Category Life Table for Illinois Residents, 1999-2001	I-43
Table 38.	White Race Category Life Table for Illinois Resident Females, 1999-2001	I-43
Table 39.	White Race Category Life Table for Illinois Resident Males, 1999-2001	I-44
Table 40.	Black Race Category Life Table for Illinois Residents, 1999-2001	I-44
Table 41.	Black Race Category Life Table for Illinois Resident Females, 1999-2001	I-45
Table 42.	Black Race Category Life Table for Illinois Resident Males, 1999-2001	I-45
Table 43.	Expectation of Life in Years at Various Ages for Illinois Residents, 1979-1981 and 1999-2001	I-46
Table 44.	Deaths and Death Rates from the Principal Diseases Affecting the Respiratory System, Illinois: 1980, 1985, 1990, 1995, 2000 and 2001	I-47
Table 45.	Accidental Deaths Among Residents by Type of Accident and Age of Decedent, Illinois: 2001	I-48
Table 46.	Ten Leading Causes of Deaths Among White and All Other Races Category, Illinois Residents: 2001	I-49
Table 47.	The Twelve Leading Causes of Death by Age and Race Category Among Residents, Illinois: 2001	I-50
Table 48.	Rates for the Twelve Leading Causes of Death, by Age and Race Category Among Residents, Illinois: 2001	I-51
Table 49.	The Twelve Leading Causes of Death by Age and Race Category Among Residents, City of Chicago: 2001	I-52
Table 50.	Rates for the Twelve Leading Causes of Death, by Age and Race Category Among Residents, City of Chicago: 2001	I-53
Table 51.	The Twelve Leading Causes of Death by Age and Race Category Among Residents, Downstate: 2001	I-54
Table 52.	Rates for the Twelve Leading Causes of Death, by Age and Race Category Among Residents, Downstate: 2001	I-55
Table 53.	Leading Causes of Death by Selected Age Groups, Illinois Residents: 2001	I-56

PART II. ILLINOIS COUNTY SUMMARIES AND DETAIL TABLES

Map of Illinois Health Service Areas.....	II-3
---	------

COUNTY SUMMARIES

Table CS-1.	Natality Summary by County, Illinois: 2001	II-4
Table CS-2.	Mortality Summary and Selected Causes by County, Illinois: 2001	II-6
Table CS-3.	Mortality Summary by Age by County, Illinois: 2001	II-8
Table CS-4.	Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Perinatal Deaths and Rates, Illinois, City of Chicago and Counties: 2001	II-10

COUNTY DETAIL TABLES

State of Illinois	II-20
City of Chicago	II-22
Adams	II-24
Alexander.....	II-26
Bond	II-28
Boone	II-30
Brown	II-32
Bureau	II-34
Calhoun	II-36

COUNTY DETAIL TABLES (continued)

Carroll.....	II-38
Cass.....	II-40
Champaign.....	II-42
Christian.....	II-44
Clark.....	II-46
Clay.....	II-48
Clinton.....	II-50
Coles.....	II-52
Cook.....	II-54
Crawford.....	II-56
Cumberland.....	II-58
DeKalb.....	II-60
DeWitt.....	II-62
Douglas.....	II-64
DuPage.....	II-66
Edgar.....	II-68
Edwards.....	II-70
Effingham.....	II-72
Fayette.....	II-74
Ford.....	II-76
Franklin.....	II-78
Fulton.....	II-80
Gallatin.....	II-82
Greene.....	II-84
Grundy.....	II-86
Hamilton.....	II-88
Hancock.....	II-90
Hardin.....	II-92
Henderson.....	II-94
Henry.....	II-96
Iroquois.....	II-98
Jackson.....	II-100
Jasper.....	II-102
Jefferson.....	II-104
Jersey.....	II-106
Jo Daviess.....	II-108
Johnson.....	II-110
Kane.....	II-112
Kankakee.....	II-114
Kendall.....	II-116
Knox.....	II-118
Lake.....	II-120
La Salle.....	II-122
Lawrence.....	II-124
Lee.....	II-126
Livingston.....	II-128
Logan.....	II-130
McDonough.....	II-132
McHenry.....	II-134
McLean.....	II-136
Macon.....	II-138
Macoupin.....	II-140
Madison.....	II-142
Marion.....	II-144
Marshall.....	II-146
Mason.....	II-148
Massac.....	II-150
Menard.....	II-152

COUNTY DETAIL TABLES (continued)

Mercer	II-154
Monroe	II-156
Montgomery.....	II-158
Morgan	II-160
Moultrie	II-162
Ogle	II-164
Peoria	II-166
Perry	II-168
Piatt.....	II-170
Pike	II-172
Pope	II-174
Pulaski	II-176
Putnam	II-178
Randolph	II-180
Richland.....	II-182
Rock Island	II-184
St. Clair	II-186
Saline.....	II-188
Sangamon	II-190
Schuyler	II-192
Scott	II-194
Shelby	II-196
Stark	II-198
Stephenson	II-200
Tazewell.....	II-202
Union.....	II-204
Vermilion	II-206
Wabash.....	II-208
Warren.....	II-210
Washington	II-212
Wayne	II-214
White	II-216
Whiteside	II-218
Will	II-220
Williamson	II-222
Winnebago.....	II-224
Woodford	II-226

PART III. CITY TABLES

Table 1. Live Births, Infant Deaths, Neonatal Deaths and Fetal Deaths by Race Among Residents of the Larger Cities in Illinois: 2001	III-3
Table 2. Live Birth Rates and Infant Death, Neonatal Death and Fetal Death Race-specific Rates Among Residents of the Larger Cities of Illinois: 2001	III-4
Table 3. Live Births with Percentage Rates for Premature Births and Hospital Births, Infant Deaths by Age with Rates and Maternal Deaths Among Residents of the Larger Cities of Illinois: 2001	III-5
Table 4. Deaths for Selected Causes Among Residents of the Larger Cities of Illinois: 2001	III-6
Table 5. Death Rates for Selected Causes Among Residents of the Larger Cities of Illinois: 2001	III-8

PART IV. APPENDICES

Appendix 1. Data Sources and Analysis	
Vital Records System.....	IV-3
Cutoff Dates and Interstate Exchange	IV-4
Racial Classification	IV-4
Hispanic Origin.....	IV-5
Computation of Percents.....	IV-5
Interpretation of Vital Statistics	IV-5
Exhibit 1. Marriage Application and Record	IV-7
Exhibit 2. Certificate of Dissolution, Invalidity of Marriage or Legal Separation	IV-8
Exhibit 3. Certificate of Live Birth	IV-9
Exhibit 4. Certificate of Fetal Death	IV-10
Exhibit 5. Medical Certificate of Death	IV-11
Exhibit 6. Medical Examiner's - Coroner's Certificate of Death	IV-12
Appendix 2. Definitions of Terms, Rates and Ratios	IV-13
Appendix 3. Cause-of-Death Classification.....	IV-17
Appendix 4. Comparability and Measurement of Mortality Trends.....	IV-22
Table A-1. ICD-9 and ICD-10 Codes and National Comparability Ratios for Selected Causes of Death	IV-24
Appendix 5. Life Table Construction	IV-27
Appendix 6. Full Mortality Rates Tables for Chicago and Downstate Illinois, 2000	IV-29

V
I
T
A
L

S
T
A
T
I
S
T
I
C
S

I
L
L
-
N
O
-
S

2001

INTRODUCTION

This report is in five parts: This introduction including table A, an historical summary (1918-2001) of numbers and rates of major vital events in Illinois; Part I, a narrative generally limited to statewide and large-scale regional tabulations; Part II, tabulations for the state, the city of Chicago and each county; Part III, tabulations for selected larger cities of Illinois; and, Part IV, technical appendices.

Downstate, as used in this report, refers to all areas of Illinois outside the corporate limits of the city of Chicago, unless otherwise stated.

Data in this report are based on birth, death, fetal death, marriage and divorce certificates, which by law must be filed with the Illinois Department of Public Health. The birth, death and fetal death tables include data received from other states and Canada on Illinois residents who were born or died in those jurisdictions, and exclude data on nonresidents of Illinois who were born or died in this state. The marriage and divorce tables include all and only those events that occurred in Illinois. Appendix 1 includes samples of the certificates and a description of the vital statistics system.

Vital rates cited in this report for years prior to 2000 are based on revised intercensal population estimates obtained from the U.S. Bureau of the Census and may differ from those published in previous editions of *Vital Statistics Illinois*.

Starting with 1989 data, the tabulation of births and fetal deaths by race category was changed. In prior years, birth and fetal death tabulations were by race category of child, based on information reported for the mother and father. In cases where only one parent was white, the child was assigned to the other parent's race category. When neither parent was white, the child was assigned the race of the father. Beginning with the 1989 data year, births and fetal deaths were tabulated by race of mother, as reported on the certificate. Changing the basis for tabulation to race categories of mother results in more births and fetal deaths classified as white and fewer classified as black or of other race categories.

In Part II, there are two pages for the state, Chicago and each of Illinois' 102 counties. The numbers of events are provided for white and black race categories as well as for persons of Hispanic origin (persons of Hispanic origin may be of any race). On the first page, detailed natality information is presented along with infant mortality data. On the second page, detailed mortality data are given by age at death and by cause. Rates are calculated for the total population as well as for the population ages 0 to 64 years and 65 years and older. Three-year average mortality rates for the total population are provided for listed causes within each area.

This year's *Vital Statistics Illinois* is the third volume using mortality coding based on revision 10 of the International Classification of Diseases (ICD-10). Volumes back to 1979 utilized ICD-9 codification for mortality tabulations. Appendix 3 contains ICD-10 codes for the leading causes of death. Appendix 4 contains information on cause of death classification and ICD-9 and ICD-10 comparability.

This 2001 edition of *Vital Statistics Illinois* contains life tables describing life expectancy for Illinois residents based on 1999-2001 mortality data. Appendix 5 discusses life table construction.

As in 1999 and 2000, the leading causes of death tables for Illinois, Chicago and Downstate (tables 47 - 52) consist of tabulations of numbers and rates for leading causes unique to the area being described. Populations by race category for 2000 for Chicago (and Downstate), used for the computation of rates, were not available at the time of publication of the 2000 *Vital Statistics Illinois*. Those completed tables are included in this volume as Appendix 6.

Table A.
Live Births, Deaths, Infant Deaths
and Maternal Deaths with Rates for Each and Fetal Deaths with Ratios
Illinois: 1918-2001

(Live birth rates and death rates per 1,000 estimated midyear population.)

(Infant and neonatal death rates per 1,000 live births. Maternal death rates per 10,000 live births)

Year	Estimated Population	Live Births		Deaths		Infant Deaths		Neonatal Deaths		Maternal Deaths		Fetal Deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Ratio
2001*	12,482,000	184,022	14.7	104,858	8.4	1,379	7.5	919	5.0	21	1.1	1,260	6.8
2000*	12,436,000	185,003	14.9	106,287	8.5	1,528	8.3	1,033	5.6	19	1.0	1,352	7.3
1999*	12,359,000	182,027	14.7	108,122	8.7	1,504	8.3	1,037	5.7	18	1.0	1,286	7.1
1998*	12,272,000	182,503	14.9	104,070	8.5	1,505	8.2	988	5.4	23	1.3	1,246	6.8
1997*	12,186,000	180,649	14.8	102,404	8.4	1,476	8.2	974	5.4	14	0.8	1,190	6.6
1996*	12,102,000	183,079	15.1	105,701	8.7	1,536	8.4	990	5.4	21	1.1	1,308	7.1
1995*	12,008,000	185,801	15.5	108,089	9.0	1,724	9.3	1,156	6.2	19	1.0	1,297	7.0
1994*	11,913,000	189,182	15.9	106,911	9.0	1,711	9.0	1,091	5.8	24	1.3	1,487	7.8
1993*	11,810,000	190,709	16.1	106,875	9.0	1,838	9.6	1,170	6.1	17	0.9	1,458	7.6
1992*	11,694,000	190,923	16.3	101,861	8.7	1,911	10.0	1,227	6.4	16	0.8	1,500	7.8
1991*	11,569,000	194,066	16.8	103,871	9.0	2,068	10.7	1,367	7.0	16	0.8	1,418	7.3
1990*	11,453,000	195,499	17.1	102,697	9.0	2,090	10.7	1,368	7.0	22	1.1	1,529	7.8
1989*	11,410,000	190,247	16.7	103,027	9.0	2,217	11.7	1,416	7.4	21	1.1	1,493	7.8
1988*	11,390,000	184,708	16.2	105,038	9.2	2,077	11.2	1,330	7.2	18	1.0	1,403	7.6
1987*	11,391,000	180,441	15.8	102,105	9.0	2,094	11.6	1,400	7.8	13	0.7	1,392	7.7
1986*	11,387,000	176,567	15.5	103,009	9.0	2,125	12.0	1,422	8.1	22	1.2	1,349	7.6
1985*	11,400,000	180,657	15.8	101,948	8.9	2,103	11.6	1,423	7.9	13	0.7	1,471	8.1
1984*	11,412,000	179,216	15.7	100,640	8.8	2,148	12.0	1,443	8.1	27	1.5	1,503	8.4
1983*	11,409,000	178,820	15.7	102,195	9.0	2,208	12.3	1,467	8.2	24	1.3	1,479	8.3
1982*	11,423,000	183,564	16.1	100,276	8.8	2,492	13.6	1,714	9.3	23	1.3	1,642	8.9
1981*	11,443,000	184,897	16.2	101,526	8.9	2,561	13.9	1,801	9.7	27	1.5	1,707	9.2
1980*	11,427,000	189,941	16.6	102,239	8.9	2,788	14.7	1,889	9.9	26	1.4	1,797	9.5
1979*	11,397,000	184,184	16.2	102,002	8.9	2,778	15.1	1,913	10.4	32	1.7	1,767	9.6
1978*	11,413,000	174,397	15.3	102,771	9.0	2,731	15.7	1,898	10.9	11	0.6	1,733	9.9
1977*	11,386,000	177,148	15.6	103,079	9.1	2,824	15.9	1,991	11.2	18	1.0	1,899	10.7
1976*	11,343,000	170,181	15.0	103,417	9.1	2,843	16.7	2,084	12.2	20	1.2	1,902	11.2
1975*	11,292,000	169,248	15.0	103,166	9.1	3,107	18.4	2,221	13.1	28	1.7	1,954	11.5
1974*	11,262,000	168,991	15.0	107,872	9.6	3,271	19.4	2,441	14.4	38	2.2	1,984	11.7
1973*	11,251,000	168,992	15.0	110,259	9.8	3,398	20.1	2,551	15.1	23	1.3	2,161	12.8
1972*	11,252,000	177,848	15.8	110,970	9.9	3,618	20.3	2,681	15.1	40	2.2	2,358	13.3
1971*	11,202,000	195,311	17.4	109,491	9.8	4,107	21.0	3,084	15.8	51	2.6	2,644	13.5
1970*	11,110,000	205,203	18.5	110,474	9.9	4,415	21.5	3,388	16.5	57	2.8	2,811	13.7
1969*	11,039,000	195,699	17.7	111,107	10.1	4,387	22.4	3,342	17.1	65	3.3	2,658	13.6
1968*	10,995,000	193,261	17.6	112,905	10.3	4,536	23.5	3,389	17.5	72	3.7	2,657	13.7
1967*	10,947,000	195,644	17.9	110,030	10.1	4,611	23.6	3,386	17.3	84	4.3	2,755	14.1
1966*	10,836,000	201,284	18.6	111,155	10.3	5,121	25.4	3,745	18.6	57	2.8	2,881	14.3
1965*	10,693,000	208,063	19.5	108,138	10.1	5,339	25.7	3,890	18.7	69	3.3	3,096	14.9
1964*	10,580,000	222,259	21.0	106,802	10.1	5,590	25.2	4,141	18.6	71	3.2	3,372	15.2
1963*	10,402,000	224,787	21.6	107,761	10.4	5,372	23.9	3,981	17.7	70	3.1	3,335	14.8
1962*	10,280,000	230,484	22.4	104,695	10.2	5,527	24.0	4,061	17.6	70	3.0	3,393	14.7
1961*	10,130,000	237,051	23.4	101,696	10.0	5,757	24.3	4,209	17.8	61	2.6	3,472	14.6
1960*	10,086,000	238,760	23.7	103,038	10.2	5,959	25.0	4,322	18.1	70	2.9	3,528	14.8

Table A (Continued).

(Live birth rates and death rates per 1,000 estimated midyear population.)

(Infant and neonatal death rates per 1,000 live births. Maternal death rates per 10,000 live births)

Year	Estimated Population	Live births		Deaths		Infant deaths		Neonatal deaths		Maternal deaths		Fetal deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Ratio
1959*	9,986,000	239,871	24.0	101,406	10.2	5,990	25.0	4,318	18.0	72	3.0	3,489	14.5
1958*	9,886,000	234,712	23.7	101,729	10.3	5,857	25.0	4,211	17.9	74	3.2	3,615	15.4
1957*	9,668,000	238,579	24.7	102,293	10.6	6,070	25.4	4,417	18.5	80	3.4	3,653	15.3
1956*	9,530,000	229,571	24.1	96,956	10.2	5,642	24.6	4,158	18.1	77	3.3	3,399	14.8
1955*	9,435,000	220,541	23.4	95,585	10.1	5,479	24.8	3,969	18.0	83	3.8	3,328	15.1
1954*	9,252,000	217,229	23.5	92,307	10.0	5,442	25.1	4,018	18.5	76	3.5	3,235	14.9
1953*	9,065,000	206,813	22.8	96,607	10.7	5,326	25.8	3,812	18.4	88	4.3	3,323	16.1
1952*	8,956,000	205,438	22.9	94,173	10.5	5,115	24.9	3,721	18.1	92	4.5	3,239	15.8
1951*	8,790,000	201,082	22.9	93,254	10.6	5,023	25.0	3,776	18.8	107	5.3	3,270	16.3
1950*	8,738,000	189,640	21.7	92,260	10.6	4,855	25.6	3,580	18.9	114	6.0	3,083	16.3
1949+	8,670,000	189,313	21.8	92,568	10.7	5,195	27.4	3,812	20.1	132	7.0	3,274	17.3
1948+	8,552,000	184,871	21.6	91,328	10.7	5,123	27.7	3,792	20.5	151	8.2	3,284	17.8
1947+	8,341,000	196,007	23.5	93,686	11.2	5,672	28.9	4,236	21.6	204	10.4	3,669	18.7
1946+	8,155,000	174,825	21.4	89,566	11.0	5,316	30.4	4,015	23.0	237	13.6	3,667	21.0
1945+	7,601,000	138,705	18.2	90,116	11.9	4,377	31.6	3,001	21.6	235	16.9	2,951	21.3
1944+	7,719,000	142,005	18.4	88,180	11.4	4,602	32.4	3,107	21.9	254	17.9	3,158	22.2
1943+	7,761,000	155,735	20.1	92,058	11.9	5,184	33.3	3,474	22.3	320	20.5	3,470	22.3
1942+	8,057,000	156,232	19.4	87,777	10.9	5,170	33.1	3,613	23.1	326	20.9	3,445	22.1
1941+	7,995,000	136,159	17.0	86,582	10.8	4,661	34.2	3,215	23.6	340	25.0	3,186	23.4
1940+	7,905,000	124,615	15.8	89,099	11.3	4,398	35.3	3,004	24.1	369	29.6	3,152	25.3
1939++	7,890,000	117,841	14.9	86,994	11.0	4,474	38.0	3,011	25.6	370	31.4	2,978	25.3
1938++	7,866,000	122,562	15.6	84,769	10.8	5,016	40.9	3,244	26.5	412	33.6	3,207	26.1
1937++	7,857,000	115,282	14.7	87,739	11.2	4,967	43.1	3,208	27.8	450	39.0	3,058	26.5
1936++	7,840,000	112,167	14.3	92,806	11.6	5,246	46.8	3,315	29.6	500	44.6	3,099	27.6
1935++	7,797,000	111,884	14.3	85,518	11.0	5,138	45.9	3,380	30.2	555	49.6	3,308	29.6
1934++	7,772,000	110,226	14.2	87,205	11.2	5,825	52.8	3,633	33.0	568	51.5	3,333	30.2
1933++	7,768,000	107,910	13.9	82,513	10.6	5,284	49.0	3,402	31.5	537	49.8	3,219	29.8
1932++	7,736,000	111,512	14.4	83,180	10.8	5,884	52.8	3,639	32.6	625	56.0	3,446	30.9
1931++	7,687,000	118,788	15.5	85,788	11.2	6,961	58.6	4,067	34.2	659	55.5	4,080	34.3
1930++	7,644,000	128,121	16.8	83,591	10.9	7,152	55.8	4,356	34.0	699	54.6	4,311	33.6
1929++	7,606,000	128,633	16.9	87,788	11.5	7,901	61.4	4,751	36.9	874	67.9	4,452	34.6
1928++	7,576,000	129,667	17.1	90,195	11.9	8,326	64.2	4,760	36.7	743	57.3	4,677	36.1
1927++	7,519,000	133,662	17.8	82,849	11.0	8,605	64.4	4,989	37.3	743	55.6	4,693	35.1
1926++	7,395,000	133,939	18.1	85,331	11.5	9,294	69.4	5,043	37.7	871	65.0	4,879	36.4
1925++	7,306,000	135,437	18.5	81,593	11.2	9,822	72.5	5,156	38.1	789	58.3	4,885	36.1
1924++	7,215,000	137,118	19.0	77,133	10.7	9,734	71.0	5,475	39.9	844	61.6	5,290	38.6
1923++	7,068,000	131,920	18.7	81,753	11.6	10,809	81.9	5,467	41.4	846	64.1	5,157	39.0
1922++	6,958,000	134,050	19.3	75,771	10.9	10,195	76.1	5,438	40.6	847	63.2	4,826	36.0
1921++	6,858,000	NA	NA	73,424	10.7	10,674	NA	5,620	NA	944	NA	NA	NA
1920++	6,663,000	NA	NA	82,296	12.4	11,641	NA	5,584	NA	1,141	NA	NA	NA
1919++	6,392,000	NA	NA	77,256	12.1	11,148	NA	5,317	NA	960	NA	NA	NA
1918++	6,275,000	NA	NA	100,396	16.0	13,109	NA	5,897	NA	1,160	NA	NA	NA

* 1950 - 2001: Resident data from tabulations in Illinois Department of Public Health.

(1953 - 1954 maternal deaths from *Vital Statistics of the United States*)+ 1940 - 1949: Resident data from *Vital Statistics of the United States* for each year.

++ 1918 - 1939: Occurrence data from United States Bureau of the Census publications.

NA (not available): Illinois was admitted to the United States Birth Registration Area in 1922.

Population Estimates: United States Bureau of the Census Series P-25, Nos. 139, 304, 460, 957 and 1058

MARRIAGE AND DIVORCE


Marriages

After declining in 2000, the number of marriages registered in Illinois increased to 89,469, up 4.1 percent from the 85,798 registered in 2000. The number of marriages registered in 2001 is the largest number recorded since 1997 (94,574).

The marriage rate (the number of marriages per 1,000 population) increased from 6.9 in 2000 to 7.2 in 2001. This was the result of an increase of 3,671 in the number of marriages, despite an increase of 46,000 in the estimated population between 2000 and 2001.

Figure 1 shows a sharp fluctuation in the marriage rate from 1988 through 1990. The fluctuation appears to be largely the result the human immunodeficiency virus (HIV) testing requirement for obtaining a marriage license initiated in Illinois in 1988. The marriage rate in 1988 dropped sharply, coinciding with the HIV testing requirement, and rebounded in 1989 with its repeal. The pre-1988 trend of generally declining marriage rates seems to have been reestablished following this period of fluctuation.

Figure 1.
Marriage and Divorce Rates
Illinois, 1965-2001



Recent marriage trends are a part of a much larger trend since the early 1970s (table 1). To some degree, the smaller number of marriages in 1991 through 2001, compared to 1987, can be attributed to the fact that the proportion of the population 20 to 29 years of age, which has the highest marriage rate, shrank from 1,956,400 (or 17.2% of the total population in 1987) to 1,753,600 (or 13.9%) in 2001. Such a demographic change not only lowered the number of marriages, it also contributed to the rise of the median age of marriage by more than two years for grooms, from 27.7 years in 1987 to 30.1 years in 2001, and for brides, from 25.8 years to 28.1 years (table 5).

As in previous years, young adults 20 to 29 years of age accounted for a near majority of the number and percentage of marriages for brides and grooms in 2001. For grooms, however, those 30 years of age and older represented the largest percentage group marrying. Since at least 1985, both brides and grooms have shown an increased tendency for delayed marriage. In 1985, 58.3 percent of the grooms and 59.5 percent of the brides were 20-29 years of age. In 2001, these percentages had shrunk to 46.7 percent and 51.0 percent, respectively. During the same period, marriages to grooms age 30 years and older increased from 37.1 percent of all marriages to 50.7 percent, and brides of that age group increased from 28.2 percent to 42.1 percent of all marriages. Marriages at ages younger than 20 years also have been declining. In 1985, 4.6 percent of grooms and 12.3 percent of brides were under 20 years of age. During 2001, only 2.6 percent of the grooms and 6.9 percent of the brides were under 20 years of age (table 2).

In addition to varying by age, marriage rates also varied by race. Those of the white race category were more likely to marry than those in other race categories, but the difference in 2001 was not as large as in previous years. The marriage rate for the white race category

Table 1.
Occurrences of Marriages, Divorces and Annulments
Illinois, 1970 - 2001

Year	Marriages		Divorces and Annulments			
	Number	Rate ¹	Divorces	Annulments	Total	Rate ¹
1970	115,478	10.4	36,054	396	36,450	3.3
1971	115,826	10.3	39,753	383	40,136	3.6
1972	118,592	10.5	42,628	464	43,092	3.8
1973	119,843	10.7	44,671	481	45,152	4.0
1974	116,419	10.3	47,878	483	48,361	4.3
1975	111,459	9.9	50,452	502	50,954	4.5
1976	110,847	9.8	51,317	493	51,810	4.6
1977	108,100	9.5	48,566	414	48,980	4.3
1978	105,946	9.3	49,761	550	50,311	4.4
1979	108,480	9.5	51,832	301	52,133 ²	4.6
1980	109,823	9.6	50,728	269	50,997	4.5
1981	109,074	9.5	51,536	253	51,789	4.5
1982	107,023	9.4	49,363	276	49,639	4.3
1983	103,773	9.1	50,113	243	50,356	4.4
1984	102,418	9.0	48,670	227	48,897	4.3
1985	97,701	8.6	48,682	203	48,885	4.3
1986	96,189	8.4	45,675	177	45,852	4.0
1987	95,613	8.4	46,800	186	46,986	4.1
1988	78,302	6.9	45,736	175	45,911	4.0
1989	85,695	7.5	45,676	201	45,877	4.0
1990	100,632	8.8	45,819	158	45,977	4.0
1991	94,771	8.2	45,659	154	45,813	4.0
1992	94,500	8.1	43,580	177	43,757	3.7
1993	91,578	7.8	43,061	155	43,216	3.7
1994	93,430	7.8	43,202	150	43,352	3.6
1995	93,357	7.8	41,711	145	41,856	3.5
1996	91,187	7.5	40,585	144	40,729	3.4
1997	94,574	7.8	39,807	174	39,981	3.3
1998	85,515	7.0	40,904	159	41,063	3.3
1999	86,961	7.0	41,020	92	41,112	3.3
2000	85,798	6.9	39,429	95	39,524	3.2
2001	89,469	7.2	37,180	114	37,294	3.0

¹ Rates per 1,000 estimated population

² Reporting known to be incomplete

Table 2.
Marriages by Age of Bride and Groom
Illinois, 2001

Bride's Age in Years	Total	Groom's Age in Years										
		Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 and older
Total	89,469	2,324	18,233	23,570	15,936	10,074	7,010	4,730	3,194	1,805	1,099	1,494
Under 20	6,197	1,490	3,489	882	216	85	24	6	3	2	--	--
20-24	23,692	698	11,631	8,329	2,102	642	197	57	24	9	2	1
25-29	21,923	98	2,362	10,679	5,960	1,900	633	185	68	23	10	5
30-34	13,476	23	523	2,690	5,123	3,051	1,303	459	191	73	24	16
35-39	8,788	8	134	700	1,760	2,740	1,917	899	410	139	53	28
40-44	6,369	5	66	215	568	1,173	1,850	1,395	696	249	87	65
45-49	4,124	1	21	53	156	372	799	1,196	863	384	166	113
50-54	2,426	--	4	19	41	92	221	420	699	505	255	170
55-59	1,142	--	2	2	8	13	47	80	181	309	278	222
60-64	612	--	1	1	2	5	14	22	44	90	170	263
65 and older	720	1	--	--	--	1	5	11	15	22	54	611

Table 3.
Number of Previous Marriages of Bride and Groom
Illinois, 2001

Bride	Total	Groom										
		0	1	2	3	4	5	6	7	8	9+	Unknown
Total	89,469	61,831	21,221	4,810	1,088	250	62	8	10	4	5	180
0	61,894	52,090	8,556	1,018	161	20	8	3	--	--	--	38
1	20,929	8,370	9,692	2,239	464	111	15	2	5	1	4	26
2	4,878	1,099	2,307	1,112	269	58	21	1	1	3	--	7
3	1,157	171	480	322	140	31	9	1	2	--	1	--
4	270	39	93	81	30	19	5	--	1	--	--	2
5	78	5	31	17	13	8	2	1	1	--	--	--
6	26	3	7	6	6	2	2	--	--	--	--	--
7	2	--	--	--	2	--	--	--	--	--	--	--
8	6	1	3	1	1	--	--	--	--	--	--	--
9+	5	--	4	1	--	--	--	--	--	--	--	--
Unknown	224	53	48	13	2	1	--	--	--	--	--	107

Table 4.
Marital Status of Bride and Groom at Time of Marriage
Illinois, 2001

Marital Status of Bride	Total	Marital Status of Groom				
		Never Married	Widowed	Divorced	Annulled	Unknown
Total	89,469	61,831	2,023	25,264	95	256
Never Married	61,894	52,090	335	9,357	44	68
Widowed	2,152	389	710	1,047	2	4
Divorced	25,008	9,200	972	14,780	32	24
Annulled	95	40	4	34	17	--
Unknown	320	112	2	46	--	160

Table 5.
Median Age of Brides and Grooms
and Median Duration of Marriage
Illinois, 1965, 1970, 1975, 1980,
and 1985-2001

Year	Median Age in Years		Median Duration of Marriage in Years ¹
	Bride	Groom	
1965	22.3 ²	24.5 ²	7.1
1970	22.1 ²	24.2 ²	6.9
1975	23.1 ²	25.1 ²	6.5
1980	23.8 ²	26.0 ²	6.9
1985	25.4 ²	27.7 ²	6.9
1986	25.5	27.5	7.0
1987	25.8	27.7	7.2
1988	25.7	27.6	7.5
1989	26.0	27.9	7.2
1990	26.5	28.4	7.2
1991	26.6	28.5	7.1
1992	26.8	28.7	7.2
1993	26.9	28.9	7.2
1994	27.0	29.0	7.3
1995	27.1	29.0	7.4
1996	27.4	29.3	7.5
1997	27.6	29.5	7.5
1998	27.8	29.7	7.7
1999	27.9	29.8	7.9
2000	28.1	30.0	7.8
2001	28.1	30.1	7.8

¹ At time of divorce

² Based on sample data from the National Center
for Health Statistics

(the number of marriages in which both bride and groom were of the white race category per 1,000 population) was 5.9 in 2001 compared to 5.1 for those of all other race categories. Rates for both the white race category and for the all other races category decreased from comparative 2000 values (6.0 and 5.3, respectively).

Nearly 31 percent of both brides (30.6%) and grooms (30.8%) had been married before (table 3). Of the total number of marriages where the previous marital status was known, 7.0 percent of the grooms and 7.2 percent of the brides had been married more than once before. Only 1.6 percent of the grooms and 2.0 percent of the brides had been married more than twice. Again, where marital status of the bride and groom was known, 61.2 percent of the marriages were to couples where neither had been married before.

In 2001, among both grooms and brides who had been married before, and whose previous marital status was known, 92.3 percent of the grooms and 91.8 percent of the brides had been divorced (table 4). Those widowed and whose marriages had been annulled accounted for the remaining 7.7 percent of grooms and 8.2 percent of brides.

Table 6.
Divorces and Annulments by Age of Husband and Wife
Illinois, 2001

Wife's Age (Years)	Total	Husband's Age (Years)											
		Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65+	Unknown
Total	37,294	58	1,855	5,126	6,536	6,656	6,160	4,452	2,941	1,451	787	722	550
Under 20	254	34	159	46	6	3	2	--	--	--	--	--	4
20-24	3,270	24	1,294	1,394	362	118	29	10	3	--	--	1	35
25-29	5,993	--	310	2,661	2,048	606	217	61	26	2	2	6	54
30-34	6,852	--	55	735	2,942	2,051	676	220	71	29	6	5	62
35-39	6,795	--	21	158	757	2,688	2,088	662	243	82	30	20	46
40-44	5,764	--	6	56	239	800	2,323	1,532	535	154	53	36	30
45-49	3,782	--	1	14	68	237	565	1,493	957	269	109	39	30
50-54	2,230	--	--	5	32	71	168	326	907	478	150	78	15
55-59	924	--	--	3	5	20	28	79	138	341	217	88	5
60-64	438	--	--	--	2	4	12	16	22	59	158	163	2
65+	351	--	--	--	--	--	--	8	12	16	46	265	4
Unknown	641	--	9	54	75	58	52	45	27	21	16	21	263

Divorce

The total number of divorces and annulments in 2001 totaled 37,294 (37,180 divorces and 114 annulments), down 6 percent from those recorded in 2000. The number of divorces and annulments (hereafter collectively referred to as "divorces") registered in Illinois during 2001 were lower than in any year since 1971. In general, the number of divorces occurring in Illinois during the peak period of the late 1970s and early 1980s was as much as 14,800 more than the number registered in 2001 (table 1).

The 2001 divorce rate of 3.0 per 1,000 population was lower than that in any year since at least 1970. The divorce rate reached peaks of 4.6 in 1976 and 1979. Between 1979 and 1996 the divorce rate gradually declined, and between 1997 and 1999, had been steady at 3.3 before again beginning to decline in 2000 (figure 1). Census data and divorce data suggest that a portion of the decline in the divorce rate from 1980 to 1995 may be attributed to the change in the age structure and its increasing proportion of older adults (who have a lower rate in the Illinois population).

Table 7.
Divorces and Annulments Classified by
Duration of Marriage
Illinois, 2001

	Divorces	Annulments
Total.....	37,180	114
Under 1 Year	1,123	50
1 Year	2,371	25
2 Years	2,735	8
3 Years	2,859	6
4 Years	2,794	11
Under 5 Years	11,882	100
5 Years	2,474	2
6 Years	2,241	1
7 Years	1,869	--
8 Years	1,673	1
9 Years	1,537	2
5-9 Years	9,794	6
10-14 Years	5,826	3
15-19 Years	3,805	1
20-24 Years	2,594	2
25-29 Years	1,546	--
30-34 Years	812	--
35-39 Years	326	--
40-44 Years	150	--
45-49 Years	63	--
50 Years and Older	34	--
Unknown Years	348	2

While the 2001 Illinois male population 20 – 34 years of age accounted for 29 percent of the male population 15 years of age and over, approximately 37 percent of the divorced husbands were in this age group (table 6). This age concentration, indicating a higher divorce rate among young adult males, was even more pronounced for females. While 26 percent of the female population 15 years of age and over were in the age group 20–34 years, 44 percent of the divorced wives were in this same age group.

Most divorces occur relatively early in marriage. (For strictly annulments, in 2001, approximately 44 percent occurred before the end of the first year of marriage.) In 2001, the mode (the highest number of divorces) was for couples who had been married three years, and the number of divorces generally declined with increasing duration of marriage. For those whose length of marriage was known, 32.4 percent of divorcing couples had been married less than five years and

approximately 60 percent had been married less than 10 years (table 7). The median duration of marriage at time of divorce decree in Illinois was 7.9 years, longer than in 2000 and the same as in 1999 and, like 1999, the lowest recorded since at least 1965.


In 2001, the number of children younger than 18 years of age whose parents divorced was 33,026, or 2,808 less than in 2000 (35,834). The rate of children involved in divorce per 1,000 children under 18 years of age was 10.3 in 2001 compared to 11.0 in 2000, 12.5 in 1995 and 14.5 in 1990. Among the 35,490 divorces in 2001 where the presence of children under the age of 18 years was stated, 51.9 percent of couples divorcing in 2001 had children under the age of 18 years, 23.0 percent had one child, while 19.7 percent had two children and 9.2 percent had three or more children. For 4.8 percent of divorcing couples, the number of children involved was unstated.

N A T A L I T Y

Live Births

For 2001, there were 184,022 births recorded to Illinois' resident mothers, down slightly (-0.5%) from the 185,003 births recorded in 2000 (table A). The crude birth rate (the number of live births per 1,000 population) decreased to 14.7 (the same as in 1999) from the 14.9 recorded in 2000. This decrease was the result of the decline in the number of births, tempered by a 0.4 percent increase in population over the July 1, 2000, estimated population.

Figure 2.
Crude Birth and Death Rates
Illinois, 1965-2001



The 2001 general fertility rate (number of live births per 1,000 women 15–44 years of age) was 67.4, the same as that recorded for 2000. The rate for the resident population in the white race category increased from 66.2 in 2000 to 66.7 in 2001. The rate for the all other races category decreased from 71.8 in 2000 to 69.7 in 2001.

One reason for the decline in the general fertility rate is the decrease in the number of women in the peak childbearing age groups.

In 1990, the general fertility rate was 72.6, the proportion of births to women age 20 to 34 years was 77.7 percent and the estimated female population for this same age group was 1,430,700. In 2001, the general fertility rate had declined to 67.4, down 7.2 percent from the 1990 value (table 8). During the same period, the population of women age 20 to 34 years declined 8.4 percent to 1,310,900. On the other hand, age-specific birth rates for women age 30 years and older have been increasing since 1990. From 1990 to 2001, the age 30 to 34 birth rate increased 16 percent, age 35 to 39 years increased 34 percent and age 40 to 44 years increased 47 percent.

For women age 30–34 years, the proportion of births that were first children was higher than in 1990. In 2001, 28.7 percent of all births to women age 30–34 years were first children, compared to 25.2 percent in 2000. For mothers under 25 years of age, the percentage of all births that were first births in 2001 (55.8%) increased slightly from that recorded in 1990 (55.4%). This means that a smaller proportion of births in 2001 to mothers represented their second, third or higher order child, compared to mothers of the same age group in 1990.

Births to mothers under age 20 years declined for the eighth consecutive year. During 2001, 20,092 births were recorded to mothers under age 20 years. Of those births, 344 (1.7%) were to mothers under the age of 15 years; 6,635 (33.0%) were to mothers age 15–17 years and 13,113 (65.3%) were to mothers 18 or 19 years of age. Since 1990, the number of births to women age 15–19 years has decreased by 20.7 percent and the rate by 27.5 percent. For females age 10–14 years, the number decreased by 45.6 percent and the rate by 50.0 percent over the same period. The 2001 rate of 0.8 births per 1,000 females age 10–14 years is the lowest since 1970. The 2001 rate of 46 births per 1,000 females age 15–19 years is lower than for any year since at least 1981.

Table 8.
Resident Live Births and Birth Rates by Age of Mother for All Births and for First Child
Illinois, 1980, 1990, 1995-2001
(Rates per 1,000 women in specified age group)


Year and Birth Order	All Ages ⁽¹⁾	10-14 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45-49 Years
All Births		Number of Births							
2001	184,022	344	19,748	42,732	48,205	46,481	22,052	4,222	213
2000	185,003	392	20,716	43,054	49,617	45,287	21,627	4,112	172
1999	182,027	422	21,411	41,375	49,822	43,833	21,122	3,834	186
1998	182,503	462	22,170	41,014	49,847	44,576	20,859	3,684	146
1997	180,649	463	22,183	40,415	49,623	44,217	20,193	3,376	165
1996	183,079	508	22,823	41,210	50,466	44,982	19,747	3,223	103
1995	185,801	579	23,467	43,059	50,708	45,677	19,101	3,097	102
1990	195,499	632	24,913	47,443	60,268	44,267	15,538	2,315	76
1980	189,941	609	29,174	62,404	58,463	29,956	7,955	1,310	63
First Child ⁽²⁾									
2001	71,485	338	15,426	19,293	17,602	13,326	4,560	878	52
2000	73,004	386	16,005	19,482	18,673	13,088	4,521	800	39
1999	71,302	411	16,369	18,465	18,531	12,466	4,242	758	50
1998	71,320	451	16,894	18,247	18,305	12,538	4,188	663	26
1997	72,174	446	16,943	18,382	19,109	12,315	4,240	701	32
1996	73,057	499	17,265	18,902	19,236	12,379	4,117	630	23
1995	74,418	557	17,602	19,942	19,570	12,290	3,812	625	18
1990	77,399	613	18,084	21,719	22,334	11,148	3,089	378	12
	General Fertility Rate ⁽³⁾	Age-specific Rates							
2001	67.4	0.8	46.0	101.9	112.4	100.5	45.3	8.4	0.5
2000	67.4	0.9	48.0	103.7	113.0	99.6	43.2	8.2	0.4
1999	66.3	1.0	49.6	101.4	112.1	94.9	41.7	7.8	0.4
1998	66.4	1.1	51.8	102.4	111.3	94.0	40.8	7.6	0.3
1997	65.8	1.1	52.7	102.0	110.7	90.6	39.3	7.1	0.4
1996	66.7	1.2	55.3	103.7	112.5	89.5	38.4	6.9	0.2
1995	67.9	1.4	58.4	105.8	113.6	88.7	37.4	6.8	0.3
1990	72.6	1.6	63.4	111.2	122.3	86.6	33.7	5.7	0.2
1980	71.3	1.4	55.8	115.6	117.6	67.8	22.2	4.3	0.2
First Child ⁽²⁾									
2001	26.2	0.8	35.9	46.0	41.0	28.8	9.4	1.7	0.1
2000	26.6	0.9	37.0	46.9	42.5	28.8	9.0	1.6	0.1
1999	26.0	0.9	38.0	45.2	41.7	27.0	8.4	1.5	0.1
1998	25.9	1.1	39.4	45.6	40.9	26.4	8.2	1.4	0.1
1997	26.3	1.0	40.2	46.4	42.6	25.2	8.2	1.5	0.1
1996	26.6	1.2	41.8	47.6	42.9	24.6	8.0	1.3	0.1
1995	27.2	1.3	43.8	49.0	43.8	23.9	7.5	1.4	0.0
1990	28.7	1.6	46.0	50.9	45.3	21.8	6.7	0.9	0.0

⁽¹⁾ Includes figures for age of mother not stated and when mother was 50 years of age or older

⁽²⁾ First child is defined as mother's first live birth.

⁽³⁾ General fertility rates are computed by relating total births to women 15 to 44 years of age, regardless of age of mother.

Figure 3.
Resident Births to Unmarried Women by Race Category
Illinois, 1950-2001



Typically, the level of educational attainment of mothers has been inversely related to the fertility rate. That is, fertility decreased with increasing levels of education. In 2001, however, fully one-half (50%) of all live births occurred to women with at least some college education and 78.3 percent of those births occurred to women with at least a high school education.

The number of infants born in multiple deliveries (e.g., twins, triplets) in 2001 was 6,594, up 237 from the 6,357 recorded in 2000. Multiple deliveries accounted for 3.6 percent of the total Illinois resident live births, having risen steadily from 2.0 percent in 1980. The twinning ratio (the proportion of live births as part of twins per 1,000 live births) was 33.1, up over 67 percent from the 1980 ratio of 19.8. The higher order multiple birth ratio (triplets and higher order births) was 0.51 in 1980, rising to 2.70 in 2001, an increase of more than 400 percent.

Births to Unmarried Mothers

In 2001, the number of births recorded among Illinois' unmarried women totaled 63,426, down slightly (-0.6%) from the 63,823 recorded in 2000 and down 2.6 percent from the number recorded for the peak year of 1993. The percentage of all births to unmarried women in 2001 (34.5%) was the same as that recorded in 2000.

Table 9.
Proportion of Nonmarital Births
by Age of Mother
Illinois, 1980, 1990, 2000 and 2001

Age of Mother (Years)	Proportion of Nonmarital Births			
	1980	1990	2000	2001
15-19	0.57	0.80	0.85	0.85
20-24	0.25	0.45	0.56	0.56
25-29	0.11	0.19	0.25	0.26
30-34	0.08	0.13	0.13	0.13
35-39	0.09	0.13	0.14	0.14
40 and over	0.15	0.16	0.17	0.16

Table 10.
Number and Percent Distribution of Resident Live Births by
Educational Attainment and Race Category of Mother
Illinois, 2001

Race Categories	Total	Years of School Completed by Mother					
		0-8 years	9-11 years	12 years	13-15 years	16+ years	Not Stated
	Number of Births						
All races.....	184,022	13,076	26,359	51,520	39,784	51,267	2,016
White	142,277	12,236	17,401	38,179	30,136	42,857	1,468
All other races	41,745	840	8,958	13,341	9,648	8,410	548
Black ⁽¹⁾	(33,162)	(657)	(8,597)	(11,926)	(8,044)	(3,580)	(358)
	Percent Distribution ⁽²⁾						
All races.....	100	7.2	14.5	28.3	21.9	28.2	
White	100	8.7	12.4	27.1	21.4	30.4	
All other races	100	2.0	21.7	32.4	23.4	20.4	
Black ⁽¹⁾	100	2.0	26.2	36.4	24.5	10.9	

⁽¹⁾ Included in "All other races"

⁽²⁾ Excludes births with unknown education of mother

For most age groups, the proportion of all births that are to unmarried women increased from 1990. As in 2000, 85 percent of all mothers 15-19 years of age giving birth in 2001 were unmarried, an increase of 5 percentage points from the corresponding proportion in 1990, but much higher than the 57 percent in 1980 (table 9). Since 1990, the proportion of births to unmarried mothers increased among those under 30 years of age as well as among mothers 35-39 years of age, while remaining stable for mothers 30-34 years of age and those 40 years and older. The proportion of births to unmarried mothers was smallest for mothers 30-34 years of age (13%).

The number of births to unmarried mothers was disproportionately larger among those in the black race category when compared to mothers in the white race category. While births to those in the black race category comprised only 18 percent of all Illinois births, the number of births to unmarried women in the black race category (25,375) accounted for 40.0 percent of the total births to unmarried Illinois women in 2001 (table 20). Among births to women in the black race category, 76.5 percent were to unmarried mothers, up slightly from the 76.4 percent in

2000. Among women in the white race category, 26.2 percent of all births were to unmarried mothers, up from the 25.9 percent in 2000. The percentage of births to unmarried mothers in the white race category in 2001 was a new peak, following the general trend since at least 1950 of increasing proportions (figure 3).

The difference in the proportions of nonmarital births between mothers in the black and white race categories varied by age, but remained substantial in almost all age groups. In 2001, for mothers age 25-29 years, the percentage of nonmarital births was 19.3 percent for mothers in the white race category and 66.8 percent for mothers in the black race category, a difference of over 47 percentage points and the largest among the five-year age groups. The age group with the lowest proportion of nonmarital births for mothers of the black race category was 40 years and older with 47.8 percent; the lowest proportion of nonmarital births to mothers in the white race category occurred in the age 30- to 34-year and 35- to 39-year age groups, with 9.3 percent.

Table 11.
Prenatal Care Initiated in the First Trimester of Pregnancy
As Percent of Resident Live Births by Race Category, Age, and Marital Status of Mother
Illinois, 2001

Age of Mother (Years)	Percent Initiated in First Trimester ⁽¹⁾								
	All Race Categories			White Race Category			All Other Race Categories		
	Total	Married	Unmarried	Total	Married	Unmarried	Total	Married	Unmarried
All Ages	84.0	90.2	72.1	86.5	90.7	74.5	75.4	87.0	68.6
Under 15	46.0	*	45.5	51.7	*	50.4	42.9	-0-	42.9
15-19	68.6	74.8	67.5	71.8	75.3	70.9	63.2	67.6	63.0
20-24	77.7	84.0	72.9	80.0	84.5	74.8	71.9	80.5	70.0
25-29	86.6	90.4	75.5	88.2	90.9	76.8	80.3	86.9	73.6
30-34	90.8	93.1	75.4	92.1	93.6	77.6	84.1	89.9	72.5
35-39	89.9	92.5	73.2	91.5	92.9	77.3	81.7	89.3	67.9
40 and over	86.4	89.4	71.2	88.7	90.2	77.3	76.1	84.0	61.9

⁽¹⁾ Excludes births with unknown trimester of pregnancy when prenatal care began: percentages based on resident live births by age and race category of mother.
* Ratio does not meet standards of reliability or precision; numerator less than 10 or denominator less than 100

Nonmarital births also varied by residence. In 2001, the number of nonmarital births in Chicago (25,511) accounted for about 40 percent of the total nonmarital births in Illinois despite the fact that about 23 percent of the state's population resided in Chicago. More than one-half (51.4%) of the total births in Chicago were nonmarital births compared to 28.2 percent Downstate.

Prenatal Care

After two years of decline, the proportion of mothers who began prenatal care during the first trimester of pregnancy recorded for 2001 was 84.0 percent, higher than 1999 (82.5%) and 2000 (82.4%). The proportion of mothers initiating care in the third trimester or receiving no care at all was 3.2 percent, lower than in any previous year.

There was a difference by race category in the timely receipt of prenatal care. During 2001, 88.4 percent of all mothers of the white race category began prenatal care in the first trimester of pregnancy compared to 75.4 percent for mothers of the black race category. Also, 2.3 percent of mothers of the

white race category received only third trimester care or no care at all compared to 7.2 percent of mothers of the black race category.

Initiation of early prenatal care also varied by age of mother (table 11). In 2001, 46.0 percent of mothers under the age of 15 years of age and 68.6 percent of those 15-19 years of age began prenatal care in the first trimester, compared with 90.8 percent for mothers 30-34 years of age and 89.9 percent for mothers 35-39 years of age. All age groups showed increases in the proportion of mothers receiving first trimester prenatal care over 2000 values; all were also above 1990 values.

Timely receipt of prenatal care also varied by marital status of mother. With the possible exception of mothers under 15 years of age, married mothers of all race categories were more likely to initiate care during the first trimester than were unmarried women for each age group. In 2001, 90.2 percent of all married mothers began prenatal care during the first trimester of pregnancy, compared to 72.1 percent of unmarried mothers.

Table 12.
Percent of Resident Live Births of Low Birthweight
by Marital Status and Race Category of Mother
Illinois, 2001

Age of Mother (Years)	Total			Married			Unmarried		
	All Race Categories ⁽¹⁾	White Race Category	Black Race Category	All Race Categories ⁽¹⁾	White Race Category	Black Race Category	All Race Categories ⁽¹⁾	White Race Category	Black Race Category
All ages	8.0	6.7	13.8	6.7	6.2	11.6	10.5	7.8	14.4
Under 20	10.2	7.8	14.0	7.3	6.5	12.5	10.7	8.2	14.0
Under 18	(11.4)	(8.8)	(14.7)	(7.9)	(7.8)	*	(11.7)	(8.9)	(14.7)
18-19	(9.6)	(7.4)	(13.5)	(7.1)	(6.3)	(12.5)	(10.2)	(7.8)	(13.6)
20-24	7.8	6.2	12.4	6.1	5.5	10.7	9.2	7.0	12.6
25-29	7.3	6.2	12.9	6.4	6.0	10.7	10.1	7.5	14.0
30-34	7.3	6.3	14.7	6.5	6.1	11.2	12.5	8.8	18.0
35 and over	9.2	8.0	18.6	8.1	7.6	14.0	16.4	11.5	23.3
35-39	(8.8)	(7.6)	(17.9)	(7.7)	(7.2)	(13.4)	(15.7)	(11.0)	(22.5)
40 and over...	(11.5)	(9.9)	(21.6)	(10.0)	(9.4)	(16.4)	(19.0)	(13.5)	(27.2)

⁽¹⁾ Includes race categories in addition to black and white categories

Figure 4.
Percent of Live Births with Low Birthweight
By Age and Marital Status of Mother
Illinois, 2001




Table 13.
Number and Percent Distribution of Live Births
by Race and Hispanic Origin of Mother
Illinois: 2001

Number of Births						
All Origins	Hispanic					Non-Hispanic
	Total	Mexican	Puerto Rican	Other and Unknown		
Number of Births						
All Races ...	184,022	40,943	34,882	2,694	3,367	143,079
White	142,277	40,547	34,790	2,636	3,121	101,730
Black	33,162	196	65	54	77	32,966
Other	8,583	200	27	4	169	8,383
Percent Distribution						
All Races ..	100.0	100.0	100.0	100.0	100.0	100.0
White	77.3	99.0	99.7	97.8	92.7	71.1
Black	18.0	0.5	0.2	2.0	2.3	23.0
Other	4.7	0.5	0.1	*	5.0	5.9

Infant Health

The proportion of infants who were born in hospitals was about the same in 2001 as in the previous 17 years, 99.4 percent. At birth, babies weighing less than 2,500 grams (low birthweight) totaled 14,773, or 8.0 percent of all live births. The proportion of low birthweight births has been relatively steady at around 8.0 percent for the past nine years.

The incidence of low birthweight varied by race categories. Among infants of the black race category, 13.8 percent of live births were of low birthweight, lower than in 2000 (14.1%), 1999 (14.3%) or 1998 (14.2%); for infants of the white race category, the incidence of low birthweight was 6.7 percent, higher than in any of the previous four years.

The risk of low birthweight also varied with the mother's age (table 12 and figure 4). The risk was relatively high for infants of the all races category born to mothers under 18 years of age (11.4%) and decreased to 7.3 percent for mothers in age groups 25-29 years and 30-34 years. The risk increased to a high of 11.5 percent for mothers 40 years of age and older. This generalized U-shaped distribution of the probability of low birthweight by age of mother was evident

among mothers of the white race category, but among infants born to mothers of the black race category, the trough occurs for mothers 20-24 years of age (12.4%).

The risk of low birthweight also varied by marital status (table 12 and figure 4). The 2001 incidence of low birthweight was almost 57 percent higher for infants born to unmarried mothers (10.5%) than to married mothers (6.7%). The difference in percentages was almost double for mothers age 30 years and older. For mothers of both the black and white race categories the risk of low birthweight was higher for infants born to unmarried mothers.

Infants born to mothers living in Chicago tended to have a higher incidence of low birthweight than did infants born to mothers who resided outside the city of Chicago (Downstate). Of all infants born to Chicago mothers in 2001, 10.1 percent of all births were of low birthweight (table 18), compared to 7.3 percent among Downstate infants (table 19).

There were some differences by race categories between Chicago and Downstate.

Table 14.
Live Births by Selected Counties of Residence and Hispanic Origin of Mother
and by Race Category of Non-Hispanic Mothers
Illinois, 2001

County	Total	Hispanic Origin				Non-Hispanic Origin			
		Total	Mexican	Puerto Rican	Other and Unknown	All Race Categories	White Race Category	Black Race Category	All Other Race Categories
State of Illinois ..	184,022	40,943	34,882	2,694	3,367	143,079	101,730	32,966	8,383
Cook	84,269	27,315	22,702	2,256	2,357	56,954	27,897	24,344	4,713
Kane	8,054	3,387	3,218	89	80	4,667	3,945	486	236
Lake.....	10,703	2,936	2,494	113	329	7,767	6,460	764	543
DuPage	13,393	2,445	2,155	66	224	10,948	9,007	499	1,442
Will.....	8,681	1,208	1,091	51	66	7,473	6,283	870	320
McHenry	4,125	698	635	13	50	3,427	3,290	26	111
Winnebago	3,938	536	479	15	42	3,402	2,659	636	107
Rock Island.....	1,961	306	295	3	8	1,655	1,407	197	51
All Others	48,898	2,112	1,813	88	211	46,786	40,782	5,144	860

For infants born to Chicago resident mothers of the black race category, 14.8 percent were of low birthweight compared to 12.5 percent for those born to Downstate resident mothers of the black race category. For mothers of the white race category, 7.1 percent of births to Chicago residents were of low birthweight compared to 6.5 percent to Downstate resident mothers.

Another indicator of the health condition of infants is the Apgar score. The Apgar score is a composite evaluation that, on a scale of 0 to 10, measures the newborn's physical condition based on heart rate, respiratory effort, muscle tone, reflex response, and color at one and five minutes after birth. A score of 10 is optimal. In 2001, high Apgar scores of 9 or 10 were reported for 48.9 percent of all babies for whom the scores were obtained at one minute after birth, and 91.3 percent at five minutes after birth. During 2001, low scores of 0 to 6 (indicating severe to moderate asphyxia) were assigned to 7.7

percent at one minute and 1.3 percent at five minutes.

Apgar scores also varied by race. In 2001, higher proportions of infants of the black race category had lower five-minute Apgar scores than did infants of the white race category. For Illinois residents during 2001, 2.4 percent of infants of the black race category and 1.0 percent of infants of the white race category had five-minute Apgar scores of less than 7.

Hispanic Births

The number of births to Hispanic women totaled 40,943, an increase of 4.2 percent over the number recorded in 2000 (39,285). On the other hand, the number of births to non-Hispanic mothers decreased by 1.8 percent, from 145,718 in 2000 to 143,079 in 2001. As a result, the proportion of total live births to Hispanic mothers who are residents of Illinois increased from 21.2 percent in 2000 to 22.2 percent in 2001.

Table 15.
Live Births by Age and Hispanic Origin of Mother
and by Race Category of Non-Hispanic Mothers
Illinois, 2001

Age of Mother (Years)	Total	Hispanic Ethnicity				Non-Hispanic Ethnicity Race Category			
		Total	Mexican	Puerto Rican	Other and Unknown	All	White	Black	All Other Races
All Ages	184,022	40,943	34,882	2,694	3,367	143,079	101,730	32,966	8,383
Under 15	344	81	67	7	7	263	39	221	3
15-19	19,748	5,923	5,026	513	384	13,825	6,586	7,044	195
15-17	(6,635)	(2,051)	(1,724)	(207)	(120)	(4,584)	(1,768)	(2,763)	(53)
18-19	(13,113)	(3,872)	(3,302)	(306)	(264)	(9,241)	(4,818)	(4,281)	(142)
20-24	42,732	12,462	10,796	849	817	30,270	18,503	10,727	1,040
25-29	48,205	11,536	9,935	660	941	36,669	26,749	7,114	2,806
30-34	46,481	7,234	6,060	425	749	39,247	31,481	4,784	2,982
35-39	22,052	3,119	2,535	198	386	18,933	15,300	2,493	1,140
40-44	4,222	566	444	42	80	3,656	2,893	559	204
45 and older	225	21	18	--	3	204	172	20	12
Unstated	13	1	1	--	--	12	7	4	1

Of all Hispanic births in 2001, 85.2 percent (34,882) were to mothers of Mexican origin, an increase from 84.5 percent in 2000. The number of births to mothers of Puerto Rican origin declined from 2,891 births in 2000 to 2,694 in 2001, and the proportion of births that were to Puerto Rican mothers decreased from 7.4 percent in 2000 to 6.6 percent in 2001. During 2001, as in previous years, nearly all Hispanic births, regardless of whether they were to Mexican or Puerto Rican mothers, were reported as belonging to the white race category (table 13).

Hispanic mothers continue to be highly concentrated within a few counties. In 2001, more than 88 percent of all Hispanic births occurred to mothers resident in four Illinois counties (Cook, DuPage, Kane, and Lake). Cook County alone accounted for 66.7 percent of all Hispanic births, including 83.7 percent of all Puerto Rican births (table 15).

Hispanic women differed from non-Hispanic women, not only in reproductivity, but also in the likelihood of being a teenage mother (table 16). The proportion of teenage

Hispanic mothers (14.7%) was greater than among non-Hispanic mothers of the white race category (6.5%), but smaller than that among mothers of the black race category (22.0%). The corresponding proportion among Puerto Rican mothers (19.3%) was higher than among Mexican mothers (14.6%) and mothers of "other and unknown" Hispanic origin (11.6%).

Hispanic mothers also differed from non-Hispanic mothers with respect to marital status (table 16). In 2001, the percentage of childbearing by unmarried mothers was larger for Hispanic women (41.9%) than for non-Hispanic women (32.4%). However, for non-Hispanic women of the white race category, the percentage was 20.0 percent while for non-Hispanic women of the black race category it was 76.6 percent. Among Hispanic women, the proportion of infants born to unmarried women was higher for those of Puerto Rican origin (56.6%) than those of Mexican origin (41.0%).

In 2001, Hispanic women of both Mexican and Puerto Rican origins tended toward a

Table 16.
Percent of Births with Selected Characteristics
by Hispanic Origin of Mother and Race of Non-Hispanic Mothers
Illinois, 2001

Characteristic	All Origins	Hispanic				Non-Hispanic			
		Total	Mexican	Puerto Rican	Other and Unknown	Total	White	Black	Other
First Live Birth	38.8	37.6	37.1	38.2	42.2	39.2	39.9	35.0	47.7
4th and Higher Order Live Births	11.4	12.6	12.8	12.7	11.3	11.0	8.9	19.0	4.8
Births to Unmarried Women.....	34.5	41.9	41.0	56.6	39.1	32.4	20.0	76.6	8.4
Years of School Completed by Mother									
0-8 Years	7.2	27.4	30.4	4.2	14.0	1.5	1.2	2.0	1.8
12 or More Years	78.3	48.1	44.4	68.5	70.2	86.9	91.2	71.8	94.2
Prenatal Care Beginning in									
1st Trimester	84.0	76.8	76.4	80.3	78.6	86.0	90.3	72.9	85.5
3rd Trimester or no care	3.3	4.1	4.1	4.2	3.8	3.1	1.7	7.4	2.9
Low Birthweight Births	8.0	6.6	6.3	10.2	7.0	8.4	6.7	13.8	8.6
1-minute Apgar Score Less Than 7	7.7	5.9	5.7	7.4	6.6	8.2	7.6	10.4	6.4
5-minute Apgar score Less Than 7	1.3	0.9	0.9	1.2	0.9	1.4	1.1	2.5	0.9

In 2001, Hispanic women of both Mexican and Puerto Rican origins tended toward a larger number of births throughout their lifetimes than non-Hispanic women. For example, 12.6 percent of all Hispanic births were to women who already had at least three live births compared with 8.9 percent for non-Hispanic births to mothers of the white race category (table 16).

Differences and similarities in completed education of the mother, timing of prenatal care, birthweight and Apgar scores between Hispanic and non-Hispanic births also are shown in table 16.

Table 17.
Resident Live Births by Birthweight, Sex and Race Category
Illinois, 2001

Low Birthweight Births						
Race Category	Total Low Birthweight Births	Very Low Birthweight			1,500-1,999 Grams	2,000-2,499 Grams
		Under 750 Grams	750 - 1,249 Grams	1,250-1,499 Grams		
All Races	14,773	921	1,182	772	2,944	8,954
White	9,474	528	719	493	1,902	5,832
All Other Races	5,299	393	463	279	1,042	3,122
Black ¹	4,566	360	415	256	914	2,621
Male	7,065	475	624	395	1,436	4,135
White	4,566	283	371	250	934	2,728
All Other Races	2,499	192	253	145	502	1,407
Black ¹	2,133	177	222	134	434	1,166
Female	7,708	446	558	377	1,508	4,819
White	4,908	245	348	243	968	3,104
All Other Races	2,800	201	210	134	540	1,715
Black ¹	2,433	183	193	122	480	1,455

Race Category	Births of 2,500 Grams and More					Total Live Births ²
	2,500-2,999 Grams	3,000-3,499 Grams	3,500-3,999 Grams	4,000-4,499 Grams	4,500 Grams and Over	
All Race	30,809	68,488	52,198	14,939	2,759	184,022
White	20,805	52,486	43,811	13,175	2,481	142,277
All Other Races	10,004	16,002	8,387	1,764	278	41,745
Black ¹	8,043	12,447	6,495	1,381	220	33,162
Male	13,673	33,154	29,006	9,371	1,843	94,142
White	9,144	25,094	24,137	8,242	1,666	72,869
All Other Races	4,529	8,060	4,869	1,129	177	21,273
Black ¹	3,640	6,285	3,819	900	133	16,919
Female	17,136	35,334	23,192	5,568	916	89,880
White	11,661	27,392	19,674	4,933	815	69,408
All Other Races	5,475	7,942	3,518	635	101	20,472
Black ¹	4,403	6,162	2,676	481	87	16,243

¹Included in All other races category

²Includes births of unknown birthweight

Table 18.
Resident Live Births by Birthweight, Sex and Race Category
City of Chicago, 2001

Low Birthweight Births						
Race Category	Total Low Birthweight Births	Very Low Birthweight			1,500-1,999 Grams	2,000-2,499 Grams
		Under 750 Grams	750 - 1,249 Grams	1,250-1,499 Grams		
All Races	4,987	317	408	221	1,023	3,018
White	2,041	115	139	79	395	1,313
All Other Races	2,946	202	269	142	628	1,705
Black ¹	2,760	194	252	139	591	1,584
Male	2,383	158	224	107	480	1,414
White	994	62	75	31	176	650
All Other Races	1,389	96	149	76	304	764
Black ¹	1,298	93	138	75	288	704
Female	2,604	159	184	114	543	1,604
White	1,047	53	64	48	219	663
All Other Races	1,557	106	120	66	324	941
Black ¹	1,462	101	114	64	303	880

Race Category	Births of 2,500 Grams and More					Total Live Births ²
	2,500-2,999 Grams	3,000-3,499 Grams	3,500-3,999 Grams	4,000-4,499 Grams	4,500 Grams and Over	
All Race	9,698	18,791	12,430	3,076	593	49,596
White	4,604	10,949	8,431	2,287	449	28,775
All Other Races	5,094	7,842	3,999	789	144	20,821
Black ¹	4,582	6,960	3,515	716	131	18,670
Male	4,344	9,290	7,104	1,975	377	25,487
White	2,004	5,311	4,726	1,458	291	14,791
All Other Races	2,340	3,979	2,378	517	86	10,696
Black ¹	2,106	3,517	2,101	471	78	9,577
Female	5,354	9,501	5,326	1,101	216	24,109
White	2,600	5,638	3,705	829	158	13,984
All Other Races	2,754	3,863	1,621	272	58	10,125
Black ¹	2,476	3,443	1,414	245	53	9,093

¹Included in 'All other races' categories

²Includes births of unknown birthweight

Table 19.
Resident Live Births by Birthweight, Sex and Race Category
Downstate, 2001

Low Birthweight Births						
Race Category	Total Low Birthweight Births	Very Low Birthweight			1,500-1,999 Grams	2,000-2,499 Grams
		Under 750 Grams	750 - 1,249 Grams	1,250-1,499 Grams		
All Races	9,786	604	774	551	1,921	5,936
White	7,433	413	580	414	1,507	4,519
All Other Races	2,353	191	194	137	414	1,417
Black ¹	1,806	166	163	117	323	1,037
Male	4,682	317	400	288	956	2,721
White	3,572	221	296	219	758	2,078
All Other Races	1,110	96	104	69	198	643
Black ¹	835	84	84	59	146	462
Female	5,104	287	374	263	965	3,215
White	3,861	192	284	195	749	2,441
All Other Races	1,243	95	90	68	216	774
Black ¹	971	82	79	58	177	575

Births of 2,500 Grams and More						Total Live Births ²
Race Category	2,500-2,999 Grams	3,000-3,499 Grams	3,500-3,999 Grams	4,000-4,499 Grams	4,500 Grams and Over	
All Race	21,111	49,697	39,768	11,863	2,166	134,426
White	16,201	41,537	35,380	10,888	2,032	113,502
All Other Races	4,910	8,160	4,388	975	134	20,924
Black ¹	3,461	5,487	2,980	665	89	14,492
Male	9,329	23,864	21,902	7,396	1,466	68,655
White	7,140	19,783	19,411	6,784	1,375	58,078
All Other Races	2,189	4,081	2,491	612	91	10,577
Black ¹	1,534	2,768	1,718	429	55	7,342
Female	11,782	25,833	17,866	4,467	700	65,771
White	9,061	21,754	15,969	4,104	657	55,424
All Other Races	2,721	4,079	1,897	363	43	10,347
Black ¹	1,927	2,719	1,262	236	34	7,150

¹Included in 'All other races' categories

²Includes births of unknown birthweight

Table 20.
Resident Live Births by Race Category, Sex, Place of Birth, Attendant, Age and Marital Status of Mother
Illinois, Chicago, and Downstate, 2001

	Illinois				Chicago				Downstate			
	All Races	Race Category			All Races	Race Category			All Races	Race Category		
		White	Black	Other		White	Black	Other		White	Black	Other
Total Births.....	184,022	142,277	33,162	8,583	49,596	28,775	18,670	2,151	134,426	113,502	14,492	6,432
Sex												
Male.....	94,142	72,869	16,919	4,354	25,487	14,791	9,577	1,119	68,655	58,078	7,342	3,235
Female	89,880	69,408	16,243	4,229	24,109	13,984	9,093	1,032	65,771	55,424	7,150	3,197
Marital Status												
Married	120,596	105,014	7,787	7,795	24,085	18,761	3,464	1,860	96,511	86,253	4,323	5,935
Unmarried.....	63,426	37,263	25,375	788	25,511	10,014	15,206	291	37,915	27,249	10,169	497
Place of Birth												
Hospital.....	182,965	141,433	32,970	8,562	49,284	28,592	18,542	2,150	133,681	112,841	14,428	6,412
Non-hospital	1,057	844	192	21	312	183	128	1	745	661	64	20
Non-Hospital Attendant												
Physician.....	459	357	94	8	121	52	69	--	338	305	25	8
Certified Nurse-midwife ..	179	169	8	2	98	90	7	1	81	79	1	1
Midwife	31	29	--	2	6	6	--	--	25	23	--	2
Other.....	388	289	90	9	87	35	52	--	301	254	38	9
Age of Mother (Years)												
All Marital Statuses												
10-14.....	344	120	221	3	191	53	137	1	153	67	84	2
15-19.....	19,748	12,428	7,101	219	7,454	3,164	4,214	76	12,294	9,264	2,887	143
20-24.....	42,732	30,860	10,781	1,091	13,313	6,870	6,107	336	29,419	23,990	4,674	755
25-29.....	48,205	38,196	7,147	2,862	12,140	7,552	3,896	692	36,065	30,644	3,251	2,170
30-34.....	46,481	38,638	4,814	3,029	10,201	6,902	2,601	698	36,280	31,736	2,213	2,331
35-39.....	22,052	18,386	2,510	1,156	5,102	3,445	1,368	289	16,950	14,941	1,142	867
40-44.....	4,222	3,448	564	210	1,124	740	329	55	3,098	2,708	235	155
45 and Over.....	225	193	20	12	65	48	14	3	160	145	6	9
Unknown Age	13	8	4	1	6	1	4	1	7	7	--	--
Married												
10-14.....	3	3	--	--	--	--	--	--	3	3	--	--
15-19.....	2,987	2,768	152	67	886	800	59	27	2,101	1,968	93	40
20-24.....	18,650	16,469	1,360	821	4,167	3,323	609	235	14,483	13,146	751	586
25-29.....	35,883	30,831	2,374	2,678	7,003	5,337	1,051	615	28,880	25,494	1,323	2,063
30-34.....	40,293	35,057	2,315	2,921	7,428	5,765	1,001	662	32,865	29,292	1,314	2,259
35-39.....	19,050	16,673	1,280	1,097	3,756	2,898	588	270	15,294	13,775	692	827
40-44.....	3,525	3,033	293	199	790	594	148	48	2,735	2,439	145	151
45 and Over.....	201	177	12	12	54	44	7	3	147	133	5	9
Unknown Age	4	3	1	--	1	--	1	--	3	3	--	--

Table 21.
Resident Total Live Births With Numbers
and Ratios of Births to Unmarried Women
Illinois, 1950, 1955, 1960, 1965, 1970, 1975, 1980-2001

(Ratios per 1,000 live births)			
Year	Total Live Births	Unmarried Women	
		Number	Ratio
1950	189,640	6,836	36.0
1955	220,514	10,625	48.2
1960	238,760	14,385	60.2
1965	208,063	18,216	87.6
1970	205,203	24,655	134.8
1975	169,248	31,503	186.1
1980	189,941	42,749	225.1
1981	184,897	42,352	229.1
1982	183,564	42,638	232.3
1983	178,820	42,893	239.9
1984	179,216	44,796	250.0
1985	180,657	46,453	257.1
1986	176,567	47,817	270.8
1987	180,441	50,611	280.5
1988	184,708	54,381	294.4
1989	190,247	58,866	309.4
1990	195,499	62,052	317.4
1991	194,066	63,172	325.4
1992	190,923	63,863	334.5
1993	190,709	65,086	341.3
1994	189,182	64,887	343.0
1995	185,801	62,825	338.1
1996	183,079	61,706	337.0
1997	180,649	60,401	334.4
1998	182,503	62,163	340.6
1999	182,027	62,045	340.9
2000	185,003	63,823	345.0
2001	184,022	63,426	344.7

MORTALITY

General Mortality

In calendar year 2001, there were 104,858 deaths to Illinois residents; 4,054 of those deaths occurred outside of Illinois. There were 1,821 deaths that occurred in Illinois to out-of-state residents. The total number of deaths that occurred in Illinois (residents and non-residents) was 102,625.

Table 22.
Age-specific Death Rates
Illinois, 1980, 1990, 2000 and 2001

Age (Years)	1980	1990	2000	2001
All Ages.....	894	897	855	840*
Under 1	1,515	1,140	883	790*
1 - 4	64	46	30	32*
5 - 14	31	21	16	17*
15 - 24.....	109	98	83	84*
25 - 44.....	170	174	148	145*
45 - 64.....	960	836	643	657*
65 - 84	4,350	3,981	3,825	3,725*
85 and Older	16,356	15,577	15,454	15,530

* 2001 rate statistically significantly different ($p < 0.05$) from 1990 rate

The 2001 crude death rate for Illinois residents was 840 deaths per 100,000 population. This was down from 2000 when the rate was 855 and also below the 1990 rate of 897 (table 22). The 2001 crude death rate of 8.4 deaths per 1,000 population was the lowest ever recorded in Illinois (table A). Since 1990, the number of deaths in Illinois has fluctuated between approximately 102,000 and 108,000 annually. During the same period, the crude death rate declined from 9.0 to 8.4 deaths per 1,000 population. Compared to 1990, each age-specific death rate shown in Table 22 was statistically significantly lower for all age groups except age 85 years and older ($p < 0.05$). These lower death rates, despite the changes in the Illinois population, have resulted in only modest changes in the total number of deaths.

The age-specific death rates by sex and race category in Table 23 show additional contrasts within the Illinois population. For example, the values of the age-specific death

rates for males of the white race category are roughly half compared to those for males of the all other races category for age groups less than 65 years. However, the crude sex and race specific death rates were reversed in magnitude and not as far apart (840 for males of the white race category and 762 for males in the all other races category) due to the relatively younger population (where mortality is lower) of the all other races category. This was also the case for the rates for females, where nearly each age-specific rate was higher for the all other races category compared to the white race category, but the crude (all ages) rate for females of the all other races category was lower than for females of the white race category. Within the white and the all other races category, females have lower age-specific death rates for all age groups when compared to their male counterparts by race category. (Again, the higher crude death rate for females of the white race category when compared to males of the same race category is due to the larger number of females in the older age groups, where there is greater mortality.)

Table 23.
Age-specific Death Rates by Sex and Race* Category
Illinois, 2001
(Rates per 100,000 population in specified age group)

Age (Years)	Race* Category					
	White			All other races		
	Total	Male	Female	Total	Male	Female
All Ages.....	874	840	907	703	762	651
Under 1.....	601	656	544	1,227	1,359	1,092
1-4	26	28	24	55	59	51
5-14	15	17	12	25	30	19
15-24	71	103	38	132	205	59
25-44	122	160	82	246	335	168
45-64	572	701	446	955	1,237	725
65-84	3,694	4,460	3,130	4,092	4,914	3,540
85 and older	14,999	16,728	14,317	13,362	14,377	12,955

* based on bridged-race population estimates for April 1, 2001 (see Appendix 1)

Table 24.
Resident Perinatal Losses and Perinatal Mortality Ratio by Race Categories and Sex
Illinois, Chicago and Downstate, 2001
(This table includes 2 fetal deaths of less than 20 weeks gestation.)

(This table includes 2 fetal deaths of less than 20 weeks gestation.)

	Illinois				Chicago				Downstate			
	All Races	Race Category			All Races	Race Category			All Races	Race Category		
		White	Black	All Other		White	Black	All Other		White	Black	All Other
Both Sexes												
Fetal deaths	1,260	810	394	56	435	182	237	16	825	628	157	40
Deaths < 7 days	732	481	229	22	219	91	126	2	513	390	103	20
Total perinatal losses	1,992	1,291	623	78	654	273	363	18	1,338	1,018	260	60
Live births and fetal deaths	185,282	143,087	33,556	8,639	50,031	28,957	18,907	2,167	135,251	114,130	14,649	6,472
Perinatal ratio ¹	10.8	9.0	18.6	9.0	13.1	9.4	19.2	8.3	9.9	8.9	17.7	9.3
Male												
Fetal deaths	665	418	211	36	224	92	123	9	441	326	88	27
Deaths < 7 days	417	275	130	12	124	52	70	2	293	223	60	10
Total perinatal losses	1,082	693	341	48	348	144	193	11	734	549	148	37
Live births and fetal deaths	94,807	73,287	17,130	4,390	25,711	14,883	9,700	1,128	69,096	58,404	7,430	3,262
Perinatal ratio ¹	11.4	9.5	19.9	10.9	13.5	9.7	19.9	9.8	10.6	9.4	19.9	11.3
Female												
Fetal deaths	595	392	183	20	211	90	114	7	384	302	69	13
Deaths < 7 days	315	206	99	10	95	39	56	0	220	167	43	10
Total perinatal losses	910	598	282	30	306	129	170	7	604	469	112	23
Live births and fetal deaths	90,475	69,800	16,426	4,249	24,320	14,074	9,207	1,039	66,155	55,726	7,219	3,210
Perinatal ratio ¹	10.1	8.6	17.2	7.1	12.6	9.2	18.5	6.7	9.1	8.4	15.5	7.2

¹ Perinatal ratio = $\frac{\text{total perinatal losses}}{\text{live births and fetal deaths}} \times 1,000$

Perinatal and Infant Mortality

For the purposes of this publication, perinatal mortality is defined as fetal deaths of at least 20 weeks estimated gestation and infant deaths occurring within the first seven days of life. There were 1,992 perinatal deaths to Illinois resident mothers (206 fewer than in 2000), consisting of 1,260 fetal deaths and 732 deaths of infants less than 1 week old (table 24). The Illinois perinatal ratio was 10.8 perinatal losses per 1,000 live births and fetal deaths. As is often the case, male perinatal losses were greater than those for females, as reflected in the sex-specific perinatal ratio: 11.4 for males vs. 10.1 for females. The Illinois perinatal ratio for the black race category (18.6) was roughly twice as much as for that of the white race category

(9.0). This also held separately for Chicago and Downstate. As a by-product of this difference, nearly a third of the Illinois total perinatal losses were to the black race category (31%) while only 18 percent of the births were to mothers of that race category.

There were 1,379 infant deaths to Illinois residents in 2001, 149 fewer than in 2000. Most Illinois infant deaths occurred in the first week of life (732), with about 39 percent (538) occurring before the completion of the first day of life (see Figure 5 for relative distribution of infant deaths by period). Slightly over one-third (460) of all infant deaths occurred during the postneonatal period (1 through 11 months).

The Illinois infant mortality rate for 2001 was 7.5 infant deaths per 1,000 live births, down

from 8.3 in 2000. The neonatal mortality rate was 5.0 deaths before the completion of the first month of life per 1,000 live births (5.6 in 2000), and the postneonatal mortality rate was 2.5 deaths per 1,000 live births (2.7 in 2000). In general, all periods of the Illinois infant mortality rate have been declining steadily (figure 5).

Although infant mortality is not subject to sampling variations in a true sense, it is appropriate to think of infant mortality rates as subject to random, year-to-year variation, especially as the number of events becomes small. From this perspective, confidence intervals can be calculated for infant mortality rates. Figure 6 shows 95 percent confidence intervals for Illinois infant mortality rates from

1980 to 2001. The confidence interval means that there is a 95 percent chance, taking into consideration random fluctuations in numbers of events, the "true" infant mortality rate is within the specified range. Also, see table CS-3 with such confidence intervals for each qualifying Illinois county. In general, overlap in confidence intervals means the differences in the rates for the years in comparison are not statistically significant.

Mortality rates for the black and white race categories infants have followed the same pattern as the state as a whole, albeit at different magnitudes (figure 7). The 2001 infant mortality rate for the black race

Figure 5.
Cumulative Infant Deaths by Period
Illinois, 1970-2001




Figure 6.
Infant Mortality Rates with 95 Percent Confidence Intervals
Illinois, 1980-2001





Figure 7.
Infant Mortality Rate by Race Category
Illinois, 1960-2001



category mortality rate for the black race category was 14.9 deaths per 1,000 live births, compared to 5.9 for the white race category (table 25). The difference between these two race categories is somewhat more pronounced for postneonatal mortality rates, and this is the case for Chicago and Downstate as well.

For those of Hispanic origin, the Illinois infant mortality rate was 5.6 deaths per 1,000 live births (3.8 neonatal and 1.8 postneonatal). The Chicago infant mortality rate for Hispanic origin was 5.3 (3.5 neonatal and 1.8 postneonatal) and, for Downstate, it was 5.9 (4.1 neonatal and 1.7 postneonatal).

Table 26 lists the leading causes of Illinois infant deaths for the neonatal and postneonatal periods. For all infant deaths, disorders related to short gestation and low birthweight not elsewhere classified was the leading cause, with 286 deaths or 20.7 percent of all infant deaths. The second leading cause was congenital malformations, deformations and chromosomal abnormalities (231 deaths, 16.8%), followed by sudden infant death syndrome, or SIDS (99 deaths, 7.2%). These first two causes, disorders related to short gestation and congenital malformations, were also the two leading causes for the neonatal period with 31 percent and 18 percent, respectively.

Table 25.
Number of Deaths and Rates for Infants by Race Category for Neonatal and Postneonatal Periods
Illinois, Chicago and Downstate, 1990, 2000 and 2001

	All Race Categories			Race Category					
				Black			White		
	2001	2000	1990	2001	2000	1990	2001	2000	1990
Number of Deaths									
ILLINOIS									
Infant Deaths	1,379	1,528	2,090	493	560	952	843	924	1,116
Neonatal	919	1,033	1,368	296	343	578	592	658	776
Postneonatal	460	495	722	197	217	374	251	266	340
CHICAGO									
Infant Deaths	446	532	938	282	311	668	157	208	260
Neonatal	289	347	609	169	188	410	115	149	191
Postneonatal	157	185	329	113	123	258	42	59	69
DOWNSTATE									
Infant Deaths	933	996	1,152	211	249	284	686	716	856
Neonatal	630	686	759	127	155	168	477	509	585
Postneonatal	303	310	393	84	94	116	209	207	271
Rate per 1,000 Live Births									
ILLINOIS									
Infant Deaths	7.5	8.3	10.7	14.9	16.3	22.1	5.9	6.5	7.6
Neonatal	5.0	5.6	7.0	8.9	10.0	13.4	4.2	4.6	5.3
Postneonatal	2.5	2.7	3.7	5.9	6.3	8.7	1.8	1.9	2.3
CHICAGO									
Infant Deaths	9.0	10.5	15.6	15.1	15.9	23.1	5.5	7.1	8.9
Neonatal	5.8	6.8	10.1	9.1	9.6	14.2	4.0	5.1	6.5
Postneonatal	3.2	3.6	5.5	6.1	6.3	8.9	1.5	2.0	2.4
DOWNSTATE									
Infant Deaths	6.9	7.4	8.5	14.6	16.9	20.0	6.0	6.3	7.3
Neonatal	4.7	5.1	5.6	8.8	10.5	11.8	4.2	4.5	5.0
Postneonatal	2.3	2.3	2.9	5.8	6.4	8.2	1.8	1.8	2.3

Table 26.
Leading Causes of Infant Deaths¹ by Age
Illinois, 2001

Rank	Cause	ICD-10 ² Code	Infant	Neonatal		Postneonatal	
			Under 1 Year	Total	Under 7 Days	7-27 Days	28-364 Days
	All causes.....		1,379	919	732	187	460
1	Disorders related to short gestation and low birthweight NEC	P07	286	282	276	6	4
2	Congenital malformations, deformations and chromosomal abnormalities.....	Q00-Q99	231	154	113	41	77
3	Sudden infant death syndrome	R95	99	3	--	3	96
4	Newborn affected by maternal complications of pregnancy	P01	69	69	67	2	--
5	Respiratory distress of newborn	P22	60	53	44	9	7
6	Accidents	V01-X59, Y85-Y86	47	7	1	6	40
7	Diseases of the circulatory system	I00-I99	42	18	9	9	24
8	Bacterial sepsis of newborn	P36	37	35	13	22	2
9	Newborn affected by complications of placenta, cord and membranes	P02	36	36	33	3	--
10	Neonatal hemorrhage	P50-P52, P54	30	30	22	8	--
	All other causes		442	232	154	78	210

¹ Leading causes are based on "List of 130 Selected Causes of Infant Death" from the National Center for Health Statistics.

² Codes are from the 10th revision of the International Classification of Diseases.

The third leading cause of neonatal mortality was newborns affected by maternal complications of pregnancy with 69 deaths, or 7.5 percent of all neonatal deaths. SIDS was the leading cause of postneonatal deaths with 96 deaths (21% of all postneonatal deaths), followed by congenital malformations (16.7%) and accidents (8.7%). (Note: The leading causes of deaths for infants are derived from a list separate from that used for all other ages.)

Leading Causes of Death

Nearly 30 percent of all deaths during 2001 to Illinois residents have been ascribed to diseases of heart, the leading cause of death in the state of Illinois, city of Chicago and Downstate (tables 37, 39, and 41). Of the 30,827 diseases of heart deaths, 82.3 percent (25,356 deaths) were to persons age 65 years and older. For both men and women, diseases of heart was the leading cause of death for the age groups 75-84 years and 85

years and older, as well as for males age 45-54 years (table 27). Among the sub-causes of diseases of heart, 23,223 (75.3%) were due to coronary heart disease (table 28). Coronary heart disease encompasses ischemic heart disease (21,896 deaths) and hypertensive heart disease (1,327 deaths). The overall and age-specific deaths rates for Illinois, Chicago and Downstate are found in tables 38, 40 and 42.

The 24,674 malignant neoplasm (cancer) deaths to Illinois residents in 2001 represented 23.5 percent of all deaths and was the second leading cause of death for Illinois, Chicago and Downstate (tables 37, 39, and 41). Malignant neoplasms was the leading cause of death for age groups 45-54 years, 55-64 years and 65-74 years (table 27). For females, malignant neoplasms was the leading cause of death for these same age groups as well as the age group 35-44 years, and for age groups 55-64 years and 65-74 years for males. Among the sites of

Table 27.
Leading Causes of Death by Age and Sex
Illinois, 2001

Age Group	Both Sexes		Females		Males	
	Cause	Number	Cause	Number	Cause	Number
1-4 years	Accidents	56	Accidents	24	Accidents	32
5-14 years.....	Accidents	104	Accidents	39	Accidents	65
15-24 years.....	Accidents	530	Accidents	128	Accidents	402
25-34 years.....	Accidents	501	Accidents	115	Accidents	386
35-44 years.....	Accidents	676	Malignant neoplasms	384	Accidents	519
45-54 years.....	Malignant neoplasms	2,188	Malignant neoplasms	1,087	Diseases of heart	1,217
55-64 years.....	Malignant neoplasms	4,051	Malignant neoplasms	1,861	Malignant neoplasms	2,190
65-74 years.....	Malignant neoplasms	6,447	Malignant neoplasms	2,910	Malignant neoplasms	3,537
75-84 years.....	Diseases of heart	9,368	Diseases of heart	4,861	Diseases of heart	4,507
85 years and over.....	Diseases of heart	11,085	Diseases of heart	7,753	Diseases of heart	3,332

Table 28.
Components of Resident Heart Disease by Age
Illinois, 2001

ICD-10 Code	Total	Chronic Rheumatic	Coronary Heart Disease			Pulmonary	All Other Forms
			Total Coronary	Hypertensive	Ischemic		
	I00- I09, I11, I13, I20-I51	I05-I09	I11, I20-I25	I11	I20-I25	I26-I28	I00-I02, I13, I30-I51
All Ages	30,827	133	23,223	1,327	21,896	644	6,827
Under 1	32	--	2	--	2	15	15
1 - 4 Years	16	--	--	--	--	--	16
5 - 14 Years	15	--	1	--	1	1	13
15 - 24 Years	55	2	13	4	9	10	30
25 - 34 Years	169	3	78	23	55	14	74
35 - 44 Years	639	7	409	83	326	41	182
45 - 54 Years	1,735	9	1,345	157	1,188	70	311
55 - 64 Years	2,810	16	2,257	179	2,078	80	457
65 - 74 Years	4,903	26	3,842	198	3,644	117	918
75 - 84 Years	9,368	42	7,227	303	6,924	167	1,932
85 and Older	11,085	28	8,049	380	7,669	129	2,879

Table 29.
Resident Cancer Deaths by Site and Age
Illinois, 2001

	Total All Sites	Lip, Oral Cavity and Pharynx	Digestive Organs		Respiratory and Intrathoracic Organs		Melonama and Skin	Female Breast
			Colorectal	Other Digestive Organs	Bronchus and Lung	Other Respiratory and Intrathoracic		
ICD-10 Codes								
	C00-C97	C00-C14	C18-C21	C15-C17 C22-C26	C34	C30-C33 C37-C39	C43-C44	C50 (Female)
All ages	24,674	300	2,723	3,387	6,760	203	339	1,836
Under 1 year	4	--	--	--	--	--	--	--
1-4 years	21	--	--	2	--	--	--	--
5-14 years	43	--	--	1	--	--	--	--
15-24 years	86	2	5	3	3	--	--	--
25-34 years	177	1	15	11	7	1	5	24
35-44 years	664	15	45	85	106	4	21	126
45-54 years	2,188	46	215	322	504	24	54	263
55-64 years	4,051	70	381	581	1,284	39	51	336
65-74 years	6,447	85	628	898	2,180	68	78	373
75-84 years	7,450	56	882	1,027	2,070	52	77	416
85 years and over ..	3,543	25	552	457	606	15	53	298

Table 29 (Continued).

	Female Genital Organs				Male Genital Organs			Non-Hodgkin's Lymphoma	Leukemia	All Other Sites			
	Uterus	Cervix	Ovary	Other Female Genital	Prostate	Testes	Other Male Genital						
	ICD-10 Codes												
	C54-C55	C53	C56	C51-C52 C57-C58	C61	C62	C60, C63				C82-C85	C91-C95	C40-C41 C45-C49 C50(Male) C64-C81 C88,C90 C96-C97
All ages	321	183	592	71	1,396	12	13	983	1,001	4,554			
Under 1 year	--	--	--	--	--	--	--	--	3	1			
1 – 4 years	--	--	--	--	--	--	--	--	9	10			
5 – 14 years	--	--	--	--	--	--	--	1	14	27			
15 – 24 years	--	--	--	--	--	1	--	10	30	32			
25 – 34 years	2	11	4	--	--	3	--	16	20	57			
35 – 44 years	2	27	23	2	1	4	--	33	41	129			
45 – 54 years	23	59	84	6	19	3	--	75	46	445			
55 – 64 years	55	35	122	14	89	--	2	149	111	732			
65 – 74 years	89	22	139	10	279	--	3	226	232	1,137			
75 – 84 years	111	22	158	26	611	1	5	312	310	1,314			
85 years and over ..	39	7	62	13	397	--	3	161	185	670			

malignant neoplasms, bronchus and lung was the site with the most deaths – 6,760, or 27.4 percent of all malignant neoplasm deaths (table 29). Next was colorectal cancer with 2,723 deaths, female breast cancer (1,836 deaths) and prostate cancer (1,396 deaths). The overall and age-specific malignant neoplasms death rates for Illinois, Chicago and Downstate are found in tables 38, 40 and 42.

Cerebrovascular diseases comprised the third leading cause of death for Illinois, Chicago and Downstate during 2001 (tables 39, 41 and 43). There were 7,195 deaths due to cerebrovascular diseases to Illinois residents, 6.9 percent of all 2001 deaths.

Of those cerebrovascular diseases deaths, 88.9 percent were to those age 65 years or older. Since there are more women than men in the older age groups, 62.9 percent of all 2001 cerebrovascular diseases deaths were to women. The Chicago rate of 46.5 deaths per 100,000 population was below the rates for Downstate (62.2) and the state of Illinois (57.6). In both instances, the difference in rates was statistically significant ($p < 0.05$).

In 2001, there were 4,756 deaths (4.5 % of all deaths) to Illinois residents due to chronic lower respiratory diseases (CLRD). CLRD ranked as the fourth leading cause of death for Illinois and Downstate (tables 39

Table 30.
Components of Resident Chronic Lower Respiratory Diseases Death by Age
Illinois, 2001

	Total Chronic Lower Respiratory Diseases	Bronchitis, not Specified as Acute or Chronic	Chronic Bronchitis	Emphysema	Other Chronic Obstructive Pulmonary Disease	Asthma	Bronchiectasis
	ICD-10 Codes						
	J40-J47	J40	J41-J42	J43	J44	J45-J46	J47
All ages	4,756	22	15	716	3,729	242	32
Under 1	--	--	--	--	--	--	--
1 – 4	2	--	--	--	--	2	--
5 – 14	10	--	--	1	--	9	--
15 – 24	14	--	--	1	--	13	--
25 – 34	28	--	--	--	3	25	--
35 – 44	59	1	1	1	19	36	1
45 – 54	143	1	1	15	81	44	1
55 – 64	433	1	2	76	330	22	2
65 – 74	1,148	4	3	200	905	28	8
75 – 84	1,802	6	2	287	1,464	34	9
85 and over	1,117	9	6	135	927	29	11

and 43) and ranked sixth for Chicago residents (table 41). The components of CLRD are shown in table 30, where the sub-cause "other chronic obstructive pulmonary disease" contains the majority of these deaths (3,729). Emphysema accounted for 716 of the CLRD deaths while asthma accounted for 242 deaths. Most CLRD deaths (85.5%) occurred to those 65 years of age and older. Among CLRD sub-causes, asthma has a more even distribution of deaths among the age groups, with only 37.6 percent of the deaths having occurred to those Illinois residents age 65 years and older.

Accidents made up the fifth leading cause for both Illinois and Downstate (tables 39 and 43) while they ranked fourth in the city of Chicago (table 41). With 4,027 deaths to Illinois residents, accidents constituted 3.8 percent of all deaths during 2001. Among accidents, 1,675 (41.6%) were due to transport related accidents, with 1,559 of those deaths specifically due to motor vehicle accidents. Among the non-transport related accident sub-causes, the largest number was for poisonings (758 deaths), followed by falls

(525), food or object obstructing the respiratory tract (187) and fires (164) (table 45). Poisonings includes accidental deaths due to drugs (721 deaths). For all accidents, although the highest age-specific death rates occurred in the older age groups, the highest numbers of deaths occurred in the young and middle adult age groups of 15-24 (530 deaths), 25-34 (501), 35-44 (676) and 45-54 (550). The 530 accident deaths for age 15-24 years were primarily due to involvement of motor vehicles – 385 deaths, or 72.6 percent.

Diabetes mellitus, statewide, was the sixth leading cause of death during 2001 with 3,085 deaths. Diabetes mellitus was also the sixth leading cause of death for residents of Downstate. For Chicago residents, diabetes mellitus was the fifth leading cause of death. Statewide, 56.7 percent of all diabetes mellitus deaths occurred within the age group 65-84 years.

There were 2,648 influenza and pneumonia deaths (2.5% of all deaths) to Illinois residents in 2001, making it the seventh leading cause

Table 31.
Components of Resident Influenza and Pneumonia Deaths by Age
Illinois, 2001

	Total Influenza and Pneumonia	Influenza	Viral Pneumonia, Not Elsewhere Classified	Bacterial Pneumonia	Pneumonia due to Other Infectious Organisms and Organisms Unspecified.
	ICD-10 Codes				
	J10-J18	J10-J11	J12	J13-J15	J16-J18
All ages.....	2,648	10	12	103	2,523
Under 1.....	16	2	3	--	11
1 – 4.....	9	--	1	1	7
5 – 14.....	12	--	--	--	12
15 – 24.....	9	--	--	1	8
25 – 34.....	15	1	--	--	14
35 – 44.....	42	--	--	1	41
45 – 54.....	84	--	1	9	74
55 – 64.....	116	--	--	11	105
65 – 74.....	278	2	2	18	256
75 – 84.....	735	1	1	28	705
85 and over.....	1,332	4	4	34	1,290

of death. Influenza and pneumonia also ranked as the seventh leading cause of death for Downstate residents. For Chicago residents, influenza and pneumonia was the ninth leading cause of death, ranking below septicemia (seventh) and assault (homicide).

For Illinois residents, the eight through 12th leading causes of death were nephritis, nephrotic syndrome and nephrosis (2,166 deaths), Alzheimer's disease (2,161), septicemia (1,964), intentional self-harm (suicide, 1,131), and chronic liver disease and cirrhosis (1,101). The numbers and rates for the 12 leading causes of death for Illinois, Chicago and Downstate are in tables 47 through 52.

For Illinois residents, other leading causes of death for 2001 were as follows:

13	Assault (homicide)	1,064
14	Pneumonitis due to solids and liquids.....	848
15	Primary hypertension and hypertensive renal disease.....	784
16	Parkinson's disease	755
17	Certain conditions originating in the perinatal period.....	742
18	Aortic aneurysm and dissection.....	677
19	In situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior	619
20	Atherosclerosis	569

Human immunodeficiency virus disease (HIV) ranked as the 21st leading cause, with 514 deaths to Illinois residents.

Deaths Due to Drugs

In 2001, there were 921 deaths due to drugs, with 721 (78.3%) of these coming from accidental poisoning (table 32). Most accidental poisonings involved narcotics and psychodysleptics (hallucinogens), such as cannabis, cocaine and methadone, among others, with 514 deaths or 55.8 percent of all deaths due to drug related causes. Suicide was the second largest drug-related cause with 124 deaths (13.5%). The highest numbers and rates were for the 40-49 year age group, both overall and practically for each drug-related cause. About 35 percent of all deaths due to drugs occurred to those age 40-49 years of age.

Similarly, the second highest numbers and rates were for age 30-39 years (*Nota bene*: the category of drug-related deaths, as used here, excludes alcohol).

Table 32.
Deaths Due to Drugs by Age and Circumstance
Number and Rate¹, Illinois, 2001

	All Causes		Psychoactive Drug Use		Accidental Poisoning		Suicide		Homicide		Unknown Intent	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
All ages	921	7.4	37	0.3	721	5.8	124	1.0	1	*	38	0.3
Under 20	20	0.6	--	-0-	17	0.5	1	*	1	*	1	*
20-29.....	129	7.4	4	*	114	6.5	9	*	--	-0-	2	*
30-39.....	267	14.0	4	*	220	11.6	31	1.6	--	-0-	12	0.6
40-49.....	323	17.0	10	0.5	263	13.9	39	2.1	--	-0-	11	0.6
50-59.....	121	8.7	10	0.7	80	5.8	23	1.7	--	-0-	8	*
60 and older.....	61	3.1	9	*	27	1.4	21	1.1	--	-0-	4	*

¹ Rate per 100,000 population in age group

Deaths Due to Firearms

In 2001, there were 1,276 deaths due to firearms to Illinois residents, representing 1.2 percent of all deaths. The 15-24 year age group had the highest number of deaths – 421, 33.0 percent of all firearm deaths (table 33). Age 25-34 years had 288 deaths or 22.6 percent of all firearm deaths. Firearm suicide rates were highest for age groups 55 and older. Nearly the opposite was true for firearm homicide rates, where age group 15-

24 years had the highest rate (20.2 firearm homicide deaths per 100,000 population). For this age group, homicides due to firearms comprised 86.0 percent of all homicides, and firearms were involved in 79.3 percent of all homicides in the age group 25-34 years. For suicides among those age 65 years and older, firearms were involved with 64.4 percent of those deaths. The 20 accidental deaths due to firearms represent less than 1 percent of all non-transport accidents.

Table 33.
Deaths Due to Firearms by Age and Cause
Number and Rate¹, Illinois, 2001

	All Causes		Accidental		Suicide		Homicide		Legal Intervention		Unknown Intent	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
All ages.....	1,276	10.2	20	0.2	503	4.0	739	5.9	8	*	6	*
Under 15.....	23	0.8	3	*	5	*	14	0.5	--	-0-	1	*
15-24	421	24.1	4	*	59	3.4	355	20.3	2	*	1	*
25-34	288	16.0	3	*	78	4.3	203	11.3	4	*	--	-0-
35-44	182	9.2	4	*	80	4.1	95	4.8	2	*	1	*
45-54	136	8.1	2	*	84	5.0	49	2.9	--	-0-	1	*
55-64	79	7.4	1	*	67	6.2	11	1.0	--	-0-	--	-0-
65 and older....	147	9.8	3	*	130	8.7	12	0.8	--	-0-	2	*

¹ Rate per 100,000 population in age group

Life Tables and Life Expectancy

The life expectancy at birth for Illinois residents in 2000 was 76.8 years. This is 1.8 years greater than the same value in 1990 (75.0 years) and 3.3 years greater than in 1980 (73.5 years). Life expectancy is based on life table calculations using three years of mortality surrounding a decennial census year (e.g., 1999-2001 mortality around the 2000 census). As such, this is the average number of years that a group of newborns would live if they were to collectively experience through out their lives the age-specific death rates prevailing in 1999-2001. The Illinois life tables – for females, males and both sexes, and by black, white and all races categories – are shown in tables 34 – 42. (See Appendix 5 for a more complete explanation of life table functions and their derivation.)

Life expectancy at birth increased more for males than females from 1980 to 2000 (table

43). Male life expectancy at birth increased from 69.7 years in 1980 to 74.0 years in 2000, or by 4.3 years. For females, life expectancy increased by 2.2 years, or by approximately half as much as for males (77.3 to 79.5 years). This difference also is reflected in the sex-specific values for the black and white race categories. For the black race category, there was a 3.4 year improvement for males from 1980 to 2000 (63.1 to 66.5 years), while there was a 2.0 year improvement for females (72.3 to 74.3 years). Similarly, for the white race category, there was a 4.4 year improvement for males (70.7 to 75.1 years) and a 2.1 year improvement for females (78.2 to 80.3 years). For both sexes combined, the black and white race categories increased by slightly different amounts from 1980 to 2000: 2.9 years (4.3% improvement) and 3.4 years (4.6%), respectively.

The roughly 2-to-1 ratio of improvement in additional years for male-to-female life expectancy at birth from 1980 to 2000 also holds for life expectancy at ages 20, 40 and 65 years (table 43). For example, males in the black race category had 29.4 years of expected additional life at age 40 in 1980 and 31.5 years at age 40 in 2000 – an improvement of 2.1 years. For females in the black race category, the same values are 36.2 and 37.2 years, or an improvement of 1.0 years. This is roughly half the amount of improvement of their male counterparts. This also is the case for each age/race category combination shown in Table 43.

Life expectancy at ages 20, 40 and 65 years all showed improvement from 1980 to 2000 for each sex/race category combination. For all races and both sexes, expectation of additional life increased 2.7 years at age 20

years, 2.5 years at age 40 and 1.5 years at age 65. In 2000, a person at birth could expect to live, on average, 76.8 years (based on all races, both sexes life table information). If the person survived until his/her 20th birthday, the person could expect to live until age 77.9 years. Upon reaching age 40, the person could expect to live to age 79.0 years and, if reaching age 65, additional life expectancy would result in an age of 82.8 years. For the black race category (both sexes), the expectation of life at birth was 70.6 years; at age 20 it was 52.4 additional years (or until age 72.4 years); at age 40, 74.6 years, and at age 65, 81.1 years. Similarly for the white race category, the expectation of life at birth was 77.8 years; at age 20, it was 58.7 additional years (or until age 78.7 years); at age 40, 79.5 years; and at age 65, 83.0 years.

Table 34.
Life Table for Illinois Residents
1999-2001

Age at Start of Interval	Probability of Dying During Interval	Of 100,000 Born Alive		Stationary Population		Average Years of Remaining Lifetime
		Number Living at Start of Interval	Number Dying During Interval	In the Interval	In Interval and All Subsequent Intervals	
X	nq_x	l_x	nd_x	nL_x	T_x	e_x
0	0.00842	100,000	842	99,229	7,682,595	76.83
1	0.00132	99,158	131	396,306	7,583,366	76.48
5	0.00072	99,027	71	494,956	7,187,060	72.58
10	0.00093	98,956	92	494,632	6,692,103	67.63
15	0.00347	98,864	343	493,535	6,197,472	62.69
20	0.00499	98,521	491	491,374	5,703,937	57.90
25	0.00443	98,030	434	489,090	5,212,563	53.17
30	0.00555	97,595	542	486,695	4,723,473	48.40
35	0.00760	97,054	737	483,565	4,236,779	43.65
40	0.01161	96,316	1,118	479,004	3,753,214	38.97
45	0.01766	95,199	1,681	472,041	3,274,211	34.39
50	0.02458	93,517	2,299	462,316	2,802,169	29.96
55	0.03950	91,219	3,603	447,796	2,339,853	25.65
60	0.06192	87,615	5,425	425,422	1,892,057	21.60
65	0.09363	82,190	7,695	392,871	1,466,635	17.84
70	0.14175	74,495	10,560	347,266	1,073,764	14.41
75	0.20809	63,935	13,304	287,616	726,498	11.36
80	0.31556	50,631	15,977	216,239	438,882	8.67
85	1.00000	34,654	34,654	222,643	222,643	6.42

Table 35.
Life Table for Illinois Resident Females
1999-2001

Age at Start of Interval	Probability of Dying During Interval	Of 100,000 Born Alive		Stationary Population		Average Years of Remaining Lifetime
		Number Living at Start of Interval	Number Dying During Interval	In the Interval	In Interval and All Subsequent Intervals	
X	nq_x	l_x	nd_x	nL_x	T_x	e_x
0	0.00755	100,000	755	99,307	7,949,529	79.50
1	0.00126	99,245	125	396,666	7,850,221	79.10
5	0.00068	99,119	67	495,421	7,453,556	75.20
10	0.00073	99,052	73	495,115	6,958,135	70.25
15	0.00189	98,979	188	494,450	6,463,020	65.30
20	0.00225	98,792	222	493,410	5,968,570	60.42
25	0.00234	98,570	231	492,316	5,475,160	55.55
30	0.00375	98,339	368	490,837	4,982,844	50.67
35	0.00538	97,971	527	488,649	4,492,007	45.85
40	0.00856	97,444	834	485,298	4,003,358	41.08
45	0.01300	96,610	1,256	480,115	3,518,059	36.42
50	0.01862	95,354	1,775	472,736	3,037,945	31.86
55	0.03089	93,578	2,891	461,274	2,565,209	27.41
60	0.04914	90,688	4,456	443,102	2,103,934	23.20
65	0.07524	86,231	6,488	416,005	1,660,833	19.26
70	0.11500	79,744	9,171	377,048	1,244,828	15.61
75	0.17293	70,573	12,204	323,935	867,780	12.30
80	0.27396	58,369	15,991	255,746	543,845	9.32
85	1.00000	42,378	42,378	288,099	288,099	6.80

Table 36.
Life Table for Illinois Resident Males
1999-2001

Age at Start of Interval	Probability of Dying During Interval	Of 100,000 Born Alive		Stationary Population		Average Years of Remaining Lifetime
		Number Living at Start of Interval	Number Dying During Interval	In the Interval	In Interval and All Subsequent Intervals	
X	nq_x	l_x	nd_x	nL_x	T_x	e_x
0	0.00924	100,000	924	99,155	7,398,687	73.99
1	0.00138	99,076	137	395,962	7,299,532	73.68
5	0.00075	98,939	74	494,512	6,903,570	69.78
10	0.00112	98,865	111	494,168	6,409,058	64.83
15	0.00494	98,754	487	492,671	5,914,890	59.90
20	0.00760	98,266	747	489,454	5,422,219	55.18
25	0.00646	97,519	630	486,033	4,932,766	50.58
30	0.00733	96,889	710	482,752	4,446,733	45.90
35	0.00983	96,179	945	478,699	3,963,981	41.21
40	0.01470	95,234	1,400	472,936	3,485,282	36.60
45	0.02244	93,833	2,106	464,200	3,012,346	32.10
50	0.03080	91,728	2,825	452,126	2,548,146	27.78
55	0.04870	88,902	4,329	434,509	2,096,020	23.58
60	0.07598	84,573	6,426	407,839	1,661,511	19.65
65	0.11521	78,147	9,003	369,517	1,253,672	16.04
70	0.17550	69,144	12,135	316,570	884,155	12.79
75	0.25812	57,009	14,715	249,138	567,585	9.96
80	0.38545	42,294	16,302	172,502	318,447	7.53
85	1.00000	25,992	25,992	145,945	145,945	5.61

Table 37.
White Race Category Life Table for Illinois Residents
1999-2001

Age at Start of Interval	Probability of Dying During Interval	Of 100,000 Born Alive		Stationary Population		Average Years of Remaining Lifetime
		Number Living at Start of Interval	Number Dying During Interval	In the Interval	In Interval and All Subsequent Intervals	
X	nq_x	l_x	nd_x	nL_x	T_x	e_x
0	0.00653	100,000	653	99,400	7,779,724	77.80
1	0.00110	99,347	110	397,114	7,680,324	77.31
5	0.00058	99,237	58	496,040	7,283,210	73.39
10	0.00078	99,179	78	495,777	6,787,170	68.43
15	0.00309	99,102	306	494,795	6,291,393	63.48
20	0.00396	98,796	391	492,997	5,796,598	58.67
25	0.00355	98,404	349	491,171	5,303,602	53.90
30	0.00439	98,056	430	489,267	4,812,430	49.08
35	0.00624	97,625	609	486,715	4,323,164	44.28
40	0.00933	97,016	905	483,011	3,836,449	39.54
45	0.01476	96,111	1,418	477,251	3,353,438	34.89
50	0.02129	94,693	2,016	468,895	2,876,187	30.37
55	0.03569	92,677	3,307	455,834	2,407,292	25.98
60	0.05767	89,370	5,154	434,883	1,951,458	21.84
65	0.08855	84,216	7,457	403,675	1,516,574	18.01
70	0.13759	76,758	10,561	358,650	1,112,899	14.50
75	0.20346	66,197	13,468	298,679	754,249	11.39
80	0.31396	52,729	16,555	225,436	455,570	8.64
85	1.00000	36,174	36,174	230,133	230,133	6.36

Table 38.
White Race Category Life Table for Illinois Resident Females
1999-2001

Age at Start of Interval	Probability of Dying During Interval	Of 100,000 Born Alive		Stationary Population		Average Years of Remaining Lifetime
		Number Living at Start of Interval	Number Dying During Interval	In the Interval	In Interval and All Subsequent Intervals	
X	nq_x	l_x	nd_x	nL_x	T_x	e_x
0	0.00578	100,000	578	99,468	8,032,140	80.32
1	0.00109	99,422	108	397,416	7,932,672	79.79
5	0.00056	99,314	55	496,424	7,535,256	75.87
10	0.00062	99,258	62	496,179	7,038,832	70.91
15	0.00190	99,197	188	495,525	6,542,653	65.96
20	0.00188	99,008	186	494,577	6,047,128	61.08
25	0.00192	98,822	190	493,662	5,552,550	56.19
30	0.00275	98,632	271	492,537	5,058,888	51.29
35	0.00420	98,361	413	490,864	4,566,351	46.42
40	0.00668	97,948	654	488,249	4,075,487	41.61
45	0.01058	97,294	1,029	484,098	3,587,238	36.87
50	0.01607	96,265	1,547	477,858	3,103,140	32.24
55	0.02798	94,718	2,650	467,574	2,625,282	27.72
60	0.04588	92,068	4,224	450,571	2,157,708	23.44
65	0.07085	87,843	6,224	424,768	1,707,137	19.43
70	0.11084	81,620	9,046	386,775	1,282,369	15.71
75	0.16762	72,573	12,165	334,212	895,594	12.34
80	0.27190	60,409	16,425	265,017	561,383	9.29
85	1.00000	43,983	43,983	296,366	296,366	6.74

Table 39.
White Race Category Life Table for Illinois Resident Males
1999-2001

Age at Start of Interval	Probability of Dying During Interval	Of 100,000 Born Alive		Stationary Population		Average Years of Remaining Lifetime
		Number Living at Start of Interval	Number Dying During Interval	In the Interval	In Interval and All Subsequent Intervals	
X	nq_x	l_x	nd_x	nL_x	T_x	e_x
0	0.00724	100,000	724	99,336	7,511,196	75.11
1	0.00112	99,276	111	396,826	7,411,861	74.66
5	0.00061	99,165	60	495,675	7,015,034	70.74
10	0.00094	99,104	93	495,394	6,519,359	65.78
15	0.00418	99,012	414	494,109	6,023,965	60.84
20	0.00590	98,598	582	491,526	5,529,855	56.08
25	0.00507	98,016	497	488,855	5,038,330	51.40
30	0.00595	97,519	580	486,220	4,549,474	46.65
35	0.00824	96,938	798	482,828	4,063,254	41.92
40	0.01194	96,140	1,148	478,071	3,580,426	37.24
45	0.01890	94,992	1,795	470,754	3,102,355	32.66
50	0.02657	93,197	2,477	460,336	2,631,601	28.24
55	0.04371	90,721	3,966	444,520	2,171,265	23.93
60	0.07036	86,755	6,104	419,587	1,726,745	19.90
65	0.10890	80,651	8,783	382,714	1,307,158	16.21
70	0.17075	71,868	12,272	329,972	924,444	12.86
75	0.25402	59,596	15,139	261,173	594,472	9.98
80	0.38428	44,457	17,084	181,495	333,299	7.50
85	1.00000	27,373	27,373	151,804	151,804	5.55

Table 40.
Black Race Category Life Table for Illinois Residents
1999-2001

Age at Start of Interval	Probability of Dying During Interval	Of 100,000 Born Alive		Stationary Population		Average Years of Remaining Lifetime
		Number Living at Start of Interval	Number Dying During Interval	In the Interval	In Interval and All Subsequent Intervals	
X	nq_x	l_x	nd_x	nL_x	T_x	e_x
0	0.01687	100,000	1,687	98,480	7,057,256	70.57
1	0.00235	98,313	231	392,672	6,958,777	70.78
5	0.00125	98,081	123	490,094	6,566,105	66.95
10	0.00163	97,959	159	489,519	6,076,011	62.03
15	0.00559	97,799	547	487,830	5,586,491	57.12
20	0.01088	97,253	1,058	483,641	5,098,661	52.43
25	0.01004	96,195	966	478,632	4,615,020	47.98
30	0.01295	95,229	1,233	473,188	4,136,388	43.44
35	0.01651	93,996	1,552	466,408	3,663,199	38.97
40	0.02628	92,444	2,430	456,544	3,196,791	34.58
45	0.03794	90,014	3,415	441,913	2,740,247	30.44
50	0.04980	86,599	4,313	422,766	2,298,334	26.54
55	0.07005	82,286	5,764	397,671	1,875,569	22.79
60	0.09607	76,522	7,352	365,063	1,477,898	19.31
65	0.13615	69,171	9,417	323,033	1,112,835	16.09
70	0.18460	59,753	11,030	272,009	789,802	13.22
75	0.26356	48,723	12,841	211,590	517,794	10.63
80	0.35222	35,882	12,638	149,631	306,204	8.53
85	1.00000	23,243	23,243	156,573	156,573	6.74

Table 41.
Black Race Category Life Table for Illinois Resident Females
1999-2001

Age at Start of Interval	Probability of Dying During Interval	Of 100,000 Born Alive		Stationary Population		Average Years of Remaining Lifetime
		Number Living at Start of Interval	Number Dying During Interval	In the Interval	In Interval and All Subsequent Intervals	
X	nq_x	l_x	nd_x	nL_x	T_x	e_x
0	0.01538	100,000	1,538	98,611	7,430,120	74.30
1	0.00209	98,462	206	393,333	7,331,510	74.46
5	0.00114	98,256	112	490,987	6,938,177	70.61
10	0.00124	98,144	122	490,443	6,447,190	65.69
15	0.00215	98,022	211	489,657	5,956,747	60.77
20	0.00426	97,811	417	488,052	5,467,090	55.89
25	0.00480	97,395	468	485,939	4,979,038	51.12
30	0.00911	96,927	883	482,559	4,493,099	46.36
35	0.01224	96,043	1,176	477,522	4,010,540	41.76
40	0.01959	94,868	1,858	470,004	3,533,018	37.24
45	0.02825	93,009	2,627	458,762	3,063,014	32.93
50	0.03631	90,382	3,281	444,167	2,604,252	28.81
55	0.05187	87,101	4,518	424,852	2,160,086	24.80
60	0.07442	82,583	6,146	398,436	1,735,233	21.01
65	0.10967	76,438	8,383	362,113	1,336,797	17.49
70	0.15362	68,054	10,455	315,327	974,684	14.32
75	0.23072	57,600	13,289	255,171	659,357	11.45
80	0.31243	44,311	13,844	189,619	404,186	9.12
85	1.00000	30,467	30,467	214,567	214,567	7.04

Table 42.
Black Race Category Life Table for Illinois Resident Males
1999-2001

Age at Start of Interval	Probability of Dying During Interval	Of 100,000 Born Alive		Stationary Population		Average Years of Remaining Lifetime
		Number Living at Start of Interval	Number Dying During Interval	In the Interval	In Interval and All Subsequent Intervals	
X	nq_x	l_x	nd_x	nL_x	T_x	e_x
0	0.01834	100,000	1,834	98,353	6,652,828	66.53
1	0.00260	98,166	255	392,027	6,554,476	66.77
5	0.00136	97,911	133	489,223	6,162,449	62.94
10	0.00200	97,778	196	488,620	5,673,226	58.02
15	0.00897	97,582	876	486,061	5,184,606	53.13
20	0.01794	96,706	1,735	479,213	4,698,545	48.59
25	0.01602	94,971	1,521	471,064	4,219,332	44.43
30	0.01735	93,450	1,622	463,318	3,748,268	40.11
35	0.02151	91,828	1,975	454,590	3,284,950	35.77
40	0.03426	89,853	3,079	442,074	2,830,361	31.50
45	0.04984	86,774	4,325	423,551	2,388,287	27.52
50	0.06657	82,450	5,489	399,169	1,964,736	23.83
55	0.09268	76,961	7,133	367,612	1,565,566	20.34
60	0.12369	69,828	8,637	328,311	1,197,954	17.16
65	0.17142	61,191	10,489	280,281	869,644	14.21
70	0.22876	50,702	11,598	224,922	589,363	11.62
75	0.31410	39,104	12,282	164,627	364,442	9.32
80	0.42408	26,821	11,374	106,349	199,815	7.45
85	1.00000	15,447	15,447	93,466	93,466	6.05

Table 43.
Expectation of Life in Years at Various Ages for Illinois Residents
1979-1981 and 1999-2001

Race Category	1979-1981				1999-2001				Differences from 1979-1981 to 1999-2001			
	Age				Age				Age			
	At Birth	20	40	65	At Birth	20	40	65	At Birth	20	40	65
All Races												
Both Sexes	73.5	55.2	36.5	16.3	76.8	57.9	39.0	17.8	3.3	2.7	2.5	1.5
Females	77.3	58.8	39.6	18.3	79.5	60.4	41.1	19.3	2.2	1.6	1.5	1.0
Males	69.7	51.5	33.3	13.9	74.0	55.2	36.6	16.0	4.3	3.7	3.3	2.1
Black Race												
Both Sexes	67.7	50.4	32.8	15.4	70.6	52.4	34.6	16.1	2.9	2.0	1.8	0.7
Females	72.3	54.8	36.2	17.1	74.3	55.9	37.2	17.5	2.0	1.1	1.0	0.4
Males	63.1	46.0	29.4	13.4	66.5	48.6	31.5	14.2	3.4	2.6	2.1	0.8
White Race												
Both Sexes	74.4	55.9	37.0	16.4	77.8	58.7	39.5	18.0	3.4	2.8	2.5	1.6
Females	78.2	59.4	40.1	18.4	80.3	61.1	41.6	19.4	2.1	1.7	1.5	1.0
Males	70.7	52.3	33.8	14.0	75.1	56.1	37.2	16.2	4.4	3.8	3.4	2.2

Table 44.
Deaths and Death Rates from the Principal Diseases Affecting the Respiratory System
Illinois, 1980, 1985, 1990, 1995, 2000 and 2001

Cause of Death	ICD-10 ¹	ICD-9 ²	Number of Deaths						Rate per 100,000 Population					
			2001	2000	1995	1990	1985	1980	2001	2000	1995	1990	1985	1980
Tuberculosis	A16	010-012	22	32	47	61	49	97	0.2	0.3	0.4	0.5	0.4	0.8
Cancer or respiratory system	C30-C34	160-165	6,946	7,014	7,250	6,767	6,318	5,570	55.6	56.4	61.3	59.2	55.4	48.7
Bronchus, trachea and lung	C33-C34	162	6,764	6,821	7,018	6,525	6,074	5,337	54.2	54.8	59.3	57.1	53.3	46.7
Influenza	J10-J11	487	10	83	34	93	75	104	0.1	0.7	0.3	0.8	0.7	0.9
Pneumonia	J12-J18	480-486	2,638	2,826	3,853	3,864	3,201	2,445	21.1	22.7	32.6	33.8	28.1	21.4
Other acute lower respiratory infections.....	J20-J22	466	13	7	18	25	24	17	0.1	*	0.2	0.2	0.2	0.1
Acute bronchitis and bronchiolitis.....	J20-J21		12	5					0.1	*				
Chronic lower respiratory diseases	J40-J47	490-494, 496	4,756	4,756	4,480	3,814	3,341	2,581	38.1	38.2	37.9	33.4	29.3	22.6
Bronchitis, chronic and unspecified..	J40-J42	490-491	37	52	130	161	184	209	0.3	0.4	1.1	1.4	1.6	1.8
Emphysema.....	J43	492	716	673	882	808	691	760	5.7	5.4	7.5	7.1	6.1	6.7
Asthma	J45-J46	493	242	246	308	248	177	149	1.9	2.0	2.6	2.2	1.6	1.3
Pneumoconioses and chemical effects	J60-J66, J68	500-506	26	33	27	30	40	30	0.2	0.3	0.2	0.3	0.4	0.3
Pneumonitis due to solids or liquids.....	J69	507	848	854	542	500	369	159	6.8	6.9	4.6	4.4	3.2	1.4
Other diseases of the respiratory system..	J00-J06, J30-J39 J67, J70-J98	034.0, 460-465, 470-478, 495, 508-519	1,056	1,022	768	739	691	545	8.5	8.2	6.5	6.5	6.1	4.8

¹ Underlying cause-of-death codes for the 10th revision of the International Classification of Diseases cover deaths since 1999.

² Underlying cause-of-death codes for the 9th revision of the International Classification of Diseases cover deaths 1998 and earlier.

Table 45.
Accidental Deaths Among Residents by Type of Accident and Age of Decedent
Illinois, 2001

Cause	Age in Years													
	All Ages	< 1	1-4	5-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
	Numbers													
ALL ACCIDENTAL DEATHS	4,027	47	56	104	240	290	501	676	550	322	293	495	453	
Transport accidents	1,675	7	19	60	196	202	266	271	222	150	98	137	47	
Motor vehicle.....	1,559	7	17	56	189	196	247	240	205	132	95	131	44	
Pedestrian.....	227	1	8	15	9	19	25	38	30	28	16	30	8	
Pedal cyclist.....	9	--	--	--	1	1	1	1	2	2	1	--	--	
Motorcycle rider	114	--	--	1	5	22	33	27	20	4	2	--	--	
Car, truck or bus	716	5	5	19	116	94	100	103	90	58	47	57	22	
Railway train	12	--	--	1	--	--	1	3	2	1	1	3	--	
Other/unspecified.....	481	1	4	20	58	60	87	68	61	39	28	41	14	
Other transport.....	116	--	2	4	7	6	19	31	17	18	3	6	3	
Railway	44	--	1	2	3	3	8	12	5	4	1	3	2	
Water transport	13	--	--	--	3	--	2	2	1	2	1	1	1	
Air/space transport.....	22	--	--	--	--	1	6	5	4	6	--	--	--	
Other vehicle/unspecified	37	--	1	2	1	2	3	12	7	6	1	2	--	
Non-transport accidents.....	2,352	40	37	44	44	88	235	405	328	172	195	358	406	
Falls	525	1	--	3	7	6	13	36	53	42	76	144	144	
Discharge of firearms.....	20	--	--	3	3	1	3	4	2	1	2	--	1	
Drowning and submersion	94	1	10	16	6	6	13	14	8	4	6	6	4	
Suffocation and strangulation	50	31	1	2	1	1	2	4	3	2	1	1	1	
Food/object causing obstruction of respiratory tract.....	187	--	2	1	--	--	5	3	16	20	24	66	50	
Smoke, fire and flames	164	3	16	15	3	3	15	17	20	22	17	21	12	
Poisoning/noxious substances	758	2	1	--	19	56	164	276	186	31	9	11	3	
Other/unspec. acc. and sequelae ...	554	2	7	4	5	15	20	51	40	50	60	109	191	
	Rate per 100,000 Estimated Population in Age Group													
ALL ACCIDENTAL DEATHS	32.3	25.5	8.1	5.7	27.1	33.6	27.8	34.3	32.6	30.0	38.6	92.1	226.3	
Transport accidents	13.4	*	2.7	3.3	22.1	23.4	14.8	13.8	13.2	14.0	12.9	25.5	23.5	
Motor vehicle.....	12.5	*	2.5	3.1	21.3	22.7	13.7	12.2	12.2	12.3	12.5	24.4	22.0	
Pedestrian.....	1.8	*	*	0.8	*	2.2	1.4	1.9	1.8	2.6	2.1	5.6	*	
Pedal cyclist.....	*	-0-	-0-	-0-	*	*	*	*	*	*	*	-0-	-0-	
Motorcycle rider	0.9	-0-	-0-	*	*	2.6	1.8	1.4	1.2	*	*	-0-	-0-	
Car, truck or bus	5.7	*	*	1.0	13.1	10.9	5.5	5.2	5.3	5.4	6.2	10.6	11.0	
Railway train	0.1	-0-	-0-	*	-0-	-0-	*	*	*	*	*	*	-0-	
Other/unspecified.....	3.9	*	*	1.1	6.5	7.0	4.8	3.5	3.6	3.6	3.7	7.6	7.0	
Other transport.....	0.9	-0-	*	*	*	*	1.1	1.6	1.0	1.7	*	*	*	
Railway	0.4	-0-	*	*	*	*	*	0.6	*	*	*	*	*	
Water transport	0.1	-0-	-0-	-0-	*	-0-	*	*	*	*	*	*	*	
Air/space transport.....	0.2	-0-	-0-	-0-	-0-	*	*	*	*	*	-0-	-0-	-0-	
Other vehicle/unspecified	0.3	-0-	*	*	*	*	*	0.6	*	*	*	*	-0-	
Non-transport accidents.....	18.8	21.7	5.3	2.4	5.0	10.2	13.0	20.6	19.5	16.0	25.7	66.6	202.8	
Falls	4.2	*	-0-	*	*	*	0.7	1.8	3.1	3.9	10.0	26.8	71.9	
Discharge of firearms.....	0.2	-0-	-0-	*	*	*	*	*	*	*	*	-0-	*	
Drowning and submersion	0.8	*	1.4	0.9	*	*	0.7	0.7	*	*	*	*	*	
Suffocation and strangulation	0.4	16.8	*	*	*	*	*	*	*	*	*	*	*	
Food/object causing obstruction of respiratory tract	1.5	-0-	*	*	-0-	-0-	*	*	0.9	1.9	3.2	12.3	25.0	
Smoke, fire and flames	1.3	*	2.3	0.8	*	*	0.8	0.9	1.2	2.0	2.2	3.9	6.0	
Poisoning/noxious substances	6.1	*	*	-0-	2.1	6.5	9.1	14.0	11.0	2.9	*	2.0	*	
Other/unspec. acc. and sequelae ...	4.4	*	*	*	*	1.7	1.1	2.6	2.4	4.7	7.9	20.3	95.4	

Table 46.
Ten Leading Causes of Death Among White and All Other Races Categories¹
Illinois Residents, 2001

Race Category ¹									
White					All Other Races				
Rank	Cause	Number	Rate ²	Percent	Rank	Cause	Numbers	Rates ²	Percent
	ALL CAUSES	87,472	873.8	100.0		ALL CAUSES	17,386	703.4	100.0
1	Diseases of heart	26,101	260.7	29.8	1	Diseases of heart	4,726	191.2	27.2
2	Malignant neoplasms	20,701	206.8	23.7	2	Malignant neoplasms	3,973	160.7	22.9
3	Cerebrovascular diseases	6,138	61.3	7.0	3	Cerebrovascular diseases	1,057	42.8	6.1
4	Chronic lower respiratory diseases	4,278	42.7	4.9	4	Accidents	782	31.6	4.5
5	Accidents	3,245	32.4	3.7	5	Assault (homicide)	649	26.3	3.7
6	Diabetes mellitus	2,458	24.6	2.8	6	Diabetes mellitus	627	25.4	3.6
7	Influenza and pneumonia	2,252	22.5	2.6	7	Septicemia	540	21.8	3.1
8	Alzheimer's disease	1,986	19.8	2.3	8	Nephritis, nephrotic syndrome and nephrosis	483	19.5	2.8
9	Nephritis, nephrotic syndrome and nephrosis	1,683	16.8	1.9	9	Chronic lower respiratory diseases	478	19.3	2.7
10	Septicemia	1,424	14.2	1.6	10	Influenza and pneumonia	396	16.0	2.3

¹ based on bridged-race population estimates for April 1, 2001 (see Appendix 1)

² Rates per 100,000 population by race category

Table 47.
The Twelve Leading Causes of Death by Age and Race Category Among Residents
Illinois, 2001

R a n k		All Ages	Age of Decedent						
			0 - 4 Years	5 - 14 Years	15 - 24 Years	25 - 44 Years	45 - 64 Years	65 - 84 Years	85 and Older
	All causes.....	104,858	1,608	317	1,482	5,536	17,633	48,557	29,725
	White race category	87,472	983	207	969	3,663	13,026	41,371	27,253
	All other races category	17,386	625	110	513	1,873	4,607	7,186	2,472
1	Diseases of heart	30,827	48	15	55	808	4,545	14,271	11,085
	White race category	26,101	29	9	34	528	3,225	12,061	10,215
	All other races category	4,726	19	6	21	280	1,320	2,210	870
	A. Ischemic heart disease	21,896	2	1	9	381	3,266	10,568	7,669
	White race category	18,762	2	1	3	279	2,405	9,012	7,060
	All other races category	3,134	--	--	6	102	861	1,556	609
	B. All other heart diseases	8,931	46	14	46	427	1,279	3,703	3,416
	White race category	7,339	27	8	31	249	820	3,049	3,155
	All other races category	1,592	--	--	15	178	459	654	261
2	Malignant neoplasms	24,674	25	43	86	841	6,239	13,897	3,543
	White race category	20,701	19	32	65	633	4,902	11,866	3,184
	All other races category	3,973	6	11	21	208	1,337	2,031	359
3	Cerebrovascular diseases	7,195	10	2	12	123	654	3,315	3,079
	White race category	6,138	6	1	8	64	418	2,795	2,846
	All other races category	1,057	4	1	4	59	236	520	233
4	Chronic lower respiratory diseases	4,756	2	10	14	87	576	2,950	1,117
	White race category	4,278	--	3	6	36	480	2,695	1,058
	All other races category	478	2	7	8	51	96	255	59
5	Accidents.....	4,027	103	104	530	1,177	872	788	453
	White race category	3,245	59	66	454	878	670	696	422
	All other races category	782	44	38	76	299	202	92	31
	A. Motor vehicle	1,559	24	56	385	487	337	226	44
	White race category	1,295	18	38	330	377	285	205	42
	All other races category	264	6	18	55	110	52	21	2
	B. All other accidents	2,468	79	48	145	690	535	562	409
	White race category	1,950	41	28	124	501	385	491	380
	All other races category	518	38	20	21	189	150	71	29
6	Diabetes mellitus.....	3,085	1	1	2	98	583	1,749	651
	White race category	2,458	1	--	2	64	406	1,424	561
	All other races category	627	--	1	--	34	177	325	90
7	Influenza and pneumonia.....	2,648	25	12	9	57	200	1,013	1,332
	White race category	2,252	12	8	3	30	142	851	1,206
	All other races category	396	13	4	6	27	58	162	126
8	Nephritis, nephrotic syndrome and nephrosis.....	2,166	7	--	4	58	281	1,095	721
	White race category	1,683	6	--	3	29	155	850	640
	All other races category	483	1	--	1	29	126	245	81
9	Alzheimer's disease	2,161	--	--	--	1	31	872	1,257
	White race category	1,986	--	--	--	1	29	794	1,162
	All other races category	175	--	--	--	--	2	78	95
10	Septicemia	1,964	28	3	7	79	306	1,007	534
	White race category	1,424	15	3	3	47	171	747	438
	All other races category	540	13	--	4	32	135	260	96
11	Intentional self-harm (suicide).....	1,131	--	17	154	433	325	172	30
	White race category	997	--	9	123	383	302	154	26
	All other races category	134	--	8	31	50	23	18	4
12	Chronic liver disease and cirrhosis	1,101	--	1	2	204	459	398	37
	White race category	935	--	--	1	165	373	361	35
	All other races category	166	--	1	1	39	86	37	2

Table 48.
Rates For the Twelve Leading Causes of Death by Age and Race Category Among Residents
Illinois, 2001

(Race category rate estimates based on bridged-race population estimates for April 1, 2001; see Appendix 1.)

Rank	Cause of Death	All Ages	Age of Decedent						
			0 - 4 Years	5 - 14 Years	15 - 24 Years	25 - 44 Years	45 - 64 Years	65 - 84 Years	85 and Older
	All causes.....	840.1	183.3	17.3	84.8	146.8	639.0	3,748.1	14,847.7
	White race category	873.8	146.4	14.9	71.3	121.7	572.1	3,694.2	14,998.9
	All other races category	703.4	303.7	25.1	131.7	246.2	954.8	4,092.3	13,362.2
1	Diseases of heart	247.0	5.5	0.8	3.1	21.4	164.7	1,101.6	5,537.0
	White race category	260.7	4.3	*	2.5	17.5	141.6	1,077.0	5,621.9
	All other races category	191.2	9.2	*	5.4	36.8	273.6	1,258.5	4,702.7
	A. Ischemic heart disease.....	175.4	*	*	*	10.1	118.4	815.7	3,830.7
	White race category	187.4	*	*	*	9.3	105.6	804.7	3,885.5
	All other races category	126.8	-0-	-0-	*	13.4	178.4	886.1	3,291.9
	B. All other heart diseases	71.6	5.2	0.8	2.6	11.3	46.4	285.8	1,706.3
	White race category	73.3	4.0	*	2.3	8.3	36.0	272.3	1,736.4
	All other races category	64.4	-0-	-0-	3.9	23.4	95.1	372.4	1,410.8
2	Malignant neoplasms	197.7	2.9	2.3	4.9	22.3	226.1	1,072.7	1,769.7
	White race category	206.8	2.8	2.3	4.8	21.0	215.3	1,059.6	1,752.3
	All other races category	160.7	*	2.5	5.4	27.3	277.1	1,156.6	1,940.5
3	Cerebrovascular diseases	57.6	1.1	*	0.7	3.3	23.7	255.9	1,538.0
	White race category	61.3	*	*	*	2.1	18.4	249.6	1,566.3
	All other races category	42.8	*	*	*	7.8	48.9	296.1	1,259.5
4	Chronic lower respiratory diseases.....	38.1	*	0.5	0.8	2.3	20.9	227.7	557.9
	White race category	42.7	-0-	*	*	1.2	21.1	240.6	582.3
	All other races category	19.3	*	*	*	6.7	19.9	145.2	318.9
5	Accidents.....	32.3	11.7	5.7	30.3	31.2	31.6	60.8	226.3
	White race category	32.4	8.8	4.7	33.4	29.2	29.4	62.1	232.3
	All other races category	31.6	21.4	8.7	19.5	39.3	41.9	52.4	167.6
	A. Motor vehicle	12.5	2.7	3.1	22.0	12.9	12.2	17.4	22.0
	White race category	12.9	2.7	2.7	24.3	12.5	12.5	18.3	23.1
	All other races category	10.7	*	4.1	14.1	14.5	10.8	12.0	*
	B. All other accidents	19.8	9.0	2.6	8.3	18.3	19.4	43.4	204.3
	White race category	19.5	6.1	2.0	9.1	16.6	16.9	43.8	209.1
	All other races category	21.0	18.5	4.6	5.4	24.8	31.1	40.4	156.8
6	Diabetes mellitus.....	24.7	*	*	*	2.6	21.1	135.0	325.2
	White race category	24.6	*	-0-	*	2.1	17.8	127.2	308.8
	All other races category	25.4	-0-	*	-0-	4.5	36.7	185.1	486.5
7	Influenza and pneumonia.....	21.2	2.9	0.7	*	1.5	7.2	78.2	665.3
	White race category	22.5	1.8	*	*	1.0	6.2	76.0	663.7
	All other races category	16.0	6.3	*	*	3.5	12.0	92.3	681.1
8	Nephritis, nephrotic syndrome and nephrosis.....	17.4	*	-0-	*	1.5	10.2	84.5	360.1
	White race category	16.8	*	-0-	*	1.0	6.8	75.9	352.2
	All other races category	19.5	*	-0-	*	3.8	26.1	139.5	437.8
9	Alzheimer's disease	17.3	-0-	-0-	-0-	*	1.1	67.3	627.9
	White race category	19.8	-0-	-0-	-0-	*	1.3	70.9	639.5
	All other races category	7.1	-0-	-0-	-0-	-0-	*	44.4	513.5
10	Septicemia	15.7	3.2	*	*	2.1	11.1	77.7	266.7
	White race category	14.2	2.2	*	*	1.6	7.5	66.7	241.1
	All other races category	21.8	6.3	-0-	*	4.2	28.0	148.1	518.9
11	Intentional self-harm (suicide)	9.1	-0-	0.9	8.8	11.5	11.8	13.3	15.0
	White race category	10.0	-0-	*	9.1	12.7	13.3	13.8	14.3
	All other races category	5.4	-0-	*	8.0	6.6	4.8	10.3	*
12	Chronic liver disease and cirrhosis	8.8	-0-	*	*	5.4	16.6	30.7	18.5
	White race category	9.3	-0-	-0-	*	5.5	16.4	32.2	19.3
	All other races category	6.7	-0-	*	*	5.1	17.8	21.1	*

Table 49.
The Twelve Leading Causes of Death by Age and Race Category Among Residents
City of Chicago, 2001

Rank		All Ages	Age of Decedent						
			0 - 4 Years	5 - 14 Years	15 - 24 Years	25 - 44 Years	45 - 64 Years	65 - 84 Years	85 and Older
	All Causes	23,398	520	96	516	2,016	5,013	10,274	4,963
	White race category	12,106	178	38	199	792	2,044	5,496	3,359
	All other races category	11,292	342	58	317	1,224	2,969	4,778	1,604
1	Diseases of heart	7,019	20	4	23	282	1,410	3,394	1,886
	White race category	3,833	6	2	14	95	532	1,877	1,307
	All other races category	3,186	14	2	9	187	878	1,517	579
	A. Ischemic heart disease	5,043	1	--	2	102	970	2,560	1,408
	White race category	2,944	1	--	--	39	413	1,494	997
	All other races category	2,099	--	--	2	63	557	1,066	411
	B. All other heart diseases	1,976	19	--	21	180	440	834	478
	White race category	889	5	--	14	56	119	383	310
	All other races category	1,087	14	--	7	124	321	451	168
2	Malignant neoplasms	5,171	8	8	26	208	1,449	2,793	679
	White race category	2,632	4	4	10	88	642	1,455	429
	All other races category	2,539	4	4	16	120	807	1,338	250
3	Cerebrovascular diseases	1,340	5	2	4	50	218	645	416
	White race category	696	3	1	--	16	72	321	283
	All other races category	644	2	1	4	34	146	324	133
4	Accidents	1,028	36	27	96	391	264	141	73
	White race category	525	8	8	55	193	131	78	52
	All other races category	503	28	19	41	198	133	63	21
5	A. Motor vehicle	300	5	13	57	114	67	41	3
	White race category	155	3	4	28	53	41	24	2
	All other races category	145	2	9	29	61	26	17	1
	B. All other accidents	728	31	14	39	277	197	100	70
	White race category	370	5	4	14	140	90	54	50
	All other races category	358	14	10	12	137	107	46	20
	Diabetes mellitus	783	1	1	--	27	190	426	138
	White race category	402	1	--	--	10	77	237	77
	All other races category	381	--	1	--	17	113	189	61
6	Chronic lower respiratory diseases	771	2	6	5	52	116	418	172
	White race category	455	--	1	1	10	54	257	132
	All other races category	316	2	5	4	42	62	161	40
7	Septicemia	692	9	1	3	31	147	354	147
	White race category	291	1	1	--	11	43	159	76
	All other races category	401	8	--	3	20	104	195	71
8	Assault (homicide)	639	17	12	272	263	61	13	1
	White race category	189	2	8	89	66	19	5	--
	All other races category	450	15	4	183	197	42	8	1
9	Influenza and pneumonia	598	9	1	2	33	65	249	239
	White race category	328	3	1	--	10	26	133	155
	All other races category	270	6	--	2	23	39	116	84
10	Nephritis, nephrotic syndrome and nephrosis	550	--	--	1	32	107	276	134
	White race category	244	--	--	1	10	30	123	80
	All other races category	306	--	--	--	22	77	153	54
11	Human immunodeficiency virus disease	348	--	2	6	194	133	13	0
	White race category	90	--	--	--	52	35	3	--
	All other races category	258	--	2	6	142	98	10	--
12	Chronic liver disease and cirrhosis	327	--	--	1	76	150	91	9
	White race category	206	--	--	--	49	86	64	7
	All other races category	121	--	--	1	27	64	27	2

Table 50.
Rates For the Twelve Leading Causes of Death by Age and Race Category Among Residents
City of Chicago, 2001

(Race category rate estimates based on bridged-race population estimates for April 1, 2001; see Appendix 1.)

Rank	Cause of Death	All Ages	Age of Decedent						
			0 - 4 Years	5 - 14 Years	15 - 24 Years	25 - 44 Years	45 - 64 Years	65 - 84 Years	85 and Older
	All Causes	840.1	183.3	17.3	84.8	146.8	639.0	3,748.1	14,847.7
	White race category	873.8	146.4	14.9	71.3	121.7	572.1	3,694.2	14,998.9
	All other races category	703.4	303.7	25.1	131.7	246.2	954.8	4,092.3	13,362.2
1	Diseases of heart	243.5	9.2	*	5.4	29.3	251.5	1,324.2	5,253.5
	White race category	232.2	*	*	5.8	15.9	169.8	1,295.4	5,445.8
	All other races category	258.7	14.3	*	*	51.4	355.2	1,361.8	4,865.5
	A. Ischemic heart disease	175.0	*	-0-	*	10.6	173.0	998.8	3,922.0
	White race category	178.3	*	-0-	-0-	6.5	131.8	1,031.1	4,154.2
	All other races category	170.4	-0-	-0-	*	17.3	225.3	956.9	3,453.8
	B. All other heart diseases	68.6	8.7	-0-	4.9	18.7	78.5	325.4	1,331.5
	White race category	53.9	*	-0-	5.8	9.3	38.0	264.3	1,291.7
	All other races category	88.3	14.3	-0-	*	34.1	129.9	404.8	1,411.8
2	Malignant neoplasms	179.4	*	*	6.1	21.6	258.5	1,089.7	1,891.4
	White race category	159.4	*	*	4.1	14.7	204.9	1,004.1	1,787.5
	All other races category	206.2	*	*	8.6	33.0	326.5	1,201.1	2,100.8
3	Cerebrovascular diseases.....	46.5	*	*	*	5.2	38.9	251.7	1,158.8
	White race category	42.2	*	*	-0-	2.7	23.0	221.5	1,179.2
	All other races category	52.3	*	*	*	9.4	59.1	290.8	1,117.6
4	Accidents.....	35.7	16.5	6.4	22.4	40.6	47.1	55.0	203.3
	White race category	31.8	*	*	22.7	32.2	41.8	53.8	216.7
	All other races category	40.8	28.6	8.9	22.1	54.5	53.8	56.6	176.5
5	A. Motor vehicle.....	10.4	*	3.1	13.3	11.8	12.0	16.0	*
	White race category	9.4	*	*	11.5	8.8	13.1	16.6	*
	All other races category	11.8	*	*	15.6	16.8	10.5	15.3	*
	B. All other accidents.....	25.3	14.2	3.3	9.1	28.8	35.1	39.0	195.0
	White race category	22.4	*	*	5.8	23.4	28.7	37.3	208.3
	All other races category	29.1	14.3	4.7	6.5	37.7	43.3	41.3	168.1
	Diabetes mellitus.....	27.2	*	*	-0-	2.8	33.9	166.2	384.4
	White race category	24.4	*	-0-	-0-	1.7	24.6	163.6	320.8
	All other races category	30.9	-0-	*	-0-	4.7	45.7	169.7	512.6
6	Chronic lower respiratory diseases	26.7	*	*	*	5.4	20.7	163.1	479.1
	White race category	27.6	-0-	*	*	1.7	17.2	177.4	550.0
	All other races category	25.7	*	*	*	11.6	25.1	144.5	336.1
7	Septicemia.....	24.0	*	*	*	3.2	26.2	138.1	409.5
	White race category	17.6	*	*	-0-	1.8	13.7	109.7	316.7
	All other races category	32.6	*	-0-	*	5.5	42.1	175.0	596.6
8	Assault (homicide).....	22.2	7.8	2.9	63.5	27.3	10.9	5.1	*
	White race category	11.4	*	*	36.7	11.0	6.1	*	-0-
	All other races category	36.5	15.3	*	98.7	54.2	17.0	*	*
9	Influenza and pneumonia	20.7	*	*	*	3.4	11.6	97.2	665.7
	White race category	19.9	*	*	-0-	1.7	8.3	91.8	645.8
	All other races category	21.9	*	-0-	*	6.3	15.8	104.1	705.9
10	Nephritis, nephrotic syndrome and nephrosis.....	19.1	-0-	-0-	*	3.3	19.1	107.7	373.3
	White race category	14.8	-0-	-0-	*	1.7	9.6	84.9	333.3
	All other races category	24.8	-0-	-0-	-0-	6.1	31.1	137.3	453.8
11	Human immunodeficiency virus disease	12.1	-0-	*	*	20.1	23.7	5.1	*
	White race category	5.5	-0-	-0-	-0-	8.7	11.2	*	-0-
	All other races category	21.0	-0-	*	*	39.1	39.6	9.0	-0-
12	Chronic liver disease and cirrhosis.....	11.3	-0-	-0-	*	7.9	26.8	35.5	*
	White race category	12.5	-0-	-0-	-0-	8.2	27.4	44.2	*
	All other races category	9.8	-0-	-0-	*	7.4	25.9	24.2	*

Table 51.
The Twelve Leading Causes of Death by Age and Race Category Among Residents
Downstate 2001

Rank		All Ages	Age of Decedent						
			0 - 4 Years	5 - 14 Years	15 - 24 Years	25 - 44 Years	45 - 64 Years	65 - 84 Years	85 and Older
	All Causes	81,460	1,088	221	966	3,520	12,620	38,283	24,762
	White race category	75,366	805	169	770	2,871	10,982	35,875	23,894
	All other races category	6,094	283	52	196	649	1,638	2,408	868
1	Diseases of heart	23,808	28	11	32	526	3,135	10,877	9,199
	White race category	22,268	23	7	20	433	2,693	10,184	8,908
	All other races category	1,540	5	4	12	93	442	693	291
	A. Ischemic heart disease	16,853	1	1	7	279	2,296	8,008	6,261
	White race category	15,818	1	1	3	240	1,992	7,518	6,063
	All other races category	1,035	--	--	4	39	304	490	198
	B. All other heart diseases	6,955	27	10	25	247	839	2,869	2,938
	White race category	6,450	22	6	17	193	701	2,666	2,845
	All other races category	505	--	--	8	54	138	203	93
2	Malignant neoplasms	19,503	17	35	60	633	4,790	11,104	2,864
	White race category	18,069	15	28	55	545	4,260	10,411	2,755
	All other races category	1,434	2	7	5	88	530	693	109
3	Cerebrovascular diseases	5,855	5	--	8	73	436	2,670	2,663
	White race category	5,442	3	--	8	48	346	2,474	2,563
	All other races category	413	2	--	--	25	90	196	100
4	Chronic lower respiratory diseases	3,985	--	4	9	35	460	2,532	945
	White race category	3,823	--	2	5	26	426	2,438	926
	All other races category	162	--	2	4	9	34	94	19
5	Accidents	2,999	67	77	434	786	608	647	380
	White race category	2,720	51	58	399	685	539	618	370
	All other races category	279	16	19	35	101	69	29	10
	A. Motor vehicle	1,259	19	43	328	373	270	185	41
	White race category	1,140	15	34	302	324	244	181	40
	All other races category	119	4	9	26	49	26	4	1
	B. All other accidents	1,740	48	34	106	413	338	462	339
	White race category	1,580	36	24	97	361	295	437	330
	All other races category	160	12	10	9	52	43	25	9
6	Diabetes mellitus	2,302	--	--	2	71	393	1,323	513
	White race category	2,056	--	--	2	54	329	1,187	484
	All other races category	246	--	--	--	17	64	136	29
7	Influenza and pneumonia	2,050	16	11	7	24	135	764	1,093
	White race category	1,924	9	7	3	20	116	718	1,051
	All other races category	126	7	4	4	4	19	46	42
8	Alzheimer's disease	1,864	--	--	--	--	27	760	1,077
	White race category	1,804	--	--	--	--	27	736	1,041
	All other races category	60	--	--	--	--	--	24	36
9	Nephritis, nephrotic syndrome and nephrosis	1,616	7	--	3	26	174	819	587
	White race category	1,439	6	--	2	19	125	727	560
	All other races category	177	1	--	--	7	49	92	27
10	Septicemia	1,272	19	2	4	48	159	653	387
	White race category	1,133	14	2	3	36	128	588	362
	All other races category	139	5	--	1	12	31	65	25
11	Intentional self-harm (suicide)	925	--	12	126	349	261	149	28
	White race category	863	--	9	107	326	254	142	25
	All other races category	62	--	3	19	23	7	7	3
12	Chronic liver disease and cirrhosis	774	--	1	1	128	309	307	28
	White race category	729	--	--	1	116	287	297	28
	All other races category	45	--	1	--	12	22	10	--

Table 52.
Rates For the Twelve Leading Causes of Death by Age and Race Category Among Residents
Downstate, 2001

(Race category rate estimates based on bridged-race population estimates for April 1, 2001; see Appendix 1.)

Rank	Cause of Death	All Ages	Age of Decedent						
			0 - 4 Years	5 - 14 Years	15 - 24 Years	25 - 44 Years	45 - 64 Years	65 - 84 Years	85 and Older
	All Causes.....	848.6	165.2	15.7	73.2	125.3	573.9	3,683.9	15,071.2
	White race category	901.6	146.2	14.3	69.0	119.1	559.3	3,679.5	15,151.6
	All other races category	491.3	262.0	23.1	96.0	163.4	696.1	3,750.8	13,151.5
1	Diseases of heart.....	248.0	51.4	0.9	2.9	21.8	159.7	1,115.6	5,598.9
	White race category	266.4	4.2	*	1.8	18.0	137.2	1,044.5	5,648.7
	All other races category	124.2	*	*	5.9	23.4	187.8	1,079.4	4,409.1
	A. Ischemic heart disease.....	175.6	*	*	*	11.6	116.9	821.3	3,810.7
	White race category	189.2	*	*	*	10.0	101.5	771.1	3,844.6
	All other races category	83.4	-0-	-0-	*	9.8	129.2	763.2	3,000.0
	B. All other heart diseases.....	72.5	-0-	0.8	2.2	10.2	42.7	294.3	1,788.2
	White race category	77.2	4.0	*	1.5	8.0	35.7	273.4	1,804.1
	All other races category	40.7	-0-	-0-	*	13.6	58.6	316.2	1,409.1
2	Malignant neoplasms.....	203.2	-0-	3.0	5.4	26.3	244.0	1,138.9	1,743.2
	White race category	216.2	2.7	2.4	4.9	22.6	217.0	1,067.8	1,747.0
	All other races category	115.6	*	*	*	22.2	225.2	1,079.4	1,651.5
3	Cerebrovascular diseases	61.0	*	-0-	*	3.0	22.2	273.8	1,620.8
	White race category	65.1	*	-0-	*	2.0	17.6	253.7	1,625.2
	All other races category	33.3	*	-0-	-0-	6.3	38.2	305.3	1,515.2
4	Chronic lower respiratory diseases.....	41.5	*	*	*	1.5	23.4	259.7	575.2
	White race category	45.7	-0-	*	*	1.1	21.7	250.1	587.2
	All other races category	13.1	-0-	*	*	*	14.4	146.4	287.9
5	Accidents	31.2	-0-	6.5	38.9	32.6	31.0	66.4	231.3
	White race category	32.5	9.3	4.9	35.8	28.4	27.5	63.4	234.6
	All other races category	22.5	14.8	8.4	17.1	25.4	29.3	45.2	151.5
	A. Motor vehicle	13.1	2.9	3.6	29.4	15.5	13.8	19.0	25.0
	White race category	13.6	2.7	2.9	27.1	13.4	12.4	18.6	25.4
	All other races category	9.6	*	*	12.7	12.3	11.0	*	*
	B. All other accidents	18.1	*	2.9	9.5	17.1	17.2	47.4	206.3
	White race category	18.9	6.5	2.0	8.7	15.0	15.0	44.8	209.3
	All other races category	12.9	11.1	4.4	*	13.1	18.3	38.9	*
6	Diabetes mellitus.....	24.0	2.2	-0-	*	2.9	20.0	135.7	312.2
	White race category	24.6	-0-	-0-	*	2.2	16.8	121.7	306.9
	All other races category	19.8	-0-	-0-	-0-	4.3	27.2	211.8	439.4
7	Influenza and pneumonia.....	21.4	-0-	0.9	*	1.0	6.9	78.4	665.2
	White race category	23.0	*	*	*	0.8	5.9	73.6	666.5
	All other races category	10.2	*	*	*	*	8.1	71.7	636.4
8	Alzheimer's disease	19.4	*	-0-	-0-	-0-	1.4	77.9	655.5
	White race category	21.6	-0-	-0-	-0-	-0-	1.4	75.5	660.1
	All other races category	4.8	-0-	-0-	-0-	-0-	-0-	37.4	545.5
9	Nephritis, nephrotic syndrome and nephrosis	16.8	-0-	-0-	*	1.1	8.9	84.0	357.3
	White race category	17.2	*	-0-	*	0.8	6.4	74.6	355.1
	All other races category	14.3	*	-0-	-0-	*	20.8	143.3	409.1
10	Septicemia	13.3	*	*	*	2.0	8.1	67.0	235.5
	White race category	13.6	2.5	*	*	1.5	6.5	60.3	229.5
	All other races category	11.2	*	-0-	*	3.0	13.2	101.2	378.8
11	Intentional self-harm (suicide).....	9.6	*	1.0	11.3	14.5	13.3	15.3	17.0
	White race category	10.3	-0-	*	9.6	13.5	12.9	14.6	15.9
	All other races category	5.0	-0-	*	9.3	5.8	*	*	*
12	Chronic liver disease and cirrhosis	8.1	-0-	*	*	5.3	15.7	31.5	17.0
	White race category	8.7	-0-	-0-	*	4.8	14.6	30.5	17.8
	All other races category	3.6	-0-	*	-0-	3.0	9.3	15.6	-0-

Table 53.
Leading Causes of Death by Selected Age Groups
Illinois Residents, 2001
(For ages under 1 year, see Table 26.)

Age 1-4 Years			
Rank	Cause	10 th Revision Code	Number
	ALL CAUSES		229
1	Accidents.....	V01-X59, Y85-Y86	56
	Motor vehicle accidents.....	(See appendix 3)	(17)
	All other accidents	(See appendix 3)	(39)
2	Congenital malformations, deformations and chromosomal abnormalities.....	Q00-Q99	24
3	Assault (homicide)	X85-Y09,Y87.1	23
4	Malignant neoplasms	C00-C97	21
5	Diseases of heart.....	I00-I09, I11, I13, I20-I51.....	16
6	Influenza and pneumonia	J10-J18	9
7	Septicemia.....	A10-A41	7
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48	6
9	Certain conditions originating in the perinatal period	P00-P96	3
10	Cerebrovascular diseases.....	I60-I69	2
10	Chronic lower respiratory diseases	J40-J47	2

Age 5-14 Years			
Rank	Cause	10 th Revision Code	Number
	ALL CAUSES		317
1	Accidents.....	V01-X59, Y85-Y86	104
	Motor vehicle accidents.....	(See appendix 3)	(56)
	All other accidents	(See appendix 3)	(48)
2	Malignant neoplasms	C00-C97	43
3	Congenital malformations, deformations and chromosomal abnormalities.....	Q00-Q99	17
3	Intentional self-harm (suicide)	X60-X84, Y87.0	17
3	Assault (homicide)	X85-Y09,Y87.1	17
6	Diseases of heart.....	I00-I09, I11, I13, I20-I51.....	15
7	Influenza and pneumonia	J10-J18	12
8	Chronic lower respiratory diseases	J40-J47	10
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48	4
10	Septicemia.....	A10-A41	3

Age 15-24 Years			
Rank	Cause	10 th Revision Code	Number
	ALL CAUSES		1,482
1	Accidents.....	V01-X59, Y85-Y86	530
	Motor vehicle accidents.....	(See appendix 3)	(385)
	All other accidents	(See appendix 3)	(145)
2	Assault (homicide).....	X85-Y09,Y87.1	413
3	Intentional self-harm (suicide)	X60-X84, Y87.0	154
4	Malignant neoplasms	C00-C97	86
5	Diseases of heart.....	I00-I09, I11, I13, I20-I51.....	55
6	Congenital malformations, deformations and chromosomal abnormalities.....	Q00-Q99	20
7	Chronic lower respiratory diseases	J40-J47	14
8	Cerebrovascular diseases.....	I60-I69	12
9	Pregnancy, childbirth and the puerperium.....	O00-O99	11
10	Human immunodeficiency virus disease	B20-B24	10

Table 53 (continued).
 Leading Causes of Death by Selected Age Groups
 Illinois Residents, 2001
 (For ages under 1 year, see Table 26.)

Age 25-44 Years			
Rank	Cause	10 th Revision Code	Number
	ALL CAUSES		5,536
1	Accidents	V01-X59, Y85-Y86	1,177
	Motor vehicle accidents	(See appendix 3)	(487)
	All other accidents	(See appendix 3)	(690)
2	Malignant neoplasms	C00-C97	841
3	Diseases of heart	I00-I09, I11, I13, I20-I51	808
4	Intentional self-harm (suicide)	X60-X84, Y87.0	433
5	Assault (homicide)	X85-Y09, Y87.1	423
6	Human immunodeficiency virus disease	B20-B24	292
7	Chronic liver disease and cirrhosis	K70, K73-K74	204
8	Cerebrovascular diseases	I60-I69	123
9	Diabetes mellitus	E10-E14	98
10	Chronic lower respiratory diseases	J40-J47	87
Age 45-64 Years			
Rank	Cause	10 th Revision Code	Number
	ALL CAUSES		17,633
1	Malignant neoplasms	C00-C97	6,239
2	Diseases of heart	I00-I09, I11, I13, I20-I51	4,545
3	Accidents	V01-X59, Y85-Y86	872
	Motor vehicle accidents	(See appendix 3)	(337)
	All other accidents	(See appendix 3)	(535)
4	Cerebrovascular diseases	I60-I69	654
5	Diabetes mellitus	E10-E14	583
6	Chronic lower respiratory diseases	J40-J47	576
7	Chronic liver disease and cirrhosis	K70, K73-K74	459
8	Intentional self-harm (suicide)	X60-X84, Y87.0	325
9	Septicemia	A10-A41	306
10	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27	281
Age 65 Years and Older			
Rank	Cause	10 th Revision Code	Number
	ALL CAUSES		78,282
1	Diseases of heart	I00-I09, I11, I13, I20-I51	25,356
2	Malignant neoplasms	C00-C97	17,440
3	Cerebrovascular diseases	I60-I69	6,394
4	Chronic lower respiratory diseases	J40-J47	4,067
5	Diabetes mellitus	E10-E14	2,400
6	Influenza and pneumonia	J10-J18	2,345
7	Alzheimer's disease	G30	2,129
8	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27	1,816
9	Septicemia	A10-A41	1,541
10	Accidents	V01-X59, Y85-Y86	1,241
	Motor vehicle accidents	(See appendix 3)	(270)
	All other accidents	(See appendix 3)	(971)

VITAL STATISTICS SPECIAL REPORTS

In past years, the Illinois Department of Public Health has issued a number of special reports dealing with a wide array of topics. For a complete listing of those reports, see volumes of *Vital Statistics Illinois* prior to the 1994 issue.

VITAL STATISTICS BASIC RESEARCH SERIES

In October, 1996, the Illinois Department of Public Health began publication of the *Vital Statistics Basic Research Series (VSBRS)*. VSBRS contains topics of special interest focusing on vital statistics research and measurement. Also published in each VSBRS is the latest selected vital statistics for the state of Illinois, the city of Chicago, and the state's 102 counties.

Volume 1, No. 1 (October 1996)

"Years of Potential Life Lost (YPLL) by Age and Sex for Illinois, Chicago and Downstate"
Selected Vital Statistics for 1993 and 1994

Volume 1, No. 2 (January 1997)

"A Public Health Perspective on the Utility of 'Experimental' Post-censal County Population Estimates by Age, Sex, and Race from the U.S. Bureau of the Census"
Selected Vital Statistics for 1994 and 1995

Volume 1, No. 3 (April 1997)

"Heat Related Mortality in Illinois, Chicago and Downstate During 1995: Direct and Indirect Impacts"
Selected Vital Statistics for 1994 and 1995

Volume 1, No. 4 (July 1997)

"Post-censal Estimation of Life Expectancy at Birth for Illinois and Selected Substate Areas"
Selected Vital Statistics for 1994 and 1995

Volume 2, No. 1 (October 1997)

"The Pros and Cons of Standardized Rates"
Selected Vital Statistics for 1995 and 1996.

Volume 2, No. 2 (January 1998)

"Regional Fertility Characteristics in Illinois for 1979-1981, 1984-1986, 1989-1991, and 1994-1996"
Selected Vital Statistics for 1995 and 1996

Volume 2, No. 3 (April 1998)

"Recent Mortality Trends Among Selected Infectious Diseases in Illinois"
Selected Vital Statistics for 1995 and 1996

Volume 2, No. 4 (July 1998)

"The Interpretation and Practical Limitations of Mortality Measures"
Selected Vital Statistics for 1996

Volume 3, No. 1 (October 1998)

"Mortality Effects Due to External Causes"
Selected Vital Statistics for 1996 and 1997

Volume 3, No. 2 (January 1999)

"Creation of Vital Statistics in Illinois"
Selected Vital Statistics for 1996 and 1997

Volume 3, No. 3 (April 1999)

"Frequency of Autopsy In Illinois"
Selected Vital Statistics for 1996 and 1997

Volume 3, No. 4 (April 2000)

"Characteristics of Plural Births in Illinois"
Selected Vital Statistics for 1998

Volume 4, No. 1 (July 2000)

"FAQs about Vital Statistics"
Selected Vital Statistics for 1998

Volume 4, No. 2 (July 2001)

"The Effects of Changing the Standard Population in Calculating Age-adjusted Death Rates"
Selected Vital Statistics for 1999

Volume 4, No. 3 (July 2002)

"The Implementation of ICD-10 and Its Impact on Measuring Cause of Death Trends"
Population Counts for Illinois Counties and Chicago by Age from the Decennial Census for April, 2000;
Selected Vital Statistics for 2000.

To receive a copy of any *Vital Statistics Basic Research Series (VSBRS)* issue or a Vital Statistics special report, or to be placed on a mailing list to receive future VSBRS issues, contact the Illinois Department of Public Health, Illinois Center for Health Statistics, 525 W. Jefferson St., Springfield, IL 62761; or phone 217-785-1064; TTY (for hearing impaired use only) 800-547-0466. To order publications, please specify the title of the special report or the title, volume and number of the VSBRS.


VITAL STATISTICS DATA ON THE INTERNET

Illinois vital statistics and data are now available as part of the Illinois Department of Public Health's Web site <<http://www.idph.state.il.us>>. Vital statistics data on the Web site are updated regularly as new data become available.

DETAILED TABLES

ILLINOIS COUNTY SUMMARIES AND

PART II



Illinois Health Service Areas

- 1 Northwest
- 2 North Central
- 3 West Central
- 4 East Central
- 5 Southern
- 6 Chicago
- 7 Cook Suburban - DuPage
- 8 K-L-M
- 9 W-K-K-G
- 10 ILLOWA
- 11 ILLMO

Table CS-1.
Natality Summary by County
Illinois, 2001

County	All Births		Births to Teenage Women				Births of Low Birthweight		Births to Unmarried Women	
	Number of Births	Crude Birth Rate ¹	Number			Percent	Number	Percent	Number	Percent
			10-14 Years	15-17 Years	18-19 Years					
ILLINOIS	184,022	14.7	344	6,635	13,113	10.9	14,773	8.0	63,426	34.5
Adams	866	12.8	1	24	84	12.6	57	6.6	305	35.2
Alexander	138	14.5	1	16	12	21.0	12	8.7	81	58.7
Bond	196	11.1	--	11	23	17.3	17	8.7	63	32.1
Boone	629	14.4	1	25	42	10.8	44	7.0	190	30.2
Brown	57	8.3	--	3	9	*	1	*	21	*
Bureau	420	11.9	--	17	38	13.1	19	4.5	138	32.9
Calhoun	49	9.6	--	2	2	*	3	*	13	*
Carroll	147	9.0	--	2	16	12.2	9	*	40	27.2
Cass	215	15.8	1	7	19	12.6	11	5.1	88	40.9
Champaign	2,312	12.9	5	69	140	9.3	166	7.2	734	31.7
Christian	396	11.2	--	18	30	12.1	29	7.3	134	33.8
Clark	205	12.1	--	5	16	10.2	14	6.8	56	27.3
Clay	198	13.9	--	10	28	19.2	18	9.1	68	34.3
Clinton	375	10.5	--	8	23	8.3	19	5.1	91	24.3
Coles	596	11.4	--	21	55	12.8	35	5.9	192	32.2
Cook	84,269	15.8	224	3,696	6,480	12.3	7,592	9.0	34,909	41.4
Crawford	184	9.1	--	5	21	14.1	10	5.4	58	31.5
Cumberland	123	11.0	--	11	9	16.3	8	*	41	33.3
De Kalb	1,211	13.5	--	17	82	8.2	80	6.6	340	28.1
De Witt	227	13.5	--	9	15	10.6	12	5.3	81	35.7
Douglas	333	16.7	--	11	13	7.2	19	5.7	67	20.1
Du Page	13,393	14.7	6	163	425	4.4	899	6.7	2,031	15.2
Edgar	225	11.5	1	11	27	17.3	13	5.8	80	35.6
Edwards	80	11.6	--	1	2	*	7	*	18	*
Effingham	468	13.6	1	10	26	7.9	22	4.7	114	24.4
Fayette	234	10.8	--	12	34	19.7	14	6.0	73	31.2
Ford	176	12.5	--	4	15	10.8	14	8.0	43	24.4
Franklin	474	12.2	--	23	47	14.8	39	8.2	167	35.2
Fulton	392	10.4	--	11	41	13.3	30	7.7	139	35.5
Gallatin	77	12.2	--	3	6	*	6	*	21	*
Greene	173	11.8	--	6	16	12.7	13	7.5	58	33.5
Grundy	484	12.6	--	15	24	8.1	25	5.2	110	22.7
Hamilton	87	10.4	--	2	9	*	13	*	21	*
Hancock	202	10.2	--	6	17	11.4	8	*	60	29.7
Hardin	43	9.0	--	3	2	*	5	*	13	*
Henderson	78	9.5	--	1	5	*	4	*	21	*
Henry	536	10.6	1	25	43	12.9	31	5.8	166	31.0
Iroquois	353	11.5	--	13	38	14.4	15	4.2	119	33.7
Jackson	676	11.5	--	13	54	9.9	39	5.8	247	36.5
Jasper	105	10.4	--	2	9	10.5	6	*	23	21.9
Jefferson	489	12.2	2	19	52	14.9	32	6.5	189	38.7
Jersey	241	11.1	--	6	11	7.1	11	4.6	57	23.7
Jo Daviess	242	10.8	1	6	13	8.3	10	4.1	65	26.9
Johnson	107	8.1	--	2	6	*	7	*	17	15.9
Kane	8,054	18.9	9	245	482	9.1	527	6.5	2,385	29.6
Kankakee	1,554	14.9	3	74	149	14.5	111	7.1	643	41.4
Kendall	944	16.2	1	11	36	5.1	70	7.4	159	16.8
Knox	628	11.4	2	18	59	12.6	46	7.3	262	41.7
Lake	10,703	16.2	10	248	570	7.7	817	7.6	2,426	22.7
La Salle	1,434	12.8	1	58	108	11.6	97	6.8	480	33.5

¹ rate per 1,000 total population

Table CS-1 (Continued).

County	All Births		Births to Teenage Women				Births of Low Birthweight		Births to Unmarried Women	
	Number of Births	Crude Birth Rate ¹	Number			Percent	Number	Percent	Number	Percent
			10-14 Years	15-17 Years	18-19 Years					
Lawrence	160	10.5	1	9	22	20.0	5	*	54	33.8
Lee	347	9.7	--	10	25	10.1	16	4.6	103	29.7
Livingston	555	14.1	--	23	42	11.7	32	5.8	211	38.0
Logan	299	9.6	2	8	39	16.4	20	6.7	104	34.8
McDonough	288	8.8	--	10	25	12.2	22	7.6	82	28.5
McHenry	4,125	15.3	2	68	158	5.5	293	7.1	704	17.1
McLean	2,041	13.4	--	45	97	7.0	140	6.9	499	24.4
Macon	1,447	12.8	6	67	146	15.1	142	9.8	649	44.9
Macoupin	600	12.3	--	15	41	9.3	53	8.8	193	32.2
Madison	3,258	12.5	9	113	268	12.0	216	6.6	1,123	34.5
Marion	535	12.9	1	31	62	17.6	48	9.0	242	45.2
Marshall	136	10.5	--	5	11	11.8	12	8.8	42	30.9
Mason	200	12.5	--	6	28	17.0	16	8.0	77	38.5
Massac	180	12.0	1	7	18	14.4	12	6.7	56	31.1
Menard	140	11.1	1	3	15	13.6	16	11.4	37	26.4
Mercer	219	12.9	1	6	14	9.6	19	8.7	48	21.9
Monroe	355	12.5	--	4	15	5.4	28	7.9	57	16.1
Montgomery	331	10.9	--	10	40	15.1	23	6.9	112	33.8
Morgan	423	11.7	--	20	39	13.9	27	6.4	165	39.0
Moultrie	199	13.9	--	7	15	11.1	23	11.6	44	22.1
Ogle	589	11.4	1	10	34	7.6	47	8.0	169	28.7
Peoria	2,584	14.2	9	118	240	14.2	202	7.8	1,108	42.9
Perry	233	10.1	1	6	18	10.7	22	9.4	74	31.8
Piatt	165	10.1	--	6	11	10.3	9	*	37	22.4
Pike	177	10.4	--	5	13	10.2	14	7.9	44	24.9
Pope	31	7.2	--	3	2	*	1	*	8	*
Pulaski	104	14.4	--	6	18	23.1	13	12.5	58	55.8
Putnam	62	10.2	--	2	5	*	8	*	18	*
Randolph	366	10.8	--	9	38	12.8	22	6.0	131	35.8
Richland	190	11.9	--	5	13	9.5	11	5.8	51	26.8
Rock Island	1,961	13.2	3	86	202	14.8	139	7.1	836	42.6
St. Clair	3,704	14.5	13	211	368	16.0	350	9.4	1,772	47.8
Saline	296	11.3	--	16	37	17.9	28	9.5	116	39.2
Sangamon	2,555	13.5	3	89	248	13.3	216	8.5	977	38.2
Schuyler	82	11.5	--	--	2	*	3	*	17	*
Scott	59	10.7	--	4	7	*	2	*	23	*
Shelby	223	9.9	--	10	18	12.6	11	4.9	54	24.2
Stark	76	12.1	--	2	5	*	5	*	16	*
Stephenson	576	11.9	3	27	55	14.8	50	8.7	219	38.0
Tazewell	1,573	12.3	--	39	114	9.7	96	6.1	415	26.4
Union	211	11.6	--	6	14	9.5	15	7.1	52	24.6
Vermillion	1,119	13.4	3	66	111	16.1	92	8.2	493	44.1
Wabash	152	11.9	--	4	14	11.8	13	8.6	40	26.3
Warren	191	10.4	--	7	18	13.1	11	5.8	78	40.8
Washington	189	12.4	--	9	10	10.1	8	*	51	27.0
Wayne	207	12.2	--	9	24	15.9	18	8.7	53	25.6
White	171	11.1	--	8	17	14.6	13	7.6	55	32.2
Whiteside	727	12.0	--	34	71	14.4	46	6.3	293	40.3
Will	8,681	16.2	7	194	346	6.3	613	7.1	1,752	20.2
Williamson	733	11.8	1	20	70	12.4	53	7.2	223	30.4
Winnebago	3,938	14.1	5	150	345	12.7	340	8.6	1,584	40.2
Woodford	459	12.9	--	9	22	6.8	32	7.0	89	19.4
Unknown	2	*	--	--	--	*	1	*	1	*

¹ rate per 1,000 total population

Table CS-2.
Mortality Summary of Rates and Selected Causes by County
Illinois, 2001

County	All Deaths	Crude Death Rate		Premature Mortality			Number of Deaths by Cause				
		Rate ¹	95% Confidence Interval ²	Age 0-64 Years	Rate ³	95% Confidence Interval ²	Diseases of Heart	Malignant Neoplasms	Cerebrovascular Diseases	CLRD ⁴	Accidents
ILLINOIS	104,858	8.4	8.3, 8.5	26,576	241.9	239.0, 244.8	30,827	24,674	7,195	4,756	4,027
Adams	793	11.7	10.9, 12.5	139	249.2	207.8, 290.6	216	189	39	37	28
Alexander	113	11.9	9.7, 14.1	24	303.0	194.2, 450.9	35	26	10	4	7
Bond	174	9.9	8.4, 11.4	38	252.3	178.6, 346.3	46	40	8	11	3
Boone	293	6.7	6.0, 7.5	62	159.1	121.9, 203.9	90	68	21	21	14
Brown	47	6.8	5.0, 9.1	2	*	**	17	12	5	2	1
Bureau	379	10.7	9.7, 11.8	67	230.3	178.5, 292.5	112	101	28	11	9
Calhoun	74	14.5	11.4, 18.2	16	386.5	220.9, 627.6	28	23	5	2	3
Carroll	203	12.4	10.7, 14.1	41	310.6	222.9, 421.4	75	41	18	16	1
Cass	149	11.0	9.2, 12.7	31	270.7	184.0, 384.3	57	38	10	4	3
Champaign	1,241	6.9	6.5, 7.3	355	219.4	196.6, 242.3	306	321	81	57	61
Christian	429	12.2	11.0, 13.3	63	214.9	165.2, 275.0	138	93	24	22	10
Clark	227	13.4	11.6, 15.1	50	357.4	265.3, 471.2	76	44	25	11	6
Clay	178	12.5	10.7, 14.4	38	332.7	235.5, 456.7	43	52	24	13	5
Clinton	303	8.5	7.6, 9.5	67	220.1	170.6, 279.5	94	81	19	18	15
Coles	494	9.4	8.6, 10.3	105	231.4	187.2, 275.7	131	127	48	30	11
Cook	45,141	8.4	8.4, 8.5	12,989	274.7	270.0, 279.5	13,560	10,508	2,816	1,699	1,671
Crawford	216	10.6	9.2, 12.1	42	248.2	178.9, 335.5	77	40	17	8	6
Cumberland	133	11.9	9.9, 13.9	30	317.8	214.4, 453.7	40	29	15	5	6
De Kalb	559	6.2	5.7, 6.7	114	140.3	114.6, 166.1	163	115	35	27	30
De Witt	188	11.2	9.6, 12.8	36	254.6	178.3, 352.5	53	50	9	14	9
Douglas	207	10.4	9.0, 11.8	52	310.8	232.1, 407.6	66	47	13	13	12
Du Page	5,659	6.2	6.0, 6.4	1,257	153.0	144.5, 161.4	1,574	1,452	412	258	193
Edgar	222	11.4	9.9, 12.9	44	274.3	199.3, 368.3	73	47	26	12	8
Edwards	72	10.4	8.2, 13.1	19	337.5	203.2, 527.0	26	13	6	7	6
Effingham	348	10.1	9.1, 11.2	76	256.9	202.4, 321.6	110	64	25	25	10
Fayette	249	11.5	10.1, 13.0	47	258.7	190.1, 344.0	71	45	14	11	12
Ford	209	14.8	12.8, 16.8	24	210.2	134.7, 312.7	62	37	25	13	10
Franklin	575	14.8	13.6, 16.0	137	431.5	359.2, 503.8	156	132	37	29	22
Fulton	449	11.9	10.8, 13.0	80	258.4	204.9, 321.6	140	84	34	27	15
Gallatin	87	13.8	11.1, 17.0	21	411.0	254.4, 628.2	25	17	11	8	3
Greene	145	9.9	8.3, 11.5	21	174.3	107.9, 266.4	54	32	9	5	5
Grundy	316	8.2	7.3, 9.1	66	195.3	151.1, 248.5	102	85	14	17	11
Hamilton	102	12.1	9.8, 14.5	27	398.8	262.8, 580.3	41	26	6	4	4
Hancock	211	10.6	9.2, 12.0	34	209.4	145.0, 292.6	64	45	25	14	9
Hardin	75	15.6	12.3, 19.6	15	379.7	212.5, 626.3	24	13	5	3	8
Henderson	85	10.4	8.3, 12.8	15	219.9	123.1, 362.8	33	27	10	1	1
Henry	544	10.7	9.8, 11.6	104	245.3	198.1, 292.4	147	132	52	29	23
Iroquois	383	12.4	11.2, 13.7	73	289.7	227.1, 364.2	118	93	35	11	19
Jackson	469	8.0	7.3, 8.7	109	208.7	169.5, 247.9	138	88	39	26	23
Jasper	102	10.1	8.1, 12.1	25	295.5	191.2, 436.2	31	29	7	4	7
Jefferson	411	10.2	9.3, 11.2	88	258.8	207.6, 318.9	117	99	23	18	15
Jersey	222	10.2	8.8, 11.5	38	203.9	144.3, 279.8	87	47	9	12	17
Jo Daviess	212	9.5	8.2, 10.7	33	179.6	123.7, 252.3	66	51	18	20	7
Johnson	112	8.5	6.9, 10.1	32	279.7	191.3, 394.9	34	27	5	9	6
Kane	2,474	5.8	5.6, 6.0	670	171.1	158.1, 184.1	656	605	159	108	106
Kankakee	1,151	11.0	10.4, 11.7	272	299.8	264.2, 335.4	364	253	85	43	53
Kendall	287	4.9	4.4, 5.5	74	138.5	108.8, 173.9	53	91	21	13	12
Knox	680	12.3	11.4, 13.2	109	238.8	194.0, 283.7	192	132	62	52	20
Lake	3,769	5.7	5.5, 5.9	994	164.4	154.2, 174.6	1,026	926	269	215	156
La Salle	1,196	10.7	10.1, 11.3	225	240.3	208.9, 271.7	372	285	81	65	48

¹ rate per 1,000 total population

² "True" rate has a 19-in-20 chance of being within the specified range

³ Rate per 100,000 population 0-64 years: not shown for counties with fewer than 10 deaths

⁴ Chronic lower respiratory diseases

Table CS-2 (Continued).

County	All Deaths	Crude Death Rate		Premature Mortality			Number of Deaths by Cause				
		Rate ¹	95% Confidence Interval ²	Age 0-64 Years	Rate ³	95% Confidence Interval ²	Diseases of Heart	Malignant Neoplasms	Cerebrovascular Disease	CLRD ⁴	Accidents
Lawrence	193	12.7	10.9, 14.5	36	296.3	207.5, 410.2	37	40	25	9	10
Lee	401	11.2	10.1, 12.3	87	283.7	227.2, 349.9	131	92	28	25	16
Livingston	370	9.4	8.4, 10.3	72	215.0	168.2, 270.7	135	77	32	16	16
Logan	363	11.7	10.5, 12.9	69	261.8	203.7, 331.3	105	79	33	10	12
McDonough	318	9.7	8.7, 10.8	41	145.9	104.7, 197.9	100	70	36	19	8
McHenry	1,492	5.5	5.2, 5.8	380	153.1	137.7, 168.4	400	406	84	58	73
McLean	1,007	6.6	6.2, 7.0	229	166.8	145.2, 188.4	290	224	65	65	34
Macon	1,145	10.1	9.5, 10.7	266	277.6	244.2, 311.0	340	261	125	44	44
Macoupin	581	11.9	10.9, 12.8	118	291.9	239.2, 344.5	153	132	35	34	27
Madison	2,650	10.2	9.8, 10.6	672	300.7	278.0, 323.4	832	593	180	124	111
Marion	537	13.0	11.9, 14.1	114	330.3	269.7, 391.0	178	110	27	32	16
Marshall	172	13.2	11.3, 15.2	26	246.0	160.7, 360.4	52	34	13	9	5
Mason	202	12.6	10.9, 14.4	34	256.2	177.4, 358.0	52	54	12	10	6
Massac	212	14.1	12.2, 16.0	55	444.3	334.7, 578.3	68	44	19	13	9
Menard	133	10.6	8.8, 12.3	33	302.8	208.4, 425.2	33	31	10	7	10
Mercer	172	10.1	8.6, 11.6	28	195.4	129.8, 282.4	62	42	11	9	6
Monroe	230	8.1	7.0, 9.1	47	190.0	139.6, 252.6	61	51	19	20	11
Montgomery	346	11.4	10.2, 12.6	76	300.2	236.5, 375.7	84	91	39	11	18
Morgan	399	11.0	9.9, 12.1	79	258.7	204.8, 322.4	125	100	26	25	20
Moultrie	192	13.4	11.5, 15.3	28	237.9	158.1, 343.8	55	40	13	10	10
Ogle	444	8.6	7.8, 9.4	96	214.3	173.6, 261.7	112	108	40	30	21
Peoria	1,742	9.6	9.1, 10.0	364	233.4	209.4, 257.4	421	431	180	89	57
Perry	278	12.1	10.7, 13.5	55	284.1	214.0, 369.8	101	63	19	16	9
Piatt	147	9.0	7.5, 10.4	32	231.4	158.3, 326.6	46	38	9	8	6
Pike	220	12.9	11.2, 14.6	35	252.9	176.1, 351.7	51	59	24	9	7
Pope	43	10.0	7.2, 13.5	13	370.4	197.2, 633.3	13	10	1	4	3
Pulaski	104	14.4	11.7, 17.2	23	385.9	244.6, 579.0	27	18	16	4	1
Putnam	53	8.7	6.5, 11.4	13	252.9	134.7, 432.5	11	14	3	1	4
Randolph	415	12.2	11.1, 13.4	83	289.5	230.6, 358.9	107	85	33	26	22
Richland	165	10.3	8.7, 11.9	30	228.3	154.0, 325.9	46	30	16	6	8
Rock Island	1,424	9.6	9.1, 10.1	309	245.2	217.9, 272.6	448	340	98	73	44
St. Clair	2,530	9.9	9.5, 10.3	720	323.0	299.4, 346.6	683	591	128	146	112
Saline	412	15.7	14.2, 17.2	81	379.6	301.4, 471.8	125	77	34	24	12
Sangamon	1,814	9.6	9.1, 10.0	428	261.1	236.4, 285.8	511	423	143	100	63
Schuyler	99	13.9	11.3, 17.0	17	296.7	172.8, 475.0	41	27	7	3	7
Scott	69	12.5	9.8, 15.9	13	283.8	151.1, 485.4	19	17	5	3	2
Shelby	265	11.7	10.3, 13.1	43	232.1	167.9, 312.6	81	58	25	17	13
Stark	100	15.9	12.8, 19.0	14	275.0	150.4, 461.5	27	20	11	4	4
Stephenson	534	11.1	10.1, 12.0	87	216.1	173.1, 266.6	150	112	41	36	12
Tazewell	1,197	9.3	8.8, 9.9	261	239.0	210.0, 268.0	345	310	98	57	29
Union	281	15.4	13.6, 17.2	53	352.2	263.8, 460.6	100	60	18	12	7
Vermilion	939	11.3	10.6, 12.0	231	330.9	288.2, 373.5	283	197	66	67	38
Wabash	123	9.6	7.9, 11.3	25	235.0	152.1, 346.9	43	26	7	3	4
Warren	191	10.4	8.9, 11.9	23	149.4	94.7, 224.2	58	48	18	10	6
Washington	172	11.3	9.6, 13.0	31	244.5	166.1, 347.0	57	34	14	12	7
Wayne	183	10.8	9.2, 12.3	29	210.0	140.6, 301.6	65	42	10	7	12
White	217	14.1	12.2, 16.0	32	261.9	179.1, 369.7	76	49	7	16	7
Whiteside	589	9.8	9.0, 10.5	130	256.6	212.5, 300.7	186	166	42	14	24
Will	3,086	5.7	5.5, 6.0	865	175.3	163.6, 187.0	925	762	197	139	136
Williamson	745	12.0	11.2, 12.9	141	272.2	227.3, 317.1	175	178	57	47	22
Winnebago	2,460	8.8	8.4, 9.1	653	267.4	246.9, 287.9	725	620	170	115	111
Woodford	341	9.6	8.5, 10.6	65	213.3	164.6, 271.9	95	68	32	24	14
Unknown	4	N.A.	N.A.	1	N.A.	N.A.	2	--	--	--	1

¹ rate per 1,000 total population² "True" rate has a 19-in-20 chance of being within the specified range³ Rate per 100,000 population 0-64 years: not shown for counties with fewer than 10 deaths⁴ Chronic lower respiratory diseases

Table CS-3.
Mortality Summary by County
Illinois, 2001

County	All Deaths	Infant Mortality			Number of Deaths by Age					
		Number	Rate ¹	95% Confidence Interval ²	1-14 Years	15-24 Years	25-44 Years	45-64 Years	65-84 Years	85+ Years
ILLINOIS	104,858	1,379	7.5	7.1, 7.9	546	1,482	5,536	17,633	48,557	29,725
Adams	793	6	*	**	1	5	26	101	395	259
Alexander	113	--	-0-	...	--	2	4	18	52	37
Bond	174	1	*	**	--	--	6	31	72	64
Boone	293	3	*	**	1	1	14	43	147	84
Brown	47	--	-0-	...	--	--	1	1	19	26
Bureau	379	--	-0-	...	1	1	14	51	185	127
Calhoun	74	--	-0-	...	1	2	3	10	38	20
Carroll	203	2	*	**	--	--	7	32	91	71
Cass	149	2	*	**	--	1	4	24	72	46
Champaign	1,241	21	9.1	5.6,13.9	14	22	70	228	511	375
Christian	429	3	*	**	--	2	15	43	213	153
Clark	227	1	*	**	--	--	12	37	100	77
Clay	178	--	-0-	...	--	1	8	29	80	60
Clinton	303	3	*	**	--	6	12	46	141	95
Coles	494	7	*	**	2	4	17	75	244	145
Cook	45,141	699	8.3	7.7, 8.9	268	741	2,954	8,327	20,594	11,558
Crawford	216	2	*	**	2	1	3	34	101	73
Cumberland	133	4	*	**	1	1	8	16	56	47
De Kalb	559	10	8.3	4.0,15.2	3	12	17	72	277	168
De Witt	188	3	*	**	--	2	8	23	96	56
Douglas	207	1	*	**	2	3	12	34	96	59
Du Page	5,659	93	6.9	5.6, 8.5	25	82	210	847	2,630	1,772
Edgar	222	1	*	**	--	3	10	30	92	86
Edwards	72	2	*	**	--	2	3	12	34	19
Effingham	348	2	*	**	4	3	13	54	141	131
Fayette	249	1	*	**	--	3	7	36	108	94
Ford	209	--	-0-	...	2	3	5	14	92	93
Franklin	575	4	*	**	--	4	20	109	291	147
Fulton	449	2	*	**	1	4	14	59	211	158
Gallatin	87	--	-0-	...	--	--	3	18	39	27
Greene	145	--	-0-	...	--	1	6	14	74	50
Grundy	316	4	*	**	2	1	12	47	156	94
Hamilton	102	3	*	**	1	2	7	14	44	31
Hancock	211	--	-0-	...	--	3	7	24	101	76
Hardin	75	--	-0-	...	--	--	2	13	35	25
Henderson	85	--	-0-	...	--	--	5	10	45	25
Henry	544	4	*	**	4	8	15	73	253	187
Iroquois	383	1	*	**	3	4	15	50	170	140
Jackson	469	6	*	**	3	8	23	69	203	157
Jasper	102	--	-0-	...	2	1	7	15	53	24
Jefferson	411	3	*	**	3	7	12	63	212	111
Jersey	222	4	*	**	2	2	7	23	109	75
Jo Daviess	212	1	*	**	--	2	4	26	114	65
Johnson	112	--	-0-	...	1	1	8	22	45	35
Kane	2,474	52	6.5	4.8, 8.5	12	45	127	434	1,083	721
Kankakee	1,151	13	8.4	4.5,14.3	13	15	52	179	580	299
Kendall	287	8	*	**	4	5	14	43	135	78
Knox	680	7	*	**	1	7	13	81	330	241
Lake	3,769	57	5.3	4.0, 6.9	20	64	207	646	1,783	992
La Salle	1,196	8	*	**	6	12	39	160	571	400

¹ rate per 1,000 live births; not shown for counties with fewer than 10 infant deaths

² "True" infant mortality rate has a 19-in-20 chance of being within the specified range

Table CS-3. (Continued)

County	All Deaths	Infant Mortality			Number of Deaths by Age					
		Number	Rate ¹	95% Confidence Interval ²	1-14 Years	15-24 Years	25-44 Years	45-64 Years	65-84 Years	85+ Years
Lawrence	193	--	-0-	...	1	3	7	25	87	70
Lee	401	1	*	**	1	5	19	61	188	126
Livingston	370	5	*	**	3	2	15	47	162	136
Logan	363	1	*	**	3	6	13	46	165	129
McDonough	318	1	*	**	2	4	11	23	148	129
McHenry	1,492	15	3.6	2.0, 6.0	11	17	79	258	709	403
McLean	1,007	18	8.8	5.2, 13.9	3	10	39	159	445	333
Macon	1,145	17	11.7	6.8, 18.8	1	15	55	178	533	346
Macoupin	581	6	*	**	3	6	19	84	261	202
Madison	2,650	21	6.4	4.0, 9.9	14	26	134	477	1,258	720
Marion	537	4	*	**	2	7	28	73	248	175
Marshall	172	3	*	**	1	2	3	17	80	66
Mason	202	1	*	**	--	4	4	25	104	64
Massac	212	--	-0-	...	--	2	5	48	97	60
Menard	133	2	*	--	--	4	4	23	55	45
Mercer	172	--	-0-	...	1	--	6	21	80	64
Monroe	230	--	-0-	...	--	2	9	36	116	67
Montgomery	346	1	*	**	--	12	15	48	155	115
Morgan	399	--	-0-	...	1	7	13	58	184	136
Moultrie	192	4	*	**	--	3	8	13	92	72
Ogle	444	6	*	**	--	6	18	66	207	141
Peoria	1,742	19	7.4	4.4, 11.5	5	24	74	242	864	514
Perry	278	3	*	**	1	5	7	39	129	94
Piatt	147	1	*	**	--	3	1	27	74	41
Pike	220	--	-0-	...	3	--	5	27	85	100
Pope	43	--	-0-	...	--	1	3	9	20	10
Pulaski	104	--	-0-	...	--	1	2	20	46	35
Putnam	53	1	*	**	1	--	5	6	24	16
Randolph	415	5	*	**	3	4	16	55	198	134
Richland	165	3	*	**	--	--	7	20	64	71
Rock Island	1,424	9	*	**	8	13	50	229	700	415
St. Clair	2,530	38	10.3	7.3, 14.1	16	38	155	473	1,170	640
Saline	412	4	*	**	--	2	10	65	183	148
Sangamon	1,814	18	7.0	4.2, 11.1	7	23	101	279	844	542
Schuyler	99	--	-0-	...	--	2	4	11	52	30
Scott	69	--	-0-	...	--	--	--	13	36	20
Shelby	265	3	*	**	2	3	8	27	123	99
Stark	100	1	*	**	1	--	5	7	48	38
Stephenson	534	3	*	**	2	--	17	65	250	197
Tazewell	1,197	8	*	**	--	15	46	192	551	385
Union	281	1	*	**	1	--	6	45	136	92
Vermilion	939	17	15.2	8.8, 24.3	3	8	39	164	469	239
Wabash	123	1	*	**	2	3	5	14	48	50
Warren	191	--	-0-	...	--	--	3	20	101	67
Washington	172	4	*	**	--	2	7	18	93	48
Wayne	183	4	*	**	1	2	8	14	87	67
White	217	--	-0-	...	--	3	4	25	99	86
Whiteside	589	7	*	**	3	3	23	94	277	182
Will	3,086	52	6.0	4.5, 7.9	19	49	157	588	1,450	771
Williamson	745	1	*	**	4	10	29	97	369	235
Winnebago	2,460	23	5.8	3.7, 8.8	11	24	140	455	1,128	679
Woodford	341	3	*	**	1	2	13	46	149	127
Unknown	4	--	-0-	...	--	--	--	1	2	1

¹ rate per 1,000 live births; not shown for counties with fewer than 10 infant deaths² "True" infant mortality rate has a 19-in-20 chance of being within the specified range

Table CS-4.
Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
Illinois, City of Chicago and Counties, 2001

	2001 Numbers				2001 Rates				1997-2001 Rates			
	Race Category			Origin	Race Category			Origin	Race Category			Origin
	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹
STATE OF ILLINOIS												
Neonatal	919	296	592	157	5.0	8.9	4.2	3.8	5.4	10.2	4.4	4.4
Postneonatal	460	197	251	72	2.5	5.9	1.8	1.8	2.7	6.2	1.9	2.2
Infant	1,379	493	843	229	7.5	14.9	5.9	5.6	8.1	16.4	6.2	6.7
Fetal	1,260	394	810	204	6.8	11.7	5.7	5.0	6.9	11.5	5.8	5.8
Perinatal	1,992	623	1291	333	10.8	18.6	9.0	8.1	11.2	19.5	9.3	9.3
CITY OF CHICAGO												
Neonatal	289	169	115	65	5.8	9.1	4	3.5	6.7	9.7	4.9	4.5
Postneonatal	157	113	42	33	3.2	6.1	1.5	1.8	3.8	6.6	2.0	2.4
Infant	446	282	157	98	9	15.1	5.5	5.3	10.5	16.2	6.8	6.9
Fetal	435	237	182	96	8.7	12.5	6.3	5.1	8.6	11.9	6.5	5.6
Perinatal	654	363	273	150	13.1	19.2	9.4	8.0	13.8	19.3	10.4	9.1
ADAMS												
Neonatal	5	1	4	--	*	*	*	-0-	5.5	*	5	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	*	*	-0-
Infant	6	1	5	--	*	*	*	-0-	6.9	*	6.3	-0-
Fetal	5	--	5	--	*	-0-	*	-0-	7.3	*	7.5	-0-
Perinatal	9	1	8	--	*	*	*	-0-	11.8	*	11.7	-0-
ALEXANDER												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	-0-	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
BOND												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
BOONE												
Neonatal	2	--	2	1	*	-0-	*	*	5.2	*	5.0	*
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	3	--	3	1	*	-0-	*	*	6.6	*	6.4	*
Fetal	4	--	4	1	*	-0-	*	*	7.6	*	7.4	*
Perinatal	4	--	4	1	*	-0-	*	*	11.3	*	10.9	*
BROWN												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
BUREAU												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	5.8	-0-	5.9	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	*
Perinatal	1	--	1	--	*	-0-	*	-0-	4.9	-0-	4.9	*
CALHOUN												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
CARROLL												
Neonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Infant	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	3	--	3	1	*	-0-	*	*	*	-0-	*	*
Perinatal	4	--	4	1	*	-0-	*	*	12.7	-0-	12.9	*
CASS												
Neonatal	1	--	1	1	*	-0-	*	*	*	-0-	*	*
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	*
Infant	2	--	2	1	*	-0-	*	*	*	-0-	*	*
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	*
Perinatal	1	--	1	1	*	-0-	*	*	11.4	-0-	11.5	*

¹ Hispanic can be of any race.

Table CS-4 (Continued).
Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
Illinois, City of Chicago and Counties, 2001

	2001 Numbers				2001 Rates				1997-2001 Rates			
	Race Category		Origin		Race Category		Origin		Race Category		Origin	
	All				All				All			
	Races	Black	White	Hispanic ¹	Races	Black	White	Hispanic ¹	Races	Black	White	Hispanic ¹
CHAMPAIGN												
Neonatal	11	6	5	--	4.8	*	*	-0-	5.0	11.4	3.8	*
Postneonatal	10	4	6	1	4.3	*	*	*	3.5	9.3	2.2	*
Infant	21	10	11	1	9.1	23.4	6.5	*	8.5	20.7	5.9	*
Fetal	17	--	16	1	7.3	-0-	9.3	*	5.7	5.2	6.1	*
Perinatal	27	6	20	1	11.6	*	11.7	*	10.0	14.4	9.5	*
CHRISTIAN												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	3	--	3	--	*	-0-	*	-0-	*	*	*	-0-
Infant	3	--	3	--	*	-0-	*	-0-	8.3	*	7.9	-0-
Fetal	5	--	5	--	*	-0-	*	-0-	6.8	-0-	6.8	-0-
Perinatal	5	--	5	--	*	-0-	*	-0-	11.2	-0-	11.2	-0-
CLARK												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
CLAY												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
CLINTON												
Neonatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	7.9	*	7.0	*
Perinatal	2	--	2	--	*	-0-	*	-0-	9.4	*	8.6	*
COLES												
Neonatal	6	--	6	--	*	-0-	*	-0-	5.4	*	5.3	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	3.4	-0-	3.5	-0-
Infant	7	--	7	--	*	-0-	*	-0-	8.8	*	8.8	-0-
Fetal	9	--	9	1	*	-0-	*	*	7.7	-0-	8.0	*
Perinatal	15	--	15	1	24.8	-0-	26.0	*	12.8	*	12.9	*
COOK												
Neonatal	479	228	233	104	5.7	9.3	4.2	3.8	6.3	10.2	4.7	4.6
Postneonatal	220	135	80	47	2.6	5.5	1.5	1.7	3.1	6.1	1.8	2.3
Infant	699	363	313	151	8.3	14.8	5.7	5.5	9.4	16.3	6.5	6.9
Fetal	656	295	331	136	7.7	11.9	6.0	5.0	8.0	11.8	6.4	5.7
Perinatal	1,035	471	521	224	12.2	19.0	9.4	8.2	13.0	19.7	10.1	9.4
CRAWFORD												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
CUMBERLAND												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	4	--	4	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	4	--	4	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
DEKALB												
Neonatal	7	1	6	1	*	*	*	*	4.7	*	4.3	*
Postneonatal	3	--	3	--	*	-0-	*	-0-	1.8	*	*	*
Infant	10	1	9	1	8.3	*	*	*	6.5	*	5.9	*
Fetal	3	--	3	--	*	-0-	*	-0-	5.0	*	5.3	*
Perinatal	8	1	7	1	*	*	*	*	9.0	*	8.8	*
DEWITT												
Neonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-

¹ Hispanic can be of any race.

Table CS-4 (Continued).
Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
Illinois, City of Chicago and Counties, 2001

	2001 Numbers				2001 Rates				1997-2001 Rates			
	Race Category		Origin		Race Category		Origin		Race Category		Origin	
	All Races	Black	White	Hispanic	All Races	Black	White	Hispanic	All Races	Black	White	Hispanic
DOUGLAS												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	*
Perinatal	3	--	3	--	*	-0-	*	-0-	8.8	-0-	8.8	*
DUPAGE												
Neonatal	70	4	57	10	5.2	*	5.0	4.1	4.9	7.4	4.8	4.1
Postneonatal	23	3	16	3	1.7	*	1.4	*	1.4	*	1.3	1.8
Infant	93	7	73	13	6.9	*	6.4	5.3	6.4	10.7	6.1	5.9
Fetal	78	5	59	10	5.8	*	5.1	4.1	5.6	13.0	5.3	6.0
Perinatal	136	7	108	20	10.1	*	9.4	8.1	9.7	19.5	9.2	9.6
EDGAR												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	11.1	-0-	11.2	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	*	*	*	-0-
EDWARDS												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
EFFINGHAM												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	2	--	2	--	*	-0-	*	-0-	6.8	-0-	6.9	-0-
Fetal	2	--	2	--	*	-0-	*	-0-	5.9	-0-	6.0	-0-
Perinatal	3	--	3	--	*	-0-	*	-0-	8.9	-0-	9.0	-0-
FAYETTE												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	7.8	-0-	7.9	-0-
Fetal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	*
Perinatal	2	--	2	--	*	-0-	*	-0-	10.1	-0-	10.2	*
FORD												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
Fetal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
FRANKLIN												
Neonatal	3	--	3	--	*	-0-	*	-0-	5.2	-0-	5.2	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	4	--	4	--	*	-0-	*	-0-	7.8	-0-	7.8	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	4.7	-0-	4.8	-0-
Perinatal	2	--	2	--	*	-0-	*	-0-	8.6	-0-	8.7	-0-
FULTON												
Neonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	*
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	2	--	2	--	*	-0-	*	-0-	*	-0-	*	*
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	3	--	3	--	*	-0-	*	-0-	6.8	-0-	6.9	*
GALLATIN												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	1	--	1	1	*	-0-	*	*	*	-0-	*	*
Perinatal	1	--	1	1	*	-0-	*	*	*	-0-	*	*
GREENE												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	11.2	-0-	11.2	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	12.3	-0-	12.4	-0-

¹ Hispanic can be of any race.

Table CS-4 (Continued).
Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
Illinois, City of Chicago and Counties, 2001

		2001 Numbers				2001 Rates				1997-2001 Rates			
		Race Category		Origin		Race Category		Origin		Race Category		Origin	
		All Races	Black	White	Hispanic	All Races	Black	White	Hispanic	All Races	Black	White	Hispanic
GRUNDY													
	Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Postneonatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	*
	Infant	4	--	4	--	*	-0-	*	-0-	5.9	-0-	5.9	*
	Fetal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
	Perinatal	3	--	3	--	*	-0-	*	-0-	5.4	-0-	5.5	-0-
HAMILTON													
	Neonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
	Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Infant	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
	Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Perinatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
HANCOCK													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
HARDIN													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Infant	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
HENDERSON													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Infant	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Fetal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
HENRY													
	Neonatal	4	--	4	--	*	-0-	*	-0-	5.6	*	5.1	*
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	*
	Infant	4	--	4	--	*	-0-	*	-0-	8.1	*	6.9	*
	Fetal	3	--	3	--	*	-0-	*	-0-	7.0	*	6.8	*
	Perinatal	6	--	6	--	*	-0-	*	-0-	10.0	*	10.0	*
IROUOIS													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Postneonatal	1	1	--	--	*	*	-0-	-0-	*	*	*	-0-
	Infant	1	1	--	--	*	*	-0-	-0-	*	*	*	-0-
	Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	*
	Perinatal	1	--	1	--	*	-0-	*	-0-	7.2	-0-	7.3	*
JACKSON													
	Neonatal	3	--	3	--	*	-0-	*	-0-	5.7	*	4.8	-0-
	Postneonatal	3	2	1	--	*	*	*	-0-	3.9	*	*	-0-
	Infant	6	2	4	--	*	*	*	-0-	9.5	16.6	8	-0-
	Fetal	7	1	6	--	*	*	*	-0-	5.3	*	5.6	-0-
	Perinatal	10	1	9	--	14.6	*	*	-0-	10.0	13.8	9.1	-0-
JASPER													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
JEFFERSON													
	Neonatal	3	1	2	--	*	*	*	-0-	4.3	*	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
	Infant	3	1	2	--	*	*	*	-0-	6.0	*	5.4	-0-
	Fetal	--	--	--	--	-0-	-0-	-0-	-0-	6.4	*	6.8	-0-
	Perinatal	2	1	1	--	*	*	*	-0-	9.0	*	9.3	-0-
JERSEY													
	Neonatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
	Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Infant	4	--	4	--	*	-0-	*	-0-	*	-0-	*	-0-
	Fetal	1	--	1	--	*	-0-	*	-0-	*	*	*	-0-
	Perinatal	3	--	3	--	*	-0-	*	-0-	*	*	*	-0-

¹ Hispanic can be of any race.

Table CS-4 (Continued).
Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
Illinois, City of Chicago and Counties, 2001

	2001 Numbers				2001 Rates				1997-2001 Rates			
	Race Category		Origin		Race Category		Origin		Race Category		Origin	
	All Races	Black	White	Hispanic	All Races	Black	White	Hispanic	All Races	Black	White	Hispanic
JO DAVIESS												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
JOHNSON												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
KANE												
Neonatal	39	2	36	17	4.8	*	4.9	5.0	5.1	15.6	4.4	4.8
Postneonatal	13	3	10	5	1.6	*	1.4	*	1.8	4.5	1.6	1.9
Infant	52	5	46	22	6.5	*	6.3	6.5	6.9	20.1	6.1	6.7
Fetal	41	7	32	15	5.1	*	4.4	4.4	5.6	12.9	5.1	5.6
Perinatal	68	7	58	29	8.4	*	7.9	8.5	9.7	25.5	8.6	9.3
KANKAKEE												
Neonatal	10	5	5	--	6.4	*	*	-0-	5.4	8.5	4.4	*
Postneonatal	3	1	2	--	*	*	*	-0-	3.4	9.1	1.9	-0-
Infant	13	6	7	--	8.4	*	*	-0-	8.8	17.7	6.3	*
Fetal	13	6	7	1	8.3	*	*	*	8.1	15.6	6.1	*
Perinatal	23	11	12	1	14.7	31.6	10.1	*	12.6	21.6	10.1	*
KENDALL												
Neonatal	6	--	6	2	*	-0-	*	*	5.6	-0-	5.5	*
Postneonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	*
Infant	8	--	8	2	*	-0-	*	*	7.3	-0-	7.3	*
Fetal	4	--	4	--	*	-0-	*	-0-	4.9	*	4.5	*
Perinatal	9	--	9	2	*	-0-	*	*	10.0	*	9.5	*
KNOX												
Neonatal	4	1	3	1	*	*	*	*	4.1	*	3.7	*
Postneonatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	7	1	6	1	*	*	*	*	6.6	*	6.4	*
Fetal	4	--	4	--	*	-0-	*	-0-	6.2	-0-	6.7	*
Perinatal	6	--	6	--	*	-0-	*	-0-	8.7	*	9.0	*
LAKE												
Neonatal	30	1	28	8	2.8	*	3.0	*	3.2	6.1	3.0	2.9
Postneonatal	27	5	21	8	2.5	*	2.2	*	1.9	6.6	1.5	1.9
Infant	57	6	49	16	5.3	*	5.2	5.4	5.1	12.8	4.6	4.8
Fetal	61	7	53	17	5.7	*	5.6	5.8	6.2	11.4	5.7	5.9
Perinatal	84	7	75	22	7.8	*	8.0	7.5	8.7	16.3	8.1	8.1
LA SALLE												
Neonatal	6	--	6	--	*	-0-	*	-0-	3.7	-0-	3.8	-0-
Postneonatal	2	1	1	--	*	*	*	-0-	2.1	*	1.9	*
Infant	8	1	7	--	*	*	*	-0-	5.8	*	5.6	*
Fetal	10	1	9	2	6.9	*	*	*	5.6	*	5.5	*
Perinatal	15	1	14	2	10.4	*	9.9	*	8.5	*	8.3	*
LAWRENCE												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
LEE												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
Postneonatal	1	1	--	--	*	*	-0-	-0-	*	*	*	-0-
Infant	1	1	--	--	*	*	-0-	-0-	7.3	*	6.5	-0-
Fetal	2	--	2	1	*	-0-	*	*	*	-0-	*	*
Perinatal	2	--	2	1	*	-0-	*	*	7.3	-0-	7.5	*
LIVINGSTON												
Neonatal	2	--	2	1	*	-0-	*	*	*	-0-	*	*
Postneonatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	5	--	5	1	*	-0-	*	*	5.7	-0-	6.0	*
Fetal	4	1	3	--	*	*	*	-0-	6.1	*	5.5	*
Perinatal	5	1	4	--	*	*	*	-0-	8.1	*	7.7	*

¹ Hispanic can be of any race.

Table CS-4 (Continued).
Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
Illinois, City of Chicago and Counties, 2001

		2001 Numbers				2001 Rates				1997-2001 Rates			
		Race Category		Origin		Race Category		Origin		Race Category		Origin	
		All Races	Black	White	Hispanic	All Races	Black	White	Hispanic	All Races	Black	White	Hispanic
LOGAN													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	*
	Postneonatal	1	1	--	--	*	*	-0-	-0-	*	*	*	-0-
	Infant	1	1	--	--	*	*	-0-	-0-	6.7	*	6.2	*
	Fetal	2	--	2	--	*	-0-	*	-0-	6.6	-0-	6.8	-0-
	Perinatal	2	--	2	--	*	-0-	*	-0-	8.4	-0-	8.7	*
MCDONOUGH													
	Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
	Infant	1	--	1	--	*	-0-	*	-0-	*	*	*	-0-
	Fetal	--	--	--	--	-0-	-0-	-0-	-0-	8.0	-0-	8.5	-0-
	Perinatal	1	--	1	--	*	-0-	*	-0-	10.6	-0-	11.3	-0-
MCHENRY													
	Neonatal	10	--	8	1	2.4	-0-	*	*	3.6	*	3.5	*
	Postneonatal	5	--	5	1	*	-0-	*	*	1.9	-0-	1.9	4.0
	Infant	15	--	13	2	3.6	-0-	3.3	*	5.4	*	5.4	7.4
	Fetal	19	--	17	2	4.6	-0-	4.3	*	5.1	*	5.0	4.8
	Perinatal	23	--	21	3	5.6	-0-	5.3	*	7.8	*	7.8	7.7
MCLEAN													
	Neonatal	10	2	8	--	4.9	*	*	-0-	3.6	*	3.4	-0-
	Postneonatal	8	--	8	1	*	-0-	*	*	3.4	*	3.1	*
	Infant	18	2	16	1	8.8	*	9.0	*	7.1	14.8	6.5	*
	Fetal	11	3	8	1	5.4	*	*	*	4.5	*	4.3	*
	Perinatal	20	4	16	1	9.7	*	9.0	*	7.6	11.3	7.2	*
MACON													
	Neonatal	11	3	8	--	7.6	*	*	-0-	6.0	13.7	3.9	-0-
	Postneonatal	6	2	3	--	*	*	*	-0-	3.5	6.6	2.5	-0-
	Infant	17	5	11	--	11.7	*	9.9	-0-	9.5	20.3	6.3	-0-
	Fetal	12	5	7	--	8.2	*	*	-0-	7.9	13.6	6.3	-0-
	Perinatal	18	6	12	--	12.3	*	10.7	-0-	12.4	23.6	9.2	-0-
MACOUPIN													
	Neonatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
	Postneonatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
	Infant	6	--	6	--	*	-0-	*	-0-	4.7	-0-	4.8	-0-
	Fetal	3	--	3	--	*	-0-	*	-0-	5.4	-0-	5.5	-0-
	Perinatal	6	--	6	--	*	-0-	*	-0-	8.7	-0-	8.8	-0-
MADISON													
	Neonatal	11	3	8	--	3.4	*	*	-0-	5.1	14.5	4.0	-0-
	Postneonatal	10	--	10	--	3.1	-0-	3.5	-0-	2.7	5.8	2.4	*
	Infant	21	3	18	--	6.4	*	6.2	-0-	7.8	20.3	6.4	*
	Fetal	25	4	21	--	7.6	*	7.2	-0-	5.9	10.3	5.4	*
	Perinatal	36	7	29	--	11.0	*	10.0	-0-	10.1	24.1	8.6	*
MARION													
	Neonatal	2	--	2	--	*	-0-	*	-0-	4.1	-0-	4.4	-0-
	Postneonatal	2	1	1	--	*	*	*	-0-	*	*	*	-0-
	Infant	4	1	3	--	*	*	*	-0-	6.7	*	6.4	-0-
	Fetal	3	1	2	--	*	*	*	-0-	5.2	*	4.8	-0-
	Perinatal	5	1	4	--	*	*	*	-0-	8.9	*	8.8	-0-
MARSHALL													
	Neonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
	Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Infant	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
	Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Perinatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
MASON													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Perinatal	1	--	1	--	*	-0-	*	-0-	10.9	-0-	10.9	-0-
MASSAC													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
	Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-

¹ Hispanic can be of any race.

Table CS-4 (Continued).
Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
Illinois, City of Chicago and Counties, 2001

		2001 Numbers				2001 Rates				1997-2001 Rates			
		Race Category		Origin		Race Category		Origin		Race Category		Origin	
		All Races	Black	White	Hispanic	All Races	Black	White	Hispanic	All Races	Black	White	Hispanic
MENARD													
	Neonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Infant	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
	Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Perinatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
MERCER													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	*
	Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	*
MONROE													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Fetal	--	--	--	--	-0-	-0-	-0-	-0-	6.0	-0-	6.0	*
	Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	8.4	-0-	8.4	*
MONTGOMERY													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Fetal	2	--	2	--	*	-0-	*	-0-	8.8	-0-	8.8	-0-
	Perinatal	2	--	2	--	*	-0-	*	-0-	11.1	-0-	11.2	-0-
MORGAN													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	4.8	*	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
	Infant	--	--	--	--	-0-	-0-	-0-	-0-	8.2	*	7.2	-0-
	Fetal	2	--	2	--	*	-0-	*	-0-	5.8	*	*	-0-
	Perinatal	2	--	2	--	*	-0-	*	-0-	10.1	*	8.2	-0-
MOULTRIE													
	Neonatal	4	--	4	--	*	-0-	*	-0-	*	-0-	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Infant	4	--	4	--	*	-0-	*	-0-	*	-0-	*	-0-
	Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Perinatal	4	--	4	--	*	-0-	*	-0-	10.5	-0-	10.6	-0-
OGLE													
	Neonatal	5	--	5	--	*	-0-	*	-0-	3.7	*	3.4	-0-
	Postneonatal	1	--	1	1	*	-0-	*	*	3.3	*	*	*
	Infant	6	--	6	1	*	-0-	*	*	7.0	*	6.4	*
	Fetal	3	--	3	1	*	-0-	*	*	4.0	-0-	4.0	*
	Perinatal	8	--	8	1	*	-0-	*	*	7.3	*	7.1	*
PEORIA													
	Neonatal	8	4	4	--	*	*	*	-0-	5.7	9.2	4.5	*
	Postneonatal	11	9	2	--	4.3	*	*	-0-	3.0	7.8	1.5	*
	Infant	19	13	6	--	7.4	18.7	*	-0-	8.7	17.0	6.0	*
	Fetal	23	6	14	--	8.8	*	7.7	-0-	5.6	7.1	5.0	*
	Perinatal	28	8	17	--	10.7	*	9.4	-0-	10.4	14.2	8.9	*
PERRY													
	Neonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
	Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Infant	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
	Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
PIATT													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
	Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Infant	1	--	1	--	*	-0-	*	-0-	*	*	*	-0-
	Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
PIKE													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-

¹ Hispanic can be of any race.

Table CS-4 (Continued).
Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
Illinois, City of Chicago and Counties, 2001

		2001 Numbers				2001 Rates				1997-2001 Rates			
		Race Category		Origin		Race Category		Origin		Race Category		Origin	
		All Races	Black	White	Hispanic	All Races	Black	White	Hispanic	All Races	Black	White	Hispanic
POPE													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Infant	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Fetal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
PULASKI													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
	Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
PUTNAM													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Fetal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
	Perinatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
RANDOLPH													
	Neonatal	3	--	3	--	*	-0-	*	-0-	7.8	-0-	8.4	*
	Postneonatal	2	1	1	--	*	*	*	-0-	*	*	*	-0-
	Infant	5	1	4	--	*	*	*	-0-	11.0	*	11.2	*
	Fetal	3	--	3	--	*	-0-	*	-0-	7.8	*	7.2	*
	Perinatal	5	--	5	--	*	-0-	*	-0-	14.5	*	14.4	*
RICHLAND													
	Neonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
	Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Infant	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
	Fetal	2	--	2	--	*	-0-	*	-0-	11.6	-0-	11.8	-0-
	Perinatal	3	--	3	--	*	-0-	*	-0-	12.6	-0-	12.7	-0-
ROCK ISLAND													
	Neonatal	5	1	4	--	*	*	*	-0-	5.8	11.1	5.3	*
	Postneonatal	4	--	4	--	*	-0-	*	-0-	2.6	*	2.2	*
	Infant	9	1	8	--	*	*	*	-0-	8.4	17.5	7.5	9.3
	Fetal	19	5	14	1	9.6	*	8.2	*	7.9	11.8	7.4	9.9
	Perinatal	23	6	17	1	11.6	*	9.9	*	12.8	20.9	12.0	16.2
ST. CLAIR													
	Neonatal	20	13	7	--	5.4	8.8	*	-0-	6.1	9.8	3.7	*
	Postneonatal	18	14	4	--	4.9	9.4	*	-0-	3.6	6.5	1.7	-0-
	Infant	38	27	11	--	10.3	18.2	5.1	-0-	9.6	16.3	5.3	*
	Fetal	35	22	13	1	9.4	14.6	6.0	*	8.1	13.3	4.6	*
	Perinatal	54	34	20	1	14.4	22.6	9.2	*	13.3	22.0	7.4	*
SALINE													
	Neonatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
	Postneonatal	1	1	--	--	*	*	-0-	-0-	*	*	*	-0-
	Infant	4	1	3	--	*	*	*	-0-	8.5	*	8.4	-0-
	Fetal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
	Perinatal	5	--	5	--	*	-0-	*	-0-	7.8	-0-	8.4	-0-
SANGAMON													
	Neonatal	11	3	8	--	4.3	*	*	-0-	5.7	13.5	4.4	-0-
	Postneonatal	7	4	3	--	*	*	*	-0-	2.4	7.8	1.5	-0-
	Infant	18	7	11	--	7.0	*	5.2	-0-	8.1	21.3	5.9	-0-
	Fetal	11	1	9	--	4.3	*	*	-0-	6.2	7.7	5.9	*
	Perinatal	17	2	14	--	6.6	*	6.6	-0-	10.3	17.5	9.1	*
SCHUYLER													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
SCOTT													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-

¹ Hispanic can be of any race.

Table CS-4 (Continued).
Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
Illinois, City of Chicago and Counties, 2001

		2001 Numbers				2001 Rates				1997-2001 Rates			
		Race Category		Origin		Race Category		Origin		Race Category		Origin	
		All Races	Black	White	Hispanic	All Races	Black	White	Hispanic	All Races	Black	White	Hispanic
SHELBY													
	Neonatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Infant	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
	Fetal	1	--	1	--	*	-0-	*	-0-	8.0	-0-	8.0	-0-
	Perinatal	3	--	3	--	*	-0-	*	-0-	10.4	-0-	10.4	-0-
STARK													
	Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Perinatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
STEPHENSON													
	Neonatal	3	1	2	--	*	*	*	-0-	*	*	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
	Infant	3	1	2	--	*	*	*	-0-	4.3	*	*	-0-
	Fetal	3	--	3	--	*	-0-	*	-0-	4.3	*	3.8	*
	Perinatal	6	1	5	--	*	*	*	-0-	6.6	*	5.8	*
TAZEWELL													
	Neonatal	6	--	6	--	*	-0-	*	-0-	5.3	*	5.2	*
	Postneonatal	2	--	2	--	*	-0-	*	-0-	2.4	-0-	2.5	-0-
	Infant	8	--	8	--	*	-0-	*	-0-	7.8	*	7.6	*
	Fetal	11	--	11	1	6.9	-0-	7.0	*	6.0	-0-	5.9	*
	Perinatal	16	--	16	1	10.1	-0-	10.2	*	10.3	*	10.0	*
UNION													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Fetal	2	--	2	--	*	-0-	*	-0-	9.7	-0-	9.7	*
	Perinatal	2	--	2	--	*	-0-	*	-0-	10.6	-0-	10.7	*
VERMILION													
	Neonatal	9	1	8	--	*	*	*	-0-	4.8	*	4.4	*
	Postneonatal	8	1	7	2	*	*	*	*	4.6	*	4.4	*
	Infant	17	2	15	2	15.2	*	15.7	*	9.5	13.6	8.9	*
	Fetal	9	3	6	--	*	*	*	-0-	6.0	*	5.2	*
	Perinatal	18	4	14	--	16.0	*	14.6	-0-	10.1	15.9	9.3	*
WABASH													
	Neonatal	1	--	1	1	*	-0-	*	*	*	-0-	*	*
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Infant	1	--	1	1	*	-0-	*	*	*	-0-	*	*
	Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Perinatal	1	--	1	1	*	-0-	*	*	*	-0-	*	*
WARREN													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
	Fetal	1	--	1	--	*	-0-	*	-0-	10.2	-0-	10.5	-0-
	Perinatal	1	--	1	--	*	-0-	*	-0-	12.1	-0-	12.5	-0-
WASHINGTON													
	Neonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
	Postneonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
	Infant	4	--	4	--	*	-0-	*	-0-	*	-0-	*	-0-
	Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Perinatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
WAYNE													
	Neonatal	2	--	2	--	*	-0-	*	-0-	*	*	*	-0-
	Postneonatal	2	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Infant	4	--	3	--	*	-0-	*	-0-	10.1	*	*	-0-
	Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Perinatal	3	--	3	--	*	-0-	*	-0-	13.1	*	12.2	-0-
WHITE													
	Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Infant	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
	Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-

¹ Hispanic can be of any race.

Table CS-4 (Continued).
Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
Illinois, City of Chicago and Counties, 2001

	2001 Numbers				2001 Rates				1997-2001 Rates			
	Race Category		Origin		Race Category		Origin		Race Category		Origin	
	All Races	Black	White	Hispanic	All Races	Black	White	Hispanic	All Races	Black	White	Hispanic
WHITESIDE												
Neonatal	5	--	5	--	*	-0-	*	-0-	3.4	-0-	3.4	*
Postneonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	*
Infant	7	--	7	--	*	-0-	*	-0-	5.2	-0-	5.3	*
Fetal	5	--	5	1	*	-0-	*	*	5.7	-0-	5.8	*
Perinatal	9	--	9	1	*	-0-	*	*	8.3	-0-	8.4	*
WILL												
Neonatal	42	10	32	7	4.8	11.4	4.3	*	5.8	11.6	5.2	6.6
Postneonatal	10	2	8	2	1.2	*	*	*	1.7	3.9	1.4	2.1
Infant	52	12	40	9	6.0	13.7	5.3	*	7.5	15.5	6.6	8.7
Fetal	50	12	37	6	5.7	13.5	4.9	*	5.7	11.0	5.1	6.1
Perinatal	88	22	65	11	10.1	24.7	8.6	9.1	10.8	22.3	9.5	11.1
WILLIAMSON												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	3.1	-0-	3.2	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	4.3	*	3.8	-0-
Infant	1	--	1	--	*	-0-	*	-0-	7.4	*	7.0	-0-
Fetal	4	--	4	--	*	-0-	*	-0-	7.6	*	7.6	-0-
Perinatal	4	--	4	--	*	-0-	*	-0-	9.3	*	9.3	-0-
WINNEBAGO												
Neonatal	15	5	10	2	3.8	*	3.1	*	4.4	9.3	3.6	*
Postneonatal	8	5	3	1	*	*	*	*	3.1	8.6	2.1	*
Infant	23	10	13	3	5.8	15.6	4.1	*	7.5	17.9	5.7	*
Fetal	32	8	23	3	8.1	*	7.2	*	6.1	9.2	5.5	6.2
Perinatal	42	12	29	4	10.6	18.5	9.0	*	9.8	18.0	8.4	7.9
WOODFORD												
Neonatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	4.7	-0-	4.7	-0-
Infant	3	--	3	--	*	-0-	*	-0-	8.0	-0-	8.0	-0-
Fetal	3	--	3	--	*	-0-	*	-0-	4.7	-0-	4.7	-0-
Perinatal	6	--	6	--	*	-0-	*	-0-	7.9	-0-	8.0	-0-

¹ Hispanic can be of any race.

Selected Natality Statistics among Residents of The State of Illinois - 2001

			Mother's Age (in Years)						Race Category		Ethnicity	
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers												
Live Births	Total	184,022	20,092	42,732	48,205	46,481	22,052	4,447		142,277	33,162	40,943
Sex	Male	94,142	10,326	21,780	24,767	23,860	11,192	2,213		72,869	16,919	20,881
	Female	89,880	9,766	20,952	23,438	22,621	10,860	2,234		69,408	16,243	20,062
Race	White	142,277	12,548	30,860	38,196	38,638	18,386	3,641				
	Black	33,162	7,322	10,781	7,147	4,814	2,510	584				
Ethnicity	Hispanic ¹	40,943	6,004	12,462	11,536	7,234	3,119	587				
Multiple Births		6,594	303	1,009	1,632	2,228	1,139	282		5,194	1,146	885
Marital Status	Married	120,596	2,990	18,650	35,883	40,293	19,050	3,726		105,014	7,787	23,812
	Single	63,426	17,102	24,082	12,322	6,188	3,002	721		37,263	25,375	17,131
Mother Not High School Graduate		39,435	12,182	12,204	7,966	4,457	2,163	460		29,637	9,254	20,916
Birthweight	Very Low (0-1,499 Grams)	2,875	409	596	668	728	379	94		1,740	1,031	463
	Low (0-2,499 Grams)	14,773	2,052	3,348	3,526	3,402	1,932	511		9,474	4,566	2,700
Caesarian Section	Primary	25,280	2,694	5,177	6,500	6,704	3,334	870		19,515	4,483	4,789
	Secondary	16,241	342	2,500	4,046	5,445	3,212	695		12,574	3,026	3,419
Trimester Prenatal Care Began	First	150,690	13,384	32,461	40,732	41,154	19,243	3,707		120,126	23,579	30,512
	Third or No Care	5,964	1,397	1,968	1,195	802	472	130		3,329	2,393	1,631
First Birth		58,411	14,202	15,934	14,274	10,255	3,199	539		45,845	9,164	13,399
2001 Percentages²												
Live Births	Total	100.0	10.9	23.2	26.2	25.3	12.0	2.4		77.3	18.0	22.2
Sex	Male	51.2	51.4	51.0	51.4	51.3	50.8	49.8		51.2	51.0	51.0
	Female	48.8	48.6	49.0	48.6	48.7	49.2	50.2		48.8	49.0	49.0
Race	White	77.3	62.5	72.2	79.2	83.1	83.4	81.9				
	Black	18.0	36.4	25.2	14.8	10.4	11.4	13.1				
Ethnicity	Hispanic ¹	22.2	29.9	29.2	23.9	15.6	14.1	13.2				
Multiple Births		3.6	1.5	2.4	3.4	4.8	5.2	6.3		3.7	3.5	2.2
Marital Status	Married	65.5	14.9	43.6	74.4	86.7	86.4	83.8		73.8	23.5	58.2
	Single	34.5	85.1	56.4	25.6	13.3	13.6	16.2		26.2	76.5	41.8
Mother Not High School Graduate		21.7	61.2	28.8	16.7	9.7	9.9	10.5		21.0	28.2	51.9
Birthweight	Very Low (0-1,499 Grams)	1.6	2.0	1.4	1.4	1.6	1.7	2.1		1.2	3.1	1.1
	Low (0-2,499 Grams)	8.0	10.2	7.8	7.3	7.3	8.8	11.5		6.7	13.8	6.6
Caesarian Section	Primary	13.7	13.4	12.1	13.5	14.4	15.1	19.6		13.7	13.5	11.7
	Secondary	8.8	1.7	5.9	8.4	11.7	14.6	15.6		8.8	9.1	8.4
Trimester Prenatal Care Began	First	84.0	68.2	77.7	86.6	90.8	89.9	86.4		86.5	72.9	76.8
	Third or No Care	3.3	7.1	4.7	2.5	1.8	2.2	3.0		2.4	7.4	4.1
First Birth		31.7	70.7	37.3	29.6	22.1	14.5	12.1		32.2	27.6	32.7
Percentages² based on 1997-2001 average												
Live Births	Total	100.0	11.8	22.8	27.0	24.5	11.5	2.2		76.9	18.9	20.2
Sex	Male	51.1	51.0	51.2	51.1	51.2	50.9	50.8		51.2	50.7	50.9
	Female	48.9	49.0	48.8	48.9	48.8	49.1	49.2		48.8	49.3	49.1
Race	White	76.9	60.3	71.9	79.3	83.5	83.3	81.7				
	Black	18.9	38.7	25.7	15.3	10.9	11.7	13.3				
Ethnicity	Hispanic ¹	20.2	26.2	27.7	20.9	14.0	12.5	13.3				
Multiple Births		3.4	1.6	2.3	3.2	4.5	5.2	5.3		3.4	3.4	2.1
Marital Status	Married	65.9	14.8	45.8	75.9	86.9	86.5	84.1		75.1	23.0	59.3
	Single	34.1	85.2	54.2	24.1	13.1	13.5	15.9		24.9	77.0	40.7
Mother Not High School Graduate		21.9	61.7	28.9	15.7	9.6	9.6	11.9		20.6	30.4	53.0
Birthweight	Very Low (0-1,499 Grams)	1.6	2.1	1.5	1.5	1.6	1.8	2.0		1.2	3.3	1.2
	Low (0-2,499 Grams)	8.0	10.1	7.8	7.2	7.4	8.9	10.7		6.5	14.1	6.4
Caesarian Section	Primary	12.8	12.3	11.3	12.7	13.3	14.2	17.8		12.8	12.6	10.9
	Secondary	7.9	1.6	5.2	7.7	10.5	13.4	14.3		7.9	8.1	7.4
Trimester Prenatal Care Began	First	82.8	65.8	76.1	86.2	90.2	89.3	85.9		85.6	70.8	73.7
	Third or No Care	3.9	8.1	5.5	2.9	2.1	2.4	3.2		2.8	8.3	5.4
First Birth		31.8	68.6	36.6	30.0	21.6	14.3	12.3		32.5	27.3	32.8

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of The State of Illinois - 2001

Population Estimates	
Total	12,482,000
Under 65 Years	10,986,950
65 and Older	1,495,050

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	104,858	1,379	229	317	1,482	1,797	3,739	7,046	10,587	18,271	30,286	29,725	
Male	50,433	769	125	192	1,121	1,260	2,385	4,359	6,202	10,068	14,592	9,360	
Female	54,425	610	104	125	361	537	1,354	2,687	4,385	8,203	15,694	20,365	
Black	16,217	493	84	102	488	609	1,180	1,970	2,361	3,181	3,470	2,279	
Male	8,298	276	45	63	380	421	719	1,166	1,340	1,683	1,516	689	
Female	7,919	217	39	39	108	188	461	804	1,021	1,498	1,954	1,590	
White	87,472	843	140	207	969	1,149	2,514	4,962	8,064	14,861	26,510	27,253	
Male	41,514	470	77	124	723	814	1,636	3,121	4,760	8,261	12,930	8,598	
Female	45,958	373	63	83	246	335	878	1,841	3,304	6,600	13,580	18,655	
All other races	1,169	43	5	8	25	39	45	114	162	229	306	193	
Male	621	23	3	5	18	25	30	72	102	124	146	73	
Female	548	20	2	3	7	14	15	42	60	105	160	120	
Hispanic ethnicity ¹	3,293	229	41	52	236	247	296	355	415	590	533	299	
Male	1,982	123	22	31	198	187	221	231	241	327	283	118	
Female	1,311	106	19	21	38	60	75	124	174	263	250	181	

Deaths by Selected Causes												
	Race Category				Ethnicity		Age		Rates ²			
	All Races	Black	White	Other	Hispanic ¹	0-64	65+		All Ages		Age	
									2001	1999 - 2001	0-64	65+
All Causes - Current Year	104,858	16,217	87,472	1,169	3,293	26,576	78,282		840.1	861.8	241.9	5,236.1
5-Year Average (1997-2001)	105,148	16,185	87,955	1,008	2,994	26,391	78,757		880.0	N.A.	252.3	5,290.7
# Infectious and parasitic diseases	2,960	949	1,972	39	149	1,125	1,835		23.7	23.4	10.2	122.7
# Septicemia	1,964	520	1,424	20	74	423	1,541		15.7	15.3	3.9	103.1
# Viral hepatitis	146	24	116	6	11	98	48		1.2	1.1	0.9	3.2
# HIV disease	514	336	174	4	47	498	16		4.1	4.1	4.5	1.1
# Malignant neoplasms	24,674	3,676	20,701	297	621	7,234	17,440		197.7	202.4	65.8	1,166.5
Lip, oral cavity and pharynx	300	59	232	9	7	134	166		2.4	2.5	1.2	11.1
Colorectal	2,723	400	2,282	41	61	661	2,062		21.8	22.3	6.0	137.9
Bronchus and lung	6,760	969	5,735	56	91	1,904	4,856		54.2	54.7	17.3	324.8
Female breast	1,836	316	1,499	21	46	749	1,087		14.7 ³	15.9 ³	6.8 ³	72.7 ³
Cervical	183	57	122	4	8	132	51		1.5 ³	1.7 ³	1.2 ³	3.4 ³
Prostate	1,396	280	1,111	5	27	109	1,287		11.2 ³	11.4 ³	1.0 ³	86.1 ³
# Diabetes mellitus	3,085	576	2,458	51	155	685	2,400		24.7	24.5	6.2	160.5
# Alzheimer's disease	2,161	169	1,986	6	24	32	2,129		17.3	16.8	0.3	142.4
Major cardiovascular diseases	40,486	5,740	34,299	447	856	6,591	33,895		324.4	339.3	60.0	2,267.1
# Diseases of heart	30,827	4,397	26,101	329	642	5,471	25,356		247.0	258.9	49.8	1,696.0
Ischemic heart disease	21,896	2,874	18,762	260	436	3,659	18,237		175.4	186.7	33.3	1,219.8
# Cerebrovascular diseases	7,195	963	6,138	94	170	801	6,394		57.6	60.2	7.3	427.7
# Atherosclerosis	569	42	524	3	7	28	541		4.6	4.8	0.3	36.2
# Aortic aneurysm and dissection	677	80	590	7	20	115	562		5.4	5.7	1.0	37.6
Respiratory diseases	9,347	1,024	8,241	82	172	1,302	8,045		74.9	78.7	11.9	538.1
# Influenza and pneumonia	2,648	360	2,252	36	61	303	2,345		21.2	23.4	2.8	156.9
# Chronic lower resp. diseases	4,756	457	4,278	21	60	689	4,067		38.1	39.6	6.3	272.0
Emphysema	716	46	669	1	6	94	622		5.7	6.0	0.9	41.6
Asthma	242	102	139	1	19	151	91		1.9	2.1	1.4	6.1
# Chronic liver disease and cirrhosis	1,101	158	935	8	109	666	435		8.8	8.8	6.1	29.1
# Nephritis, nephrotic syn. & nephrosis	2,166	463	1,683	20	73	350	1,816		17.4	16.9	3.2	121.5
# Certain perinatal conditions	742	260	463	19	134	741	1		5.9	6.3	6.7	*
# Congenital malformations	424	89	319	16	61	382	42		3.4	3.7	3.5	2.8
SIDS	99	55	44	--	12	99	--		0.8	0.8	0.9	-0-
External causes	6,476	1,528	4,861	87	609	4,886	1,590		51.9	51.4	44.5	106.4
# Accidents	4,027	731	3,245	51	340	2,786	1,241		32.3	32.6	25.4	83.0
Motor vehicle accidents	1,559	236	1,295	28	169	1,289	270		12.5	12.3	11.7	18.1
All other accidents	2,468	495	1,950	23	171	1,497	971		19.8	20.3	13.6	64.9
# Suicide	1,131	110	997	24	67	929	202		9.1	8.5	8.5	13.5
# Homicide	1,064	640	415	9	189	1,019	45		8.5	8.3	9.3	3.0

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of The City of Chicago - 2001

			Mother's Age (in Years)						Race Category		Ethnicity	
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers												
Live Births	Total	49,596	7,645	13,313	12,140	10,201	5,102	1,189		28,775	18,670	18,614
Sex	Male	25,487	3,918	6,826	6,211	5,267	2,668	595		14,791	9,577	9,505
	Female	24,109	3,727	6,487	5,929	4,934	2,434	594		13,984	9,093	9,109
Race	White	28,775	3,217	6,870	7,552	6,902	3,445	788				
	Black	18,670	4,351	6,107	3,896	2,601	1,368	343				
Ethnicity	Hispanic ¹	18,614	2,900	5,692	5,153	3,152	1,412	305				
Multiple Births		1,672	136	374	401	455	235	71		938	684	420
Marital Status	Married	24,085	886	4,167	7,003	7,428	3,756	844		18,761	3,464	10,106
	Single	25,511	6,759	9,146	5,137	2,773	1,346	345		10,014	15,206	8,508
Mother Not High School Graduate		16,602	5,008	4,806	3,437	2,031	1,065	253		10,361	5,994	9,607
Birthweight	Very Low (0-1,499 Grams)	946	178	222	210	189	117	29		333	585	199
	Low (0-2,499 Grams)	4,987	904	1,226	1,118	959	603	176		2,041	2,760	1,294
Caesarian Section	Primary	6,315	912	1,465	1,430	1,478	791	238		3,591	2,409	2,114
	Secondary	3,666	123	798	953	1,005	631	156		2,076	1,460	1,508
Trimester Prenatal Care Began	First	37,452	4,922	9,566	9,515	8,377	4,131	936		22,685	13,215	14,237
	Third or No Care	2,488	602	811	485	334	192	64		947	1,445	716
First Birth		16,005	5,124	4,378	3,001	2,487	846	165		9,972	5,140	5,872
2001 Percentages²												
Live Births	Total	100.0	15.4	26.8	24.5	20.6	10.3	2.4		58.0	37.6	37.5
Sex	Male	51.4	51.2	51.3	51.2	51.6	52.3	50.0		51.4	51.3	51.1
	Female	48.6	48.8	48.7	48.8	48.4	47.7	50.0		48.6	48.7	48.9
Race	White	58.0	42.1	51.6	62.2	67.7	67.5	66.3				
	Black	37.6	56.9	45.9	32.1	25.5	26.8	28.8				
Ethnicity	Hispanic ¹	37.5	37.9	42.8	42.4	30.9	27.7	25.7				
Multiple Births		3.4	1.8	2.8	3.3	4.5	4.6	6.0		3.3	3.7	2.3
Marital Status	Married	48.6	11.6	31.3	57.7	72.8	73.6	71.0		65.2	18.6	54.3
	Single	51.4	88.4	68.7	42.3	27.2	26.4	29.0		34.8	81.4	45.7
Mother Not High School Graduate		34.1	66.3	36.7	28.8	20.3	21.3	21.9		36.7	32.5	52.6
Birthweight	Very Low (0-1,499 Grams)	1.9	2.3	1.7	1.7	1.9	2.3	2.4		1.2	3.1	1.1
	Low (0-2,499 Grams)	10.1	11.8	9.2	9.2	9.4	11.8	14.8		7.1	14.8	7.0
Caesarian Section	Primary	12.7	11.9	11.0	11.8	14.5	15.5	20.0		12.5	12.9	11.4
	Secondary	7.4	1.6	6.0	7.9	9.9	12.4	13.1		7.2	7.8	8.1
Trimester Prenatal Care Began	First	78.4	66.3	74.1	81.5	85.6	85.0	82.0		82.2	72.6	79.0
	Third or No Care	5.2	8.1	6.3	4.2	3.4	4.0	5.6		3.4	7.9	4.0
First Birth		32.3	67.0	32.9	24.7	24.4	16.6	13.9		34.7	27.5	31.5
Percentages² based on 1997-2001 average												
Live Births	Total	100.0	17.0	26.9	25.0	19.6	9.5	2.1		55.9	39.9	35.4
Sex	Male	50.9	50.6	51.2	50.8	51.0	51.1	50.2		51.1	50.8	50.7
	Female	49.1	49.4	48.8	49.2	49.0	48.9	49.8		48.9	49.2	49.3
Race	White	55.9	39.3	51.6	60.0	65.7	65.2	65.2				
	Black	39.9	59.8	46.0	34.2	27.8	29.1	29.0				
Ethnicity	Hispanic ¹	35.4	34.1	41.4	39.0	29.4	26.2	26.5				
Multiple Births		3.0	1.8	2.5	3.0	4.1	4.5	4.9		2.8	3.4	2.0
Marital Status	Married	47.4	10.6	32.9	57.7	71.9	71.8	70.6		65.5	17.9	55.2
	Single	52.6	89.4	67.1	42.3	28.1	28.2	29.4		34.5	82.1	44.8
Mother Not High School Graduate		35.6	67.5	38.2	28.6	21.2	21.5	24.3		37.9	34.9	54.1
Birthweight	Very Low (0-1,499 Grams)	2.1	2.3	1.9	2.0	2.1	2.6	2.6		1.3	3.4	1.3
	Low (0-2,499 Grams)	10.1	11.5	9.2	9.3	10.0	12.2	13.4		6.8	15.0	6.8
Caesarian Section	Primary	11.9	11.3	10.0	11.3	13.4	14.8	18.3		11.8	11.8	10.8
	Secondary	6.5	1.7	5.0	7.3	8.9	11.4	12.5		6.4	6.8	7.0
Trimester Prenatal Care Began	First	75.6	63.1	71.8	79.2	83.3	82.5	79.4		79.4	70.0	74.8
	Third or No Care	6.3	9.4	7.2	5.3	4.4	5.0	5.8		4.5	8.9	5.3
First Birth		31.8	64.3	31.5	24.2	23.2	16.0	13.4		34.7	26.6	32.0

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of The City of Chicago - 2001

Population Estimates	
Total	2,882,300
Under 65 Years	2,588,400
65 and Older	293,900

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	23,398	446	74	96	516	691	1,325	2,166	2,847	4,236	6,038	4,963	
Male	11,799	252	42	63	419	501	858	1,341	1,649	2,313	2,806	1,555	
Female	11,599	194	32	33	97	190	467	825	1,198	1,923	3,232	3,408	
Black	10,813	282	52	57	312	392	801	1,313	1,563	2,171	2,364	1,506	
Male	5,503	158	29	38	247	276	491	769	886	1,159	1,009	441	
Female	5,310	124	23	19	65	116	310	544	677	1,012	1,355	1,065	
White	12,106	157	21	38	199	281	511	821	1,223	1,974	3,522	3,359	
Male	6,043	88	12	24	168	211	358	550	728	1,105	1,722	1,077	
Female	6,063	69	9	14	31	70	153	271	495	869	1,800	2,282	
All other races	479	7	1	1	5	18	13	32	61	91	152	98	
Male	253	6	1	1	4	14	9	22	35	49	75	37	
Female	226	1	--	--	1	4	4	10	26	42	77	61	
Hispanic ethnicity ¹	1,879	98	15	29	132	152	186	214	260	321	307	165	
Male	1,147	51	9	20	114	115	140	143	150	178	164	63	
Female	732	47	6	9	18	37	46	71	110	143	143	102	

Deaths by Selected Causes												
	Race Category				Ethnicity		Age		Rates ²			
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		
								2001	1999 - 2001	0-64	65+	
All Causes - Current Year	23,398	10,813	12,106	479	1,879	8,161	15,237	811.8	864.4	315.3	5,184.4	
5-Year Average (1997-2001)	24,269	10,977	12,836	455	1,776	8,536	15,733	911.4	N.A.	360.5	5,328.2	
# Infectious and parasitic diseases	1,178	697	456	25	104	594	584	40.9	40.5	22.9	198.7	
# Septicemia	692	387	291	14	50	191	501	24.0	23.5	7.4	170.5	
# Viral hepatitis	45	13	30	2	11	33	12	1.6	1.4	1.3	4.1	
# HIV disease	348	254	90	4	36	335	13	12.1	12.1	12.9	4.4	
# Malignant neoplasms	5,171	2,428	2,632	111	330	1,699	3,472	179.4	190.7	65.6	1,181.4	
# Lip, oral cavity and pharynx	75	39	33	3	7	37	38	2.6	3.1	1.4	12.9	
# Colorectal	592	265	311	16	38	172	420	20.5	21.2	6.6	142.9	
# Bronchus and lung	1,295	630	641	24	40	403	892	44.9	48.4	15.6	303.5	
# Female breast	389	205	177	7	17	164	225	13.5 ³	16.0 ³	6.3 ³	76.6 ³	
# Cervical	69	40	27	2	8	47	22	2.4 ³	2.4 ³	1.8 ³	7.5 ³	
# Prostate	348	182	163	3	21	36	312	12.1 ³	12.3 ³	1.4 ³	106.2 ³	
# Diabetes mellitus	783	352	402	29	105	219	564	27.2	27.0	8.5	191.9	
# Alzheimer's disease	297	112	182	3	13	5	292	10.3	9.6	*	99.4	
# Major cardiovascular diseases	8,859	3,908	4,766	185	480	2,133	6,726	307.4	331.0	82.4	2,288.5	
# Diseases of heart	7,019	3,055	3,833	131	368	1,739	5,280	243.5	263.6	67.2	1,796.5	
# Ischemic heart disease	5,043	1,996	2,944	103	252	1,075	3,968	175.0	192.0	41.5	1,350.1	
# Cerebrovascular diseases	1,340	603	696	41	90	279	1,061	46.5	49.7	10.8	361.0	
# Atherosclerosis	97	24	71	2	6	8	89	3.4	3.3	*	30.3	
# Aortic aneurysm and dissection	119	54	62	3	6	24	95	4.1	4.5	0.9	32.3	
# Respiratory diseases	1,751	689	1,024	38	106	367	1,384	60.8	68.0	14.2	470.9	
# Influenza and pneumonia	598	250	328	20	38	110	488	20.7	23.3	4.2	166.0	
# Chronic lower resp. diseases	771	308	455	8	38	181	590	26.7	29.8	7.0	200.7	
# Emphysema	117	32	84	1	3	16	101	4.1	5.0	0.6	34.4	
# Asthma	106	77	29	--	15	81	25	3.7	4.2	3.1	8.5	
# Chronic liver disease and cirrhosis	327	117	206	4	69	227	100	11.3	11.3	8.8	34.0	
# Nephritis, nephrotic syn. & nephrosis	550	298	244	8	48	140	410	19.1	19.5	5.4	139.5	
# Certain perinatal conditions	241	141	96	4	58	241	--	8.4	10.0	9.3	-0-	
# Congenital malformations	98	52	44	2	27	94	4	3.4	4.3	3.6	*	
# SIDS	37	33	4	--	4	37	--	1.3	1.5	1.4	-0-	
# External causes	1,930	1,024	875	31	348	1,658	272	67.0	71.0	64.1	92.5	
# Accidents	1,028	485	525	18	178	814	214	35.7	38.3	31.4	72.8	
# Motor vehicle accidents	300	138	155	7	70	256	44	10.4	11.4	9.9	15.0	
# All other accidents	728	347	370	11	108	558	170	25.3	26.9	21.6	57.8	
# Suicide	206	65	134	7	31	181	25	7.1	7.7	7.0	8.5	
# Homicide	639	447	189	3	131	625	14	22.2	22.8	24.1	4.8	

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Adams County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity	
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers												
Live Births	Total	866	109	251	235	177	78	16		814	48	10
Sex	Male	423	64	115	116	80	39	9		392	28	5
	Female	443	45	136	119	97	39	7		422	20	5
Race	White	814	97	228	226	171	77	15				
	Black	48	12	23	6	5	1	1				
Ethnicity	Hispanic ¹	10	4	1	2	2	1	--				
Multiple Births		28	--	4	9	7	8	--		28	--	--
Marital Status	Married	561	10	119	196	151	70	15		549	8	4
	Single	305	99	132	39	26	8	1		265	40	6
Mother Not High School Graduate		109	56	27	9	11	5	1		94	14	5
Birthweight	Very Low (0-1,499 Grams)	11	--	3	5	2	--	1		8	3	--
	Low (0-2,499 Grams)	57	5	11	16	17	6	2		51	5	2
Caesarian Section	Primary	103	16	16	34	24	11	2		98	5	1
	Secondary	69	1	13	23	21	11	--		64	5	--
Trimester Prenatal Care Began	First	733	88	203	200	160	71	11		701	30	6
	Third or No Care	21	3	8	5	3	1	1		17	4	--
First Birth		288	85	90	72	28	10	3		270	16	3
2001 Percentages²												
Live Births	Total	100.0	12.6	29.0	27.1	20.4	9.0	1.8		94.0	5.5	1.2
Sex	Male	48.8	58.7	45.8	49.4	45.2	*	*		48.2	*	*
	Female	51.2	41.3	54.2	50.6	54.8	*	*		51.8	*	*
Race	White	94.0	89.0	90.8	96.2	96.6	*	*				
	Black	5.5	11.0	9.2	*	*	*	*				
Ethnicity	Hispanic ¹	1.2	*	*	*	*	*	-0-				
Multiple Births		3.2	-0-	*	*	*	*	-0-		3.4	-0-	-0-
Marital Status	Married	64.8	9.2	47.4	83.4	85.3	*	*		67.4	*	*
	Single	35.2	90.8	52.6	16.6	14.7	*	*		32.6	*	*
Mother Not High School Graduate		12.6	51.4	10.8	*	6.2	*	*		11.5	*	*
Birthweight	Very Low (0-1,499 Grams)	1.3	-0-	*	*	*	-0-	*		*	*	-0-
	Low (0-2,499 Grams)	6.6	*	4.4	6.8	9.6	*	*		6.3	*	*
Caesarian Section	Primary	11.9	14.7	6.4	14.5	13.6	*	*		12.0	*	*
	Secondary	8.0	*	5.2	9.8	11.9	*	-0-		7.9	*	-0-
Trimester Prenatal Care Began	First	85.0	81.5	81.2	85.1	90.9	*	*		86.3	*	*
	Third or No Care	2.4	*	*	*	*	*	*		2.1	*	-0-
First Birth		33.3	78.0	35.9	30.6	15.8	*	*		33.2	*	*
Percentages² based on 1997-2001 average												
Live Births	Total	100.0	12.6	26.0	29.5	21.1	9.0	1.7		94.6	4.7	0.7
Sex	Male	51.2	49.8	48.4	53.0	52.3	52.5	*		51.6	43.4	*
	Female	48.8	50.2	51.6	47.0	47.7	47.5	*		48.4	56.6	*
Race	White	94.6	87.8	92.9	96.8	97.4	95.5	*				
	Black	4.7	12.2	6.9	2.3	1.6	2.9	*				
Ethnicity	Hispanic ¹	0.7	*	*	.8	*	*	-0-				
Multiple Births		3.4	*	2.0	3.9	4.2	7.4	*		3.5	*	-0-
Marital Status	Married	68.4	16.5	50.5	83.8	90.7	86.8	*		70.8	17.3	*
	Single	31.6	83.5	49.5	16.2	9.3	13.2	*		29.2	82.7	*
Mother Not High School Graduate		12.6	49.1	13.4	5.1	4.2	4.2	*		11.6	34.7	*
Birthweight	Very Low (0-1,499 Grams)	1.4	2.1	1.1	1.9	*	*	*		1.3	*	-0-
	Low (0-2,499 Grams)	6.4	7.0	5.8	6.3	5.8	9.0	*		6.3	10.2	*
Caesarian Section	Primary	11.3	14.1	10.0	12.1	10.4	9.8	*		11.4	10.2	*
	Secondary	7.4	*	4.7	7.9	11.1	12.1	*		7.3	7.7	*
Trimester Prenatal Care Began	First	82.4	73.4	77.7	86.5	88.1	82.8	*		83.2	67.7	*
	Third or No Care	2.0	2.8	2.1	1.1	2.0	*	*		1.9	*	*
First Birth		31.7	75.0	38.6	27.4	15.2	7.7	*		31.7	32.7	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Adams County - 2001

Population Estimates	
Total	67,800
Under 65 Years	55,780
65 and Older	12,020

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	793	6	--	1	5	7	19	33	68	132	263	259	
Male	423	3	--	1	4	5	13	21	41	75	163	97	
Female	370	3	--	--	1	2	6	12	27	57	100	162	
Black	12	1	--	--	--	--	--	--	2	2	2	5	
Male	8	1	--	--	--	--	--	--	1	2	2	2	
Female	4	--	--	--	--	--	--	--	1	--	--	3	
White	780	5	--	1	4	7	19	33	66	130	261	254	
Male	414	2	--	1	3	5	13	21	40	73	161	95	
Female	366	3	--	--	1	2	6	12	26	57	100	159	
All other races	1	--	--	--	1	--	--	--	--	--	--	--	
Male	1	--	--	--	1	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	6	--	--	--	--	--	1	--	--	1	3	1	
Male	2	--	--	--	--	--	1	--	--	--	1	--	
Female	4	--	--	--	--	--	--	--	--	1	2	1	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	793	12	780	1	6		139	654			1,169.6	1,207.7	249.2	5,440.9
5-Year Average (1997-2001)	797	17	780	<1	3		129	668			1,182.5	N.A.	231.5	5,649.3
# Infectious and parasitic diseases	26	--	26	--	1		4	22			38.3	28.5	*	183.0
# Septicemia	26	--	26	--	1		4	22			38.3	25.1	*	183.0
# Viral hepatitis	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# HIV disease	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Malignant neoplasms	189	3	186	--	1		53	136			278.8	290.8	95.0	1,131.4
Lip, oral cavity and pharynx	1	--	1	--	--		--	1			*	4.9	-0-	*
Colorectal	21	1	20	--	--		2	19			31.0	30.5	*	158.1
Bronchus and lung	57	1	56	--	--		16	41			84.1	81.2	28.7	341.1
Female breast	10	--	10	--	--		5	5			14.7 ³	15.7 ³	* ³	* ³
Cervical	--	--	--	--	--		--	--			-0- ³	* ³	-0- ³	-0- ³
Prostate	12	1	11	--	--		--	12			17.7 ³	17.2 ³	-0- ³	99.8 ³
# Diabetes mellitus	24	--	24	--	--		2	22			35.4	30.0	*	183.0
# Alzheimer's disease	22	1	21	--	--		--	22			32.4	25.6	-0-	183.0
Major cardiovascular diseases	286	5	281	--	3		27	259			421.8	458.7	48.4	2,154.7
# Diseases of heart	216	5	211	--	2		19	197			318.6	332.2	34.1	1,638.9
Ischemic heart disease	157	4	153	--	1		15	142			231.6	233.3	26.9	1,181.4
# Cerebrovascular diseases	39	--	39	--	--		2	37			57.5	72.8	*	307.8
# Atherosclerosis	22	--	22	--	1		3	19			32.4	33.5	*	158.1
# Aortic aneurysm and dissection	2	--	2	--	--		1	1			*	9.4	*	*
Respiratory diseases	81	--	81	--	--		11	70			119.5	145.2	19.7	582.4
# Influenza and pneumonia	26	--	26	--	--		1	25			38.3	52.7	*	208.0
# Chronic lower resp. diseases	37	--	37	--	--		6	31			54.6	66.4	*	257.9
Emphysema	10	--	10	--	--		3	7			14.7	17.2	*	*
Asthma	1	--	1	--	--		--	1			*	*	-0-	*
# Chronic liver disease and cirrhosis	2	--	2	--	--		--	2			*	9.8	-0-	*
# Nephritis, nephrotic syn. & nephrosis	17	--	17	--	--		2	15			25.1	22.1	*	124.8
# Certain perinatal conditions	5	1	4	--	--		5	--			*	*	*	-0-
# Congenital malformations	5	--	5	--	--		2	3			*	5.4	*	*
SIDS	--	--	--	--	--		--	--			-0-	*	-0-	-0-
External causes	44	1	42	1	1		24	20			64.9	61.5	43.0	166.4
# Accidents	28	1	27	--	1		14	14			41.3	45.8	25.1	116.5
Motor vehicle accidents	10	--	10	--	--		8	2			14.7	16.7	*	*
All other accidents	18	1	17	--	1		6	12			26.5	29.0	*	99.8
# Suicide	13	--	12	1	--		10	3			19.2	11.8	17.9	*
# Homicide	2	--	2	--	--		--	2			*	*	-0-	*

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Alexander County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	138	29	54	24	22	5	4	71	66	1
Sex	Male	67	12	29	11	13	1	1	33	33	--
	Female	71	17	25	13	9	4	3	38	33	1
Race	White	71	14	27	13	12	4	1			
	Black	66	15	27	11	9	1	3			
Ethnicity	Hispanic ¹	1	--	--	1	--	--	--			
Multiple Births		4	--	2	2	--	--	--	4	--	--
Marital Status	Married	57	2	20	14	15	4	2	46	10	1
	Single	81	27	34	10	7	1	2	25	56	--
Mother Not High School Graduate		30	20	5	3	1	--	1	15	15	1
Birthweight	Very Low (0-1,499 Grams)	3	1	1	--	1	--	--	--	3	--
	Low (0-2,499 Grams)	12	4	2	4	1	1	--	6	6	--
Caesarian Section	Primary	23	6	10	2	3	--	2	11	12	--
	Secondary	13	1	5	5	2	--	--	8	5	--
Trimester Prenatal Care Began	First	106	20	40	19	19	5	3	57	48	--
	Third or No Care	5	2	2	--	1	--	--	1	4	--
First Birth		53	26	20	4	2	--	1	30	23	--
2001 Percentages ²											
Live Births	Total	100.0	21.0	39.1	17.4	15.9	*	*	51.4	47.8	*
Sex	Male	48.6	*	*	*	*	*	*	*	*	-0-
	Female	51.4	*	*	*	*	*	*	*	*	*
Race	White	51.4	*	*	*	*	*	*			
	Black	47.8	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple Births		*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	41.3	*	*	*	*	*	*	*	*	*
	Single	58.7	*	*	*	*	*	*	*	*	-0-
Mother Not High School Graduate		21.7	*	*	*	*	-0-	*	*	*	*
Birthweight	Very Low (0-1,499 Grams)	*	*	*	-0-	*	-0-	-0-	-0-	*	-0-
	Low (0-2,499 Grams)	8.7	*	*	*	*	*	-0-	*	*	-0-
Caesarian Section	Primary	16.7	*	*	*	*	-0-	*	*	*	-0-
	Secondary	9.4	*	*	*	*	-0-	-0-	*	*	-0-
Trimester Prenatal Care Began	First	80.3	*	*	*	*	*	*	*	*	-0-
	Third or No Care	*	*	*	-0-	*	-0-	-0-	*	*	-0-
First Birth		38.4	*	*	*	*	-0-	-0-	*	*	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	23.7	36.0	21.5	14.6	3.2	*	47.3	52.0	*
Sex	Male	49.5	42.3	54.4	47.2	*	*	*	51.0	48.4	*
	Female	50.5	57.7	45.6	52.8	*	*	*	49.0	51.6	*
Race	White	47.3	42.3	43.9	54.9	*	*	*			
	Black	52.0	57.7	56.1	44.4	*	*	*			
Ethnicity	Hispanic ¹	*	-0-	*	*	-0-	-0-	-0-			
Multiple Births		4.4	*	*	7.0	*	-0-	-0-	3.8	5.0	-0-
Marital Status	Married	42.6	14.1	38.4	62.7	*	*	*	65.1	21.6	*
	Single	57.4	85.9	61.6	37.3	*	*	*	34.9	78.4	*
Mother Not High School Graduate		26.3	57.1	19.4	11.4	*	*	*	26.9	26.0	*
Birthweight	Very Low (0-1,499 Grams)	2.7	*	*	*	*	-0-	-0-	*	3.5	-0-
	Low (0-2,499 Grams)	12.3	14.7	9.7	12.7	*	*	*	8.7	15.7	-0-
Caesarian Section	Primary	14.1	16.7	11.4	15.5	*	*	*	15.7	12.5	-0-
	Secondary	8.2	*	7.6	12.7	*	-0-	-0-	8.3	8.2	-0-
Trimester Prenatal Care Began	First	80.2	77.5	78.7	80.4	*	*	*	86.3	74.2	*
	Third or No Care	3.7	*	4.8	*	*	-0-	-0-	*	5.2	-0-
First Birth		34.0	73.7	30.8	19.0	*	*	*	36.2	31.8	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Alexander County - 2001

Population Estimates	
Total	9,500
Under 65 Years	7,920
65 and Older	1,580

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	113	--	--	--	2	--	4	5	13	23	29	37
Male	59	--	--	--	1	--	3	3	7	15	17	13
Female	54	--	--	--	1	--	1	2	6	8	12	24
Black	29	--	--	--	1	--	1	3	5	3	6	10
Male	13	--	--	--	--	--	--	2	4	1	3	3
Female	16	--	--	--	1	--	1	1	1	2	3	7
White	84	--	--	--	1	--	3	2	8	20	23	27
Male	46	--	--	--	1	--	3	1	3	14	14	10
Female	38	--	--	--	--	--	--	1	5	6	9	17
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

Deaths by Selected Causes												
	Race Category				Ethnicity	Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		
								2001	1999 - 2001	0-64	65+	
All Causes - Current Year	113	29	84	--	--	24	89	1,189.5	1,198.6	303.0	5,632.9	
5-Year Average (1997-2001)	124	31	93	<1	<1	28	96	1,226.8	N.A.	332.7	5,781.3	
Infectious and parasitic diseases	1	--	1	--	--	--	1	*	*	-0-	*	
# Septicemia	1	--	1	--	--	--	1	*	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# Malignant neoplasms	26	5	21	--	--	9	17	273.7	294.5	*	1,075.9	
Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	*	-0-	*	
Colorectal	4	1	3	--	--	3	1	*	51.4	*	*	
Bronchus and lung	7	--	7	--	--	3	4	*	78.8	*	*	
Female breast	1	--	1	--	--	1	--	³ 34.2	³ 34.2	³ *	-0- ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³	
Prostate	1	--	1	--	--	--	1	³ *	³ *	-0- ³	³ *	
# Diabetes mellitus	3	2	1	--	--	2	1	*	*	*	*	
# Alzheimer's disease	1	--	1	--	--	--	1	*	*	-0-	*	
Major cardiovascular diseases	50	12	38	--	--	5	45	526.3	465.8	*	2,848.1	
# Diseases of heart	35	9	26	--	--	5	30	368.4	352.7	*	1,898.7	
Ischemic heart disease	26	5	21	--	--	2	24	273.7	253.4	*	1,519.0	
# Cerebrovascular diseases	10	2	8	--	--	--	10	105.3	82.2	-0-	632.9	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*	
Respiratory diseases	8	1	7	--	--	1	7	*	123.3	*	*	
# Influenza and pneumonia	2	--	2	--	--	--	2	*	*	-0-	*	
# Chronic lower resp. diseases	4	1	3	--	--	1	3	*	75.3	*	*	
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
Asthma	1	--	1	--	--	--	1	*	*	-0-	*	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
# Nephritis, nephrotic syn. & nephrosis	3	2	1	--	--	--	3	*	44.5	-0-	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
External causes	8	1	7	--	--	5	3	*	68.5	*	*	
# Accidents	7	1	6	--	--	4	3	*	51.4	*	*	
Motor vehicle accidents	4	--	4	--	--	3	1	*	*	*	*	
All other accidents	3	1	2	--	--	1	2	*	*	*	*	
# Suicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
# Homicide	1	--	1	--	--	1	--	*	*	*	-0-	

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Bond County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	196	34	58	51	43	9	1	189	4	5
Sex	Male	98	17	32	21	23	5	--	94	2	2
	Female	98	17	26	30	20	4	1	95	2	3
Race	White	189	33	56	51	39	9	1			
	Black	4	1	2	--	1	--	--			
Ethnicity	Hispanic ¹	5	--	2	3	--	--	--			
Multiple Births		8	4	2	2	--	--	--	8	--	--
Marital Status	Married	133	11	31	43	38	9	1	130	--	4
	Single	63	23	27	8	5	--	--	59	4	1
Mother Not High School Graduate		28	19	5	3	1	--	--	27	1	1
Birthweight	Very Low (0-1,499 Grams)	1	1	--	--	--	--	--	1	--	--
	Low (0-2,499 Grams)	17	7	6	3	1	--	--	17	--	--
Caesarian Section	Primary	26	6	8	8	3	1	--	25	1	2
	Secondary	18	--	5	5	8	--	--	17	--	--
Trimester Prenatal Care Began	First	169	29	45	48	38	8	1	163	3	3
	Third or No Care	2	--	2	--	--	--	--	2	--	1
First Birth		62	21	21	13	6	1	--	61	1	3
2001 Percentages²											
Live Births	Total	100.0	17.3	29.6	26.0	21.9	*	*	96.4	*	*
Sex	Male	50.0	*	*	*	*	*	-0-	49.7	*	*
	Female	50.0	*	*	*	*	*	*	50.3	*	*
Race	White	96.4	*	*	*	*	*	*			
	Black	*	*	*	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	-0-	-0-	-0-			
Multiple Births		*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	67.9	*	*	*	*	*	*	68.8	-0-	*
	Single	32.1	*	*	*	*	-0-	-0-	31.2	*	*
Mother Not High School Graduate		14.3	*	*	*	*	-0-	-0-	14.3	*	*
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	8.7	*	*	*	*	-0-	-0-	9.0	-0-	-0-
Caesarian Section	Primary	13.3	*	*	*	*	*	-0-	13.2	*	*
	Secondary	9.2	-0-	*	*	*	-0-	-0-	9.0	-0-	-0-
Trimester Prenatal Care Began	First	86.2	*	*	*	*	*	*	86.2	*	*
	Third or No Care	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	*
First Birth		31.6	*	*	*	*	*	-0-	32.3	*	*
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	13.3	30.0	28.1	19.6	7.6	1.4	97.6	2.0	2.0
Sex	Male	52.5	54.7	56.1	47.8	52.9	*	*	52.6	*	*
	Female	47.5	45.3	43.9	52.2	47.1	*	*	47.4	*	*
Race	White	97.6	97.7	97.2	99.3	96.3	*	*			
	Black	2.0	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	2.0	-0-	*	*	*	-0-	-0-			
Multiple Births		3.1	*	*	3.7	*	*	-0-	3.2	-0-	*
Marital Status	Married	72.8	25.8	62.6	86.7	91.0	*	*	73.8	*	*
	Single	27.2	74.2	37.4	13.3	9.0	*	*	26.2	*	*
Mother Not High School Graduate		12.9	52.0	11.8	4.8	*	*	*	12.8	*	*
Birthweight	Very Low (0-1,499 Grams)	1.1	*	*	*	-0-	*	*	1.2	-0-	-0-
	Low (0-2,499 Grams)	8.3	14.1	8.0	8.9	*	*	*	8.2	*	-0-
Caesarian Section	Primary	12.5	18.8	12.5	12.2	9.0	*	*	12.6	*	*
	Secondary	10.7	*	8.7	10.0	20.6	*	*	10.5	*	*
Trimester Prenatal Care Began	First	85.5	75.0	81.6	91.9	91.0	*	*	85.9	*	*
	Third or No Care	1.1	0.5	*	-0-	*	-0-	-0-	1.1	*	*
First Birth		31.9	69.5	36.0	28.1	14.8	*	-0-	32.3	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Bond County - 2001

Population Estimates	
Total	17,600
Under 65 Years	15,060
65 and Older	2,540

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	174	1	--	--	--	2	4	8	23	30	42	64	
Male	80	1	--	--	--	1	2	6	12	21	20	17	
Female	94	--	--	--	--	1	2	2	11	9	22	47	
Black	7	--	--	--	--	--	1	1	--	2	1	2	
Male	5	--	--	--	--	--	1	1	--	1	1	1	
Female	2	--	--	--	--	--	--	--	--	1	--	1	
White	167	1	--	--	--	2	3	7	23	28	41	62	
Male	75	1	--	--	--	1	1	5	12	20	19	16	
Female	92	--	--	--	--	1	2	2	11	8	22	46	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	--	1	--	
Male	1	--	--	--	--	--	--	--	--	--	1	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	174	7	167	--	1		38	136			988.6	996.2	252.3	5,354.3
5-Year Average (1997-2001)	176	5	170	<1	1		34	141			1,029.3	N.A.	237.8	5,284.0
# Infectious and parasitic diseases	5	--	5	--	--		2	3		*	19.1	*	*	*
# Septicemia	3	--	3	--	--		1	2		*	*	*	*	*
# Viral hepatitis	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
# HIV disease	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
# Malignant neoplasms	40	3	37	--	1		11	29		227.3	198.5	73.0	1,141.7	
Lip, oral cavity and pharynx	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
Colorectal	1	--	1	--	--		1	--		*	*	*	-0-	-0-
Bronchus and lung	11	1	10	--	--		4	7		62.5	57.3	*	*	*
Female breast	1	--	1	--	--		1	--		* ³	* ³	* ³	-0- ³	-0- ³
Cervical	--	--	--	--	--		--	--		-0- ³	-0- ³	-0- ³	-0- ³	-0- ³
Prostate	6	1	5	--	--		--	6		* ³	* ³	-0- ³	* ³	* ³
# Diabetes mellitus	9	--	9	--	--		3	6		*	24.8	*	*	*
# Alzheimer's disease	11	--	11	--	--		1	10		62.5	82.1	*	393.7	
Major cardiovascular diseases	57	2	55	--	--		8	49		323.9	364.5	*	1,929.1	
# Diseases of heart	46	2	44	--	--		8	38		261.4	259.5	*	1,496.1	
Ischemic heart disease	29	1	28	--	--		7	22		164.8	185.1	*	866.1	
# Cerebrovascular diseases	8	--	8	--	--		--	8		*	70.6	-0-	*	*
# Atherosclerosis	1	--	1	--	--		--	1		*	*	-0-	*	*
# Aortic aneurysm and dissection	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
Respiratory diseases	24	1	23	--	--		3	21		136.4	110.7	*	826.8	
# Influenza and pneumonia	7	1	6	--	--		--	7		*	40.1	-0-	*	*
# Chronic lower resp. diseases	11	--	11	--	--		2	9		62.5	47.7	*	*	*
Emphysema	2	--	2	--	--		--	2		*	*	-0-	*	*
Asthma	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	2	--	2	--	--		2	--		*	*	*	-0-	-0-
# Nephritis, nephrotic syn. & nephrosis	5	--	5	--	--		--	5		*	34.4	-0-	*	*
# Certain perinatal conditions	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
# Congenital malformations	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
SIDS	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
External causes	4	--	4	--	--		2	2		*	47.7	*	*	*
# Accidents	3	--	3	--	--		2	1		*	34.4	*	*	*
Motor vehicle accidents	1	--	1	--	--		1	--		*	*	*	-0-	-0-
All other accidents	2	--	2	--	--		1	1		*	19.1	*	*	*
# Suicide	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
# Homicide	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Boone County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	629	68	147	169	168	59	18	622	5	185
Sex	Male	309	31	67	92	79	30	10	304	4	89
	Female	320	37	80	77	89	29	8	318	1	96
Race	White	622	68	143	169	165	59	18			
	Black	5	--	3	--	2	--	--			
Ethnicity	Hispanic ¹	185	28	62	53	29	7	6			
Multiple Births		25	--	--	4	15	4	2	25	--	2
Marital Status	Married	439	17	74	130	147	54	17	434	3	118
	Single	190	51	73	39	21	5	1	188	2	67
Mother Not High School Graduate		178	44	59	39	27	3	6	177	1	121
Birthweight	Very Low (0-1,499 Grams)	8	1	--	--	7	--	--	8	--	--
	Low (0-2,499 Grams)	44	7	8	8	15	5	1	44	--	9
Caesarian Section	Primary	86	13	15	23	27	5	3	86	--	17
	Secondary	73	--	13	12	30	14	4	72	1	15
Trimester Prenatal Care Began	First	490	35	106	137	150	48	14	483	5	114
	Third or No Care	27	8	7	5	2	4	1	27	--	18
First Birth		175	52	54	44	23	1	1	174	--	60
2001 Percentages²											
Live Births	Total	100.0	10.8	23.4	26.9	26.7	9.4	2.9	98.9	*	29.4
Sex	Male	49.1	*	45.6	54.4	47.0	*	*	48.9	*	48.1
	Female	50.9	*	54.4	45.6	53.0	*	*	51.1	*	51.9
Race	White	98.9	*	97.3	100.0	98.2	*	*			
	Black	*	-0-	*	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	29.4	*	42.2	31.4	17.3	*	*			
Multiple Births		4.0	-0-	-0-	*	8.9	*	*	4.0	-0-	*
Marital Status	Married	69.8	*	50.3	76.9	87.5	*	*	69.8	*	63.8
	Single	30.2	*	49.7	23.1	12.5	*	*	30.2	*	36.2
Mother Not High School Graduate		28.3	*	40.1	23.1	16.1	*	*	28.5	*	65.4
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	-0-	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.0	*	*	*	8.9	*	*	7.1	-0-	*
Caesarian Section	Primary	13.7	*	10.2	13.6	16.1	*	*	13.8	-0-	9.2
	Secondary	11.6	-0-	8.8	7.1	17.9	*	*	11.6	*	8.1
Trimester Prenatal Care Began	First	78.8	*	72.1	82.5	90.4	*	*	78.5	*	62.3
	Third or No Care	4.3	*	*	*	*	*	*	4.4	-0-	9.8
First Birth		27.8	*	36.7	26.0	13.7	*	*	28.0	-0-	32.4
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	11.8	23.4	29.9	23.4	9.7	1.7	97.8	1.1	24.5
Sex	Male	50.2	49.1	49.5	53.4	45.3	54.6	*	50.5	*	51.6
	Female	49.8	50.9	50.5	46.6	54.7	45.4	*	49.5	*	48.4
Race	White	97.8	98.0	98.4	97.8	97.3	97.9	*			
	Black	1.1	*	*	1.2	*	*	*			
Ethnicity	Hispanic ¹	24.5	36.3	36.2	21.8	14.7	14.3	*			
Multiple Births		3.2	-0-	1.5	3.2	4.6	6.8	*	3.1	*	1.8
Marital Status	Married	72.0	20.2	53.6	83.8	91.9	91.4	*	72.1	*	62.9
	Single	28.0	79.8	46.4	16.2	8.1	8.6	*	27.9	*	37.1
Mother Not High School Graduate		26.4	67.8	36.4	18.3	12.1	12.2	*	26.6	*	64.2
Birthweight	Very Low (0-1,499 Grams)	1.1	*	*	*	2.7	*	-0-	1.2	-0-	*
	Low (0-2,499 Grams)	5.9	5.6	5.0	5.1	7.6	7.1	*	5.9	*	4.7
Caesarian Section	Primary	12.0	11.4	11.4	10.9	13.9	12.5	*	12.0	*	10.8
	Secondary	9.6	*	7.1	8.0	14.2	19.3	*	9.7	*	7.1
Trimester Prenatal Care Began	First	80.9	62.9	76.4	84.4	88.0	86.4	*	81.0	*	65.4
	Third or No Care	3.9	9.2	5.6	2.6	1.8	*	*	4.0	-0-	8.3
First Birth		29.4	75.4	37.7	24.1	15.6	7.9	*	29.6	*	35.1

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Boone County - 2001

Population Estimates	
Total	43,600
Under 65 Years	38,980
65 and Older	4,620

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	293	3	1	--	1	2	12	16	27	65	82	84	
Male	140	2	1	--	1	2	7	11	19	40	34	23	
Female	153	1	--	--	--	--	5	5	8	25	48	61	
Black	1	--	--	--	--	--	1	--	--	--	--	--	
Male	1	--	--	--	--	--	1	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	291	3	1	--	1	2	11	16	27	65	81	84	
Male	139	2	1	--	1	2	6	11	19	40	34	23	
Female	152	1	--	--	--	--	5	5	8	25	47	61	
All other races	1	--	--	--	--	--	--	--	--	--	1	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	--	--	1	--	
Hispanic ethnicity ¹	6	1	--	--	--	--	--	1	--	--	4	--	
Male	3	1	--	--	--	--	--	1	--	--	1	--	
Female	3	--	--	--	--	--	--	--	--	--	3	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	293	1	291	1	6	62	231	672.0	729.7	159.1	5,000.0		
5-Year Average (1997-2001)	296	<1	294	1	9	66	229	773.4	N.A.	194.3	5,530.4		
# Infectious and parasitic diseases	5	--	5	--	--	1	4	*	10.3	*	*		*
# Septicemia	3	--	3	--	--	--	3	*	*	-0-	*		*
# Viral hepatitis	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# Malignant neoplasms	68	1	66	1	1	20	48	156.0	173.3	51.3	1,039.0		
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
Colorectal	12	--	12	--	--	3	9	27.5	25.4	*	*		*
Bronchus and lung	20	--	19	1	--	3	17	45.9	38.2	*	368.0		*
Female breast	5	--	5	--	--	2	3	³ 13.5	³ 13.5	³ *	³ 368.0		³ *
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³		-0- ³
Prostate	5	--	5	--	--	--	5	³ 15.1	³ 15.1	-0- ³	³ *		³ *
# Diabetes mellitus	10	--	10	--	--	1	9	22.9	25.4	*	*		*
# Alzheimer's disease	4	--	4	--	--	--	4	*	20.7	-0-	*		*
Major cardiovascular diseases	119	--	119	--	2	18	101	272.9	294.1	46.2	2,186.1		
# Diseases of heart	90	--	90	--	2	12	78	206.4	239.3	30.8	1,688.3		
Ischemic heart disease	65	--	65	--	1	9	56	149.1	166.1	*	1,212.1		*
# Cerebrovascular diseases	21	--	21	--	--	3	18	48.2	39.7	*	389.6		*
# Atherosclerosis	2	--	2	--	--	--	2	*	*	-0-	*		*
# Aortic aneurysm and dissection	3	--	3	--	--	2	1	*	*	*	*		*
Respiratory diseases	39	--	39	--	--	2	37	89.4	65.2	*	800.9		
# Influenza and pneumonia	10	--	10	--	--	--	10	22.9	16.7	-0-	216.5		
# Chronic lower resp. diseases	21	--	21	--	--	2	19	48.2	35.8	*	411.3		
Emphysema	6	--	6	--	--	--	6	*	10.3	-0-	*		*
Asthma	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# Chronic liver disease and cirrhosis	2	--	2	--	--	2	--	*	*	*	-0-		-0-
# Nephritis, nephrotic syn. & nephrosis	6	--	6	--	--	1	5	*	16.7	*	*		*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Congenital malformations	2	--	2	--	--	2	--	*	*	*	-0-		-0-
SIDS	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
External causes	15	--	15	--	1	10	5	34.4	42.9	25.7	*		*
# Accidents	14	--	14	--	--	10	4	32.1	36.6	25.7	*		*
Motor vehicle accidents	6	--	6	--	--	6	--	*	18.3	*	-0-		-0-
All other accidents	8	--	8	--	--	4	4	*	18.3	*	*		*
# Suicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Homicide	1	--	1	--	1	--	1	*	*	-0-	*		*

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Brown County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	57	12	15	17	9	3	1	57	--	1
Sex	Male	31	6	9	6	7	2	1	31	--	--
	Female	26	6	6	11	2	1	--	26	--	1
Race	White	57	12	15	17	9	3	1			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	1	--	--	--	--			
Multiple Births		--	--	--	--	--	--	--	--	--	--
Marital Status	Married	36	2	6	16	8	3	1	36	--	1
	Single	21	10	9	1	1	--	--	21	--	--
Mother Not High School Graduate		14	9	2	--	2	1	--	14	--	1
Birthweight	Very Low (0-1,499 Grams)	1	1	--	--	--	--	--	1	--	--
	Low (0-2,499 Grams)	1	1	--	--	--	--	--	1	--	--
Caesarian Section	Primary	6	2	2	1	1	--	--	6	--	--
	Secondary	5	--	1	2	2	--	--	5	--	--
Trimester Prenatal	First	46	8	11	16	8	2	1	46	--	--
Care Began	Third or No Care	1	--	1	--	--	--	--	1	--	--
First Birth		25	9	10	5	1	--	--	25	--	1
2001 Percentages ²											
Live Births	Total	*	*	*	*	*	*	*	*	-0-	*
Sex	Male	*	*	*	*	*	*	*	*	-0-	-0-
	Female	*	*	*	*	*	*	-0-	*	-0-	*
Race	White	*	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	-0-	-0-	-0-			
Multiple Births		-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Marital Status	Married	*	*	*	*	*	*	*	*	-0-	*
	Single	*	*	*	*	*	-0-	-0-	*	-0-	-0-
Mother Not High School Graduate		*	*	*	-0-	*	*	-0-	*	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
Caesarian Section	Primary	*	*	*	*	*	-0-	-0-	*	-0-	-0-
	Secondary	*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
Trimester Prenatal	First	*	*	*	*	*	*	*	*	-0-	-0-
Care Began	Third or No Care	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First Birth		*	*	*	*	*	-0-	-0-	*	-0-	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	12.7	30.4	30.1	19.9	6.5	*	99.3	-0-	*
Sex	Male	50.4	*	*	*	*	*	*	50.4	-0-	-0-
	Female	49.6	*	*	*	*	*	-0-	49.6	-0-	*
Race	White	99.3	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	*	-0-	-0-			
Multiple Births		*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	72.8	*	*	*	*	*	*	73.0	-0-	*
	Single	27.2	*	*	*	*	*	-0-	27.0	-0-	-0-
Mother Not High School Graduate		15.2	*	*	*	*	*	-0-	15.3	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	*	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.5	*	*	*	-0-	*	-0-	6.6	-0-	-0-
Caesarian Section	Primary	13.0	*	*	*	*	*	-0-	12.8	-0-	-0-
	Secondary	6.9	-0-	*	*	*	*	-0-	6.9	-0-	-0-
Trimester Prenatal	First	77.1	*	*	*	*	*	*	76.9	-0-	*
Care Began	Third or No Care	*	*	*	-0-	*	-0-	-0-	*	-0-	-0-
First Birth		34.1	*	*	*	*	*	-0-	34.3	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Brown County - 2001

Population Estimates	
Total	6,900
Under 65 Years	6,020
65 and Older	880

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	47	--	--	--	--	--	1	--	1	8	11	26
Male	19	--	--	--	--	--	1	--	1	5	6	6
Female	28	--	--	--	--	--	--	--	--	3	5	20
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	47	--	--	--	--	--	1	--	1	8	11	26
Male	19	--	--	--	--	--	1	--	1	5	6	6
Female	28	--	--	--	--	--	--	--	--	3	5	20
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	47	--	47	--	--		2	45			681.2	809.8	*	5,113.6
5-Year Average (1997-2001)	55	<1	54	--	--		5	50			829.8	N.A.	81.2	5,470.5
Infectious and parasitic diseases	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Septicemia	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Viral hepatitis	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# HIV disease	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# Malignant neoplasms	12	--	12	--	--		2	10			173.9	180.5	*	1,136.4
Lip, oral cavity and pharynx	--	--	--	--	--		--	--			-0-	*	-0-	-0-
Colorectal	3	--	3	--	--		2	1			*	*	*	*
Bronchus and lung	5	--	5	--	--		--	5			*	48.8	-0-	*
Female breast	--	--	--	--	--		--	--			-0- ³	* ³	-0- ³	-0- ³
Cervical	--	--	--	--	--		--	--			-0- ³	-0- ³	-0- ³	-0- ³
Prostate	--	--	--	--	--		--	--			-0- ³	* ³	-0- ³	-0- ³
# Diabetes mellitus	1	--	1	--	--		--	1			*	*	-0-	*
# Alzheimer's disease	2	--	2	--	--		--	2			*	*	-0-	*
Major cardiovascular diseases	25	--	25	--	--		--	25			362.3	434.1	-0-	2,840.9
# Diseases of heart	17	--	17	--	--		--	17			246.4	302.4	-0-	1,931.8
Ischemic heart disease	14	--	14	--	--		--	14			202.9	248.8	-0-	1,590.9
# Cerebrovascular diseases	5	--	5	--	--		--	5			*	112.2	-0-	*
# Atherosclerosis	2	--	2	--	--		--	2			*	*	-0-	*
# Aortic aneurysm and dissection	1	--	1	--	--		--	1			*	*	-0-	*
Respiratory diseases	5	--	5	--	--		--	5			*	87.8	-0-	*
# Influenza and pneumonia	3	--	3	--	--		--	3			*	48.8	-0-	*
# Chronic lower resp. diseases	2	--	2	--	--		--	2			*	*	-0-	*
Emphysema	--	--	--	--	--		--	--			-0-	*	-0-	-0-
Asthma	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Nephritis, nephrotic syn. & nephrosis	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# Certain perinatal conditions	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# Congenital malformations	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
SIDS	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
External causes	1	--	1	--	--		--	1			*	*	-0-	*
# Accidents	1	--	1	--	--		--	1			*	*	-0-	*
Motor vehicle accidents	1	--	1	--	--		--	1			*	*	-0-	*
All other accidents	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Suicide	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Homicide	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Bureau County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	420	55	119	122	76	38	10	413	4	46
Sex	Male	204	28	59	64	30	18	5	201	2	27
	Female	216	27	60	58	46	20	5	212	2	19
Race	White	413	54	117	119	75	38	10			
	Black	4	1	2	1	--	--	--			
Ethnicity	Hispanic ¹	46	5	12	15	9	4	1			
Multiple Births		12	2	--	6	4	--	--	12	--	--
Marital Status	Married	282	10	58	99	69	36	10	277	2	32
	Single	138	45	61	23	7	2	--	136	2	14
Mother Not High School Graduate		76	31	24	11	3	5	2	75	1	25
Birthweight	Very Low (0-1,499 Grams)	3	--	--	2	1	--	--	3	--	--
	Low (0-2,499 Grams)	19	2	5	6	6	--	--	18	--	2
Caesarian Section	Primary	62	10	14	25	9	2	2	60	1	6
	Secondary	53	2	9	14	16	10	2	51	1	6
Trimester Prenatal Care Began	First	367	44	100	110	72	33	8	361	4	35
	Third or No Care	8	3	2	2	--	1	--	8	--	1
First Birth		126	42	46	28	8	2	--	123	2	14
2001 Percentages ²											
Live Births	Total	100.0	13.1	28.3	29.0	18.1	9.0	2.4	98.3	*	11.0
Sex	Male	48.6	*	49.6	52.5	*	*	*	48.7	*	*
	Female	51.4	*	50.4	47.5	*	*	*	51.3	*	*
Race	White	98.3	*	98.3	97.5	*	*	*			
	Black	*	*	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	11.0	*	10.1	12.3	*	*	*			
Multiple Births		2.9	*	-0-	*	*	-0-	-0-	2.9	-0-	-0-
Marital Status	Married	67.1	*	48.7	81.1	*	*	*	67.1	*	*
	Single	32.9	*	51.3	18.9	*	*	-0-	32.9	*	*
Mother Not High School Graduate		18.2	*	20.2	9.0	*	*	*	18.2	*	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	-0-	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	4.5	*	*	*	*	-0-	-0-	4.4	-0-	*
Caesarian Section	Primary	14.8	*	11.8	20.5	*	*	*	14.5	*	*
	Secondary	12.6	*	*	11.5	*	*	*	12.3	*	*
Trimester Prenatal Care Began	First	90.2	*	84.7	94.0	*	*	*	90.3	*	*
	Third or No Care	*	*	*	*	-0-	*	-0-	*	-0-	*
First Birth		30.0	*	38.7	23.0	*	*	-0-	29.8	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	12.5	27.4	28.7	20.1	9.3	1.8	98.5	0.6	10.5
Sex	Male	51.3	55.0	47.9	52.6	53.9	45.0	*	51.2	*	56.0
	Female	48.7	45.0	52.1	47.4	46.1	55.0	*	48.8	*	44.0
Race	White	98.5	97.7	98.4	98.3	98.8	99.5	*			
	Black	0.6	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	10.5	13.6	11.9	9.6	8.5	8.9	*			
Multiple Births		3.0	*	1.8	3.4	4.8	*	-0-	3.1	-0-	-0-
Marital Status	Married	71.9	22.5	59.9	84.1	90.3	91.6	*	72.0	*	67.6
	Single	28.1	77.5	40.1	15.9	9.7	8.4	*	28.0	*	32.4
Mother Not High School Graduate		16.7	54.1	17.6	8.8	7.0	10.5	*	16.6	*	51.6
Birthweight	Very Low (0-1,499 Grams)	1.0	*	*	*	*	*	-0-	1.0	-0-	*
	Low (0-2,499 Grams)	5.2	6.6	5.0	4.7	5.1	6.3	*	5.1	-0-	*
Caesarian Section	Primary	14.4	13.6	14.7	14.7	15.0	11.0	*	14.4	*	13.0
	Secondary	10.8	*	6.7	11.2	14.7	22.0	*	10.7	*	11.1
Trimester Prenatal Care Began	First	89.5	81.0	84.8	94.0	93.6	92.1	*	89.5	*	78.5
	Third or No Care	2.5	0.7	3.0	*	*	*	*	2.5	-0-	5.6
First Birth		32.7	70.9	41.5	27.4	17.6	9.4	*	32.7	*	34.3

¹ Hispanic ethnicity may be of any race. ² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Bureau County - 2001

Population Estimates	
Total	35,300
Under 65 Years	29,090
65 and Older	6,210

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	379	--	1	--	1	3	11	15	36	58	127	127	
Male	173	--	1	--	--	2	8	9	19	31	60	43	
Female	206	--	--	--	1	1	3	6	17	27	67	84	
Black	1	--	--	--	--	--	--	--	--	--	1	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	--	--	1	--	
White	378	--	1	--	1	3	11	15	36	58	126	127	
Male	173	--	1	--	--	2	8	9	19	31	60	43	
Female	205	--	--	--	1	1	3	6	17	27	66	84	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	4	--	--	--	--	--	--	--	1	1	2	--	
Male	2	--	--	--	--	--	--	--	1	--	1	--	
Female	2	--	--	--	--	--	--	--	--	1	1	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	379	1	378	--	4	67	312	1,073.7	1,154.7	230.3	5,024.2		
5-Year Average (1997-2001)	400	<1	399	<1	6	65	335	1,131.2	N.A.	223.7	5,175.9		
# Infectious and parasitic diseases	5	--	5	--	1	2	3	*	18.9	*	*		*
# Septicemia	4	--	4	--	1	1	3	*	15.1	*	*		*
# Viral hepatitis	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Malignant neoplasms	101	--	101	--	1	26	75	286.1	283.0	89.4	1,207.7		
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	*	-0-		
Colorectal	13	--	13	--	--	3	10	36.8	25.5	*	161.0		
Bronchus and lung	30	--	30	--	1	10	20	85.0	80.2	34.4	322.1		
Female breast	5	--	5	--	--	1	4	* ³	22.6 ³	* ³	* ³		* ³
Cervical	1	--	1	--	--	1	--	* ³	* ³	* ³	-0- ³		-0- ³
Prostate	5	--	5	--	--	--	5	* ³	16.0 ³	-0- ³	* ³		* ³
# Diabetes mellitus	11	--	11	--	--	1	10	31.2	31.1	*	161.0		
# Alzheimer's disease	7	--	7	--	--	--	7	*	17.9	-0-	*		
Major cardiovascular diseases	152	1	151	--	2	16	136	430.6	490.6	55.0	2,190.0		
# Diseases of heart	112	1	111	--	--	15	97	317.3	370.8	51.6	1,562.0		
Ischemic heart disease	78	1	77	--	--	11	67	221.0	261.3	37.8	1,078.9		
# Cerebrovascular diseases	28	--	28	--	1	--	28	79.3	77.4	-0-	450.9		
# Atherosclerosis	5	--	5	--	--	--	5	*	22.6	-0-	*		
# Aortic aneurysm and dissection	3	--	3	--	1	--	3	*	12.3	-0-	*		
Respiratory diseases	25	--	25	--	--	4	21	70.8	93.4	*	338.2		
# Influenza and pneumonia	11	--	11	--	--	2	9	31.2	31.1	*	*		*
# Chronic lower resp. diseases	11	--	11	--	--	1	10	31.2	46.2	*	161.0		
Emphysema	1	--	1	--	--	--	1	*	*	-0-	*		*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# Chronic liver disease and cirrhosis	4	--	4	--	--	2	2	*	11.3	*	*		*
# Nephritis, nephrotic syn. & nephrosis	8	--	8	--	--	--	8	*	17.9	-0-	*		*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Congenital malformations	1	--	1	--	--	1	--	*	*	*	-0-		-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
External causes	14	--	14	--	--	10	4	39.7	43.4	34.4	*		*
# Accidents	9	--	9	--	--	7	2	*	31.1	*	*		*
Motor vehicle accidents	3	--	3	--	--	2	1	*	14.2	*	*		*
All other accidents	6	--	6	--	--	5	1	*	17.0	*	*		*
# Suicide	4	--	4	--	--	3	1	*	10.4	*	*		*
# Homicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Calhoun County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	49	4	7	17	17	3	1	49	--	--
Sex	Male	32	3	5	10	12	2	--	32	--	--
	Female	17	1	2	7	5	1	1	17	--	--
Race	White	49	4	7	17	17	3	1			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		--	--	--	--	--	--	--	--	--	--
Marital Status	Married	36	1	3	13	16	2	1	36	--	--
	Single	13	3	4	4	1	1	--	13	--	--
Mother Not High School Graduate		3	2	--	--	1	--	--	3	--	--
Birthweight	Very Low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	3	--	--	1	2	--	--	3	--	--
Caesarian Section	Primary	6	1	2	2	--	1	--	6	--	--
	Secondary	5	--	--	1	4	--	--	5	--	--
Trimester Prenatal Care Began	First	44	4	7	14	15	3	1	44	--	--
	Third or No Care	--	--	--	--	--	--	--	--	--	--
First Birth		14	4	5	3	2	--	--	14	--	--
2001 Percentages ²											
Live Births	Total	*	*	*	*	*	*	*	*	-0-	-0-
Sex	Male	*	*	*	*	*	*	-0-	*	-0-	-0-
	Female	*	*	*	*	*	*	*	*	-0-	-0-
Race	White	*	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Marital Status	Married	*	*	*	*	*	*	*	*	-0-	-0-
	Single	*	*	*	*	*	*	-0-	*	-0-	-0-
Mother Not High School Graduate		*	*	-0-	-0-	*	-0-	-0-	*	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	*	-0-	-0-	*	*	-0-	-0-	*	-0-	-0-
Caesarian Section	Primary	*	*	*	*	-0-	*	-0-	*	-0-	-0-
	Secondary	*	-0-	-0-	*	*	-0-	-0-	*	-0-	-0-
Trimester Prenatal Care Began	First	*	*	*	*	*	*	*	*	-0-	-0-
	Third or No Care	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
First Birth		*	*	*	*	*	-0-	-0-	*	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	8.7	22.8	37.3	21.6	8.7	*	100.0	-0-	*
Sex	Male	53.1	*	*	*	*	*	*	53.1	-0-	-0-
	Female	46.9	*	*	*	*	*	*	46.9	-0-	*
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple Births		*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	79.7	*	*	*	*	*	*	79.7	-0-	*
	Single	20.3	*	*	*	*	*	-0-	20.3	-0-	-0-
Mother Not High School Graduate		7.9	*	*	*	*	-0-	-0-	7.9	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	-0-	-0-	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.0	*	*	*	*	*	-0-	5.0	-0-	-0-
Caesarian Section	Primary	17.0	*	*	*	*	*	-0-	17.0	-0-	-0-
	Secondary	10.0	-0-	*	*	*	*	-0-	10.0	-0-	-0-
Trimester Prenatal Care Began	First	92.1	*	*	*	*	*	*	92.1	-0-	-0-
	Third or No Care	*	0.0	-0-	-0-	-0-	*	-0-	*	-0-	-0-
First Birth		31.1	*	*	*	*	*	-0-	31.1	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Calhoun County - 2001

Population Estimates	
Total	5,100
Under 65 Years	4,140
65 and Older	960

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	74	--	1	--	2	1	2	3	7	14	24	20	
Male	36	--	--	--	1	1	1	3	3	5	13	9	
Female	38	--	1	--	1	--	1	--	4	9	11	11	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	74	--	1	--	2	1	2	3	7	14	24	20	
Male	36	--	--	--	1	1	1	3	3	5	13	9	
Female	38	--	1	--	1	--	1	--	4	9	11	11	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity	Age								
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age				
								2001	1999 - 2001	0-64	65+			
All Causes - Current Year	74	--	74	--	--	16	58	1,451.0	1,386.7	386.5	6,041.7			
5-Year Average (1997-2001)	68	<1	68	--	--	11	57	1,403.3	N.A.	296.1	5,623.8			
Infectious and parasitic diseases	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Septicemia	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Malignant neoplasms	23	--	23	--	--	6	17	451.0	360.0	*	1,770.8			
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
Colorectal	4	--	4	--	--	2	2	*	66.7	*	*			
Bronchus and lung	7	--	7	--	--	2	5	*	86.7	*	*			
Female breast	2	--	2	--	--	1	1	* ³	* ³	* ³	* ³			
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³			
Prostate	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³			
# Diabetes mellitus	1	--	1	--	--	--	1	*	*	-0-	*			
# Alzheimer's disease	3	--	3	--	--	--	3	*	*	-0-	*			
Major cardiovascular diseases	34	--	34	--	--	4	30	666.7	720.0	*	3,125.0			
# Diseases of heart	28	--	28	--	--	4	24	549.0	620.0	*	2,500.0			
Ischemic heart disease	21	--	21	--	--	3	18	411.8	506.7	*	1,875.0			
# Cerebrovascular diseases	5	--	5	--	--	--	5	*	*	-0-	*			
# Atherosclerosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*			
Respiratory diseases	2	--	2	--	--	1	1	*	106.7	*	*			
# Influenza and pneumonia	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Chronic lower resp. diseases	2	--	2	--	--	1	1	*	66.7	*	*			
Emphysema	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Nephritis, nephrotic syn. & nephrosis	1	--	1	--	--	--	1	*	*	-0-	*			
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Congenital malformations	1	--	1	--	--	--	1	*	*	-0-	*			
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
External causes	4	--	4	--	--	4	--	*	*	*	-0-			
# Accidents	3	--	3	--	--	3	--	*	*	*	-0-			
Motor vehicle accidents	3	--	3	--	--	3	--	*	*	*	-0-			
All other accidents	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Suicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Carroll County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	147	18	43	40	32	9	5	145	2	3
Sex	Male	85	10	22	26	18	5	4	84	1	3
	Female	62	8	21	14	14	4	1	61	1	--
Race	White	145	18	42	39	32	9	5			
	Black	2	--	1	1	--	--	--			
Ethnicity	Hispanic ¹	3	--	2	1	--	--	--			
Multiple Births		4	--	--	2	--	--	2	4	--	--
Marital Status	Married	107	5	30	30	30	8	4	106	1	2
	Single	40	13	13	10	2	1	1	39	1	1
Mother Not High School Graduate		20	7	7	3	2	1	--	20	--	2
Birthweight	Very Low (0-1,499 Grams)	3	--	2	1	--	--	--	3	--	--
	Low (0-2,499 Grams)	9	2	3	2	--	--	2	9	--	--
Caesarian Section	Primary	23	4	5	6	4	--	4	22	1	--
	Secondary	15	1	2	3	7	2	--	15	--	--
Trimester Prenatal Care Began	First	121	11	35	35	27	8	5	120	1	2
	Third or No Care	5	1	3	1	--	--	--	5	--	--
First Birth		43	11	12	11	8	--	1	42	1	--
2001 Percentages²											
Live Births	Total	100.0	12.2	29.3	27.2	21.8	*	*	98.6	*	*
Sex	Male	57.8	*	*	*	*	*	*	57.9	*	*
	Female	42.2	*	*	*	*	*	*	42.1	*	-0-
Race	White	98.6	*	*	*	*	*	*			
	Black	*	-0-	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	-0-	-0-	-0-			
Multiple Births		*	-0-	-0-	*	-0-	-0-	*	*	-0-	-0-
Marital Status	Married	72.8	*	*	*	*	*	*	73.1	*	*
	Single	27.2	*	*	*	*	*	*	26.9	*	*
Mother Not High School Graduate		13.6	*	*	*	*	*	-0-	13.8	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	-0-	-0-	*	*	-0-	-0-
Caesarian Section	Primary	15.6	*	*	*	*	-0-	*	15.2	*	-0-
	Secondary	10.2	*	*	*	*	*	-0-	10.3	-0-	-0-
Trimester Prenatal Care Began	First	83.4	*	*	*	*	*	*	83.9	*	*
	Third or No Care	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
First Birth		29.3	*	*	*	*	-0-	-0-	29.0	*	-0-
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	12.8	25.6	29.7	20.3	9.6	2.0	98.5	*	2.3
Sex	Male	54.8	55.5	53.6	55.3	52.9	*	*	54.8	*	*
	Female	45.2	44.5	46.4	44.7	47.1	*	*	45.2	*	*
Race	White	98.5	99.1	98.6	98.0	98.3	*	*			
	Black	*	*	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	2.3	*	*	*	*	-0-	-0-			
Multiple Births		3.6	-0-	*	4.3	5.7	*	*	3.7	-0-	-0-
Marital Status	Married	72.5	21.8	64.5	85.5	87.4	*	*	72.7	*	*
	Single	27.5	78.2	35.5	14.5	12.6	*	*	27.3	*	*
Mother Not High School Graduate		12.8	48.2	15.5	4.3	*	*	-0-	12.7	*	*
Birthweight	Very Low (0-1,499 Grams)	2.1	*	*	*	*	*	-0-	2.1	-0-	*
	Low (0-2,499 Grams)	7.1	11.8	5.0	6.3	7.5	*	*	7.0	-0-	*
Caesarian Section	Primary	15.5	15.5	11.8	15.7	17.2	*	*	15.4	*	-0-
	Secondary	8.7	*	*	9.8	13.2	*	*	8.9	-0-	*
Trimester Prenatal Care Began	First	87.7	77.1	82.6	90.9	91.9	*	*	87.8	*	*
	Third or No Care	2.6	*	5.0	*	*	-0-	-0-	2.6	-0-	-0-
First Birth		31.1	69.1	35.5	29.4	16.7	*	*	31.2	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Carroll County - 2001

Population Estimates	
Total	16,400
Under 65 Years	13,200
65 and Older	3,200

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	203	2	--	--	--	2	5	11	21	34	57	71	
Male	108	1	--	--	--	2	4	8	15	20	29	29	
Female	95	1	--	--	--	--	1	3	6	14	28	42	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	203	2	--	--	--	2	5	11	21	34	57	71	
Male	108	1	--	--	--	2	4	8	15	20	29	29	
Female	95	1	--	--	--	--	1	3	6	14	28	42	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	2	--	--	--	--	--	--	--	1	1	--	--	
Male	1	--	--	--	--	--	--	--	1	--	--	--	
Female	1	--	--	--	--	--	--	--	--	1	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	203	--	203	--	2	41	162	1,237.8	1,200.8	310.6	5,062.5		
5-Year Average (1997-2001)	199	<1	198	<1	1	39	160	1,181.9	N.A.	287.4	4,920.0		
# Infectious and parasitic diseases	3	--	3	--	--	--	3	*	*	-0-	*		
# Septicemia	3	--	3	--	--	--	3	*	*	-0-	*		
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# Malignant neoplasms	41	--	41	--	2	14	27	250.0	279.1	106.1	843.8		
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
Colorectal	5	--	5	--	--	1	4	*	28.1	*	*		
Bronchus and lung	16	--	16	--	1	9	7	97.6	94.4	*	*		
Female breast	2	--	2	--	--	1	1	* ³	* ³	* ³	* ³		
Cervical	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³		
Prostate	3	--	3	--	--	--	3	* ³	* ³	-0- ³	* ³		
# Diabetes mellitus	5	--	5	--	--	2	3	*	34.1	*	*		
# Alzheimer's disease	5	--	5	--	--	--	5	*	22.1	-0-	*		
Major cardiovascular diseases	97	--	97	--	--	11	86	591.5	534.1	83.3	2,687.5		
# Diseases of heart	75	--	75	--	--	9	66	457.3	419.7	*	2,062.5		
Ischemic heart disease	46	--	46	--	--	6	40	280.5	293.2	*	1,250.0		
# Cerebrovascular diseases	18	--	18	--	--	2	16	109.8	88.4	*	500.0		
# Atherosclerosis	1	--	1	--	--	--	1	*	*	-0-	*		
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*		
Respiratory diseases	21	--	21	--	--	1	20	128.0	112.4	*	625.0		
# Influenza and pneumonia	4	--	4	--	--	--	4	*	36.1	-0-	*		
# Chronic lower resp. diseases	16	--	16	--	--	1	15	97.6	64.3	*	468.8		
Emphysema	1	--	1	--	--	--	1	*	*	-0-	*		
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# Chronic liver disease and cirrhosis	2	--	2	--	--	1	1	*	*	*	*		
# Nephritis, nephrotic syn. & nephrosis	1	--	1	--	--	--	1	*	*	-0-	*		
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	*	-0-		
# Congenital malformations	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
External causes	8	--	8	--	--	7	1	*	56.2	*	*		
# Accidents	1	--	1	--	--	--	1	*	40.2	-0-	*		
Motor vehicle accidents	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
All other accidents	1	--	1	--	--	--	1	*	24.1	-0-	*		
# Suicide	7	--	7	--	--	7	--	*	*	*	-0-		
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Cass County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	215	27	64	64	44	14	2	213	1	58
Sex	Male	108	11	35	34	23	4	1	107	1	28
	Female	107	16	29	30	21	10	1	106	--	30
Race	White	213	27	64	63	43	14	2			
	Black	1	--	--	1	--	--	--			
Ethnicity	Hispanic ¹	58	3	20	21	11	3	--			
Multiple Births		6	--	2	--	4	--	--	6	--	4
Marital Status	Married	127	6	32	44	31	12	2	125	1	28
	Single	88	21	32	20	13	2	--	88	--	30
Mother Not High School Graduate		66	13	25	16	9	3	--	66	--	39
Birthweight	Very Low (0-1,499 Grams)	3	--	2	--	--	--	1	3	--	1
	Low (0-2,499 Grams)	11	--	4	1	4	1	1	11	--	2
Caesarian Section	Primary	25	3	8	7	4	3	--	25	--	8
	Secondary	32	--	11	11	7	1	2	32	--	11
Trimester Prenatal Care Began	First	174	19	49	48	44	12	2	172	1	39
	Third or No Care	6	1	--	5	--	--	--	6	--	4
First Birth		58	19	23	9	6	1	--	58	--	11
2001 Percentages²											
Live Births	Total	100.0	12.6	29.8	29.8	20.5	6.5	*	99.1	*	27.0
Sex	Male	50.2	*	*	*	*	*	*	50.2	*	*
	Female	49.8	*	*	*	*	*	*	49.8	-0-	*
Race	White	99.1	*	*	*	*	*	*			
	Black	*	-0-	-0-	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	27.0	*	*	*	*	*	-0-			
Multiple Births		*	-0-	*	-0-	*	-0-	-0-	*	-0-	*
Marital Status	Married	59.1	*	*	*	*	*	*	58.7	*	*
	Single	40.9	*	*	*	*	*	-0-	41.3	-0-	*
Mother Not High School Graduate		30.7	*	*	*	*	*	-0-	31.0	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	-0-	-0-	-0-	*	*	-0-	*
	Low (0-2,499 Grams)	5.1	-0-	*	*	*	*	*	5.2	-0-	*
Caesarian Section	Primary	11.6	*	*	*	*	*	-0-	11.7	-0-	*
	Secondary	14.9	-0-	*	*	*	*	*	15.0	-0-	*
Trimester Prenatal Care Began	First	81.7	*	*	*	*	*	*	81.5	*	*
	Third or No Care	*	*	-0-	*	-0-	-0-	-0-	*	-0-	*
First Birth		27.0	*	*	*	*	*	-0-	27.2	-0-	*
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	16.1	32.6	28.0	16.1	6.1	*	98.8	*	17.0
Sex	Male	49.3	45.8	50.8	49.8	52.3	*	*	49.5	*	51.5
	Female	50.7	54.2	49.2	50.2	47.7	*	*	50.5	*	48.5
Race	White	98.8	99.4	99.4	98.9	96.1	*	*			
	Black	*	*	-0-	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	17.0	11.6	19.8	18.2	16.1	*	*			
Multiple Births		2.8	*	*	*	6.5	*	-0-	2.8	-0-	*
Marital Status	Married	63.0	16.8	59.1	78.4	80.6	*	*	62.8	*	51.5
	Single	37.0	83.2	40.9	21.6	19.4	*	-0-	37.2	*	48.5
Mother Not High School Graduate		27.4	65.8	28.4	15.6	13.5	*	*	27.4	*	65.0
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	*	-0-	*	*	-0-	*
	Low (0-2,499 Grams)	6.4	*	6.7	5.6	7.1	*	*	6.4	-0-	*
Caesarian Section	Primary	13.8	14.8	12.8	13.4	14.2	*	*	13.7	-0-	13.5
	Secondary	9.8	*	8.9	12.6	12.9	*	*	9.9	-0-	14.1
Trimester Prenatal Care Began	First	76.9	58.8	73.0	81.0	91.6	*	*	76.8	*	58.3
	Third or No Care	4.2	*	4.8	4.5	*	*	-0-	4.3	-0-	9.8
First Birth		34.0	77.4	37.4	24.2	11.0	*	*	34.1	*	29.4

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Cass County - 2001

Population Estimates	
Total	13,600
Under 65 Years	11,450
65 and Older	2,150

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	149	2	--	--	1	1	3	10	14	30	42	46	
Male	68	2	--	--	--	1	2	4	7	16	23	13	
Female	81	--	--	--	1	--	1	6	7	14	19	33	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	149	2	--	--	1	1	3	10	14	30	42	46	
Male	68	2	--	--	--	1	2	4	7	16	23	13	
Female	81	--	--	--	1	--	1	6	7	14	19	33	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	1	1	--	--	--	--	--	--	--	--	--	--	
Male	1	1	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes												
	Race Category				Ethnicity	Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		
								2001	1999 - 2001	0-64	65+	
All Causes - Current Year	149	--	149	--	1	31	118	1,095.6	1,165.0	270.7	5,488.4	
5-Year Average (1997-2001)	159	<1	159	--	1	27	131	1,197.6	N.A.	248.9	5,840.0	
Infectious and parasitic diseases	1	--	1	--	--	--	1	*	*	-0-	*	
# Septicemia	1	--	1	--	--	--	1	*	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# Malignant neoplasms	38	--	38	--	--	12	26	279.4	251.2	104.8	1,209.3	
Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	*	-0-	*	
Colorectal	6	--	6	--	--	1	5	*	41.9	*	*	
Bronchus and lung	8	--	8	--	--	4	4	*	59.1	*	*	
Female breast	2	--	2	--	--	1	1	* ³	* ³	* ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³	
Prostate	3	--	3	--	--	--	3	* ³	* ³	-0- ³	* ³	
# Diabetes mellitus	2	--	2	--	--	1	1	*	*	*	*	
# Alzheimer's disease	5	--	5	--	--	--	5	*	36.9	-0-	*	
Major cardiovascular diseases	69	--	69	--	--	8	61	507.4	541.9	*	2,837.2	
# Diseases of heart	57	--	57	--	--	8	49	419.1	448.3	*	2,279.1	
Ischemic heart disease	35	--	35	--	--	6	29	257.4	330.0	*	1,348.8	
# Cerebrovascular diseases	10	--	10	--	--	--	10	73.5	73.9	-0-	465.1	
# Atherosclerosis	1	--	1	--	--	--	1	*	*	-0-	*	
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
Respiratory diseases	8	--	8	--	--	1	7	*	103.4	*	*	
# Influenza and pneumonia	3	--	3	--	--	--	3	*	29.6	-0-	*	
# Chronic lower resp. diseases	4	--	4	--	--	1	3	*	61.6	*	*	
Emphysema	1	--	1	--	--	--	1	*	*	-0-	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	1	--	1	--	--	--	1	*	*	-0-	*	
# Nephritis, nephrotic syn. & nephrosis	3	--	3	--	--	--	3	*	*	-0-	*	
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	*	-0-	
# Congenital malformations	2	--	2	--	1	2	--	*	*	*	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
External causes	3	--	3	--	--	1	2	*	46.8	*	*	
# Accidents	3	--	3	--	--	1	2	*	29.6	*	*	
Motor vehicle accidents	1	--	1	--	--	1	--	*	*	*	-0-	
All other accidents	2	--	2	--	--	--	2	*	*	-0-	*	
# Suicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-	

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Champaign County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	2,312	214	586	624	584	236	68	1,700	427	123
Sex	Male	1,216	113	289	331	310	137	36	891	223	57
	Female	1,096	101	297	293	274	99	32	809	204	66
Race	White	1,700	119	407	471	448	197	58			
	Black	427	87	163	91	60	22	4			
Ethnicity	Hispanic ¹	123	16	45	30	24	5	3			
Multiple Births		79	--	16	18	23	14	8	67	10	--
Marital Status	Married	1,578	26	270	504	515	201	62	1,311	99	80
	Single	734	188	316	120	69	35	6	389	328	43
Mother Not High School Graduate		253	117	86	33	13	3	1	153	89	45
Birthweight	Very Low (0-1,499 Grams)	35	7	6	6	10	5	1	24	10	2
	Low (0-2,499 Grams)	166	18	48	37	35	19	9	114	44	8
Caesarian Section	Primary	327	41	53	88	97	34	14	254	50	14
	Secondary	202	5	30	45	67	42	13	135	56	12
Trimester Prenatal Care Began	First	1,838	137	456	502	481	202	60	1,399	297	87
	Third or No Care	44	12	12	7	5	8	--	18	21	1
First Birth		777	156	216	219	146	35	5	576	116	54
2001 Percentages ²											
Live Births	Total	100.0	9.3	25.3	27.0	25.3	10.2	2.9	73.5	18.5	5.3
Sex	Male	52.6	52.8	49.3	53.0	53.1	58.1	*	52.4	52.2	46.3
	Female	47.4	47.2	50.7	47.0	46.9	41.9	*	47.6	47.8	53.7
Race	White	73.5	55.6	69.5	75.5	76.7	83.5	*			
	Black	18.5	40.7	27.8	14.6	10.3	9.3	*			
Ethnicity	Hispanic ¹	5.3	7.5	7.7	4.8	4.1	*	*			
Multiple Births		3.4	-0-	2.7	2.9	3.9	5.9	*	3.9	2.3	-0-
Marital Status	Married	68.3	12.1	46.1	80.8	88.2	85.2	*	77.1	23.2	65.0
	Single	31.7	87.9	53.9	19.2	11.8	14.8	*	22.9	76.8	35.0
Mother Not High School Graduate		11.1	56.3	15.0	5.3	2.2	*	*	9.1	21.5	37.5
Birthweight	Very Low (0-1,499 Grams)	1.5	*	*	*	*	*	*	1.4	2.3	*
	Low (0-2,499 Grams)	7.2	8.4	8.2	5.9	6.0	8.1	*	6.7	10.3	*
Caesarian Section	Primary	14.1	19.2	9.0	14.1	16.6	14.4	*	14.9	11.7	11.4
	Secondary	8.7	*	5.1	7.2	11.5	17.8	*	7.9	13.1	9.8
Trimester Prenatal Care Began	First	87.7	70.3	84.9	90.3	91.8	91.4	*	90.4	77.3	82.9
	Third or No Care	2.1	6.2	2.2	*	*	*	-0-	1.2	5.5	*
First Birth		33.6	72.9	36.9	35.1	25.0	14.8	-0-	33.9	27.2	43.9
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	9.6	23.5	29.9	23.9	10.5	2.4	74.6	17.4	3.8
Sex	Male	50.9	50.3	49.3	50.9	52.0	51.9	52.0	50.6	51.1	50.8
	Female	49.1	49.7	50.7	49.1	48.0	48.1	48.0	49.4	48.9	49.2
Race	White	74.6	55.2	69.5	76.7	79.7	82.9	86.0			
	Black	17.4	42.5	26.7	13.3	8.7	7.9	6.6			
Ethnicity	Hispanic ¹	3.8	4.9	5.0	3.6	3.4	2.4	*			
Multiple Births		3.4	*	2.2	3.1	4.5	6.3	7.7	3.8	2.8	*
Marital Status	Married	70.2	12.4	47.9	82.3	89.7	88.4	91.5	78.2	25.7	64.2
	Single	29.8	87.6	52.1	17.7	10.3	11.6	8.5	21.8	74.3	35.8
Mother Not High School Graduate		10.6	50.7	14.5	4.9	2.6	1.8	*	8.4	23.2	29.6
Birthweight	Very Low (0-1,499 Grams)	1.5	3.0	1.5	1.4	1.1	1.6	*	1.3	3.0	*
	Low (0-2,499 Grams)	7.4	10.7	7.6	6.9	5.5	8.9	11.1	6.4	12.9	5.9
Caesarian Section	Primary	13.1	13.3	10.9	12.4	13.6	16.0	23.6	13.3	12.7	12.0
	Secondary	7.2	1.7	4.9	6.4	9.5	13.1	11.8	6.6	11.0	7.5
Trimester Prenatal Care Began	First	88.4	74.1	83.9	91.1	93.8	91.5	87.7	91.4	76.3	79.7
	Third or No Care	2.3	1.0	3.7	1.3	1.0	2.0	*	1.4	5.9	3.1
First Birth		33.1	69.7	37.0	34.4	22.2	16.4	12.2	33.3	27.2	42.1

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Champaign County - 2001

Population Estimates	
Total	179,400
Under 65 Years	161,780
65 and Older	17,620

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	1,241	21	7	7	22	27	43	76	152	197	314	375	
Male	619	13	4	4	15	20	30	44	87	112	163	127	
Female	622	8	3	3	7	7	13	32	65	85	151	248	
Black	133	10	1	1	10	5	8	12	23	20	21	22	
Male	69	5	1	1	6	3	5	9	12	9	12	6	
Female	64	5	--	--	4	2	3	3	11	11	9	16	
White	1,098	11	5	5	11	21	35	63	129	174	291	353	
Male	544	8	3	2	8	16	25	34	75	101	151	121	
Female	554	3	2	3	3	5	10	29	54	73	140	232	
All other races	10	--	1	1	1	1	--	1	--	3	2	--	
Male	6	--	--	1	1	1	--	1	--	2	--	--	
Female	4	--	1	--	--	--	--	--	--	1	2	--	
Hispanic ethnicity ¹	4	1	1	--	--	1	--	--	--	1	--	--	
Male	2	--	1	--	--	--	--	--	--	1	--	--	
Female	2	1	--	--	--	1	--	--	--	--	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	1,241	133	1,098	10	4	355	886	691.8	642.7	219.4	5,028.4		
5-Year Average (1997-2001)	1,096	115	972	10	2	276	820	652.8	N.A.	182.6	4,912.0		
# Infectious and parasitic diseases	36	7	29	--	--	12	24	20.1	14.6	7.4	136.2		
# Septicemia	18	3	15	--	--	3	15	10.0	7.2	*	85.1		
# Viral hepatitis	2	--	2	--	--	--	2	*	*	-0-	*		
# HIV disease	7	3	4	--	--	7	--	*	2.8	*	-0-		
# Malignant neoplasms	321	25	294	2	1	113	208	178.9	159.5	69.8	1,180.5		
# Lip, oral cavity and pharynx	2	--	2	--	--	--	2	*	*	-0-	*		
# Colorectal	21	1	20	--	--	6	15	11.7	14.4	*	85.1		
# Bronchus and lung	94	6	88	--	--	34	60	52.4	42.8	21.0	340.5		
# Female breast	25	2	23	--	--	12	13	13.9 ³	12.9 ³	7.4 ³	73.8 ³		
# Cervical	1	--	1	--	--	1	--	* ³	* ³	* ³	-0- ³		
# Prostate	20	1	19	--	--	--	20	11.1 ³	10.2 ³	-0- ³	113.5 ³		
# Diabetes mellitus	26	6	20	--	--	7	19	14.5	16.3	*	107.8		
# Alzheimer's disease	38	--	38	--	--	1	37	21.2	21.6	*	210.0		
# Major cardiovascular diseases	410	38	367	5	--	70	340	228.5	223.9	43.3	1,929.6		
# Diseases of heart	306	27	276	3	--	58	248	170.6	164.1	35.9	1,407.5		
# Ischemic heart disease	179	15	163	1	--	42	137	99.8	98.2	26.0	777.5		
# Cerebrovascular diseases	81	8	72	1	--	8	73	45.2	42.8	*	414.3		
# Atherosclerosis	4	1	3	--	--	--	4	*	3.8	-0-	*		
# Aortic aneurysm and dissection	10	--	9	1	--	2	8	5.6	5.1	*	*		
# Respiratory diseases	114	10	104	--	--	23	91	63.5	59.8	14.2	516.5		
# Influenza and pneumonia	25	2	23	--	--	2	23	13.9	12.1	*	130.5		
# Chronic lower resp. diseases	57	4	53	--	--	12	45	31.8	33.3	7.4	255.4		
# Emphysema	2	--	2	--	--	--	2	*	3.0	-0-	*		
# Asthma	2	--	2	--	--	--	2	*	*	-0-	*		
# Chronic liver disease and cirrhosis	12	1	11	--	--	11	1	6.7	7.2	6.8	*		
# Nephritis, nephrotic syn. & nephrosis	24	2	22	--	--	2	22	13.4	13.8	*	124.9		
# Certain perinatal conditions	11	7	4	--	--	11	--	6.1	6.1	6.8	-0-		
# Congenital malformations	9	2	7	--	1	9	--	*	4.0	*	-0-		
# SIDS	1	--	1	--	--	1	--	*	*	*	-0-		
# External causes	86	15	68	3	--	57	29	47.9	37.7	35.2	164.6		
# Accidents	61	9	49	3	--	39	22	34.0	25.0	24.1	124.9		
# Motor vehicle accidents	23	1	21	1	--	17	6	12.8	9.7	10.5	*		
# All other accidents	38	8	28	2	--	22	16	21.2	15.3	13.6	90.8		
# Suicide	13	2	11	--	--	10	3	7.2	7.4	6.2	*		
# Homicide	3	2	1	--	--	3	--	*	2.8	*	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Christian County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	396	48	125	118	73	30	2	393	1	3
Sex	Male	215	30	66	64	38	16	1	214	1	2
	Female	181	18	59	54	35	14	1	179	--	1
Race	White	393	48	124	116	73	30	2			
	Black	1	--	1	--	--	--	--			
Ethnicity	Hispanic ¹	3	1	--	--	1	1	--			
Multiple Births		10	--	2	3	4	1	--	10	--	--
Marital Status	Married	262	7	68	96	64	25	2	260	--	2
	Single	134	41	57	22	9	5	--	133	1	1
Mother Not High School Graduate		82	32	31	13	4	2	--	80	1	2
Birthweight	Very Low (0-1,499 Grams)	3	--	--	--	2	1	--	3	--	--
	Low (0-2,499 Grams)	29	5	9	5	8	2	--	29	--	--
Caesarian Section	Primary	55	10	19	14	8	3	1	55	--	--
	Secondary	49	--	10	19	13	7	--	49	--	1
Trimester Prenatal Care Began	First	351	40	104	107	69	30	1	348	1	3
	Third or No Care	9	1	6	--	2	--	--	9	--	--
First Birth		130	42	49	26	12	1	--	129	1	--
2001 Percentages²											
Live Births	Total	100.0	12.1	31.6	29.8	18.4	7.6	*	99.2	*	*
Sex	Male	54.3	*	52.8	54.2	*	*	*	54.5	*	*
	Female	45.7	*	47.2	45.8	*	*	*	45.5	-0-	*
Race	White	99.2	*	99.2	98.3	*	*	*			
	Black	*	-0-	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	-0-	*	*	-0-			
Multiple Births		2.5	-0-	*	*	*	*	-0-	2.5	-0-	-0-
Marital Status	Married	66.2	*	54.4	81.4	*	*	*	66.2	-0-	*
	Single	33.8	*	45.6	18.6	*	*	-0-	33.8	*	*
Mother Not High School Graduate		20.7	*	24.8	11.0	*	*	-0-	20.4	*	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	-0-	-0-	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.3	*	*	*	*	*	-0-	7.4	-0-	-0-
Caesarian Section	Primary	13.9	*	15.2	11.9	*	*	*	14.0	-0-	-0-
	Secondary	12.4	-0-	8.0	16.1	*	*	-0-	12.5	-0-	*
Trimester Prenatal Care Began	First	88.6	*	83.2	90.7	*	*	*	88.5	*	*
	Third or No Care	*	*	*	-0-	*	-0-	-0-	*	-0-	-0-
First Birth		32.8	*	39.2	22.0	*	*	-0-	32.8	*	-0-
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	13.8	30.6	29.6	16.8	7.9	1.2	99.3	*	0.8
Sex	Male	53.0	54.1	53.0	53.5	52.2	50.6	*	53.1	*	*
	Female	47.0	45.9	47.0	46.5	47.8	49.4	*	46.9	*	*
Race	White	99.3	99.6	99.7	99.2	98.5	99.4	*			
	Black	*	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	0.8	*	*	*	*	*	*			
Multiple Births		2.8	*	1.9	2.8	3.5	8.6	-0-	2.9	-0-	-0-
Marital Status	Married	70.3	23.0	60.9	84.0	90.7	93.2	*	70.4	-0-	*
	Single	29.7	77.0	39.1	16.0	9.3	6.8	*	29.6	*	*
Mother Not High School Graduate		18.0	59.0	20.9	8.1	4.1	*	-0-	17.8	*	*
Birthweight	Very Low (0-1,499 Grams)	1.8	*	1.6	*	*	6.8	-0-	1.8	-0-	-0-
	Low (0-2,499 Grams)	8.0	12.0	6.9	5.3	7.9	15.4	*	8.0	-0-	-0-
Caesarian Section	Primary	14.4	20.5	12.3	12.5	14.9	17.9	*	14.5	-0-	*
	Secondary	10.3	*	7.7	12.2	14.6	17.3	*	10.2	*	*
Trimester Prenatal Care Began	First	86.1	81.1	80.4	89.7	92.4	91.3	*	86.1	*	*
	Third or No Care	2.7	4.3	4.6	*	*	-0-	*	2.7	-0-	*
First Birth		30.4	73.1	35.2	20.8	15.7	8.0	*	30.5	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Christian County - 2001

Population Estimates	
Total	35,300
Under 65 Years	29,310
65 and Older	5,990

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	429	3	--	--	2	3	12	12	31	89	124	153	
Male	206	1	--	--	2	3	9	6	18	51	68	48	
Female	223	2	--	--	--	--	3	6	13	38	56	105	
Black	3	--	--	--	--	1	--	--	--	--	--	2	
Male	2	--	--	--	--	1	--	--	--	--	--	1	
Female	1	--	--	--	--	--	--	--	--	--	--	1	
White	426	3	--	--	2	2	12	12	31	89	124	151	
Male	204	1	--	--	2	2	9	6	18	51	68	47	
Female	222	2	--	--	--	--	3	6	13	38	56	104	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	--	1	--	
Male	1	--	--	--	--	--	--	--	--	--	1	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	429	3	426	--	1	63	366	1,215.3	1,227.1	214.9	6,110.2		
5-Year Average (1997-2001)	421	3	419	--	1	78	343	1,189.2	N.A.	267.1	5,517.7		
# Infectious and parasitic diseases	17	--	17	--	--	--	17	48.2	29.2	-0-	283.8		
# Septicemia	14	--	14	--	--	--	14	39.7	21.7	-0-	233.7		
# Viral hepatitis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Malignant neoplasms	93	1	92	--	1	19	74	263.5	291.2	64.8	1,235.4		
Lip, oral cavity and pharynx	2	--	2	--	--	1	1	*	*	*	*		
Colorectal	10	--	10	--	--	4	6	28.3	28.3	*	*		
Bronchus and lung	31	--	31	--	--	6	25	87.8	93.3	*	417.4		
Female breast	6	--	6	--	--	2	4	* ³	17.9 ³	* ³	* ³		
Cervical	1	--	1	--	--	--	1	* ³	* ³	-0- ³	* ³		
Prostate	5	--	5	--	--	--	5	* ³	9.4 ³	-0- ³	* ³		
# Diabetes mellitus	12	--	12	--	--	5	7	34.0	33.9	*	*		
# Alzheimer's disease	6	--	6	--	--	--	6	*	29.2	-0-	*		
# Major cardiovascular diseases	163	2	161	--	--	15	148	461.8	483.5	51.2	2,470.8		
Diseases of heart	138	1	137	--	--	14	124	390.9	377.9	47.8	2,070.1		
Ischemic heart disease	106	--	106	--	--	9	97	300.3	270.5	*	1,619.4		
# Cerebrovascular diseases	24	1	23	--	--	1	23	68.0	90.5	*	384.0		
# Atherosclerosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*		
# Respiratory diseases	60	--	60	--	--	4	56	170.0	137.6	*	934.9		
Influenza and pneumonia	24	--	24	--	--	1	23	68.0	60.3	*	384.0		
# Chronic lower resp. diseases	22	--	22	--	--	2	20	62.3	53.7	*	333.9		
Emphysema	4	--	4	--	--	1	3	*	13.2	*	*		
Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Chronic liver disease and cirrhosis	3	--	3	--	--	3	--	*	10.4	*	-0-		
# Nephritis, nephrotic syn. & nephrosis	13	--	13	--	--	1	12	36.8	23.6	*	200.3		
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Congenital malformations	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
SIDS	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# External causes	18	--	18	--	--	8	10	51.0	57.5	*	166.9		
Accidents	10	--	10	--	--	3	7	28.3	38.6	*	*		
Motor vehicle accidents	3	--	3	--	--	2	1	*	12.3	*	*		
All other accidents	7	--	7	--	--	1	6	*	26.4	*	*		
# Suicide	7	--	7	--	--	4	3	*	14.1	*	*		
# Homicide	1	--	1	--	--	1	--	*	*	*	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Clark County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	205	21	78	55	33	13	5	202	2	1
Sex	Male	117	12	44	29	22	8	2	116	--	1
	Female	88	9	34	26	11	5	3	86	2	--
Race	White	202	21	78	53	32	13	5			
	Black	2	--	--	2	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	1	--	--	--			
Multiple Births		9	1	2	--	4	--	2	9	--	--
Marital Status	Married	149	4	51	47	31	12	4	147	1	--
	Single	56	17	27	8	2	1	1	55	1	1
Mother Not High School Graduate		29	15	10	2	1	--	1	29	--	--
Birthweight	Very Low (0-1,499 Grams)	4	2	1	1	--	--	--	4	--	--
	Low (0-2,499 Grams)	14	3	4	4	3	--	--	14	--	--
Caesarian Section	Primary	26	1	12	5	2	3	3	26	--	--
	Secondary	25	--	5	12	6	2	--	25	--	1
Trimester Prenatal	First	175	15	64	48	31	13	4	173	1	1
Care Began	Third or No Care	3	1	--	--	1	--	1	3	--	--
First Birth		65	16	35	10	1	3	--	64	1	--
2001 Percentages ²											
Live Births	Total	100.0	10.2	38.0	26.8	16.1	6.3	*	98.5	*	*
Sex	Male	57.1	*	*	*	*	*	*	57.4	-0-	*
	Female	42.9	*	*	*	*	*	*	42.6	*	-0-
Race	White	98.5	*	*	*	*	*	*			
	Black	*	-0-	-0-	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple Births		*	*	*	-0-	*	-0-	*	*	-0-	-0-
Marital Status	Married	72.7	*	*	*	*	*	*	72.8	*	-0-
	Single	27.3	*	*	*	*	*	*	27.2	*	*
Mother Not High School Graduate		14.2	*	*	*	*	-0-	*	14.4	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.9	*	*	*	*	-0-	-0-	7.0	-0-	-0-
Caesarian Section	Primary	12.7	*	*	*	*	*	*	12.9	-0-	-0-
	Secondary	12.2	-0-	*	*	*	*	-0-	12.4	-0-	*
Trimester Prenatal	First	85.4	*	*	*	*	*	*	85.6	*	*
Care Began	Third or No Care	*	*	-0-	-0-	*	-0-	*	*	-0-	-0-
First Birth		31.7	*	*	*	*	*	*	31.7	*	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	13.0	34.0	31.4	15.0	5.4	1.3	99.1	*	*
Sex	Male	49.1	50.4	48.5	48.2	52.8	*	*	49.2	-0-	*
	Female	50.9	49.6	51.5	51.8	47.2	*	*	50.8	*	*
Race	White	99.1	100.0	100.0	98.3	97.9	*	*			
	Black	*	-0-	-0-	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple Births		2.6	*	*	*	*	*	*	2.6	-0-	-0-
Marital Status	Married	71.0	25.6	64.1	85.0	88.2	*	*	71.0	*	*
	Single	29.0	74.4	35.9	15.0	11.8	*	*	29.0	*	*
Mother Not High School Graduate		15.5	56.6	13.5	7.3	6.9	*	*	15.5	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	1.3	*	*	*	*	-0-	-0-	1.3	-0-	-0-
	Low (0-2,499 Grams)	6.5	*	5.2	6.3	8.3	*	*	6.5	-0-	-0-
Caesarian Section	Primary	12.4	13.6	10.4	11.3	13.9	*	*	12.5	-0-	-0-
	Secondary	9.3	*	5.5	12.0	17.4	*	-0-	9.4	-0-	*
Trimester Prenatal	First	85.9	78.7	82.5	89.4	90.3	*	*	86.1	*	*
Care Began	Third or No Care	2.9	*	*	*	*	*	*	2.8	-0-	*
First Birth		34.2	71.2	42.9	25.6	11.8	*	-0-	34.4	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Clark County - 2001

Population Estimates		
Total		17,000
Under 65 Years		13,990
65 and Older		3,010

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	227	1	--	--	--	4	8	12	25	35	65	77	
Male	110	1	--	--	--	4	3	8	14	21	34	25	
Female	117	--	--	--	--	--	5	4	11	14	31	52	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	226	1	--	--	--	4	8	12	24	35	65	77	
Male	110	1	--	--	--	4	3	8	14	21	34	25	
Female	116	--	--	--	--	--	5	4	10	14	31	52	
All other races	1	--	--	--	--	--	--	--	1	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	1	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	227	--	226	1	--	50	177	1,335.3	1,301.6	357.4	5,880.4		
5-Year Average (1997-2001)	209	<1	209	<1	<1	39	170	1,285.0	N.A.	296.6	5,671.3		
# Infectious and parasitic diseases	6	--	6	--	--	1	5	*	41.7	*	*		*
# Septicemia	3	--	3	--	--	--	3	*	23.8	-0-	*		*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# HIV disease	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# Malignant neoplasms	44	--	44	--	--	11	33	258.8	263.9	78.6	1,096.3		
# Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	*	-0-	*		*
# Colorectal	3	--	3	--	--	--	3	*	35.7	-0-	*		*
# Bronchus and lung	17	--	17	--	--	4	13	100.0	71.4	*	431.9		*
# Female breast	5	--	5	--	--	1	4	³	³	³	³		³
# Cervical	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³		-0- ³
# Prostate	1	--	1	--	--	1	--	* ³	* ³	* ³	-0- ³		-0- ³
# Diabetes mellitus	6	--	6	--	--	1	5	*	27.8	*	*		*
# Alzheimer's disease	7	--	7	--	--	--	7	*	27.8	-0-	*		*
# Major cardiovascular diseases	108	--	107	1	--	15	93	635.3	585.3	107.2	3,089.7		
# Diseases of heart	76	--	76	--	--	12	64	447.1	422.6	85.8	2,126.2		
# Ischemic heart disease	55	--	55	--	--	12	43	323.5	307.5	85.8	1,428.6		
# Cerebrovascular diseases	25	--	24	1	--	1	24	147.1	134.9	*	797.3		
# Atherosclerosis	2	--	2	--	--	--	2	*	*	-0-	*		*
# Aortic aneurysm and dissection	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# Respiratory diseases	19	--	19	--	--	7	12	111.8	101.2	*	398.7		
# Influenza and pneumonia	2	--	2	--	--	1	1	*	19.8	*	*		*
# Chronic lower resp. diseases	11	--	11	--	--	3	8	64.7	61.5	*	*		*
# Emphysema	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# Chronic liver disease and cirrhosis	2	--	2	--	--	1	1	*	*	*	*		*
# Nephritis, nephrotic syn. & nephrosis	2	--	2	--	--	--	2	*	*	-0-	*		*
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# Congenital malformations	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# External causes	10	--	10	--	--	7	3	58.8	61.5	*	*		*
# Accidents	6	--	6	--	--	3	3	*	41.7	*	*		*
# Motor vehicle accidents	2	--	2	--	--	1	1	*	*	*	*		*
# All other accidents	4	--	4	--	--	2	2	*	25.8	*	*		*
# Suicide	4	--	4	--	--	4	--	*	*	*	-0-		-0-
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Clay County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	198	38	72	35	35	16	2	196	--	1
Sex	Male	100	22	34	17	19	7	1	99	--	--
	Female	98	16	38	18	16	9	1	97	--	1
Race	White	196	38	72	35	33	16	2			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	1	--	--	--	--			
Multiple Births		6	--	2	--	--	4	--	6	--	--
Marital Status	Married	130	10	47	25	31	15	2	128	--	1
	Single	68	28	25	10	4	1	--	68	--	--
Mother Not High School Graduate		43	19	15	5	3	1	--	43	--	--
Birthweight	Very Low (0-1,499 Grams)	3	1	--	--	--	2	--	3	--	--
	Low (0-2,499 Grams)	18	1	6	1	2	7	1	18	--	1
Caesarian Section	Primary	28	4	13	4	1	6	--	28	--	--
	Secondary	16	--	5	4	5	2	--	15	--	--
Trimester Prenatal	First	178	36	65	34	30	13	--	176	--	1
Care Began	Third or No Care	5	1	1	--	2	--	1	5	--	--
First Birth		67	25	28	5	3	5	1	67	--	--
2001 Percentages²											
Live Births	Total	100.0	19.2	36.4	17.7	17.7	8.1	*	99.0	-0-	*
Sex	Male	50.5	*	*	*	*	*	*	50.5	-0-	-0-
	Female	49.5	*	*	*	*	*	*	49.5	-0-	*
Race	White	99.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	-0-	-0-	-0-			
Multiple Births		*	-0-	*	-0-	-0-	*	-0-	*	-0-	-0-
Marital Status	Married	65.7	*	*	*	*	*	*	65.3	-0-	*
	Single	34.3	*	*	*	*	*	-0-	34.7	-0-	-0-
Mother Not High School Graduate		21.7	*	*	*	*	*	-0-	21.9	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	-0-	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	9.1	*	*	*	*	*	*	9.2	-0-	*
Caesarian Section	Primary	14.1	*	*	*	*	*	-0-	14.3	-0-	-0-
	Secondary	8.1	-0-	*	*	*	*	-0-	7.7	-0-	-0-
Trimester Prenatal	First	90.8	*	*	*	*	*	-0-	90.7	-0-	*
Care Began	Third or No Care	*	*	*	-0-	*	-0-	*	*	-0-	-0-
First Birth		33.8	*	*	*	*	*	*	34.2	-0-	-0-
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	17.1	31.7	27.2	17.1	6.1	*	98.8	-0-	*
Sex	Male	51.7	56.8	48.4	53.7	53.5	*	*	51.7	-0-	-0-
	Female	48.3	43.2	51.6	46.3	46.5	*	*	48.3	-0-	*
Race	White	98.8	98.7	99.3	98.8	97.4	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	*	-0-	-0-			
Multiple Births		2.4	-0-	*	*	*	*	-0-	2.5	-0-	-0-
Marital Status	Married	71.8	32.9	69.7	82.5	89.7	*	*	71.9	-0-	*
	Single	28.2	67.1	30.3	17.5	10.3	*	*	28.1	-0-	*
Mother Not High School Graduate		19.6	62.6	19.5	7.8	*	*	-0-	19.6	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	*	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.3	9.7	6.3	5.3	6.5	*	*	7.2	-0-	*
Caesarian Section	Primary	14.4	11.0	16.0	13.0	16.8	*	-0-	14.4	-0-	*
	Secondary	9.2	*	6.3	12.6	11.6	*	*	8.9	-0-	*
Trimester Prenatal	First	87.7	81.3	84.9	93.5	89.6	*	*	87.5	-0-	*
Care Began	Third or No Care	2.2	*	*	*	*	*	*	2.2	-0-	-0-
First Birth		31.6	66.5	34.5	22.8	12.9	*	*	31.8	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Clay County - 2001

Population Estimates	
Total	14,200
Under 65 Years	11,420
65 and Older	2,780

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	178	--	--	--	1	4	4	9	20	28	52	60	
Male	96	--	--	--	--	2	3	6	14	19	30	22	
Female	82	--	--	--	1	2	1	3	6	9	22	38	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	178	--	--	--	1	4	4	9	20	28	52	60	
Male	96	--	--	--	--	2	3	6	14	19	30	22	
Female	82	--	--	--	1	2	1	3	6	9	22	38	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	178	--	178	--	--	38	140	1,253.5	1,258.7	332.7	5,036.0		
5-Year Average (1997-2001)	186	<1	186	--	<1	35	150	1,302.9	N.A.	306.1	5,578.6		
# Infectious and parasitic diseases	3	--	3	--	--	1	2	*	32.6	*	*		*
# Septicemia	2	--	2	--	--	--	2	*	25.6	-0-	*		*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# HIV disease	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# Malignant neoplasms	52	--	52	--	--	16	36	366.2	296.0	140.1	1,295.0		
# Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Colorectal	8	--	8	--	--	4	4	*	32.6	*	*		*
# Bronchus and lung	11	--	11	--	--	4	7	77.5	79.3	*	*		*
# Female breast	2	--	2	--	--	--	2	* ³	* ³	-0- ³	* ³		* ³
# Cervical	1	--	1	--	--	1	--	* ³	* ³	* ³	-0- ³		-0- ³
# Prostate	4	--	4	--	--	--	4	* ³	* ³	-0- ³	* ³		* ³
# Diabetes mellitus	2	--	2	--	--	--	2	*	*	-0-	*		*
# Alzheimer's disease	1	--	1	--	--	--	1	*	*	-0-	*		*
# Major cardiovascular diseases	70	--	70	--	--	9	61	493.0	587.4	*	2,194.2		
# Diseases of heart	43	--	43	--	--	7	36	302.8	377.6	*	1,295.0		
# Ischemic heart disease	32	--	32	--	--	6	26	225.4	258.7	*	935.3		
# Cerebrovascular diseases	24	--	24	--	--	--	24	169.0	170.2	-0-	863.3		
# Atherosclerosis	2	--	2	--	--	1	1	*	23.3	*	*		*
# Aortic aneurysm and dissection	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# Respiratory diseases	23	--	23	--	--	5	18	162.0	135.2	*	647.5		
# Influenza and pneumonia	2	--	2	--	--	--	2	*	23.3	-0-	*		*
# Chronic lower resp. diseases	13	--	13	--	--	2	11	91.5	76.9	*	395.7		
# Emphysema	1	--	1	--	--	--	1	*	*	-0-	*		*
# Asthma	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--	--	1	*	*	-0-	*		*
# Nephritis, nephrotic syn. & nephrosis	4	--	4	--	--	1	3	*	*	*	*		*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# External causes	8	--	8	--	--	5	3	*	53.6	*	*		*
# Accidents	5	--	5	--	--	2	3	*	37.3	*	*		*
# Motor vehicle accidents	2	--	2	--	--	2	--	*	*	*	-0-		-0-
# All other accidents	3	--	3	--	--	--	3	*	*	-0-	*		*
# Suicide	2	--	2	--	--	2	--	*	*	*	-0-		-0-
# Homicide	1	--	1	--	--	1	--	*	*	*	-0-		-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Clinton County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	375	31	96	120	87	39	2	369	4	8
Sex	Male	183	17	44	56	47	18	1	179	2	3
	Female	192	14	52	64	40	21	1	190	2	5
Race	White	369	29	93	119	87	39	2			
	Black	4	1	2	1	--	--	--			
Ethnicity	Hispanic ¹	8	5	--	1	2	--	--			
Multiple Births		11	--	2	2	5	2	--	11	--	--
Marital Status	Married	284	5	51	109	82	35	2	282	1	3
	Single	91	26	45	11	5	4	--	87	3	5
Mother Not High School Graduate		43	15	23	3	2	--	--	42	1	4
Birthweight	Very Low (0-1,499 Grams)	2	--	--	1	--	1	--	2	--	--
	Low (0-2,499 Grams)	19	2	7	4	5	1	--	18	--	--
Caesarian Section	Primary	44	3	9	16	12	4	--	43	1	--
	Secondary	24	--	3	9	6	6	--	24	--	--
Trimester Prenatal Care Began	First	335	23	80	111	82	37	2	331	3	5
	Third or No Care	6	2	2	1	1	--	--	6	--	1
First Birth		105	22	34	35	11	3	--	105	--	4
2001 Percentages²											
Live Births	Total	100.0	8.3	25.6	32.0	23.2	10.4	*	98.4	*	*
Sex	Male	48.8	*	*	46.7	*	*	*	48.5	*	*
	Female	51.2	*	*	53.3	*	*	*	51.5	*	*
Race	White	98.4	*	*	99.2	*	*	*			
	Black	*	*	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	*	*	-0-	-0-			
Multiple Births		2.9	-0-	*	*	*	*	-0-	3.0	-0-	-0-
Marital Status	Married	75.7	*	*	90.8	*	*	*	76.4	*	*
	Single	24.3	*	*	9.2	*	*	-0-	23.6	*	*
Mother Not High School Graduate		11.5	*	*	*	*	-0-	-0-	11.4	*	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	-0-	*	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.1	*	*	*	*	*	-0-	4.9	-0-	-0-
Caesarian Section	Primary	11.7	*	*	13.3	*	*	-0-	11.7	*	-0-
	Secondary	6.4	-0-	*	*	*	*	-0-	6.5	-0-	-0-
Trimester Prenatal Care Began	First	89.8	*	*	93.3	*	*	*	90.2	*	*
	Third or No Care	*	*	*	*	*	-0-	-0-	*	-0-	*
First Birth		28.0	*	*	29.2	*	*	-0-	28.5	-0-	*
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	10.5	23.4	31.4	24.4	9.3	1.1	98.2	1.0	1.6
Sex	Male	50.6	48.6	48.7	52.7	51.1	50.3	*	50.6	*	*
	Female	49.4	51.4	51.3	47.3	48.9	49.7	*	49.4	*	*
Race	White	98.2	96.2	96.8	98.7	99.6	98.4	*			
	Black	1.0	*	2.1	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	1.6	6.2	*	*	*	-0-	-0-			
Multiple Births		3.5	*	3.0	3.3	5.3	*	-0-	3.5	-0-	-0-
Marital Status	Married	75.8	19.5	56.4	89.0	93.9	94.7	*	76.5	*	*
	Single	24.2	80.5	43.6	11.0	6.1	5.3	*	23.5	*	*
Mother Not High School Graduate		11.4	56.2	14.7	4.1	*	*	-0-	11.2	*	*
Birthweight	Very Low (0-1,499 Grams)	0.9	*	*	*	*	*	-0-	0.9	*	-0-
	Low (0-2,499 Grams)	5.4	5.2	6.4	4.3	6.1	*	*	5.3	*	-0-
Caesarian Section	Primary	11.2	9.0	11.9	11.6	10.2	11.8	*	11.0	*	*
	Secondary	7.4	*	3.0	7.3	11.5	15.5	*	7.6	-0-	*
Trimester Prenatal Care Began	First	88.4	71.9	83.5	92.5	93.0	92.5	*	88.7	*	*
	Third or No Care	1.5	*	2.1	*	*	*	-0-	1.4	*	*
First Birth		31.5	73.3	41.7	30.0	15.3	9.6	*	31.6	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Clinton County - 2001

Population Estimates	
Total	35,600
Under 65 Years	30,440
65 and Older	5,160

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	303	3	--	--	6	4	8	22	24	54	87	95	
Male	164	3	--	--	4	2	4	14	15	40	50	32	
Female	139	--	--	--	2	2	4	8	9	14	37	63	
Black	3	--	--	--	--	--	1	1	--	--	--	1	
Male	3	--	--	--	--	--	1	1	--	--	--	1	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	299	3	--	--	5	4	7	21	24	54	87	94	
Male	160	3	--	--	3	2	3	13	15	40	50	31	
Female	139	--	--	--	2	2	4	8	9	14	37	63	
All other races	1	--	--	--	1	--	--	--	--	--	--	--	
Male	1	--	--	--	1	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	1	--	--	
Male	1	--	--	--	--	--	--	--	--	1	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	303	3	299	1	1	67	236	851.1	894.3	220.1	4,573.6		
5-Year Average (1997-2001)	322	4	317	<1	<1	75	247	908.1	N.A.	245.8	4,843.4		
# Infectious and parasitic diseases	16	2	14	--	--	2	14	44.9	30.9	*	271.3		
# Septicemia	15	1	14	--	--	1	14	42.1	26.2	*	271.3		
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# HIV disease	1	1	--	--	--	1	--	*	*	*	-0-		
# Malignant neoplasms	81	1	80	--	1	22	59	227.5	224.5	72.3	1,143.4		
# Lip, oral cavity and pharynx	2	--	2	--	--	2	--	*	*	*	-0-		
# Colorectal	16	--	16	--	--	2	14	44.9	30.9	*	271.3		
# Bronchus and lung	24	1	23	--	1	8	16	67.4	62.7	*	310.1		
# Female breast	6	--	6	--	--	4	2	³ 15.9	³ 15.9	³ *	³ *		
# Cervical	--	--	--	--	--	--	--	-0- ³	³ *	-0- ³	-0- ³		
# Prostate	3	--	3	--	--	--	3	³ 9.4	³ 9.4	-0- ³	³ *		
# Diabetes mellitus	2	--	2	--	--	--	2	*	12.2	-0-	*		
# Alzheimer's disease	1	--	1	--	--	--	1	*	10.3	-0-	*		
# Major cardiovascular diseases	115	--	115	--	--	14	101	323.0	356.4	46.0	1,957.4		
# Diseases of heart	94	--	94	--	--	11	83	264.0	300.3	36.1	1,608.5		
# Ischemic heart disease	76	--	76	--	--	8	68	213.5	246.0	*	1,317.8		
# Cerebrovascular diseases	19	--	19	--	--	2	17	53.4	47.7	*	329.5		
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# Aortic aneurysm and dissection	2	--	2	--	--	1	1	*	*	*	*		
# Respiratory diseases	37	--	36	1	--	8	29	103.9	105.7	*	562.0		
# Influenza and pneumonia	9	--	8	1	--	2	7	*	30.9	*	*		
# Chronic lower resp. diseases	18	--	18	--	--	4	14	50.6	51.4	*	271.3		
# Emphysema	1	--	1	--	--	--	1	*	*	-0-	*		
# Asthma	1	--	1	--	--	1	--	*	*	*	-0-		
# Chronic liver disease and cirrhosis	4	--	4	--	--	3	1	*	*	*	*		
# Nephritis, nephrotic syn. & nephrosis	6	--	6	--	--	--	6	*	13.1	-0-	*		
# Certain perinatal conditions	2	--	2	--	--	2	--	*	*	*	-0-		
# Congenital malformations	1	--	1	--	--	1	--	*	*	*	-0-		
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# External causes	21	--	21	--	--	12	9	59.0	66.4	39.4	*		
# Accidents	15	--	15	--	--	7	8	42.1	48.6	*	*		
# Motor vehicle accidents	8	--	8	--	--	5	3	*	27.1	*	*		
# All other accidents	7	--	7	--	--	2	5	*	21.5	*	*		
# Suicide	5	--	5	--	--	4	1	*	15.0	*	*		
# Homicide	1	--	1	--	--	1	--	*	*	*	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Coles County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	596	76	192	177	95	48	8	569	17	15
Sex	Male	310	41	101	83	52	27	6	298	7	6
	Female	286	35	91	94	43	21	2	271	10	9
Race	White	569	72	182	170	90	47	8			
	Black	17	4	9	2	2	--	--			
Ethnicity	Hispanic ¹	15	1	6	5	2	1	--			
Multiple Births		23	2	2	8	6	5	--	23	--	--
Marital Status	Married	404	11	104	149	87	47	6	388	6	11
	Single	192	65	88	28	8	1	2	181	11	4
Mother Not High School Graduate		90	38	31	16	5	--	--	87	2	3
Birthweight	Very Low (0-1,499 Grams)	9	2	3	2	2	--	--	8	1	--
	Low (0-2,499 Grams)	35	7	9	7	6	6	--	30	4	--
Caesarian Section	Primary	106	20	30	22	16	16	2	98	6	2
	Secondary	52	1	13	16	12	9	1	49	3	3
Trimester Prenatal Care Began	First	535	58	174	163	88	45	7	514	12	15
	Third or No Care	10	3	4	2	1	--	--	10	--	--
First Birth		196	56	78	39	13	10	--	185	6	2
2001 Percentages ²											
Live Births	Total	100.0	12.8	32.2	29.7	15.9	8.1	*	95.5	2.9	2.5
Sex	Male	52.0	*	52.6	46.9	*	*	*	52.4	*	*
	Female	48.0	*	47.4	53.1	*	*	*	47.6	*	*
Race	White	95.5	*	94.8	96.0	*	*	*			
	Black	2.9	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	2.5	*	*	*	*	*	-0-			
Multiple Births		3.9	*	*	*	*	*	-0-	4.0	-0-	-0-
Marital Status	Married	67.8	*	54.2	84.2	*	*	*	68.2	*	*
	Single	32.2	*	45.8	15.8	*	*	*	31.8	*	*
Mother Not High School Graduate		15.1	*	16.1	9.0	*	-0-	-0-	15.3	*	*
Birthweight	Very Low (0-1,499 Grams)	*	*	*	*	*	-0-	-0-	*	*	-0-
	Low (0-2,499 Grams)	5.9	*	*	*	*	*	-0-	5.3	*	-0-
Caesarian Section	Primary	17.8	*	15.6	12.4	*	*	*	17.2	*	*
	Secondary	8.7	*	6.8	9.0	*	*	*	8.6	*	*
Trimester Prenatal Care Began	First	90.5	*	90.6	92.6	*	*	*	91.1	*	*
	Third or No Care	1.7	*	*	*	*	-0-	-0-	1.8	-0-	-0-
First Birth		32.9	*	40.6	22.0	*	*	-0-	32.5	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	14.6	31.0	29.7	16.8	6.6	1.3	96.5	2.5	1.8
Sex	Male	50.9	52.8	49.3	50.7	50.3	52.0	*	51.0	*	*
	Female	49.1	47.2	50.7	49.3	49.7	48.0	*	49.0	*	*
Race	White	96.5	96.5	95.2	97.4	96.8	97.4	*			
	Black	2.5	2.8	4.0	1.6	2.2	-0-	*			
Ethnicity	Hispanic ¹	1.8	2.3	2.4	1.4	*	*	-0-			
Multiple Births		3.4	2.8	2.2	3.0	4.8	7.1	*	3.4	-0-	*
Marital Status	Married	68.9	21.4	59.2	85.2	88.7	93.4	*	69.6	*	*
	Single	31.1	78.6	40.8	14.8	11.3	6.6	*	30.4	*	*
Mother Not High School Graduate		16.3	53.4	16.7	7.8	4.3	*	*	16.5	*	*
Birthweight	Very Low (0-1,499 Grams)	1.6	2.3	1.6	1.5	*	-0-	-0-	1.6	*	*
	Low (0-2,499 Grams)	7.5	10.7	7.6	6.8	5.5	8.2	*	7.4	*	*
Caesarian Section	Primary	16.1	14.9	17.0	13.8	15.6	21.4	*	16.0	*	*
	Secondary	8.4	*	5.7	9.6	14.1	16.8	*	8.4	*	*
Trimester Prenatal Care Began	First	86.0	75.1	83.0	90.5	91.9	89.2	*	86.6	*	*
	Third or No Care	2.1	5.4	2.1	1.1	*	*	*	2.1	*	*
First Birth		33.2	68.1	39.9	23.5	14.9	17.3	*	33.1	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Coles County - 2001

Population Estimates	
Total	52,400
Under 65 Years	45,370
65 and Older	7,030

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	494	7	2	--	4	4	13	32	43	93	151	145	
Male	234	6	1	--	3	3	7	16	25	48	76	49	
Female	260	1	1	--	1	1	6	16	18	45	75	96	
Black	2	--	--	--	--	--	--	--	1	--	--	1	
Male	2	--	--	--	--	--	--	--	1	--	--	1	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	491	7	2	--	4	4	13	32	41	93	151	144	
Male	232	6	1	--	3	3	7	16	24	48	76	48	
Female	259	1	1	--	1	1	6	16	17	45	75	96	
All other races	1	--	--	--	--	--	--	--	1	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	1	--	--	--	
Hispanic ethnicity ¹	1	--	--	--	--	--	1	--	--	--	--	--	
Male	1	--	--	--	--	--	1	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	494	2	491	1	1	105	389	942.7	1,012.1	231.4	5,533.4		
5-Year Average (1997-2001)	507	3	504	<1	2	100	407	991.4	N.A.	226.8	5,634.9		
# Infectious and parasitic diseases	10	--	10	--	--	2	8	19.1	12.1	*	*		
# Septicemia	6	--	6	--	--	1	5	*	7.0	*	*		
# Viral hepatitis	1	--	1	--	--	1	--	*	*	*	-0-		
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Malignant neoplasms	127	--	127	--	--	36	91	242.4	230.2	79.3	1,294.5		
# Lip, oral cavity and pharynx	3	--	3	--	--	1	2	*	*	*	*		
# Colorectal	12	--	12	--	--	1	11	22.9	28.8	*	156.5		
# Bronchus and lung	47	--	47	--	--	12	35	89.7	65.2	26.4	497.9		
# Female breast	5	--	5	--	--	4	1	* ³	10.9 ³	* ³	* ³		
# Cervical	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³		
# Prostate	7	--	7	--	--	--	7	* ³	11.5 ³	-0- ³	* ³		
# Diabetes mellitus	13	--	13	--	--	1	12	24.8	27.5	*	170.7		
# Alzheimer's disease	8	--	8	--	--	--	8	*	15.3	-0-	*		
# Major cardiovascular diseases	196	1	195	--	--	25	171	374.0	439.9	55.1	2,432.4		
# Diseases of heart	131	1	130	--	--	19	112	250.0	305.6	41.9	1,593.2		
# Ischemic heart disease	85	1	84	--	--	9	76	162.2	205.9	*	1,081.1		
# Cerebrovascular diseases	48	--	48	--	--	4	44	91.6	104.9	*	625.9		
# Atherosclerosis	3	--	3	--	--	--	3	*	*	-0-	*		
# Aortic aneurysm and dissection	5	--	5	--	--	1	4	*	7.0	*	*		
# Respiratory diseases	52	--	51	1	--	8	44	99.2	104.9	*	625.9		
# Influenza and pneumonia	14	--	13	1	--	2	12	26.7	25.6	*	170.7		
# Chronic lower resp. diseases	30	--	30	--	--	5	25	57.3	60.1	*	355.6		
# Emphysema	2	--	2	--	--	--	2	*	*	-0-	*		
# Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Chronic liver disease and cirrhosis	5	--	5	--	--	2	3	*	10.2	*	*		
# Nephritis, nephrotic syn. & nephrosis	5	--	5	--	--	1	4	*	14.7	*	*		
# Certain perinatal conditions	4	--	4	--	--	4	--	*	*	*	-0-		
# Congenital malformations	1	--	1	--	--	1	--	*	*	*	-0-		
# SIDS	1	--	1	--	--	1	--	*	*	*	-0-		
# External causes	20	--	20	--	1	15	5	38.2	42.8	33.1	*		
# Accidents	11	--	11	--	--	6	5	21.0	28.1	*	*		
# Motor vehicle accidents	1	--	1	--	--	1	--	*	9.0	*	-0-		
# All other accidents	10	--	10	--	--	5	5	19.1	19.2	*	*		
# Suicide	7	--	7	--	1	7	--	*	11.5	*	-0-		
# Homicide	2	--	2	--	--	2	--	*	*	*	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Cook County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	84,269	10,400	19,878	21,103	20,286	10,338	2,257	54,953	24,464	27,315
Sex	Male	43,089	5,275	10,154	10,828	10,392	5,304	1,134	28,123	12,462	13,948
	Female	41,180	5,125	9,724	10,275	9,894	5,034	1,123	26,830	12,002	13,367
Race	White	54,953	4,958	11,484	14,182	14,923	7,738	1,666			
	Black	24,464	5,327	7,768	5,274	3,671	1,959	461			
Ethnicity	Hispanic ¹	27,315	4,052	8,216	7,647	4,851	2,122	427			
Multiple Births		2,973	171	511	706	931	504	150	1,968	869	621
Marital Status	Married	49,360	1,393	7,336	13,978	16,432	8,428	1,791	39,433	5,514	15,584
	Single	34,909	9,007	12,542	7,125	3,854	1,910	466	15,520	18,950	11,731
Mother Not High School Graduate		22,438	6,509	6,536	4,740	2,868	1,456	327	15,248	6,867	13,659
Birthweight	Very Low (0-1,499 Grams)	1,508	225	321	338	367	203	53	668	781	309
	Low (0-2,499 Grams)	7,592	1,157	1,708	1,735	1,689	1,011	291	3,690	3,480	1,832
Caesarian Section	Primary	11,107	1,230	2,239	2,675	2,919	1,599	444	7,135	3,254	3,111
	Secondary	6,647	165	1,097	1,585	2,124	1,362	314	4,320	2,004	2,221
Trimester Prenatal Care Began	First	66,508	6,753	14,603	17,162	17,386	8,755	1,843	45,127	17,557	21,021
	Third or No Care	3,364	797	1,076	669	465	277	80	1,463	1,740	976
First Birth		27,218	7,158	7,164	6,056	4,862	1,673	300	18,408	6,782	8,787
2001 Percentages ²											
Live Births	Total	100.0	12.3	23.6	25.0	24.1	12.3	2.7	65.2	29.0	32.4
Sex	Male	51.1	50.7	51.1	51.3	51.2	51.3	50.2	51.2	50.9	51.1
	Female	48.9	49.3	48.9	48.7	48.8	48.7	49.8	48.8	49.1	48.9
Race	White	65.2	47.7	57.8	67.2	73.6	74.9	73.8			
	Black	29.0	51.2	39.1	25.0	18.1	18.9	20.4			
Ethnicity	Hispanic ¹	32.4	39.0	41.3	36.2	23.9	20.5	18.9			
Multiple Births		3.5	1.6	2.6	3.3	4.6	4.9	6.6	3.6	3.6	2.3
Marital Status	Married	58.6	13.4	36.9	66.2	81.0	81.5	79.4	71.8	22.5	57.1
	Single	41.4	86.6	63.1	33.8	19.0	18.5	20.6	28.2	77.5	42.9
Mother Not High School Graduate		27.1	63.4	33.4	22.9	14.4	14.4	14.9	28.3	28.4	51.0
Birthweight	Very Low (0-1,499 Grams)	1.8	2.2	1.6	1.6	1.8	2.0	2.3	1.2	3.2	1.1
	Low (0-2,499 Grams)	9.0	11.1	8.6	8.2	8.3	9.8	12.9	6.7	14.2	6.7
Caesarian Section	Primary	13.2	11.8	11.3	12.7	14.4	15.5	19.7	13.0	13.3	11.4
	Secondary	7.9	1.6	5.5	7.5	10.5	13.2	13.9	7.9	8.2	8.1
Trimester Prenatal Care Began	First	81.8	67.1	75.9	84.4	88.8	88.2	85.8	85.2	73.7	79.7
	Third or No Care	4.1	7.9	5.6	3.3	2.4	2.8	3.7	2.8	7.3	3.7
First Birth		32.3	68.8	36.0	28.7	24.0	16.2	13.3	33.5	27.7	32.2
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	13.4	23.3	25.7	23.4	11.7	2.4	64.3	30.5	30.0
Sex	Male	51.0	50.6	51.3	50.9	51.1	50.9	50.6	51.1	50.6	50.9
	Female	49.0	49.4	48.7	49.1	48.9	49.1	49.4	48.9	49.4	49.1
Race	White	64.3	44.6	57.7	66.4	73.7	74.3	73.3			
	Black	30.5	54.4	39.4	26.3	19.0	19.7	20.8			
Ethnicity	Hispanic ¹	30.0	34.5	39.9	32.5	21.8	18.6	19.1			
Multiple Births		3.3	1.8	2.4	3.0	4.4	4.9	5.3	3.3	3.4	2.1
Marital Status	Married	58.3	12.1	38.4	67.0	81.2	81.5	79.2	72.8	21.9	58.2
	Single	41.7	87.9	61.6	33.0	18.8	18.5	20.8	27.2	78.1	41.8
Mother Not High School Graduate		27.9	64.6	34.5	22.3	14.4	13.9	16.5	28.2	30.8	52.7
Birthweight	Very Low (0-1,499 Grams)	1.9	2.3	1.7	1.8	1.9	2.1	2.3	1.2	3.4	1.3
	Low (0-2,499 Grams)	9.1	11.1	8.5	8.3	8.6	10.1	11.7	6.5	14.5	6.5
Caesarian Section	Primary	12.2	11.2	10.3	12.0	13.3	14.4	18.0	12.1	12.2	10.7
	Secondary	6.9	1.6	4.7	6.8	9.2	11.8	13.2	6.9	7.2	7.1
Trimester Prenatal Care Began	First	80.0	64.2	73.8	83.0	87.8	87.5	84.7	83.8	71.5	76.0
	Third or No Care	4.9	8.9	6.5	4.0	2.9	3.2	4.0	3.4	8.2	4.9
First Birth		32.0	66.2	34.8	28.5	23.5	15.6	13.5	33.5	27.1	32.5

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Natality Statistics among Residents of Crawford County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	184	26	69	54	27	8	--	180	--	4
Sex	Male	77	10	32	21	14	--	--	77	--	2
	Female	107	16	37	33	13	8	--	103	--	2
Race	White	180	26	68	52	26	8	--			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	4	1	3	--	--	--	--			
Multiple Births		2	--	--	--	2	--	--	2	--	--
Marital Status	Married	126	7	48	42	24	5	--	124	--	3
	Single	58	19	21	12	3	3	--	56	--	1
Mother Not High School Graduate		35	14	14	6	1	--	--	35	--	3
Birthweight	Very Low (0-1,499 Grams)	1	1	--	--	--	--	--	1	--	--
	Low (0-2,499 Grams)	10	2	3	4	1	--	--	10	--	--
Caesarian Section	Primary	22	3	8	10	--	1	--	22	--	1
	Secondary	15	--	2	5	6	2	--	14	--	--
Trimester Prenatal Care Began	First	156	18	61	48	25	4	--	152	--	3
	Third or No Care	3	--	1	--	1	1	--	3	--	--
First Birth		58	21	23	13	--	1	--	57	--	2
2001 Percentages ²											
Live Births	Total	100.0	14.1	37.5	29.3	14.7	*	-0-	97.8	-0-	*
Sex	Male	41.8	*	*	*	*	-0-	-0-	42.8	-0-	*
	Female	58.2	*	*	*	*	*	-0-	57.2	-0-	*
Race	White	97.8	*	*	*	*	*	-0-			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	-0-	-0-	-0-			
Multiple Births		*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
Marital Status	Married	68.5	*	*	*	*	*	-0-	68.9	-0-	*
	Single	31.5	*	*	*	*	*	-0-	31.1	-0-	*
Mother Not High School Graduate		19.0	*	*	*	*	-0-	-0-	19.4	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.4	*	*	*	*	-0-	-0-	5.6	-0-	-0-
Caesarian Section	Primary	12.0	*	*	*	-0-	*	-0-	12.2	-0-	*
	Secondary	8.2	-0-	*	*	*	*	-0-	7.8	-0-	-0-
Trimester Prenatal Care Began	First	85.2	*	*	*	*	*	-0-	84.9	-0-	*
	Third or No Care	*	-0-	*	-0-	*	*	-0-	*	-0-	-0-
First Birth		31.5	*	*	*	-0-	*	-0-	31.7	-0-	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	13.8	33.9	28.8	16.0	6.6	*	98.6	*	1.7
Sex	Male	52.2	53.0	52.2	50.0	57.1	*	*	52.4	*	*
	Female	47.8	47.0	47.8	50.0	42.9	*	*	47.6	*	*
Race	White	98.6	99.3	99.5	98.7	97.1	*	*			
	Black	*	*	-0-	*	*	*	-0-			
Ethnicity	Hispanic ¹	1.7	*	*	*	*	-0-	-0-			
Multiple Births		2.7	*	*	*	*	*	*	2.7	-0-	-0-
Marital Status	Married	72.2	29.8	68.1	83.4	89.1	*	*	72.1	*	*
	Single	27.8	70.2	31.9	16.6	10.9	*	*	27.9	*	*
Mother Not High School Graduate		18.0	48.3	21.4	9.6	*	*	-0-	18.1	*	*
Birthweight	Very Low (0-1,499 Grams)	*	*	*	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.1	*	6.8	7.3	5.7	*	*	7.1	-0-	*
Caesarian Section	Primary	10.9	12.6	10.0	11.8	8.0	*	*	10.8	*	*
	Secondary	9.2	*	6.5	11.1	14.9	*	-0-	9.0	*	*
Trimester Prenatal Care Began	First	86.4	76.2	84.3	90.4	89.7	*	*	86.5	*	*
	Third or No Care	2.3	*	2.7	*	*	*	-0-	2.3	-0-	*
First Birth		33.9	78.8	35.4	28.7	10.9	*	*	33.9	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Crawford County - 2001

Population Estimates	
Total	20,300
Under 65 Years	16,920
65 and Older	3,380

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	216	2	1	1	1	1	2	11	23	37	64	73	
Male	88	--	1	1	1	1	2	7	11	19	29	16	
Female	128	2	--	--	--	--	--	4	12	18	35	57	
Black	1	--	--	--	--	--	--	1	--	--	--	--	
Male	1	--	--	--	--	--	--	1	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	214	2	1	1	1	1	2	9	23	37	64	73	
Male	87	--	1	1	1	1	2	6	11	19	29	16	
Female	127	2	--	--	--	--	--	3	12	18	35	57	
All other races	1	--	--	--	--	--	--	1	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	1	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
											All Ages		Age	
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			2001	1999 - 2001	0-64	65+
All Causes - Current Year	216	1	214	1	--		42	174			1,064.0	1,125.0	248.2	5,147.9
5-Year Average (1997-2001)	238	<1	237	<1	2		42	196			1,136.5	N.A.	242.8	5,603.9
# Infectious and parasitic diseases	6	1	5	--	--		3	3			*	26.0	*	*
# Septicemia	2	--	2	--	--		--	2			*	*	-0-	*
# Viral hepatitis	2	--	2	--	--		1	1			*	*	*	*
# HIV disease	2	1	1	--	--		2	--			*	*	*	-0-
# Malignant neoplasms	40	--	40	--	--		8	32			197.0	230.5	*	946.7
Lip, oral cavity and pharynx	--	--	--	--	--		--	--			-0-	*	-0-	-0-
Colorectal	8	--	8	--	--		1	7			*	35.7	*	*
Bronchus and lung	9	--	9	--	--		4	5			*	48.7	*	*
Female breast	3	--	3	--	--		1	2			³ 21.1	³ 21.1	³ *	³ *
Cervical	--	--	--	--	--		--	--			-0- ³	-0- ³	-0- ³	-0- ³
Prostate	4	--	4	--	--		--	4			³ 24.4	³ 24.4	-0- ³	³ *
# Diabetes mellitus	7	--	7	--	--		3	4			*	32.5	*	*
# Alzheimer's disease	4	--	4	--	--		--	4			*	19.5	-0-	*
Major cardiovascular diseases	99	--	98	1	--		11	88			487.7	511.4	65.0	2,603.6
# Diseases of heart	77	--	76	1	--		8	69			379.3	378.2	*	2,041.4
Ischemic heart disease	57	--	56	1	--		6	51			280.8	272.7	*	1,508.9
# Cerebrovascular diseases	17	--	17	--	--		1	16			83.7	118.5	*	473.4
# Atherosclerosis	1	--	1	--	--		1	--			*	*	*	-0-
# Aortic aneurysm and dissection	1	--	1	--	--		--	1			*	*	-0-	*
Respiratory diseases	18	--	18	--	--		3	15			88.7	82.8	*	443.8
# Influenza and pneumonia	8	--	8	--	--		1	7			*	24.4	*	*
# Chronic lower resp. diseases	8	--	8	--	--		2	6			*	40.6	*	*
Emphysema	--	--	--	--	--		--	--			-0-	*	-0-	-0-
Asthma	2	--	2	--	--		1	1			*	*	*	*
# Chronic liver disease and cirrhosis	3	--	3	--	--		1	2			*	*	*	*
# Nephritis, nephrotic syn. & nephrosis	5	--	5	--	--		2	3			*	34.1	*	*
# Certain perinatal conditions	2	--	2	--	--		2	--			*	*	*	-0-
# Congenital malformations	1	--	1	--	--		--	1			*	*	-0-	*
SIDS	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
External causes	8	--	8	--	--		5	3			*	53.6	*	*
# Accidents	6	--	6	--	--		4	2			*	45.5	*	*
Motor vehicle accidents	2	--	2	--	--		2	--			*	24.4	*	-0-
All other accidents	4	--	4	--	--		2	2			*	21.1	*	*
# Suicide	1	--	1	--	--		--	1			*	*	-0-	*
# Homicide	1	--	1	--	--		1	--			*	*	*	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Cumberland County - 2001

All Ages			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	123	20	40	31	21	7	4	123	--	--
Sex	Male	53	10	15	14	10	3	1	53	--	--
	Female	70	10	25	17	11	4	3	70	--	--
Race	White	123	20	40	31	21	7	4			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		--	--	--	--	--	--	--	--	--	--
Marital Status	Married	82	3	26	25	19	6	3	82	--	--
	Single	41	17	14	6	2	1	1	41	--	--
Mother Not High School Graduate		23	12	6	3	--	--	2	23	--	--
Birthweight	Very Low (0-1,499 Grams)	2	1	--	--	1	--	--	2	--	--
	Low (0-2,499 Grams)	8	4	--	1	3	--	--	8	--	--
Caesarian Section	Primary	19	7	2	5	2	1	2	19	--	--
	Secondary	13	--	2	4	4	2	1	13	--	--
Trimester Prenatal Care Began	First	112	13	36	31	21	7	4	112	--	--
	Third or No Care	1	1	--	--	--	--	--	1	--	--
First Birth		40	16	12	8	3	1	--	40	--	--
2001 Percentages²											
Live Births	Total	100.0	16.3	32.5	25.2	17.1	*	*	100.0	-0-	-0-
Sex	Male	43.1	*	*	*	*	*	*	43.1	-0-	-0-
	Female	56.9	*	*	*	*	*	*	56.9	-0-	-0-
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Marital Status	Married	66.7	*	*	*	*	*	*	66.7	-0-	-0-
	Single	33.3	*	*	*	*	*	*	33.3	-0-	-0-
Mother Not High School Graduate		18.7	*	*	*	-0-	-0-	*	18.7	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	-0-	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	*	-0-	*	*	-0-	-0-	*	-0-	-0-
Caesarian Section	Primary	15.4	*	*	*	*	*	*	15.4	-0-	-0-
	Secondary	10.6	-0-	*	*	*	*	*	10.6	-0-	-0-
Trimester Prenatal Care Began	First	91.8	*	*	*	*	*	*	91.8	-0-	-0-
	Third or No Care	*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
First Birth		32.5	*	*	*	*	*	-0-	32.5	-0-	-0-
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	12.9	27.2	33.6	17.0	7.6	1.7	99.5	*	*
Sex	Male	49.0	*	48.0	47.2	53.2	*	*	49.2	-0-	*
	Female	51.0	*	52.0	52.8	46.8	*	*	50.8	*	*
Race	White	99.5	*	100.0	99.1	100.0	*	*			
	Black	*	*	-0-	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	-0-	-0-	*	-0-			
Multiple Births		2.2	-0-	*	*	*	*	-0-	2.2	-0-	-0-
Marital Status	Married	75.3	*	69.1	89.4	88.1	*	*	75.3	*	*
	Single	24.7	*	30.9	10.6	11.9	*	*	24.7	*	*
Mother Not High School Graduate		12.1	*	7.4	5.6	*	*	*	12.0	*	*
Birthweight	Very Low (0-1,499 Grams)	*	*	*	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.5	*	*	6.5	*	*	-0-	6.6	-0-	-0-
Caesarian Section	Primary	13.8	*	10.3	19.0	11.9	*	*	13.8	-0-	-0-
	Secondary	7.6	*	*	6.5	16.5	*	*	7.7	-0-	*
Trimester Prenatal Care Began	First	90.5	*	92.0	91.2	92.6	*	*	90.4	*	*
	Third or No Care	*	0.0	*	*	-0-	-0-	*	*	-0-	-0-
First Birth		32.8	*	41.7	25.9	11.9	*	*	33.0	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Cumberland County - 2001

Population Estimates	
Total	11,200
Under 65 Years	9,440
65 and Older	1,760

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	133	4	--	1	1	2	6	9	7	22	34	47
Male	67	1	--	1	1	2	5	5	3	14	16	19
Female	66	3	--	--	--	--	1	4	4	8	18	28
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	133	4	--	1	1	2	6	9	7	22	34	47
Male	67	1	--	1	1	2	5	5	3	14	16	19
Female	66	3	--	--	--	--	1	4	4	8	18	28
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	2	--	--	--	--	--	--	--	1	--	--	1
Male	1	--	--	--	--	--	--	--	--	--	--	1
Female	1	--	--	--	--	--	--	--	1	--	--	--

Deaths by Selected Causes												
	Race Category				Ethnicity	Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		
								2001	1999 - 2001	0-64	65+	
All Causes - Current Year	133	--	133	--	2	30	103	1,187.5	1,071.2	317.8	5,852.3	
5-Year Average (1997-2001)	122	<1	122	--	<1	21	101	1,093.4	N.A.	224.1	5,701.4	
Infectious and parasitic diseases	4	--	4	--	1	2	2	*	*	*	*	
# Septicemia	4	--	4	--	1	2	2	*	*	*	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# Malignant neoplasms	29	--	29	--	--	6	23	258.9	195.8	*	1,306.8	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
Colorectal	5	--	5	--	--	--	5	*	*	-0-	*	
Bronchus and lung	4	--	4	--	--	1	3	*	44.5	*	*	
Female breast	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³	
Cervical	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³	
Prostate	4	--	4	--	--	--	4	* ³	* ³	-0- ³	* ³	
# Diabetes mellitus	5	--	5	--	--	1	4	*	29.7	*	*	
# Alzheimer's disease	2	--	2	--	--	--	2	*	*	-0-	*	
Major cardiovascular diseases	60	--	60	--	1	8	52	535.7	507.4	*	2,954.5	
# Diseases of heart	40	--	40	--	1	7	33	357.1	362.0	*	1,875.0	
Ischemic heart disease	28	--	28	--	--	5	23	250.0	225.5	*	1,306.8	
# Cerebrovascular diseases	15	--	15	--	--	1	14	133.9	106.8	*	795.5	
Atherosclerosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
# Aortic aneurysm and dissection	3	--	3	--	--	--	3	*	*	-0-	*	
Respiratory diseases	10	--	10	--	--	3	7	89.3	103.9	*	*	
# Influenza and pneumonia	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
# Chronic lower resp. diseases	5	--	5	--	--	2	3	*	47.5	*	*	
Emphysema	1	--	1	--	--	1	--	*	*	*	-0-	
Asthma	1	--	1	--	--	1	--	*	*	*	-0-	
# Chronic liver disease and cirrhosis	1	--	1	--	--	1	--	*	*	*	-0-	
# Nephritis, nephrotic syn. & nephrosis	2	--	2	--	--	--	2	*	*	-0-	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
External causes	7	--	7	--	--	4	3	*	53.4	*	*	
# Accidents	6	--	6	--	--	3	3	*	44.5	*	*	
Motor vehicle accidents	3	--	3	--	--	3	--	*	*	*	-0-	
All other accidents	3	--	3	--	--	--	3	*	*	-0-	*	
# Suicide	1	--	1	--	--	1	--	*	*	*	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of DeKalb County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	1,211	99	316	337	316	123	20	1,116	65	156
Sex	Male	656	58	162	185	170	69	12	606	35	82
	Female	555	41	154	152	146	54	8	510	30	74
Race	White	1,116	88	276	319	298	117	18			
	Black	65	10	36	4	11	3	1			
Ethnicity	Hispanic ¹	156	19	63	38	25	11	--			
Multiple Births		51	--	7	15	23	4	2	49	2	--
Marital Status	Married	871	15	161	285	279	111	20	823	23	82
	Single	340	84	155	52	37	12	--	293	42	74
Mother Not High School Graduate		151	41	60	27	17	6	--	145	3	78
Birthweight	Very Low (0-1,499 Grams)	23	--	5	9	6	3	--	19	4	2
	Low (0-2,499 Grams)	80	7	18	21	20	13	1	69	8	12
Caesarian Section	Primary	214	26	46	52	58	28	4	198	11	26
	Secondary	128	1	24	32	49	17	5	122	3	15
Trimester Prenatal Care Began	First	1,010	68	246	288	284	105	19	935	49	105
	Third or No Care	34	5	14	7	6	2	--	29	5	7
First Birth		371	72	121	95	65	15	3	335	26	47
2001 Percentages ²											
Live Births	Total	100.0	8.2	26.1	27.8	26.1	10.2	1.7	92.2	5.4	12.9
Sex	Male	54.2	*	51.3	54.9	53.8	56.1	*	54.3	*	52.6
	Female	45.8	*	48.7	45.1	46.2	43.9	*	45.7	*	47.4
Race	White	92.2	*	87.3	94.7	94.3	95.1	*			
	Black	5.4	*	11.4	*	3.5	*	*			
Ethnicity	Hispanic ¹	12.9	*	19.9	11.3	7.9	8.9	-0-			
Multiple Births		4.2	-0-	*	4.5	7.3	*	*	4.4	*	-0-
Marital Status	Married	71.9	*	50.9	84.6	88.3	90.2	*	73.7	*	52.6
	Single	28.1	*	49.1	15.4	11.7	9.8	-0-	26.3	*	47.4
Mother Not High School Graduate		12.5	*	19.0	8.0	5.4	*	-0-	13.0	*	50.3
Birthweight	Very Low (0-1,499 Grams)	1.9	-0-	*	*	*	*	-0-	1.7	*	*
	Low (0-2,499 Grams)	6.6	*	5.7	6.2	6.3	10.6	*	6.2	*	7.7
Caesarian Section	Primary	17.7	*	14.6	15.4	18.4	22.8	*	17.7	*	16.7
	Secondary	10.6	*	7.6	9.5	15.5	13.8	*	10.9	*	9.6
Trimester Prenatal Care Began	First	83.7	*	78.3	85.5	90.2	86.1	*	84.0	*	67.3
	Third or No Care	2.8	*	4.5	*	*	*	-0-	2.6	*	*
First Birth		30.6	*	38.3	28.2	20.6	12.2	-0-	30.0	*	30.1
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	9.1	23.7	31.0	24.1	10.5	1.6	91.9	5.6	11.7
Sex	Male	51.4	54.2	50.8	50.1	53.1	49.2	*	51.5	52.7	50.9
	Female	48.6	45.8	49.2	49.9	46.9	50.8	*	48.5	47.3	49.1
Race	White	91.9	88.8	87.6	93.7	94.0	94.5	*			
	Black	5.6	10.5	10.8	3.5	2.8	3.1	*			
Ethnicity	Hispanic ¹	11.7	20.1	17.1	10.7	6.6	7.7	*			
Multiple Births		3.5	*	2.4	3.7	5.2	3.8	*	3.5	3.8	*
Marital Status	Married	74.8	21.1	55.9	85.2	92.2	90.4	*	76.9	34.8	61.5
	Single	25.2	78.9	44.1	14.8	7.8	9.6	*	23.1	65.2	38.5
Mother Not High School Graduate		12.4	47.7	16.9	8.0	3.8	5.0	*	12.8	8.3	49.3
Birthweight	Very Low (0-1,499 Grams)	1.5	*	1.4	1.6	1.4	2.1	*	1.4	3.2	*
	Low (0-2,499 Grams)	6.8	8.3	6.7	6.2	6.5	7.9	*	6.5	11.8	6.5
Caesarian Section	Primary	15.4	17.8	14.4	15.4	15.4	15.7	*	15.2	19.5	15.5
	Secondary	9.3	*	5.8	8.0	13.6	17.0	*	9.5	7.0	10.2
Trimester Prenatal Care Began	First	84.2	66.3	79.5	87.5	89.7	87.8	*	84.9	74.2	68.7
	Third or No Care	2.4	4.7	3.1	2.0	1.6	*	*	2.2	05.5	4.3
First Birth		32.4	71.0	42.5	31.1	18.7	13.4	*	32.2	33.9	35.7

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of DeKalb County - 2001

Population Estimates	
Total	90,000
Under 65 Years	81,230
65 and Older	8,770

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	559	10	1	2	12	5	12	22	50	86	191	168	
Male	270	5	--	1	10	3	8	17	34	38	96	58	
Female	289	5	1	1	2	2	4	5	16	48	95	110	
Black	7	1	--	--	1	1	--	--	3	--	1	--	
Male	5	--	--	--	1	1	--	--	2	--	1	--	
Female	2	1	--	--	--	--	--	--	1	--	--	--	
White	552	9	1	2	11	4	12	22	47	86	190	168	
Male	265	5	--	1	9	2	8	17	32	38	95	58	
Female	287	4	1	1	2	2	4	5	15	48	95	110	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	6	1	--	1	--	--	2	1	--	--	--	1	
Male	3	--	--	--	--	--	2	1	--	--	--	--	
Female	3	1	--	1	--	--	--	--	--	--	--	1	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	559	7	552	--	6	114	445	621.1	681.6	140.3	5,074.1		
5-Year Average (1997-2001)	584	8	575	<1	5	119	465	697.5	N.A.	159.3	5,224.9		
# Infectious and parasitic diseases	7	--	7	--	--	4	3	*	8.7	*	*		*
# Septicemia	4	--	4	--	--	2	2	*	5.3	*	*		*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# HIV disease	2	--	2	--	--	2	--	*	*	*	-0-		-0-
# Malignant neoplasms	115	--	115	--	--	26	89	127.8	161.8	32.0	1,014.8		
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	*	-0-		
Colorectal	16	--	16	--	--	2	14	17.8	17.3	*	159.6		
Bronchus and lung	35	--	35	--	--	5	30	38.9	44.8	*	342.1		
Female breast	8	--	8	--	--	2	6	³ 16.6	³ 16.6	³ *	³ *		³ *
Cervical	1	--	1	--	--	1	--	³ *	³ *	³ *	-0-		³ *
Prostate	8	--	8	--	--	--	8	³ *	³ 11.3	³ -0-	³ *		³ *
# Diabetes mellitus	26	--	26	--	--	4	22	28.9	26.3	*	250.9		
# Alzheimer's disease	16	--	16	--	--	--	16	17.8	16.2	-0-	182.4		
Major cardiovascular diseases	211	1	210	--	2	26	185	234.4	244.6	32.0	2,109.5		
# Diseases of heart	163	1	162	--	2	24	139	181.1	184.8	29.5	1,584.9		
Ischemic heart disease	119	--	119	--	2	18	101	132.2	134.0	22.2	1,151.7		
# Cerebrovascular diseases	35	--	35	--	--	1	34	38.9	42.5	*	387.7		
# Atherosclerosis	3	--	3	--	--	--	3	*	6.0	-0-	*		
# Aortic aneurysm and dissection	5	--	5	--	--	1	4	*	3.8	*	*		
Respiratory diseases	43	--	43	--	--	4	39	47.8	57.6	*	444.7		
# Influenza and pneumonia	8	--	8	--	--	2	6	*	13.2	*	*		
# Chronic lower resp. diseases	27	--	27	--	--	--	27	30.0	36.5	-0-	307.9		
Emphysema	7	--	7	--	--	--	7	*	6.8	-0-	*		
Asthma	2	--	2	--	--	--	2	*	*	-0-	*		
# Chronic liver disease and cirrhosis	3	--	3	--	--	1	2	*	4.5	*	*		
# Nephritis, nephrotic syn. & nephrosis	12	--	12	--	--	--	12	13.3	15.1	-0-	136.8		
# Certain perinatal conditions	6	1	5	--	1	6	--	*	4.5	*	-0-		
# Congenital malformations	1	1	--	--	--	1	--	*	4.5	*	-0-		
SIDS	2	--	2	--	--	2	--	*	*	*	-0-		
External causes	40	2	38	--	3	28	12	44.4	38.8	34.5	136.8		
# Accidents	30	1	29	--	1	19	11	33.3	26.3	23.4	125.4		
Motor vehicle accidents	16	1	15	--	--	13	3	17.8	13.5	16.0	*		
All other accidents	14	--	14	--	1	6	8	15.6	12.8	*	*		
# Suicide	7	--	7	--	2	6	1	*	7.2	*	*		
# Homicide	2	--	2	--	--	2	--	*	*	*	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of DeWitt County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	227	24	73	71	42	13	4	227	--	4
Sex	Male	118	13	37	39	22	5	2	118	--	1
	Female	109	11	36	32	20	8	2	109	--	3
Race	White	227	24	73	71	42	13	4			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	4	2	--	1	1	--	--			
Multiple Births		2	--	--	--	2	--	--	2	--	--
Marital Status	Married	146	4	38	55	34	11	4	146	--	2
	Single	81	20	35	16	8	2	--	81	--	2
Mother Not High School Graduate		35	13	16	6	--	--	--	35	--	2
Birthweight	Very Low (0-1,499 Grams)	2	--	--	--	2	--	--	2	--	--
	Low (0-2,499 Grams)	12	1	4	4	2	--	1	12	--	--
Caesarian Section	Primary	37	4	13	10	5	3	2	37	--	--
	Secondary	21	--	6	8	6	1	--	21	--	--
Trimester Prenatal Care Began	First	196	22	58	61	41	12	2	196	--	3
	Third or No Care	2	1	1	--	--	--	--	2	--	--
First Birth		73	19	26	15	10	1	2	73	--	1
2001 Percentages ²											
Live Births	Total	100.0	10.6	32.2	31.3	18.5	5.7	*	100.0	-0-	*
Sex	Male	52.0	*	*	*	*	*	*	52.0	-0-	*
	Female	48.0	*	*	*	*	*	*	48.0	-0-	*
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	*	*	-0-	-0-			
Multiple Births		*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
Marital Status	Married	64.3	*	*	*	*	*	*	64.3	-0-	*
	Single	35.7	*	*	*	*	*	-0-	35.7	-0-	*
Mother Not High School Graduate		15.4	*	*	*	-0-	-0-	-0-	15.4	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.3	*	*	*	*	-0-	*	5.3	-0-	-0-
Caesarian Section	Primary	16.3	*	*	*	*	*	*	16.3	-0-	-0-
	Secondary	9.3	-0-	*	*	*	*	-0-	9.3	-0-	-0-
Trimester Prenatal Care Began	First	88.3	*	*	*	*	*	*	88.3	-0-	*
	Third or No Care	*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First Birth		32.2	*	*	*	*	*	-0-	32.2	-0-	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	14.0	29.2	29.2	19.0	7.2	1.5	99.6	*	1.8
Sex	Male	47.9	49.3	45.3	49.0	48.7	*	*	47.9	*	*
	Female	52.1	50.7	54.7	51.0	51.3	*	*	52.1	*	*
Race	White	99.6	100.0	99.3	99.7	99.5	*	*			
	Black	*	-0-	*	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	1.8	*	*	*	*	*	-0-			
Multiple Births		2.6	*	*	*	5.1	*	-0-	2.6	-0-	-0-
Marital Status	Married	66.3	16.7	57.3	79.3	86.2	*	*	66.2	*	*
	Single	33.7	83.3	42.7	20.7	13.8	*	-0-	33.8	-0-	*
Mother Not High School Graduate		18.0	54.9	23.7	8.1	*	*	-0-	18.0	-0-	*
Birthweight	Very Low (0-1,499 Grams)	1.4	*	*	*	*	-0-	-0-	1.4	-0-	-0-
	Low (0-2,499 Grams)	7.3	7.6	8.7	5.0	6.2	*	*	7.2	*	*
Caesarian Section	Primary	14.0	17.4	15.3	13.3	8.7	*	*	14.1	-0-	*
	Secondary	9.0	*	8.7	10.3	12.3	*	*	9.0	*	*
Trimester Prenatal Care Began	First	86.8	78.7	84.0	88.0	92.2	*	*	86.7	*	*
	Third or No Care	1.5	0.5	*	*	*	-0-	-0-	1.5	-0-	*
First Birth		32.9	81.3	33.7	26.0	16.4	*	*	33.0	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of DeWitt County - 2001

Population Estimates	
Total	16,800
Under 65 Years	14,140
65 and Older	2,660

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	188	3	--	--	2	3	5	11	12	38	58	56	
Male	97	2	--	--	2	3	4	9	8	24	28	17	
Female	91	1	--	--	--	--	1	2	4	14	30	39	
Black	1	--	--	--	--	--	--	--	--	--	--	1	
Male	1	--	--	--	--	--	--	--	--	--	--	1	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	187	3	--	--	2	3	5	11	12	38	58	55	
Male	96	2	--	--	2	3	4	9	8	24	28	16	
Female	91	1	--	--	--	--	1	2	4	14	30	39	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	188	1	187	--	--		36	152			1,119.0	1,140.9	254.6	5,714.3
5-Year Average (1997-2001)	185	<1	184	--	<1		31	154			1,101.3	N.A.	221.2	5,564.4
# Infectious and parasitic diseases	1	--	1	--	--		1	--		*	*	*	-0-	-0-
# Septicemia	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
# Viral hepatitis	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# HIV disease	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Malignant neoplasms	50	--	50	--	--		14	36		297.6	265.9	99.0	1,353.4	
Lip, oral cavity and pharynx	1	--	1	--	--		--	1		*	*	-0-	*	
Colorectal	3	--	3	--	--		1	2		*	23.8	*	*	
Bronchus and lung	18	--	18	--	--		1	17		107.1	91.3	*	639.1	
Female breast	3	--	3	--	--		--	3		* ³	* ³	-0- ³	* ³	
Cervical	1	--	1	--	--		--	1		* ³	* ³	-0- ³	* ³	
Prostate	3	--	3	--	--		--	3		* ³	* ³	-0- ³	* ³	
# Diabetes mellitus	3	--	3	--	--		--	3		*	19.8	-0-	*	
# Alzheimer's disease	6	--	6	--	--		--	6		*	25.8	-0-	*	
Major cardiovascular diseases	67	1	66	--	--		7	60		398.8	462.3	*	2,255.6	
# Diseases of heart	53	1	52	--	--		7	46		315.5	355.2	*	1,729.3	
Ischemic heart disease	37	1	36	--	--		4	33		220.2	244.0	*	1,240.6	
# Cerebrovascular diseases	9	--	9	--	--		--	9		*	77.4	-0-	*	
# Atherosclerosis	1	--	1	--	--		--	1		*	*	-0-	*	
# Aortic aneurysm and dissection	2	--	2	--	--		--	2		*	*	-0-	*	
Respiratory diseases	20	--	20	--	--		2	18		119.0	117.1	*	676.7	
# Influenza and pneumonia	3	--	3	--	--		--	3		*	23.8	-0-	*	
# Chronic lower resp. diseases	14	--	14	--	--		1	13		83.3	79.4	*	488.7	
Emphysema	2	--	2	--	--		--	2		*	*	-0-	*	
Asthma	--	--	--	--	--		--	--		-0-	*	-0-	-0-	
# Chronic liver disease and cirrhosis	1	--	1	--	--		--	1		*	*	-0-	*	
# Nephritis, nephrotic syn. & nephrosis	3	--	3	--	--		--	3		*	23.8	-0-	*	
# Certain perinatal conditions	--	--	--	--	--		--	--		-0-	*	-0-	-0-	
# Congenital malformations	1	--	1	--	--		1	--		*	*	*	-0-	
SIDS	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	
External causes	12	--	12	--	--		7	5		71.4	49.6	*	*	
# Accidents	9	--	9	--	--		5	4		*	37.7	*	*	
Motor vehicle accidents	3	--	3	--	--		2	1		*	19.8	*	*	
All other accidents	6	--	6	--	--		3	3		*	*	*	*	
# Suicide	3	--	3	--	--		2	1		*	*	*	*	
# Homicide	--	--	--	--	--		--	--		-0-	*	-0-	-0-	

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Douglas County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	333	24	96	105	68	36	3	331	--	30
Sex	Male	180	17	52	61	32	16	2	180	--	21
	Female	153	7	44	44	36	20	1	151	--	9
Race	White	331	24	95	104	68	36	3			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	30	2	10	10	8	--	--			
Multiple Births		14	--	2	4	4	4	--	14	--	--
Marital Status	Married	266	8	69	89	64	33	3	265	--	23
	Single	67	16	27	16	4	3	--	66	--	7
Mother Not High School Graduate		119	16	43	29	19	9	2	118	--	13
Birthweight	Very Low (0-1,499 Grams)	3	--	1	--	1	1	--	3	--	--
	Low (0-2,499 Grams)	19	3	4	5	3	4	--	19	--	1
Caesarian Section	Primary	40	5	6	10	10	9	--	40	--	3
	Secondary	29	--	5	10	8	5	1	29	--	6
Trimester Prenatal Care Began	First	239	18	64	80	48	26	2	237	--	24
	Third or No Care	13	--	4	3	4	2	--	13	--	--
First Birth		82	19	34	18	9	2	--	81	--	9
2001 Percentages²											
Live Births	Total	100.0	7.2	28.9	31.6	20.5	10.8	*	99.4	-0-	9.0
Sex	Male	54.1	*	*	58.1	*	*	*	54.4	-0-	*
	Female	45.9	*	*	41.9	*	*	*	45.6	-0-	*
Race	White	99.4	*	*	99.0	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	9.0	*	*	9.5	*	-0-	-0-			
Multiple Births		4.2	-0-	*	*	*	*	-0-	4.2	-0-	-0-
Marital Status	Married	79.9	*	*	84.8	*	*	*	80.1	-0-	*
	Single	20.1	*	*	15.2	*	*	-0-	19.9	-0-	*
Mother Not High School Graduate		35.7	*	*	27.6	*	*	*	35.6	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	-0-	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.7	*	*	*	*	*	-0-	5.7	-0-	*
Caesarian Section	Primary	12.0	*	*	9.5	*	*	-0-	12.1	-0-	*
	Secondary	8.7	-0-	*	9.5	*	*	*	8.8	-0-	*
Trimester Prenatal Care Began	First	75.9	*	*	77.7	*	*	*	75.7	-0-	*
	Third or No Care	4.1	-0-	*	*	*	*	-0-	4.2	-0-	-0-
First Birth		24.6	*	*	17.1	*	*	-0-	24.5	-0-	*
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	8.5	29.9	30.5	20.9	8.3	1.9	99.4	*	7.0
Sex	Male	50.9	56.3	51.2	51.1	50.3	44.3	*	51.1	*	55.3
	Female	49.1	43.7	48.8	48.9	49.7	55.7	*	48.9	-0-	44.7
Race	White	99.4	98.4	99.8	99.1	100.0	98.4	*			
	Black	*	*	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	7.0	7.9	10.7	6.9	4.5	*	-0-			
Multiple Births		4.8	*	4.5	3.6	6.2	8.2	*	4.8	-0-	*
Marital Status	Married	80.9	27.8	72.8	89.8	95.1	92.6	*	81.0	*	81.6
	Single	19.1	72.2	27.2	10.2	4.9	*	-0-	19.0	*	18.4
Mother Not High School Graduate		37.3	58.9	42.9	29.1	32.6	32.8	*	37.4	-0-	48.0
Birthweight	Very Low (0-1,499 Grams)	0.9	*	*	*	*	*	-0-	0.9	-0-	*
	Low (0-2,499 Grams)	6.2	*	5.9	5.8	7.1	8.2	*	6.3	-0-	*
Caesarian Section	Primary	11.8	15.1	9.3	9.3	15.9	14.8	*	11.8	-0-	11.7
	Secondary	8.1	-0-	3.9	9.6	12.7	14.8	*	8.1	-0-	13.6
Trimester Prenatal Care Began	First	69.9	69.2	67.1	74.5	71.1	63.8	*	69.8	*	71.3
	Third or No Care	5.1	*	4.7	2.7	6.5	8.6	*	5.1	-0-	*
First Birth		29.9	76.2	42.0	23.8	13.6	*	*	29.8	*	30.1

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Douglas County - 2001

Population Estimates	
Total	19,900
Under 65 Years	16,730
65 and Older	3,170

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	207	1	1	1	3	2	10	11	23	41	55	59	
Male	97	1	1	1	1	2	2	7	13	22	31	16	
Female	110	--	--	--	2	--	8	4	10	19	24	43	
Black	1	--	--	--	--	--	--	--	--	1	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	--	1	--	--	
White	206	1	1	1	3	2	10	11	23	40	55	59	
Male	97	1	1	1	1	2	2	7	13	22	31	16	
Female	109	--	--	--	2	--	8	4	10	18	24	43	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	207	1	206	--	--		52	155			1,040.2	1,005.0	310.8	4,889.6
5-Year Average (1997-2001)	199	1	198	--	<1		42	157			995.0	N.A.	248.2	5,032.1
# Infectious and parasitic diseases	3	--	3	--	--		--	3			*	20.0	-0-	*
# Septicemia	2	--	2	--	--		--	2			*	*	-0-	*
# Viral hepatitis	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# HIV disease	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# Malignant neoplasms	47	--	47	--	--		16	31			236.2	212.0	95.6	977.9
Lip, oral cavity and pharynx	--	--	--	--	--		--	--			-0-	*	-0-	-0-
Colorectal	7	--	7	--	--		3	4			*	33.4	*	*
Bronchus and lung	14	--	14	--	--		6	8			70.4	65.1	*	*
Female breast	4	--	4	--	--		2	2			* ³	18.4 ³	* ³	* ³
Cervical	2	--	2	--	--		2	--			* ³	* ³	* ³	-0- ³
Prostate	3	--	3	--	--		--	3			* ³	* ³	-0- ³	* ³
# Diabetes mellitus	6	--	6	--	--		2	4			*	25.0	*	*
# Alzheimer's disease	6	--	6	--	--		--	6			*	21.7	-0-	*
Major cardiovascular diseases	83	1	82	--	--		11	72			417.1	442.4	65.8	2,271.3
# Diseases of heart	66	--	66	--	--		10	56			331.7	335.6	59.8	1,766.6
Ischemic heart disease	39	--	39	--	--		6	33			196.0	212.0	*	1,041.0
# Cerebrovascular diseases	13	1	12	--	--		1	12			65.3	85.1	*	378.5
# Atherosclerosis	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Aortic aneurysm and dissection	1	--	1	--	--		--	1			*	*	-0-	*
Respiratory diseases	20	--	20	--	--		4	16			100.5	101.8	*	504.7
# Influenza and pneumonia	4	--	4	--	--		--	4			*	30.1	-0-	*
# Chronic lower resp. diseases	13	--	13	--	--		3	10			65.3	56.8	*	315.5
Emphysema	4	--	4	--	--		--	4			*	*	-0-	*
Asthma	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Nephritis, nephrotic syn. & nephrosis	5	--	5	--	--		--	5			*	20.0	-0-	*
# Certain perinatal conditions	1	--	1	--	--		1	--			*	*	*	-0-
# Congenital malformations	1	--	1	--	--		1	--			*	*	*	-0-
SIDS	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
External causes	15	--	15	--	--		12	3			75.4	55.1	71.7	*
# Accidents	12	--	12	--	--		10	2			60.3	46.7	59.8	*
Motor vehicle accidents	9	--	9	--	--		8	1			*	25.0	*	*
All other accidents	3	--	3	--	--		2	1			*	21.7	*	*
# Suicide	1	--	1	--	--		1	--			*	*	*	-0-
# Homicide	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of DuPage County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	13,393	594	1,750	3,503	4,696	2,420	429	11,439	506	2,445
Sex	Male	6,846	311	912	1,765	2,412	1,222	224	5,880	250	1,236
	Female	6,547	283	838	1,738	2,284	1,198	205	5,559	256	1,209
Race	White	11,439	527	1,500	2,836	4,051	2,145	379			
	Black	506	46	89	164	127	69	11			
Ethnicity	Hispanic ¹	2,445	310	689	728	476	208	33			
Multiple Births		593	2	30	128	274	136	23	521	20	56
Marital Status	Married	11,362	139	1,010	3,041	4,463	2,303	405	9,688	286	1,550
	Single	2,031	455	740	462	233	117	24	1,751	220	895
Mother Not High School Graduate		1,471	330	452	379	217	78	15	1,385	41	1,133
Birthweight	Very Low (0-1,499 Grams)	185	9	19	51	74	26	6	147	14	38
	Low (0-2,499 Grams)	899	39	103	223	330	166	38	711	48	150
Caesarian Section	Primary	1,922	60	205	539	689	345	84	1,637	68	295
	Secondary	1,172	7	68	211	476	336	73	1,004	65	199
Trimester Prenatal Care Began	First	11,669	360	1,329	3,042	4,301	2,254	382	10,012	399	1,699
	Third or No Care	232	42	59	56	45	26	4	191	11	103
First Birth		4,491	472	895	1,469	1,223	381	51	3,808	132	947
2001 Percentages²											
Live Births	Total	100.0	4.4	13.1	26.2	35.1	18.1	3.2	85.4	3.8	18.3
Sex	Male	51.1	52.4	52.1	50.4	51.4	50.5	52.2	51.4	49.4	50.6
	Female	48.9	47.6	47.9	49.6	48.6	49.5	47.8	48.6	50.6	49.4
Race	White	85.4	88.7	85.7	81.0	86.3	88.6	88.3			
	Black	3.8	7.7	5.1	4.7	2.7	2.9	2.6			
Ethnicity	Hispanic ¹	18.3	52.2	39.4	20.8	10.1	8.6	7.7			
Multiple Births		4.4	*	1.7	3.7	5.8	5.6	5.4	4.6	4.0	2.3
Marital Status	Married	84.8	23.4	57.7	86.8	95.0	95.2	94.4	84.7	56.5	63.4
	Single	15.2	76.6	42.3	13.2	5.0	4.8	5.6	15.3	43.5	36.6
Mother Not High School Graduate		11.0	56.1	26.1	10.9	4.6	3.2	3.5	12.2	8.2	46.8
Birthweight	Very Low (0-1,499 Grams)	1.4	*	1.1	1.5	1.6	1.1	*	1.3	2.8	1.6
	Low (0-2,499 Grams)	6.7	6.6	5.9	6.4	7.0	6.9	8.9	6.2	9.5	6.1
Caesarian Section	Primary	14.4	10.1	11.7	15.4	14.7	14.3	19.6	14.3	13.4	12.1
	Secondary	8.8	*	3.9	6.0	10.1	13.9	17.0	8.8	12.8	8.1
Trimester Prenatal Care Began	First	89.7	63.3	78.5	89.5	94.1	95.5	91.2	90.0	82.1	72.5
	Third or No Care	1.8	7.4	3.5	1.6	1.0	1.1	*	1.7	2.3	4.4
First Birth		33.5	79.5	51.1	41.9	26.0	15.7	*	33.3	26.1	38.7
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	4.4	12.2	27.2	35.5	17.7	3.0	86.8	3.6	15.2
Sex	Male	51.1	50.9	51.9	51.0	51.2	50.6	51.4	51.2	50.3	50.7
	Female	48.9	49.1	48.1	49.0	48.8	49.4	48.6	48.8	49.7	49.3
Race	White	86.8	86.8	85.0	83.9	88.2	89.4	88.5			
	Black	3.6	9.6	6.0	3.9	2.5	2.5	2.4			
Ethnicity	Hispanic ¹	15.2	42.5	36.7	16.2	8.4	7.0	6.8			
Multiple Births		4.2	0.8	1.8	3.4	4.8	6.4	5.3	4.3	3.5	2.3
Marital Status	Married	86.6	24.3	61.0	89.4	95.9	95.5	94.1	86.9	55.6	66.9
	Single	13.4	75.7	39.0	10.6	4.1	4.5	5.9	13.1	44.4	33.1
Mother Not High School Graduate		10.1	54.4	25.4	9.0	4.0	3.4	4.1	10.8	8.8	47.7
Birthweight	Very Low (0-1,499 Grams)	1.3	1.6	1.2	1.2	1.3	1.5	1.6	1.2	3.0	1.3
	Low (0-2,499 Grams)	6.5	7.2	6.0	5.9	6.2	7.6	8.9	6.0	10.7	5.7
Caesarian Section	Primary	13.1	10.5	11.0	13.5	13.0	13.9	16.3	12.9	14.2	10.7
	Secondary	7.8	1.0	3.2	5.1	9.2	12.5	15.3	7.7	9.9	7.3
Trimester Prenatal Care Began	First	89.6	64.4	77.0	90.2	94.2	94.3	91.1	90.1	80.8	71.2
	Third or No Care	1.9	0.9	4.8	1.6	.9	1.0	1.2	1.8	04.6	5.6
First Birth		33.0	77.0	50.2	42.2	25.3	15.3	12.7	32.6	29.3	36.5

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of DuPage County - 2001

Population Estimates	
Total	911,800
Under 65 Years	821,800
65 and Older	90,000

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	5,659	93	6	19	82	74	136	321	526	892	1,738	1,772
Male	2,516	44	2	11	56	53	89	193	320	469	782	497
Female	3,143	49	4	8	26	21	47	128	206	423	956	1,275
Black	81	7	1	--	2	3	4	11	14	12	15	12
Male	36	6	--	--	1	3	2	7	4	6	4	3
Female	45	1	1	--	1	--	2	4	10	6	11	9
White	5,394	73	4	16	72	67	127	292	488	847	1,676	1,732
Male	2,387	34	2	9	51	50	83	176	303	445	754	480
Female	3,007	39	2	7	21	17	44	116	185	402	922	1,252
All other races	184	13	1	3	8	4	5	18	24	33	47	28
Male	93	4	--	2	4	--	4	10	13	18	24	14
Female	91	9	1	1	4	4	1	8	11	15	23	14
Hispanic ethnicity ¹	136	13	1	4	9	11	11	18	15	16	17	21
Male	77	8	--	3	8	8	7	8	9	11	8	7
Female	59	5	1	1	1	3	4	10	6	5	9	14

Deaths by Selected Causes											
	Race Category				Ethnicity	Age		Rates ²			
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age	
								2001	1999 - 2001	0-64	65+
All Causes - Current Year	5,659	81	5,394	184	136	1,257	4,402	620.6	619.3	153.0	4,891.1
5-Year Average (1997-2001)	5,443	84	5,224	135	101	1,209	4,234	619.3	N.A.	151.7	5,192.9
Infectious and parasitic diseases	113	3	108	2	3	24	89	12.4	13.1	2.9	98.9
# Septicemia	77	1	75	1	1	10	67	8.4	9.2	1.2	74.4
# Viral hepatitis	9	1	7	1	--	4	5	*	1.1	*	*
# HIV disease	6	--	6	--	2	6	--	*	0.7	*	-0-
# Malignant neoplasms	1,452	20	1,387	45	25	425	1,027	159.2	155.6	51.7	1,141.1
Lip, oral cavity and pharynx	23	1	21	1	--	8	15	2.5	1.8	*	16.7
Colorectal	151	--	145	6	3	37	114	16.6	16.3	4.5	126.7
Bronchus and lung	366	4	355	7	1	95	271	40.1	38.9	11.6	301.1
Female breast	153	7	139	7	2	61	92	16.8 ³	14.6 ³	7.4 ³	102.2 ³
Cervical	8	--	7	1	--	7	1	* ³	1.0 ³	* ³	* ³
Prostate	74	2	72	--	--	10	64	8.1 ³	8.4 ³	1.2 ³	71.1 ³
# Diabetes mellitus	108	2	103	3	3	26	82	11.8	12.4	3.2	91.1
# Alzheimer's disease	112	1	110	1	--	2	110	12.3	12.2	*	122.2
Major cardiovascular diseases	2,145	24	2,046	75	36	272	1,873	235.2	243.2	33.1	2,081.1
# Diseases of heart	1,574	15	1,499	60	28	229	1,345	172.6	180.1	27.9	1,494.4
Ischemic heart disease	1,115	11	1,054	50	20	164	951	122.3	130.9	20.0	1,056.7
# Cerebrovascular diseases	412	9	391	12	5	32	380	45.2	47.7	3.9	422.2
# Atherosclerosis	61	--	60	1	--	--	61	6.7	6.0	-0-	67.8
# Aortic aneurysm and dissection	35	--	33	2	--	6	29	3.8	3.7	*	32.2
Respiratory diseases	516	6	497	13	7	49	467	56.6	58.0	6.0	518.9
# Influenza and pneumonia	144	2	137	5	1	14	130	15.8	17.4	1.7	144.4
# Chronic lower resp. diseases	258	1	254	3	5	21	237	28.3	27.5	2.6	263.3
Emphysema	42	--	42	--	1	1	41	4.6	3.7	*	45.6
Asthma	7	--	7	--	2	4	3	*	0.8	*	*
# Chronic liver disease and cirrhosis	54	--	52	2	5	32	22	5.9	6.0	3.9	24.4
# Nephritis, nephrotic syn. & nephrosis	128	3	121	4	--	15	113	14.0	12.3	1.8	125.6
# Certain perinatal conditions	48	4	40	4	9	48	--	5.3	5.3	5.8	-0-
# Congenital malformations	26	1	21	4	2	25	1	2.9	3.3	3.0	*
SIDS	3	--	3	--	--	3	--	*	*	*	-0-
External causes	291	7	269	15	27	213	78	31.9	28.3	25.9	86.7
# Accidents	193	3	181	9	19	132	61	21.2	19.5	16.1	67.8
Motor vehicle accidents	76	2	68	6	14	67	9	8.3	7.0	8.2	*
All other accidents	117	1	113	3	5	65	52	12.8	12.5	7.9	57.8
# Suicide	72	1	67	4	1	58	14	7.9	6.6	7.1	15.6
# Homicide	16	2	12	2	6	16	--	1.8	1.4	1.9	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Edgar County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	225	39	70	67	36	9	4	224	--	--
Sex	Male	130	25	37	38	20	7	3	130	--	--
	Female	95	14	33	29	16	2	1	94	--	--
Race	White	224	39	70	67	36	8	4			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		8	--	--	4	2	--	2	8	--	--
Marital Status	Married	145	8	42	54	28	9	4	144	--	--
	Single	80	31	28	13	8	--	--	80	--	--
Mother Not High School Graduate		37	20	14	2	1	--	--	37	--	--
Birthweight	Very Low (0-1,499 Grams)	2	1	--	--	1	--	--	2	--	--
	Low (0-2,499 Grams)	13	4	3	4	2	--	--	13	--	--
Caesarian Section	Primary	32	6	7	9	8	2	--	31	--	--
	Secondary	25	2	6	6	9	1	1	25	--	--
Trimester Prenatal	First	184	26	57	57	34	8	2	183	--	--
Care Began	Third or No Care	7	2	3	2	--	--	--	7	--	--
First Birth		72	25	28	14	4	1	--	72	--	--
2001 Percentages ²											
Live Births	Total	100.0	17.3	31.1	29.8	16.0	*	*	99.6	-0-	-0-
Sex	Male	57.8	*	*	*	*	*	*	58.0	-0-	-0-
	Female	42.2	*	*	*	*	*	*	42.0	-0-	-0-
Race	White	99.6	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		*	-0-	-0-	*	*	-0-	*	*	-0-	-0-
Marital Status	Married	64.4	*	*	*	*	*	*	64.3	-0-	-0-
	Single	35.6	*	*	*	*	-0-	-0-	35.7	-0-	-0-
Mother Not High School Graduate		16.5	*	*	*	*	-0-	-0-	16.6	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	-0-	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.8	*	*	*	*	-0-	-0-	5.9	-0-	-0-
Caesarian Section	Primary	14.2	*	*	*	*	*	-0-	13.8	-0-	-0-
	Secondary	11.1	*	*	*	*	*	*	11.2	-0-	-0-
Trimester Prenatal	First	83.6	*	*	*	*	*	*	83.6	-0-	-0-
Care Began	Third or No Care	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
First Birth		32.0	*	*	*	*	*	-0-	32.1	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	16.7	31.3	28.3	16.1	6.4	1.2	99.4	*	*
Sex	Male	50.5	48.3	48.5	49.8	52.3	*	*	50.7	*	-0-
	Female	49.5	51.7	51.5	50.2	47.7	*	*	49.3	*	*
Race	White	99.4	100.0	99.7	99.7	98.9	*	*			
	Black	*	-0-	*	-0-	*	*	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	*	*	-0-			
Multiple Births		3.2	*	*	*	6.9	-0-	*	3.2	-0-	-0-
Marital Status	Married	65.8	22.8	60.9	82.6	83.9	*	*	65.9	*	*
	Single	34.2	77.2	39.1	17.4	16.1	*	*	34.1	*	*
Mother Not High School Graduate		20.3	58.9	19.0	8.5	7.5	*	*	20.4	-0-	*
Birthweight	Very Low (0-1,499 Grams)	1.9	*	*	*	*	*	-0-	1.8	-0-	*
	Low (0-2,499 Grams)	7.8	7.2	8.9	5.6	10.9	*	-0-	7.7	-0-	*
Caesarian Section	Primary	13.3	17.2	13.3	12.1	12.6	*	*	13.2	-0-	*
	Secondary	12.6	*	11.2	13.1	22.4	*	*	12.6	*	*
Trimester Prenatal	First	83.2	73.2	80.0	89.2	91.9	*	*	83.2	*	*
Care Began	Third or No Care	2.1	0.6	3.0	*	*	*	-0-	2.2	-0-	-0-
First Birth		32.0	72.2	33.7	25.2	11.5	*	-0-	32.2	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Edgar County - 2001

Population Estimates	
Total	19,500
Under 65 Years	16,040
65 and Older	3,460

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	222	1	--	--	3	5	5	14	16	33	59	86	
Male	100	1	--	--	2	4	3	8	10	20	30	22	
Female	122	--	--	--	1	1	2	6	6	13	29	64	
Black	1	--	--	--	--	--	--	--	--	--	--	1	
Male	1	--	--	--	--	--	--	--	--	--	--	1	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	220	1	--	--	3	5	5	13	16	33	59	85	
Male	98	1	--	--	2	4	3	7	10	20	30	21	
Female	122	--	--	--	1	1	2	6	6	13	29	64	
All other races	1	--	--	--	--	--	--	1	--	--	--	--	
Male	1	--	--	--	--	--	--	1	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	222	1	220	1	--		44	178			1,138.5	1,203.1	274.3	5,144.5
5-Year Average (1997-2001)	240	<1	240	<1	<1		44	196			1,221.5	N.A.	274.7	5,465.2
Infectious and parasitic diseases	3	--	2	1	--		1	2		*	29.0	*	*	*
# Septicemia	2	--	2	--	--		--	2		*	20.5		-0-	*
# Viral hepatitis	1	--	--	1	--		1	--		*	*		*	-0-
# HIV disease	--	--	--	--	--		--	--		-0-	*		-0-	-0-
# Malignant neoplasms	47	1	46	--	--		12	35		241.0	254.3	74.8	1,011.6	
Lip, oral cavity and pharynx	--	--	--	--	--		--	--		-0-	*		-0-	-0-
Colorectal	1	--	1	--	--		--	1		*	32.4		-0-	*
Bronchus and lung	13	--	13	--	--		5	8		66.7	76.8	*	*	*
Female breast	4	--	4	--	--		1	3		³ 256.4	³ 18.8	³ *	³ *	³ *
Cervical	--	--	--	--	--		--	--		-0- ³	-0- ³		-0- ³	-0- ³
Prostate	2	1	1	--	--		--	2		³ 20.5	³		-0- ³	³ *
# Diabetes mellitus	4	--	4	--	--		1	3		*	22.2	*	*	*
# Alzheimer's disease	4	--	4	--	--		--	4		*	18.8		-0-	*
Major cardiovascular diseases	104	--	104	--	--		9	95		533.3	556.3	*	2,745.7	
# Diseases of heart	73	--	73	--	--		8	65		374.4	378.8	*	1,878.6	
Ischemic heart disease	50	--	50	--	--		6	44		256.4	245.7	*	1,271.7	
# Cerebrovascular diseases	26	--	26	--	--		--	26		133.3	138.2	-0-	751.4	
# Atherosclerosis	1	--	1	--	--		--	1		*	*		-0-	*
# Aortic aneurysm and dissection	1	--	1	--	--		--	1		*	*		-0-	*
Respiratory diseases	21	--	21	--	--		3	18		107.7	121.2	*	520.2	
# Influenza and pneumonia	4	--	4	--	--		--	4		*	32.4		-0-	*
# Chronic lower resp. diseases	12	--	12	--	--		3	9		61.5	71.7	*	*	*
Emphysema	4	--	4	--	--		1	3		*	*		*	*
Asthma	--	--	--	--	--		--	--		-0-	-0-		-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--		--	1		*	*		-0-	*
# Nephritis, nephrotic syn. & nephrosis	1	--	1	--	--		--	1		*	*		-0-	*
# Certain perinatal conditions	1	--	1	--	--		1	--		*	*		*	-0-
# Congenital malformations	3	--	3	--	--		2	1		*	*		*	*
SIDS	--	--	--	--	--		--	--		-0-	*		-0-	-0-
External causes	15	--	15	--	--		10	5		76.9	63.1	62.3	*	*
# Accidents	8	--	8	--	--		6	2		*	42.7	*	*	*
Motor vehicle accidents	6	--	6	--	--		4	2		*	30.7	*	*	*
All other accidents	2	--	2	--	--		2	--		*	*		*	-0-
# Suicide	5	--	5	--	--		2	3		*	*		*	*
# Homicide	--	--	--	--	--		--	--		-0-	-0-		-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Edwards County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	80	3	33	26	14	4	--	77	--	1
Sex	Male	41	1	15	14	8	3	--	41	--	1
	Female	39	2	18	12	6	1	--	36	--	--
Race	White	77	3	31	26	13	4	--			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	1	--	--	--	--			
Multiple Births		4	--	2	--	2	--	--	4	--	--
Marital Status	Married	62	2	21	24	12	3	--	62	--	1
	Single	18	1	12	2	2	1	--	15	--	--
Mother Not High School Graduate		4	1	3	--	--	--	--	4	--	--
Birthweight	Very Low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	7	--	4	1	1	1	--	6	--	--
Caesarian Section	Primary	12	1	6	4	1	--	--	11	--	--
	Secondary	6	--	1	4	1	--	--	6	--	--
Trimester Prenatal Care Began	First	76	3	30	25	14	4	--	73	--	1
	Third or No Care	--	--	--	--	--	--	--	--	--	--
First Birth		23	2	12	7	--	2	--	21	--	--
2001 Percentages ²											
Live Births	Total	*	*	*	*	*	*	-0-	*	-0-	*
Sex	Male	*	*	*	*	*	*	-0-	*	-0-	*
	Female	*	*	*	*	*	*	-0-	*	-0-	-0-
Race	White	*	*	*	*	*	*	-0-			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	-0-	-0-	-0-			
Multiple Births		*	-0-	*	-0-	*	-0-	-0-	*	-0-	-0-
Marital Status	Married	*	*	*	*	*	*	-0-	*	-0-	*
	Single	*	*	*	*	*	*	-0-	*	-0-	-0-
Mother Not High School Graduate		*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	*	-0-	*	*	*	*	-0-	*	-0-	-0-
Caesarian Section	Primary	*	*	*	*	*	-0-	-0-	*	-0-	-0-
	Secondary	*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
Trimester Prenatal Care Began	First	*	*	*	*	*	*	-0-	*	-0-	*
	Third or No Care	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
First Birth		*	*	*	*	-0-	*	-0-	*	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	10.7	35.7	30.4	17.3	5.6	*	98.7	-0-	*
Sex	Male	48.2	*	44.3	45.4	*	*	*	48.3	-0-	*
	Female	51.8	*	55.7	54.6	*	*	-0-	51.7	-0-	-0-
Race	White	98.7	*	97.9	100.0	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	-0-	-0-	-0-			
Multiple Births		*	-0-	*	*	*	*	-0-	*	-0-	-0-
Marital Status	Married	76.0	*	72.9	87.4	*	*	*	76.5	-0-	*
	Single	24.0	*	27.1	12.6	*	*	-0-	23.5	-0-	-0-
Mother Not High School Graduate		11.7	*	11.4	*	*	*	-0-	11.9	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.6	*	8.6	*	*	*	-0-	6.5	-0-	-0-
Caesarian Section	Primary	13.0	*	11.4	11.8	*	*	*	12.9	-0-	-0-
	Secondary	9.9	-0-	*	14.3	*	*	-0-	9.8	-0-	*
Trimester Prenatal Care Began	First	89.8	*	87.9	90.8	*	*	*	89.6	-0-	*
	Third or No Care	*	0.0	*	*	-0-	-0-	-0-	*	-0-	-0-
First Birth		35.7	*	40.7	28.6	*	*	-0-	35.4	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Edwards County - 2001

Population Estimates	
Total	6,900
Under 65 Years	5,630
65 and Older	1,270

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	72	2	--	--	2	--	3	5	7	12	22	19	
Male	34	1	--	--	2	--	2	2	5	5	9	8	
Female	38	1	--	--	--	--	1	3	2	7	13	11	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	72	2	--	--	2	--	3	5	7	12	22	19	
Male	34	1	--	--	2	--	2	2	5	5	9	8	
Female	38	1	--	--	--	--	1	3	2	7	13	11	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	72	--	72	--	--		19	53			1,043.5	1,270.5	337.5	4,173.2
5-Year Average (1997-2001)	87	<1	87	--	<1		17	70			1,259.4	N.A.	307.4	4,992.9
# Infectious and parasitic diseases	1	--	1	--	--		--	1		*	*	*	-0-	*
# Septicemia	1	--	1	--	--		--	1		*	*	*	-0-	*
# Viral hepatitis	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# HIV disease	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Malignant neoplasms	13	--	13	--	--		5	8		188.4	275.4	*	*	*
Lip, oral cavity and pharynx	1	--	1	--	--		--	1		*	*	*	-0-	*
Colorectal	1	--	1	--	--		--	1		*	*	*	-0-	*
Bronchus and lung	1	--	1	--	--		--	1		*	72.5	*	-0-	*
Female breast	2	--	2	--	--		2	--		* ³	* ³	* ³	-0-	* ³
Cervical	1	--	1	--	--		1	--		* ³	* ³	* ³	-0-	* ³
Prostate	1	--	1	--	--		--	1		* ³	* ³	* ³	-0-	* ³
# Diabetes mellitus	2	--	2	--	--		1	1		*	53.1	*	*	*
# Alzheimer's disease	1	--	1	--	--		--	1		*	*	*	-0-	*
Major cardiovascular diseases	34	--	34	--	--		4	30		492.8	521.7	*	*	2,362.2
# Diseases of heart	26	--	26	--	--		3	23		376.8	444.4	*	*	1,811.0
Ischemic heart disease	20	--	20	--	--		2	18		289.9	381.6	*	*	1,417.3
# Cerebrovascular diseases	6	--	6	--	--		1	5		*	67.6	*	*	*
# Atherosclerosis	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Aortic aneurysm and dissection	2	--	2	--	--		--	2		*	*	*	-0-	*
Respiratory diseases	10	--	10	--	--		2	8		144.9	154.6	*	*	*
# Influenza and pneumonia	1	--	1	--	--		--	1		*	*	*	-0-	*
# Chronic lower resp. diseases	7	--	7	--	--		2	5		*	67.6	*	*	*
Emphysema	1	--	1	--	--		--	1		*	*	*	-0-	*
Asthma	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--		--	1		*	*	*	-0-	*
# Nephritis, nephrotic syn. & nephrosis	--	--	--	--	--		--	--		-0-	*	*	-0-	-0-
# Certain perinatal conditions	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Congenital malformations	2	--	2	--	--		2	--		*	*	*	*	-0-
SIDS	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
External causes	7	--	7	--	--		5	2		*	87.0	*	*	*
# Accidents	6	--	6	--	--		4	2		*	77.3	*	*	*
Motor vehicle accidents	5	--	5	--	--		4	1		*	*	*	*	*
All other accidents	1	--	1	--	--		--	1		*	*	*	-0-	*
# Suicide	1	--	1	--	--		1	--		*	*	*	*	-0-
# Homicide	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Effingham County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	468	37	136	139	108	40	8	464	--	9
Sex	Male	233	21	64	69	56	18	5	232	--	7
	Female	235	16	72	70	52	22	3	232	--	2
Race	White	464	37	135	137	107	40	8			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	9	--	2	4	1	2	--			
Multiple Births		9	--	--	9	--	--	--	9	--	--
Marital Status	Married	354	7	83	124	97	36	7	351	--	9
	Single	114	30	53	15	11	4	1	113	--	--
Mother Not High School Graduate		66	24	25	10	5	2	--	66	--	2
Birthweight	Very Low (0-1,499 Grams)	4	1	1	2	--	--	--	4	--	--
	Low (0-2,499 Grams)	22	1	5	12	2	--	2	22	--	--
Caesarian Section	Primary	65	5	20	22	14	1	3	64	--	--
	Secondary	60	1	8	17	21	11	2	59	--	1
Trimester Prenatal	First	435	32	125	129	102	39	8	431	--	7
Care Began	Third or No Care	4	2	--	2	--	--	--	4	--	1
First Birth		130	26	54	35	12	2	1	128	--	1
2001 Percentages ²											
Live Births	Total	100.0	7.9	29.1	29.7	23.1	8.5	*	99.1	-0-	*
Sex	Male	49.8	*	47.1	49.6	51.9	*	*	50.0	-0-	*
	Female	50.2	*	52.9	50.4	48.1	*	*	50.0	-0-	*
Race	White	99.1	*	99.3	98.6	99.1	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	*	*	-0-			
Multiple Births		*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	75.6	*	61.0	89.2	89.8	*	*	75.6	-0-	*
	Single	24.4	*	39.0	10.8	10.2	*	*	24.4	-0-	-0-
Mother Not High School Graduate		14.1	*	18.4	7.2	*	*	-0-	14.2	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	4.7	*	*	8.6	*	-0-	*	4.7	-0-	-0-
Caesarian Section	Primary	13.9	*	14.7	15.8	13.0	*	*	13.8	-0-	-0-
	Secondary	12.8	*	*	12.2	19.4	*	*	12.7	-0-	*
Trimester Prenatal	First	92.9	*	91.9	92.8	94.4	*	*	92.9	-0-	*
Care Began	Third or No Care	*	*	-0-	*	-0-	-0-	-0-	*	-0-	*
First Birth		27.8	*	39.7	25.2	11.1	*	-0-	27.6	-0-	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	10.9	26.4	31.3	20.4	9.0	2.0	98.8	*	0.9
Sex	Male	52.7	53.5	50.7	54.3	53.4	48.8	*	52.8	-0-	*
	Female	47.3	46.5	49.3	45.7	46.6	51.2	*	47.2	*	*
Race	White	98.8	100.0	99.0	98.4	98.3	98.6	*			
	Black	*	-0-	-0-	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	0.9	*	*	*	*	*	-0-			
Multiple Births		3.6	*	*	5.2	4.2	5.2	*	3.7	-0-	-0-
Marital Status	Married	75.4	24.6	61.0	89.6	91.3	90.1	*	75.1	*	*
	Single	24.6	75.4	39.0	10.4	8.7	9.9	*	24.9	-0-	*
Mother Not High School Graduate		12.5	53.1	16.2	5.0	3.1	*	-0-	12.5	-0-	*
Birthweight	Very Low (0-1,499 Grams)	1.0	*	*	1.4	*	*	-0-	1.0	-0-	-0-
	Low (0-2,499 Grams)	6.7	8.2	6.1	6.6	6.4	8.0	*	6.7	-0-	-0-
Caesarian Section	Primary	13.0	18.0	13.5	13.2	11.4	8.0	*	13.0	-0-	*
	Secondary	9.8	*	5.1	9.9	15.2	21.1	*	9.8	-0-	*
Trimester Prenatal	First	90.3	74.2	86.0	95.2	95.4	93.4	*	90.3	*	*
Care Began	Third or No Care	1.4	0.4	1.9	*	*	*	-0-	1.4	-0-	*
First Birth		31.4	76.6	41.3	27.8	13.7	5.6	*	31.3	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Effingham County - 2001

Population Estimates	
Total	34,400
Under 65 Years	29,580
65 and Older	4,820

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	348	2	2	2	3	5	8	23	31	50	91	131	
Male	174	1	1	1	3	5	6	13	19	31	40	54	
Female	174	1	1	1	--	--	2	10	12	19	51	77	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	348	2	2	2	3	5	8	23	31	50	91	131	
Male	174	1	1	1	3	5	6	13	19	31	40	54	
Female	174	1	1	1	--	--	2	10	12	19	51	77	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	348	--	348	--	--	76	272	1,011.6	976.6	256.9	5,643.2		
5-Year Average (1997-2001)	319	<1	319	--	<1	64	255	955.7	N.A.	225.2	5,281.7		
# Infectious and parasitic diseases	8	--	8	--	--	3	5	*	14.6	*	*		*
# Septicemia	3	--	3	--	--	2	1	*	*	*	*		*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Malignant neoplasms	64	--	64	--	--	20	44	186.0	199.6	67.6	912.9		
Lip, oral cavity and pharynx	2	--	2	--	--	1	1	*	*	*	*		*
Colorectal	3	--	3	--	--	1	2	*	19.5	*	*		*
Bronchus and lung	19	--	19	--	--	3	16	55.2	58.4	*	332.0		*
Female breast	5	--	5	--	--	2	3	³ 16.6	³ 16.6	³ *	³ 332.0		³ *
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³		-0- ³
Prostate	3	--	3	--	--	--	3	³ 10.7	³ 10.7	-0- ³	³ *		³ *
# Diabetes mellitus	12	--	12	--	--	3	9	34.9	29.2	*	*		*
# Alzheimer's disease	9	--	9	--	--	--	9	*	23.4	-0-	*		*
Major cardiovascular diseases	141	--	141	--	--	21	120	409.9	389.5	71.0	2,489.6		
# Diseases of heart	110	--	110	--	--	21	89	319.8	280.4	71.0	1,846.5		
Ischemic heart disease	72	--	72	--	--	18	54	209.3	179.2	60.9	1,120.3		
# Cerebrovascular diseases	25	--	25	--	--	--	25	72.7	92.5	-0-	518.7		
# Atherosclerosis	2	--	2	--	--	--	2	*	*	-0-	*		*
# Aortic aneurysm and dissection	4	--	4	--	--	--	4	*	9.7	-0-	*		*
Respiratory diseases	39	--	39	--	--	5	34	113.4	99.3	*	705.4		
# Influenza and pneumonia	5	--	5	--	--	--	5	*	22.4	-0-	*		*
# Chronic lower resp. diseases	25	--	25	--	--	4	21	72.7	50.6	*	435.7		
Emphysema	5	--	5	--	--	1	4	*	9.7	*	*		*
Asthma	1	--	1	--	--	--	1	*	*	-0-	*		*
# Chronic liver disease and cirrhosis	3	--	3	--	--	1	2	*	*	*	*		*
# Nephritis, nephrotic syn. & nephrosis	7	--	7	--	--	1	6	*	18.5	*	*		*
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
SIDS	1	--	1	--	--	1	--	*	*	*	-0-		-0-
External causes	15	--	15	--	--	13	2	43.6	74.0	43.9	*		*
# Accidents	10	--	10	--	--	9	1	29.1	58.4	*	*		*
Motor vehicle accidents	7	--	7	--	--	6	1	*	28.2	*	*		*
All other accidents	3	--	3	--	--	3	--	*	30.2	*	-0-		-0-
# Suicide	3	--	3	--	--	2	1	*	9.7	*	*		*
# Homicide	1	--	1	--	--	1	--	*	*	*	-0-		-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Fayette County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	234	46	80	47	48	12	1	233	--	3
Sex	Male	112	16	39	26	24	7	--	112	--	1
	Female	122	30	41	21	24	5	1	121	--	2
Race	White	233	46	80	47	47	12	1			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	3	1	--	1	1	--	--			
Multiple Births		2	--	2	--	--	--	--	2	--	--
Marital Status	Married	161	11	53	42	45	9	1	160	--	2
	Single	73	35	27	5	3	3	--	73	--	1
Mother Not High School Graduate		53	27	17	6	2	1	--	53	--	1
Birthweight	Very Low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	14	3	10	1	--	--	--	14	--	--
Caesarian Section	Primary	37	7	12	5	12	1	--	36	--	--
	Secondary	23	3	6	6	5	2	1	23	--	--
Trimester Prenatal Care Began	First	204	34	68	43	47	11	1	203	--	3
	Third or No Care	2	1	1	--	--	--	--	2	--	--
First Birth		73	30	29	8	5	1	--	72	--	1
2001 Percentages ²											
Live Births	Total	100.0	19.7	34.2	20.1	20.5	5.1	*	99.6	-0-	*
Sex	Male	47.9	*	*	*	*	*	-0-	48.1	-0-	*
	Female	52.1	*	*	*	*	*	*	51.9	-0-	*
Race	White	99.6	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	*	*	-0-	-0-			
Multiple Births		*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	68.8	*	*	*	*	*	*	68.7	-0-	*
	Single	31.2	*	*	*	*	*	-0-	31.3	-0-	*
Mother Not High School Graduate		22.6	*	*	*	*	*	-0-	22.7	-0-	*
Birthweight	Very Low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	6.0	*	*	*	-0-	-0-	-0-	6.0	-0-	-0-
Caesarian Section	Primary	15.8	*	*	*	*	*	-0-	15.5	-0-	-0-
	Secondary	9.8	*	*	*	*	*	*	9.9	-0-	-0-
Trimester Prenatal Care Began	First	87.9	*	*	*	*	*	*	87.9	-0-	*
	Third or No Care	*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First Birth		31.2	*	*	*	*	*	-0-	30.9	-0-	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	18.5	32.9	24.0	17.4	6.2	1.1	99.1	*	*
Sex	Male	50.8	47.0	51.5	53.4	51.4	*	*	50.7	*	*
	Female	49.2	53.0	48.5	46.6	48.6	*	*	49.3	-0-	*
Race	White	99.1	98.7	99.5	99.3	99.1	*	*			
	Black	*	*	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	*	*	-0-			
Multiple Births		3.3	*	3.6	*	*	*	-0-	3.3	-0-	-0-
Marital Status	Married	67.4	24.2	65.6	83.1	90.5	*	*	67.5	*	*
	Single	32.6	75.8	34.4	16.9	9.5	*	*	32.5	*	*
Mother Not High School Graduate		22.4	58.1	19.5	11.4	8.1	*	*	22.3	*	*
Birthweight	Very Low (0-1,499 Grams)	1.5	*	*	*	*	*	*	1.5	-0-	-0-
	Low (0-2,499 Grams)	6.6	8.5	4.0	7.2	6.3	*	*	6.7	-0-	-0-
Caesarian Section	Primary	13.3	16.1	10.9	10.4	17.1	*	*	13.1	*	-0-
	Secondary	10.6	4.2	8.6	11.7	15.8	*	*	10.6	-0-	*
Trimester Prenatal Care Began	First	84.1	74.6	82.8	89.7	89.2	*	*	84.4	*	*
	Third or No Care	3.0	6.4	3.1	*	*	*	*	2.9	*	*
First Birth		32.2	74.6	33.5	19.9	12.2	*	*	32.1	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Fayette County - 2001

Population Estimates	
Total	21,600
Under 65 Years	18,170
65 and Older	3,430

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	249	1	--	--	3	2	5	16	20	39	69	94	
Male	113	1	--	--	1	2	3	14	13	21	35	23	
Female	136	--	--	--	2	--	2	2	7	18	34	71	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	249	1	--	--	3	2	5	16	20	39	69	94	
Male	113	1	--	--	1	2	3	14	13	21	35	23	
Female	136	--	--	--	2	--	2	2	7	18	34	71	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	249	--	249	--	--		47	202			1,152.8	1,138.2	258.7	5,889.2
5-Year Average (1997-2001)	242	1	241	<1	<1		44	198			1,126.6	N.A.	245.8	5,651.4
# Infectious and parasitic diseases	9	--	9	--	--		2	7			*	33.8	*	*
# Septicemia	7	--	7	--	--		1	6			*	26.1	*	*
# Viral hepatitis	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# HIV disease	1	--	1	--	--		1	--			*	*	*	-0-
# Malignant neoplasms	45	--	45	--	--		10	35			208.3	227.3	55.0	1,020.4
Lip, oral cavity and pharynx	--	--	--	--	--		--	--			-0-	*	-0-	-0-
Colorectal	3	--	3	--	--		--	3			*	18.4	-0-	*
Bronchus and lung	14	--	14	--	--		3	11			64.8	66.1	*	320.7
Female breast	--	--	--	--	--		--	--			-0- ³	* ³	-0- ³	-0- ³
Cervical	--	--	--	--	--		--	--			-0- ³	-0- ³	-0- ³	-0- ³
Prostate	4	--	4	--	--		--	4			* ³	18.4 ³	-0- ³	* ³
# Diabetes mellitus	7	--	7	--	--		2	5			*	21.5	*	*
# Alzheimer's disease	5	--	5	--	--		--	5			*	18.4	-0-	*
Major cardiovascular diseases	89	--	89	--	--		16	73			412.0	448.5	88.1	2,128.3
# Diseases of heart	71	--	71	--	--		14	57			328.7	362.5	77.1	1,661.8
Ischemic heart disease	56	--	56	--	--		12	44			259.3	276.5	66.0	1,282.8
# Cerebrovascular diseases	14	--	14	--	--		2	12			64.8	58.4	*	349.9
# Atherosclerosis	1	--	1	--	--		--	1			*	*	-0-	*
# Aortic aneurysm and dissection	3	--	3	--	--		--	3			*	*	-0-	*
Respiratory diseases	38	--	38	--	--		4	34			175.9	158.2	*	991.3
# Influenza and pneumonia	13	--	13	--	--		1	12			60.2	52.2	*	349.9
# Chronic lower resp. diseases	11	--	11	--	--		1	10			50.9	58.4	*	291.5
Emphysema	2	--	2	--	--		--	2			*	*	-0-	*
Asthma	1	--	1	--	--		1	--			*	*	*	-0-
# Chronic liver disease and cirrhosis	2	--	2	--	--		1	1			*	*	*	*
# Nephritis, nephrotic syn. & nephrosis	9	--	9	--	--		--	9			*	36.9	-0-	*
# Certain perinatal conditions	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Congenital malformations	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
SIDS	--	--	--	--	--		--	--			-0-	*	-0-	-0-
External causes	17	--	17	--	--		9	8			78.7	72.2	*	*
# Accidents	12	--	12	--	--		5	7			55.6	58.4	*	*
Motor vehicle accidents	5	--	5	--	--		4	1			*	24.6	*	*
All other accidents	7	--	7	--	--		1	6			*	33.8	*	*
# Suicide	3	--	3	--	--		3	--			*	*	*	-0-
# Homicide	1	--	1	--	--		1	--			*	*	*	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Ford County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	176	19	40	63	38	12	4	172	--	5
Sex	Male	98	11	25	29	23	9	1	95	--	1
	Female	78	8	15	34	15	3	3	77	--	4
Race	White	172	18	39	62	38	11	4			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	5	2	--	1	2	--	--			
Multiple Births		8	--	2	2	2	2	--	8	--	--
Marital Status	Married	133	4	27	53	33	12	4	130	--	3
	Single	43	15	13	10	5	--	--	42	--	2
Mother Not High School Graduate		13	8	2	3	--	--	--	12	--	1
Birthweight	Very Low (0-1,499 Grams)	4	1	2	1	--	--	--	4	--	--
	Low (0-2,499 Grams)	14	3	4	4	3	--	--	13	--	--
Caesarian Section	Primary	27	4	9	6	7	1	--	25	--	--
	Secondary	15	1	3	6	3	2	--	15	--	1
Trimester Prenatal	First	148	18	34	55	30	9	2	144	--	4
Care Began	Third or No Care	2	--	1	--	--	--	1	2	--	--
First Birth		53	12	19	16	6	--	--	53	--	1
2001 Percentages ²											
Live Births	Total	100.0	10.8	22.7	35.8	21.6	6.8	*	97.7	-0-	*
Sex	Male	55.7	*	*	*	*	*	*	55.2	-0-	*
	Female	44.3	*	*	*	*	*	*	44.8	-0-	*
Race	White	97.7	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	*	*	-0-	-0-			
Multiple Births		*	-0-	*	*	*	*	-0-	*	-0-	-0-
Marital Status	Married	75.6	*	*	*	*	*	*	75.6	-0-	*
	Single	24.4	*	*	*	*	-0-	-0-	24.4	-0-	*
Mother Not High School Graduate		7.4	*	*	*	-0-	-0-	-0-	7.0	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	8.0	*	*	*	*	-0-	-0-	7.6	-0-	-0-
Caesarian Section	Primary	15.3	*	*	*	*	*	-0-	14.5	-0-	-0-
	Secondary	8.5	*	*	*	*	*	-0-	8.7	-0-	*
Trimester Prenatal	First	87.6	*	*	*	*	*	*	87.3	-0-	*
Care Began	Third or No Care	*	-0-	*	-0-	-0-	-0-	*	*	-0-	-0-
First Birth		30.1	*	*	*	*	-0-	*	30.8	-0-	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	11.9	26.3	30.6	21.4	8.1	1.8	98.7	*	2.7
Sex	Male	53.4	52.8	54.0	50.0	57.1	*	*	53.3	-0-	*
	Female	46.6	47.2	46.0	50.0	42.9	*	*	46.7	*	*
Race	White	98.7	98.1	99.1	98.2	99.0	*	*			
	Black	*	*	*	-0-	-0-	-0-				
Ethnicity	Hispanic ¹	2.7	9.4	*	*	*	-0-	-0-			
Multiple Births		4.0	*	*	5.1	5.2	*	-0-	4.1	-0-	-0-
Marital Status	Married	74.9	18.9	68.1	86.9	90.6	*	*	74.9	*	*
	Single	25.1	81.1	31.9	13.1	9.4	*	*	25.1	*	*
Mother Not High School Graduate		11.3	53.3	10.2	5.1	*	*	-0-	11.3	*	*
Birthweight	Very Low (0-1,499 Grams)	1.7	*	*	*	*	*	-0-	1.7	-0-	-0-
	Low (0-2,499 Grams)	6.9	10.4	7.7	6.2	6.3	*	*	6.9	-0-	-0-
Caesarian Section	Primary	14.7	19.8	16.6	14.2	11.5	*	-0-	14.5	-0-	*
	Secondary	9.4	*	6.4	9.5	13.1	*	*	9.5	-0-	*
Trimester Prenatal	First	90.7	84.6	89.8	93.0	95.7	*	*	90.7	*	*
Care Began	Third or No Care	1.6	0.0	*	*	-0-	*	*	1.5	*	*
First Birth		31.4	71.7	43.4	24.5	13.6	*	-0-	31.5	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Ford County - 2001

Population Estimates	
Total	14,100
Under 65 Years	11,420
65 and Older	2,680

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	209	--	2	--	3	--	5	9	5	24	68	93
Male	86	--	--	--	3	--	3	5	3	13	33	26
Female	123	--	2	--	--	--	2	4	2	11	35	67
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	208	--	2	--	3	--	5	9	5	24	68	92
Male	86	--	--	--	3	--	3	5	3	13	33	26
Female	122	--	2	--	--	--	2	4	2	11	35	66
All other races	1	--	--	--	--	--	--	--	--	--	--	1
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	--	1
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity	Age								
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age				
								2001	1999 - 2001	0-64	65+			
All Causes - Current Year	209	--	208	1	--	24	185	1,482.3	1,505.9	210.2	6,903.0			
5-Year Average (1997-2001)	202	<1	201	<1	<1	25	177	1,441.4	N.A.	224.0	6,417.2			
Infectious and parasitic diseases	2	--	2	--	--	--	2	*	*	-0-	*			
# Septicemia	2	--	2	--	--	--	2	*	*	-0-	*			
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Malignant neoplasms	37	--	37	--	--	9	28	262.4	290.8	*	1,044.8			
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
Colorectal	9	--	9	--	--	--	9	*	52.0	-0-	*			
Bronchus and lung	5	--	5	--	--	2	3	*	61.5	*	*			
Female breast	1	--	1	--	--	--	1	* ³	* ³	-0- ³	* ³			
Cervical	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³			
Prostate	1	--	1	--	--	--	1	* ³	* ³	-0- ³	* ³			
# Diabetes mellitus	3	--	3	--	--	--	3	*	26.0	-0-	*			
# Alzheimer's disease	11	--	11	--	--	--	11	78.0	56.7	-0-	410.4			
Major cardiovascular diseases	99	--	98	1	--	4	95	702.1	702.1	*	3,544.8			
# Diseases of heart	62	--	61	1	--	4	58	439.7	472.8	*	2,164.2			
Ischemic heart disease	45	--	44	1	--	3	42	319.1	314.4	*	1,567.2			
# Cerebrovascular diseases	25	--	25	--	--	--	25	177.3	141.8	-0-	932.8			
# Atherosclerosis	9	--	9	--	--	--	9	*	59.1	-0-	*			
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
Respiratory diseases	20	--	20	--	--	1	19	141.8	139.5	*	709.0			
# Influenza and pneumonia	5	--	5	--	--	--	5	*	33.1	-0-	*			
# Chronic lower resp. diseases	13	--	13	--	--	--	13	92.2	82.7	-0-	485.1			
Emphysema	1	--	1	--	--	--	1	*	*	-0-	*			
Asthma	1	--	1	--	--	--	1	*	*	-0-	*			
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Nephritis, nephrotic syn. & nephrosis	5	--	5	--	--	1	4	*	*	*	*			
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
SIDS	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
External causes	12	--	12	--	--	5	7	85.1	70.9	*	*			
# Accidents	10	--	10	--	--	5	5	70.9	56.7	*	*			
Motor vehicle accidents	4	--	4	--	--	4	--	*	*	*	-0-			
All other accidents	6	--	6	--	--	1	5	*	35.5	*	*			
# Suicide	1	--	1	--	--	--	1	*	*	-0-	*			
# Homicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-			

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Franklin County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	474	70	147	143	80	29	5	472	--	1
Sex	Male	253	36	75	84	40	14	4	251	--	--
	Female	221	34	72	59	40	15	1	221	--	1
Race	White	472	70	147	142	79	29	5			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	1	--	--	--			
Multiple Births		15	2	2	5	4	2	--	15	--	--
Marital Status	Married	307	12	90	105	70	25	5	305	--	1
	Single	167	58	57	38	10	4	--	167	--	--
Mother Not High School Graduate		80	39	20	15	3	3	--	80	--	--
Birthweight	Very Low (0-1,499 Grams)	8	4	--	2	2	--	--	8	--	--
	Low (0-2,499 Grams)	39	6	9	12	9	3	--	39	--	--
Caesarian Section	Primary	73	11	24	17	15	6	--	73	--	--
	Secondary	39	1	6	14	12	4	2	39	--	--
Trimester Prenatal Care Began	First	387	51	117	123	66	28	2	386	--	1
	Third or No Care	6	2	2	--	2	--	--	6	--	--
First Birth		158	52	57	32	14	3	--	157	--	1
2001 Percentages ²											
Live Births	Total	100.0	14.8	31.0	30.2	16.9	6.1	*	99.6	-0-	*
Sex	Male	53.4	*	51.0	58.7	*	*	*	53.2	-0-	-0-
	Female	46.6	*	49.0	41.3	*	*	*	46.8	-0-	*
Race	White	99.6	*	100.0	99.3	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple Births		3.2	*	*	*	*	*	-0-	3.2	-0-	-0-
Marital Status	Married	64.8	*	61.2	73.4	*	*	*	64.6	-0-	*
	Single	35.2	*	38.8	26.6	*	*	-0-	35.4	-0-	-0-
Mother Not High School Graduate		16.9	*	13.7	10.5	*	*	-0-	17.0	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	8.2	*	*	8.4	*	*	-0-	8.3	-0-	-0-
Caesarian Section	Primary	15.4	*	16.3	11.9	*	*	-0-	15.5	-0-	-0-
	Secondary	8.2	*	*	9.8	*	*	*	8.3	-0-	-0-
Trimester Prenatal Care Began	First	83.6	*	80.1	87.9	*	*	*	83.5	-0-	*
	Third or No Care	*	*	*	-0-	*	-0-	-0-	*	-0-	-0-
First Birth		33.3	*	38.8	22.4	*	*	-0-	33.3	-0-	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	16.6	30.9	30.1	14.9	6.4	1.0	99.7	-0-	0.6
Sex	Male	49.8	47.9	48.9	52.7	50.4	45.9	*	49.8	-0-	*
	Female	50.2	52.1	51.1	47.3	49.6	54.1	*	50.2	-0-	*
Race	White	99.7	99.7	99.6	99.7	99.4	100.0	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	0.6	*	*	*	*	-0-	-0-			
Multiple Births		2.9	*	2.4	3.3	3.5	6.8	-0-	3.0	-0-	*
Marital Status	Married	66.8	26.0	62.2	80.0	88.3	79.1	*	66.8	-0-	*
	Single	33.2	74.0	37.8	20.0	11.7	20.9	*	33.2	-0-	*
Mother Not High School Graduate		21.1	60.1	20.8	9.2	7.3	10.8	*	21.1	-0-	*
Birthweight	Very Low (0-1,499 Grams)	1.8	3.4	1.4	*	*	*	*	1.8	-0-	-0-
	Low (0-2,499 Grams)	8.4	10.4	8.3	5.7	8.7	15.5	*	8.4	-0-	*
Caesarian Section	Primary	13.3	9.6	12.3	14.2	16.0	18.2	*	13.4	-0-	-0-
	Secondary	7.0	*	3.4	9.6	12.0	15.5	*	7.0	-0-	*
Trimester Prenatal Care Began	First	84.4	75.6	84.3	87.2	88.2	87.7	*	84.4	-0-	*
	Third or No Care	1.9	3.4	*	1.5	*	*	-0-	1.9	-0-	*
First Birth		36.2	74.2	39.4	26.6	19.0	10.8	*	36.2	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Franklin County - 2001

Population Estimates	
Total	38,900
Under 65 Years	31,750
65 and Older	7,150

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	575	4	--	--	4	4	16	36	73	104	187	147	
Male	284	3	--	--	3	1	11	19	41	70	88	48	
Female	291	1	--	--	1	3	5	17	32	34	99	99	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	575	4	--	--	4	4	16	36	73	104	187	147	
Male	284	3	--	--	3	1	11	19	41	70	88	48	
Female	291	1	--	--	1	3	5	17	32	34	99	99	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
											All Ages		Age	
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			2001	1999 - 2001	0-64	65+
All Causes - Current Year	575	--	575	--	--		137	438			1,478.1	1,465.6	431.5	6,125.9
5-Year Average (1997-2001)	566	<1	566	--	--		114	452			1,414.3	N.A.	354.2	5,845.2
# Infectious and parasitic diseases	9	--	9	--	--		3	6			*	23.8	*	*
# Septicemia	5	--	5	--	--		1	4			*	18.7	*	*
# Viral hepatitis	1	--	1	--	--		1	--			*	*	*	-0-
# HIV disease	1	--	1	--	--		1	--			*	*	*	-0-
# Malignant neoplasms	132	--	132	--	--		41	91			339.3	344.9	129.1	1,272.7
Lip, oral cavity and pharynx	3	--	3	--	--		1	2			*	*	*	*
Colorectal	19	--	19	--	--		6	13			48.8	40.8	*	181.8
Bronchus and lung	36	--	36	--	--		13	23			92.5	105.4	40.9	321.7
Female breast	8	--	8	--	--		3	5			* ³	20.4 ³	* ³	* ³
Cervical	2	--	2	--	--		2	--			* ³	* ³	* ³	-0- ³
Prostate	5	--	5	--	--		1	4			* ³	20.4 ³	* ³	* ³
# Diabetes mellitus	34	--	34	--	--		10	24			87.4	69.7	31.5	335.7
# Alzheimer's disease	14	--	14	--	--		--	14			36.0	44.2	-0-	195.8
Major cardiovascular diseases	217	--	217	--	--		41	176			557.8	548.0	129.1	2,461.5
# Diseases of heart	156	--	156	--	--		34	122			401.0	431.6	107.1	1,706.3
Ischemic heart disease	107	--	107	--	--		26	81			275.1	296.5	81.9	1,132.9
# Cerebrovascular diseases	37	--	37	--	--		5	32			95.1	79.9	*	447.6
# Atherosclerosis	3	--	3	--	--		--	3			*	*	-0-	*
# Aortic aneurysm and dissection	7	--	7	--	--		--	7			*	11.0	-0-	*
Respiratory diseases	55	--	55	--	--		8	47			141.4	158.9	*	657.3
# Influenza and pneumonia	17	--	17	--	--		2	15			43.7	39.1	*	209.8
# Chronic lower resp. diseases	29	--	29	--	--		4	25			74.6	87.5	*	349.7
Emphysema	6	--	6	--	--		1	5			*	15.3	*	*
Asthma	2	--	2	--	--		1	1			*	*	*	*
# Chronic liver disease and cirrhosis	4	--	4	--	--		1	3			*	9.3	*	*
# Nephritis, nephrotic syn. & nephrosis	20	--	20	--	--		2	18			51.4	46.7	*	251.7
# Certain perinatal conditions	2	--	2	--	--		2	--			*	*	*	-0-
# Congenital malformations	1	--	1	--	--		--	1			*	*	-0-	*
SIDS	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
External causes	29	--	29	--	--		17	12			74.6	76.5	53.5	167.8
# Accidents	22	--	22	--	--		11	11			56.6	57.8	34.6	153.8
Motor vehicle accidents	7	--	7	--	--		7	--			*	34.0	*	-0-
All other accidents	15	--	15	--	--		4	11			38.6	23.8	*	153.8
# Suicide	6	--	6	--	--		5	1			*	15.3	*	*
# Homicide	--	--	--	--	--		--	--			-0-	*	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Fulton County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	392	52	126	117	77	18	2	387	4	1
Sex	Male	194	24	67	58	37	7	1	191	3	1
	Female	198	28	59	59	40	11	1	196	1	--
Race	White	387	51	125	114	77	18	2			
	Black	4	1	--	3	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	--	--	1	--			
Multiple Births		6	--	2	2	2	--	--	6	--	--
Marital Status	Married	253	8	68	94	65	16	2	252	1	1
	Single	139	44	58	23	12	2	--	135	3	--
Mother Not High School Graduate		66	26	26	8	5	1	--	64	1	--
Birthweight	Very Low (0-1,499 Grams)	2	--	1	--	--	1	--	2	--	--
	Low (0-2,499 Grams)	30	6	11	8	3	2	--	29	1	--
Caesarian Section	Primary	62	12	13	19	17	1	--	61	1	--
	Secondary	36	--	10	17	6	3	--	36	--	--
Trimester Prenatal Care Began	First	358	44	114	111	71	16	2	353	4	1
	Third or No Care	7	1	4	2	--	--	--	7	--	--
First Birth		134	46	38	35	13	1	1	131	3	--
2001 Percentages ²											
Live Births	Total	100.0	13.3	32.1	29.8	19.6	4.6	*	98.7	*	*
Sex	Male	49.5	*	53.2	49.6	*	*	*	49.4	*	*
	Female	50.5	*	46.8	50.4	*	*	*	50.6	*	-0-
Race	White	98.7	*	99.2	97.4	*	*	*			
	Black	*	*	-0-	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	-0-	-0-	*	-0-			
Multiple Births		*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
Marital Status	Married	64.5	*	54.0	80.3	*	*	*	65.1	*	*
	Single	35.5	*	46.0	19.7	*	*	-0-	34.9	*	-0-
Mother Not High School Graduate		16.8	*	20.6	*	*	*	-0-	16.5	*	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	-0-	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.7	*	8.7	*	*	*	-0-	7.5	*	-0-
Caesarian Section	Primary	15.8	*	10.3	16.2	*	*	-0-	15.8	*	-0-
	Secondary	9.2	-0-	7.9	14.5	*	*	-0-	9.3	-0-	-0-
Trimester Prenatal Care Began	First	91.8	*	90.5	94.9	*	*	*	91.7	*	*
	Third or No Care	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
First Birth		34.2	*	30.2	29.9	*	*	-0-	33.9	*	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	14.6	33.9	27.5	16.8	6.3	0.9	99.4	*	*
Sex	Male	52.1	53.5	52.5	50.8	53.1	48.1	*	52.0	*	*
	Female	47.9	46.5	47.5	49.2	46.9	51.9	*	48.0	*	*
Race	White	99.4	99.0	99.6	98.8	100.0	100.0	*			
	Black	*	*	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	*	*	-0-			
Multiple Births		2.3	*	2.0	2.3	2.9	*	-0-	2.3	-0-	-0-
Marital Status	Married	66.6	19.9	57.6	83.8	87.8	89.1	*	66.8	*	*
	Single	33.4	80.1	42.4	16.2	12.2	10.9	*	33.2	*	*
Mother Not High School Graduate		15.9	49.8	17.5	6.2	4.1	*	*	15.7	*	*
Birthweight	Very Low (0-1,499 Grams)	1.2	*	*	*	*	*	-0-	1.1	*	*
	Low (0-2,499 Grams)	7.0	8.8	7.7	5.5	5.8	8.5	*	6.9	*	*
Caesarian Section	Primary	17.0	20.2	16.2	15.2	18.7	14.7	*	17.0	*	*
	Secondary	11.7	*	9.7	14.4	15.5	26.4	-0-	11.7	*	*
Trimester Prenatal Care Began	First	88.2	78.4	87.4	92.0	93.0	88.4	*	88.1	*	*
	Third or No Care	2.1	0.9	1.9	1.8	*	*	-0-	2.1	-0-	*
First Birth		33.8	76.4	36.5	24.6	16.6	10.1	*	33.6	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Fulton County - 2001

Population Estimates	
Total	37,800
Under 65 Years	30,960
65 and Older	6,840

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	449	2	1	--	4	2	12	24	35	69	142	158	
Male	207	--	--	--	3	--	8	16	19	39	68	54	
Female	242	2	1	--	1	2	4	8	16	30	74	104	
Black	1	--	--	--	--	--	--	--	--	--	--	1	
Male	1	--	--	--	--	--	--	--	--	--	--	1	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	448	2	1	--	4	2	12	24	35	69	142	157	
Male	206	--	--	--	3	--	8	16	19	39	68	53	
Female	242	2	1	--	1	2	4	8	16	30	74	104	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	1	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	--	1	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	449	1	448	--	1	80	369	1,187.8	1,246.7	258.4	5,394.7		
5-Year Average (1997-2001)	470	3	467	<1	1	80	389	1,217.2	N.A.	255.5	5,469.4		
# Infectious and parasitic diseases	10	--	10	--	--	5	5	26.5	18.3	*	*		
# Septicemia	7	--	7	--	--	2	5	*	13.9	*	*		
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# HIV disease	3	--	3	--	--	3	--	*	*	*	-0-		
# Malignant neoplasms	84	--	84	--	1	17	67	222.2	262.4	54.9	979.5		
# Lip, oral cavity and pharynx	2	--	2	--	--	--	2	*	*	-0-	*		
# Colorectal	8	--	8	--	--	2	6	*	30.5	*	*		
# Bronchus and lung	24	--	24	--	--	8	16	63.5	76.7	*	233.9		
# Female breast	8	--	8	--	--	2	6	³ 18.3	³ 18.3	³ *	³ *		
# Cervical	--	--	--	--	--	--	--	-0- ³	³ *	-0- ³	-0- ³		
# Prostate	7	--	7	--	--	--	7	³ 14.8	³ 14.8	-0- ³	³ *		
# Diabetes mellitus	15	--	15	--	--	2	13	39.7	55.8	*	190.1		
# Alzheimer's disease	20	--	20	--	--	--	20	52.9	49.7	-0-	292.4		
# Major cardiovascular diseases	188	--	188	--	--	22	166	497.4	485.6	71.1	2,426.9		
# Diseases of heart	140	--	140	--	--	17	123	370.4	355.7	54.9	1,798.2		
# Ischemic heart disease	95	--	95	--	--	10	85	251.3	262.4	32.3	1,242.7		
# Cerebrovascular diseases	34	--	34	--	--	3	31	89.9	101.1	*	453.2		
# Atherosclerosis	2	--	2	--	--	--	2	*	*	-0-	*		
# Aortic aneurysm and dissection	4	--	4	--	--	1	3	*	8.7	*	*		
# Respiratory diseases	45	1	44	--	--	10	35	119.0	132.5	32.3	511.7		
# Influenza and pneumonia	6	--	6	--	--	1	5	*	34.0	*	*		
# Chronic lower resp. diseases	27	1	26	--	--	3	24	71.4	72.4	*	350.9		
# Emphysema	4	--	4	--	--	1	3	*	*	*	*		
# Asthma	1	--	1	--	--	--	1	*	*	-0-	*		
# Chronic liver disease and cirrhosis	3	--	3	--	--	--	3	*	9.6	-0-	*		
# Nephritis, nephrotic syn. & nephrosis	9	--	9	--	--	--	9	*	32.3	-0-	*		
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Congenital malformations	3	--	3	--	--	1	2	*	*	*	*		
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# External causes	22	--	22	--	--	15	7	58.2	60.2	48.4	*		
# Accidents	15	--	15	--	--	8	7	39.7	46.2	*	*		
# Motor vehicle accidents	5	--	5	--	--	4	1	*	17.4	*	*		
# All other accidents	10	--	10	--	--	4	6	26.5	28.8	*	*		
# Suicide	7	--	7	--	--	7	--	*	9.6	*	-0-		
# Homicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Gallatin County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	77	9	30	25	8	3	2	76	1	--
Sex	Male	38	4	16	14	3	1	--	37	1	--
	Female	39	5	14	11	5	2	2	39	--	--
Race	White	76	9	29	25	8	3	2			
	Black	1	--	1	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		4	--	--	--	2	--	2	4	--	--
Marital Status	Married	56	2	22	22	7	1	2	55	1	--
	Single	21	7	8	3	1	2	--	21	--	--
Mother Not High School Graduate		12	4	5	3	--	--	--	12	--	--
Birthweight	Very Low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	6	--	2	3	1	--	--	6	--	--
Caesarian Section	Primary	9	--	1	4	2	--	2	9	--	--
	Secondary	6	--	1	2	1	2	--	6	--	--
Trimester Prenatal	First	67	6	27	21	8	3	2	66	1	--
Care Began	Third or No Care	2	--	--	2	--	--	--	2	--	--
First Birth		26	7	12	6	1	--	--	26	--	--
2001 Percentages ²											
Live Births	Total	*	*	*	*	*	*	*	*	*	-0-
Sex	Male	*	*	*	*	*	*	-0-	*	*	-0-
	Female	*	*	*	*	*	*	*	*	-0-	-0-
Race	White	*	*	*	*	*	*	*			
	Black	*	-0-	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		*	-0-	-0-	-0-	*	-0-	*	*	-0-	-0-
Marital Status	Married	*	*	*	*	*	*	*	*	*	-0-
	Single	*	*	*	*	*	*	-0-	*	-0-	-0-
Mother Not High School Graduate		*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
Caesarian Section	Primary	*	-0-	*	*	*	-0-	*	*	-0-	-0-
	Secondary	*	-0-	*	*	*	*	-0-	*	-0-	-0-
Trimester Prenatal	First	*	*	*	*	*	*	*	*	*	-0-
Care Began	Third or No Care	*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
First Birth		*	*	*	*	*	-0-	-0-	*	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	16.2	35.6	29.6	11.4	5.7	*	99.7	*	*
Sex	Male	55.1	*	54.6	*	*	*	-0-	55.0	*	*
	Female	44.9	*	45.4	*	*	*	*	45.0	-0-	*
Race	White	99.7	*	99.2	*	*	*	*			
	Black	*	-0-	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	-0-	-0-	-0-			
Multiple Births		*	-0-	-0-	-0-	*	-0-	*	*	-0-	-0-
Marital Status	Married	70.4	*	72.3	*	*	*	*	70.3	*	*
	Single	29.6	*	27.7	*	*	*	*	29.7	-0-	*
Mother Not High School Graduate		23.1	*	23.5	*	*	*	-0-	23.2	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	-0-	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	4.8	*	*	*	*	-0-	-0-	4.8	-0-	-0-
Caesarian Section	Primary	14.1	*	10.9	*	*	*	*	14.1	-0-	*
	Secondary	5.4	*	*	*	*	*	*	5.4	-0-	-0-
Trimester Prenatal	First	82.0	*	84.7	*	*	*	*	81.9	*	*
Care Began	Third or No Care	5.4	*	*	*	*	*	*	5.4	-0-	-0-
First Birth		35.3	*	34.5	*	*	*	-0-	35.4	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Gallatin County - 2001

Population Estimates	
Total	6,300
Under 65 Years	5,110
65 and Older	1,190

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	87	--	--	--	--	1	2	4	14	14	25	27	
Male	50	--	--	--	--	1	1	3	7	11	15	12	
Female	37	--	--	--	--	--	1	1	7	3	10	15	
Black	1	--	--	--	--	--	--	--	1	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	1	--	--	--	
White	86	--	--	--	--	1	2	4	13	14	25	27	
Male	50	--	--	--	--	1	1	3	7	11	15	12	
Female	36	--	--	--	--	--	1	1	6	3	10	15	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹	0-64	65+				All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	87	1	86	--	--	21	66				1,381.0	1,265.6	411.0	5,546.2
5-Year Average (1997-2001)	86	1	85	--	<1	19	67				1,318.0	N.A.	357.8	5,463.4
# Infectious and parasitic diseases	2	1	1	--	--	1	1				*	*	*	*
# Septicemia	1	--	1	--	--	--	1				*	*	-0-	*
# Viral hepatitis	--	--	--	--	--	--	--				-0-	-0-	-0-	-0-
# HIV disease	1	1	--	--	--	1	--				*	*	*	-0-
# Malignant neoplasms	17	--	17	--	--	3	14				269.8	265.6	*	1,176.5
# Lip, oral cavity and pharynx	1	--	1	--	--	--	1				*	*	-0-	*
# Colorectal	2	--	2	--	--	--	2				*	*	-0-	*
# Bronchus and lung	4	--	4	--	--	2	2				*	72.9	*	*
# Female breast	2	--	2	--	--	--	2				* ³	* ³	-0- ³	* ³
# Cervical	--	--	--	--	--	--	--				-0- ³	-0- ³	-0- ³	-0- ³
# Prostate	3	--	3	--	--	--	3				* ³	* ³	-0- ³	* ³
# Diabetes mellitus	3	--	3	--	--	1	2				*	*	*	*
# Alzheimer's disease	3	--	3	--	--	--	3				*	*	-0-	*
# Major cardiovascular diseases	37	--	37	--	--	7	30				587.3	520.8	*	2,521.0
# Diseases of heart	25	--	25	--	--	4	21				396.8	385.4	*	1,764.7
# Ischemic heart disease	21	--	21	--	--	3	18				333.3	276.0	*	1,512.6
# Cerebrovascular diseases	11	--	11	--	--	3	8				174.6	104.2	*	*
# Atherosclerosis	1	--	1	--	--	--	1				*	*	-0-	*
# Aortic aneurysm and dissection	--	--	--	--	--	--	--				-0-	-0-	-0-	-0-
# Respiratory diseases	14	--	14	--	--	3	11				222.2	166.7	*	924.4
# Influenza and pneumonia	3	--	3	--	--	--	3				*	*	-0-	*
# Chronic lower resp. diseases	8	--	8	--	--	3	5				*	88.5	*	*
# Emphysema	1	--	1	--	--	1	--				*	*	*	-0-
# Asthma	--	--	--	--	--	--	--				-0-	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--	1	--				*	*	*	-0-
# Nephritis, nephrotic syn. & nephrosis	--	--	--	--	--	--	--				-0-	*	-0-	-0-
# Certain perinatal conditions	--	--	--	--	--	--	--				-0-	*	-0-	-0-
# Congenital malformations	--	--	--	--	--	--	--				-0-	-0-	-0-	-0-
# SIDS	--	--	--	--	--	--	--				-0-	-0-	-0-	-0-
# External causes	4	--	4	--	--	2	2				*	83.3	*	*
# Accidents	3	--	3	--	--	1	2				*	72.9	*	*
# Motor vehicle accidents	1	--	1	--	--	--	1				*	*	-0-	*
# All other accidents	2	--	2	--	--	1	1				*	*	*	*
# Suicide	--	--	--	--	--	--	--				-0-	*	-0-	-0-
# Homicide	1	--	1	--	--	1	--				*	*	*	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Greene County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	173	22	56	55	19	16	5	173	--	--
Sex	Male	81	12	26	25	7	7	4	81	--	--
	Female	92	10	30	30	12	9	1	92	--	--
Race	White	173	22	56	55	19	16	5			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		4	2	--	2	--	--	--	4	--	--
Marital Status	Married	115	1	31	43	19	16	5	115	--	--
	Single	58	21	25	12	--	--	--	58	--	--
Mother Not High School Graduate		38	13	16	8	1	--	--	38	--	--
Birthweight	Very Low (0-1,499 Grams)	2	--	1	1	--	--	--	2	--	--
	Low (0-2,499 Grams)	13	--	6	6	--	1	--	13	--	--
Caesarian Section	Primary	36	9	8	12	3	4	--	36	--	--
	Secondary	17	--	2	5	4	4	2	17	--	--
Trimester Prenatal Care Began	First	151	20	45	50	18	15	3	151	--	--
	Third or No Care	2	--	2	--	--	--	--	2	--	--
First Birth		61	19	21	12	5	4	--	61	--	--
2001 Percentages ²											
Live Births	Total	100.0	12.7	32.4	31.8	11.0	9.2	*	100.0	-0-	-0-
Sex	Male	46.8	*	*	*	*	*	*	46.8	-0-	-0-
	Female	53.2	*	*	*	*	*	*	53.2	-0-	-0-
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		*	*	-0-	*	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	66.5	*	*	*	*	*	*	66.5	-0-	-0-
	Single	33.5	*	*	*	-0-	-0-	-0-	33.5	-0-	-0-
Mother Not High School Graduate		22.0	*	*	*	*	-0-	-0-	22.0	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.5	-0-	*	*	-0-	*	-0-	7.5	-0-	-0-
Caesarian Section	Primary	20.8	*	*	*	*	*	-0-	20.8	-0-	-0-
	Secondary	9.8	-0-	*	*	*	*	*	9.8	-0-	-0-
Trimester Prenatal Care Began	First	87.8	*	*	*	*	*	*	87.8	-0-	-0-
	Third or No Care	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First Birth		35.3	*	*	*	*	*	-0-	35.3	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	13.7	35.6	26.8	16.0	6.6	1.4	99.7	*	*
Sex	Male	48.8	51.2	51.9	46.6	40.4	*	*	48.9	-0-	-0-
	Female	51.2	48.8	48.1	53.4	59.6	*	*	51.1	*	*
Race	White	99.7	100.0	99.4	100.0	100.0	*	*			
	Black	*	-0-	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	-0-	-0-	-0-	-0-			
Multiple Births		2.7	*	3.2	*	*	*	-0-	2.7	-0-	-0-
Marital Status	Married	71.1	26.4	65.9	85.2	88.7	*	*	71.2	-0-	*
	Single	28.9	73.6	34.1	14.8	11.3	*	*	28.8	*	-0-
Mother Not High School Graduate		17.7	58.7	18.5	7.2	*	*	*	17.7	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.9	*	7.0	5.9	*	*	*	5.9	-0-	-0-
Caesarian Section	Primary	15.6	21.5	15.0	12.7	15.6	*	-0-	15.6	-0-	-0-
	Secondary	9.4	*	5.1	12.3	14.9	*	*	9.4	-0-	-0-
Trimester Prenatal Care Began	First	88.1	81.0	87.5	90.6	91.5	*	*	88.0	*	*
	Third or No Care	1.6	0.7	*	*	*	*	*	1.6	-0-	-0-
First Birth		35.7	78.5	43.0	23.7	15.6	*	*	35.7	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Greene County - 2001

Population Estimates	
Total	14,600
Under 65 Years	12,050
65 and Older	2,550

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	145	--	--	--	1	3	3	6	8	24	50	50	
Male	69	--	--	--	1	2	1	6	5	14	27	13	
Female	76	--	--	--	--	1	2	--	3	10	23	37	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	145	--	--	--	1	3	3	6	8	24	50	50	
Male	69	--	--	--	1	2	1	6	5	14	27	13	
Female	76	--	--	--	--	1	2	--	3	10	23	37	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	145	--	145	--	--		21	124			993.2	1,197.3	174.3	4,862.7
5-Year Average (1997-2001)	176	<1	176	--	<1		32	143			1,146.0	N.A.	258.4	5,121.4
# Infectious and parasitic diseases	2	--	2	--	--		1	1			*	22.4	*	*
# Septicemia	1	--	1	--	--		--	1			*	*	-0-	*
# Viral hepatitis	1	--	1	--	--		1	--			*	*	*	-0-
# HIV disease	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Malignant neoplasms	32	--	32	--	--		10	22			219.2	291.5	83.0	862.7
Lip, oral cavity and pharynx	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
Colorectal	3	--	3	--	--		1	2			*	31.4	*	*
Bronchus and lung	14	--	14	--	--		5	9			95.9	89.7	*	*
Female breast	3	--	3	--	--		3	--			* ³	22.4 ³	* ³	-0- ³
Cervical	1	--	1	--	--		--	1			* ³	* ³	-0- ³	* ³
Prostate	3	--	3	--	--		--	3			* ³	* ³	-0- ³	* ³
# Diabetes mellitus	8	--	8	--	--		1	7			*	44.8	*	*
# Alzheimer's disease	3	--	3	--	--		--	3			*	*	-0-	*
Major cardiovascular diseases	63	--	63	--	--		2	61			431.5	520.2	*	2,392.2
# Diseases of heart	54	--	54	--	--		2	52			369.9	414.8	*	2,039.2
Ischemic heart disease	36	--	36	--	--		2	34			246.6	302.7	*	1,333.3
# Cerebrovascular diseases	9	--	9	--	--		--	9			*	74.0	-0-	*
# Atherosclerosis	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Aortic aneurysm and dissection	--	--	--	--	--		--	--			-0-	*	-0-	-0-
Respiratory diseases	12	--	12	--	--		--	12			82.2	130.0	-0-	470.6
# Influenza and pneumonia	6	--	6	--	--		--	6			*	42.6	-0-	*
# Chronic lower resp. diseases	5	--	5	--	--		--	5			*	62.8	-0-	*
Emphysema	--	--	--	--	--		--	--			-0-	*	-0-	-0-
Asthma	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--		--	1			*	*	-0-	*
# Nephritis, nephrotic syn. & nephrosis	4	--	4	--	--		1	3			*	*	*	*
# Certain perinatal conditions	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Congenital malformations	--	--	--	--	--		--	--			-0-	*	-0-	-0-
SIDS	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
External causes	8	--	8	--	--		5	3			*	53.8	*	*
# Accidents	5	--	5	--	--		3	2			*	33.6	*	*
Motor vehicle accidents	2	--	2	--	--		1	1			*	*	*	*
All other accidents	3	--	3	--	--		2	1			*	*	*	*
# Suicide	2	--	2	--	--		2	--			*	*	*	-0-
# Homicide	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Grundy County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	484	39	110	157	126	43	9	480	2	36
Sex	Male	232	19	58	79	53	19	4	229	2	12
	Female	252	20	52	78	73	24	5	251	--	24
Race	White	480	37	109	157	125	43	9			
	Black	2	2	--	--	--	--	--			
Ethnicity	Hispanic ¹	36	3	6	10	12	4	1			
Multiple Births		11	--	2	3	6	--	--	11	--	--
Marital Status	Married	374	5	76	133	115	39	6	371	1	21
	Single	110	34	34	24	11	4	3	109	1	15
Mother Not High School Graduate		50	18	15	6	8	2	1	48	1	13
Birthweight	Very Low (0-1,499 Grams)	5	1	--	4	--	--	--	5	--	1
	Low (0-2,499 Grams)	25	2	6	6	8	2	1	25	--	3
Caesarian Section	Primary	75	6	16	20	22	9	2	74	1	6
	Secondary	56	--	8	20	16	12	--	56	--	5
Trimester Prenatal Care Began	First	435	26	99	150	115	37	8	431	2	30
	Third or No Care	8	1	--	2	4	1	--	8	--	2
First Birth		139	30	44	39	19	6	1	136	2	7
2001 Percentages ²											
Live Births	Total	100.0	8.1	22.7	32.4	26.0	8.9	*	99.2	*	7.4
Sex	Male	47.9	*	52.7	50.3	42.1	*	*	47.7	*	*
	Female	52.1	*	47.3	49.7	57.9	*	*	52.3	-0-	*
Race	White	99.2	*	99.1	100.0	99.2	*	*			
	Black	*	*	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	7.4	*	*	6.4	9.5	*	*			
Multiple Births		2.3	-0-	*	*	*	-0-	-0-	2.3	-0-	-0-
Marital Status	Married	77.3	*	69.1	84.7	91.3	*	*	77.3	*	*
	Single	22.7	*	30.9	15.3	8.7	*	*	22.7	*	*
Mother Not High School Graduate		10.4	*	13.6	*	*	*	*	10.0	*	*
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	*	-0-	-0-	-0-	*	-0-	*
	Low (0-2,499 Grams)	5.2	*	*	*	*	*	*	5.2	-0-	*
Caesarian Section	Primary	15.5	*	14.5	12.7	17.5	*	*	15.4	*	*
	Secondary	11.6	-0-	*	12.7	12.7	*	-0-	11.7	-0-	*
Trimester Prenatal Care Began	First	90.2	*	90.8	95.5	92.0	*	*	90.2	*	*
	Third or No Care	*	*	-0-	*	*	*	-0-	*	-0-	*
First Birth		28.7	*	40.0	24.8	15.1	*	-0-	28.3	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	8.9	24.0	31.9	23.8	9.9	1.6	99.1	*	6.1
Sex	Male	51.4	54.5	54.5	52.4	46.4	50.0	*	51.5	*	50.3
	Female	48.6	45.5	45.5	47.6	53.6	50.0	*	48.5	*	49.7
Race	White	99.1	98.1	99.1	99.2	99.1	99.2	*			
	Black	*	*	*	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	6.1	12.7	5.8	6.0	4.9	4.7	*			
Multiple Births		2.8	-0-	1.7	1.3	6.9	*	-0-	2.9	-0-	*
Marital Status	Married	77.1	26.8	65.4	85.7	90.0	91.1	*	77.2	*	69.4
	Single	22.9	73.2	34.6	14.3	10.0	8.9	*	22.8	*	30.6
Mother Not High School Graduate		10.7	46.7	12.6	5.8	4.7	4.7	*	10.6	*	39.0
Birthweight	Very Low (0-1,499 Grams)	1.0	*	*	1.3	*	*	-0-	1.0	-0-	*
	Low (0-2,499 Grams)	5.7	5.2	5.8	3.4	8.4	6.4	*	5.7	-0-	7.5
Caesarian Section	Primary	14.4	16.0	14.5	12.3	17.8	11.4	*	14.3	*	12.2
	Secondary	9.7	*	5.8	8.8	14.1	20.3	*	9.7	*	10.2
Trimester Prenatal Care Began	First	89.9	68.5	89.1	93.8	92.8	90.7	*	90.0	*	82.2
	Third or No Care	1.9	4.7	1.8	1.3	*	*	-0-	1.9	*	*
First Birth		30.2	74.2	41.4	27.3	15.5	11.9	*	30.0	*	28.6

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Grundy County - 2001

Population Estimates	
Total	38,400
Under 65 Years	33,790
65 and Older	4,610

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	316	4	2	--	1	4	8	18	29	66	90	94	
Male	145	--	2	--	1	2	5	10	20	36	40	29	
Female	171	4	--	--	--	2	3	8	9	30	50	65	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	315	4	2	--	1	4	8	18	29	66	90	93	
Male	145	--	2	--	1	2	5	10	20	36	40	29	
Female	170	4	--	--	--	2	3	8	9	30	50	64	
All other races	1	--	--	--	--	--	--	--	--	--	--	1	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	--	--	--	1	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
									All Ages			Age	
	All Races	Black	White	Other	Hispanic ¹		0-64	65+	2001	1999 - 2001		0-64	65+
All Causes - Current Year	316	--	315	1	--		66	250	822.9	853.5		195.3	5,423.0
5-Year Average (1997-2001)	317	<1	317	<1	1		70	247	876.7	N.A.		221.4	5,329.9
# Infectious and parasitic diseases	4	--	4	--	--		1	3	*	17.7		*	*
# Septicemia	3	--	3	--	--		--	3	*	10.6		-0-	*
# Viral hepatitis	1	--	1	--	--		1	--	*	*		*	-0-
# HIV disease	--	--	--	--	--		--	--	-0-	*		-0-	-0-
# Malignant neoplasms	85	--	85	--	--		22	63	221.4	233.9		65.1	1,366.6
Lip, oral cavity and pharynx	1	--	1	--	--		--	1	*	*		-0-	*
Colorectal	13	--	13	--	--		--	13	33.9	30.9		-0-	282.0
Bronchus and lung	20	--	20	--	--		6	14	52.1	54.7		*	303.7
Female breast	6	--	6	--	--		3	3	* ³	17.7 ³		* ³	* ³
Cervical	2	--	2	--	--		1	1	* ³	* ³		* ³	* ³
Prostate	4	--	4	--	--		--	4	* ³	15.9 ³		-0- ³	* ³
# Diabetes mellitus	6	--	5	1	--		--	6	*	16.8		-0-	*
# Alzheimer's disease	7	--	7	--	--		--	7	*	22.9		-0-	*
Major cardiovascular diseases	124	--	124	--	--		22	102	322.9	317.7		65.1	2,212.6
# Diseases of heart	102	--	102	--	--		19	83	265.6	261.3		56.2	1,800.4
Ischemic heart disease	71	--	71	--	--		16	55	184.9	188.0		47.4	1,193.1
# Cerebrovascular diseases	14	--	14	--	--		2	12	36.5	38.8		*	260.3
# Atherosclerosis	1	--	1	--	--		--	1	*	*		-0-	*
# Aortic aneurysm and dissection	3	--	3	--	--		1	2	*	*		*	*
Respiratory diseases	29	--	29	--	--		2	27	75.5	91.8		*	585.7
# Influenza and pneumonia	5	--	5	--	--		--	5	*	22.1		-0-	*
# Chronic lower resp. diseases	17	--	17	--	--		2	15	44.3	51.2		*	325.4
Emphysema	2	--	2	--	--		1	1	*	*		*	*
Asthma	--	--	--	--	--		--	--	-0-	-0-		-0-	-0-
# Chronic liver disease and cirrhosis	5	--	5	--	--		3	2	*	8.8		*	*
# Nephritis, nephrotic syn. & nephrosis	4	--	4	--	--		--	4	*	12.4		-0-	*
# Certain perinatal conditions	1	--	1	--	--		1	--	*	*		*	-0-
# Congenital malformations	1	--	1	--	--		1	--	*	*		*	-0-
SIDS	2	--	2	--	--		2	--	*	*		*	-0-
External causes	16	--	16	--	--		8	8	41.7	52.1		*	*
# Accidents	11	--	11	--	--		5	6	28.6	38.0		*	*
Motor vehicle accidents	2	--	2	--	--		1	1	*	10.6		*	*
All other accidents	9	--	9	--	--		4	5	*	27.4		*	*
# Suicide	4	--	4	--	--		3	1	*	9.7		*	*
# Homicide	--	--	--	--	--		--	--	-0-	*		-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Hamilton County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	87	11	32	25	14	4	1	86	1	1
Sex	Male	46	6	17	12	7	4	--	45	1	1
	Female	41	5	15	13	7	--	1	41	--	--
Race	White	86	10	32	25	14	4	1			
	Black	1	1	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	--	--	1	--			
Multiple Births		2	--	2	--	--	--	--	2	--	--
Marital Status	Married	66	3	23	24	13	2	1	66	--	1
	Single	21	8	9	1	1	2	--	20	1	--
Mother Not High School Graduate		14	6	7	1	--	--	--	14	--	--
Birthweight	Very Low (0-1,499 Grams)	2	--	1	1	--	--	--	2	--	--
	Low (0-2,499 Grams)	13	2	7	4	--	--	--	13	--	--
Caesarian Section	Primary	12	--	6	4	1	1	--	12	--	--
	Secondary	7	1	2	2	2	--	--	7	--	--
Trimester Prenatal Care Began	First	77	7	28	24	14	3	1	77	--	--
	Third or No Care	4	3	1	--	--	--	--	3	1	--
First Birth		35	7	10	10	7	1	--	34	1	--
2001 Percentages ²											
Live Births	Total	*	*	*	*	*	*	*	*	*	*
Sex	Male	*	*	*	*	*	*	-0-	*	*	*
	Female	*	*	*	*	*	-0-	*	*	-0-	-0-
Race	White	*	*	*	*	*	*	*			
	Black	*	*	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	-0-	-0-	*	-0-			
Multiple Births		*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	*	*	*	*	*	*	*	*	-0-	*
	Single	*	*	*	*	*	*	-0-	*	*	-0-
Mother Not High School Graduate		*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
Caesarian Section	Primary	*	-0-	*	*	*	*	-0-	*	-0-	-0-
	Secondary	*	*	*	*	*	-0-	-0-	*	-0-	-0-
Trimester Prenatal Care Began	First	*	*	*	*	*	*	*	*	-0-	-0-
	Third or No Care	*	*	*	-0-	-0-	-0-	-0-	*	*	-0-
First Birth		*	*	*	*	*	*	-0-	*	*	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	12.5	33.3	31.1	16.0	6.6	*	99.8	*	*
Sex	Male	53.0	*	51.3	54.2	*	*	*	52.9	*	*
	Female	47.0	*	48.7	45.8	*	*	*	47.1	-0-	*
Race	White	99.8	*	100.0	100.0	*	*	*			
	Black	*	*	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	-0-	*	*	-0-			
Multiple Births		3.1	-0-	*	*	*	-0-	-0-	3.1	-0-	-0-
Marital Status	Married	77.9	*	73.7	86.6	*	*	*	78.1	-0-	*
	Single	22.1	*	26.3	13.4	*	*	-0-	21.9	*	*
Mother Not High School Graduate		16.4	*	17.8	*	*	*	-0-	16.4	-0-	*
Birthweight	Very Low (0-1,499 Grams)	2.6	*	*	*	-0-	*	-0-	2.6	-0-	-0-
	Low (0-2,499 Grams)	9.8	*	10.5	7.7	*	*	*	9.9	-0-	*
Caesarian Section	Primary	15.1	*	13.8	14.1	*	*	-0-	15.1	-0-	*
	Secondary	7.7	*	6.6	7.7	*	*	-0-	7.7	-0-	*
Trimester Prenatal Care Began	First	85.7	*	90.0	84.4	*	*	*	85.8	-0-	*
	Third or No Care	3.3	*	*	*	*	-0-	-0-	3.1	*	-0-
First Birth		36.5	*	40.1	26.8	*	*	-0-	36.4	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Hamilton County - 2001

Population Estimates	
Total	8,400
Under 65 Years	6,770
65 and Older	1,630

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	102	3	--	1	2	1	6	5	9	19	25	31
Male	55	1	--	1	2	1	6	4	5	10	14	11
Female	47	2	--	--	--	--	--	1	4	9	11	20
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	102	3	--	1	2	1	6	5	9	19	25	31
Male	55	1	--	1	2	1	6	4	5	10	14	11
Female	47	2	--	--	--	--	--	1	4	9	11	20
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity	Age								
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age				
								2001	1999 - 2001	0-64	65+			
All Causes - Current Year	102	--	102	--	--	27	75	1,214.3	1,250.0	398.8	4,601.2			
5-Year Average (1997-2001)	110	<1	110	--	--	21	88	1,285.7	N.A.	315.6	5,022.7			
Infectious and parasitic diseases	1	--	1	--	--	--	1	*	*	-0-	*			
# Septicemia	1	--	1	--	--	--	1	*	*	-0-	*			
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Malignant neoplasms	26	--	26	--	--	5	21	309.5	300.8	*	1,288.3			
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
Colorectal	3	--	3	--	--	1	2	*	58.6	*	*			
Bronchus and lung	6	--	6	--	--	2	4	*	85.9	*	*			
Female breast	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³			
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³			
Prostate	2	--	2	--	--	--	2	* ³	* ³	-0- ³	* ³			
# Diabetes mellitus	2	--	2	--	--	1	1	*	*	*	*			
# Alzheimer's disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
Major cardiovascular diseases	47	--	47	--	--	9	38	559.5	644.5	*	2,331.3			
# Diseases of heart	41	--	41	--	--	7	34	488.1	546.9	*	2,085.9			
Ischemic heart disease	27	--	27	--	--	5	22	321.4	339.8	*	1,349.7			
# Cerebrovascular diseases	6	--	6	--	--	2	4	*	78.1	*	*			
# Atherosclerosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
Respiratory diseases	9	--	9	--	--	--	9	*	89.8	-0-	*			
# Influenza and pneumonia	4	--	4	--	--	--	4	*	*	-0-	*			
# Chronic lower resp. diseases	4	--	4	--	--	--	4	*	46.9	-0-	*			
Emphysema	1	--	1	--	--	--	1	*	*	-0-	*			
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Nephritis, nephrotic syn. & nephrosis	5	--	5	--	--	2	3	*	39.1	*	*			
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Congenital malformations	2	--	2	--	--	2	--	*	*	*	-0-			
SIDS	1	--	1	--	--	1	--	*	*	*	-0-			
External causes	7	--	7	--	--	5	2	*	58.6	*	*			
# Accidents	4	--	4	--	--	3	1	*	39.1	*	*			
Motor vehicle accidents	2	--	2	--	--	2	--	*	*	*	-0-			
All other accidents	2	--	2	--	--	1	1	*	*	*	*			
# Suicide	1	--	1	--	--	1	--	*	*	*	-0-			
# Homicide	2	--	2	--	--	1	1	*	*	*	*			

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Hancock County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	202	23	67	51	43	14	4	201	1	2
Sex	Male	94	14	25	25	21	7	2	94	--	--
	Female	108	9	42	26	22	7	2	107	1	2
Race	White	201	22	67	51	43	14	4			
	Black	1	1	--	--	--	--	--			
Ethnicity	Hispanic ¹	2	--	--	1	1	--	--			
Multiple Births		4	--	--	2	--	--	2	4	--	--
Marital Status	Married	142	2	44	45	37	12	2	142	--	--
	Single	60	21	23	6	6	2	2	59	1	2
Mother Not High School Graduate		14	11	2	1	--	--	--	13	1	--
Birthweight	Very Low (0-1,499 Grams)	1	--	1	--	--	--	--	1	--	--
	Low (0-2,499 Grams)	8	1	4	1	1	--	1	8	--	--
Caesarian Section	Primary	30	5	7	9	5	2	2	29	1	--
	Secondary	17	--	1	9	7	--	--	17	--	1
Trimester Prenatal Care Began	First	169	17	55	44	40	10	3	168	1	2
	Third or No Care	6	1	3	--	2	--	--	6	--	--
First Birth		71	19	31	10	8	2	1	70	1	--
2001 Percentages²											
Live Births	Total	100.0	11.4	33.2	25.2	21.3	6.9	*	99.5	*	*
Sex	Male	46.5	*	*	*	*	*	*	46.8	-0-	-0-
	Female	53.5	*	*	*	*	*	*	53.2	*	*
Race	White	99.5	*	*	*	*	*	*			
	Black	*	*	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	*	-0-	-0-			
Multiple Births		*	-0-	-0-	*	-0-	-0-	*	*	-0-	-0-
Marital Status	Married	70.3	*	*	*	*	*	*	70.6	-0-	-0-
	Single	29.7	*	*	*	*	*	*	29.4	*	*
Mother Not High School Graduate		6.9	*	*	*	-0-	-0-	-0-	6.5	*	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	*	-0-	*	*	-0-	-0-
Caesarian Section	Primary	14.9	*	*	*	*	*	*	14.4	*	-0-
	Secondary	8.4	-0-	*	*	*	-0-	-0-	8.5	-0-	*
Trimester Prenatal Care Began	First	84.5	*	*	*	*	*	*	84.4	*	*
	Third or No Care	*	*	*	-0-	*	-0-	-0-	*	-0-	-0-
First Birth		35.1	*	*	*	*	*	-0-	34.8	*	-0-
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	11.2	29.6	28.6	21.3	7.8	1.5	99.3	*	*
Sex	Male	49.7	53.2	46.8	48.1	52.7	*	*	49.7	-0-	*
	Female	50.3	46.8	53.2	51.9	47.3	*	*	50.3	*	*
Race	White	99.3	97.6	99.7	99.1	100.0	*	*			
	Black	*	*	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	*	*	-0-			
Multiple Births		2.8	-0-	4.9	*	*	-0-	*	2.8	-0-	-0-
Marital Status	Married	75.6	21.8	67.5	88.1	93.2	*	*	75.7	*	*
	Single	24.4	78.2	32.5	11.9	6.8	*	*	24.3	*	*
Mother Not High School Graduate		7.9	40.3	5.8	4.1	*	-0-	-0-	7.7	*	*
Birthweight	Very Low (0-1,499 Grams)	*	*	*	-0-	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.8	8.9	7.9	*	4.6	*	*	5.9	-0-	-0-
Caesarian Section	Primary	13.8	17.7	15.8	13.2	9.3	*	*	13.5	*	*
	Secondary	9.6	-0-	4.3	15.1	14.3	*	*	9.6	-0-	*
Trimester Prenatal Care Began	First	85.1	73.8	81.0	88.0	92.0	*	*	85.0	*	*
	Third or No Care	1.7	0.8	3.1	*	*	*	-0-	1.7	-0-	-0-
First Birth		33.0	82.3	44.7	25.5	11.0	*	*	32.9	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Hancock County - 2001

Population Estimates	
Total	19,900
Under 65 Years	16,240
65 and Older	3,660

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	211	--	--	--	3	5	2	10	14	23	78	76	
Male	91	--	--	--	--	3	2	8	12	10	34	22	
Female	120	--	--	--	3	2	--	2	2	13	44	54	
Black	1	--	--	--	--	--	--	--	--	--	--	1	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	--	--	--	1	
White	210	--	--	--	3	5	2	10	14	23	78	75	
Male	91	--	--	--	--	3	2	8	12	10	34	22	
Female	119	--	--	--	3	2	--	2	2	13	44	53	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes												
	Race Category				Ethnicity	Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		
								2001	1999 - 2001	0-64	65+	
All Causes - Current Year	211	1	210	--	--	34	177	1,060.3	1,144.5	209.4	4,836.1	
5-Year Average (1997-2001)	229	<1	229	<1	--	39	191	1,093.4	N.A.	226.8	4,917.4	
Infectious and parasitic diseases	2	--	2	--	--	1	1	*	*	*	*	
# Septicemia	1	--	1	--	--	1	--	*	*	*	-0-	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# Malignant neoplasms	45	--	45	--	--	10	35	226.1	266.0	61.6	956.3	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
Colorectal	6	--	6	--	--	2	4	*	39.4	*	*	
Bronchus and lung	5	--	5	--	--	--	5	*	70.6	-0-	*	
Female breast	3	--	3	--	--	--	3	* ³	18.1 ³	-0- ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³	
Prostate	2	--	2	--	--	--	2	* ³	* ³	-0- ³	* ³	
# Diabetes mellitus	4	--	4	--	--	1	3	*	24.6	*	*	
# Alzheimer's disease	2	--	2	--	--	--	2	*	23.0	-0-	*	
Major cardiovascular diseases	94	1	93	--	--	10	84	472.4	482.8	61.6	2,295.1	
# Diseases of heart	64	1	63	--	--	7	57	321.6	336.6	*	1,557.4	
Ischemic heart disease	45	1	44	--	--	7	38	226.1	247.9	*	1,038.3	
# Cerebrovascular diseases	25	--	25	--	--	3	22	125.6	121.5	*	601.1	
# Atherosclerosis	3	--	3	--	--	--	3	*	*	-0-	*	
# Aortic aneurysm and dissection	2	--	2	--	--	--	2	*	*	-0-	*	
Respiratory diseases	27	--	27	--	--	1	26	135.7	142.9	*	710.4	
# Influenza and pneumonia	11	--	11	--	--	--	11	55.3	52.5	-0-	300.5	
# Chronic lower resp. diseases	14	--	14	--	--	1	13	70.4	72.2	*	355.2	
Emphysema	--	--	--	--	--	--	--	-0-	16.4	-0-	-0-	
Asthma	2	--	2	--	--	1	1	*	*	*	*	
# Chronic liver disease and cirrhosis	2	--	2	--	--	--	2	*	*	-0-	*	
# Nephritis, nephrotic syn. & nephrosis	3	--	3	--	--	--	3	*	19.7	-0-	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# Congenital malformations	1	--	1	--	--	1	--	*	*	*	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
External causes	11	--	11	--	--	6	5	55.3	52.5	*	*	
# Accidents	9	--	9	--	--	5	4	*	39.4	*	*	
Motor vehicle accidents	4	--	4	--	--	4	--	*	*	*	-0-	
All other accidents	5	--	5	--	--	1	4	*	24.6	*	*	
# Suicide	1	--	1	--	--	--	1	*	*	-0-	*	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Hardin County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	43	5	17	10	7	4	--	42	--	--
Sex	Male	24	1	11	6	5	1	--	23	--	--
	Female	19	4	6	4	2	3	--	19	--	--
Race	White	42	5	17	9	7	4	--			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		--	--	--	--	--	--	--	--	--	--
Marital Status	Married	30	3	12	9	4	2	--	29	--	--
	Single	13	2	5	1	3	2	--	13	--	--
Mother Not High School Graduate		6	2	2	--	1	1	--	6	--	--
Birthweight	Very Low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	5	1	1	2	--	1	--	5	--	--
Caesarian Section	Primary	3	--	2	--	1	--	--	3	--	--
	Secondary	7	--	2	3	2	--	--	6	--	--
Trimester Prenatal Care Began	First	40	5	16	9	6	4	--	40	--	--
	Third or No Care	--	--	--	--	--	--	--	--	--	--
First Birth		10	4	3	2	--	1	--	10	--	--
2001 Percentages ²											
Live Births	Total	*	*	*	*	*	*	-0-	*	-0-	-0-
Sex	Male	*	*	*	*	*	*	-0-	*	-0-	-0-
	Female	*	*	*	*	*	*	-0-	*	-0-	-0-
Race	White	*	*	*	*	*	*	-0-			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Marital Status	Married	*	*	*	*	*	*	-0-	*	-0-	-0-
	Single	*	*	*	*	*	*	-0-	*	-0-	-0-
Mother Not High School Graduate		*	*	*	-0-	*	*	-0-	*	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	-0-	*	-0-	*	-0-	-0-
Caesarian Section	Primary	*	-0-	*	-0-	*	-0-	-0-	*	-0-	-0-
	Secondary	*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
Trimester Prenatal Care Began	First	*	*	*	*	*	*	-0-	*	-0-	-0-
	Third or No Care	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
First Birth		*	*	*	*	-0-	*	-0-	*	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	19.0	38.5	24.7	10.4	6.9	*	98.7	-0-	-0-
Sex	Male	51.9	*	*	*	*	*	*	51.8	-0-	-0-
	Female	48.1	*	*	*	*	*	-0-	48.2	-0-	-0-
Race	White	98.7	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	74.0	*	*	*	*	*	*	73.7	-0-	-0-
	Single	26.0	*	*	*	*	*	-0-	26.3	-0-	-0-
Mother Not High School Graduate		20.5	*	*	*	*	*	-0-	20.8	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.5	*	*	*	*	*	-0-	6.6	-0-	-0-
Caesarian Section	Primary	14.3	*	*	*	*	*	-0-	14.0	-0-	-0-
	Secondary	10.4	-0-	*	*	*	*	-0-	10.1	-0-	-0-
Trimester Prenatal Care Began	First	90.4	*	*	*	*	*	*	91.2	-0-	-0-
	Third or No Care	*	0.0	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First Birth		36.8	*	*	*	*	*	-0-	36.4	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Hardin County - 2001

Population Estimates	
Total	4,800
Under 65 Years	3,950
65 and Older	850

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	75	--	--	--	--	--	2	5	8	13	22	25	
Male	31	--	--	--	--	--	2	2	5	8	8	6	
Female	44	--	--	--	--	--	--	3	3	5	14	19	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	74	--	--	--	--	--	2	5	8	13	21	25	
Male	30	--	--	--	--	--	2	2	5	8	7	6	
Female	44	--	--	--	--	--	--	3	3	5	14	19	
All other races	1	--	--	--	--	--	--	--	--	--	1	--	
Male	1	--	--	--	--	--	--	--	--	--	1	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	75	--	74	1	--		15	60			1,562.5	1,510.3	379.7	7,058.8
5-Year Average (1997-2001)	71	<1	70	<1	--		15	56			1,439.5	N.A.	374.4	6,244.4
Infectious and parasitic diseases	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Septicemia	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Viral hepatitis	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# HIV disease	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Malignant neoplasms	13	--	13	--	--		3	10			270.8	310.3	*	1,176.5
Lip, oral cavity and pharynx	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
Colorectal	3	--	3	--	--		1	2			*	*	*	*
Bronchus and lung	3	--	3	--	--		--	3			*	103.4	-0-	*
Female breast	--	--	--	--	--		--	--			-0- ³	* ³	-0- ³	-0- ³
Cervical	--	--	--	--	--		--	--			-0- ³	* ³	-0- ³	-0- ³
Prostate	1	--	1	--	--		--	1			* ³	* ³	-0- ³	* ³
# Diabetes mellitus	3	--	3	--	--		--	3			*	*	-0-	*
# Alzheimer's disease	1	--	1	--	--		--	1			*	*	-0-	*
Major cardiovascular diseases	32	--	31	1	--		6	26			666.7	703.4	*	3,058.8
# Diseases of heart	24	--	23	1	--		5	19			500.0	544.8	*	2,235.3
Ischemic heart disease	11	--	10	1	--		2	9			229.2	296.6	*	*
# Cerebrovascular diseases	5	--	5	--	--		--	5			*	89.7	-0-	*
# Atherosclerosis	1	--	1	--	--		1	--			*	*	*	-0-
# Aortic aneurysm and dissection	1	--	1	--	--		--	1			*	*	-0-	*
Respiratory diseases	7	--	7	--	--		--	7			*	137.9	-0-	*
# Influenza and pneumonia	4	--	4	--	--		--	4			*	*	-0-	*
# Chronic lower resp. diseases	3	--	3	--	--		--	3			*	*	-0-	*
Emphysema	--	--	--	--	--		--	--			-0-	*	-0-	-0-
Asthma	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--		--	1			*	*	-0-	*
# Nephritis, nephrotic syn. & nephrosis	2	--	2	--	--		--	2			*	*	-0-	*
# Certain perinatal conditions	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# Congenital malformations	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
SIDS	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
External causes	9	--	9	--	--		5	4			*	124.1	*	*
# Accidents	8	--	8	--	--		4	4			*	110.3	*	*
Motor vehicle accidents	5	--	5	--	--		2	3			*	*	*	*
All other accidents	3	--	3	--	--		2	1			*	*	*	*
# Suicide	1	--	1	--	--		1	--			*	*	*	-0-
# Homicide	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Henderson County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	78	6	32	17	18	3	2	77	--	--
Sex	Male	38	3	14	9	7	3	2	37	--	--
	Female	40	3	18	8	11	--	--	40	--	--
Race	White	77	6	32	17	17	3	2			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		--	--	--	--	--	--	--	--	--	--
Marital Status	Married	57	1	21	15	16	2	2	56	--	--
	Single	21	5	11	2	2	1	--	21	--	--
Mother Not High School Graduate		11	3	6	2	--	--	--	11	--	--
Birthweight	Very Low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	4	--	--	3	1	--	--	4	--	--
Caesarian Section	Primary	10	--	4	5	1	--	--	10	--	--
	Secondary	12	1	4	2	3	--	2	12	--	--
Trimester Prenatal	First	71	5	27	17	18	3	1	70	--	--
Care Began	Third or No Care	1	--	1	--	--	--	--	1	--	--
First Birth		19	4	8	4	3	--	--	18	--	--
2001 Percentages ²											
Live Births	Total	*	*	*	*	*	*	*	*	-0-	-0-
Sex	Male	*	*	*	*	*	*	*	*	-0-	-0-
	Female	*	*	*	*	*	-0-	-0-	*	-0-	-0-
Race	White	*	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Marital Status	Married	*	*	*	*	*	*	*	*	-0-	-0-
	Single	*	*	*	*	*	*	-0-	*	-0-	-0-
Mother Not High School Graduate		*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	*	-0-	-0-	*	*	-0-	-0-	*	-0-	-0-
Caesarian Section	Primary	*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
	Secondary	*	*	*	*	*	-0-	*	*	-0-	-0-
Trimester Prenatal	First	*	*	*	*	*	*	*	*	-0-	-0-
Care Began	Third or No Care	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First Birth		*	*	*	*	*	-0-	-0-	*	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	14.3	32.6	25.3	18.8	7.0	*	98.7	*	*
Sex	Male	49.4	*	46.9	50.5	*	*	*	49.2	-0-	*
	Female	50.6	*	53.1	49.5	*	*	*	50.8	*	-0-
Race	White	98.7	*	99.2	99.0	*	*	*			
	Black	*	*	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	-0-	-0-	-0-			
Multiple Births		*	-0-	-0-	-0-	*	-0-	*	*	-0-	-0-
Marital Status	Married	70.2	*	66.9	83.2	*	*	*	70.3	-0-	*
	Single	29.8	*	33.1	16.8	*	*	*	29.7	*	*
Mother Not High School Graduate		14.8	*	13.2	*	-0-	*	-0-	15.0	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	4.8	*	*	*	*	-0-	-0-	4.6	*	*
Caesarian Section	Primary	13.5	*	14.6	17.8	*	*	*	13.7	-0-	-0-
	Secondary	10.0	*	8.5	11.9	*	*	*	9.9	-0-	-0-
Trimester Prenatal	First	86.1	*	82.0	91.1	*	*	*	86.2	*	*
Care Began	Third or No Care	2.8	*	*	*	*	-0-	-0-	2.8	-0-	-0-
First Birth		31.8	*	37.7	19.8	*	*	-0-	31.5	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Henderson County - 2001

Population Estimates	
Total	8,200
Under 65 Years	6,820
65 and Older	1,380

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	85	--	--	--	--	1	4	2	8	17	28	25	
Male	40	--	--	--	--	--	4	1	6	11	12	6	
Female	45	--	--	--	--	1	--	1	2	6	16	19	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	84	--	--	--	--	1	4	2	7	17	28	25	
Male	39	--	--	--	--	--	4	1	5	11	12	6	
Female	45	--	--	--	--	1	--	1	2	6	16	19	
All other races	1	--	--	--	--	--	--	--	1	--	--	--	
Male	1	--	--	--	--	--	--	--	1	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	85	--	84	1	--	15	70	1,036.6	976.0	219.9	5,072.5			
5-Year Average (1997-2001)	86	<1	85	<1	<1	17	69	1,000.0	N.A.	235.5	5,119.4			
Infectious and parasitic diseases	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Septicemia	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Malignant neoplasms	27	--	26	1	--	5	22	329.3	252.0	*	1,594.2			
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	*	-0-			
Colorectal	2	--	2	--	--	--	2	*	*	-0-	*			
Bronchus and lung	10	--	9	1	--	2	8	122.0	100.0	*	*			
Female breast	1	--	1	--	--	1	--	* ³	* ³	* ³	-0- ³			
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³			
Prostate	1	--	1	--	--	--	1	* ³	* ³	-0- ³	* ³			
# Diabetes mellitus	1	--	1	--	--	--	1	*	*	-0-	*			
# Alzheimer's disease	1	--	1	--	--	--	1	*	*	-0-	*			
Major cardiovascular diseases	44	--	44	--	--	5	39	536.6	476.0	*	2,826.1			
# Diseases of heart	33	--	33	--	--	4	29	402.4	376.0	*	2,101.4			
Ischemic heart disease	29	--	29	--	--	4	25	353.7	332.0	*	1,811.6			
# Cerebrovascular diseases	10	--	10	--	--	1	9	122.0	92.0	*	*			
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*			
Respiratory diseases	2	--	2	--	--	1	1	*	40.0	*	*			
# Influenza and pneumonia	1	--	1	--	--	--	1	*	*	-0-	*			
# Chronic lower resp. diseases	1	--	1	--	--	1	--	*	*	*	-0-			
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Chronic liver disease and cirrhosis	1	--	1	--	--	--	1	*	*	-0-	*			
# Nephritis, nephrotic syn. & nephrosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Congenital malformations	1	--	1	--	--	1	--	*	*	*	-0-			
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
External causes	4	--	4	--	--	3	1	*	64.0	*	*			
# Accidents	1	--	1	--	--	1	--	*	40.0	*	-0-			
Motor vehicle accidents	1	--	1	--	--	1	--	*	*	*	-0-			
All other accidents	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Suicide	2	--	2	--	--	1	1	*	*	*	*			
# Homicide	1	--	1	--	--	1	--	*	*	*	-0-			

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Henry County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	536	69	145	162	105	44	11	523	8	26
Sex	Male	280	37	81	79	56	21	6	272	4	13
	Female	256	32	64	83	49	23	5	251	4	13
Race	White	523	64	140	161	104	43	11			
	Black	8	4	4	--	--	--	--			
Ethnicity	Hispanic ¹	26	5	10	5	4	1	1			
Multiple Births		15	2	5	2	4	2	--	15	--	2
Marital Status	Married	370	5	76	145	98	35	11	365	2	9
	Single	166	64	69	17	7	9	--	158	6	17
Mother Not High School Graduate		73	49	14	8	--	2	--	66	5	6
Birthweight	Very Low (0-1,499 Grams)	6	1	5	--	--	--	--	6	--	--
	Low (0-2,499 Grams)	31	9	13	4	4	1	--	31	--	3
Caesarian Section	Primary	77	10	30	18	12	7	--	74	1	6
	Secondary	54	1	11	17	16	6	3	52	1	6
Trimester Prenatal Care Began	First	462	50	115	150	98	42	7	452	7	22
	Third or No Care	8	5	1	1	1	--	--	8	--	--
First Birth		173	51	58	43	16	4	1	167	3	10
2001 Percentages ²											
Live Births	Total	100.0	12.9	27.1	30.2	19.6	8.2	2.1	97.6	*	4.9
Sex	Male	52.2	*	55.9	48.8	53.3	*	*	52.0	*	*
	Female	47.8	*	44.1	51.2	46.7	*	*	48.0	*	*
Race	White	97.6	*	96.6	99.4	99.0	*	*			
	Black	*	*	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	4.9	*	6.9	*	*	*	*			
Multiple Births		2.8	*	*	*	*	*	-0-	2.9	-0-	*
Marital Status	Married	69.0	*	52.4	89.5	93.3	*	*	69.8	*	*
	Single	31.0	*	47.6	10.5	*	*	-0-	30.2	*	*
Mother Not High School Graduate		13.6	*	9.7	*	-0-	*	-0-	12.6	*	*
Birthweight	Very Low (0-1,499 Grams)	*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.8	*	9.0	*	*	*	-0-	5.9	-0-	*
Caesarian Section	Primary	14.4	*	20.7	11.1	11.4	*	-0-	14.1	*	*
	Secondary	10.1	*	7.6	10.5	15.2	*	*	9.9	*	*
Trimester Prenatal Care Began	First	86.2	*	79.3	92.6	93.3	*	*	86.4	*	*
	Third or No Care	*	*	*	*	*	-0-	-0-	*	-0-	-0-
First Birth		32.3	*	40.0	26.5	15.2	*	-0-	31.9	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	11.4	27.2	31.0	20.4	8.4	1.5	97.2	2.0	4.3
Sex	Male	52.0	51.5	51.7	50.8	52.5	55.0	*	51.9	*	43.1
	Female	48.0	48.5	48.3	49.2	47.5	45.0	*	48.1	*	56.9
Race	White	97.2	95.1	95.5	98.1	99.5	96.7	*			
	Black	2.0	4.3	3.7	1.5	*	*	-0-			
Ethnicity	Hispanic ¹	4.3	6.4	5.9	3.5	3.4	*	*			
Multiple Births		3.1	*	2.8	2.4	4.3	4.2	*	3.0	*	*
Marital Status	Married	71.7	12.9	58.5	86.3	91.6	88.3	*	72.8	*	52.8
	Single	28.3	87.1	41.5	13.7	8.4	11.7	*	27.2	*	47.2
Mother Not High School Graduate		13.6	57.4	15.4	5.8	2.2	5.8	*	12.8	*	39.0
Birthweight	Very Low (0-1,499 Grams)	1.1	*	1.5	*	*	*	-0-	0.9	*	*
	Low (0-2,499 Grams)	6.2	10.1	6.7	4.8	4.8	6.7	*	5.9	*	*
Caesarian Section	Primary	13.7	14.7	15.4	11.0	13.4	15.8	*	13.6	*	16.3
	Secondary	9.8	*	6.1	10.9	13.8	17.5	*	9.9	*	17.1
Trimester Prenatal Care Began	First	85.6	69.0	79.8	91.8	92.1	88.3	*	85.9	*	69.9
	Third or No Care	1.4	0.9	1.4	*	*	*	-0-	1.4	*	*
First Birth		31.6	76.4	40.6	24.2	14.8	13.3	*	31.7	*	35.0

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Henry County - 2001

Population Estimates	
Total	50,700
Under 65 Years	42,400
65 and Older	8,300

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	544	4	2	2	8	4	11	28	45	88	165	187	
Male	277	2	--	2	3	3	7	21	28	56	92	63	
Female	267	2	2	--	5	1	4	7	17	32	73	124	
Black	5	--	--	--	--	--	--	--	--	--	3	2	
Male	2	--	--	--	--	--	--	--	--	--	2	--	
Female	3	--	--	--	--	--	--	--	--	--	1	2	
White	539	4	2	2	8	4	11	28	45	88	162	185	
Male	275	2	--	2	3	3	7	21	28	56	90	63	
Female	264	2	2	--	5	1	4	7	17	32	72	122	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	3	--	--	--	--	--	--	--	1	2	--	--	
Male	1	--	--	--	--	--	--	--	--	1	--	--	
Female	2	--	--	--	--	--	--	--	1	1	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	544	5	539	--	3	104	440	1,073.0	1,055.3	245.3	5,301.2		
5-Year Average (1997-2001)	536	6	530	--	3	100	436	1,042.8	N.A.	234.1	5,115.1		
# Infectious and parasitic diseases	10	--	10	--	1	--	10	19.7	18.9	-0-	120.5		
# Septicemia	8	--	8	--	1	--	8	*	14.3	-0-	*		
# Viral hepatitis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# Malignant neoplasms	132	--	132	--	--	33	99	260.4	238.9	77.8	1,192.8		
# Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	*	-0-	*		
# Colorectal	13	--	13	--	--	2	11	25.6	26.7	*	132.5		
# Bronchus and lung	36	--	36	--	--	11	25	71.0	63.8	25.9	301.2		
# Female breast	7	--	7	--	--	3	4	³ 16.3	³ 16.3	³ *	³ *		
# Cervical	1	--	1	--	--	1	--	³ *	³ *	³ *	-0- ³		
# Prostate	11	--	11	--	--	--	11	21.7 ³	15.6 ³	-0- ³	132.5 ³		
# Diabetes mellitus	13	--	13	--	--	6	7	25.6	29.3	*	*		
# Alzheimer's disease	19	--	19	--	--	--	19	37.5	22.8	-0-	228.9		
# Major cardiovascular diseases	221	4	217	--	1	24	197	435.9	433.6	56.6	2,373.5		
# Diseases of heart	147	3	144	--	1	23	124	289.9	281.3	54.2	1,494.0		
# Ischemic heart disease	96	2	94	--	1	17	79	189.3	189.5	40.1	951.8		
# Cerebrovascular diseases	52	--	52	--	--	1	51	102.6	108.1	*	614.5		
# Atherosclerosis	8	--	8	--	--	--	8	*	16.9	-0-	*		
# Aortic aneurysm and dissection	4	--	4	--	--	--	4	*	8.5	-0-	*		
# Respiratory diseases	55	--	55	--	--	6	49	108.5	104.8	*	590.4		
# Influenza and pneumonia	19	--	19	--	--	--	19	37.5	37.1	-0-	228.9		
# Chronic lower resp. diseases	29	--	29	--	--	4	25	57.2	50.8	*	301.2		
# Emphysema	2	--	2	--	--	--	2	*	11.1	-0-	*		
# Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# Chronic liver disease and cirrhosis	4	--	4	--	--	2	2	*	8.5	*	*		
# Nephritis, nephrotic syn. & nephrosis	16	--	16	--	--	2	14	31.6	24.1	*	168.7		
# Certain perinatal conditions	2	--	2	--	--	2	--	*	*	*	-0-		
# Congenital malformations	1	--	1	--	--	1	--	*	*	*	-0-		
# SIDS	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# External causes	28	--	28	--	--	18	10	55.2	59.2	42.5	120.5		
# Accidents	23	--	23	--	--	14	9	45.4	44.3	33.0	*		
# Motor vehicle accidents	8	--	8	--	--	7	1	*	18.9	*	*		
# All other accidents	15	--	15	--	--	7	8	29.6	25.4	*	*		
# Suicide	3	--	3	--	--	2	1	*	11.1	*	*		
# Homicide	1	--	1	--	--	1	--	*	*	*	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Iroquois County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	353	51	98	103	73	22	6	351	1	32
Sex	Male	173	27	46	50	35	11	4	171	1	12
	Female	180	24	52	53	38	11	2	180	--	20
Race	White	351	51	98	103	72	22	5			
	Black	1	--	--	--	--	--	1			
Ethnicity	Hispanic ¹	32	8	9	7	5	3	--			
Multiple Births		8	2	2	--	4	--	--	8	--	--
Marital Status	Married	234	10	48	88	72	15	1	233	--	19
	Single	119	41	50	15	1	7	5	118	1	13
Mother Not High School Graduate		68	30	19	10	5	2	2	68	--	19
Birthweight	Very Low (0-1,499 Grams)	2	--	1	1	--	--	--	2	--	--
	Low (0-2,499 Grams)	15	3	6	4	1	1	--	15	--	1
Caesarian Section	Primary	41	9	9	12	5	5	1	41	--	6
	Secondary	30	1	11	8	8	1	1	30	--	1
Trimester Prenatal Care Began	First	290	34	86	87	61	18	4	289	--	23
	Third or No Care	7	3	2	1	--	1	--	7	--	1
First Birth		108	33	34	32	6	3	--	108	--	7
2001 Percentages²											
Live Births	Total	100.0	14.4	27.8	29.2	20.7	6.2	*	99.4	*	9.1
Sex	Male	49.0	*	*	48.5	*	*	*	48.7	*	*
	Female	51.0	*	*	51.5	*	*	*	51.3	-0-	*
Race	White	99.4	*	*	100.0	*	*	*			
	Black	*	-0-	-0-	-0-	-0-	-0-	*			
Ethnicity	Hispanic ¹	9.1	*	*	*	*	*	-0-			
Multiple Births		*	*	*	-0-	*	-0-	-0-	*	-0-	-0-
Marital Status	Married	66.3	*	*	85.4	*	*	*	66.4	-0-	*
	Single	33.7	*	*	14.6	*	*	*	33.6	*	*
Mother Not High School Graduate		19.3	*	*	9.7	*	*	*	19.4	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	4.2	*	*	*	*	*	-0-	4.3	-0-	*
Caesarian Section	Primary	11.6	*	*	11.7	*	*	*	11.7	-0-	*
	Secondary	8.5	*	*	*	*	*	*	8.5	-0-	*
Trimester Prenatal Care Began	First	82.6	*	*	84.5	*	*	*	82.8	-0-	*
	Third or No Care	*	*	*	*	-0-	*	-0-	*	-0-	*
First Birth		30.6	*	*	31.1	*	*	-0-	30.8	-0-	*
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	12.5	27.5	31.1	20.4	6.7	1.9	98.5	0.8	7.7
Sex	Male	50.8	47.8	48.3	53.5	53.3	45.0	*	50.5	*	51.1
	Female	49.2	52.2	51.7	46.5	46.7	55.0	*	49.5	*	48.9
Race	White	98.5	97.8	99.8	98.7	98.1	95.0	*			
	Black	0.8	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	7.7	12.9	9.3	5.4	5.7	9.2	*			
Multiple Births		3.4	*	2.4	4.1	4.6	*	-0-	3.3	-0-	*
Marital Status	Married	71.0	17.0	60.8	86.2	90.4	81.7	*	71.2	*	64.7
	Single	29.0	83.0	39.2	13.8	9.6	18.3	*	28.8	*	35.3
Mother Not High School Graduate		18.3	60.7	19.6	8.9	8.2	9.2	*	18.4	*	64.0
Birthweight	Very Low (0-1,499 Grams)	0.6	*	*	*	*	-0-	-0-	0.6	-0-	-0-
	Low (0-2,499 Grams)	5.9	6.3	6.3	6.6	4.9	*	*	5.8	-0-	*
Caesarian Section	Primary	14.9	17.9	11.3	17.2	13.7	15.0	*	14.7	*	13.7
	Secondary	9.5	*	9.3	8.9	11.7	18.3	*	9.4	*	10.8
Trimester Prenatal Care Began	First	83.9	67.3	84.8	87.8	88.4	80.5	*	84.1	*	73.9
	Third or No Care	3.1	9.4	3.0	*	*	*	*	3.0	*	*
First Birth		30.6	71.9	36.2	25.9	13.9	9.2	*	30.8	*	30.2

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Iroquois County - 2001

Population Estimates	
Total	30,800
Under 65 Years	25,200
65 and Older	5,600

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	383	1	1	2	4	5	10	18	32	69	101	140	
Male	180	1	1	2	3	4	5	12	13	38	55	46	
Female	203	--	--	--	1	1	5	6	19	31	46	94	
Black	3	1	--	--	--	--	--	--	--	--	1	1	
Male	2	1	--	--	--	--	--	--	--	--	--	1	
Female	1	--	--	--	--	--	--	--	--	--	1	--	
White	380	--	1	2	4	5	10	18	32	69	100	139	
Male	178	--	1	2	3	4	5	12	13	38	55	45	
Female	202	--	--	--	1	1	5	6	19	31	45	94	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	2	--	--	--	--	--	--	--	--	2	--	--	
Male	1	--	--	--	--	--	--	--	--	1	--	--	
Female	1	--	--	--	--	--	--	--	--	1	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	383	3	380	--	2	73	310	1,243.5	1,234.5	289.7	5,535.7		
5-Year Average (1997-2001)	375	3	372	--	3	69	307	1,197.8	N.A.	269.5	5,214.1		
# Infectious and parasitic diseases	8	1	7	--	--	3	5	*	21.4	*	*		*
# Septicemia	6	--	6	--	--	1	5	*	16.1	*	*		*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# HIV disease	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# Malignant neoplasms	93	--	93	--	1	24	69	301.9	276.2	95.2	1,232.1		
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	*	-0-		
Colorectal	8	--	8	--	--	2	6	*	32.1	*	*		*
Bronchus and lung	23	--	23	--	--	6	17	74.7	73.9	*	303.6		
Female breast	6	--	6	--	--	2	4	³ 21.4	³ 21.4	³ *	³ 303.6		³ *
Cervical	--	--	--	--	--	--	--	-0- ³	³ *	-0- ³	-0- ³		-0- ³
Prostate	3	--	3	--	--	--	3	³ *	³ *	-0- ³	³ *		³ *
# Diabetes mellitus	14	--	14	--	1	1	13	45.5	43.9	*	232.1		
# Alzheimer's disease	5	--	5	--	--	--	5	*	18.2	-0-	*		
Major cardiovascular diseases	163	1	162	--	--	18	145	529.2	550.3	71.4	2,589.3		
# Diseases of heart	118	1	117	--	--	16	102	383.1	416.5	63.5	1,821.4		
Ischemic heart disease	93	1	92	--	--	12	81	301.9	325.5	47.6	1,446.4		
# Cerebrovascular diseases	35	--	35	--	--	1	34	113.6	104.9	*	607.1		
# Atherosclerosis	5	--	5	--	--	1	4	*	*	*	*		*
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*		*
Respiratory diseases	18	--	18	--	--	1	17	58.4	95.3	*	303.6		
# Influenza and pneumonia	4	--	4	--	--	--	4	*	18.2	-0-	*		*
# Chronic lower resp. diseases	11	--	11	--	--	1	10	35.7	60.0	*	178.6		
Emphysema	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Chronic liver disease and cirrhosis	2	--	2	--	--	--	2	*	*	-0-	*		*
# Nephritis, nephrotic syn. & nephrosis	5	--	5	--	--	--	5	*	21.4	-0-	*		*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Congenital malformations	1	--	1	--	--	1	--	*	*	*	-0-		-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
External causes	27	1	26	--	--	18	9	87.7	69.6	71.4	*		*
# Accidents	19	1	18	--	--	12	7	61.7	54.6	47.6	*		*
Motor vehicle accidents	9	1	8	--	--	7	2	*	28.9	*	*		*
All other accidents	10	--	10	--	--	5	5	32.5	25.7	*	*		*
# Suicide	7	--	7	--	--	5	2	*	11.8	*	*		*
# Homicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Jackson County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	676	67	208	193	142	52	14	498	142	27
Sex	Male	362	41	113	93	74	32	9	261	83	17
	Female	314	26	95	100	68	20	5	237	59	10
Race	White	498	36	144	152	114	42	10			
	Black	142	31	62	26	13	8	2			
Ethnicity	Hispanic ¹	27	4	4	13	5	1	--			
Multiple Births		20	--	4	6	6	2	2	18	--	--
Marital Status	Married	429	10	89	153	123	41	13	362	31	19
	Single	247	57	119	40	19	11	1	136	111	8
Mother Not High School Graduate		92	28	26	21	9	7	1	67	25	18
Birthweight	Very Low (0-1,499 Grams)	3	--	2	1	--	--	--	3	--	--
	Low (0-2,499 Grams)	39	5	13	12	6	2	1	20	16	--
Caesarian Section	Primary	100	9	36	28	14	9	4	71	24	3
	Secondary	48	1	8	19	15	4	1	36	9	3
Trimester Prenatal Care Began	First	520	49	149	155	116	39	12	393	97	18
	Third or No Care	18	2	6	3	5	2	--	11	7	1
First Birth		217	46	90	51	25	3	2	166	38	5
2001 Percentages ²											
Live Births	Total	100.0	9.9	30.8	28.6	21.0	7.7	2.1	73.7	21.0	4.0
Sex	Male	53.6	*	54.3	48.2	52.1	*	*	52.4	58.5	*
	Female	46.4	*	45.7	51.8	47.9	*	*	47.6	41.5	*
Race	White	73.7	*	69.2	78.8	80.3	*	*			
	Black	21.0	*	29.8	13.5	9.2	*	*			
Ethnicity	Hispanic ¹	4.0	*	*	6.7	*	*	-0-			
Multiple Births		3.0	-0-	*	*	*	*	*	3.6	-0-	-0-
Marital Status	Married	63.5	*	42.8	79.3	86.6	*	*	72.7	21.8	*
	Single	36.5	*	57.2	20.7	13.4	*	*	27.3	78.2	*
Mother Not High School Graduate		13.6	*	12.5	10.9	*	*	*	13.5	17.6	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.8	*	6.3	6.2	*	*	*	4.0	11.3	-0-
Caesarian Section	Primary	14.8	*	17.3	14.5	9.9	*	*	14.3	16.9	*
	Secondary	7.1	*	*	9.8	10.6	*	*	7.2	*	*
Trimester Prenatal Care Began	First	79.3	*	73.8	83.8	83.5	*	*	81.5	69.8	*
	Third or No Care	2.7	*	*	*	*	*	-0-	2.3	*	*
First Birth		32.1	*	43.3	26.4	17.6	*	-0-	33.3	26.8	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	12.5	30.9	28.9	19.3	6.9	1.5	74.5	21.5	3.0
Sex	Male	52.2	52.1	54.8	50.8	51.0	50.6	*	51.8	54.2	50.0
	Female	47.8	47.9	45.2	49.2	49.0	49.4	*	48.2	45.8	50.0
Race	White	74.5	60.5	69.8	78.4	82.5	82.3	*			
	Black	21.5	39.3	28.8	14.9	11.0	14.3	*			
Ethnicity	Hispanic ¹	3.0	2.9	2.5	4.0	2.5	*	*			
Multiple Births		3.1	*	2.1	3.7	5.1	*	*	3.5	2.2	*
Marital Status	Married	62.1	19.3	47.3	74.8	85.0	83.1	*	71.5	23.0	74.0
	Single	37.9	80.7	52.7	25.2	15.0	16.9	*	28.5	77.0	26.0
Mother Not High School Graduate		14.5	46.7	13.5	8.8	6.6	7.4	*	13.9	18.8	47.5
Birthweight	Very Low (0-1,499 Grams)	1.3	2.6	1.3	1.1	*	*	-0-	1.0	2.6	*
	Low (0-2,499 Grams)	8.3	10.2	8.8	7.9	7.9	6.1	*	6.4	14.8	*
Caesarian Section	Primary	13.5	11.9	14.1	13.4	12.4	16.5	*	13.5	13.7	16.0
	Secondary	6.8	*	3.9	8.0	10.7	12.1	*	6.7	7.5	*
Trimester Prenatal Care Began	First	83.9	76.6	81.0	87.5	87.5	85.8	*	85.9	76.1	70.4
	Third or No Care	2.6	3.6	3.0	1.7	3.0	*	*	1.9	5.2	*
First Birth		35.3	69.3	42.3	30.9	18.7	13.4	*	35.9	31.0	34.0

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Jackson County - 2001

Population Estimates	
Total	58,700
Under 65 Years	52,220
65 and Older	6,480

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	469	6	3	--	8	6	17	29	40	79	124	157	
Male	212	5	2	--	6	4	12	20	25	43	52	43	
Female	257	1	1	--	2	2	5	9	15	36	72	114	
Black	44	2	1	--	3	1	2	2	3	5	14	11	
Male	24	2	1	--	2	1	1	1	2	3	6	5	
Female	20	--	--	--	1	--	1	1	1	2	8	6	
White	424	4	2	--	5	5	15	27	37	73	110	146	
Male	187	3	1	--	4	3	11	19	23	39	46	38	
Female	237	1	1	--	1	2	4	8	14	34	64	108	
All other races	1	--	--	--	--	--	--	--	--	1	--	--	
Male	1	--	--	--	--	--	--	--	--	1	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	469	44	424	1	--	109	360	799.0	828.4	208.7	5,555.6		
5-Year Average (1997-2001)	476	46	428	2	2	110	366	788.7	N.A.	204.2	5,541.4		
# Infectious and parasitic diseases	3	1	2	--	--	1	2	*	15.1	*	*		*
# Septicemia	3	1	2	--	--	1	2	*	12.3	*	*		*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# Malignant neoplasms	88	6	82	--	--	25	63	149.9	178.9	47.9	972.2		
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	*	-0-		
Colorectal	15	1	14	--	--	3	12	25.6	22.4	*	185.2		
Bronchus and lung	14	1	13	--	--	1	13	23.9	44.3	*	200.6		
Female breast	11	1	10	--	--	2	9	18.7 ³	15.7 ³	* ³	* ³		* ³
Cervical	2	--	2	--	--	2	--	* ³	* ³	* ³	-0- ³		-0- ³
Prostate	5	1	4	--	--	--	5	* ³	11.2 ³	-0- ³	* ³		* ³
# Diabetes mellitus	10	2	8	--	--	2	8	17.0	25.8	*	*		*
# Alzheimer's disease	17	1	16	--	--	--	17	29.0	29.7	-0-	262.3		
Major cardiovascular diseases	202	19	183	--	--	30	172	344.1	338.8	57.4	2,654.3		
# Diseases of heart	138	12	126	--	--	24	114	235.1	236.7	46.0	1,759.3		
Ischemic heart disease	90	5	85	--	--	15	75	153.3	160.4	28.7	1,157.4		
# Cerebrovascular diseases	39	4	35	--	--	3	36	66.4	60.6	*	555.6		
# Atherosclerosis	17	2	15	--	--	1	16	29.0	27.5	*	246.9		
# Aortic aneurysm and dissection	1	--	1	--	--	1	--	*	*	*	-0-		
Respiratory diseases	44	2	41	1	--	6	38	75.0	78.5	*	586.4		
# Influenza and pneumonia	7	--	7	--	--	2	5	*	17.4	*	*		*
# Chronic lower resp. diseases	26	2	24	--	--	2	24	44.3	44.3	*	370.4		
Emphysema	2	1	1	--	--	--	2	*	*	-0-	*		*
Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Chronic liver disease and cirrhosis	3	--	3	--	--	--	3	*	*	-0-	*		*
# Nephritis, nephrotic syn. & nephrosis	13	1	12	--	--	3	10	22.1	15.1	*	154.3		
# Certain perinatal conditions	2	--	2	--	--	2	--	*	5.6	*	-0-		
# Congenital malformations	3	--	3	--	--	2	1	*	*	*	*		*
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
External causes	29	5	24	--	--	22	7	49.4	45.4	42.1	*		*
# Accidents	23	3	20	--	--	16	7	39.2	32.5	30.6	*		*
Motor vehicle accidents	9	--	9	--	--	8	1	*	14.0	*	*		*
All other accidents	14	3	11	--	--	8	6	23.9	18.5	*	*		*
# Suicide	4	--	4	--	--	4	--	*	7.3	*	-0-		-0-
# Homicide	2	2	--	--	--	2	--	*	*	*	-0-		-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Jasper County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	105	11	37	29	17	8	3	105	--	--
Sex	Male	44	3	16	12	7	4	2	44	--	--
	Female	61	8	21	17	10	4	1	61	--	--
Race	White	105	11	37	29	17	8	3			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		4	--	2	2	--	--	--	4	--	--
Marital Status	Married	82	2	26	27	16	8	3	82	--	--
	Single	23	9	11	2	1	--	--	23	--	--
Mother Not High School Graduate		10	5	2	2	1	--	--	10	--	--
Birthweight	Very Low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	6	--	3	2	--	1	--	6	--	--
Caesarian Section	Primary	20	1	9	5	4	1	--	20	--	--
	Secondary	8	--	2	4	2	--	--	8	--	--
Trimester Prenatal Care Began	First	99	10	34	28	17	8	2	99	--	--
	Third or No Care	--	--	--	--	--	--	--	--	--	--
First Birth		32	9	15	5	2	1	--	32	--	--
2001 Percentages ²											
Live Births	Total	100.0	10.5	35.2	27.6	16.2	*	*	100.0	-0-	-0-
Sex	Male	41.9	*	*	*	*	*	*	41.9	-0-	-0-
	Female	58.1	*	*	*	*	*	*	58.1	-0-	-0-
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	78.1	*	*	*	*	*	*	78.1	-0-	-0-
	Single	21.9	*	*	*	*	-0-	-0-	21.9	-0-	-0-
Mother Not High School Graduate		9.5	*	*	*	*	-0-	-0-	9.5	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	*	-0-	*	*	-0-	*	-0-	*	-0-	-0-
Caesarian Section	Primary	19.0	*	*	*	*	*	-0-	19.0	-0-	-0-
	Secondary	*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
Trimester Prenatal Care Began	First	94.3	*	*	*	*	*	*	94.3	-0-	-0-
	Third or No Care	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
First Birth		30.5	*	*	*	*	*	-0-	30.5	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	10.5	31.5	28.1	18.2	9.5	2.2	100.0	-0-	*
Sex	Male	49.7	*	48.6	47.4	54.5	*	*	49.7	-0-	*
	Female	50.3	*	51.4	52.6	45.5	*	*	50.3	-0-	*
Race	White	100.0	*	100.0	100.0	100.0	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	*	-0-	-0-			
Multiple Births		3.1	-0-	*	*	*	*	-0-	3.1	-0-	-0-
Marital Status	Married	79.8	*	74.9	91.7	94.1	*	*	79.8	-0-	*
	Single	20.2	*	25.1	8.3	*	*	*	20.2	-0-	*
Mother Not High School Graduate		13.7	*	17.7	*	*	*	-0-	13.7	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	*	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.8	*	6.9	*	*	*	-0-	6.8	-0-	-0-
Caesarian Section	Primary	11.7	*	12.0	14.7	*	*	*	11.7	-0-	-0-
	Secondary	10.3	*	9.1	10.9	13.9	*	-0-	10.3	-0-	*
Trimester Prenatal Care Began	First	90.1	*	88.5	94.2	95.0	*	*	90.1	-0-	*
	Third or No Care	*	*	*	*	*	*	-0-	*	-0-	-0-
First Birth		32.4	*	42.9	30.1	9.9	*	*	32.4	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Jasper County - 2001

Population Estimates		
Total		10,100
Under 65 Years		8,460
65 and Older		1,640

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	102	--	1	1	1	2	5	5	10	22	31	24	
Male	58	--	--	--	1	2	3	3	8	8	20	13	
Female	44	--	1	1	--	--	2	2	2	14	11	11	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	102	--	1	1	1	2	5	5	10	22	31	24	
Male	58	--	--	--	1	2	3	3	8	8	20	13	
Female	44	--	1	1	--	--	2	2	2	14	11	11	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	2	--	1	1	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	2	--	1	1	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity	Age								
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age				
								2001	1999 - 2001	0-64	65+			
All Causes - Current Year	102	--	102	--	2	25	77	1,009.9	1,075.2	295.5	4,695.1			
5-Year Average (1997-2001)	107	<1	107	--	<1	23	85	1,022.9	N.A.	257.9	4,924.3			
Infectious and parasitic diseases	1	--	1	--	--	--	1	*	*	-0-	*			
# Septicemia	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Malignant neoplasms	29	--	29	--	--	10	19	287.1	235.3	118.2	1,158.5			
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	*	-0-			
Colorectal	1	--	1	--	--	--	1	*	*	-0-	*			
Bronchus and lung	8	--	8	--	--	4	4	*	55.6	*	*			
Female breast	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³			
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³			
Prostate	1	--	1	--	--	--	1	* ³	* ³	-0- ³	* ³			
# Diabetes mellitus	1	--	1	--	--	1	--	*	*	*	-0-			
# Alzheimer's disease	2	--	2	--	--	--	2	*	*	-0-	*			
Major cardiovascular diseases	40	--	40	--	--	6	34	396.0	483.7	*	2,073.2			
# Diseases of heart	31	--	31	--	--	4	27	306.9	359.5	*	1,646.3			
Ischemic heart disease	20	--	20	--	--	4	16	198.0	264.7	*	975.6			
# Cerebrovascular diseases	7	--	7	--	--	1	6	*	98.0	*	*			
# Atherosclerosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Aortic aneurysm and dissection	1	--	1	--	--	1	--	*	*	*	-0-			
Respiratory diseases	9	--	9	--	--	2	7	*	98.0	*	*			
# Influenza and pneumonia	2	--	2	--	--	1	1	*	*	*	*			
# Chronic lower resp. diseases	4	--	4	--	--	1	3	*	55.6	*	*			
Emphysema	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Nephritis, nephrotic syn. & nephrosis	3	--	3	--	--	--	3	*	*	-0-	*			
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Congenital malformations	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
External causes	7	--	7	--	2	5	2	*	65.4	*	*			
# Accidents	7	--	7	--	2	5	2	*	62.1	*	*			
Motor vehicle accidents	2	--	2	--	--	2	--	*	*	*	-0-			
All other accidents	5	--	5	--	2	3	2	*	45.8	*	*			
# Suicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Homicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-			

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Jefferson County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	489	73	142	143	84	40	7	428	57	4
Sex	Male	257	40	80	67	44	21	5	223	33	1
	Female	232	33	62	76	40	19	2	205	24	3
Race	White	428	53	121	132	78	38	6			
	Black	57	20	19	11	4	2	1			
Ethnicity	Hispanic ¹	4	1	2	--	1	--	--			
Multiple Births		11	--	7	2	2	--	--	8	3	--
Marital Status	Married	300	14	73	103	68	36	6	286	12	1
	Single	189	59	69	40	16	4	1	142	45	3
Mother Not High School Graduate		103	46	30	18	1	4	4	83	19	2
Birthweight	Very Low (0-1,499 Grams)	4	--	4	--	--	--	--	3	1	1
	Low (0-2,499 Grams)	32	12	10	4	5	1	--	23	9	2
Caesarian Section	Primary	70	13	25	16	12	4	--	60	10	1
	Secondary	55	2	5	18	20	9	1	49	5	--
Trimester Prenatal Care Began	First	397	51	112	123	73	33	5	361	35	1
	Third or No Care	21	5	8	4	2	--	2	14	7	1
First Birth		147	44	58	34	8	3	--	130	17	2
2001 Percentages ²											
Live Births	Total	100.0	14.9	29.0	29.2	17.2	8.2	*	87.5	11.7	*
Sex	Male	52.6	*	56.3	46.9	*	*	*	52.1	*	*
	Female	47.4	*	43.7	53.1	*	*	*	47.9	*	*
Race	White	87.5	*	85.2	92.3	*	*	*			
	Black	11.7	*	13.4	7.7	*	*	*			
Ethnicity	Hispanic ¹	*	*	*	-0-	*	-0-	-0-			
Multiple Births		2.2	-0-	*	*	*	-0-	-0-	*	*	-0-
Marital Status	Married	61.3	*	51.4	72.0	*	*	*	66.8	*	*
	Single	38.7	*	48.6	28.0	*	*	*	33.2	*	*
Mother Not High School Graduate		21.1	*	21.1	12.6	*	*	*	19.4	*	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	-0-	-0-	-0-	-0-	*	*	*
	Low (0-2,499 Grams)	6.6	*	7.0	*	*	*	-0-	5.4	*	*
Caesarian Section	Primary	14.3	*	17.6	11.2	*	*	-0-	14.0	*	*
	Secondary	11.2	*	*	12.6	*	*	*	11.4	*	-0-
Trimester Prenatal Care Began	First	82.0	*	78.9	86.6	*	*	*	84.9	*	*
	Third or No Care	4.3	*	*	*	*	-0-	*	3.3	*	*
First Birth		30.1	*	40.8	23.8	*	*	*	30.4	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	15.8	29.5	29.4	17.2	7.0	1.1	87.8	11.0	1.2
Sex	Male	51.8	52.0	51.5	50.7	54.4	50.0	*	51.4	54.9	*
	Female	48.2	48.0	48.5	49.3	45.6	50.0	*	48.6	45.1	*
Race	White	87.8	76.3	87.1	91.0	90.7	95.7	*			
	Black	11.0	22.9	12.0	8.5	6.3	*	*			
Ethnicity	Hispanic ¹	1.2	3.3	*	*	*	*	*			
Multiple Births		2.7	*	2.3	1.8	5.5	6.2	-0-	2.7	*	-0-
Marital Status	Married	63.9	22.9	52.3	78.1	84.7	92.0	*	69.6	18.4	*
	Single	36.1	77.1	47.7	21.9	15.3	8.0	*	30.4	81.6	*
Mother Not High School Graduate		22.1	61.3	22.0	11.3	8.8	11.1	*	19.9	40.0	*
Birthweight	Very Low (0-1,499 Grams)	0.8	*	*	*	*	-0-	-0-	0.6	*	*
	Low (0-2,499 Grams)	6.2	9.8	6.1	3.2	7.5	8.0	-0-	5.6	10.2	*
Caesarian Section	Primary	13.2	13.6	11.1	14.0	14.0	17.3	*	13.2	12.5	*
	Secondary	9.1	*	4.7	8.8	17.5	21.6	*	9.1	9.0	*
Trimester Prenatal Care Began	First	81.8	73.8	78.6	87.0	84.4	88.3	*	84.6	60.2	*
	Third or No Care	4.2	7.2	5.1	2.2	4.3	-0-	*	3.3	11.6	*
First Birth		32.1	70.8	36.2	25.0	12.8	9.3	*	32.5	29.4	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Jefferson County - 2001

Population Estimates	
Total	40,100
Under 65 Years	34,000
65 and Older	6,100

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	411	3	1	2	7	2	10	24	39	88	124	111	
Male	208	1	1	2	4	2	7	19	23	45	67	37	
Female	203	2	--	--	3	--	3	5	16	43	57	74	
Black	17	1	--	--	1	1	--	5	1	2	5	1	
Male	14	1	--	--	1	1	--	4	1	1	5	--	
Female	3	--	--	--	--	--	--	1	--	1	--	1	
White	394	2	1	2	6	1	10	19	38	86	119	110	
Male	194	--	1	2	3	1	7	15	22	44	62	37	
Female	200	2	--	--	3	--	3	4	16	42	57	73	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	3	--	--	--	1	--	1	--	--	1	--	--	
Male	1	--	--	--	--	--	1	--	--	--	--	--	
Female	2	--	--	--	1	--	--	--	--	1	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	411	17	394	--	3	88	323	1,024.9	1,056.3	258.8	5,295.1		
5-Year Average (1997-2001)	420	19	401	<1	1	83	337	1,085.8	N.A.	254.5	5,550.1		
# Infectious and parasitic diseases	8	1	7	--	--	5	3	*	23.5	*	*		*
# Septicemia	4	--	4	--	--	2	2	*	16.0	*	*		*
# Viral hepatitis	2	1	1	--	--	2	--	*	*	*	-0-		-0-
# HIV disease	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# Malignant neoplasms	99	1	98	--	--	24	75	246.9	257.1	70.6	1,229.5		
Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	*	-0-	*		*
Colorectal	10	--	10	--	--	2	8	24.9	37.0	*	*		*
Bronchus and lung	28	--	28	--	--	11	17	69.8	63.0	32.4	278.7		*
Female breast	7	--	7	--	--	1	6	³ 24.4	³ 24.4	³ *	³ 278.7		³ *
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³		-0- ³
Prostate	6	--	6	--	--	--	6	³ 11.8	³ 11.8	-0- ³	³ *		³ *
# Diabetes mellitus	9	1	8	--	1	3	6	*	21.8	*	*		*
# Alzheimer's disease	13	--	13	--	--	--	13	32.4	31.1	-0-	213.1		
Major cardiovascular diseases	144	6	138	--	--	21	123	359.1	388.2	61.8	2,016.4		
# Diseases of heart	117	5	112	--	--	20	97	291.8	310.1	58.8	1,590.2		
Ischemic heart disease	87	5	82	--	--	15	72	217.0	229.4	44.1	1,180.3		
# Cerebrovascular diseases	23	1	22	--	--	1	22	57.4	66.4	*	360.7		
# Atherosclerosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*		*
Respiratory diseases	64	2	62	--	--	3	61	159.6	161.3	*	1,000.0		
# Influenza and pneumonia	43	2	41	--	--	1	42	107.2	93.3	*	688.5		
# Chronic lower resp. diseases	18	--	18	--	--	2	16	44.9	53.8	*	262.3		
Emphysema	2	--	2	--	--	--	2	*	10.1	-0-	*		*
Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Chronic liver disease and cirrhosis	6	2	4	--	--	5	1	*	8.4	*	*		*
# Nephritis, nephrotic syn. & nephrosis	8	--	8	--	--	--	8	*	23.5	-0-	*		*
# Certain perinatal conditions	2	1	1	--	--	2	--	*	*	*	-0-		-0-
# Congenital malformations	3	--	3	--	--	3	--	*	9.2	*	-0-		-0-
SIDS	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
External causes	19	1	18	--	2	12	7	47.4	57.1	35.3	*		*
# Accidents	15	1	14	--	2	9	6	37.4	42.0	*	*		*
Motor vehicle accidents	6	--	6	--	2	4	2	*	10.9	*	*		*
All other accidents	9	1	8	--	--	5	4	*	31.1	*	*		*
# Suicide	4	--	4	--	--	3	1	*	8.4	*	*		*
# Homicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Jersey County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	241	17	55	65	74	26	4	240	1	--
Sex	Male	132	7	29	35	47	11	3	131	1	--
	Female	109	10	26	30	27	15	1	109	--	--
Race	White	240	17	54	65	74	26	4			
	Black	1	--	1	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		6	--	--	--	6	--	--	6	--	--
Marital Status	Married	184	4	33	53	66	26	2	184	--	--
	Single	57	13	22	12	8	--	2	56	1	--
Mother Not High School Graduate		22	8	6	6	1	1	--	22	--	--
Birthweight	Very Low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	11	--	3	2	4	2	--	11	--	--
Caesarian Section	Primary	35	4	9	9	10	2	1	35	--	--
	Secondary	30	1	9	5	12	3	--	30	--	--
Trimester Prenatal Care Began	First	207	11	50	57	59	26	4	206	1	--
	Third or No Care	5	1	--	1	3	--	--	5	--	--
First Birth		69	14	21	19	12	3	--	68	1	--
2001 Percentages ²											
Live Births	Total	100.0	7.1	22.8	27.0	30.7	10.8	*	99.6	*	-0-
Sex	Male	54.8	*	*	*	*	*	*	54.6	*	-0-
	Female	45.2	*	*	*	*	*	*	45.4	-0-	-0-
Race	White	99.6	*	*	*	*	*	*			
	Black	*	-0-	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
Marital Status	Married	76.3	*	*	*	*	*	*	76.7	-0-	-0-
	Single	23.7	*	*	*	*	-0-	*	23.3	*	-0-
Mother Not High School Graduate		9.1	*	*	*	*	*	-0-	9.2	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	4.6	-0-	*	*	*	*	-0-	4.6	-0-	-0-
Caesarian Section	Primary	14.5	*	*	*	*	*	*	14.6	-0-	-0-
	Secondary	12.4	*	*	*	*	*	-0-	12.5	-0-	-0-
Trimester Prenatal Care Began	First	86.3	*	*	*	*	*	*	86.2	*	-0-
	Third or No Care	*	*	-0-	*	*	-0-	-0-	*	-0-	-0-
First Birth		28.6	*	*	*	*	*	-0-	28.3	*	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	9.7	26.8	31.0	21.5	9.6	1.4	99.4	*	*
Sex	Male	52.5	49.6	54.5	53.6	53.7	40.0	*	52.4	*	*
	Female	47.5	50.4	45.5	46.4	46.3	60.0	*	47.6	*	*
Race	White	99.4	100.0	99.1	99.5	99.6	99.1	*			
	Black	*	-0-	*	-0-	-0-	*	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	*	-0-	-0-			
Multiple Births		2.4	-0-	3.7	*	*	*	-0-	2.4	-0-	*
Marital Status	Married	75.3	23.9	63.8	83.6	94.2	89.6	*	75.5	*	*
	Single	24.7	76.1	36.2	16.4	5.8	10.4	*	24.5	*	*
Mother Not High School Graduate		10.5	47.0	13.3	4.6	*	*	-0-	10.5	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.2	*	6.5	3.5	5.4	9.6	*	5.2	-0-	*
Caesarian Section	Primary	11.9	17.1	13.0	10.5	10.0	13.0	*	11.9	*	-0-
	Secondary	11.0	*	7.1	10.2	17.0	20.0	*	11.0	-0-	-0-
Trimester Prenatal Care Began	First	89.5	82.1	87.6	91.9	89.6	93.9	*	89.7	*	*
	Third or No Care	1.2	*	*	*	*	-0-	-0-	1.2	-0-	-0-
First Birth		31.3	74.4	42.7	27.6	13.9	11.3	-0-	31.2	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Jersey County - 2001

Population Estimates	
Total	21,800
Under 65 Years	18,640
65 and Older	3,160

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	222	4	1	1	2	2	5	6	17	38	71	75	
Male	106	4	1	1	1	2	2	1	12	20	37	25	
Female	116	--	--	--	1	--	3	5	5	18	34	50	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	221	4	1	1	2	2	5	6	17	37	71	75	
Male	106	4	1	1	1	2	2	1	12	20	37	25	
Female	115	--	--	--	1	--	3	5	5	17	34	50	
All other races	1	--	--	--	--	--	--	--	--	1	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	--	1	--	--	
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	1	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	--	1	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	222	--	221	1	1	38	184	1,018.3	1,055.0	203.9	5,822.8		
5-Year Average (1997-2001)	227	<1	226	<1	<1	46	181	1,050.0	N.A.	245.0	6,060.2		
# Infectious and parasitic diseases	2	--	2	--	--	1	1	*	*	*	*		*
# Septicemia	1	--	1	--	--	--	1	*	*	-0-	*		*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# Malignant neoplasms	47	--	47	--	--	10	37	215.6	197.2	53.6	1,170.9		
# Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	*	-0-		*
# Colorectal	8	--	8	--	--	2	6	*	30.6	*	*		*
# Bronchus and lung	15	--	15	--	--	4	11	68.8	58.1	*	348.1		*
# Female breast	2	--	2	--	--	1	1	* ³	* ³	* ³	* ³		* ³
# Cervical	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³		-0- ³
# Prostate	3	--	3	--	--	--	3	* ³	* ³	-0- ³	* ³		* ³
# Diabetes mellitus	2	--	2	--	--	1	1	*	29.1	*	*		*
# Alzheimer's disease	7	--	7	--	--	--	7	*	39.8	-0-	*		*
# Major cardiovascular diseases	100	--	99	1	1	9	91	458.7	464.8	*	2,879.7		
# Diseases of heart	87	--	86	1	1	8	79	399.1	380.7	*	2,500.0		
# Ischemic heart disease	76	--	75	1	1	8	68	348.6	327.2	*	2,151.9		
# Cerebrovascular diseases	9	--	9	--	--	1	8	*	58.1	*	*		*
# Atherosclerosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Aortic aneurysm and dissection	3	--	3	--	--	--	3	*	*	-0-	*		*
# Respiratory diseases	18	--	18	--	--	1	17	82.6	91.7	*	538.0		
# Influenza and pneumonia	3	--	3	--	--	--	3	*	27.5	-0-	*		*
# Chronic lower resp. diseases	12	--	12	--	--	1	11	55.0	48.9	*	348.1		
# Emphysema	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Nephritis, nephrotic syn. & nephrosis	2	--	2	--	--	--	2	*	*	-0-	*		*
# Certain perinatal conditions	2	--	2	--	--	2	--	*	*	*	-0-		-0-
# Congenital malformations	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# External causes	19	--	19	--	--	9	10	87.2	74.9	*	316.5		
# Accidents	17	--	17	--	--	9	8	78.0	59.6	*	*		*
# Motor vehicle accidents	4	--	4	--	--	3	1	*	21.4	*	*		*
# All other accidents	13	--	13	--	--	6	7	59.6	38.2	*	*		*
# Suicide	2	--	2	--	--	--	2	*	*	-0-	*		*
# Homicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Jo Daviess County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	242	20	67	71	66	16	2	235	--	14
Sex	Male	133	13	36	34	41	9	--	131	--	8
	Female	109	7	31	37	25	7	2	104	--	6
Race	White	235	19	64	70	64	16	2			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	14	3	7	2	1	1	--			
Multiple Births		8	--	4	2	2	--	--	8	--	--
Marital Status	Married	177	2	34	66	59	14	2	172	--	1
	Single	65	18	33	5	7	2	--	63	--	13
Mother Not High School Graduate		34	11	18	2	2	1	--	30	--	11
Birthweight	Very Low (0-1,499 Grams)	3	1	--	1	1	--	--	3	--	--
	Low (0-2,499 Grams)	10	2	2	3	3	--	--	10	--	--
Caesarian Section	Primary	38	3	9	12	10	4	--	37	--	3
	Secondary	14	--	1	8	5	--	--	14	--	--
Trimester Prenatal Care Began	First	206	14	51	64	61	15	1	203	--	4
	Third or No Care	5	2	1	1	1	--	--	3	--	2
First Birth		91	17	34	24	13	3	--	90	--	8
2001 Percentages²											
Live Births	Total	100.0	8.3	27.7	29.3	27.3	6.6	*	97.1	-0-	5.8
Sex	Male	55.0	*	*	*	*	*	-0-	55.7	-0-	*
	Female	45.0	*	*	*	*	*	*	44.3	-0-	*
Race	White	97.1	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	5.8	*	*	*	*	*	-0-			
Multiple Births		*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
Marital Status	Married	73.1	*	*	*	*	*	*	73.2	-0-	*
	Single	26.9	*	*	*	*	*	-0-	26.8	-0-	*
Mother Not High School Graduate		14.1	*	*	*	*	*	-0-	12.8	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	4.1	*	*	*	*	-0-	-0-	4.3	-0-	-0-
Caesarian Section	Primary	15.7	*	*	*	*	*	-0-	15.7	-0-	*
	Secondary	5.8	-0-	*	*	*	-0-	-0-	6.0	-0-	-0-
Trimester Prenatal Care Began	First	85.1	*	*	*	*	*	*	86.4	-0-	*
	Third or No Care	*	*	*	*	*	-0-	-0-	*	-0-	*
First Birth		37.6	*	*	*	*	*	-0-	38.3	-0-	*
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	8.0	24.1	33.0	24.3	9.3	1.2	98.8	*	3.2
Sex	Male	54.0	*	53.1	52.9	57.2	57.1	*	54.1	*	*
	Female	46.0	*	46.9	47.1	42.8	42.9	*	45.9	-0-	*
Race	White	98.8	*	97.9	99.0	99.0	99.1	*			
	Black	*	-0-	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	3.2	*	4.8	*	*	*	-0-			
Multiple Births		3.2	*	3.4	2.5	4.1	*	-0-	3.2	-0-	-0-
Marital Status	Married	76.4	*	59.3	87.9	90.1	92.0	*	76.6	-0-	*
	Single	23.6	*	40.7	12.1	9.9	*	-0-	23.4	*	*
Mother Not High School Graduate		10.3	*	14.3	4.1	*	*	-0-	9.9	-0-	*
Birthweight	Very Low (0-1,499 Grams)	1.2	*	*	*	*	*	-0-	1.2	-0-	-0-
	Low (0-2,499 Grams)	5.3	*	5.9	5.3	3.4	*	*	5.4	-0-	*
Caesarian Section	Primary	13.2	*	16.6	14.4	10.6	17.0	-0-	13.3	-0-	*
	Secondary	6.4	-0-	*	7.6	8.6	10.7	*	6.5	-0-	*
Trimester Prenatal Care Began	First	86.4	*	81.2	89.2	91.3	92.0	*	86.6	*	*
	Third or No Care	2.4	*	*	*	*	-0-	-0-	2.2	-0-	*
First Birth		33.1	*	45.9	30.2	19.9	9.8	*	33.4	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Jo Daviess County - 2001

Population Estimates	
Total	22,400
Under 65 Years	18,370
65 and Older	4,030

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	212	1	--	--	2	1	3	8	18	42	72	65	
Male	120	--	--	--	--	1	2	5	12	32	40	28	
Female	92	1	--	--	2	--	1	3	6	10	32	37	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	212	1	--	--	2	1	3	8	18	42	72	65	
Male	120	--	--	--	--	1	2	5	12	32	40	28	
Female	92	1	--	--	2	--	1	3	6	10	32	37	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes												
	Race Category				Ethnicity	Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		
								2001	1999 - 2001	0-64	65+	
All Causes - Current Year	212	--	212	--	--	33	179	946.4	1,001.5	179.6	4,441.7	
5-Year Average (1997-2001)	218	<1	218	<1	<1	40	178	996.3	N.A.	223.7	4,447.8	
Infectious and parasitic diseases	3	--	3	--	--	--	3	*	*	-0-	*	
# Septicemia	2	--	2	--	--	--	2	*	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# Malignant neoplasms	51	--	51	--	--	14	37	227.7	264.3	76.2	918.1	
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	*	-0-	
Colorectal	7	--	7	--	--	3	4	*	27.0	*	*	
Bronchus and lung	16	--	16	--	--	5	11	71.4	75.1	*	273.0	
Female breast	6	--	6	--	--	2	4	* ³	25.5 ³	* ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³	
Prostate	3	--	3	--	--	1	2	* ³	16.5 ³	* ³	* ³	
# Diabetes mellitus	2	--	2	--	--	--	2	*	15.0	-0-	*	
# Alzheimer's disease	5	--	5	--	--	--	5	*	18.0	-0-	*	
Major cardiovascular diseases	90	--	90	--	--	8	82	401.8	417.4	*	2,034.7	
# Diseases of heart	66	--	66	--	--	7	59	294.6	303.3	*	1,464.0	
Ischemic heart disease	42	--	42	--	--	6	36	187.5	193.7	*	893.3	
# Cerebrovascular diseases	18	--	18	--	--	1	17	80.4	85.6	*	421.8	
# Atherosclerosis	1	--	1	--	--	--	1	*	*	-0-	*	
# Aortic aneurysm and dissection	2	--	2	--	--	--	2	*	*	-0-	*	
Respiratory diseases	29	--	29	--	--	2	27	129.5	109.6	*	670.0	
# Influenza and pneumonia	7	--	7	--	--	--	7	*	25.5	-0-	*	
# Chronic lower resp. diseases	20	--	20	--	--	2	18	89.3	67.6	*	446.7	
Emphysema	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
Asthma	1	--	1	--	--	--	1	*	*	-0-	*	
# Chronic liver disease and cirrhosis	2	--	2	--	--	2	--	*	*	*	-0-	
# Nephritis, nephrotic syn. & nephrosis	1	--	1	--	--	--	1	*	*	-0-	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# Congenital malformations	1	--	1	--	--	1	--	*	*	*	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
External causes	9	--	9	--	--	5	4	*	55.6	*	*	
# Accidents	7	--	7	--	--	3	4	*	42.0	*	*	
Motor vehicle accidents	2	--	2	--	--	2	--	*	18.0	*	-0-	
All other accidents	5	--	5	--	--	1	4	*	24.0	*	*	
# Suicide	2	--	2	--	--	2	--	*	*	*	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-	

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Johnson County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	107	8	33	35	20	7	4	106	--	1
Sex	Male	61	7	24	14	12	4	--	61	--	--
	Female	46	1	9	21	8	3	4	45	--	1
Race	White	106	8	33	35	20	7	3			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	1	--	--	--			
Multiple Births		9	--	--	5	2	2	--	9	--	--
Marital Status	Married	90	3	26	31	19	7	4	89	--	--
	Single	17	5	7	4	1	--	--	17	--	1
Mother Not High School Graduate		14	6	4	3	--	--	1	14	--	1
Birthweight	Very Low (0-1,499 Grams)	1	--	--	--	--	--	1	1	--	--
	Low (0-2,499 Grams)	7	--	3	3	--	--	1	7	--	--
Caesarian Section	Primary	16	2	4	5	3	--	2	16	--	--
	Secondary	13	--	1	5	4	3	--	13	--	--
Trimester Prenatal	First	99	8	30	33	20	6	2	98	--	1
Care Began	Third or No Care	2	--	1	--	--	1	--	2	--	--
First Birth		33	7	14	6	4	--	2	33	--	--
2001 Percentages ²											
Live Births	Total	100.0	*	30.8	32.7	18.7	*	*	99.1	-0-	*
Sex	Male	57.0	*	*	*	*	*	-0-	57.5	-0-	-0-
	Female	43.0	*	*	*	*	*	*	42.5	-0-	*
Race	White	99.1	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple Births		*	-0-	-0-	*	*	*	-0-	*	-0-	-0-
Marital Status	Married	84.1	*	*	*	*	*	*	84.0	-0-	-0-
	Single	15.9	*	*	*	*	-0-	-0-	16.0	-0-	*
Mother Not High School Graduate		13.2	*	*	*	-0-	-0-	*	13.3	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	-0-	-0-	-0-	-0-	*	*	-0-	-0-
	Low (0-2,499 Grams)	*	-0-	*	*	-0-	-0-	*	*	-0-	-0-
Caesarian Section	Primary	15.0	*	*	*	*	-0-	*	15.1	-0-	-0-
	Secondary	12.1	-0-	*	*	*	*	-0-	12.3	-0-	-0-
Trimester Prenatal	First	93.4	*	*	*	*	*	*	93.3	-0-	*
Care Began	Third or No Care	*	-0-	*	-0-	-0-	*	-0-	*	-0-	-0-
First Birth		30.8	*	*	*	*	-0-	-0-	31.1	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	11.9	29.8	31.8	18.2	5.3	3.0	99.4	-0-	*
Sex	Male	53.0	*	52.1	55.2	53.4	*	*	53.0	-0-	*
	Female	47.0	*	47.9	44.8	46.6	*	*	47.0	-0-	*
Race	White	99.4	*	99.5	100.0	99.1	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	*	*	-0-			
Multiple Births		4.4	*	*	*	9.5	*	*	4.4	-0-	-0-
Marital Status	Married	80.4	*	76.3	90.1	93.1	*	*	80.4	-0-	*
	Single	19.6	*	23.7	9.9	*	*	*	19.6	-0-	*
Mother Not High School Graduate		13.4	*	15.3	5.4	*	*	*	13.3	-0-	*
Birthweight	Very Low (0-1,499 Grams)	1.7	*	-0-	*	-0-	*	*	1.7	-0-	-0-
	Low (0-2,499 Grams)	6.7	*	5.3	7.9	*	*	*	6.8	-0-	-0-
Caesarian Section	Primary	16.9	*	15.3	15.8	18.1	*	*	17.0	-0-	-0-
	Secondary	7.2	*	*	9.4	10.3	*	*	7.3	-0-	*
Trimester Prenatal	First	89.4	*	86.6	96.0	94.0	*	*	89.3	-0-	*
Care Began	Third or No Care	1.6	0.9	*	-0-	*	*	-0-	1.6	-0-	-0-
First Birth		33.5	*	44.2	23.2	14.7	*	*	33.4	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Johnson County - 2001

Population Estimates	
Total	13,200
Under 65 Years	11,440
65 and Older	1,760

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	112	--	1	--	1	2	6	6	16	13	32	35
Male	57	--	1	--	1	2	4	5	11	7	14	12
Female	55	--	--	--	--	--	2	1	5	6	18	23
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	112	--	1	--	1	2	6	6	16	13	32	35
Male	57	--	1	--	1	2	4	5	11	7	14	12
Female	55	--	--	--	--	--	2	1	5	6	18	23
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	--	--	--	--	--	1	--	--	--	--	--
Male	1	--	--	--	--	--	1	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

Deaths by Selected Causes												
	Race Category				Ethnicity	Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		
								2001	1999 - 2001	0-64	65+	
All Causes - Current Year	112	--	112	--	1	32	80	848.5	876.6	279.7	4,545.5	
5-Year Average (1997-2001)	124	2	121	--	<1	31	92	934.9	N.A.	272.1	5,274.0	
Infectious and parasitic diseases	3	--	3	--	1	1	2	*	*	*	*	
# Septicemia	3	--	3	--	1	1	2	*	*	*	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
# Malignant neoplasms	27	--	27	--	--	9	18	204.5	221.7	*	1,022.7	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
Colorectal	3	--	3	--	--	1	2	*	27.7	*	*	
Bronchus and lung	9	--	9	--	--	3	6	*	78.1	*	*	
Female breast	3	--	3	--	--	--	3	* ³	* ³	-0- ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³	
Prostate	1	--	1	--	--	--	1	* ³	* ³	-0- ³	* ³	
# Diabetes mellitus	1	--	1	--	--	--	1	*	*	-0-	*	
# Alzheimer's disease	1	--	1	--	--	--	1	*	*	-0-	*	
Major cardiovascular diseases	44	--	44	--	--	9	35	333.3	352.6	*	1,988.6	
# Diseases of heart	34	--	34	--	--	7	27	257.6	284.6	*	1,534.1	
Ischemic heart disease	21	--	21	--	--	6	15	159.1	161.2	*	852.3	
# Cerebrovascular diseases	5	--	5	--	--	1	4	*	40.3	*	*	
# Atherosclerosis	1	--	1	--	--	1	--	*	*	*	-0-	
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*	
Respiratory diseases	14	--	14	--	--	2	12	106.1	65.5	*	681.8	
# Influenza and pneumonia	2	--	2	--	--	--	2	*	*	-0-	*	
# Chronic lower resp. diseases	9	--	9	--	--	2	7	*	37.8	*	*	
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	1	--	1	--	--	--	1	*	*	-0-	*	
# Nephritis, nephrotic syn. & nephrosis	1	--	1	--	--	--	1	*	*	-0-	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
External causes	8	--	8	--	--	8	--	*	57.9	*	-0-	
# Accidents	6	--	6	--	--	6	--	*	42.8	*	-0-	
Motor vehicle accidents	4	--	4	--	--	4	--	*	*	*	-0-	
All other accidents	2	--	2	--	--	2	--	*	*	*	-0-	
# Suicide	2	--	2	--	--	2	--	*	*	*	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-	

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Kane County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	8,054	736	1,824	2,182	2,171	972	169	7,323	493	3,387
Sex	Male	4,168	368	938	1,176	1,133	471	82	3,807	238	1,747
	Female	3,886	368	886	1,006	1,038	501	87	3,516	255	1,640
Race	White	7,323	625	1,618	2,006	2,021	898	155			
	Black	493	103	172	105	69	36	8			
Ethnicity	Hispanic ¹	3,387	475	1,104	1,003	563	208	34			
Multiple Births		244	8	35	64	75	50	12	220	20	60
Marital Status	Married	5,669	149	863	1,681	1,963	870	143	5,345	111	1,974
	Single	2,385	587	961	501	208	102	26	1,978	382	1,413
Mother Not High School Graduate		2,519	490	825	665	367	145	27	2,371	136	2,161
Birthweight	Very Low (0-1,499 Grams)	103	12	20	22	38	7	4	89	8	38
	Low (0-2,499 Grams)	527	59	131	122	137	60	18	447	57	194
Caesarian Section	Primary	1,104	104	220	282	314	144	40	989	73	375
	Secondary	664	7	91	158	237	148	23	596	48	253
Trimester Prenatal Care Began	First	6,408	455	1,289	1,777	1,889	855	143	5,867	344	2,339
	Third or No Care	276	51	97	64	43	17	4	232	40	172
First Birth		2,511	547	725	637	455	120	27	2,317	122	1,117
2001 Percentages ²											
Live Births	Total	100.0	9.1	22.6	27.1	27.0	12.1	2.1	90.9	6.1	42.1
Sex	Male	51.8	50.0	51.4	53.9	52.2	48.5	48.5	52.0	48.3	51.6
	Female	48.2	50.0	48.6	46.1	47.8	51.5	51.5	48.0	51.7	48.4
Race	White	90.9	84.9	88.7	91.9	93.1	92.4	91.7			
	Black	6.1	14.0	9.4	4.8	3.2	3.7	*			
Ethnicity	Hispanic ¹	42.1	64.5	60.5	46.0	25.9	21.4	20.1			
Multiple Births		3.0	*	1.9	2.9	3.5	5.1	7.1	3.0	4.1	1.8
Marital Status	Married	70.4	20.2	47.3	77.0	90.4	89.5	84.6	73.0	22.5	58.3
	Single	29.6	79.8	52.7	23.0	9.6	10.5	15.4	27.0	77.5	41.7
Mother Not High School Graduate		31.3	66.6	45.2	30.6	16.9	14.9	16.0	32.4	27.6	63.9
Birthweight	Very Low (0-1,499 Grams)	1.3	1.6	1.1	1.0	1.8	*	*	1.2	*	1.1
	Low (0-2,499 Grams)	6.5	8.0	7.2	5.6	6.3	6.2	10.7	6.1	11.6	5.7
Caesarian Section	Primary	13.7	14.1	12.1	12.9	14.5	14.8	23.7	13.5	14.8	11.1
	Secondary	8.2	*	5.0	7.2	10.9	15.2	13.6	8.1	9.7	7.5
Trimester Prenatal Care Began	First	80.5	62.1	71.4	82.1	88.4	89.5	85.1	81.0	70.2	69.5
	Third or No Care	3.5	7.0	5.4	3.0	2.0	1.8	*	3.2	8.2	5.1
First Birth		31.2	74.3	39.7	29.2	21.0	12.3	*	31.6	24.7	33.0
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	10.4	22.2	27.7	26.0	11.7	2.0	90.9	6.5	38.0
Sex	Male	51.3	49.7	51.3	52.0	51.6	50.8	49.7	51.3	50.5	50.6
	Female	48.7	50.3	48.7	48.0	48.4	49.2	50.3	48.7	49.5	49.4
Race	White	90.9	83.7	87.9	92.3	93.6	93.4	93.3			
	Black	6.5	15.2	10.6	4.7	3.1	3.5	3.3			
Ethnicity	Hispanic ¹	38.0	57.7	56.1	39.1	23.3	19.0	22.9			
Multiple Births		3.1	1.2	1.9	3.0	3.8	4.5	7.6	3.0	3.9	1.8
Marital Status	Married	71.0	19.8	49.7	79.5	90.4	90.9	87.3	74.0	22.7	59.3
	Single	29.0	80.2	50.3	20.5	9.6	9.1	12.7	26.0	77.3	40.7
Mother Not High School Graduate		29.9	68.0	44.0	26.6	14.8	12.9	17.4	30.5	30.9	63.6
Birthweight	Very Low (0-1,499 Grams)	1.3	1.7	1.3	1.2	1.2	1.3	2.9	1.2	2.9	1.2
	Low (0-2,499 Grams)	6.5	8.1	6.8	5.9	5.8	6.7	11.8	6.0	12.2	6.1
Caesarian Section	Primary	12.4	11.8	11.0	12.3	13.3	13.2	18.0	12.4	13.1	10.4
	Secondary	7.1	1.2	4.2	6.2	9.4	13.2	14.8	7.0	7.9	6.3
Trimester Prenatal Care Began	First	76.9	53.5	65.2	80.5	87.3	86.8	84.0	77.9	60.5	63.2
	Third or No Care	5.8	13.6	9.1	4.3	2.8	3.1	3.4	5.3	13.6	9.1
First Birth		31.0	69.6	38.0	29.9	20.6	12.0	12.0	31.2	26.6	32.3

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Kane County - 2001

Population Estimates	
Total	426,200
Under 65 Years	391,570
65 and Older	34,630

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	2,474	52	10	2	45	41	86	175	259	423	660	721	
Male	1,168	31	4	--	34	32	56	101	160	228	326	196	
Female	1,306	21	6	2	11	9	30	74	99	195	334	525	
Black	120	5	2	--	5	4	11	17	22	18	29	7	
Male	59	2	1	--	3	1	8	9	15	9	8	3	
Female	61	3	1	--	2	3	3	8	7	9	21	4	
White	2,336	46	8	2	40	37	74	155	234	400	629	711	
Male	1,097	28	3	--	31	31	47	89	142	217	316	193	
Female	1,239	18	5	2	9	6	27	66	92	183	313	518	
All other races	18	1	--	--	--	--	1	3	3	5	2	3	
Male	12	1	--	--	--	--	1	3	3	2	2	--	
Female	6	--	--	--	--	--	--	--	--	3	--	3	
Hispanic ethnicity ¹	154	22	6	1	12	11	13	20	16	26	17	10	
Male	97	14	3	--	8	10	11	11	10	14	10	6	
Female	57	8	3	1	4	1	2	9	6	12	7	4	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	2,474	120	2,336	18	154	670	1,804	580.5	594.3	171.1	5,209.4		
5-Year Average (1997-2001)	2,409	122	2,270	18	144	655	1,754	630.4	N.A.	187.4	5,372.4		
# Infectious and parasitic diseases	54	8	45	1	2	19	35	12.7	13.6	4.9	101.1		
# Septicemia	37	2	35	--	1	7	30	8.7	8.6	*	86.6		
# Viral hepatitis	4	--	3	1	--	2	2	*	1.0	*	*		
# HIV disease	5	2	3	--	--	5	--	*	1.9	*	-0-		
# Malignant neoplasms	605	34	566	5	26	194	411	142.0	139.5	49.5	1,186.8		
# Lip, oral cavity and pharynx	7	--	7	--	--	3	4	*	1.5	*	*		
# Colorectal	67	3	63	1	3	16	51	15.7	14.4	4.1	147.3		
# Bronchus and lung	157	11	146	--	1	48	109	36.8	35.7	12.3	314.8		
# Female breast	58	6	52	--	1	21	37	13.6 ³	12.9 ³	5.4 ³	106.8 ³		
# Cervical	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³		
# Prostate	32	2	30	--	1	4	28	7.5 ³	7.2 ³	* ³	80.9 ³		
# Diabetes mellitus	79	6	72	1	6	12	67	18.5	19.9	3.1	193.5		
# Alzheimer's disease	42	--	42	--	--	--	42	9.9	11.8	-0-	121.3		
# Major cardiovascular diseases	888	37	844	7	33	141	747	208.4	214.8	36.0	2,157.1		
# Diseases of heart	656	30	620	6	17	115	541	153.9	160.7	29.4	1,562.2		
# Ischemic heart disease	458	23	430	5	10	77	381	107.5	117.4	19.7	1,100.2		
# Cerebrovascular diseases	159	4	154	1	12	19	140	37.3	39.4	4.9	404.3		
# Atherosclerosis	16	--	16	--	--	--	16	3.8	2.9	-0-	46.2		
# Aortic aneurysm and dissection	18	1	17	--	2	3	15	4.2	4.4	*	43.3		
# Respiratory diseases	225	3	222	--	11	23	202	52.8	58.7	5.9	583.3		
# Influenza and pneumonia	69	3	66	--	3	7	62	16.2	19.1	*	179.0		
# Chronic lower resp. diseases	108	--	108	--	3	11	97	25.3	27.7	2.8	280.1		
# Emphysema	18	--	18	--	--	2	16	4.2	4.8	*	46.2		
# Asthma	5	--	5	--	--	1	4	*	1.0	*	*		
# Chronic liver disease and cirrhosis	41	--	41	--	10	26	15	9.6	8.2	6.6	43.3		
# Nephritis, nephrotic syn. & nephrosis	56	3	51	2	5	12	44	13.1	11.7	3.1	127.1		
# Certain perinatal conditions	34	2	32	--	15	34	--	8.0	7.2	8.7	-0-		
# Congenital malformations	13	1	11	1	4	13	--	3.1	3.7	3.3	-0-		
# SIDS	4	1	3	--	2	4	--	*	1.0	*	-0-		
# External causes	171	10	161	--	31	136	35	40.1	36.9	34.7	101.1		
# Accidents	106	4	102	--	19	77	29	24.9	22.8	19.7	83.7		
# Motor vehicle accidents	49	2	47	--	12	40	9	11.5	10.1	10.2	*		
# All other accidents	57	2	55	--	7	37	20	13.4	12.7	9.4	57.8		
# Suicide	35	--	35	--	4	34	1	8.2	7.1	8.7	*		
# Homicide	19	5	14	--	7	17	2	4.5	5.2	4.3	*		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Kankakee County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	1,554	226	462	466	276	100	24	1,184	342	155
Sex	Male	772	107	226	239	140	49	11	607	151	71
	Female	782	119	236	227	136	51	13	577	191	84
Race	White	1,184	131	328	383	235	89	18			
	Black	342	94	128	74	29	11	6			
Ethnicity	Hispanic ¹	155	33	52	40	22	7	1			
Multiple Births		41	6	6	9	12	6	2	29	10	--
Marital Status	Married	911	37	193	337	238	87	19	813	75	88
	Single	643	189	269	129	38	13	5	371	267	67
Mother Not High School Graduate		308	130	99	48	21	10	--	214	89	96
Birthweight	Very Low (0-1,499 Grams)	22	5	4	6	3	2	2	11	11	1
	Low (0-2,499 Grams)	111	22	24	29	26	8	2	62	47	8
Caesarian Section	Primary	200	29	59	45	46	17	4	145	54	13
	Secondary	127	4	25	46	36	11	5	97	28	14
Trimester Prenatal Care Began	First	1,145	124	311	378	232	79	21	944	183	90
	Third or No Care	86	28	27	18	5	7	1	45	40	14
First Birth		448	142	161	97	35	12	1	346	92	59
2001 Percentages ²											
Live Births	Total	100.0	14.5	29.7	30.0	17.8	6.4	1.5	76.2	22.0	10.0
Sex	Male	49.7	47.3	48.9	51.3	50.7	49.0	*	51.3	44.2	45.8
	Female	50.3	52.7	51.1	48.7	49.3	51.0	*	48.7	55.8	54.2
Race	White	76.2	58.0	71.0	82.2	85.1	89.0	*			
	Black	22.0	41.6	27.7	15.9	10.5	11.0	*			
Ethnicity	Hispanic ¹	10.0	14.6	11.3	8.6	8.0	*	*			
Multiple Births		2.6	*	*	*	4.3	*	*	2.4	2.9	-0-
Marital Status	Married	58.6	16.4	41.8	72.3	86.2	87.0	*	68.7	21.9	56.8
	Single	41.4	83.6	58.2	27.7	13.8	13.0	*	31.3	78.1	43.2
Mother Not High School Graduate		19.8	57.5	21.4	10.3	7.6	10.0	-0-	18.1	26.0	61.9
Birthweight	Very Low (0-1,499 Grams)	1.4	*	*	*	*	*	*	.9	3.2	*
	Low (0-2,499 Grams)	7.2	9.7	5.2	6.2	9.4	*	*	5.2	13.7	*
Caesarian Section	Primary	12.9	12.8	12.8	9.7	16.7	17.0	*	12.2	15.8	8.4
	Secondary	8.2	*	5.4	9.9	13.0	11.0	*	8.2	8.2	9.0
Trimester Prenatal Care Began	First	73.9	55.1	67.5	81.3	84.4	79.8	*	80.0	53.7	58.1
	Third or No Care	5.6	12.4	5.9	3.9	*	*	*	3.8	11.7	9.0
First Birth		28.8	62.8	34.8	20.8	12.7	12.0	*	29.2	26.9	38.1
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	15.4	28.9	28.8	18.2	7.4	1.4	77.2	21.5	8.1
Sex	Male	51.0	53.7	49.6	50.5	51.5	50.5	51.9	51.1	50.8	48.9
	Female	49.0	46.3	50.4	49.5	48.5	49.5	48.1	48.9	49.2	51.1
Race	White	77.2	58.5	72.4	83.4	86.5	87.5	80.2			
	Black	21.5	41.2	26.9	15.2	11.0	10.9	18.9			
Ethnicity	Hispanic ¹	8.1	10.4	9.7	6.7	6.4	6.8	*			
Multiple Births		2.6	1.7	2.0	2.3	3.5	5.2	*	2.5	2.8	*
Marital Status	Married	59.6	14.6	45.5	74.3	85.2	85.1	79.2	70.3	20.0	58.2
	Single	40.4	85.4	54.5	25.7	14.8	14.9	20.8	29.7	80.0	41.8
Mother Not High School Graduate		20.1	58.5	20.9	9.7	7.7	10.0	*	17.4	29.9	62.4
Birthweight	Very Low (0-1,499 Grams)	1.7	2.3	1.6	1.3	1.4	2.7	*	1.3	3.3	*
	Low (0-2,499 Grams)	7.1	8.8	7.1	5.8	7.0	8.7	10.4	5.6	12.7	4.6
Caesarian Section	Primary	11.7	13.3	10.7	10.7	12.6	12.6	19.8	11.4	12.7	8.5
	Secondary	7.0	1.2	4.7	7.7	11.8	12.1	11.3	7.0	6.8	8.1
Trimester Prenatal Care Began	First	74.6	55.2	69.6	81.5	85.8	81.6	69.5	80.3	54.2	62.0
	Third or No Care	5.7	11.7	6.4	3.9	3.1	3.9	*	4.0	11.9	9.1
First Birth		30.0	68.0	33.1	22.6	14.2	10.1	10.4	30.7	27.4	33.5

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Kankakee County - 2001

Population Estimates	
Total	104,300
Under 65 Years	90,730
65 and Older	13,570

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	1,151	13	6	7	15	16	36	80	99	226	354	299	
Male	590	9	5	2	13	10	24	44	61	118	194	110	
Female	561	4	1	5	2	6	12	36	38	108	160	189	
Black	151	6	1	--	6	5	7	27	17	33	32	17	
Male	79	5	1	--	5	3	5	15	11	13	16	5	
Female	72	1	--	--	1	2	2	12	6	20	16	12	
White	999	7	5	7	9	11	29	53	81	193	322	282	
Male	510	4	4	2	8	7	19	29	49	105	178	105	
Female	489	3	1	5	1	4	10	24	32	88	144	177	
All other races	1	--	--	--	--	--	--	--	1	--	--	--	
Male	1	--	--	--	--	--	--	--	1	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	8	--	2	--	--	--	--	1	2	--	3	--	
Male	4	--	1	--	--	--	--	1	1	--	1	--	
Female	4	--	1	--	--	--	--	--	1	--	2	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	1,151	151	999	1	8	272	879	1,103.5	1,065.9	299.8	6,477.5		
5-Year Average (1997-2001)	1,086	147	937	1	7	265	821	1,067.0	N.A.	301.4	5,975.8		
# Infectious and parasitic diseases	25	7	18	--	--	6	19	24.0	25.7	*	140.0		
# Septicemia	17	3	14	--	--	1	16	16.3	18.6	*	117.9		
# Viral hepatitis	1	--	1	--	--	1	--	*	*	*	-0-		
# HIV disease	3	3	--	--	--	3	--	*	*	*	-0-		
# Malignant neoplasms	253	34	219	--	1	66	187	242.6	249.8	72.7	1,378.0		
# Lip, oral cavity and pharynx	4	1	3	--	--	1	3	*	4.8	*	*		
# Colorectal	21	2	19	--	--	4	17	20.1	20.9	*	125.3		
# Bronchus and lung	79	9	70	--	--	20	59	75.7	77.2	22.0	434.8		
# Female breast	16	3	13	--	--	5	11	15.3 ³	16.1 ³	* ³	81.1 ³		
# Cervical	3	--	3	--	--	2	1	* ³	* ³	* ³	* ³		
# Prostate	14	4	10	--	--	--	14	13.4 ³	14.1 ³	-0- ³	103.2 ³		
# Diabetes mellitus	28	4	24	--	--	6	22	26.8	22.5	*	162.1		
# Alzheimer's disease	43	2	41	--	--	--	43	41.2	32.8	-0-	316.9		
# Major cardiovascular diseases	464	59	405	--	5	70	394	444.9	414.1	77.2	2,903.5		
# Diseases of heart	364	45	319	--	2	58	306	349.0	316.4	63.9	2,255.0		
# Ischemic heart disease	266	30	236	--	2	34	232	255.0	228.9	37.5	1,709.7		
# Cerebrovascular diseases	85	10	75	--	3	8	77	81.5	76.5	*	567.4		
# Atherosclerosis	1	1	--	--	--	--	1	*	3.9	-0-	*		
# Aortic aneurysm and dissection	8	2	6	--	--	2	6	*	6.4	*	*		
# Respiratory diseases	77	4	73	--	1	19	58	73.8	86.5	20.9	427.4		
# Influenza and pneumonia	17	1	16	--	--	5	12	16.3	17.4	*	88.4		
# Chronic lower resp. diseases	43	2	41	--	--	11	32	41.2	51.8	12.1	235.8		
# Emphysema	2	--	2	--	--	1	1	*	*	*	*		
# Asthma	5	1	4	--	--	4	1	*	3.2	*	*		
# Chronic liver disease and cirrhosis	9	1	8	--	--	4	5	*	11.6	*	*		
# Nephritis, nephrotic syn. & nephrosis	24	4	20	--	--	1	23	23.0	22.5	*	169.5		
# Certain perinatal conditions	9	5	4	--	--	9	--	*	6.8	*	-0-		
# Congenital malformations	5	2	3	--	--	2	3	*	5.8	*	*		
# SIDS	1	--	1	--	--	1	--	*	*	*	-0-		
# External causes	80	16	64	--	1	58	22	76.7	71.4	63.9	162.1		
# Accidents	53	9	44	--	1	37	16	50.8	49.8	40.8	117.9		
# Motor vehicle accidents	23	2	21	--	--	17	6	22.1	19.9	18.7	*		
# All other accidents	30	7	23	--	1	20	10	28.8	29.9	22.0	73.7		
# Suicide	12	1	11	--	--	9	3	11.5	10.0	*	*		
# Homicide	11	6	5	--	--	9	2	10.5	8.0	*	*		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Kendall County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	944	48	157	275	321	122	21	903	20	103
Sex	Male	500	25	85	153	175	49	13	481	12	55
	Female	444	23	72	122	146	73	8	422	8	48
Race	White	903	47	152	260	309	117	18			
	Black	20	1	2	6	5	4	2			
Ethnicity	Hispanic ¹	103	10	23	39	22	8	1			
Multiple Births		48	--	2	19	19	8	--	46	2	5
Marital Status	Married	785	4	86	249	310	115	21	753	14	76
	Single	159	44	71	26	11	7	--	150	6	27
Mother Not High School Graduate		86	21	30	22	6	7	--	82	2	28
Birthweight	Very Low (0-1,499 Grams)	15	--	--	6	4	5	--	15	--	3
	Low (0-2,499 Grams)	70	3	5	24	22	16	--	66	3	8
Caesarian Section	Primary	133	7	20	36	52	16	2	125	4	17
	Secondary	87	1	8	20	36	18	4	81	4	6
Trimester Prenatal Care Began	First	841	30	120	253	300	117	21	805	16	75
	Third or No Care	14	1	4	4	4	1	--	13	1	6
First Birth		270	35	66	88	61	20	--	259	5	32
2001 Percentages ²											
Live Births	Total	100.0	5.1	16.6	29.1	34.0	12.9	2.2	95.7	2.1	10.9
Sex	Male	53.0	*	54.1	55.6	54.5	40.2	*	53.3	*	53.4
	Female	47.0	*	45.9	44.4	45.5	59.8	*	46.7	*	46.6
Race	White	95.7	*	96.8	94.5	96.3	95.9	*			
	Black	2.1	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	10.9	*	14.6	14.2	6.9	*	*			
Multiple Births		5.1	-0-	*	6.9	5.9	*	-0-	5.1	*	*
Marital Status	Married	83.2	*	54.8	90.5	96.6	94.3	*	83.4	*	73.8
	Single	16.8	*	45.2	9.5	3.4	*	-0-	16.6	*	26.2
Mother Not High School Graduate		9.1	*	19.1	8.0	*	*	-0-	9.1	*	27.2
Birthweight	Very Low (0-1,499 Grams)	1.6	-0-	-0-	*	*	*	-0-	1.7	-0-	*
	Low (0-2,499 Grams)	7.4	*	*	8.7	6.9	13.1	-0-	7.3	*	*
Caesarian Section	Primary	14.1	*	12.7	13.1	16.2	13.1	*	13.8	*	16.5
	Secondary	9.2	*	*	7.3	11.2	14.8	*	9.0	*	*
Trimester Prenatal Care Began	First	89.2	*	76.4	92.0	93.8	95.9	*	89.2	*	72.8
	Third or No Care	1.5	*	*	*	*	*	-0-	1.4	*	*
First Birth		28.6	*	42.0	32.0	19.0	16.4	-0-	28.7	*	31.1
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	5.9	15.9	31.8	31.2	12.7	2.5	97.2	1.1	10.0
Sex	Male	52.3	49.6	53.9	52.5	52.5	49.7	56.3	52.5	*	50.9
	Female	47.7	50.4	46.1	47.5	47.5	50.3	43.7	47.5	*	49.1
Race	White	97.2	98.3	96.8	97.3	97.2	97.9	93.2			
	Black	1.1	*	1.7	0.8	0.9	*	*			
Ethnicity	Hispanic ¹	10.0	17.9	14.6	11.2	7.1	5.4	*			
Multiple Births		3.8	*	*	3.8	5.0	5.6	*	3.7	*	2.4
Marital Status	Married	84.3	12.5	62.9	92.0	96.2	94.6	91.3	84.5	*	73.3
	Single	15.7	87.5	37.1	8.0	3.8	5.4	*	15.5	*	26.7
Mother Not High School Graduate		8.7	50.4	14.9	6.0	2.5	4.6	*	8.8	*	34.0
Birthweight	Very Low (0-1,499 Grams)	1.1	-0-	*	1.0	1.2	1.9	*	1.1	-0-	*
	Low (0-2,499 Grams)	6.0	6.7	5.9	5.4	5.9	8.3	*	5.9	*	5.1
Caesarian Section	Primary	12.0	12.9	11.1	12.2	12.5	11.9	*	12.0	*	11.7
	Secondary	8.0	*	3.7	6.9	8.8	14.0	22.3	7.9	*	7.3
Trimester Prenatal Care Began	First	87.7	66.7	77.7	91.0	91.9	90.6	93.2	87.9	*	73.5
	Third or No Care	2.2	8.3	4.2	1.3	1.4	*	*	2.2	*	4.7
First Birth		28.9	70.0	41.9	33.2	19.0	12.3	*	28.9	*	32.0

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Kendall County - 2001

Population Estimates	
Total	58,300
Under 65 Years	53,430
65 and Older	4,870

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	287	8	3	1	5	3	11	15	28	56	79	78	
Male	131	4	1	1	3	--	6	8	20	25	35	28	
Female	156	4	2	--	2	3	5	7	8	31	44	50	
Black	1	--	--	--	--	--	--	1	--	--	--	--	
Male	1	--	--	--	--	--	--	1	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	282	8	3	1	5	3	11	14	27	54	79	77	
Male	127	4	1	1	3	--	6	7	19	24	35	27	
Female	155	4	2	--	2	3	5	7	8	30	44	50	
All other races	4	--	--	--	--	--	--	--	1	2	--	1	
Male	3	--	--	--	--	--	--	--	1	1	--	1	
Female	1	--	--	--	--	--	--	--	--	1	--	--	
Hispanic ethnicity ¹	4	2	--	--	--	--	1	--	--	--	--	1	
Male	1	1	--	--	--	--	--	--	--	--	--	--	
Female	3	1	--	--	--	--	1	--	--	--	--	1	

Deaths by Selected Causes											
	Race Category				Ethnicity	Age		Rates ²			
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age	
								2001	1999 - 2001	0-64	65+
All Causes - Current Year	287	1	282	4	4	74	213	492.3	552.1	138.5	4,373.7
5-Year Average (1997-2001)	296	<1	294	2	5	79	217	592.2	N.A.	173.0	5,130.0
Infectious and parasitic diseases	8	--	8	--	--	1	7	*	11.9	*	*
# Septicemia	6	--	6	--	--	--	6	*	9.5	-0-	*
# Viral hepatitis	1	--	1	--	--	--	1	*	*	-0-	*
# HIV disease	1	--	1	--	--	1	--	*	*	*	-0-
# Malignant neoplasms	91	1	89	1	1	28	63	156.1	150.7	52.4	1,293.6
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	*	-0-	-0-
Colorectal	14	--	14	--	--	2	12	24.0	18.5	*	246.4
Bronchus and lung	24	--	24	--	--	6	18	41.2	38.7	*	369.6
Female breast	12	--	12	--	1	4	8	20.6 ³	14.3 ³	* ³	* ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³
Prostate	7	1	6	--	--	1	6	* ³	8.3 ³	* ³	* ³
# Diabetes mellitus	6	--	5	1	--	1	5	*	12.5	*	*
# Alzheimer's disease	5	--	5	--	--	1	4	*	10.7	*	*
Major cardiovascular diseases	81	--	79	2	1	14	67	138.9	190.6	26.2	1,375.8
# Diseases of heart	53	--	53	--	--	11	42	90.9	132.8	20.6	862.4
Ischemic heart disease	36	--	36	--	--	6	30	61.7	98.9	*	616.0
# Cerebrovascular diseases	21	--	19	2	1	3	18	36.0	33.9	*	369.6
# Atherosclerosis	4	--	4	--	--	--	4	*	13.7	-0-	*
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	6.0	-0-	*
Respiratory diseases	26	--	26	--	--	1	25	44.6	56.6	*	513.3
# Influenza and pneumonia	9	--	9	--	--	1	8	*	14.3	*	*
# Chronic lower resp. diseases	13	--	13	--	--	--	13	22.3	35.7	-0-	266.9
Emphysema	1	--	1	--	--	--	1	*	6.6	-0-	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	3	--	3	--	--	2	1	*	6.0	*	*
# Nephritis, nephrotic syn. & nephrosis	6	--	6	--	--	1	5	*	6.6	*	*
# Certain perinatal conditions	5	--	5	--	2	5	--	*	6.6	*	-0-
# Congenital malformations	2	--	2	--	--	2	--	*	*	*	-0-
SIDS	--	--	--	--	--	--	--	-0-	*	-0-	-0-
External causes	19	--	19	--	--	10	9	32.6	38.7	18.7	*
# Accidents	12	--	12	--	--	6	6	20.6	23.8	*	*
Motor vehicle accidents	6	--	6	--	--	4	2	*	10.1	*	*
All other accidents	6	--	6	--	--	2	4	*	13.7	*	*
# Suicide	5	--	5	--	--	2	3	*	10.1	*	*
# Homicide	2	--	2	--	--	2	--	*	*	*	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Knox County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	628	79	196	175	119	50	9	578	45	25
Sex	Male	307	45	97	87	51	21	6	280	22	13
	Female	321	34	99	88	68	29	3	298	23	12
Race	White	578	65	178	162	115	50	8			
	Black	45	13	17	11	3	--	1			
Ethnicity	Hispanic ¹	25	7	10	6	1	1	--			
Multiple Births		15	2	--	7	4	2	--	13	2	--
Marital Status	Married	366	6	82	131	95	46	6	359	5	10
	Single	262	73	114	44	24	4	3	219	40	15
Mother Not High School Graduate		109	46	43	15	4	1	--	88	19	11
Birthweight	Very Low (0-1,499 Grams)	11	2	1	4	2	1	1	10	1	--
	Low (0-2,499 Grams)	46	12	12	7	8	5	2	39	7	4
Caesarian Section	Primary	92	14	27	26	14	9	2	86	5	4
	Secondary	44	--	11	17	10	5	1	39	5	3
Trimester Prenatal Care Began	First	555	63	173	158	109	45	7	515	37	16
	Third or No Care	14	1	8	2	2	1	--	13	1	3
First Birth		195	59	69	36	21	8	2	178	14	11
2001 Percentages ²											
Live Births	Total	100.0	12.6	31.2	27.9	18.9	8.0	*	92.0	7.2	4.0
Sex	Male	48.9	*	49.5	49.7	42.9	*	*	48.4	*	*
	Female	51.1	*	50.5	50.3	57.1	*	*	51.6	*	*
Race	White	92.0	*	90.8	92.6	96.6	*	*			
	Black	7.2	*	8.7	6.3	*	-0-	*			
Ethnicity	Hispanic ¹	4.0	*	5.1	*	*	*	-0-			
Multiple Births		2.4	*	-0-	*	*	*	-0-	2.2	*	-0-
Marital Status	Married	58.3	*	41.8	74.9	79.8	*	*	62.1	*	*
	Single	41.7	*	58.2	25.1	20.2	*	*	37.9	*	*
Mother Not High School Graduate		17.4	*	21.9	8.6	*	*	-0-	15.2	*	*
Birthweight	Very Low (0-1,499 Grams)	1.8	*	*	*	*	*	*	1.7	*	-0-
	Low (0-2,499 Grams)	7.3	*	6.1	*	*	*	*	6.7	*	*
Caesarian Section	Primary	14.6	*	13.8	14.9	11.8	*	*	14.9	*	*
	Secondary	7.0	-0-	5.6	9.7	8.4	*	*	6.7	*	*
Trimester Prenatal Care Began	First	88.5	*	88.3	90.3	92.4	*	*	89.3	*	*
	Third or No Care	2.2	*	*	*	*	*	-0-	2.3	*	*
First Birth		31.1	*	35.2	20.6	17.6	*	-0-	30.8	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	13.5	31.1	27.9	18.6	7.3	1.6	93.2	6.2	5.1
Sex	Male	50.3	53.7	51.1	48.9	48.2	47.9	*	50.2	51.0	51.9
	Female	49.7	46.3	48.9	51.1	51.8	52.1	*	49.8	49.0	48.1
Race	White	93.2	85.3	92.3	95.1	96.1	96.6	*			
	Black	6.2	14.4	7.0	4.3	3.2	*	*			
Ethnicity	Hispanic ¹	5.1	9.8	5.6	3.9	3.4	*	*			
Multiple Births		1.9	2.6	*	1.7	3.4	*	*	1.6	6.6	*
Marital Status	Married	59.6	12.6	44.0	75.8	82.7	85.0	*	62.7	12.1	35.8
	Single	40.4	87.4	56.0	24.2	17.3	15.0	*	37.3	87.9	64.2
Mother Not High School Graduate		16.1	57.2	17.1	7.0	4.4	*	*	14.7	37.4	38.3
Birthweight	Very Low (0-1,499 Grams)	1.3	*	1.0	1.6	1.8	*	*	1.3	*	*
	Low (0-2,499 Grams)	6.5	10.0	5.1	5.6	7.4	6.0	*	6.1	13.6	7.4
Caesarian Section	Primary	11.7	11.6	11.7	10.9	10.9	14.1	*	11.6	12.6	9.3
	Secondary	7.1	*	4.3	8.4	10.8	13.7	*	7.0	9.1	6.2
Trimester Prenatal Care Began	First	85.5	74.7	84.2	87.9	90.9	89.3	*	86.7	67.2	71.0
	Third or No Care	2.5	4.0	2.8	1.5	2.2	*	*	2.2	07.1	6.2
First Birth		31.7	72.1	37.4	23.6	14.5	11.1	*	32.0	24.7	32.7

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Knox County - 2001

Population Estimates	
Total	55,300
Under 65 Years	45,640
65 and Older	9,660

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	680	7	1	--	7	2	11	23	58	98	232	241	
Male	313	4	1	--	7	2	6	14	36	46	117	80	
Female	367	3	--	--	--	--	5	9	22	52	115	161	
Black	23	1	--	--	--	--	2	1	3	4	6	6	
Male	8	1	--	--	--	--	1	--	2	2	1	1	
Female	15	--	--	--	--	--	1	1	1	2	5	5	
White	657	6	1	--	7	2	9	22	55	94	226	235	
Male	305	3	1	--	7	2	5	14	34	44	116	79	
Female	352	3	--	--	--	--	4	8	21	50	110	156	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	11	1	--	--	--	1	--	1	--	5	--	3	
Male	6	--	--	--	--	1	--	1	--	2	--	2	
Female	5	1	--	--	--	--	--	--	--	3	--	1	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	680	23	657	--	11	109	571	1,229.7	1,248.4	238.8	5,911.0		
5-Year Average (1997-2001)	674	22	651	<1	7	106	568	1,212.6	N.A.	231.6	5,736.8		
# Infectious and parasitic diseases	7	1	6	--	--	2	5	*	19.2	*	*		*
# Septicemia	5	--	5	--	--	1	4	*	13.2	*	*		*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# HIV disease	1	1	--	--	--	1	--	*	*	*	-0-		-0-
# Malignant neoplasms	132	5	127	--	3	28	104	238.7	258.5	61.3	1,076.6		
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
Colorectal	19	--	19	--	--	2	17	34.4	36.0	*	176.0		
Bronchus and lung	46	1	45	--	1	9	37	83.2	81.0	*	383.0		
Female breast	5	--	5	--	--	2	3	³ 18.6	³ 18.6	³ *	³ *		³ *
Cervical	3	1	2	--	--	1	2	³ *	³ *	³ *	³ *		³ *
Prostate	10	--	10	--	--	1	9	18.1 ³	13.2 ³	³ *	³ *		³ *
# Diabetes mellitus	20	2	18	--	--	7	13	36.2	31.2	*	134.6		
# Alzheimer's disease	24	--	24	--	--	--	24	43.4	40.2	-0-	248.4		
Major cardiovascular diseases	268	7	261	--	2	24	244	484.6	508.1	52.6	2,525.9		
# Diseases of heart	192	6	186	--	2	20	172	347.2	360.5	43.8	1,780.5		
Ischemic heart disease	160	5	155	--	2	17	143	289.3	278.3	37.2	1,480.3		
# Cerebrovascular diseases	62	1	61	--	--	3	59	112.1	112.8	*	610.8		
# Atherosclerosis	3	--	3	--	--	--	3	*	6.6	-0-	*		*
# Aortic aneurysm and dissection	5	--	5	--	--	--	5	*	9.6	-0-	*		*
Respiratory diseases	92	3	89	--	1	9	83	166.4	159.0	*	859.2		
# Influenza and pneumonia	21	2	19	--	--	3	18	38.0	40.8	*	186.3		
# Chronic lower resp. diseases	52	--	52	--	1	5	47	94.0	79.2	*	486.5		
Emphysema	10	--	10	--	--	2	8	18.1	14.4	*	*		*
Asthma	2	--	2	--	--	1	1	*	*	*	*		*
# Chronic liver disease and cirrhosis	7	1	6	--	1	5	2	*	9.0	*	*		*
# Nephritis, nephrotic syn. & nephrosis	12	--	12	--	--	3	9	21.7	19.8	*	*		*
# Certain perinatal conditions	4	1	3	--	--	4	--	*	6.0	*	-0-		-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
SIDS	2	--	2	--	1	2	--	*	*	*	-0-		-0-
External causes	30	1	29	--	1	16	14	54.2	52.2	35.1	144.9		
# Accidents	20	--	20	--	--	8	12	36.2	38.4	*	124.2		
Motor vehicle accidents	5	--	5	--	--	3	2	*	9.6	*	*		*
All other accidents	15	--	15	--	--	5	10	27.1	28.8	*	103.5		
# Suicide	7	1	6	--	--	6	1	*	9.0	*	*		*
# Homicide	2	--	2	--	1	2	--	*	*	*	-0-		-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Lake County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	10,703	828	1,868	2,519	3,364	1,764	358	9,359	778	2,936
Sex	Male	5,490	439	938	1,268	1,773	894	177	4,795	405	1,488
	Female	5,213	389	930	1,251	1,591	870	181	4,564	373	1,448
Race	White	9,359	644	1,573	2,186	3,044	1,587	323			
	Black	778	171	240	185	107	59	16			
Ethnicity	Hispanic ¹	2,936	423	926	823	502	218	44			
Multiple Births		463	12	47	99	158	116	30	413	32	61
Marital Status	Married	8,277	189	958	2,003	3,150	1,648	329	7,505	255	1,735
	Single	2,426	639	910	516	214	116	29	1,854	523	1,201
Mother Not High School Graduate		2,105	511	686	505	261	117	25	1,890	188	1,604
Birthweight	Very Low (0-1,499 Grams)	154	10	22	37	45	30	10	130	20	37
	Low (0-2,499 Grams)	817	79	144	177	230	148	38	684	101	218
Caesarian Section	Primary	1,536	132	252	386	468	237	61	1,306	131	391
	Secondary	1,093	19	123	221	404	258	68	936	97	278
Trimester Prenatal Care Began	First	8,409	425	1,191	1,984	2,976	1,538	295	7,422	517	1,792
	Third or No Care	358	90	112	70	53	26	7	275	68	166
First Birth		3,195	608	699	853	764	220	49	2,782	203	982
2001 Percentages ²											
Live Births	Total	100.0	7.7	17.5	23.5	31.4	16.5	3.3	87.4	7.3	27.4
Sex	Male	51.3	53.0	50.2	50.3	52.7	50.7	49.4	51.2	52.1	50.7
	Female	48.7	47.0	49.8	49.7	47.3	49.3	50.6	48.8	47.9	49.3
Race	White	87.4	77.8	84.2	86.8	90.5	90.0	90.2			
	Black	7.3	20.7	12.8	7.3	3.2	3.3	4.5			
Ethnicity	Hispanic ¹	27.4	51.1	49.6	32.7	14.9	12.4	12.3			
Multiple Births		4.3	1.4	2.5	3.9	4.7	6.6	8.4	4.4	4.1	2.1
Marital Status	Married	77.3	22.8	51.3	79.5	93.6	93.4	91.9	80.2	32.8	59.1
	Single	22.7	77.2	48.7	20.5	6.4	6.6	8.1	19.8	67.2	40.9
Mother Not High School Graduate		20.1	62.5	37.5	20.5	8.0	6.8	7.2	20.7	24.6	56.5
Birthweight	Very Low (0-1,499 Grams)	1.4	1.2	1.2	1.5	1.3	1.7	2.8	1.4	2.6	1.3
	Low (0-2,499 Grams)	7.6	9.5	7.7	7.0	6.8	8.4	10.6	7.3	13.0	7.4
Caesarian Section	Primary	14.4	15.9	13.5	15.3	13.9	13.4	17.0	14.0	16.8	13.3
	Secondary	10.2	2.3	6.6	8.8	12.0	14.6	19.0	10.0	12.5	9.5
Trimester Prenatal Care Began	First	81.2	52.2	65.8	81.2	91.4	90.5	87.3	81.9	68.9	62.7
	Third or No Care	3.5	11.1	6.2	2.9	1.6	1.5	*	3.0	9.1	5.8
First Birth		29.9	73.4	37.4	33.9	22.7	12.5	*	29.7	26.1	33.4
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	7.9	17.0	24.8	31.5	15.8	3.0	87.4	7.8	23.9
Sex	Male	51.4	52.0	51.2	51.4	51.3	51.4	51.8	51.3	51.8	51.3
	Female	48.6	48.0	48.8	48.6	48.7	48.6	48.2	48.7	48.2	48.7
Race	White	87.4	74.4	83.4	87.8	90.7	90.9	89.5			
	Black	7.8	24.0	14.2	6.7	3.5	3.4	4.4			
Ethnicity	Hispanic ¹	23.9	44.1	45.7	26.8	12.8	10.6	10.6			
Multiple Births		4.2	1.2	2.2	3.8	4.9	6.3	7.8	4.3	3.2	2.1
Marital Status	Married	78.7	22.9	53.2	83.2	93.8	94.2	92.2	82.0	32.5	61.7
	Single	21.3	77.1	46.8	16.8	6.2	5.8	7.8	18.0	67.5	38.3
Mother Not High School Graduate		18.5	60.4	34.7	17.0	7.7	6.0	7.4	18.6	25.7	57.0
Birthweight	Very Low (0-1,499 Grams)	1.3	1.6	1.1	1.4	1.3	1.4	1.7	1.3	2.7	1.0
	Low (0-2,499 Grams)	6.9	8.6	6.7	6.6	6.3	7.6	9.4	6.5	12.0	6.4
Caesarian Section	Primary	13.1	14.5	12.4	13.6	12.6	12.9	16.5	12.8	15.8	11.7
	Secondary	9.0	1.8	6.1	8.0	10.3	13.5	15.2	8.8	12.2	8.9
Trimester Prenatal Care Began	First	82.9	55.4	67.6	84.3	91.5	91.9	89.8	83.9	69.2	63.8
	Third or No Care	3.5	10.7	7.4	3.0	1.4	1.3	1.8	3.1	09.3	7.1
First Birth		29.8	70.6	38.1	33.4	22.3	13.2	12.3	29.8	27.8	33.1

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Lake County - 2001

Population Estimates	
Total	661,100
Under 65 Years	604,690
65 and Older	56,410

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	3,769	57	9	11	64	64	143	285	361	705	1,078	992	
Male	1,813	32	5	3	45	41	96	178	209	383	498	323	
Female	1,956	25	4	8	19	23	47	107	152	322	580	669	
Black	279	6	2	4	7	15	26	35	38	60	58	28	
Male	154	4	2	--	3	9	21	25	18	36	29	7	
Female	125	2	--	4	4	6	5	10	20	24	29	21	
White	3,443	49	7	7	57	49	112	244	316	634	1,014	954	
Male	1,633	26	3	3	42	32	71	150	186	342	465	313	
Female	1,810	23	4	4	15	17	41	94	130	292	549	641	
All other races	47	2	--	--	--	--	5	6	7	11	6	10	
Male	26	2	--	--	--	--	4	3	5	5	4	3	
Female	21	--	--	--	--	--	1	3	2	6	2	7	
Hispanic ethnicity ¹	140	16	1	2	16	9	13	17	13	31	16	6	
Male	69	8	--	1	10	7	10	11	6	11	5	--	
Female	71	8	1	1	6	2	3	6	7	20	11	6	

Deaths by Selected Causes												
	Race Category				Ethnicity	Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		
								2001	1999 - 2001	0-64	65+	
All Causes - Current Year	3,769	279	3,443	47	140	994	2,775	570.1	581.8	164.4	4,919.3	
5-Year Average (1997-2001)	3,614	249	3,328	36	113	954	2,660	604.2	N.A.	174.8	5,089.0	
Infectious and parasitic diseases	70	8	61	1	3	23	47	10.6	10.8	3.8	83.3	
# Septicemia	52	3	48	1	2	12	40	7.9	7.7	2.0	70.9	
# Viral hepatitis	4	--	4	--	--	2	2	*	*	*	*	
# HIV disease	6	4	2	--	--	6	--	*	0.9	*	-0-	
# Malignant neoplasms	926	62	849	15	30	290	636	140.1	147.3	48.0	1,127.5	
Lip, oral cavity and pharynx	6	3	3	--	--	1	5	*	1.6	*	*	
Colorectal	81	4	76	1	2	24	57	12.3	15.4	4.0	101.0	
Bronchus and lung	247	20	227	--	10	75	172	37.4	38.4	12.4	304.9	
Female breast	73	5	66	2	7	32	41	11.0 ³	11.4 ³	5.3 ³	72.7 ³	
Cervical	2	--	2	--	--	1	1	* ³	0.7 ³	* ³	* ³	
Prostate	44	3	41	--	--	3	41	6.7 ³	7.2 ³	* ³	72.7 ³	
# Diabetes mellitus	129	14	113	2	10	32	97	19.5	17.2	5.3	172.0	
# Alzheimer's disease	92	1	91	--	--	3	89	13.9	15.4	*	157.8	
Major cardiovascular diseases	1,378	94	1,266	18	38	226	1,152	208.4	216.8	37.4	2,042.2	
# Diseases of heart	1,026	72	940	14	20	189	837	155.2	157.9	31.3	1,483.8	
Ischemic heart disease	776	52	714	10	15	141	635	117.4	116.3	23.3	1,125.7	
# Cerebrovascular diseases	269	16	251	2	13	27	242	40.7	45.6	4.5	429.0	
# Atherosclerosis	12	1	11	--	--	--	12	1.8	2.0	-0-	21.3	
# Aortic aneurysm and dissection	27	2	25	--	5	5	22	4.1	4.7	*	39.0	
Respiratory diseases	367	21	342	4	3	59	308	55.5	56.5	9.8	546.0	
# Influenza and pneumonia	85	8	75	2	1	10	75	12.9	14.3	1.7	133.0	
# Chronic lower resp. diseases	215	11	202	2	1	31	184	32.5	31.7	5.1	326.2	
Emphysema	29	1	28	--	--	4	25	4.4	4.7	*	44.3	
Asthma	11	3	7	1	--	8	3	1.7	1.1	*	*	
# Chronic liver disease and cirrhosis	53	5	48	--	2	32	21	8.0	6.7	5.3	37.2	
# Nephritis, nephrotic syn. & nephrosis	57	8	49	--	2	7	50	8.6	8.4	*	88.6	
# Certain perinatal conditions	24	1	22	1	5	23	1	3.6	4.5	3.8	*	
# Congenital malformations	22	--	22	--	6	21	1	3.3	3.1	3.5	*	
SIDS	6	3	3	--	1	6	--	*	0.6	*	-0-	
External causes	237	31	203	3	27	183	54	35.8	34.3	30.3	95.7	
# Accidents	156	17	138	1	14	115	41	23.6	23.6	19.0	72.7	
Motor vehicle accidents	69	6	62	1	9	61	8	10.4	9.7	10.1	*	
All other accidents	87	11	76	--	5	54	33	13.2	13.8	8.9	58.5	
# Suicide	45	2	41	2	7	38	7	6.8	7.1	6.3	*	
# Homicide	25	10	15	--	6	24	1	3.8	2.2	4.0	*	

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of La Salle County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	1,434	167	392	396	303	142	34	1,404	13	138
Sex	Male	718	91	181	208	157	70	11	705	6	75
	Female	716	76	211	188	146	72	23	699	7	63
Race	White	1,404	165	391	390	289	137	32			
	Black	13	2	1	3	5	1	1			
Ethnicity	Hispanic ¹	138	18	35	41	29	13	2			
Multiple Births		38	6	6	18	4	2	2	38	--	8
Marital Status	Married	954	19	192	323	269	122	29	936	4	87
	Single	480	148	200	73	34	20	5	468	9	51
Mother Not High School Graduate		253	96	86	42	20	8	1	251	2	62
Birthweight	Very Low (0-1,499 Grams)	17	4	1	5	1	6	--	17	--	2
	Low (0-2,499 Grams)	97	18	26	31	13	7	2	94	2	14
Caesarian Section	Primary	223	36	52	62	46	23	4	221	--	28
	Secondary	161	1	29	40	53	27	11	157	1	13
Trimester Prenatal Care Began	First	1,248	131	319	364	275	127	32	1,224	9	111
	Third or No Care	49	11	21	6	5	5	1	47	2	7
First Birth		440	125	153	95	48	16	3	432	3	41
2001 Percentages²											
Live Births	Total	100.0	11.6	27.3	27.6	21.1	9.9	2.4	97.9	.9	9.6
Sex	Male	50.1	54.5	46.2	52.5	51.8	49.3	*	50.2	*	54.3
	Female	49.9	45.5	53.8	47.5	48.2	50.7	*	49.8	*	45.7
Race	White	97.9	98.8	99.7	98.5	95.4	96.5	*			
	Black	.9	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	9.6	10.8	8.9	10.4	9.6	9.2	*			
Multiple Births		2.6	*	*	4.5	*	*	*	2.7	-0-	*
Marital Status	Married	66.5	11.4	49.0	81.6	88.8	85.9	*	66.7	*	63.0
	Single	33.5	88.6	51.0	18.4	11.2	14.1	*	33.3	*	37.0
Mother Not High School Graduate		17.7	57.5	21.9	10.7	6.6	*	*	17.9	*	45.6
Birthweight	Very Low (0-1,499 Grams)	1.2	*	*	*	*	*	-0-	1.2	-0-	*
	Low (0-2,499 Grams)	6.8	10.8	6.6	7.8	4.3	*	*	6.7	*	10.1
Caesarian Section	Primary	15.6	21.6	13.3	15.7	15.2	16.2	*	15.7	-0-	20.3
	Secondary	11.2	*	7.4	10.1	17.5	19.0	*	11.2	*	9.4
Trimester Prenatal Care Began	First	87.8	79.4	82.6	92.2	91.7	90.1	*	87.9	*	81.0
	Third or No Care	3.4	6.7	5.4	*	*	*	*	3.4	*	*
First Birth		30.7	74.9	39.0	24.0	15.8	11.3	*	30.8	*	29.7
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	12.3	25.4	28.9	22.5	9.0	1.9	98.2	0.8	8.7
Sex	Male	49.9	50.7	49.6	49.9	51.0	49.2	39.6	49.9	*	52.5
	Female	50.1	49.3	50.4	50.1	49.0	50.8	60.4	50.1	*	47.5
Race	White	98.2	98.2	98.3	98.1	98.2	98.1	97.8			
	Black	0.8	1.5	0.9	0.9	*	*	*			
Ethnicity	Hispanic ¹	8.7	10.9	10.3	8.7	6.6	6.6	*			
Multiple Births		2.4	1.2	1.6	2.2	3.6	4.3	*	2.4	*	2.9
Marital Status	Married	67.8	14.2	50.6	81.4	89.9	86.9	84.3	68.1	*	60.9
	Single	32.2	85.8	49.4	18.6	10.1	13.1	15.7	31.9	*	39.1
Mother Not High School Graduate		17.9	56.2	21.2	11.1	6.9	7.4	*	17.9	*	51.2
Birthweight	Very Low (0-1,499 Grams)	1.2	1.6	0.7	1.4	1.0	1.7	*	1.2	*	*
	Low (0-2,499 Grams)	6.1	7.1	6.3	5.4	5.5	8.2	*	6.1	*	6.5
Caesarian Section	Primary	13.9	13.7	13.9	13.4	13.8	15.8	14.9	13.9	*	13.6
	Secondary	10.5	2.0	5.9	10.1	16.5	19.2	19.4	10.5	*	8.0
Trimester Prenatal Care Began	First	87.2	73.4	83.2	91.9	92.3	89.7	86.6	87.4	*	77.5
	Third or No Care	3.2	7.5	4.4	1.7	1.1	3.3	*	3.1	*	6.4
First Birth		31.5	74.0	37.9	26.6	16.5	13.1	8.2	31.5	*	32.7

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of La Salle County - 2001

Population Estimates	
Total	111,700
Under 65 Years	93,630
65 and Older	18,070

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	1,196	8	2	4	12	14	25	59	101	223	348	400	
Male	606	2	--	4	12	13	20	38	65	134	183	135	
Female	590	6	2	--	--	1	5	21	36	89	165	265	
Black	7	1	--	--	1	1	--	1	--	1	2	--	
Male	5	1	--	--	1	1	--	1	--	1	--	--	
Female	2	--	--	--	--	--	--	--	--	--	2	--	
White	1,187	7	2	4	11	13	25	58	101	222	344	400	
Male	599	1	--	4	11	12	20	37	65	133	181	135	
Female	588	6	2	--	--	1	5	21	36	89	163	265	
All other races	2	--	--	--	--	--	--	--	--	--	2	--	
Male	2	--	--	--	--	--	--	--	--	--	2	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	16	--	--	--	1	1	2	4	3	2	3	--	
Male	14	--	--	--	1	1	2	4	2	2	2	--	
Female	2	--	--	--	--	--	--	--	1	--	1	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	1,196	7	1,187	2	16	225	971	1,070.7	1,084.3	240.3	5,373.5		
5-Year Average (1997-2001)	1,195	6	1,186	2	11	227	967	1,089.4	N.A.	250.2	5,156.2		
# Infectious and parasitic diseases	19	1	18	--	1	4	15	17.0	19.8	*	83.0		
# Septicemia	15	1	14	--	--	1	14	13.4	13.2	*	77.5		
# Viral hepatitis	2	--	2	--	--	2	--	*	*	*	-0-		
# HIV disease	1	--	1	--	1	1	--	*	*	*	-0-		
# Malignant neoplasms	285	2	283	--	6	70	215	255.1	272.0	74.8	1,189.8		
# Lip, oral cavity and pharynx	2	--	2	--	--	--	2	*	3.0	-0-	*		
# Colorectal	37	--	37	--	1	9	28	33.1	36.3	*	155.0		
# Bronchus and lung	89	1	88	--	3	25	64	79.7	84.0	26.7	354.2		
# Female breast	18	--	18	--	--	6	12	16.1 ³	18.0 ³	* ³	66.4 ³		
# Cervical	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³		
# Prostate	10	--	10	--	--	2	8	9.0 ³	12.9 ³	* ³	* ³		
# Diabetes mellitus	30	--	30	--	1	3	27	26.9	24.0	*	149.4		
# Alzheimer's disease	36	--	36	--	--	1	35	32.2	31.2	*	193.7		
# Major cardiovascular diseases	487	1	485	1	--	46	441	436.0	436.0	49.1	2,440.5		
# Diseases of heart	372	--	371	1	--	40	332	333.0	331.6	42.7	1,837.3		
# Ischemic heart disease	289	--	288	1	--	34	255	258.7	252.2	36.3	1,411.2		
# Cerebrovascular diseases	81	--	81	--	--	5	76	72.5	77.4	*	420.6		
# Atherosclerosis	10	--	10	--	--	--	10	9.0	6.6	-0-	55.3		
# Aortic aneurysm and dissection	11	--	11	--	--	1	10	9.8	8.4	*	55.3		
# Respiratory diseases	104	--	103	1	2	12	92	93.1	96.6	12.8	509.1		
# Influenza and pneumonia	26	--	26	--	2	3	23	23.3	27.3	*	127.3		
# Chronic lower resp. diseases	65	--	64	1	--	8	57	58.2	56.7	*	315.4		
# Emphysema	12	--	12	--	--	--	12	10.7	7.5	-0-	66.4		
# Asthma	2	--	2	--	--	1	1	*	*	*	*		
# Chronic liver disease and cirrhosis	16	--	16	--	1	7	9	14.3	11.7	*	*		
# Nephritis, nephrotic syn. & nephrosis	21	--	21	--	--	2	19	18.8	15.9	*	105.1		
# Certain perinatal conditions	4	--	4	--	--	4	--	*	3.3	*	-0-		
# Congenital malformations	6	--	6	--	--	5	1	*	3.3	*	*		
# SIDS	1	1	--	--	--	1	--	*	*	*	-0-		
# External causes	73	2	71	--	5	52	21	65.4	58.2	55.5	116.2		
# Accidents	48	2	46	--	4	34	14	43.0	42.0	36.3	77.5		
# Motor vehicle accidents	22	2	20	--	2	17	5	19.7	19.5	18.2	*		
# All other accidents	26	--	26	--	2	17	9	23.3	22.5	18.2	*		
# Suicide	16	--	16	--	--	12	4	14.3	10.2	12.8	*		
# Homicide	5	--	5	--	1	5	--	*	3.6	*	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Lawrence County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	160	32	53	45	21	9	--	159	--	2
Sex	Male	87	19	29	25	8	6	--	87	--	--
	Female	73	13	24	20	13	3	--	72	--	2
Race	White	159	32	53	44	21	9	--			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	2	--	1	1	--	--	--			
Multiple Births		--	--	--	--	--	--	--	--	--	--
Marital Status	Married	106	8	37	36	17	8	--	105	--	1
	Single	54	24	16	9	4	1	--	54	--	1
Mother Not High School Graduate		33	17	13	1	--	2	--	33	--	2
Birthweight	Very Low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	5	1	2	1	--	1	--	5	--	--
Caesarian Section	Primary	9	4	2	1	2	--	--	9	--	--
	Secondary	9	--	4	5	--	--	--	9	--	--
Trimester Prenatal	First	141	27	49	38	20	7	--	140	--	1
Care Began	Third or No Care	2	--	--	1	--	1	--	2	--	--
First Birth		55	22	25	5	3	--	--	55	--	--
2001 Percentages ²											
Live Births	Total	100.0	20.0	33.1	28.1	13.1	*	-0-	99.4	-0-	*
Sex	Male	54.4	*	*	*	*	*	-0-	54.7	-0-	-0-
	Female	45.6	*	*	*	*	*	-0-	45.3	-0-	*
Race	White	99.4	*	*	*	*	*	-0-			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	-0-	-0-	-0-			
Multiple Births		-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Marital Status	Married	66.3	*	*	*	*	*	-0-	66.0	-0-	*
	Single	33.8	*	*	*	*	*	-0-	34.0	-0-	*
Mother Not High School Graduate		20.6	*	*	*	-0-	*	-0-	20.8	-0-	*
Birthweight	Very Low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	-0-	*	-0-	*	-0-	-0-
Caesarian Section	Primary	*	*	*	*	*	-0-	-0-	*	-0-	-0-
	Secondary	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
Trimester Prenatal	First	88.7	*	*	*	*	*	-0-	88.6	-0-	*
Care Began	Third or No Care	*	-0-	-0-	*	-0-	*	-0-	*	-0-	-0-
First Birth		34.4	*	*	*	*	-0-	-0-	34.6	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	18.1	32.9	26.9	15.4	5.9	*	98.8	*	1.2
Sex	Male	52.5	58.0	54.6	54.7	39.8	*	*	52.5	*	*
	Female	47.5	42.0	45.4	45.3	60.2	*	*	47.5	*	*
Race	White	98.8	99.3	98.9	98.7	98.4	*	*			
	Black	*	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	1.2	*	*	*	-0-	*	-0-			
Multiple Births		1.3	-0-	*	*	*	*	-0-	1.3	-0-	-0-
Marital Status	Married	69.2	30.0	68.9	82.5	86.7	*	*	69.4	*	*
	Single	30.8	70.0	31.1	17.5	13.3	*	*	30.6	*	*
Mother Not High School Graduate		19.8	52.7	18.7	9.0	*	*	*	20.0	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	*	*	*	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.8	6.7	5.9	4.5	*	*	*	5.9	-0-	-0-
Caesarian Section	Primary	12.2	16.7	15.8	7.2	10.9	*	*	12.3	-0-	*
	Secondary	7.4	*	5.5	10.8	10.2	*	*	7.4	-0-	-0-
Trimester Prenatal	First	88.9	82.0	90.8	91.9	91.3	*	*	88.9	*	*
Care Began	Third or No Care	1.4	*	*	*	*	*	-0-	1.3	-0-	-0-
First Birth		39.7	79.3	43.2	26.5	21.9	*	-0-	39.9	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Lawrence County - 2001

Population Estimates	
Total	15,200
Under 65 Years	12,150
65 and Older	3,050

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	193	--	--	1	3	3	4	13	12	29	58	70	
Male	88	--	--	--	1	1	4	6	7	21	24	24	
Female	105	--	--	1	2	2	--	7	5	8	34	46	
Black	2	--	--	--	--	--	--	--	--	--	1	1	
Male	1	--	--	--	--	--	--	--	--	--	--	1	
Female	1	--	--	--	--	--	--	--	--	--	1	--	
White	190	--	--	--	3	3	4	13	12	29	57	69	
Male	87	--	--	--	1	1	4	6	7	21	24	23	
Female	103	--	--	--	2	2	--	7	5	8	33	46	
All other races	1	--	--	1	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	1	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity	Age		Rates ²						
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age				
								2001	1999 - 2001	0-64	65+			
All Causes - Current Year	193	2	190	1	--	36	157	1,269.7	1,506.6	296.3	5,147.5			
5-Year Average (1997-2001)	239	3	236	<1	--	44	195	1,554.0	N.A.	364.0	6,115.7			
Infectious and parasitic diseases	2	--	2	--	--	--	2	*	24.1	-0-	*			
# Septicemia	1	--	1	--	--	--	1	*	*	-0-	*			
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Malignant neoplasms	40	--	40	--	--	12	28	263.2	276.3	98.8	918.0			
Lip, oral cavity and pharynx	2	--	2	--	--	--	2	*	*	-0-	*			
Colorectal	5	--	5	--	--	1	4	*	39.5	*	*			
Bronchus and lung	14	--	14	--	--	5	9	92.1	76.8	*	*			
Female breast	3	--	3	--	--	1	2	* ³	24.1 ³	* ³	* ³			
Cervical	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³			
Prostate	1	--	1	--	--	--	1	* ³	* ³	-0- ³	* ³			
# Diabetes mellitus	5	--	5	--	--	--	5	*	37.3	-0-	*			
# Alzheimer's disease	10	--	10	--	--	--	10	65.8	76.8	-0-	327.9			
Major cardiovascular diseases	69	1	68	--	--	8	61	453.9	578.9	*	2,000.0			
# Diseases of heart	37	1	36	--	--	7	30	243.4	331.1	*	983.6			
Ischemic heart disease	27	--	27	--	--	6	21	177.6	232.5	*	688.5			
# Cerebrovascular diseases	25	--	25	--	--	--	25	164.5	197.4	-0-	819.7			
# Atherosclerosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
Respiratory diseases	15	--	15	--	--	--	15	98.7	153.5	-0-	491.8			
# Influenza and pneumonia	5	--	5	--	--	--	5	*	65.8	-0-	*			
# Chronic lower resp. diseases	9	--	9	--	--	--	9	*	68.0	-0-	*			
Emphysema	1	--	1	--	--	--	1	*	*	-0-	*			
Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Chronic liver disease and cirrhosis	1	--	1	--	--	1	--	*	*	*	-0-			
# Nephritis, nephrotic syn. & nephrosis	2	--	2	--	--	--	2	*	24.1	-0-	*			
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Congenital malformations	1	--	1	--	--	1	--	*	*	*	-0-			
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
External causes	11	--	10	1	--	6	5	72.4	81.1	*	*			
# Accidents	10	--	9	1	--	5	5	65.8	65.8	*	*			
Motor vehicle accidents	4	--	3	1	--	3	1	*	28.5	*	*			
All other accidents	6	--	6	--	--	2	4	*	37.3	*	*			
# Suicide	1	--	1	--	--	1	--	*	*	*	-0-			
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Lee County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	347	35	98	99	71	34	10	338	7	9
Sex	Male	173	12	52	52	37	17	3	168	3	6
	Female	174	23	46	47	34	17	7	170	4	3
Race	White	338	33	97	98	69	31	10			
	Black	7	1	1	1	1	3	--			
Ethnicity	Hispanic ¹	9	1	4	--	3	1	--			
Multiple Births		8	--	2	--	2	2	2	8	--	--
Marital Status	Married	244	8	55	76	66	29	10	240	3	6
	Single	103	27	43	23	5	5	--	98	4	3
Mother Not High School Graduate		47	19	17	8	2	1	--	45	2	1
Birthweight	Very Low (0-1,499 Grams)	4	--	1	1	--	2	--	4	--	--
	Low (0-2,499 Grams)	16	2	2	3	3	4	2	16	--	--
Caesarian Section	Primary	62	6	19	16	12	5	4	60	1	1
	Secondary	34	--	7	12	8	7	--	30	4	2
Trimester Prenatal	First	302	23	85	95	63	28	8	294	6	8
Care Began	Third or No Care	5	2	1	1	1	--	--	5	--	--
First Birth		115	24	43	28	13	6	1	115	--	2
2001 Percentages ²											
Live Births	Total	100.0	10.1	28.2	28.5	20.5	9.8	2.9	97.4	*	*
Sex	Male	49.9	*	*	*	*	*	*	49.7	*	*
	Female	50.1	*	*	*	*	*	*	50.3	*	*
Race	White	97.4	*	*	*	*	*	*			
	Black	*	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	*	*	-0-			
Multiple Births		*	-0-	*	-0-	*	*	*	*	-0-	-0-
Marital Status	Married	70.3	*	*	*	*	*	*	71.0	*	*
	Single	29.7	*	*	*	*	*	-0-	29.0	*	*
Mother Not High School Graduate		13.5	*	*	*	*	*	-0-	13.3	*	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	4.6	*	*	*	*	*	*	4.7	-0-	-0-
Caesarian Section	Primary	17.9	*	*	*	*	*	*	17.8	*	*
	Secondary	9.8	-0-	*	*	*	*	-0-	8.9	*	*
Trimester Prenatal	First	87.0	*	*	*	*	*	*	87.0	*	*
Care Began	Third or No Care	*	*	*	*	*	-0-	-0-	*	-0-	-0-
First Birth		33.1	*	*	*	*	*	-0-	34.0	-0-	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	12.1	26.1	29.2	22.2	8.4	2.0	96.9	2.2	2.7
Sex	Male	50.7	50.9	50.8	48.2	53.0	54.4	*	50.6	*	*
	Female	49.3	49.1	49.2	51.8	47.0	45.6	*	49.4	*	*
Race	White	96.9	94.8	98.2	97.5	95.7	96.9	*			
	Black	2.2	4.3	*	*	2.8	*	*			
Ethnicity	Hispanic ¹	2.7	4.3	2.8	2.5	2.4	*	*			
Multiple Births		3.1	-0-	2.4	2.5	5.0	6.3	*	2.9	*	-0-
Marital Status	Married	69.5	17.8	53.6	84.1	87.7	90.6	*	70.2	*	*
	Single	30.5	82.2	46.4	15.9	12.3	9.4	*	29.8	*	*
Mother Not High School Graduate		15.6	57.0	20.9	5.7	5.2	*	*	15.3	*	*
Birthweight	Very Low (0-1,499 Grams)	1.3	*	*	*	*	*	*	1.2	*	-0-
	Low (0-2,499 Grams)	5.9	6.1	5.2	4.1	7.3	7.5	*	5.6	*	*
Caesarian Section	Primary	15.1	19.1	15.9	12.2	14.9	15.0	*	14.7	*	*
	Secondary	10.5	*	7.6	11.6	13.5	20.0	*	10.2	*	*
Trimester Prenatal	First	86.8	71.7	84.9	92.3	89.8	90.0	*	87.3	*	*
Care Began	Third or No Care	1.8	4.3	*	*	*	*	*	1.6	*	*
First Birth		32.1	75.2	37.8	29.7	14.4	12.5	*	32.1	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Lee County - 2001

Population Estimates	
Total	35,900
Under 65 Years	30,670
65 and Older	5,230

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	401	1	--	1	5	6	13	21	40	71	117	126	
Male	207	1	--	1	5	6	9	17	21	42	63	42	
Female	194	--	--	--	--	--	4	4	19	29	54	84	
Black	10	1	--	--	--	--	--	3	4	1	1	--	
Male	8	1	--	--	--	--	--	3	3	1	--	--	
Female	2	--	--	--	--	--	--	--	1	--	1	--	
White	391	--	--	1	5	6	13	18	36	70	116	126	
Male	199	--	--	1	5	6	9	14	18	41	63	42	
Female	192	--	--	--	--	--	4	4	18	29	53	84	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	5	--	--	--	--	--	--	--	--	2	1	2	
Male	3	--	--	--	--	--	--	--	--	1	1	1	
Female	2	--	--	--	--	--	--	--	--	1	--	1	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
											All Ages		Age	
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			2001	1999 - 2001	0-64	65+
All Causes - Current Year	401	10	391	--	5		87	314			1,117.0	1,113.0	283.7	6,003.8
5-Year Average (1997-2001)	391	13	378	<1	5		87	304			1,086.7	N.A.	284.3	5,727.8
# Infectious and parasitic diseases	7	--	7	--	--		3	4			*	25.9	*	*
# Septicemia	6	--	6	--	--		3	3			*	17.6	*	*
# Viral hepatitis	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# HIV disease	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Malignant neoplasms	92	5	87	--	--		26	66			256.3	260.2	84.8	1,262.0
Lip, oral cavity and pharynx	--	--	--	--	--		--	--			-0-	*	-0-	-0-
Colorectal	17	1	16	--	--		4	13			47.4	36.1	*	248.6
Bronchus and lung	26	4	22	--	--		9	17			72.4	64.8	*	325.0
Female breast	7	--	7	--	--		3	4			* ³	17.6 ³	* ³	* ³
Cervical	--	--	--	--	--		--	--			-0- ³	* ³	-0- ³	-0- ³
Prostate	5	--	5	--	--		--	5			* ³	16.7 ³	-0- ³	* ³
# Diabetes mellitus	12	--	12	--	2		2	10			33.4	34.3	*	191.2
# Alzheimer's disease	14	--	14	--	--		--	14			39.0	29.6	-0-	267.7
Major cardiovascular diseases	169	4	165	--	1		29	140			470.8	464.8	94.6	2,676.9
# Diseases of heart	131	4	127	--	--		25	106			364.9	379.6	81.5	2,026.8
Ischemic heart disease	82	1	81	--	--		16	66			228.4	245.4	52.2	1,262.0
# Cerebrovascular diseases	28	--	28	--	1		3	25			78.0	63.9	*	478.0
# Atherosclerosis	1	--	1	--	--		--	1			*	*	-0-	*
# Aortic aneurysm and dissection	5	--	5	--	--		1	4			*	*	*	*
Respiratory diseases	42	--	42	--	2		2	40			117.0	101.9	*	764.8
# Influenza and pneumonia	8	--	8	--	1		--	8			*	24.1	-0-	*
# Chronic lower resp. diseases	25	--	25	--	1		1	24			69.6	62.0	*	458.9
Emphysema	3	--	3	--	--		--	3			*	*	-0-	*
Asthma	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	3	--	3	--	--		2	1			*	*	*	*
# Nephritis, nephrotic syn. & nephrosis	9	--	9	--	--		2	7			*	18.5	*	*
# Certain perinatal conditions	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Congenital malformations	--	--	--	--	--		--	--			-0-	*	-0-	-0-
SIDS	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
External causes	23	--	23	--	--		17	6			64.1	67.6	55.4	*
# Accidents	16	--	16	--	--		11	5			44.6	41.7	35.9	*
Motor vehicle accidents	5	--	5	--	--		5	--			*	19.4	*	-0-
All other accidents	11	--	11	--	--		6	5			30.6	22.2	*	*
# Suicide	5	--	5	--	--		4	1			*	18.5	*	*
# Homicide	2	--	2	--	--		2	--			*	*	*	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Livingston County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	555	65	157	160	104	62	7	507	46	19
Sex	Male	274	35	83	72	54	28	2	252	20	11
	Female	281	30	74	88	50	34	5	255	26	8
Race	White	507	64	143	147	94	53	6			
	Black	46	1	14	12	9	9	1			
Ethnicity	Hispanic ¹	19	5	6	3	4	1	--			
Multiple Births		19	2	4	8	--	5	--	17	2	--
Marital Status	Married	344	13	79	122	82	44	4	339	4	11
	Single	211	52	78	38	22	18	3	168	42	8
Mother Not High School Graduate		115	39	42	12	13	8	1	92	22	8
Birthweight	Very Low (0-1,499 Grams)	8	1	2	1	2	2	--	8	--	--
	Low (0-2,499 Grams)	32	7	6	8	4	7	--	30	2	1
Caesarian Section	Primary	85	18	23	19	15	8	2	82	3	2
	Secondary	66	2	8	27	16	13	--	59	7	2
Trimester Prenatal Care Began	First	458	50	127	138	91	49	3	438	18	14
	Third or No Care	22	4	5	4	2	5	2	14	8	--
First Birth		155	50	49	36	16	4	--	153	2	5
2001 Percentages ²											
Live Births	Total	100.0	11.7	28.3	28.8	18.7	11.2	*	91.4	8.3	3.4
Sex	Male	49.4	*	52.9	45.0	51.9	*	*	49.7	*	*
	Female	50.6	*	47.1	55.0	48.1	*	*	50.3	*	*
Race	White	91.4	*	91.1	91.9	90.4	*	*			
	Black	8.3	*	8.9	7.5	*	*	*			
Ethnicity	Hispanic ¹	3.4	*	*	*	*	*	-0-			
Multiple Births		3.4	*	*	*	-0-	*	-0-	3.4	*	-0-
Marital Status	Married	62.0	*	50.3	76.3	78.8	*	*	66.9	*	*
	Single	38.0	*	49.7	23.8	21.2	*	*	33.1	*	*
Mother Not High School Graduate		20.8	*	26.8	7.5	12.6	*	*	18.1	*	*
Birthweight	Very Low (0-1,499 Grams)	*	*	*	*	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.8	*	*	*	*	*	-0-	5.9	*	*
Caesarian Section	Primary	15.3	*	14.6	11.9	14.4	*	*	16.2	*	*
	Secondary	11.9	*	*	16.9	15.4	*	-0-	11.6	*	*
Trimester Prenatal Care Began	First	83.4	*	81.9	87.3	88.3	*	*	87.1	*	*
	Third or No Care	4.0	*	*	*	*	*	*	2.8	*	-0-
First Birth		27.9	*	31.2	22.5	15.4	*	*	30.2	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	13.2	27.0	28.6	20.8	9.0	1.5	95.8	3.5	3.2
Sex	Male	52.0	50.8	53.1	50.4	53.7	51.4	*	52.3	*	*
	Female	48.0	49.2	46.9	49.6	46.3	48.6	*	47.7	*	*
Race	White	95.8	95.6	95.8	97.0	95.7	93.2	*			
	Black	3.5	3.4	3.5	2.7	3.1	6.4	*			
Ethnicity	Hispanic ¹	3.2	6.2	3.2	3.3	2.2	*	*			
Multiple Births		2.2	*	1.8	3.2	2.4	*	-0-	2.2	*	-0-
Marital Status	Married	67.7	21.2	57.2	82.8	84.1	81.4	*	69.7	*	*
	Single	32.3	78.8	42.8	17.2	15.9	18.6	*	30.3	*	*
Mother Not High School Graduate		17.0	55.8	19.7	6.8	5.9	11.9	*	15.9	*	*
Birthweight	Very Low (0-1,499 Grams)	1.1	*	*	*	*	*	*	1.1	-0-	-0-
	Low (0-2,499 Grams)	6.1	10.0	6.2	4.2	5.1	8.2	*	6.0	*	*
Caesarian Section	Primary	13.6	15.6	14.1	14.6	11.4	10.0	*	13.9	*	*
	Secondary	9.6	*	6.1	11.3	13.0	17.7	*	9.5	*	*
Trimester Prenatal Care Began	First	86.6	78.4	86.3	91.1	89.3	81.8	*	87.7	*	*
	Third or No Care	2.4	3.1	2.3	1.4	2.4	*	*	2.0	*	*
First Birth		28.6	71.3	33.5	24.8	11.6	6.4	*	29.1	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Livingston County - 2001

Population Estimates	
Total	39,500
Under 65 Years	33,490
65 and Older	6,010

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	370	5	--	3	2	5	10	16	31	54	108	136	
Male	179	3	--	1	2	1	7	10	20	29	51	55	
Female	191	2	--	2	--	4	3	6	11	25	57	81	
Black	2	--	--	--	--	--	1	--	--	1	--	--	
Male	2	--	--	--	--	--	1	--	--	1	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	368	5	--	3	2	5	9	16	31	53	108	136	
Male	177	3	--	1	2	1	6	10	20	28	51	55	
Female	191	2	--	2	--	4	3	6	11	25	57	81	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	2	1	--	--	--	--	--	--	1	--	--	--	
Male	1	--	--	--	--	--	--	--	1	--	--	--	
Female	1	1	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	370	2	368	--	2	72	298	936.7	1,001.7	215.0	4,958.4		
5-Year Average (1997-2001)	406	4	401	<1	2	75	330	1,027.3	N.A.	226.3	5,344.5		
# Infectious and parasitic diseases	6	--	6	--	--	2	4	*	19.4	*	*		*
# Septicemia	4	--	4	--	--	1	3	*	11.0	*	*		*
# Viral hepatitis	1	--	1	--	--	--	1	*	*	-0-	*		*
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Malignant neoplasms	77	1	76	--	1	18	59	194.9	212.3	53.7	981.7		
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
Colorectal	10	--	10	--	--	2	8	25.3	23.6	*	*		*
Bronchus and lung	20	1	19	--	1	3	17	50.6	48.0	*	282.9		*
Female breast	2	--	2	--	--	1	1	³ 13.5	³ 13.5	³ *	³ 282.9		³ *
Cervical	--	--	--	--	--	--	--	-0- ³	³ *	-0- ³	-0- ³		-0- ³
Prostate	7	--	7	--	--	--	7	³ 15.2	³ 15.2	-0- ³	³ *		³ *
# Diabetes mellitus	10	--	10	--	--	3	7	25.3	27.0	*	*		*
# Alzheimer's disease	5	--	5	--	--	--	5	*	19.4	-0-	*		*
Major cardiovascular diseases	172	--	172	--	--	22	150	435.4	454.9	65.7	2,495.8		
# Diseases of heart	135	--	135	--	--	20	115	341.8	347.9	59.7	1,913.5		
Ischemic heart disease	76	--	76	--	--	12	64	192.4	215.7	35.8	1,064.9		
# Cerebrovascular diseases	32	--	32	--	--	2	30	81.0	85.1	*	499.2		*
# Atherosclerosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Aortic aneurysm and dissection	2	--	2	--	--	--	2	*	*	-0-	*		*
Respiratory diseases	30	--	30	--	--	3	27	75.9	85.1	*	449.3		*
# Influenza and pneumonia	9	--	9	--	--	--	9	*	24.4	-0-	*		*
# Chronic lower resp. diseases	16	--	16	--	--	2	14	40.5	47.2	*	232.9		*
Emphysema	1	--	1	--	--	--	1	*	11.0	-0-	*		*
Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Chronic liver disease and cirrhosis	3	--	3	--	--	2	1	*	11.8	*	*		*
# Nephritis, nephrotic syn. & nephrosis	7	--	7	--	--	--	7	*	18.5	-0-	*		*
# Certain perinatal conditions	1	--	1	--	1	1	--	*	*	*	-0-		-0-
# Congenital malformations	1	--	1	--	--	1	--	*	*	*	-0-		-0-
SIDS	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
External causes	19	--	19	--	--	13	6	48.1	56.4	38.8	*		*
# Accidents	16	--	16	--	--	11	5	40.5	40.4	32.8	*		*
Motor vehicle accidents	9	--	9	--	--	8	1	*	20.2	*	*		*
All other accidents	7	--	7	--	--	3	4	*	20.2	*	*		*
# Suicide	2	--	2	--	--	1	1	*	8.4	*	*		*
# Homicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Logan County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	299	49	92	72	61	17	8	293	3	--
Sex	Male	146	25	45	34	30	9	3	141	3	--
	Female	153	24	47	38	31	8	5	152	--	--
Race	White	293	48	91	71	58	17	8			
	Black	3	1	--	1	1	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		6	--	2	4	--	--	--	6	--	--
Marital Status	Married	195	9	51	57	56	15	7	192	1	--
	Single	104	40	41	15	5	2	1	101	2	--
Mother Not High School Graduate		63	28	25	7	2	1	--	60	2	--
Birthweight	Very Low (0-1,499 Grams)	4	--	2	1	1	--	--	4	--	--
	Low (0-2,499 Grams)	20	3	10	3	1	2	1	20	--	--
Caesarian Section	Primary	41	6	16	8	8	2	1	40	1	--
	Secondary	20	--	4	7	5	4	--	19	--	--
Trimester Prenatal	First	260	37	77	70	55	14	7	256	2	--
Care Began	Third or No Care	13	6	5	1	1	--	--	12	1	--
First Birth		120	39	40	24	15	2	--	118	1	--
2001 Percentages²											
Live Births	Total	100.0	16.4	30.8	24.1	20.4	5.7	*	98.0	*	-0-
Sex	Male	48.8	*	*	*	*	*	*	48.1	*	-0-
	Female	51.2	*	*	*	*	*	*	51.9	-0-	-0-
Race	White	98.0	*	*	*	*	*	*			
	Black	*	*	-0-	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	65.2	*	*	*	*	*	*	65.5	*	-0-
	Single	34.8	*	*	*	*	*	*	34.5	*	-0-
Mother Not High School Graduate		21.1	*	*	*	*	*	-0-	20.5	*	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.7	*	*	*	*	*	*	6.8	-0-	-0-
Caesarian Section	Primary	13.7	*	*	*	*	*	*	13.7	*	-0-
	Secondary	6.7	-0-	*	*	*	*	-0-	6.5	-0-	-0-
Trimester Prenatal	First	87.0	*	*	*	*	*	*	87.4	*	-0-
Care Began	Third or No Care	4.3	*	*	*	*	-0-	-0-	4.1	*	-0-
First Birth		40.1	*	*	*	*	*	-0-	40.3	*	-0-
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	13.7	29.9	26.4	20.2	8.2	1.6	97.1	1.2	1.0
Sex	Male	50.3	52.7	49.7	53.1	50.0	41.9	*	50.4	*	*
	Female	49.7	47.3	50.3	46.9	50.0	58.1	*	49.6	*	*
Race	White	97.1	97.8	98.2	96.6	96.1	96.3	*			
	Black	1.2	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	1.0	*	*	*	*	*	-0-			
Multiple Births		2.7	-0-	*	5.5	3.0	*	-0-	2.7	*	-0-
Marital Status	Married	69.5	19.5	59.2	81.9	93.1	89.0	*	69.6	*	*
	Single	30.5	80.5	40.8	18.1	6.9	11.0	*	30.4	*	*
Mother Not High School Graduate		15.5	55.8	18.2	6.2	*	*	*	15.6	*	*
Birthweight	Very Low (0-1,499 Grams)	1.1	*	*	*	*	*	-0-	1.1	*	-0-
	Low (0-2,499 Grams)	6.7	5.3	5.1	10.1	4.5	8.1	*	6.5	*	*
Caesarian Section	Primary	13.9	14.2	12.1	15.1	14.4	14.0	*	13.9	*	*
	Secondary	8.1	*	4.8	8.5	12.0	19.1	*	8.1	*	*
Trimester Prenatal	First	88.2	81.8	85.6	91.3	92.2	89.0	*	88.4	*	*
Care Began	Third or No Care	2.7	0.9	4.3	*	*	*	-0-	2.4	*	*
First Birth		32.9	74.8	34.7	26.5	19.5	14.0	*	32.9	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Logan County - 2001

Population Estimates	
Total	31,000
Under 65 Years	26,360
65 and Older	4,640

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	363	1	1	2	6	2	11	16	30	53	112	129	
Male	167	--	--	2	5	1	7	6	14	33	57	42	
Female	196	1	1	--	1	1	4	10	16	20	55	87	
Black	7	1	--	--	1	--	1	--	--	--	2	2	
Male	4	--	--	--	1	--	--	--	--	--	2	1	
Female	3	1	--	--	--	--	1	--	--	--	--	1	
White	355	--	1	2	5	2	10	16	30	53	109	127	
Male	163	--	--	2	4	1	7	6	14	33	55	41	
Female	192	--	1	--	1	1	3	10	16	20	54	86	
All other races	1	--	--	--	--	--	--	--	--	--	1	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	--	--	1	--	
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	--	1	--	
Male	1	--	--	--	--	--	--	--	--	--	1	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
											All Ages		Age	
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			2001	1999 - 2001	0-64	65+
All Causes - Current Year	363	7	355	1	1		69	294			1,171.0	1,121.7	261.8	6,336.2
5-Year Average (1997-2001)	343	4	338	<1	<1		67	276			1,098.0	N.A.	255.2	5,558.2
# Infectious and parasitic diseases	5	--	5	--	--		1	4		*	30.9	*	*	*
# Septicemia	4	--	4	--	--		1	3		*	21.3	*	*	*
# Viral hepatitis	1	--	1	--	--		--	1		*	*	-0-	-0-	*
# HIV disease	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Malignant neoplasms	79	1	78	--	--		22	57		254.8	262.5	83.5	1,228.4	
Lip, oral cavity and pharynx	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	
Colorectal	13	--	13	--	--		5	8		41.9	32.0	*	*	
Bronchus and lung	15	--	15	--	--		3	12		48.4	59.8	*	258.6	
Female breast	2	1	1	--	--		1	1		* ³	* ³	* ³	* ³	* ³
Cervical	--	--	--	--	--		--	--		-0- ³	* ³	-0- ³	-0- ³	-0- ³
Prostate	6	--	6	--	--		1	5		* ³	16.0 ³	* ³	* ³	* ³
# Diabetes mellitus	9	--	9	--	--		1	8		*	29.9	*	*	*
# Alzheimer's disease	11	--	11	--	--		--	11		35.5	37.4	-0-	237.1	
Major cardiovascular diseases	144	3	140	1	1		14	130		464.5	394.9	53.1	2,801.7	
# Diseases of heart	105	3	101	1	1		10	95		338.7	292.4	37.9	2,047.4	
Ischemic heart disease	65	1	63	1	1		4	61		209.7	175.0	*	1,314.7	
# Cerebrovascular diseases	33	--	33	--	--		4	29		106.5	85.4	*	625.0	
# Atherosclerosis	1	--	1	--	--		--	1		*	*	-0-	*	
# Aortic aneurysm and dissection	2	--	2	--	--		--	2		*	*	-0-	*	
Respiratory diseases	25	--	25	--	--		2	23		80.6	102.5	*	495.7	
# Influenza and pneumonia	6	--	6	--	--		--	6		*	28.8	-0-	*	
# Chronic lower resp. diseases	10	--	10	--	--		2	8		32.3	50.2	*	*	
Emphysema	5	--	5	--	--		1	4		*	18.1	*	*	
Asthma	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	2	--	2	--	--		1	1		*	*	*	*	
# Nephritis, nephrotic syn. & nephrosis	13	1	12	--	--		1	12		41.9	26.7	*	258.6	
# Certain perinatal conditions	--	--	--	--	--		--	--		-0-	*	-0-	-0-	
# Congenital malformations	2	--	2	--	--		1	1		*	*	*	*	
SIDS	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	
External causes	18	2	16	--	--		13	5		58.1	56.6	49.3	*	
# Accidents	12	1	11	--	--		8	4		38.7	47.0	*	*	
Motor vehicle accidents	6	--	6	--	--		6	--		*	17.1	*	-0-	
All other accidents	6	1	5	--	--		2	4		*	29.9	*	*	
# Suicide	4	--	4	--	--		3	1		*	*	*	*	
# Homicide	1	1	--	--	--		1	--		*	*	*	-0-	

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of McDonough County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	288	35	91	75	43	38	6	275	10	6
Sex	Male	143	12	45	46	24	13	3	135	6	4
	Female	145	23	46	29	19	25	3	140	4	2
Race	White	275	33	87	71	40	38	6			
	Black	10	2	4	2	2	--	--			
Ethnicity	Hispanic ¹	6	2	--	1	1	2	--			
Multiple Births		6	--	4	2	--	--	--	6	--	--
Marital Status	Married	206	11	59	62	36	33	5	201	2	6
	Single	82	24	32	13	7	5	1	74	8	--
Mother Not High School Graduate		50	21	15	8	3	3	--	48	1	2
Birthweight	Very Low (0-1,499 Grams)	5	1	4	--	--	--	--	5	--	--
	Low (0-2,499 Grams)	22	3	10	4	--	5	--	19	3	--
Caesarian Section	Primary	54	8	22	10	8	5	1	53	1	1
	Secondary	34	2	9	7	6	9	1	31	2	2
Trimester Prenatal Care Began	First	214	22	67	57	33	30	5	207	5	5
	Third or No Care	13	--	6	4	2	1	--	13	--	--
First Birth		90	21	35	19	9	6	--	87	3	1
2001 Percentages ²											
Live Births	Total	100.0	12.2	31.6	26.0	14.9	13.2	*	95.5	3.5	*
Sex	Male	49.7	*	*	*	*	*	*	49.1	*	*
	Female	50.3	*	*	*	*	*	*	50.9	*	*
Race	White	95.5	*	*	*	*	*	*			
	Black	3.5	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	*	*	*	-0-			
Multiple Births		*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	71.5	*	*	*	*	*	*	73.1	*	*
	Single	28.5	*	*	*	*	*	*	26.9	*	-0-
Mother Not High School Graduate		17.4	*	*	*	*	*	-0-	17.5	*	*
Birthweight	Very Low (0-1,499 Grams)	*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.6	*	*	*	-0-	*	-0-	6.9	*	-0-
Caesarian Section	Primary	18.8	*	*	*	*	*	*	19.3	*	*
	Secondary	11.8	*	*	*	*	*	*	11.3	*	*
Trimester Prenatal Care Began	First	76.4	*	*	*	*	*	*	77.5	*	*
	Third or No Care	4.6	-0-	*	*	*	*	-0-	4.9	-0-	-0-
First Birth		31.3	*	*	*	*	*	-0-	31.6	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	11.0	31.3	29.2	17.4	9.2	1.9	94.0	3.8	1.4
Sex	Male	49.8	48.8	48.2	52.1	52.5	46.7	*	49.4	*	*
	Female	50.2	51.2	51.8	47.9	47.5	53.3	*	50.6	*	*
Race	White	94.0	92.7	94.4	93.6	93.8	95.6	*			
	Black	3.8	6.7	4.9	3.4	*	*	-0-			
Ethnicity	Hispanic ¹	1.4	*	*	*	*	*	*			
Multiple Births		2.3	*	2.8	*	*	*	-0-	2.4	*	-0-
Marital Status	Married	73.2	32.3	63.0	84.6	89.6	88.3	*	74.0	*	*
	Single	26.8	67.7	37.0	15.4	10.4	11.7	*	26.0	*	*
Mother Not High School Graduate		15.6	54.9	16.5	8.3	6.6	8.8	*	16.2	*	*
Birthweight	Very Low (0-1,499 Grams)	1.2	*	*	*	*	-0-	-0-	1.1	*	-0-
	Low (0-2,499 Grams)	6.4	6.7	7.3	5.7	5.4	8.0	-0-	6.1	*	*
Caesarian Section	Primary	19.5	25.0	22.9	16.7	15.1	15.3	*	19.2	*	*
	Secondary	11.5	*	7.5	12.6	17.8	21.2	*	11.1	*	*
Trimester Prenatal Care Began	First	80.3	70.4	78.4	83.3	84.8	81.5	*	80.8	*	*
	Third or No Care	4.0	*	4.1	3.7	4.3	*	*	4.1	*	-0-
First Birth		34.0	69.5	42.6	29.1	15.8	13.1	*	34.1	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of McDonough County - 2001

Population Estimates	
Total	32,700
Under 65 Years	28,100
65 and Older	4,600

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	318	1	1	1	4	6	5	7	16	56	92	129	
Male	136	--	--	--	2	3	2	1	10	30	53	35	
Female	182	1	1	1	2	3	3	6	6	26	39	94	
Black	1	--	--	--	--	--	--	--	--	--	--	1	
Male	1	--	--	--	--	--	--	--	--	--	--	1	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	315	1	1	1	3	6	4	7	16	56	92	128	
Male	134	--	--	--	1	3	2	1	10	30	53	34	
Female	181	1	1	1	2	3	2	6	6	26	39	94	
All other races	2	--	--	--	1	--	1	--	--	--	--	--	
Male	1	--	--	--	1	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	1	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity	Age		Rates ²						
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age				
								2001	1999 - 2001	0-64	65+			
All Causes - Current Year	318	1	315	2	--	41	277	972.5	905.4	145.9	6,021.7			
5-Year Average (1997-2001)	300	2	296	<1	--	43	257	888.5	N.A.	148.2	5,164.8			
Infectious and parasitic diseases	4	--	4	--	--	--	4	*	13.1	-0-	*			
# Septicemia	4	--	4	--	--	--	4	*	11.1	-0-	*			
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Malignant neoplasms	70	--	69	1	--	14	56	214.1	216.3	49.8	1,217.4			
Lip, oral cavity and pharynx	3	--	3	--	--	--	3	*	*	-0-	*			
Colorectal	8	--	8	--	--	1	7	*	23.1	*	*			
Bronchus and lung	20	--	20	--	--	4	16	61.2	69.4	*	347.8			
Female breast	3	--	3	--	--	1	2	^{*3}	12.1 ³	[*] 3	[*] 3			
Cervical	--	--	--	--	--	--	--	-0- ³	^{*3}	-0- ³	-0- ³			
Prostate	3	--	3	--	--	--	3	^{*3}	12.1 ³	-0- ³	^{*3}			
# Diabetes mellitus	6	--	6	--	--	--	6	*	18.1	-0-	*			
# Alzheimer's disease	4	--	4	--	--	--	4	*	17.1	-0-	*			
Major cardiovascular diseases	143	1	142	--	--	9	134	437.3	396.4	*	2,913.0			
# Diseases of heart	100	--	100	--	--	8	92	305.8	273.6	*	2,000.0			
Ischemic heart disease	82	--	82	--	--	6	76	250.8	228.4	*	1,652.2			
# Cerebrovascular diseases	36	1	35	--	--	1	35	110.1	101.6	*	760.9			
# Atherosclerosis	2	--	2	--	--	--	2	*	*	-0-	*			
# Aortic aneurysm and dissection	2	--	2	--	--	--	2	*	*	-0-	*			
Respiratory diseases	35	--	35	--	--	1	34	107.0	95.6	*	739.1			
# Influenza and pneumonia	14	--	14	--	--	--	14	42.8	36.2	-0-	304.3			
# Chronic lower resp. diseases	19	--	19	--	--	1	18	58.1	52.3	*	391.3			
Emphysema	4	--	4	--	--	--	4	*	12.1	-0-	*			
Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Chronic liver disease and cirrhosis	1	--	1	--	--	1	--	*	*	*	-0-			
# Nephritis, nephrotic syn. & nephrosis	4	--	4	--	--	1	3	*	*	*	*			
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	*	-0-			
# Congenital malformations	2	--	1	1	--	2	--	*	*	*	-0-			
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
External causes	13	--	13	--	--	7	6	39.8	38.2	*	*			
# Accidents	8	--	8	--	--	2	6	*	24.1	*	*			
Motor vehicle accidents	2	--	2	--	--	1	1	*	*	*	*			
All other accidents	6	--	6	--	--	1	5	*	16.1	*	*			
# Suicide	3	--	3	--	--	3	--	*	10.1	*	-0-			
# Homicide	1	--	1	--	--	1	--	*	*	*	-0-			

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of McHenry County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	4,125	228	622	1,066	1,415	692	102	3,982	26	698
Sex	Male	2,140	121	326	545	736	361	51	2,068	14	355
	Female	1,985	107	296	521	679	331	51	1,914	12	343
Race	White	3,982	222	604	1,021	1,364	672	99			
	Black	26	5	2	8	7	4	--			
Ethnicity	Hispanic ¹	698	102	228	191	120	52	5			
Multiple Births		197	2	10	45	85	50	5	189	--	9
Marital Status	Married	3,421	50	344	941	1,337	651	98	3,294	17	389
	Single	704	178	278	125	78	41	4	688	9	309
Mother Not High School Graduate		564	142	198	122	60	38	4	556	2	432
Birthweight	Very Low (0-1,499 Grams)	47	2	3	9	13	19	1	46	--	3
	Low (0-2,499 Grams)	293	21	33	72	91	68	8	278	1	47
Caesarian Section	Primary	635	30	82	168	206	125	24	616	3	98
	Secondary	447	2	33	92	193	105	22	434	6	61
Trimester Prenatal Care Began	First	3,599	150	457	953	1,315	637	87	3,485	19	483
	Third or No Care	78	14	30	14	10	7	3	71	4	29
First Birth		1,177	169	259	350	300	90	9	1,129	6	223
2001 Percentages ²											
Live Births	Total	100.0	5.5	15.1	25.8	34.3	16.8	2.5	96.5	.6	16.9
Sex	Male	51.9	53.1	52.4	51.1	52.0	52.2	50.0	51.9	*	50.9
	Female	48.1	46.9	47.6	48.9	48.0	47.8	50.0	48.1	*	49.1
Race	White	96.5	97.4	97.1	95.8	96.4	97.1	97.1			
	Black	.6	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	16.9	44.7	36.7	17.9	8.5	7.5	*			
Multiple Births		4.8	*	1.6	4.2	6.0	7.2	*	4.7	-0-	*
Marital Status	Married	82.9	21.9	55.3	88.3	94.5	94.1	96.1	82.7	*	55.7
	Single	17.1	78.1	44.7	11.7	5.5	5.9	*	17.3	*	44.3
Mother Not High School Graduate		13.7	62.6	31.8	11.4	4.3	5.5	*	14.0	*	61.9
Birthweight	Very Low (0-1,499 Grams)	1.1	*	*	*	*	2.7	*	1.2	-0-	*
	Low (0-2,499 Grams)	7.1	9.2	5.3	6.8	6.4	9.8	*	7.0	*	6.7
Caesarian Section	Primary	15.4	13.2	13.2	15.8	14.6	18.1	23.5	15.5	*	14.0
	Secondary	10.8	*	5.3	8.6	13.6	15.2	21.6	10.9	*	8.7
Trimester Prenatal Care Began	First	88.7	65.8	74.9	91.0	94.2	94.0	87.0	88.9	*	70.8
	Third or No Care	1.9	6.1	4.9	1.3	.7	*	*	1.8	*	4.3
First Birth		28.5	74.1	41.6	32.8	21.2	13.0	*	28.4	*	31.9
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	5.4	14.4	28.1	34.5	15.1	2.4	97.4	0.5	13.7
Sex	Male	51.8	52.6	53.0	50.7	52.2	51.7	50.2	51.8	51.0	51.2
	Female	48.2	47.4	47.0	49.3	47.8	48.3	49.8	48.2	49.0	48.8
Race	White	97.4	98.1	97.7	97.1	97.2	97.8	98.1			
	Black	0.5	1.1	0.6	0.4	0.5	0.5	*			
Ethnicity	Hispanic ¹	13.7	37.7	31.3	13.6	6.3	6.7	5.8			
Multiple Births		3.9	1.3	2.2	3.3	4.8	5.2	6.0	4.0	*	1.5
Marital Status	Married	84.2	21.7	58.9	89.5	95.3	94.2	95.1	84.1	66.7	56.0
	Single	15.8	78.3	41.1	10.5	4.7	5.8	4.9	15.9	33.3	44.0
Mother Not High School Graduate		12.3	57.6	29.6	9.3	4.2	4.8	4.8	12.4	9.9	61.8
Birthweight	Very Low (0-1,499 Grams)	1.1	1.4	0.8	1.0	0.8	1.8	*	1.0	*	1.1
	Low (0-2,499 Grams)	6.0	7.6	5.6	5.8	5.4	7.1	8.4	5.9	11.8	5.8
Caesarian Section	Primary	13.3	12.6	11.4	14.4	12.8	14.5	15.6	13.3	13.7	11.6
	Secondary	9.0	*	4.3	6.9	11.0	14.1	19.8	9.0	13.7	7.6
Trimester Prenatal Care Began	First	89.0	65.0	75.6	91.6	94.3	93.0	90.0	89.1	72.3	67.7
	Third or No Care	1.9	0.8	4.8	1.3	.8	1.2	2.1	1.9	*	5.8
First Birth		29.9	74.9	45.3	35.6	20.4	13.4	8.8	29.8	28.4	34.6

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of McHenry County - 2001

Population Estimates	
Total	270,300
Under 65 Years	248,280
65 and Older	22,020

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	1,492	15	2	9	17	24	55	113	145	261	448	403	
Male	706	8	1	7	11	13	27	70	82	146	210	131	
Female	786	7	1	2	6	11	28	43	63	115	238	272	
Black	9	--	--	--	--	--	2	3	--	--	3	1	
Male	3	--	--	--	--	--	--	2	--	--	1	--	
Female	6	--	--	--	--	--	2	1	--	--	2	1	
White	1,477	13	2	9	17	24	53	109	144	260	445	401	
Male	702	8	1	7	11	13	27	68	82	145	209	131	
Female	775	5	1	2	6	11	26	41	62	115	236	270	
All other races	6	2	--	--	--	--	--	1	1	1	--	1	
Male	1	--	--	--	--	--	--	--	--	1	--	--	
Female	5	2	--	--	--	--	--	1	1	--	--	1	
Hispanic ethnicity ¹	27	2	--	3	3	1	2	2	5	3	4	2	
Male	15	1	--	2	3	--	2	1	3	1	1	1	
Female	12	1	--	1	--	1	--	1	2	2	3	1	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	1,492	9	1,477	6	27	380	1,112	552.0	581.7	153.1	5,050.0		
5-Year Average (1997-2001)	1,495	4	1,485	7	25	375	1,120	629.6	N.A.	172.8	5,497.8		
# Infectious and parasitic diseases	34	--	34	--	--	6	28	12.6	11.1	*	127.2		
# Septicemia	27	--	27	--	--	4	23	10.0	7.9	*	104.5		
# Viral hepatitis	2	--	2	--	--	1	1	*	*	*	*		
# HIV disease	1	--	1	--	--	1	--	*	*	*	-0-		
# Malignant neoplasms	406	3	401	2	8	131	275	150.2	152.1	52.8	1,248.9		
Lip, oral cavity and pharynx	4	--	4	--	--	2	2	*	1.4	*	*		
Colorectal	51	1	50	--	3	16	35	18.9	16.4	6.4	158.9		
Bronchus and lung	104	--	104	--	1	34	70	38.5	40.3	13.7	317.9		
Female breast	32	--	31	1	1	18	14	11.8 ³	12.9 ³	7.2 ³	63.6 ³		
Cervical	1	--	1	--	--	--	1	* ³	* ³	-0- ³	* ³		
Prostate	22	--	22	--	--	2	20	8.1 ³	7.0 ³	* ³	90.8 ³		
# Diabetes mellitus	55	1	54	--	1	11	44	20.3	16.6	4.4	199.8		
# Alzheimer's disease	30	1	29	--	--	1	29	11.1	11.5	*	131.7		
Major cardiovascular diseases	529	3	524	2	3	73	456	195.7	219.0	29.4	2,070.8		
# Diseases of heart	400	2	397	1	2	66	334	148.0	162.0	26.6	1,516.8		
Ischemic heart disease	280	2	277	1	2	42	238	103.6	118.8	16.9	1,080.8		
# Cerebrovascular diseases	84	1	82	1	1	5	79	31.1	39.4	*	358.8		
# Atherosclerosis	12	--	12	--	--	1	11	4.4	4.7	*	50.0		
# Aortic aneurysm and dissection	14	--	14	--	--	--	14	5.2	4.7	-0-	63.6		
Respiratory diseases	120	1	119	--	1	13	107	44.4	49.5	5.2	485.9		
# Influenza and pneumonia	36	1	35	--	1	5	31	13.3	13.4	*	140.8		
# Chronic lower resp. diseases	58	--	58	--	--	4	54	21.5	26.2	*	245.2		
Emphysema	4	--	4	--	--	--	4	*	2.9	-0-	*		
Asthma	1	--	1	--	--	--	1	*	*	-0-	*		
# Chronic liver disease and cirrhosis	15	--	15	--	--	9	6	5.5	6.3	*	*		
# Nephritis, nephrotic syn. & nephrosis	18	--	18	--	--	2	16	6.7	7.4	*	72.7		
# Certain perinatal conditions	6	--	5	1	1	6	--	*	3.6	*	-0-		
# Congenital malformations	11	--	10	1	3	10	1	4.1	4.0	4.0	*		
SIDS	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
External causes	105	--	105	--	7	85	20	38.8	40.0	34.2	90.8		
# Accidents	73	--	73	--	6	58	15	27.0	29.1	23.4	68.1		
Motor vehicle accidents	33	--	33	--	3	27	6	12.2	13.9	10.9	*		
All other accidents	40	--	40	--	3	31	9	14.8	15.2	12.5	*		
# Suicide	21	--	21	--	--	19	2	7.8	6.9	7.7	*		
# Homicide	3	--	3	--	1	3	--	*	*	*	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of McLean County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	2,041	142	427	610	600	222	40	1,771	169	105
Sex	Male	1,035	74	218	316	295	117	15	906	91	49
	Female	1,006	68	209	294	305	105	25	865	78	56
Race	White	1,771	111	356	526	545	197	36			
	Black	169	31	60	40	22	12	4			
Ethnicity	Hispanic ¹	105	16	28	29	19	12	1			
Multiple Births		68	2	8	12	38	8	--	64	2	--
Marital Status	Married	1,542	18	213	521	554	201	35	1,390	57	68
	Single	499	124	214	89	46	21	5	381	112	37
Mother Not High School Graduate		174	78	58	20	14	3	1	146	24	39
Birthweight	Very Low (0-1,499 Grams)	28	--	6	4	16	1	1	25	2	1
	Low (0-2,499 Grams)	140	12	34	33	42	13	6	110	25	8
Caesarian Section	Primary	300	19	54	104	92	24	7	268	19	19
	Secondary	205	5	29	51	80	31	9	160	28	9
Trimester Prenatal Care Began	First	1,830	105	350	567	565	208	35	1,611	127	82
	Third or No Care	38	8	13	6	4	6	1	31	6	5
First Birth		675	102	185	231	129	26	2	573	51	40
2001 Percentages ²											
Live Births	Total	100.0	7.0	20.9	29.9	29.4	10.9	2.0	86.8	8.3	5.1
Sex	Male	50.7	52.1	51.1	51.8	49.2	52.7	*	51.2	53.8	46.7
	Female	49.3	47.9	48.9	48.2	50.8	47.3	*	48.8	46.2	53.3
Race	White	86.8	78.2	83.4	86.2	90.8	88.7	*			
	Black	8.3	21.8	14.1	6.6	3.7	5.4	*			
Ethnicity	Hispanic ¹	5.1	11.3	6.6	4.8	3.2	5.4	*			
Multiple Births		3.3	*	*	2.0	6.3	*	-0-	3.6	*	-0-
Marital Status	Married	75.6	12.7	49.9	85.4	92.3	90.5	*	78.5	33.7	64.8
	Single	24.4	87.3	50.1	14.6	7.7	9.5	*	21.5	66.3	35.2
Mother Not High School Graduate		8.5	54.9	13.6	3.3	2.3	*	*	8.3	14.3	37.5
Birthweight	Very Low (0-1,499 Grams)	1.4	-0-	*	*	*	*	*	1.4	*	*
	Low (0-2,499 Grams)	6.9	8.5	8.0	5.4	7.0	5.9	*	6.2	14.8	*
Caesarian Section	Primary	14.7	13.4	12.6	17.0	15.3	10.8	*	15.1	11.2	18.1
	Secondary	10.0	*	6.8	8.4	13.3	14.0	*	9.0	16.6	*
Trimester Prenatal Care Began	First	90.2	74.5	82.7	93.3	94.8	94.5	*	91.5	76.0	78.8
	Third or No Care	1.9	*	3.1	*	*	*	*	1.8	*	*
First Birth		33.1	71.8	43.3	37.9	21.5	11.7	*	32.4	30.2	38.1
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	8.1	20.8	31.2	27.7	10.4	1.8	87.6	8.9	4.2
Sex	Male	51.4	52.3	51.2	51.8	50.7	51.4	53.2	51.4	50.9	50.0
	Female	48.6	47.7	48.8	48.2	49.3	48.6	46.8	48.6	49.1	50.0
Race	White	87.6	78.5	84.1	89.0	90.7	89.4	87.9			
	Black	8.9	20.5	13.9	6.8	4.9	6.3	9.8			
Ethnicity	Hispanic ¹	4.2	7.8	6.1	3.8	2.7	2.9	*			
Multiple Births		3.5	*	2.1	3.2	4.9	4.9	6.9	3.7	2.7	2.4
Marital Status	Married	75.8	16.1	52.0	86.6	92.4	91.2	90.8	78.9	39.9	62.7
	Single	24.2	83.9	48.0	13.4	7.6	8.8	9.2	21.1	60.1	37.3
Mother Not High School Graduate		9.5	54.8	14.1	4.2	2.1	2.0	*	9.0	16.7	40.3
Birthweight	Very Low (0-1,499 Grams)	1.1	*	0.9	1.0	1.6	1.3	*	1.1	1.9	*
	Low (0-2,499 Grams)	6.6	8.1	6.8	5.7	6.8	6.2	13.3	6.3	10.0	5.6
Caesarian Section	Primary	13.9	12.5	12.5	15.3	14.0	12.4	22.0	14.0	12.6	14.4
	Secondary	8.9	2.8	5.1	7.6	11.8	15.3	19.1	8.6	10.7	8.8
Trimester Prenatal Care Began	First	89.5	74.1	81.8	92.3	94.7	94.0	93.0	90.9	75.5	71.2
	Third or No Care	2.3	5.4	4.3	1.2	1.1	2.4	*	1.9	06.3	7.4
First Birth		32.4	67.6	40.3	36.0	20.6	13.3	9.2	32.5	28.0	34.1

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of McLean County - 2001

Population Estimates	
Total	152,000
Under 65 Years	137,270
65 and Older	14,730

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	1,007	18	2	1	10	16	23	73	86	146	299	333	
Male	454	9	1	1	9	10	12	46	43	80	143	100	
Female	553	9	1	--	1	6	11	27	43	66	156	233	
Black	29	2	--	--	--	3	4	4	4	2	6	4	
Male	11	--	--	--	--	1	1	3	2	1	3	--	
Female	18	2	--	--	--	2	3	1	2	1	3	4	
White	973	16	2	1	10	13	19	69	82	143	290	328	
Male	440	9	1	1	9	9	11	43	41	78	138	100	
Female	533	7	1	--	1	4	8	26	41	65	152	228	
All other races	5	--	--	--	--	--	--	--	--	1	3	1	
Male	3	--	--	--	--	--	--	--	--	1	2	--	
Female	2	--	--	--	--	--	--	--	--	--	1	1	
Hispanic ethnicity ¹	11	1	--	--	4	1	--	1	--	1	1	2	
Male	10	1	--	--	4	1	--	1	--	1	1	1	
Female	1	--	--	--	--	--	--	--	--	--	--	1	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity	Age								
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age				
								2001	1999 - 2001	0-64	65+			
All Causes - Current Year	1,007	29	973	5	11	229	778	662.5	664.7	166.8	5,281.7			
5-Year Average (1997-2001)	976	29	944	3	5	200	775	688.0	N.A.	157.5	5,316.1			
Infectious and parasitic diseases	18	1	17	--	--	6	12	11.8	15.4	*	81.5			
# Septicemia	13	1	12	--	--	3	10	8.6	10.2	*	67.9			
# Viral hepatitis	1	--	1	--	--	--	1	*	*	-0-	*			
# HIV disease	1	--	1	--	--	1	--	*	*	*	-0-			
# Malignant neoplasms	224	9	214	1	--	70	154	147.4	150.8	51.0	1,045.5			
Lip, oral cavity and pharynx	4	--	4	--	--	3	1	*	*	*	*			
Colorectal	24	1	23	--	--	5	19	15.8	15.8	*	129.0			
Bronchus and lung	56	2	54	--	--	18	38	36.8	39.7	13.1	258.0			
Female breast	13	--	13	--	--	5	8	8.6 ³	11.4 ³	* ³	* ³			
Cervical	1	--	1	--	--	--	1	* ³	* ³	-0- ³	* ³			
Prostate	15	2	13	--	--	2	13	9.9 ³	8.0 ³	* ³	88.3 ³			
# Diabetes mellitus	32	2	30	--	--	8	24	21.1	16.0	*	162.9			
# Alzheimer's disease	38	--	38	--	--	--	38	25.0	20.3	-0-	258.0			
Major cardiovascular diseases	373	9	360	4	4	48	325	245.4	263.8	35.0	2,206.4			
# Diseases of heart	290	7	279	4	3	43	247	190.8	195.1	31.3	1,676.8			
Ischemic heart disease	194	2	189	3	2	19	175	127.6	130.3	13.8	1,188.1			
# Cerebrovascular diseases	65	2	63	--	1	3	62	42.8	52.8	*	420.9			
# Atherosclerosis	2	--	2	--	--	--	2	*	2.9	-0-	*			
# Aortic aneurysm and dissection	5	--	5	--	--	1	4	*	4.2	*	*			
Respiratory diseases	93	2	91	--	1	10	83	61.2	63.3	7.3	563.5			
# Influenza and pneumonia	16	--	16	--	--	2	14	10.5	12.3	*	95.0			
# Chronic lower resp. diseases	65	1	64	--	--	5	60	42.8	41.9	*	407.3			
Emphysema	3	--	3	--	--	1	2	*	3.3	*	*			
Asthma	2	--	2	--	--	--	2	*	*	-0-	*			
# Chronic liver disease and cirrhosis	13	1	12	--	--	9	4	8.6	7.4	*	*			
# Nephritis, nephrotic syn. & nephrosis	18	--	18	--	--	--	18	11.8	8.9	-0-	122.2			
# Certain perinatal conditions	7	1	6	--	--	7	--	*	2.9	*	-0-			
# Congenital malformations	7	--	7	--	--	6	1	*	4.0	*	*			
SIDS	2	1	1	--	--	2	--	*	*	*	-0-			
External causes	52	1	51	--	5	37	15	34.2	31.2	27.0	101.8			
# Accidents	34	--	34	--	5	22	12	22.4	21.2	16.0	81.5			
Motor vehicle accidents	16	--	16	--	5	14	2	10.5	8.5	10.2	*			
All other accidents	18	--	18	--	--	8	10	11.8	12.7	*	67.9			
# Suicide	14	--	14	--	--	11	3	9.2	7.6	8.0	*			
# Homicide	1	--	1	--	--	1	--	*	*	*	-0-			

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Macon County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	1,447	219	467	395	255	88	23	1,110	319	17
Sex	Male	744	117	244	190	133	51	9	563	172	12
	Female	703	102	223	205	122	37	14	547	147	5
Race	White	1,110	123	344	330	222	73	18			
	Black	319	91	120	57	31	15	5			
Ethnicity	Hispanic ¹	17	1	6	6	3	1	--			
Multiple Births		61	6	16	17	2	18	2	49	12	--
Marital Status	Married	798	22	186	275	225	71	19	734	53	9
	Single	649	197	281	120	30	17	4	376	266	8
Mother Not High School Graduate		298	124	121	33	11	9	--	168	126	7
Birthweight	Very Low (0-1,499 Grams)	34	7	11	8	4	3	1	22	12	1
	Low (0-2,499 Grams)	142	28	43	38	14	15	4	93	48	1
Caesarian Section	Primary	214	38	51	61	41	20	3	165	45	4
	Secondary	135	7	33	42	37	13	3	101	34	2
Trimester Prenatal Care Began	First	1,184	156	369	347	220	72	20	948	224	11
	Third or No Care	57	13	25	10	8	1	--	33	23	2
First Birth		459	157	149	91	50	10	2	358	93	4
2001 Percentages ²											
Live Births	Total	100.0	15.1	32.3	27.3	17.6	6.1	1.6	76.7	22.0	1.2
Sex	Male	51.4	53.4	52.2	48.1	52.2	*	*	50.7	53.9	*
	Female	48.6	46.6	47.8	51.9	47.8	*	*	49.3	46.1	*
Race	White	76.7	56.2	73.7	83.5	87.1	*	*			
	Black	22.0	41.6	25.7	14.4	12.2	*	*			
Ethnicity	Hispanic ¹	1.2	*	*	*	*	*	-0-			
Multiple Births		4.2	*	3.4	4.3	*	*	*	4.4	3.8	-0-
Marital Status	Married	55.1	10.0	39.8	69.6	88.2	*	*	66.1	16.6	*
	Single	44.9	90.0	60.2	30.4	11.8	*	*	33.9	83.4	*
Mother Not High School Graduate		20.6	56.6	26.0	8.4	4.3	*	-0-	15.1	39.6	*
Birthweight	Very Low (0-1,499 Grams)	2.3	*	2.4	*	*	*	*	2.0	3.8	*
	Low (0-2,499 Grams)	9.8	12.8	9.2	9.6	5.5	*	*	8.4	15.0	*
Caesarian Section	Primary	14.8	17.4	10.9	15.4	16.1	*	*	14.9	14.1	*
	Secondary	9.3	*	7.1	10.6	14.5	*	*	9.1	10.7	*
Trimester Prenatal Care Began	First	82.7	73.2	79.7	88.5	87.0	*	*	86.1	71.6	*
	Third or No Care	4.0	6.1	5.4	2.6	*	*	-0-	3.0	7.3	*
First Birth		31.7	71.7	31.9	23.0	19.6	*	-0-	32.3	29.2	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	17.3	31.8	26.3	16.9	6.3	1.4	76.6	22.5	1.3
Sex	Male	50.0	51.6	48.4	49.8	50.4	52.9	49.5	49.2	52.4	*
	Female	50.0	48.4	51.6	50.2	49.6	47.1	50.5	50.8	47.6	*
Race	White	76.6	59.8	72.5	83.9	86.4	84.4	85.0			
	Black	22.5	39.5	26.9	14.8	12.4	13.9	15.0			
Ethnicity	Hispanic ¹	1.3	1.1	1.4	1.4	1.3	*	*			
Multiple Births		3.5	2.8	3.7	2.7	3.7	6.4	*	3.4	3.8	-0-
Marital Status	Married	55.5	11.4	42.4	74.0	83.8	81.8	86.9	66.5	16.9	*
	Single	44.5	88.6	57.6	26.0	16.2	18.2	13.1	33.5	83.1	*
Mother Not High School Graduate		21.0	57.5	23.3	9.1	4.8	5.8	*	16.0	38.4	*
Birthweight	Very Low (0-1,499 Grams)	2.0	2.9	2.3	1.5	1.3	2.4	*	1.4	4.2	*
	Low (0-2,499 Grams)	9.2	11.5	10.2	6.9	7.5	10.9	10.3	7.8	14.2	*
Caesarian Section	Primary	14.9	17.0	13.5	13.7	16.4	16.7	16.8	14.9	14.8	*
	Secondary	8.4	2.3	5.8	9.9	13.2	16.9	15.9	8.2	9.1	*
Trimester Prenatal Care Began	First	78.1	66.9	74.6	82.9	87.0	82.5	79.0	82.9	61.9	*
	Third or No Care	4.4	6.1	5.4	3.5	2.7	3.0	*	3.0	9.1	*
First Birth		31.8	67.0	31.7	24.2	17.3	11.6	*	32.6	28.6	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Macon County - 2001

Population Estimates	
Total	113,100
Under 65 Years	95,820
65 and Older	17,280

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	1,145	17	1	--	15	14	41	69	109	215	318	346	
Male	560	10	1	--	11	11	26	42	62	130	152	115	
Female	585	7	--	--	4	3	15	27	47	85	166	231	
Black	106	5	1	--	3	4	7	9	14	25	15	23	
Male	59	3	1	--	2	3	5	7	8	17	6	7	
Female	47	2	--	--	1	1	2	2	6	8	9	16	
White	1,037	11	--	--	12	10	34	60	95	189	303	323	
Male	500	6	--	--	9	8	21	35	54	113	146	108	
Female	537	5	--	--	3	2	13	25	41	76	157	215	
All other races	2	1	--	--	--	--	--	--	--	1	--	--	
Male	1	1	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	--	1	--	--	
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	--	1	--	
Male	1	--	--	--	--	--	--	--	--	--	1	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	1,145	106	1,037	2	1	266	879	1,012.4	1,025.5	277.6	5,086.8		
5-Year Average (1997-2001)	1,185	111	1,073	1	2	263	922	1,034.2	N.A.	271.7	5,202.6		
# Infectious and parasitic diseases	17	5	12	--	--	9	8	15.0	20.2	*	*		
# Septicemia	11	3	8	--	--	4	7	9.7	14.1	*	*		
# Viral hepatitis	2	1	1	--	--	2	--	*	*	*	-0-		
# HIV disease	3	1	2	--	--	3	--	*	*	*	-0-		
# Malignant neoplasms	261	20	241	--	1	75	186	230.8	245.1	78.3	1,076.4		
# Lip, oral cavity and pharynx	2	--	2	--	--	1	1	*	*	*	*		
# Colorectal	28	1	27	--	--	6	22	24.8	24.6	*	127.3		
# Bronchus and lung	74	6	68	--	--	21	53	65.4	75.5	21.9	306.7		
# Female breast	17	--	17	--	--	7	10	15.0 ³	17.9 ³	* ³	57.9 ³		
# Cervical	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³		
# Prostate	13	2	11	--	--	1	12	11.5 ³	14.9 ³	* ³	69.4 ³		
# Diabetes mellitus	29	3	26	--	--	9	20	25.6	27.5	*	115.7		
# Alzheimer's disease	16	--	16	--	--	1	15	14.1	18.4	*	86.8		
# Major cardiovascular diseases	485	43	442	--	--	63	422	428.8	423.1	65.7	2,442.1		
# Diseases of heart	340	28	312	--	--	53	287	300.6	299.6	55.3	1,660.9		
# Ischemic heart disease	176	8	168	--	--	26	150	155.6	161.1	27.1	868.1		
# Cerebrovascular diseases	125	12	113	--	--	7	118	110.5	101.3	*	682.9		
# Atherosclerosis	3	--	3	--	--	--	3	*	*	-0-	*		
# Aortic aneurysm and dissection	6	1	5	--	--	3	3	*	6.7	*	*		
# Respiratory diseases	84	5	79	--	--	13	71	74.3	86.1	13.6	410.9		
# Influenza and pneumonia	19	2	17	--	--	2	17	16.8	21.7	*	98.4		
# Chronic lower resp. diseases	44	3	41	--	--	9	35	38.9	47.7	*	202.5		
# Emphysema	2	--	2	--	--	1	1	*	4.1	*	*		
# Asthma	3	1	2	--	--	2	1	*	*	*	*		
# Chronic liver disease and cirrhosis	7	1	6	--	--	4	3	*	6.4	*	*		
# Nephritis, nephrotic syn. & nephrosis	21	3	18	--	--	4	17	18.6	21.1	*	98.4		
# Certain perinatal conditions	9	3	6	--	--	9	--	*	5.6	*	-0-		
# Congenital malformations	5	--	5	--	--	5	--	*	4.4	*	-0-		
# SIDS	2	--	2	--	--	2	--	*	*	*	-0-		
# External causes	63	7	55	1	--	42	21	55.7	55.9	43.8	121.5		
# Accidents	44	5	39	--	--	30	14	38.9	37.5	31.3	81.0		
# Motor vehicle accidents	14	1	13	--	--	12	2	12.4	12.9	12.5	*		
# All other accidents	30	4	26	--	--	18	12	26.5	24.6	18.8	69.4		
# Suicide	7	1	6	--	--	5	2	*	10.0	*	*		
# Homicide	7	1	5	1	--	5	2	*	5.6	*	*		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Macoupin County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	600	56	203	163	122	51	5	591	5	4
Sex	Male	290	25	100	80	57	24	4	287	2	3
	Female	310	31	103	83	65	27	1	304	3	1
Race	White	591	55	198	161	121	51	5			
	Black	5	1	1	2	1	--	--			
Ethnicity	Hispanic ¹	4	2	1	--	1	--	--			
Multiple Births		27	--	4	8	13	2	--	27	--	--
Marital Status	Married	407	12	108	132	107	45	3	403	2	1
	Single	193	44	95	31	15	6	2	188	3	3
Mother Not High School Graduate		90	33	41	12	4	--	--	88	1	2
Birthweight	Very Low (0-1,499 Grams)	10	2	--	3	5	--	--	10	--	--
	Low (0-2,499 Grams)	53	6	14	15	12	6	--	52	--	--
Caesarian Section	Primary	68	8	19	18	18	5	--	67	1	2
	Secondary	66	1	16	25	16	8	--	65	1	--
Trimester Prenatal Care Began	First	518	45	157	154	115	44	3	511	4	4
	Third or No Care	13	1	9	1	--	2	--	13	--	--
First Birth		185	41	81	43	16	4	--	184	--	3
2001 Percentages ²											
Live Births	Total	100.0	9.3	33.8	27.2	20.3	8.5	*	98.5	*	*
Sex	Male	48.3	*	49.3	49.1	46.7	*	*	48.6	*	*
	Female	51.7	*	50.7	50.9	53.3	*	*	51.4	*	*
Race	White	98.5	*	97.5	98.8	99.2	*	*			
	Black	*	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	*	-0-	-0-			
Multiple Births		4.5	-0-	*	*	10.7	*	-0-	4.6	-0-	-0-
Marital Status	Married	67.8	*	53.2	81.0	87.7	*	*	68.2	*	*
	Single	32.2	*	46.8	19.0	12.3	*	*	31.8	*	*
Mother Not High School Graduate		15.0	*	20.3	7.4	*	-0-	-0-	14.9	*	*
Birthweight	Very Low (0-1,499 Grams)	1.7	*	-0-	*	*	-0-	-0-	1.7	-0-	-0-
	Low (0-2,499 Grams)	8.8	*	6.9	9.2	9.8	*	-0-	8.8	-0-	-0-
Caesarian Section	Primary	11.3	*	9.4	11.0	14.8	*	-0-	11.3	*	*
	Secondary	11.0	*	7.9	15.3	13.1	*	-0-	11.0	*	-0-
Trimester Prenatal Care Began	First	86.5	*	77.7	94.5	94.3	*	*	86.6	*	*
	Third or No Care	2.2	*	*	*	-0-	*	-0-	2.2	-0-	-0-
First Birth		30.8	*	39.9	26.4	13.1	*	-0-	31.1	-0-	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	13.2	30.2	29.7	18.3	7.7	1.0	98.9	0.7	0.6
Sex	Male	52.2	53.6	51.7	53.6	50.9	50.0	*	52.1	*	*
	Female	47.8	46.4	48.3	46.4	49.1	50.0	*	47.9	*	*
Race	White	98.9	98.6	98.7	98.6	99.6	99.0	*			
	Black	0.7	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	0.6	*	*	*	*	*	-0-			
Multiple Births		3.1	*	1.9	2.7	6.0	4.8	*	3.1	-0-	*
Marital Status	Married	69.0	22.4	55.4	86.1	89.0	86.7	*	69.3	*	*
	Single	31.0	77.6	44.6	13.9	11.0	13.3	*	30.7	*	*
Mother Not High School Graduate		16.2	56.0	19.9	5.7	3.8	*	*	16.1	*	*
Birthweight	Very Low (0-1,499 Grams)	1.1	*	1.4	*	*	-0-	-0-	1.1	-0-	-0-
	Low (0-2,499 Grams)	7.5	9.7	7.2	5.5	7.6	11.9	*	7.4	*	*
Caesarian Section	Primary	12.7	11.6	12.9	11.5	15.0	12.9	*	12.7	*	*
	Secondary	10.3	*	8.0	11.9	14.4	18.1	*	10.3	*	*
Trimester Prenatal Care Began	First	87.1	75.1	82.7	93.4	93.4	86.7	*	87.3	*	*
	Third or No Care	2.6	0.4	3.6	1.2	*	5.2	*	2.5	*	-0-
First Birth		32.9	74.0	38.3	26.3	15.2	11.0	*	32.9	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Macoupin County - 2001

Population Estimates	
Total	48,900
Under 65 Years	40,430
65 and Older	8,470

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	581	6	2	1	6	7	12	35	49	89	172	202	
Male	279	3	--	1	5	6	11	21	27	50	92	63	
Female	302	3	2	--	1	1	1	14	22	39	80	139	
Black	2	--	--	--	--	--	--	--	--	--	1	1	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	2	--	--	--	--	--	--	--	--	--	1	1	
White	579	6	2	1	6	7	12	35	49	89	171	201	
Male	279	3	--	1	5	6	11	21	27	50	92	63	
Female	300	3	2	--	1	1	1	14	22	39	79	138	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	2	--	--	--	--	--	--	--	--	--	2	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	2	--	--	--	--	--	--	--	--	--	2	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	581	2	579	--	2	118	463	1,188.1	1,248.0	291.9	5,466.4		
5-Year Average (1997-2001)	594	6	587	<1	<1	110	484	1,223.2	N.A.	275.7	5,541.3		
# Infectious and parasitic diseases	15	--	15	--	--	1	14	30.7	19.8	*	165.3		
# Septicemia	11	--	11	--	--	--	11	22.5	15.7	-0-	129.9		
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# HIV disease	1	--	1	--	--	1	--	*	*	*	-0-		
# Malignant neoplasms	132	--	132	--	--	31	101	269.9	265.0	76.7	1,192.4		
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	*	-0-		
Colorectal	17	--	17	--	--	3	14	34.8	27.9	*	165.3		
Bronchus and lung	31	--	31	--	--	8	23	63.4	81.1	*	271.5		
Female breast	7	--	7	--	--	1	6	³ 16.3	³ 16.3	³ *	³ *		
Cervical	2	--	2	--	--	2	--	³ *	³ *	³ *	-0- ³		
Prostate	8	--	8	--	--	--	8	³ 16.3	³ 16.3	-0- ³	³ *		
# Diabetes mellitus	18	--	18	--	--	1	17	36.8	37.5	*	200.7		
# Alzheimer's disease	15	--	15	--	1	--	15	30.7	27.9	-0-	177.1		
Major cardiovascular diseases	207	1	206	--	1	27	180	423.3	504.1	66.8	2,125.1		
# Diseases of heart	153	1	152	--	1	22	131	312.9	392.4	54.4	1,546.6		
Ischemic heart disease	97	--	97	--	1	15	82	198.4	264.3	37.1	968.1		
# Cerebrovascular diseases	35	--	35	--	--	4	31	71.6	83.8	*	366.0		
# Atherosclerosis	3	--	3	--	--	--	3	*	8.2	-0-	*		
# Aortic aneurysm and dissection	4	--	4	--	--	1	3	*	*	*	*		
Respiratory diseases	64	1	63	--	--	9	55	130.9	124.0	*	649.4		
# Influenza and pneumonia	19	1	18	--	--	1	18	38.9	44.3	*	212.5		
# Chronic lower resp. diseases	34	--	34	--	--	7	27	69.5	55.9	*	318.8		
Emphysema	3	--	3	--	--	2	1	*	8.2	*	*		
Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Chronic liver disease and cirrhosis	5	--	5	--	--	3	2	*	9.5	*	*		
# Nephritis, nephrotic syn. & nephrosis	13	--	13	--	--	--	13	26.6	28.6	-0-	153.5		
# Certain perinatal conditions	2	--	2	--	--	2	--	*	*	*	-0-		
# Congenital malformations	4	--	4	--	--	4	--	*	*	*	-0-		
SIDS	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
External causes	38	--	38	--	--	27	11	77.7	78.3	66.8	129.9		
# Accidents	27	--	27	--	--	17	10	55.2	57.9	42.0	118.1		
Motor vehicle accidents	11	--	11	--	--	10	1	22.5	27.2	24.7	*		
All other accidents	16	--	16	--	--	7	9	32.7	30.7	*	*		
# Suicide	7	--	7	--	--	6	1	*	12.9	*	*		
# Homicide	3	--	3	--	--	3	--	*	*	*	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Madison County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	3,258	390	878	905	733	298	54	2,883	332	65
Sex	Male	1,680	218	458	449	386	147	22	1,485	179	32
	Female	1,578	172	420	456	347	151	32	1,398	153	33
Race	White	2,883	310	756	816	672	277	52			
	Black	332	76	117	78	46	13	2			
Ethnicity	Hispanic ¹	65	13	25	15	4	8	--			
Multiple Births		95	2	17	31	24	15	6	84	9	2
Marital Status	Married	2,135	62	399	712	649	271	42	2,015	84	38
	Single	1,123	328	479	193	84	27	12	868	248	27
Mother Not High School Graduate		533	244	194	63	24	7	1	420	108	24
Birthweight	Very Low (0-1,499 Grams)	42	11	6	8	7	7	3	33	8	--
	Low (0-2,499 Grams)	216	33	55	53	34	30	11	175	36	3
Caesarian Section	Primary	469	67	99	138	103	49	13	418	44	11
	Secondary	358	13	62	100	119	51	13	310	43	7
Trimester Prenatal Care Began	First	2,744	264	698	798	671	265	48	2,483	228	42
	Third or No Care	95	26	34	22	7	6	--	61	34	4
First Birth		1,101	290	333	273	152	43	10	990	97	18
2001 Percentages ²											
Live Births	Total	100.0	12.0	26.9	27.8	22.5	9.1	1.7	88.5	10.2	2.0
Sex	Male	51.6	55.9	52.2	49.6	52.7	49.3	*	51.5	53.9	*
	Female	48.4	44.1	47.8	50.4	47.3	50.7	*	48.5	46.1	*
Race	White	88.5	79.5	86.1	90.2	91.7	93.0	*			
	Black	10.2	19.5	13.3	8.6	6.3	4.4	*			
Ethnicity	Hispanic ¹	2.0	3.3	2.8	1.7	*	*	-0-			
Multiple Births		2.9	*	1.9	3.4	3.3	5.0	*	2.9	*	*
Marital Status	Married	65.5	15.9	45.4	78.7	88.5	90.9	*	69.9	25.3	*
	Single	34.5	84.1	54.6	21.3	11.5	9.1	*	30.1	74.7	*
Mother Not High School Graduate		16.4	62.6	22.1	7.0	3.3	*	*	14.6	32.5	*
Birthweight	Very Low (0-1,499 Grams)	1.3	2.8	*	*	*	*	*	1.1	*	-0-
	Low (0-2,499 Grams)	6.6	8.5	6.3	5.9	4.6	10.1	*	6.1	10.8	*
Caesarian Section	Primary	14.4	17.2	11.3	15.2	14.1	16.4	*	14.5	13.3	*
	Secondary	11.0	3.3	7.1	11.0	16.2	17.1	*	10.8	13.0	*
Trimester Prenatal Care Began	First	84.8	68.4	79.9	88.5	91.9	90.8	*	86.6	69.5	*
	Third or No Care	2.9	6.7	3.9	2.4	*	*	-0-	2.1	10.4	*
First Birth		33.8	74.4	37.9	30.2	20.7	14.4	-0-	34.3	29.2	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	13.1	26.7	29.4	21.0	8.4	1.5	88.3	10.4	1.8
Sex	Male	51.8	53.7	52.7	50.8	52.0	49.5	50.0	51.8	52.9	46.2
	Female	48.2	46.3	47.3	49.2	48.0	50.5	50.0	48.2	47.1	53.8
Race	White	88.3	79.1	85.3	90.5	93.2	91.5	91.9			
	Black	10.4	19.7	13.7	8.2	5.3	6.5	7.3			
Ethnicity	Hispanic ¹	1.8	2.4	2.3	1.6	1.3	1.4	*			
Multiple Births		3.0	1.6	2.0	3.3	3.7	5.3	4.8	2.9	3.7	*
Marital Status	Married	65.9	15.5	49.4	80.3	88.2	89.0	79.4	70.8	23.2	61.2
	Single	34.1	84.5	50.6	19.7	11.8	11.0	20.6	29.2	76.8	38.8
Mother Not High School Graduate		16.3	60.3	20.9	6.3	3.0	3.2	6.1	14.5	31.4	30.1
Birthweight	Very Low (0-1,499 Grams)	1.3	2.2	0.9	1.1	1.4	1.6	*	1.1	3.0	*
	Low (0-2,499 Grams)	7.4	9.9	6.6	6.7	6.9	8.6	10.9	6.5	13.8	6.7
Caesarian Section	Primary	14.0	15.4	12.8	14.4	13.0	15.7	20.6	13.9	14.5	14.4
	Secondary	10.5	2.0	7.6	10.8	15.9	16.8	15.7	10.1	13.9	13.4
Trimester Prenatal Care Began	First	85.1	69.6	80.6	89.1	92.3	91.2	86.6	87.1	68.2	76.0
	Third or No Care	3.0	6.8	3.9	2.0	1.6	1.6	*	2.4	08.3	5.8
First Birth		34.1	71.7	38.6	30.3	19.4	13.8	14.1	34.7	28.0	32.1

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Madison County - 2001

Population Estimates	
Total	260,200
Under 65 Years	223,490
65 and Older	36,710

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	2,650	21	9	5	26	44	90	179	298	461	797	720	
Male	1,253	12	4	2	18	27	59	124	172	222	375	238	
Female	1,397	9	5	3	8	17	31	55	126	239	422	482	
Black	149	3	--	--	8	5	13	14	20	23	35	28	
Male	70	3	--	--	4	4	8	5	11	13	13	9	
Female	79	--	--	--	4	1	5	9	9	10	22	19	
White	2,500	18	9	5	18	39	77	165	278	437	762	692	
Male	1,183	9	4	2	14	23	51	119	161	209	362	229	
Female	1,317	9	5	3	4	16	26	46	117	228	400	463	
All other races	1	--	--	--	--	--	--	--	--	1	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	--	1	--	--	
Hispanic ethnicity ¹	13	--	1	--	--	1	--	--	--	4	3	4	
Male	5	--	--	--	--	1	--	--	--	2	2	--	
Female	8	--	1	--	--	--	--	--	--	2	1	4	

	Deaths by Selected Causes								Rates ²			
	Race Category				Ethnicity		Age					
	All Races	Black	White	Other	Hispanic ¹		0-64	65+	All Ages		Age	
									2001	1999 - 2001	0-64	65+
All Causes - Current Year	2,650	149	2,500	1	13		672	1,978	1,018.4	1,032.2	300.7	5,388.2
5-Year Average (1997-2001)	2,661	155	2,502	5	11		617	2,044	1,031.6	N.A.	279.1	5,530.8
# Infectious and parasitic diseases	56	4	52	--	--		19	37	21.5	23.2	8.5	100.8
# Septicemia	41	3	38	--	--		11	30	15.8	17.3	4.9	81.7
# Viral hepatitis	2	--	2	--	--		--	2	*	*	-0-	*
# HIV disease	5	1	4	--	--		5	--	*	1.8	*	-0-
# Malignant neoplasms	593	38	555	--	2		178	415	227.9	231.2	79.6	1,130.5
Lip, oral cavity and pharynx	9	--	9	--	--		4	5	*	2.4	*	*
Colorectal	58	5	53	--	1		14	44	22.3	25.3	6.3	119.9
Bronchus and lung	176	11	165	--	--		56	120	67.6	70.3	25.1	326.9
Female breast	42	3	39	--	--		12	30	16.1 ³	16.2 ³	5.4 ³	81.7 ³
Cervical	2	--	2	--	--		1	1	* ³	* ³	* ³	* ³
Prostate	32	3	29	--	--		--	32	12.3 ³	10.0 ³	-0- ³	87.2 ³
# Diabetes mellitus	78	6	72	--	--		19	59	30.0	29.6	8.5	160.7
# Alzheimer's disease	64	1	63	--	--		1	63	24.6	24.0	*	171.6
Major cardiovascular diseases	1,055	55	999	1	6		195	860	405.5	427.3	87.3	2,342.7
# Diseases of heart	832	39	792	1	4		167	665	319.8	335.9	74.7	1,811.5
Ischemic heart disease	597	29	567	1	3		128	469	229.4	245.5	57.3	1,277.6
# Cerebrovascular diseases	180	13	167	--	2		22	158	69.2	71.4	9.8	430.4
# Atherosclerosis	3	--	3	--	--		2	1	*	3.6	*	*
# Aortic aneurysm and dissection	16	--	16	--	--		1	15	6.1	7.8	*	40.9
Respiratory diseases	258	13	245	--	--		42	216	99.2	105.3	18.8	588.4
# Influenza and pneumonia	87	7	80	--	--		13	74	33.4	31.8	5.8	201.6
# Chronic lower resp. diseases	124	3	121	--	--		23	101	47.7	55.7	10.3	275.1
Emphysema	27	1	26	--	--		8	19	10.4	9.2	*	51.8
Asthma	4	1	3	--	--		3	1	*	2.1	*	*
# Chronic liver disease and cirrhosis	24	1	23	--	1		14	10	9.2	8.8	6.3	27.2
# Nephritis, nephrotic syn. & nephrosis	44	5	39	--	--		8	36	16.9	16.2	*	98.1
# Certain perinatal conditions	8	2	6	--	1		8	--	*	4.9	*	-0-
# Congenital malformations	8	1	7	--	--		8	--	*	3.3	*	-0-
SIDS	1	--	1	--	--		1	--	*	*	*	-0-
External causes	170	13	157	--	1		128	42	65.3	59.3	57.3	114.4
# Accidents	111	1	110	--	1		80	31	42.7	40.7	35.8	84.4
Motor vehicle accidents	52	--	52	--	1		44	8	20.0	18.5	19.7	*
All other accidents	59	1	58	--	--		36	23	22.7	22.2	16.1	62.7
# Suicide	35	2	33	--	--		31	4	13.5	10.9	13.9	*
# Homicide	14	8	6	--	--		13	1	5.4	4.6	5.8	*

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Marion County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	535	94	185	124	88	38	6	488	41	6
Sex	Male	266	46	91	69	45	14	1	246	17	4
	Female	269	48	94	55	43	24	5	242	24	2
Race	White	488	78	170	119	81	34	6			
	Black	41	14	13	5	5	4	--			
Ethnicity	Hispanic ¹	6	1	1	3	1	--	--			
Multiple Births		16	2	2	8	4	--	--	14	2	--
Marital Status	Married	293	16	88	87	71	27	4	281	10	4
	Single	242	78	97	37	17	11	2	207	31	2
Mother Not High School Graduate		137	64	50	14	5	3	1	115	19	1
Birthweight	Very Low (0-1,499 Grams)	10	1	3	4	1	1	--	9	1	--
	Low (0-2,499 Grams)	48	10	16	15	3	3	1	44	4	--
Caesarian Section	Primary	70	9	23	17	13	7	1	63	7	1
	Secondary	44	2	15	10	11	5	1	41	3	--
Trimester Prenatal Care Began	First	451	69	155	108	83	30	6	416	30	4
	Third or No Care	9	4	3	1	--	1	--	8	1	--
First Birth		155	61	53	17	14	10	--	143	10	3
2001 Percentages ²											
Live Births	Total	100.0	17.6	34.6	23.2	16.4	7.1	*	91.2	7.7	*
Sex	Male	49.7	*	49.2	55.6	*	*	*	50.4	*	*
	Female	50.3	*	50.8	44.4	*	*	*	49.6	*	*
Race	White	91.2	*	91.9	96.0	*	*	*			
	Black	7.7	*	7.0	*	*	*	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	*	-0-	-0-			
Multiple Births		3.0	*	*	*	*	-0-	-0-	2.9	*	-0-
Marital Status	Married	54.8	*	47.6	70.2	*	*	*	57.6	*	*
	Single	45.2	*	52.4	29.8	*	*	*	42.4	*	*
Mother Not High School Graduate		25.7	*	27.2	11.3	*	*	*	23.6	*	*
Birthweight	Very Low (0-1,499 Grams)	1.9	*	*	*	*	*	-0-	*	*	-0-
	Low (0-2,499 Grams)	9.0	*	8.6	12.1	*	*	*	9.0	*	-0-
Caesarian Section	Primary	13.1	*	12.4	13.7	*	*	*	12.9	*	*
	Secondary	8.2	*	8.1	8.1	*	*	*	8.4	*	-0-
Trimester Prenatal Care Began	First	85.7	*	84.7	89.3	*	*	*	86.5	*	*
	Third or No Care	*	*	*	*	-0-	*	-0-	*	*	-0-
First Birth		29.0	*	28.6	13.7	*	*	-0-	29.3	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	17.4	35.0	26.8	13.5	6.2	1.1	93.1	6.1	0.7
Sex	Male	49.6	47.8	51.8	51.8	45.2	41.6	*	49.8	46.9	*
	Female	50.4	52.2	48.2	48.2	54.8	58.4	*	50.2	53.1	*
Race	White	93.1	90.1	92.6	95.1	93.1	94.6	*			
	Black	6.1	8.8	7.1	4.3	4.4	*	-0-			
Ethnicity	Hispanic ¹	0.7	*	*	*	*	-0-	-0-			
Multiple Births		2.3	*	1.5	2.5	4.7	*	*	2.4	*	-0-
Marital Status	Married	57.8	22.3	51.3	74.5	78.7	73.5	*	60.5	16.0	*
	Single	42.2	77.7	48.7	25.5	21.3	26.5	*	39.5	84.0	*
Mother Not High School Graduate		25.3	61.6	26.8	12.0	7.8	14.5	*	24.4	39.1	*
Birthweight	Very Low (0-1,499 Grams)	1.4	2.4	*	1.4	*	*	-0-	1.3	*	-0-
	Low (0-2,499 Grams)	7.8	9.9	6.9	6.3	8.9	10.8	*	7.5	11.7	*
Caesarian Section	Primary	12.4	13.1	9.7	11.0	16.1	19.9	*	12.7	8.6	*
	Secondary	8.9	*	7.1	10.9	15.2	17.5	*	8.3	17.9	*
Trimester Prenatal Care Began	First	83.4	74.8	81.8	88.5	87.6	84.1	*	84.4	69.4	*
	Third or No Care	3.0	4.3	3.5	2.1	*	*	*	2.8	06.3	*
First Birth		30.9	70.2	28.7	21.4	13.9	14.5	*	31.4	22.2	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Marion County - 2001

Population Estimates	
Total	41,400
Under 65 Years	34,510
65 and Older	6,890

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	537	4	--	2	7	10	18	25	48	90	158	175	
Male	244	1	--	--	4	8	10	13	31	47	78	52	
Female	293	3	--	2	3	2	8	12	17	43	80	123	
Black	22	1	--	--	1	1	--	1	5	6	3	4	
Male	12	--	--	--	1	--	--	--	4	4	2	1	
Female	10	1	--	--	--	1	--	1	1	2	1	3	
White	511	3	--	2	5	9	17	24	43	83	154	171	
Male	229	1	--	--	2	8	9	13	27	43	75	51	
Female	282	2	--	2	3	1	8	11	16	40	79	120	
All other races	4	--	--	--	1	--	1	--	--	1	1	--	
Male	3	--	--	--	1	--	1	--	--	--	1	--	
Female	1	--	--	--	--	--	--	--	--	1	--	--	
Hispanic ethnicity ¹	3	--	--	--	1	--	--	--	--	--	2	--	
Male	2	--	--	--	1	--	--	--	--	--	1	--	
Female	1	--	--	--	--	--	--	--	--	--	1	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	537	22	511	4	3		114	423			1,297.1	1,242.2	330.3	6,139.3
5-Year Average (1997-2001)	508	19	488	1	1		104	404			1,216.1	N.A.	299.2	5,785.6
# Infectious and parasitic diseases	18	5	13	--	--		7	11			43.5	38.5	*	159.7
# Septicemia	14	5	9	--	--		4	10			33.8	30.5	*	145.1
# Viral hepatitis	1	--	1	--	--		1	--			*	*	*	-0-
# HIV disease	1	--	1	--	--		1	--			*	*	*	-0-
# Malignant neoplasms	110	4	104	2	--		29	81			265.7	254.2	84.0	1,175.6
Lip, oral cavity and pharynx	2	--	1	1	--		2	--			*	*	*	-0-
Colorectal	14	1	13	--	--		2	12			33.8	32.9	*	174.2
Bronchus and lung	41	1	39	1	--		10	31			99.0	77.0	29.0	449.9
Female breast	6	1	5	--	--		2	4			* ³	13.6 ³	* ³	* ³
Cervical	--	--	--	--	--		--	--			-0- ³	-0- ³	-0- ³	-0- ³
Prostate	5	--	5	--	--		--	5			* ³	20.0 ³	-0- ³	* ³
# Diabetes mellitus	11	2	9	--	--		3	8			26.6	27.3	*	*
# Alzheimer's disease	26	1	25	--	--		1	25			62.8	38.5	*	362.8
Major cardiovascular diseases	217	7	209	1	1		30	187			524.2	500.4	86.9	2,714.1
# Diseases of heart	178	3	174	1	1		24	154			430.0	385.7	69.5	2,235.1
Ischemic heart disease	126	1	124	1	1		19	107			304.3	283.9	55.1	1,553.0
# Cerebrovascular diseases	27	4	23	--	--		4	23			65.2	85.8	*	333.8
# Atherosclerosis	3	--	3	--	--		--	3			*	*	-0-	*
# Aortic aneurysm and dissection	6	--	6	--	--		1	5			*	11.2	*	*
Respiratory diseases	61	1	60	--	--		6	55			147.3	162.0	*	798.3
# Influenza and pneumonia	16	1	15	--	--		1	15			38.6	37.7	*	217.7
# Chronic lower resp. diseases	32	--	32	--	--		2	30			77.3	100.2	*	435.4
Emphysema	6	--	6	--	--		--	6			*	*	-0-	*
Asthma	1	--	1	--	--		--	1			*	*	-0-	*
# Chronic liver disease and cirrhosis	1	--	1	--	--		1	--			*	8.8	*	-0-
# Nephritis, nephrotic syn. & nephrosis	16	1	15	--	--		5	11			38.6	33.7	*	159.7
# Certain perinatal conditions	2	--	2	--	--		2	--			*	*	*	-0-
# Congenital malformations	3	--	3	--	--		3	--			*	*	*	-0-
SIDS	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
External causes	24	--	23	1	1		19	5			58.0	63.4	55.1	*
# Accidents	16	--	16	--	1		12	4			38.6	42.5	34.8	*
Motor vehicle accidents	11	--	11	--	1		9	2			26.6	22.5	*	*
All other accidents	5	--	5	--	--		3	2			*	20.0	*	*
# Suicide	4	--	3	1	--		4	--			*	12.0	*	-0-
# Homicide	--	--	--	--	--		--	--			-0-	*	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Marshall County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	136	16	33	47	17	20	3	136	--	3
Sex	Male	78	9	14	29	12	11	3	78	--	3
	Female	58	7	19	18	5	9	--	58	--	--
Race	White	136	16	33	47	17	20	3			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	3	--	1	--	2	--	--			
Multiple Births		3	--	--	3	--	--	--	3	--	--
Marital Status	Married	94	2	17	43	13	16	3	94	--	2
	Single	42	14	16	4	4	4	--	42	--	1
Mother Not High School Graduate		19	7	6	4	2	--	--	19	--	--
Birthweight	Very Low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	12	--	--	7	3	2	--	12	--	1
Caesarian Section	Primary	19	2	3	7	3	4	--	19	--	2
	Secondary	18	--	5	2	2	9	--	18	--	1
Trimester Prenatal Care Began	First	126	12	32	46	15	18	3	126	--	2
	Third or No Care	2	1	--	--	1	--	--	2	--	1
First Birth		47	13	16	15	2	1	--	47	--	1
2001 Percentages ²											
Live Births	Total	100.0	11.8	24.3	34.6	12.5	14.7	*	100.0	-0-	*
Sex	Male	57.4	*	*	*	*	*	*	57.4	-0-	*
	Female	42.6	*	*	*	*	*	-0-	42.6	-0-	-0-
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	*	-0-	-0-			
Multiple Births		*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	69.1	*	*	*	*	*	*	69.1	-0-	*
	Single	30.9	*	*	*	*	*	-0-	30.9	-0-	*
Mother Not High School Graduate		14.1	*	*	*	*	-0-	-0-	14.1	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	8.8	-0-	-0-	*	*	*	-0-	8.8	-0-	*
Caesarian Section	Primary	14.0	*	*	*	*	*	-0-	14.0	-0-	*
	Secondary	13.2	-0-	*	*	*	*	-0-	13.2	-0-	*
Trimester Prenatal Care Began	First	92.6	*	*	*	*	*	*	92.6	-0-	*
	Third or No Care	*	*	-0-	-0-	*	-0-	-0-	*	-0-	*
First Birth		34.6	*	*	*	*	*	-0-	34.6	-0-	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	11.2	27.0	28.4	22.1	9.6	1.7	99.4	*	2.0
Sex	Male	52.5	*	46.2	53.1	57.9	*	*	52.6	*	*
	Female	47.5	*	53.8	46.9	42.1	*	*	47.4	-0-	*
Race	White	99.4	*	99.5	99.5	100.0	*	*			
	Black	*	*	-0-	-0-	-0-	*	-0-			
Ethnicity	Hispanic ¹	2.0	*	*	*	*	-0-	*			
Multiple Births		3.9	-0-	*	*	*	*	-0-	3.9	-0-	-0-
Marital Status	Married	71.7	*	55.9	87.2	92.8	*	*	71.8	-0-	*
	Single	28.3	*	44.1	12.8	7.2	*	*	28.2	*	*
Mother Not High School Graduate		13.8	*	17.2	8.2	6.6	*	-0-	13.6	*	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.4	*	5.9	6.1	6.6	*	-0-	6.4	-0-	*
Caesarian Section	Primary	11.8	*	9.7	11.2	10.5	*	*	11.8	-0-	*
	Secondary	8.4	-0-	5.4	*	13.8	*	*	8.3	-0-	*
Trimester Prenatal Care Began	First	90.1	*	85.9	93.4	93.4	*	*	90.2	*	*
	Third or No Care	*	*	*	*	*	-0-	-0-	*	-0-	*
First Birth		32.1	*	40.9	27.6	14.5	*	*	32.1	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Marshall County - 2001

Population Estimates	
Total	13,000
Under 65 Years	10,570
65 and Older	2,430

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	172	3	1	--	2	--	3	7	10	21	59	66	
Male	72	1	1	--	1	--	1	3	5	15	21	24	
Female	100	2	--	--	1	--	2	4	5	6	38	42	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	172	3	1	--	2	--	3	7	10	21	59	66	
Male	72	1	1	--	1	--	1	3	5	15	21	24	
Female	100	2	--	--	1	--	2	4	5	6	38	42	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	172	--	172	--	--		26	146			1,323.1	1,280.2	246.0	6,008.2
5-Year Average (1997-2001)	162	<1	162	<1	<1		23	140			1,281.2	N.A.	222.2	5,606.4
# Infectious and parasitic diseases	2	--	2	--	--		2	--		*	*	*	*	-0-
# Septicemia	1	--	1	--	--		1	--		*	*	*	*	-0-
# Viral hepatitis	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# HIV disease	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Malignant neoplasms	34	--	34	--	--		8	26		261.5	308.5	*	*	1,070.0
Lip, oral cavity and pharynx	1	--	1	--	--		--	1		*	*	-0-	*	*
Colorectal	6	--	6	--	--		2	4		*	36.0	*	*	*
Bronchus and lung	7	--	7	--	--		1	6		*	74.6	*	*	*
Female breast	3	--	3	--	--		--	3		* ³	25.7 ³	-0- ³	-0- ³	* ³
Cervical	1	--	1	--	--		1	--		* ³	* ³	* ³	-0- ³	-0- ³
Prostate	--	--	--	--	--		--	--		-0- ³	* ³	-0- ³	-0- ³	-0- ³
# Diabetes mellitus	8	--	8	--	--		1	7		*	51.4	*	*	*
# Alzheimer's disease	11	--	11	--	--		1	10		84.6	48.8	*	*	411.5
Major cardiovascular diseases	65	--	65	--	--		4	61		500.0	519.3	*	*	2,510.3
# Diseases of heart	52	--	52	--	--		4	48		400.0	401.0	*	*	1,975.3
Ischemic heart disease	36	--	36	--	--		1	35		276.9	311.1	*	*	1,440.3
# Cerebrovascular diseases	13	--	13	--	--		--	13		100.0	79.7	-0-	-0-	535.0
# Atherosclerosis	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
# Aortic aneurysm and dissection	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
Respiratory diseases	16	--	16	--	--		1	15		123.1	113.1	*	*	617.3
# Influenza and pneumonia	5	--	5	--	--		--	5		*	28.3	-0-	*	*
# Chronic lower resp. diseases	9	--	9	--	--		1	8		*	66.8	*	*	*
Emphysema	3	--	3	--	--		--	3		*	*	-0-	*	*
Asthma	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
# Nephritis, nephrotic syn. & nephrosis	3	--	3	--	--		--	3		*	*	-0-	*	*
# Certain perinatal conditions	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Congenital malformations	2	--	2	--	--		2	--		*	*	*	*	-0-
SIDS	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
External causes	7	--	7	--	--		5	2		*	56.6	*	*	*
# Accidents	5	--	5	--	--		4	1		*	51.4	*	*	*
Motor vehicle accidents	4	--	4	--	--		4	--		*	*	*	*	-0-
All other accidents	1	--	1	--	--		--	1		*	28.3	-0-	*	*
# Suicide	2	--	2	--	--		1	1		*	*	*	*	*
# Homicide	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Mason County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	200	34	64	55	35	10	2	196	--	2
Sex	Male	113	19	41	31	16	5	1	111	--	1
	Female	87	15	23	24	19	5	1	85	--	1
Race	White	196	33	63	55	34	9	2			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	2	--	1	--	1	--	--			
Multiple Births		6	4	--	2	--	--	--	6	--	--
Marital Status	Married	123	6	33	41	33	8	2	121	--	2
	Single	77	28	31	14	2	2	--	75	--	--
Mother Not High School Graduate		43	15	16	8	2	2	--	42	--	--
Birthweight	Very Low (0-1,499 Grams)	3	--	2	1	--	--	--	3	--	1
	Low (0-2,499 Grams)	16	5	3	6	2	--	--	16	--	2
Caesarian Section	Primary	21	3	7	7	2	2	--	21	--	--
	Secondary	18	1	4	4	3	5	1	17	--	1
Trimester Prenatal Care Began	First	181	30	57	52	31	9	2	178	--	1
	Third or No Care	6	2	1	2	1	--	--	6	--	--
First Birth		70	27	24	12	6	1	--	67	--	--
2001 Percentages²											
Live Births	Total	100.0	17.0	32.0	27.5	17.5	5.0	*	98.0	-0-	*
Sex	Male	56.5	*	*	*	*	*	*	56.6	-0-	*
	Female	43.5	*	*	*	*	*	*	43.4	-0-	*
Race	White	98.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	*	-0-	-0-			
Multiple Births		*	*	-0-	*	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	61.5	*	*	*	*	*	*	61.7	-0-	*
	Single	38.5	*	*	*	*	*	-0-	38.3	-0-	-0-
Mother Not High School Graduate		21.5	*	*	*	*	*	-0-	21.4	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	-0-	-0-	-0-	*	-0-	*
	Low (0-2,499 Grams)	8.0	*	*	*	*	-0-	-0-	8.2	-0-	*
Caesarian Section	Primary	10.5	*	*	*	*	*	-0-	10.7	-0-	-0-
	Secondary	9.0	*	*	*	*	*	*	8.7	-0-	*
Trimester Prenatal Care Began	First	91.0	*	*	*	*	*	*	90.8	-0-	*
	Third or No Care	*	*	*	*	*	-0-	-0-	*	-0-	-0-
First Birth		35.0	*	*	*	*	*	-0-	34.2	-0-	-0-
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	16.2	31.4	29.7	16.3	6.0	*	99.6	-0-	*
Sex	Male	51.5	50.0	54.9	52.8	46.3	*	*	51.5	-0-	*
	Female	48.5	50.0	45.1	47.2	53.7	*	*	48.5	-0-	*
Race	White	99.6	99.3	99.7	100.0	99.3	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	*	-0-	-0-			
Multiple Births		3.0	*	*	4.8	*	-0-	-0-	3.0	-0-	-0-
Marital Status	Married	66.9	25.7	58.7	81.2	89.9	*	*	67.0	-0-	*
	Single	33.1	74.3	41.3	18.8	10.1	*	*	33.0	-0-	*
Mother Not High School Graduate		19.3	57.1	18.9	9.2	*	*	*	19.3	-0-	*
Birthweight	Very Low (0-1,499 Grams)	1.6	*	*	*	*	-0-	-0-	1.7	-0-	*
	Low (0-2,499 Grams)	7.5	8.8	5.9	8.5	7.4	*	-0-	7.5	-0-	*
Caesarian Section	Primary	13.4	17.6	9.4	15.1	12.8	*	-0-	13.4	-0-	*
	Secondary	7.6	*	5.2	10.0	10.7	*	*	7.5	-0-	*
Trimester Prenatal Care Began	First	87.3	76.4	85.9	91.4	91.9	*	*	87.3	-0-	*
	Third or No Care	1.5	0.7	*	*	*	-0-	-0-	1.5	-0-	-0-
First Birth		31.9	70.9	37.1	21.4	11.4	*	-0-	31.7	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Mason County - 2001

Population Estimates	
Total	16,000
Under 65 Years	13,270
65 and Older	2,730

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	202	1	--	--	4	1	3	8	17	39	65	64
Male	96	1	--	--	2	--	--	6	6	28	31	22
Female	106	--	--	--	2	1	3	2	11	11	34	42
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	201	1	--	--	4	1	3	8	17	38	65	64
Male	95	1	--	--	2	--	--	6	6	27	31	22
Female	106	--	--	--	2	1	3	2	11	11	34	42
All other races	1	--	--	--	--	--	--	--	--	1	--	--
Male	1	--	--	--	--	--	--	--	--	1	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	--	--	1
Male	1	--	--	--	--	--	--	--	--	--	--	1
Female	--	--	--	--	--	--	--	--	--	--	--	--

Deaths by Selected Causes													
	Race Category				Ethnicity	Age		Rates ²					
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age			
								2001	1999 - 2001	0-64	65+		
All Causes - Current Year	202	--	201	1	1	34	168	1,262.5	1,201.2	256.2	6,153.8		
5-Year Average (1997-2001)	197	<1	197	<1	<1	36	161	1,187.7	N.A.	266.0	5,479.9		
Infectious and parasitic diseases	2	--	2	--	--	--	2	*	20.5	-0-	*		
# Septicemia	2	--	2	--	--	--	2	*	*	-0-	*		
# Viral hepatitis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# Malignant neoplasms	54	--	54	--	--	7	47	337.5	299.8	*	1,721.6		
Lip, oral cavity and pharynx	2	--	2	--	--	--	2	*	*	-0-	*		
Colorectal	3	--	3	--	--	--	3	*	30.8	-0-	*		
Bronchus and lung	15	--	15	--	--	2	13	93.8	71.9	*	476.2		
Female breast	4	--	4	--	--	--	4	* ³	22.6 ³	-0- ³	* ³		
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³		
Prostate	3	--	3	--	--	--	3	* ³	24.6 ³	-0- ³	* ³		
# Diabetes mellitus	8	--	8	--	--	1	7	*	28.7	*	*		
# Alzheimer's disease	6	--	6	--	--	--	6	*	26.7	-0-	*		
Major cardiovascular diseases	70	--	69	1	1	11	59	437.5	433.3	82.9	2,161.2		
# Diseases of heart	52	--	51	1	1	11	41	325.0	328.5	82.9	1,501.8		
Ischemic heart disease	42	--	41	1	1	8	34	262.5	232.0	*	1,245.4		
# Cerebrovascular diseases	12	--	12	--	--	--	12	75.0	67.8	-0-	439.6		
# Atherosclerosis	1	--	1	--	--	--	1	*	*	-0-	*		
# Aortic aneurysm and dissection	3	--	3	--	--	--	3	*	*	-0-	*		
Respiratory diseases	15	--	15	--	--	3	12	93.8	139.6	*	439.6		
# Influenza and pneumonia	3	--	3	--	--	--	3	*	32.9	-0-	*		
# Chronic lower resp. diseases	10	--	10	--	--	3	7	62.5	80.1	*	*		
Emphysema	1	--	1	--	--	--	1	*	*	-0-	*		
Asthma	1	--	1	--	--	1	--	*	*	*	-0-		
# Chronic liver disease and cirrhosis	3	--	3	--	--	1	2	*	*	*	*		
# Nephritis, nephrotic syn. & nephrosis	3	--	3	--	--	--	3	*	*	-0-	*		
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Congenital malformations	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
SIDS	1	--	1	--	--	1	--	*	*	*	-0-		
External causes	10	--	10	--	--	6	4	62.5	69.8	*	*		
# Accidents	6	--	6	--	--	3	3	*	51.3	*	*		
Motor vehicle accidents	3	--	3	--	--	2	1	*	*	*	*		
All other accidents	3	--	3	--	--	1	2	*	39.0	*	*		
# Suicide	4	--	4	--	--	3	1	*	*	*	*		
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Massac County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	180	26	56	63	24	10	1	163	17	5
Sex	Male	80	14	23	23	14	5	1	72	8	2
	Female	100	12	33	40	10	5	--	91	9	3
Race	White	163	24	48	59	23	8	1			
	Black	17	2	8	4	1	2	--			
Ethnicity	Hispanic ¹	5	--	2	2	--	1	--			
Multiple Births		6	--	2	2	2	--	--	6	--	--
Marital Status	Married	124	7	32	53	22	9	1	120	4	3
	Single	56	19	24	10	2	1	--	43	13	2
Mother Not High School Graduate		44	18	14	10	2	--	--	41	3	1
Birthweight	Very Low (0-1,499 Grams)	3	2	1	--	--	--	--	2	1	--
	Low (0-2,499 Grams)	12	5	2	3	1	1	--	11	1	--
Caesarian Section	Primary	19	5	1	9	3	1	--	14	5	--
	Secondary	15	2	5	5	1	2	--	12	3	--
Trimester Prenatal Care Began	First	160	21	48	58	22	10	1	151	9	3
	Third or No Care	2	--	2	--	--	--	--	--	2	--
First Birth		65	16	23	19	4	3	--	62	3	4
2001 Percentages ²											
Live Births	Total	100.0	14.4	31.1	35.0	13.3	5.6	*	90.6	9.4	*
Sex	Male	44.4	*	*	*	*	*	*	44.2	*	*
	Female	55.6	*	*	*	*	*	-0-	55.8	*	*
Race	White	90.6	*	*	*	*	*	*			
	Black	9.4	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	-0-	*	-0-			
Multiple Births		*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
Marital Status	Married	68.9	*	*	*	*	*	*	73.6	*	*
	Single	31.1	*	*	*	*	*	-0-	26.4	*	*
Mother Not High School Graduate		24.4	*	*	*	*	-0-	-0-	25.2	*	*
Birthweight	Very Low (0-1,499 Grams)	*	*	*	-0-	-0-	-0-	-0-	*	*	-0-
	Low (0-2,499 Grams)	6.7	*	*	*	*	*	-0-	6.7	*	-0-
Caesarian Section	Primary	10.6	*	*	*	*	*	-0-	8.6	*	-0-
	Secondary	8.3	*	*	*	*	*	-0-	7.4	*	-0-
Trimester Prenatal Care Began	First	89.4	*	*	*	*	*	*	93.2	*	*
	Third or No Care	*	-0-	*	-0-	-0-	-0-	-0-	-0-	*	-0-
First Birth		36.1	*	*	*	*	*	-0-	38.0	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	16.4	35.3	27.8	13.7	6.0	*	91.8	7.8	1.2
Sex	Male	48.5	51.0	49.7	44.4	48.4	*	*	48.0	*	*
	Female	51.5	49.0	50.3	55.6	51.6	*	*	52.0	*	*
Race	White	91.8	89.9	89.1	95.2	96.0	*	*			
	Black	7.8	8.7	10.9	4.4	*	*	*			
Ethnicity	Hispanic ¹	1.2	*	*	*	-0-	*	-0-			
Multiple Births		3.2	-0-	*	6.0	*	-0-	-0-	3.2	*	-0-
Marital Status	Married	67.5	31.5	59.1	82.5	90.3	*	*	70.8	*	*
	Single	32.5	68.5	40.9	17.5	9.7	*	-0-	29.2	*	*
Mother Not High School Graduate		23.6	61.7	25.0	9.9	10.5	*	-0-	23.9	*	*
Birthweight	Very Low (0-1,499 Grams)	1.1	*	*	*	-0-	-0-	-0-	*	*	-0-
	Low (0-2,499 Grams)	6.4	11.4	5.3	6.0	*	*	*	6.5	*	-0-
Caesarian Section	Primary	12.8	13.4	12.2	13.5	10.5	*	*	11.8	*	*
	Secondary	6.6	*	5.0	6.7	14.5	*	-0-	6.6	*	-0-
Trimester Prenatal Care Began	First	89.3	82.4	86.8	94.0	93.5	*	*	90.7	*	*
	Third or No Care	2.3	*	*	*	*	*	-0-	1.8	*	-0-
First Birth		37.0	73.8	37.2	31.3	13.7	*	-0-	37.5	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Massac County - 2001

Population Estimates	
Total	15,000
Under 65 Years	12,380
65 and Older	2,620

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	212	--	--	--	2	--	5	10	38	35	62	60
Male	98	--	--	--	--	--	3	7	15	24	35	14
Female	114	--	--	--	2	--	2	3	23	11	27	46
Black	20	--	--	--	--	--	2	2	2	3	7	4
Male	10	--	--	--	--	--	1	2	1	1	4	1
Female	10	--	--	--	--	--	1	--	1	2	3	3
White	191	--	--	--	2	--	2	8	36	32	55	56
Male	88	--	--	--	--	--	2	5	14	23	31	13
Female	103	--	--	--	2	--	--	3	22	9	24	43
All other races	1	--	--	--	--	--	1	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	1	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹	0-64	65+				All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	212	20	191	1	--	55	157				1,413.3	1,515.4	444.3	5,992.4
5-Year Average (1997-2001)	221	15	206	<1	--	46	176				1,452.8	N.A.	367.7	6,307.5
# Infectious and parasitic diseases	5	--	5	--	--	3	2				*	*	*	*
# Septicemia	3	--	3	--	--	1	2				*	*	*	*
# Viral hepatitis	--	--	--	--	--	--	--				-0-	*	-0-	-0-
# HIV disease	2	--	2	--	--	2	--				*	*	*	-0-
# Malignant neoplasms	44	2	42	--	--	17	27				293.3	290.7	137.3	1,030.5
Lip, oral cavity and pharynx	1	--	1	--	--	1	--				*	*	*	-0-
Colorectal	6	--	6	--	--	1	5				*	33.0	*	*
Bronchus and lung	15	1	14	--	--	3	12				100.0	79.3	*	458.0
Female breast	2	--	2	--	--	1	1				* ³	* ³	* ³	* ³
Cervical	--	--	--	--	--	--	--				-0- ³	* ³	-0- ³	-0- ³
Prostate	4	1	3	--	--	2	2				* ³	22.0 ³	* ³	* ³
# Diabetes mellitus	2	--	2	--	--	--	2				*	33.0	-0-	*
# Alzheimer's disease	3	1	2	--	--	--	3				*	24.2	-0-	*
Major cardiovascular diseases	88	7	81	--	--	12	76				586.7	616.7	96.9	2,900.8
# Diseases of heart	68	3	65	--	--	8	60				453.3	467.0	*	2,290.1
Ischemic heart disease	53	3	50	--	--	6	47				353.3	328.2	*	1,793.9
# Cerebrovascular diseases	19	4	15	--	--	4	15				126.7	121.1	*	572.5
# Atherosclerosis	--	--	--	--	--	--	--				-0-	*	-0-	-0-
# Aortic aneurysm and dissection	--	--	--	--	--	--	--				-0-	*	-0-	-0-
Respiratory diseases	27	5	22	--	--	7	20				180.0	218.1	*	763.4
# Influenza and pneumonia	5	--	5	--	--	--	5				*	44.1	-0-	*
# Chronic lower resp. diseases	13	3	10	--	--	3	10				86.7	134.4	*	381.7
Emphysema	1	--	1	--	--	--	1				*	*	-0-	*
Asthma	--	--	--	--	--	--	--				-0-	*	-0-	-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--				-0-	*	-0-	-0-
# Nephritis, nephrotic syn. & nephrosis	3	1	2	--	--	1	2				*	22.0	*	*
# Certain perinatal conditions	--	--	--	--	--	--	--				-0-	*	-0-	-0-
# Congenital malformations	1	--	1	--	--	--	1				*	*	-0-	*
SIDS	--	--	--	--	--	--	--				-0-	-0-	-0-	-0-
External causes	11	--	11	--	--	7	4				73.3	77.1	*	*
# Accidents	9	--	9	--	--	6	3				*	57.3	*	*
Motor vehicle accidents	3	--	3	--	--	3	--				*	*	*	-0-
All other accidents	6	--	6	--	--	3	3				*	37.4	*	*
# Suicide	1	--	1	--	--	--	1				*	*	-0-	*
# Homicide	1	--	1	--	--	1	--				*	*	*	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Menard County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	140	19	23	43	32	20	3	140	--	--
Sex	Male	82	11	12	29	18	10	2	82	--	--
	Female	58	8	11	14	14	10	1	58	--	--
Race	White	140	19	23	43	32	20	3			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		10	--	--	6	--	4	--	10	--	--
Marital Status	Married	103	2	11	39	32	16	3	103	--	--
	Single	37	17	12	4	--	4	--	37	--	--
Mother Not High School Graduate		15	7	4	3	--	1	--	15	--	--
Birthweight	Very Low (0-1,499 Grams)	4	--	--	3	1	--	--	4	--	--
	Low (0-2,499 Grams)	16	--	2	7	3	4	--	16	--	--
Caesarian Section	Primary	23	1	4	6	6	5	1	23	--	--
	Secondary	11	--	2	4	4	1	--	11	--	--
Trimester Prenatal	First	129	14	22	40	31	19	3	129	--	--
Care Began	Third or No Care	2	1	--	1	--	--	--	2	--	--
First Birth		48	15	14	12	5	2	--	48	--	--
2001 Percentages ²											
Live Births	Total	100.0	13.6	16.4	30.7	22.9	14.3	*	100.0	-0-	-0-
Sex	Male	58.6	*	*	*	*	*	*	58.6	-0-	-0-
	Female	41.4	*	*	*	*	*	*	41.4	-0-	-0-
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		7.1	-0-	-0-	*	-0-	*	-0-	7.1	-0-	-0-
Marital Status	Married	73.6	*	*	*	*	*	*	73.6	-0-	-0-
	Single	26.4	*	*	*	-0-	*	-0-	26.4	-0-	-0-
Mother Not High School Graduate		10.7	*	*	*	-0-	*	-0-	10.7	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	-0-	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	11.4	-0-	*	*	*	*	-0-	11.4	-0-	-0-
Caesarian Section	Primary	16.4	*	*	*	*	*	*	16.4	-0-	-0-
	Secondary	7.9	-0-	*	*	*	*	-0-	7.9	-0-	-0-
Trimester Prenatal	First	92.8	*	*	*	*	*	*	92.8	-0-	-0-
Care Began	Third or No Care	*	*	-0-	*	-0-	-0-	-0-	*	-0-	-0-
First Birth		34.3	*	*	*	*	*	-0-	34.3	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	11.0	22.4	28.9	24.5	10.8	2.5	99.6	*	*
Sex	Male	51.7	*	51.0	52.5	52.4	*	*	51.7	-0-	*
	Female	48.3	*	49.0	47.5	47.6	*	*	48.3	*	-0-
Race	White	99.6	*	100.0	99.0	100.0	*	*			
	Black	*	-0-	-0-	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	-0-	*	-0-	-0-			
Multiple Births		3.8	*	-0-	5.0	*	*	*	3.8	-0-	-0-
Marital Status	Married	74.6	*	58.1	88.5	91.8	*	*	74.6	-0-	*
	Single	25.4	*	41.9	11.5	8.2	*	*	25.4	*	-0-
Mother Not High School Graduate		12.4	*	20.0	5.0	*	*	-0-	12.5	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	-0-	*	*	-0-	*	*	-0-	-0-
	Low (0-2,499 Grams)	8.1	*	*	8.5	8.8	*	*	8.1	-0-	-0-
Caesarian Section	Primary	14.4	*	15.5	17.5	11.2	*	*	14.5	-0-	-0-
	Secondary	7.2	-0-	*	7.5	10.0	*	-0-	7.2	-0-	-0-
Trimester Prenatal	First	91.2	*	87.0	95.5	97.1	*	*	91.3	*	-0-
Care Began	Third or No Care	2.0	0.6	*	*	*	*	-0-	2.0	-0-	-0-
First Birth		32.3	*	43.9	31.0	15.9	*	-0-	32.3	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Menard County - 2001

Population Estimates	
Total	12,600
Under 65 Years	10,900
65 and Older	1,700

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	133	2	--	--	4	2	2	11	12	23	32	45	
Male	56	2	--	--	1	1	1	7	10	11	13	10	
Female	77	--	--	--	3	1	1	4	2	12	19	35	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	133	2	--	--	4	2	2	11	12	23	32	45	
Male	56	2	--	--	1	1	1	7	10	11	13	10	
Female	77	--	--	--	3	1	1	4	2	12	19	35	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	133	--	133	--	--		33	100		1,055.6	989.4		302.8	5,882.4
5-Year Average (1997-2001)	120	<1	120	--	--		25	96		967.8	N.A.		228.9	5,661.9
Infectious and parasitic diseases	--	--	--	--	--		--	--		-0-	*		-0-	-0-
# Septicemia	--	--	--	--	--		--	--		-0-	-0-		-0-	-0-
# Viral hepatitis	--	--	--	--	--		--	--		-0-	-0-		-0-	-0-
# HIV disease	--	--	--	--	--		--	--		-0-	-0-		-0-	-0-
# Malignant neoplasms	31	--	31	--	--		10	21		246.0	221.6		91.7	1,235.3
Lip, oral cavity and pharynx	1	--	1	--	--		1	--		*	*		*	-0-
Colorectal	3	--	3	--	--		2	1		*	*		*	*
Bronchus and lung	10	--	10	--	--		1	9		79.4	66.0		*	*
Female breast	3	--	3	--	--		--	3		* ³	* ³		-0- ³	* ³
Cervical	1	--	1	--	--		1	--		* ³	* ³		* ³	-0- ³
Prostate	2	--	2	--	--		--	2		* ³	* ³		-0- ³	* ³
# Diabetes mellitus	2	--	2	--	--		2	--		*	*		*	-0-
# Alzheimer's disease	2	--	2	--	--		--	2		*	*		-0-	*
Major cardiovascular diseases	45	--	45	--	--		8	37		357.1	366.8		*	2,176.5
# Diseases of heart	33	--	33	--	--		7	26		261.9	285.0		*	1,529.4
Ischemic heart disease	23	--	23	--	--		6	17		182.5	203.2		*	1,000.0
# Cerebrovascular diseases	10	--	10	--	--		1	9		79.4	66.0		*	*
# Atherosclerosis	--	--	--	--	--		--	--		-0-	*		-0-	-0-
# Aortic aneurysm and dissection	1	--	1	--	--		--	1		*	*		-0-	*
Respiratory diseases	14	--	14	--	--		2	12		111.1	116.1		*	705.9
# Influenza and pneumonia	4	--	4	--	--		--	4		*	29.0		-0-	*
# Chronic lower resp. diseases	7	--	7	--	--		1	6		*	63.3		*	*
Emphysema	1	--	1	--	--		--	1		*	*		-0-	*
Asthma	1	--	1	--	--		--	1		*	*		-0-	*
# Chronic liver disease and cirrhosis	1	--	1	--	--		1	--		*	*		*	-0-
# Nephritis, nephrotic syn. & nephrosis	2	--	2	--	--		--	2		*	*		-0-	*
# Certain perinatal conditions	2	--	2	--	--		2	--		*	*		*	-0-
# Congenital malformations	--	--	--	--	--		--	--		-0-	-0-		-0-	-0-
SIDS	--	--	--	--	--		--	--		-0-	-0-		-0-	-0-
External causes	15	--	15	--	--		8	7		119.0	84.4		*	*
# Accidents	10	--	10	--	--		6	4		79.4	63.3		*	*
Motor vehicle accidents	6	--	6	--	--		5	1		*	39.6		*	*
All other accidents	4	--	4	--	--		1	3		*	*		*	*
# Suicide	3	--	3	--	--		1	2		*	*		*	*
# Homicide	1	--	1	--	--		1	--		*	*		*	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Mercer County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	219	21	47	67	62	18	4	219	--	6
Sex	Male	111	12	27	31	29	11	1	111	--	3
	Female	108	9	20	36	33	7	3	108	--	3
Race	White	219	21	47	67	62	18	4			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	6	1	1	2	2	--	--			
Multiple Births		10	--	2	--	8	--	--	10	--	--
Marital Status	Married	171	5	30	62	57	15	2	171	--	5
	Single	48	16	17	5	5	3	2	48	--	1
Mother Not High School Graduate		20	11	5	2	1	1	--	20	--	--
Birthweight	Very Low (0-1,499 Grams)	2	1	--	1	--	--	--	2	--	--
	Low (0-2,499 Grams)	19	3	4	3	8	1	--	19	--	--
Caesarian Section	Primary	29	3	5	15	4	2	--	29	--	--
	Secondary	24	--	2	6	11	4	1	24	--	--
Trimester Prenatal Care Began	First	198	15	43	63	59	14	4	198	--	6
	Third or No Care	3	--	1	2	--	--	--	3	--	--
First Birth		65	18	21	17	9	--	--	65	--	1
2001 Percentages ²											
Live Births	Total	100.0	9.6	21.5	30.6	28.3	8.2	*	100.0	-0-	*
Sex	Male	50.7	*	*	*	*	*	*	50.7	-0-	*
	Female	49.3	*	*	*	*	*	*	49.3	-0-	*
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	*	-0-	-0-			
Multiple Births		4.6	-0-	*	-0-	*	-0-	-0-	4.6	-0-	-0-
Marital Status	Married	78.1	*	*	*	*	*	*	78.1	-0-	*
	Single	21.9	*	*	*	*	*	*	21.9	-0-	*
Mother Not High School Graduate		9.1	*	*	*	*	*	-0-	9.1	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	8.7	*	*	*	*	*	-0-	8.7	-0-	-0-
Caesarian Section	Primary	13.2	*	*	*	*	*	-0-	13.2	-0-	-0-
	Secondary	11.0	-0-	*	*	*	*	*	11.0	-0-	-0-
Trimester Prenatal Care Began	First	90.8	*	*	*	*	*	*	90.8	-0-	*
	Third or No Care	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
First Birth		29.7	*	*	*	*	-0-	-0-	29.7	-0-	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	10.5	25.9	30.5	24.6	7.0	1.6	99.5	-0-	2.0
Sex	Male	50.9	56.4	53.4	49.8	47.9	*	*	51.0	-0-	*
	Female	49.1	43.6	46.6	50.2	52.1	*	*	49.0	-0-	*
Race	White	99.5	99.0	99.2	99.7	99.6	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	2.0	*	*	*	*	*	-0-			
Multiple Births		3.2	-0-	*	*	6.4	*	-0-	3.2	-0-	-0-
Marital Status	Married	76.8	24.8	70.3	88.4	90.3	*	*	77.1	-0-	*
	Single	23.2	75.2	29.7	11.6	9.7	*	*	22.9	-0-	*
Mother Not High School Graduate		9.5	49.0	10.0	*	*	*	*	9.5	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	-0-	*
	Low (0-2,499 Grams)	5.7	*	7.2	4.4	6.8	*	-0-	5.8	-0-	*
Caesarian Section	Primary	13.1	12.9	11.6	16.0	11.4	*	*	13.2	-0-	*
	Secondary	10.0	*	6.0	10.2	14.0	*	*	9.9	-0-	*
Trimester Prenatal Care Began	First	90.2	72.0	91.2	93.2	95.7	*	*	90.1	-0-	*
	Third or No Care	1.9	0.4	*	*	*	*	*	1.9	-0-	-0-
First Birth		31.3	79.2	41.8	26.6	13.6	*	*	31.2	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Mercer County - 2001

Population Estimates	
Total	17,000
Under 65 Years	14,330
65 and Older	2,670

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	172	--	--	1	--	3	3	11	10	31	49	64
Male	89	--	--	1	--	1	1	8	7	16	26	29
Female	83	--	--	--	--	2	2	3	3	15	23	35
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	172	--	--	1	--	3	3	11	10	31	49	64
Male	89	--	--	1	--	1	1	8	7	16	26	29
Female	83	--	--	--	--	2	2	3	3	15	23	35
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
											All Ages		Age	
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			2001	1999 - 2001	0-64	65+
All Causes - Current Year	172	--	172	--	--		28	144			1,011.8	1,073.4	195.4	5,393.3
5-Year Average (1997-2001)	183	<1	183	<1	<1		36	147			1,040.9	N.A.	243.2	5,260.9
# Infectious and parasitic diseases	3	--	3	--	--		--	3		*	*	*	-0-	*
# Septicemia	2	--	2	--	--		--	2		*	*	*	-0-	*
# Viral hepatitis	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# HIV disease	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Malignant neoplasms	42	--	42	--	--		12	30		247.1	233.6	83.7	1,123.6	
Lip, oral cavity and pharynx	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
Colorectal	2	--	2	--	--		--	2		*	*	*	-0-	*
Bronchus and lung	11	--	11	--	--		3	8		64.7	63.7	*	*	*
Female breast	2	--	2	--	--		1	1		* ³	* ³	* ³	* ³	* ³
Cervical	--	--	--	--	--		--	--		-0- ³	-0- ³	-0- ³	-0- ³	-0- ³
Prostate	1	--	1	--	--		--	1		* ³	* ³	* ³	-0- ³	* ³
# Diabetes mellitus	8	--	8	--	--		--	8		*	59.8	-0-	-0-	*
# Alzheimer's disease	5	--	5	--	--		--	5		*	29.0	-0-	-0-	*
Major cardiovascular diseases	79	--	79	--	--		8	71		464.7	476.8	*	2,659.2	
# Diseases of heart	62	--	62	--	--		5	57		364.7	362.9	*	2,134.8	
Ischemic heart disease	32	--	32	--	--		1	31		188.2	239.4	*	1,161.0	
# Cerebrovascular diseases	11	--	11	--	--		1	10		64.7	77.2	*	374.5	
# Atherosclerosis	1	--	1	--	--		1	--		*	*	*	-0-	-0-
# Aortic aneurysm and dissection	2	--	2	--	--		--	2		*	*	-0-	-0-	*
Respiratory diseases	13	--	13	--	--		2	11		76.5	86.9	*	412.0	
# Influenza and pneumonia	1	--	1	--	--		--	1		*	*	-0-	-0-	*
# Chronic lower resp. diseases	9	--	9	--	--		1	8		*	59.8	*	*	*
Emphysema	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
Asthma	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
# Nephritis, nephrotic syn. & nephrosis	2	--	2	--	--		--	2		*	*	-0-	-0-	*
# Certain perinatal conditions	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Congenital malformations	1	--	1	--	--		1	--		*	*	*	-0-	-0-
SIDS	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
External causes	7	--	7	--	--		4	3		*	40.5	*	*	*
# Accidents	6	--	6	--	--		3	3		*	38.6	*	*	*
Motor vehicle accidents	2	--	2	--	--		2	--		*	*	*	-0-	-0-
All other accidents	4	--	4	--	--		1	3		*	23.2	*	*	*
# Suicide	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Homicide	1	--	1	--	--		1	--		*	*	*	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Monroe County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	355	19	52	102	119	56	7	353	--	3
Sex	Male	192	10	28	60	64	28	2	191	--	2
	Female	163	9	24	42	55	28	5	162	--	1
Race	White	353	19	52	101	118	56	7			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	3	--	1	1	1	--	--			
Multiple Births		14	--	--	2	10	--	2	14	--	--
Marital Status	Married	298	1	32	93	112	53	7	296	--	3
	Single	57	18	20	9	7	3	--	57	--	--
Mother Not High School Graduate		11	8	--	2	--	1	--	10	--	--
Birthweight	Very Low (0-1,499 Grams)	2	--	--	--	1	--	1	2	--	--
	Low (0-2,499 Grams)	28	1	2	9	9	4	3	28	--	--
Caesarian Section	Primary	55	3	9	10	23	5	5	54	--	--
	Secondary	40	1	1	8	17	12	1	40	--	--
Trimester Prenatal	First	331	15	47	98	114	50	7	330	--	3
Care Began	Third or No Care	3	2	1	--	--	--	--	3	--	--
First Birth		113	16	29	40	20	8	--	111	--	1
2001 Percentages²											
Live Births	Total	100.0	5.4	14.6	28.7	33.5	15.8	*	99.4	-0-	*
Sex	Male	54.1	*	*	58.8	53.8	*	*	54.1	-0-	*
	Female	45.9	*	*	41.2	46.2	*	*	45.9	-0-	*
Race	White	99.4	*	*	99.0	99.2	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	*	-0-	-0-			
Multiple Births		3.9	-0-	-0-	*	8.4	-0-	*	4.0	-0-	-0-
Marital Status	Married	83.9	*	*	91.2	94.1	*	*	83.9	-0-	*
	Single	16.1	*	*	*	*	*	-0-	16.1	-0-	-0-
Mother Not High School Graduate		3.1	*	-0-	*	-0-	*	-0-	2.8	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	-0-	-0-	*	-0-	*	*	-0-	-0-
	Low (0-2,499 Grams)	7.9	*	*	*	*	*	*	7.9	-0-	-0-
Caesarian Section	Primary	15.5	*	*	9.8	19.3	*	*	15.3	-0-	-0-
	Secondary	11.3	*	*	*	14.3	*	*	11.3	-0-	-0-
Trimester Prenatal	First	95.9	*	*	97.0	99.1	*	*	96.2	-0-	*
Care Began	Third or No Care	*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First Birth		31.8	*	*	39.2	16.8	*	-0-	31.4	-0-	*
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	5.9	15.6	30.8	31.9	13.8	2.1	99.3	*	*
Sex	Male	52.5	*	52.1	55.8	51.6	52.2	*	52.5	-0-	*
	Female	47.5	*	47.9	44.2	48.4	47.8	*	47.5	*	*
Race	White	99.3	*	99.6	98.8	99.6	99.1	*			
	Black	*	-0-	-0-	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	*	-0-	-0-			
Multiple Births		4.5	*	*	2.9	6.4	6.1	*	4.6	-0-	-0-
Marital Status	Married	84.5	*	64.9	90.8	95.1	93.9	*	84.6	-0-	*
	Single	15.5	*	35.1	9.2	4.9	6.1	-0-	15.4	*	*
Mother Not High School Graduate		3.6	*	5.8	*	*	*	-0-	3.6	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	1.3	*	*	*	*	*	*	1.2	-0-	-0-
	Low (0-2,499 Grams)	7.4	*	5.4	6.3	8.3	6.6	*	7.4	-0-	-0-
Caesarian Section	Primary	15.6	*	16.2	15.9	15.7	13.6	*	15.5	-0-	-0-
	Secondary	9.4	*	4.6	5.5	13.0	15.8	*	9.5	-0-	-0-
Trimester Prenatal	First	94.2	*	88.1	97.4	98.3	93.8	*	94.2	*	*
Care Began	Third or No Care	0.9	0.2	*	*	*	-0-	-0-	0.9	-0-	-0-
First Birth		31.9	*	49.4	36.8	19.7	12.3	*	31.9	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Monroe County - 2001

Population Estimates	
Total	28,500
Under 65 Years	24,740
65 and Older	3,760

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	230	--	--	--	2	1	8	13	23	41	75	67
Male	104	--	--	--	2	1	3	7	11	28	34	18
Female	126	--	--	--	--	--	5	6	12	13	41	49
Black	1	--	--	--	--	--	--	1	--	--	--	--
Male	1	--	--	--	--	--	--	1	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	229	--	--	--	2	1	8	12	23	41	75	67
Male	103	--	--	--	2	1	3	6	11	28	34	18
Female	126	--	--	--	--	--	5	6	12	13	41	49
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity	Age								
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age				
								2001	1999 - 2001	0-64	65+			
All Causes - Current Year	230	1	229	--	--	47	183	807.0	839.9	190.0	4,867.0			
5-Year Average (1997-2001)	231	<1	230	<1	<1	44	186	886.9	N.A.	197.8	5,233.3			
Infectious and parasitic diseases	4	--	4	--	--	2	2	*	19.1	*	*			
# Septicemia	4	--	4	--	--	2	2	*	16.7	*	*			
# Viral hepatitis	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Malignant neoplasms	51	--	51	--	--	17	34	178.9	192.4	68.7	904.3			
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	*	-0-			
Colorectal	9	--	9	--	--	--	9	*	32.3	-0-	*			
Bronchus and lung	13	--	13	--	--	5	8	45.6	49.0	*	*			
Female breast	3	--	3	--	--	3	--	* ³	17.9 ³	* ³	-0- ³			
Cervical	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³			
Prostate	3	--	3	--	--	--	3	* ³	13.1 ³	-0- ³	* ³			
# Diabetes mellitus	8	--	8	--	--	1	7	*	22.7	*	*			
# Alzheimer's disease	11	--	11	--	--	--	11	38.6	39.4	-0-	292.6			
Major cardiovascular diseases	82	--	82	--	--	13	69	287.7	321.4	52.5	1,835.1			
# Diseases of heart	61	--	61	--	--	10	51	214.0	235.4	40.4	1,356.4			
Ischemic heart disease	34	--	34	--	--	5	29	119.3	155.3	*	771.3			
# Cerebrovascular diseases	19	--	19	--	--	3	16	66.7	72.9	*	425.5			
# Atherosclerosis	1	--	1	--	--	--	1	*	*	-0-	*			
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
Respiratory diseases	24	--	24	--	--	1	23	84.2	81.2	*	611.7			
# Influenza and pneumonia	3	--	3	--	--	--	3	*	21.5	-0-	*			
# Chronic lower resp. diseases	20	--	20	--	--	1	19	70.2	55.0	*	505.3			
Emphysema	4	--	4	--	--	--	4	*	*	-0-	*			
Asthma	1	--	1	--	--	--	1	*	*	-0-	*			
# Chronic liver disease and cirrhosis	1	--	1	--	--	1	--	*	*	*	-0-			
# Nephritis, nephrotic syn. & nephrosis	2	--	2	--	--	1	1	*	*	*	*			
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Congenital malformations	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
External causes	11	1	10	--	--	10	1	38.6	35.8	40.4	*			
# Accidents	11	1	10	--	--	10	1	38.6	29.9	40.4	*			
Motor vehicle accidents	5	--	5	--	--	5	--	*	15.5	*	-0-			
All other accidents	6	1	5	--	--	5	1	*	14.3	*	*			
# Suicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Homicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-			

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Montgomery County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	331	50	98	94	67	17	5	328	--	5
Sex	Male	166	22	51	48	35	8	2	164	--	3
	Female	165	28	47	46	32	9	3	164	--	2
Race	White	328	50	97	93	66	17	5			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	5	--	1	2	2	--	--			
Multiple Births		6	2	--	--	4	--	--	6	--	--
Marital Status	Married	219	10	54	79	58	14	4	216	--	4
	Single	112	40	44	15	9	3	1	112	--	1
Mother Not High School Graduate		71	31	27	11	2	--	--	70	--	1
Birthweight	Very Low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	23	6	5	5	3	3	1	23	--	--
Caesarian Section	Primary	41	6	17	8	7	3	--	41	--	--
	Secondary	26	1	5	7	11	1	1	25	--	--
Trimester Prenatal Care Began	First	281	36	82	87	56	16	4	279	--	4
	Third or No Care	10	2	4	1	3	--	--	10	--	--
First Birth		104	34	36	22	12	--	--	104	--	--
2001 Percentages ²											
Live Births	Total	100.0	15.1	29.6	28.4	20.2	5.1	*	99.1	-0-	*
Sex	Male	50.2	*	*	*	*	*	*	50.0	-0-	*
	Female	49.8	*	*	*	*	*	*	50.0	-0-	*
Race	White	99.1	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	*	-0-	-0-			
Multiple Births		*	*	-0-	-0-	*	-0-	-0-	*	-0-	-0-
Marital Status	Married	66.2	*	*	*	*	*	*	65.9	-0-	*
	Single	33.8	*	*	*	*	*	*	34.1	-0-	*
Mother Not High School Graduate		21.5	*	*	*	*	-0-	-0-	21.3	-0-	*
Birthweight	Very Low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	6.9	*	*	*	*	*	*	7.0	-0-	-0-
Caesarian Section	Primary	12.4	*	*	*	*	*	-0-	12.5	-0-	-0-
	Secondary	7.9	*	*	*	*	*	*	7.6	-0-	-0-
Trimester Prenatal Care Began	First	85.2	*	*	*	*	*	*	85.3	-0-	*
	Third or No Care	3.0	*	*	*	*	-0-	-0-	3.1	-0-	-0-
First Birth		31.4	*	*	*	*	-0-	-0-	31.7	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	15.2	31.1	27.4	18.8	6.4	1.2	99.1	*	0.8
Sex	Male	51.8	52.1	52.8	51.5	50.2	52.8	*	51.8	*	*
	Female	48.2	47.9	47.2	48.5	49.8	47.2	*	48.2	*	*
Race	White	99.1	99.2	99.6	98.7	98.4	100.0	*			
	Black	*	*	-0-	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	0.8	*	*	*	*	-0-	-0-			
Multiple Births		2.2	*	2.1	*	*	*	-0-	2.2	-0-	-0-
Marital Status	Married	68.1	23.7	60.9	85.3	87.5	76.9	*	67.9	*	*
	Single	31.9	76.3	39.1	14.7	12.5	23.1	*	32.1	*	*
Mother Not High School Graduate		19.4	55.3	22.4	8.6	7.2	*	*	19.4	-0-	*
Birthweight	Very Low (0-1,499 Grams)	1.1	*	*	*	*	-0-	*	1.1	-0-	-0-
	Low (0-2,499 Grams)	6.7	12.1	5.9	4.1	6.3	9.3	*	6.7	-0-	*
Caesarian Section	Primary	13.7	15.2	13.1	12.3	13.5	17.6	*	13.7	*	-0-
	Secondary	10.2	*	8.7	9.7	18.5	13.9	*	10.2	*	*
Trimester Prenatal Care Began	First	86.1	76.0	83.0	92.0	88.4	93.5	*	86.2	*	*
	Third or No Care	2.6	5.9	2.7	*	*	*	*	2.6	-0-	*
First Birth		32.3	76.7	33.2	24.1	14.4	13.9	*	32.4	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Montgomery County - 2001

Population Estimates	
Total	30,400
Under 65 Years	25,320
65 and Older	5,080

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	346	1	--	--	12	6	9	24	24	60	95	115	
Male	168	--	--	--	9	5	6	19	16	32	46	35	
Female	178	1	--	--	3	1	3	5	8	28	49	80	
Black	1	--	--	--	--	--	--	1	--	--	--	--	
Male	1	--	--	--	--	--	--	1	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	345	1	--	--	12	6	9	23	24	60	95	115	
Male	167	--	--	--	9	5	6	18	16	32	46	35	
Female	178	1	--	--	3	1	3	5	8	28	49	80	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	3	--	--	--	1	1	--	--	--	1	--	--	
Male	2	--	--	--	1	1	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	--	1	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
											All Ages		Age	
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			2001	1999 - 2001	0-64	65+
All Causes - Current Year	346	1	345	--	3		76	270			1,138.2	1,241.6	300.2	5,315.0
5-Year Average (1997-2001)	376	3	373	--	2		70	306			1,218.9	N.A.	276.9	5,535.1
# Infectious and parasitic diseases	4	--	4	--	--		2	2		*	14.1	*	*	*
# Septicemia	3	--	3	--	--		1	2		*	10.9	*	*	*
# Viral hepatitis	1	--	1	--	--		1	--		*	*	*	*	-0-
# HIV disease	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Malignant neoplasms	91	--	91	--	--		18	73		299.3	317.7	71.1	1,437.0	
Lip, oral cavity and pharynx	3	--	3	--	--		--	3		*	*	-0-	*	
Colorectal	11	--	11	--	--		1	10		36.2	37.0	*	196.9	
Bronchus and lung	27	--	27	--	--		4	23		88.8	91.4	*	452.8	
Female breast	3	--	3	--	--		1	2		³ 15.2	³ 15.2	³ *	³ *	³ *
Cervical	--	--	--	--	--		--	--		-0- ³	-0- ³	-0- ³	-0- ³	-0- ³
Prostate	6	--	6	--	--		--	6		³ 14.1	³ 14.1	-0- ³	³ *	³ *
# Diabetes mellitus	9	--	9	--	--		2	7		*	30.5	*	*	*
# Alzheimer's disease	7	--	7	--	--		--	7		*	37.0	-0-	*	*
Major cardiovascular diseases	133	1	132	--	1		19	114		437.5	497.3	75.0	2,244.1	
# Diseases of heart	84	1	83	--	1		17	67		276.3	325.4	67.1	1,318.9	
Ischemic heart disease	58	--	58	--	--		12	46		190.8	185.0	47.4	905.5	
# Cerebrovascular diseases	39	--	39	--	--		2	37		128.3	138.2	*	728.3	
# Atherosclerosis	2	--	2	--	--		--	2		*	10.9	-0-	*	*
# Aortic aneurysm and dissection	5	--	5	--	--		--	5		*	14.1	-0-	*	*
Respiratory diseases	35	--	35	--	--		3	32		115.1	131.7	*	629.9	
# Influenza and pneumonia	20	--	20	--	--		--	20		65.8	52.2	-0-	393.7	
# Chronic lower resp. diseases	11	--	11	--	--		2	9		36.2	57.7	*	*	*
Emphysema	1	--	1	--	--		1	--		*	*	*	-0-	-0-
Asthma	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--		--	1		*	*	-0-	*	*
# Nephritis, nephrotic syn. & nephrosis	3	--	3	--	--		1	2		*	14.1	*	*	*
# Certain perinatal conditions	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
# Congenital malformations	1	--	1	--	--		1	--		*	*	*	-0-	-0-
SIDS	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
External causes	27	--	27	--	1		22	5		88.8	78.3	86.9	*	*
# Accidents	18	--	18	--	--		15	3		59.2	44.6	59.2	*	*
Motor vehicle accidents	13	--	13	--	--		13	--		42.8	21.8	51.3	-0-	-0-
All other accidents	5	--	5	--	--		2	3		*	22.9	*	*	*
# Suicide	7	--	7	--	1		6	1		*	28.3	*	*	*
# Homicide	1	--	1	--	--		1	--		*	*	*	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Morgan County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	423	59	122	111	90	36	5	391	25	7
Sex	Male	218	29	64	59	48	17	1	198	15	1
	Female	205	30	58	52	42	19	4	193	10	6
Race	White	391	51	109	108	83	35	5			
	Black	25	7	10	3	5	--	--			
Ethnicity	Hispanic ¹	7	3	1	1	1	1	--			
Multiple Births		8	--	2	2	4	--	--	8	--	--
Marital Status	Married	258	7	57	82	79	29	4	250	3	2
	Single	165	52	65	29	11	7	1	141	22	5
Mother Not High School Graduate		77	35	28	11	1	2	--	61	14	3
Birthweight	Very Low (0-1,499 Grams)	3	--	1	2	--	--	--	3	--	--
	Low (0-2,499 Grams)	27	2	10	10	4	1	--	25	2	--
Caesarian Section	Primary	61	10	19	13	12	6	1	55	5	--
	Secondary	42	1	8	13	13	6	1	40	2	--
Trimester Prenatal Care Began	First	369	46	100	100	85	34	4	346	17	4
	Third or No Care	8	1	3	1	--	2	1	8	--	--
First Birth		138	45	50	24	13	6	--	131	3	3
2001 Percentages ²											
Live Births	Total	100.0	13.9	28.8	26.2	21.3	8.5	*	92.4	5.9	*
Sex	Male	51.5	*	52.5	53.2	*	*	*	50.6	*	*
	Female	48.5	*	47.5	46.8	*	*	*	49.4	*	*
Race	White	92.4	*	89.3	97.3	*	*	*			
	Black	5.9	*	8.2	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	*	*	-0-			
Multiple Births		*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
Marital Status	Married	61.0	*	46.7	73.9	*	*	*	63.9	*	*
	Single	39.0	*	53.3	26.1	*	*	*	36.1	*	*
Mother Not High School Graduate		18.2	*	23.0	9.9	*	*	-0-	15.6	*	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.4	*	8.2	9.0	*	*	-0-	6.4	*	-0-
Caesarian Section	Primary	14.4	*	15.6	11.7	*	*	*	14.1	*	-0-
	Secondary	9.9	*	*	11.7	*	*	*	10.2	*	-0-
Trimester Prenatal Care Began	First	87.2	*	82.0	90.1	*	*	*	88.5	*	*
	Third or No Care	*	*	*	*	-0-	*	*	*	-0-	-0-
First Birth		32.6	*	41.0	21.6	*	*	*	33.5	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	14.3	28.1	28.1	19.5	8.1	1.8	93.8	5.4	1.5
Sex	Male	51.2	50.2	49.9	52.5	52.1	52.4	*	50.6	57.1	*
	Female	48.8	49.8	50.1	47.5	47.9	47.6	*	49.4	42.9	*
Race	White	93.8	89.2	90.2	97.2	96.8	94.0	*			
	Black	5.4	10.2	8.4	2.4	2.7	*	*			
Ethnicity	Hispanic ¹	1.5	*	*	*	*	*	-0-			
Multiple Births		2.4	-0-	*	4.5	2.5	*	-0-	2.6	-0-	-0-
Marital Status	Married	64.7	13.6	53.7	79.1	87.3	85.1	*	67.2	18.8	*
	Single	35.3	86.4	46.3	20.9	12.7	14.9	*	32.8	81.3	*
Mother Not High School Graduate		18.3	61.0	21.0	8.5	4.0	*	*	16.8	43.8	*
Birthweight	Very Low (0-1,499 Grams)	1.7	*	1.7	2.8	*	*	*	1.7	*	-0-
	Low (0-2,499 Grams)	8.3	6.8	8.1	8.8	8.2	10.1	*	8.1	14.3	*
Caesarian Section	Primary	14.8	12.2	14.6	13.1	15.6	20.8	*	15.0	10.7	*
	Secondary	10.1	*	6.7	11.6	15.9	15.5	*	10.2	10.7	*
Trimester Prenatal Care Began	First	85.8	68.8	83.7	91.0	91.3	91.0	*	87.1	63.6	*
	Third or No Care	2.2	1.0	2.2	*	*	*	*	2.1	*	*
First Birth		34.1	70.2	37.9	30.9	16.9	16.1	*	34.8	21.4	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Morgan County - 2001

Population Estimates	
Total	36,200
Under 65 Years	30,540
65 and Older	5,660

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	399	--	--	1	7	5	8	21	37	77	107	136	
Male	181	--	--	1	3	4	6	9	20	48	43	47	
Female	218	--	--	--	4	1	2	12	17	29	64	89	
Black	11	--	--	--	1	1	--	3	3	1	2	--	
Male	4	--	--	--	1	1	--	1	1	--	--	--	
Female	7	--	--	--	--	--	--	2	2	1	2	--	
White	388	--	--	1	6	4	8	18	34	76	105	136	
Male	177	--	--	1	2	3	6	8	19	48	43	47	
Female	211	--	--	--	4	1	2	10	15	28	62	89	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	--	1	--	
Male	1	--	--	--	--	--	--	--	--	--	1	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	399	11	388	--	1	79	320	1,102.2	1,118.6	258.7	5,653.7		
5-Year Average (1997-2001)	399	13	385	<1	1	77	322	1,097.4	N.A.	253.4	5,533.4		
# Infectious and parasitic diseases	3	1	2	--	--	1	2	*	12.9	*	*		*
# Septicemia	2	--	2	--	--	--	2	*	11.9	-0-	*		*
# Viral hepatitis	1	1	--	--	--	1	--	*	*	*	-0-		-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# Malignant neoplasms	100	2	98	--	--	26	74	276.2	269.3	85.1	1,307.4		
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
Colorectal	12	--	12	--	--	1	11	33.1	29.4	*	194.3		
Bronchus and lung	30	--	30	--	--	8	22	82.9	85.5	*	388.7		
Female breast	2	--	2	--	--	2	--	³ 11.9	³ 11.9	³ *	-0-		³ -0-
Cervical	2	--	2	--	--	1	1	³ *	³ *	³ *	³ *		³ *
Prostate	4	--	4	--	--	1	3	³ *	³ 15.6	³ *	³ *		³ *
# Diabetes mellitus	6	--	6	--	--	2	4	*	19.3	*	*		*
# Alzheimer's disease	4	--	4	--	--	--	4	*	12.9	-0-	*		*
Major cardiovascular diseases	160	4	156	--	1	14	146	442.0	461.4	45.8	2,579.5		
# Diseases of heart	125	2	123	--	--	11	114	345.3	358.5	36.0	2,014.1		
Ischemic heart disease	90	1	89	--	--	7	83	248.6	271.1	*	1,466.4		
# Cerebrovascular diseases	26	2	24	--	1	2	24	71.8	78.1	*	424.0		
# Atherosclerosis	1	--	1	--	--	--	1	*	*	-0-	*		*
# Aortic aneurysm and dissection	5	--	5	--	--	--	5	*	11.9	-0-	*		*
Respiratory diseases	46	--	46	--	--	6	40	127.1	146.1	*	706.7		
# Influenza and pneumonia	16	--	16	--	--	1	15	44.2	52.4	*	265.0		
# Chronic lower resp. diseases	25	--	25	--	--	4	21	69.1	74.4	*	371.0		
Emphysema	7	--	7	--	--	2	5	*	14.7	*	*		*
Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Chronic liver disease and cirrhosis	4	--	4	--	--	2	2	*	*	*	*		*
# Nephritis, nephrotic syn. & nephrosis	4	--	4	--	--	--	4	*	11.9	-0-	*		*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Congenital malformations	2	1	1	--	--	2	--	*	*	*	-0-		-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
External causes	25	1	24	--	--	15	10	69.1	53.3	49.1	176.7		
# Accidents	20	1	19	--	--	13	7	55.2	43.2	42.6	*		*
Motor vehicle accidents	12	1	11	--	--	9	3	33.1	23.0	*	*		*
All other accidents	8	--	8	--	--	4	4	*	20.2	*	*		*
# Suicide	2	--	2	--	--	--	2	*	*	-0-	*		*
# Homicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Moultrie County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	199	22	63	59	36	13	6	197	--	--
Sex	Male	98	12	31	26	16	7	6	97	--	--
	Female	101	10	32	33	20	6	--	100	--	--
Race	White	197	22	63	58	35	13	6			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		11	2	--	2	3	2	2	11	--	--
Marital Status	Married	155	4	50	51	34	12	4	153	--	--
	Single	44	18	13	8	2	1	2	44	--	--
Mother Not High School Graduate		63	13	23	13	8	3	3	63	--	--
Birthweight	Very Low (0-1,499 Grams)	3	1	--	2	--	--	--	3	--	--
	Low (0-2,499 Grams)	23	5	5	7	5	1	--	23	--	--
Caesarian Section	Primary	25	4	5	7	7	2	--	25	--	--
	Secondary	16	--	4	3	6	1	2	16	--	--
Trimester Prenatal	First	148	15	46	43	31	9	4	146	--	--
Care Began	Third or No Care	11	3	3	2	1	1	1	11	--	--
First Birth		55	16	18	14	4	3	--	54	--	--
2001 Percentages ²											
Live Births	Total	100.0	11.1	31.7	29.6	18.1	6.5	*	99.0	-0-	-0-
Sex	Male	49.2	*	*	*	*	*	*	49.2	-0-	-0-
	Female	50.8	*	*	*	*	*	-0-	50.8	-0-	-0-
Race	White	99.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		5.5	*	-0-	*	*	*	*	5.6	-0-	-0-
Marital Status	Married	77.9	*	*	*	*	*	*	77.7	-0-	-0-
	Single	22.1	*	*	*	*	*	*	22.3	-0-	-0-
Mother Not High School Graduate		31.8	*	*	*	*	*	*	32.1	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	11.6	*	*	*	*	*	-0-	11.7	-0-	-0-
Caesarian Section	Primary	12.6	*	*	*	*	*	-0-	12.7	-0-	-0-
	Secondary	8.0	-0-	*	*	*	*	*	8.1	-0-	-0-
Trimester Prenatal	First	77.1	*	*	*	*	*	*	76.8	-0-	-0-
Care Began	Third or No Care	5.7	*	*	*	*	*	*	5.8	-0-	-0-
First Birth		27.6	*	*	*	*	*	*	27.4	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	11.3	31.3	31.3	17.0	7.7	1.5	99.2	-0-	*
Sex	Male	55.0	49.5	52.2	55.2	60.9	*	*	55.0	-0-	*
	Female	45.0	50.5	47.8	44.8	39.1	*	*	45.0	-0-	-0-
Race	White	99.2	98.1	100.0	98.7	98.8	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	*	-0-	-0-			
Multiple Births		2.4	*	*	*	*	*	*	2.4	-0-	-0-
Marital Status	Married	79.3	22.4	76.1	91.6	95.0	*	*	79.4	-0-	*
	Single	20.7	77.6	23.9	8.4	*	*	*	20.6	-0-	-0-
Mother Not High School Graduate		30.0	57.5	32.7	22.6	18.6	*	*	30.1	-0-	*
Birthweight	Very Low (0-1,499 Grams)	1.4	*	*	*	*	-0-	-0-	1.4	-0-	-0-
	Low (0-2,499 Grams)	6.7	12.1	6.4	5.4	6.2	*	*	6.7	-0-	-0-
Caesarian Section	Primary	11.9	9.3	11.8	13.1	13.7	*	-0-	11.9	-0-	*
	Secondary	7.9	*	6.1	6.7	15.5	*	*	8.0	-0-	*
Trimester Prenatal	First	76.1	69.5	75.3	79.7	82.5	*	*	76.1	-0-	*
Care Began	Third or No Care	4.8	*	5.2	4.1	*	*	*	4.8	-0-	-0-
First Birth		29.3	80.4	32.7	21.9	15.5	*	-0-	29.1	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Moultrie County - 2001

Population Estimates	
Total	14,300
Under 65 Years	11,770
65 and Older	2,530

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	192	4	--	--	3	2	6	8	5	32	60	72	
Male	73	2	--	--	3	2	4	7	2	17	19	17	
Female	119	2	--	--	--	--	2	1	3	15	41	55	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	190	4	--	--	2	2	5	8	5	32	60	72	
Male	71	2	--	--	2	2	3	7	2	17	19	17	
Female	119	2	--	--	--	--	2	1	3	15	41	55	
All other races	2	--	--	--	1	--	1	--	--	--	--	--	
Male	2	--	--	--	1	--	1	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	1	--	--	--	--	--	--	1	--	--	--	--	
Male	1	--	--	--	--	--	--	1	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	192	--	190	2	1	28	164	1,342.7	1,400.0	237.9	6,482.2		
5-Year Average (1997-2001)	201	<1	200	<1	<1	26	175	1,418.3	N.A.	227.6	6,513.0		
# Infectious and parasitic diseases	4	--	4	--	--	--	4	*	*	-0-	*		
# Septicemia	3	--	3	--	--	--	3	*	*	-0-	*		
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# Malignant neoplasms	40	--	40	--	--	10	30	279.7	276.7	85.0	1,185.8		
# Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	*	-0-	*		
# Colorectal	3	--	3	--	--	--	3	*	*	-0-	*		
# Bronchus and lung	18	--	18	--	--	2	16	125.9	100.0	*	632.4		
# Female breast	5	--	5	--	--	4	1	³ 34.9	³ 34.9	³ *	³ 632.4		
# Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³		
# Prostate	2	--	2	--	--	--	2	³ *	³ *	-0- ³	³ *		
# Diabetes mellitus	7	--	7	--	--	--	7	*	46.5	-0-	*		
# Alzheimer's disease	2	--	2	--	--	--	2	*	*	-0-	*		
# Major cardiovascular diseases	71	--	71	--	--	4	67	496.5	569.8	*	2,648.2		
# Diseases of heart	55	--	55	--	--	4	51	384.6	407.0	*	2,015.8		
# Ischemic heart disease	34	--	34	--	--	4	30	237.8	251.2	*	1,185.8		
# Cerebrovascular diseases	13	--	13	--	--	--	13	90.9	118.6	-0-	513.8		
# Atherosclerosis	1	--	1	--	--	--	1	*	*	-0-	*		
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*		
# Respiratory diseases	18	--	18	--	--	--	18	125.9	148.8	-0-	711.5		
# Influenza and pneumonia	4	--	4	--	--	--	4	*	55.8	-0-	*		
# Chronic lower resp. diseases	10	--	10	--	--	--	10	69.9	67.4	-0-	395.3		
# Emphysema	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Asthma	1	--	1	--	--	--	1	*	*	-0-	*		
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Nephritis, nephrotic syn. & nephrosis	5	--	5	--	--	--	5	*	23.3	-0-	*		
# Certain perinatal conditions	4	--	4	--	--	4	--	*	*	*	-0-		
# Congenital malformations	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# External causes	13	--	11	2	1	8	5	90.9	76.7	*	*		
# Accidents	10	--	8	2	1	6	4	69.9	62.8	*	*		
# Motor vehicle accidents	6	--	5	1	--	4	2	*	23.3	*	*		
# All other accidents	4	--	3	1	1	2	2	*	39.5	*	*		
# Suicide	3	--	3	--	--	2	1	*	*	*	*		
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Ogle County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	589	45	162	170	148	54	10	573	6	88
Sex	Male	307	25	88	88	79	24	3	301	4	51
	Female	282	20	74	82	69	30	7	272	2	37
Race	White	573	43	157	167	143	53	10			
	Black	6	1	4	--	1	--	--			
Ethnicity	Hispanic ¹	88	10	34	25	11	7	1			
Multiple Births		23	--	--	2	19	2	--	21	--	--
Marital Status	Married	420	9	86	132	135	50	8	411	1	53
	Single	169	36	76	38	13	4	2	162	5	35
Mother Not High School Graduate		106	27	46	22	6	4	1	102	2	43
Birthweight	Very Low (0-1,499 Grams)	11	2	2	1	6	--	--	11	--	--
	Low (0-2,499 Grams)	47	6	6	13	16	4	2	47	--	6
Caesarian Section	Primary	86	4	16	28	28	9	1	84	--	11
	Secondary	69	--	14	14	29	9	3	67	--	12
Trimester Prenatal Care Began	First	485	34	128	140	136	41	6	473	3	66
	Third or No Care	14	1	7	3	2	1	--	14	--	5
First Birth		191	32	66	62	23	7	1	188	1	30
2001 Percentages ²											
Live Births	Total	100.0	7.6	27.5	28.9	25.1	9.2	1.7	97.3	*	14.9
Sex	Male	52.1	*	54.3	51.8	53.4	*	*	52.5	*	*
	Female	47.9	*	45.7	48.2	46.6	*	*	47.5	*	*
Race	White	97.3	*	96.9	98.2	96.6	*	*			
	Black	*	*	*	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	14.9	*	21.0	14.7	7.4	*	*			
Multiple Births		3.9	-0-	-0-	*	12.8	*	-0-	3.7	-0-	-0-
Marital Status	Married	71.3	*	53.1	77.6	91.2	*	*	71.7	*	*
	Single	28.7	*	46.9	22.4	8.8	*	*	28.3	*	*
Mother Not High School Graduate		18.0	*	28.4	12.9	*	*	*	17.8	*	*
Birthweight	Very Low (0-1,499 Grams)	1.9	*	*	*	*	-0-	-0-	1.9	-0-	-0-
	Low (0-2,499 Grams)	8.0	*	*	7.6	10.8	*	*	8.2	-0-	*
Caesarian Section	Primary	14.6	*	9.9	16.5	18.9	*	*	14.7	-0-	*
	Secondary	11.7	-0-	8.6	8.2	19.6	*	*	11.7	-0-	*
Trimester Prenatal Care Began	First	82.6	*	79.0	82.8	91.9	*	*	82.8	*	*
	Third or No Care	2.4	*	*	*	*	*	-0-	2.5	-0-	*
First Birth		32.4	*	40.7	36.5	15.5	*	-0-	32.8	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	10.4	24.4	31.5	23.3	8.9	1.4	98.6	0.6	12.5
Sex	Male	50.7	54.5	50.5	50.3	50.9	50.6	*	50.7	*	53.1
	Female	49.3	45.5	49.5	49.7	49.1	49.4	*	49.3	*	46.9
Race	White	98.6	98.4	98.1	98.4	99.1	99.3	*			
	Black	0.6	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	12.5	17.2	18.7	11.4	6.8	9.7	*			
Multiple Births		3.8	*	*	3.0	7.0	7.5	*	3.8	-0-	-0-
Marital Status	Married	72.2	19.4	55.7	82.6	91.0	91.4	*	72.5	*	60.8
	Single	27.8	80.6	44.3	17.4	9.0	8.6	*	27.5	*	39.2
Mother Not High School Graduate		18.2	57.6	26.1	11.2	5.4	9.4	*	18.1	*	51.1
Birthweight	Very Low (0-1,499 Grams)	1.2	*	*	*	2.0	*	-0-	1.2	-0-	*
	Low (0-2,499 Grams)	7.3	9.6	5.6	6.8	8.0	9.0	*	7.4	-0-	6.1
Caesarian Section	Primary	14.4	16.2	10.6	15.7	14.5	16.5	*	14.4	*	13.6
	Secondary	10.8	*	7.4	10.4	16.5	17.6	*	10.8	*	15.7
Trimester Prenatal Care Began	First	82.6	69.0	78.1	85.5	89.9	83.1	*	82.8	*	69.4
	Third or No Care	2.4	0.9	3.9	2.0	*	*	*	2.4	-0-	5.1
First Birth		30.9	74.2	36.8	30.5	14.4	11.6	*	31.0	*	27.5

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Ogle County - 2001

Population Estimates	
Total	51,700
Under 65 Years	44,800
65 and Older	6,900

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	444	6	--	--	6	5	13	26	40	91	116	141	
Male	205	5	--	--	4	5	8	19	25	45	53	41	
Female	239	1	--	--	2	--	5	7	15	46	63	100	
Black	1	--	--	--	1	--	--	--	--	--	--	--	
Male	1	--	--	--	1	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	443	6	--	--	5	5	13	26	40	91	116	141	
Male	204	5	--	--	3	5	8	19	25	45	53	41	
Female	239	1	--	--	2	--	5	7	15	46	63	100	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	5	1	--	--	1	--	--	--	1	2	--	--	
Male	5	1	--	--	1	--	--	--	1	2	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	444	1	443	--	5	96	348	858.8	880.6	214.3	5,043.5		
5-Year Average (1997-2001)	450	2	448	<1	4	89	362	897.2	N.A.	205.7	5,142.2		
# Infectious and parasitic diseases	2	--	2	--	--	1	1	*	8.4	*	*		*
# Septicemia	2	--	2	--	--	1	1	*	*	*	*		*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# Malignant neoplasms	108	--	108	--	--	21	87	208.9	212.8	46.9	1,260.9		
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
Colorectal	10	--	10	--	--	1	9	19.3	24.7	*	*		*
Bronchus and lung	34	--	34	--	--	8	26	65.8	55.8	*	376.8		*
Female breast	5	--	5	--	--	--	5	³ 13.6	³ 13.6	-0- ³	³ 376.8		³ *
Cervical	2	--	2	--	--	1	1	³ *	³ *	³ *	³ *		³ *
Prostate	7	--	7	--	--	1	6	³ *	³ 11.7	³ *	³ *		³ *
# Diabetes mellitus	13	--	13	--	--	--	13	25.1	24.7	-0-	188.4		
# Alzheimer's disease	14	--	14	--	--	--	14	27.1	29.9	-0-	202.9		
Major cardiovascular diseases	164	--	164	--	2	26	138	317.2	340.0	58.0	2,000.0		
# Diseases of heart	112	--	112	--	1	22	90	216.6	244.6	49.1	1,304.3		
Ischemic heart disease	62	--	62	--	1	11	51	119.9	142.8	24.6	739.1		
# Cerebrovascular diseases	40	--	40	--	1	4	36	77.4	75.3	*	521.7		
# Atherosclerosis	2	--	2	--	--	--	2	*	*	-0-	*		*
# Aortic aneurysm and dissection	3	--	3	--	--	--	3	*	6.5	-0-	*		*
Respiratory diseases	47	--	47	--	--	8	39	90.9	85.7	*	565.2		
# Influenza and pneumonia	7	--	7	--	--	--	7	*	24.0	-0-	*		*
# Chronic lower resp. diseases	30	--	30	--	--	6	24	58.0	50.0	*	347.8		
Emphysema	5	--	5	--	--	1	4	*	9.1	*	*		*
Asthma	1	--	1	--	--	--	1	*	*	-0-	*		*
# Chronic liver disease and cirrhosis	7	--	7	--	--	2	5	*	10.4	*	*		*
# Nephritis, nephrotic syn. & nephrosis	6	--	6	--	--	--	6	*	14.3	-0-	*		*
# Certain perinatal conditions	4	--	4	--	--	4	--	*	*	*	-0-		-0-
# Congenital malformations	2	--	2	--	1	2	--	*	*	*	-0-		-0-
SIDS	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
External causes	35	1	34	--	1	24	11	67.7	60.4	53.6	159.4		
# Accidents	21	1	20	--	1	14	7	40.6	40.2	31.3	*		*
Motor vehicle accidents	14	1	13	--	1	12	2	27.1	19.5	26.8	*		*
All other accidents	7	--	7	--	--	2	5	*	20.8	*	*		*
# Suicide	10	--	10	--	--	8	2	19.3	16.2	*	*		*
# Homicide	2	--	2	--	--	2	--	*	*	*	-0-		-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Peoria County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	2,584	367	705	726	542	203	41	1,799	696	78
Sex	Male	1,325	201	357	371	273	103	20	914	360	44
	Female	1,259	166	348	355	269	100	21	885	336	34
Race	White	1,799	169	419	569	447	164	31			
	Black	696	196	274	120	67	29	10			
Ethnicity	Hispanic ¹	78	15	31	11	16	5	--			
Multiple Births		63	--	22	18	23	--	--	49	12	2
Marital Status	Married	1,476	27	245	545	459	170	30	1,283	112	42
	Single	1,108	340	460	181	83	33	11	516	584	36
Mother Not High School Graduate		460	231	135	61	19	12	2	216	239	24
Birthweight	Very Low (0-1,499 Grams)	47	12	13	11	10	1	--	27	20	--
	Low (0-2,499 Grams)	202	36	69	47	36	14	--	120	78	7
Caesarian Section	Primary	354	48	99	101	77	22	7	257	83	10
	Secondary	261	5	46	73	87	44	6	169	80	10
Trimester Prenatal Care Began	First	2,186	256	550	649	510	185	36	1,621	484	57
	Third or No Care	85	26	30	17	7	4	1	22	59	3
First Birth		833	245	249	216	90	28	5	590	205	28
2001 Percentages ²											
Live Births	Total	100.0	14.2	27.3	28.1	21.0	7.9	1.6	69.6	26.9	3.0
Sex	Male	51.3	54.8	50.6	51.1	50.4	50.7	*	50.8	51.7	*
	Female	48.7	45.2	49.4	48.9	49.6	49.3	*	49.2	48.3	*
Race	White	69.6	46.0	59.4	78.4	82.5	80.8	*			
	Black	26.9	53.4	38.9	16.5	12.4	14.3	*			
Ethnicity	Hispanic ¹	3.0	4.1	4.4	1.5	3.0	*	-0-			
Multiple Births		2.4	-0-	3.1	2.5	4.2	-0-	-0-	2.7	1.7	*
Marital Status	Married	57.1	7.4	34.8	75.1	84.7	83.7	*	71.3	16.1	*
	Single	42.9	92.6	65.2	24.9	15.3	16.3	*	28.7	83.9	*
Mother Not High School Graduate		17.8	63.3	19.1	8.4	3.5	5.9	*	12.0	34.3	*
Birthweight	Very Low (0-1,499 Grams)	1.8	3.3	1.8	1.5	*	*	-0-	1.5	2.9	-0-
	Low (0-2,499 Grams)	7.8	9.8	9.8	6.5	6.6	6.9	-0-	6.7	11.2	*
Caesarian Section	Primary	13.7	13.1	14.0	13.9	14.2	10.8	*	14.3	11.9	*
	Secondary	10.1	*	6.5	10.1	16.1	21.7	*	9.4	11.5	*
Trimester Prenatal Care Began	First	85.1	70.5	78.3	89.6	94.8	92.0	*	90.6	70.0	*
	Third or No Care	3.3	7.2	4.3	2.3	*	*	*	1.2	8.5	*
First Birth		32.2	66.8	35.3	29.8	16.6	13.8	*	32.8	29.5	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	15.1	26.6	28.1	20.6	8.3	1.3	71.5	25.5	2.6
Sex	Male	51.5	51.6	50.6	51.4	52.4	52.6	46.9	51.8	50.2	51.5
	Female	48.5	48.4	49.4	48.6	47.6	47.4	53.1	48.2	49.8	48.5
Race	White	71.5	46.4	63.2	80.6	82.6	83.0	84.2			
	Black	25.5	52.9	35.0	15.5	13.0	12.1	14.7			
Ethnicity	Hispanic ¹	2.6	3.3	3.3	2.3	1.8	2.0	*			
Multiple Births		2.8	1.1	2.9	2.8	3.8	3.6	-0-	2.9	2.8	*
Marital Status	Married	58.3	7.7	37.5	77.0	85.1	84.4	79.1	71.7	17.3	53.5
	Single	41.7	92.3	62.5	23.0	14.9	15.6	20.9	28.3	82.7	46.5
Mother Not High School Graduate		18.6	62.8	20.6	7.3	4.8	5.9	6.2	12.4	37.1	34.9
Birthweight	Very Low (0-1,499 Grams)	1.8	2.1	2.3	1.5	1.5	1.4	*	1.4	3.2	*
	Low (0-2,499 Grams)	8.3	10.6	9.8	6.6	6.8	8.6	6.2	6.8	12.6	6.1
Caesarian Section	Primary	12.5	11.3	11.7	12.9	13.2	14.2	13.6	12.9	10.6	12.5
	Secondary	9.9	2.6	7.4	10.7	14.5	16.9	10.7	9.4	11.6	12.2
Trimester Prenatal Care Began	First	84.6	67.5	79.5	90.3	92.6	92.3	85.3	89.8	69.5	73.3
	Third or No Care	3.1	6.3	4.1	1.7	1.9	1.6	*	1.7	7.0	4.7
First Birth		31.8	63.6	33.4	29.9	17.7	14.4	11.3	32.4	28.7	30.2

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Peoria County - 2001

Population Estimates	
Total	181,600
Under 65 Years	155,960
65 and Older	25,640

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	1,742	19	3	2	24	20	54	99	143	323	541	514	
Male	820	10	2	1	17	13	33	59	80	173	268	164	
Female	922	9	1	1	7	7	21	40	63	150	273	350	
Black	186	13	2	2	7	9	14	23	25	35	34	22	
Male	95	7	1	1	6	6	8	12	13	19	14	8	
Female	91	6	1	1	1	3	6	11	12	16	20	14	
White	1,552	6	1	--	17	11	40	76	118	287	507	489	
Male	723	3	1	--	11	7	25	47	67	154	254	154	
Female	829	3	--	--	6	4	15	29	51	133	253	335	
All other races	4	--	--	--	--	--	--	--	--	1	--	3	
Male	2	--	--	--	--	--	--	--	--	--	--	2	
Female	2	--	--	--	--	--	--	--	--	1	--	1	
Hispanic ethnicity ¹	12	--	--	--	1	--	2	--	--	1	7	1	
Male	8	--	--	--	1	--	--	--	--	1	5	1	
Female	4	--	--	--	--	--	2	--	--	--	2	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	1,742	186	1,552	4	12	364	1,378	959.3	971.0	233.4	5,374.4		
5-Year Average (1997-2001)	1,746	188	1,552	6	8	382	1,363	955.6	N.A.	244.7	5,165.2		
# Infectious and parasitic diseases		37	9	28	--	1	14	23	20.4	16.4	9.0	89.7	
# Septicemia		28	7	21	--	--	8	20	15.4	11.5	*	78.0	
# Viral hepatitis		1	--	1	--	--	1	--	*	*	*	-0-	
# HIV disease		5	2	3	--	--	5	--	*	2.2	*	-0-	
# Malignant neoplasms		431	39	391	1	5	105	326	237.3	235.5	67.3	1,271.5	
# Lip, oral cavity and pharynx		4	--	4	--	--	--	4	*	3.8	-0-	*	
# Colorectal		45	5	40	--	--	14	31	24.8	26.3	9.0	120.9	
# Bronchus and lung		125	10	114	1	1	34	91	68.8	67.6	21.8	354.9	
# Female breast		26	2	24	--	1	8	18	14.3 ³	16.8 ³	* ³	70.2 ³	
# Cervical		3	--	3	--	--	2	1	* ³	* ³	* ³	* ³	
# Prostate		23	--	23	--	--	1	22	12.7 ³	15.0 ³	* ³	85.8 ³	
# Diabetes mellitus		49	4	44	1	--	7	42	27.0	27.0	*	163.8	
# Alzheimer's disease		36	4	32	--	1	--	36	19.8	22.8	-0-	140.4	
# Major cardiovascular diseases		641	58	582	1	1	73	568	353.0	367.4	46.8	2,215.3	
# Diseases of heart		421	40	380	1	1	52	369	231.8	241.1	33.3	1,439.2	
# Ischemic heart disease		286	25	261	--	1	34	252	157.5	167.3	21.8	982.8	
# Cerebrovascular diseases		180	16	164	--	--	19	161	99.1	92.4	12.2	627.9	
# Atherosclerosis		12	1	11	--	--	--	12	6.6	10.0	-0-	46.8	
# Aortic aneurysm and dissection		11	--	11	--	--	--	11	6.1	10.6	-0-	42.9	
# Respiratory diseases		160	9	150	1	--	21	139	88.1	91.9	13.5	542.1	
# Influenza and pneumonia		46	2	44	--	--	6	40	25.3	23.2	*	156.0	
# Chronic lower resp. diseases		89	5	84	--	--	10	79	49.0	52.2	6.4	308.1	
# Emphysema		19	2	17	--	--	3	16	10.5	9.9	*	62.4	
# Asthma		2	1	1	--	--	1	1	*	2.0	*	*	
# Chronic liver disease and cirrhosis		16	2	14	--	--	6	10	8.8	9.1	*	39.0	
# Nephritis, nephrotic syn. & nephrosis		30	5	25	--	--	1	29	16.5	17.4	*	113.1	
# Certain perinatal conditions		7	4	3	--	--	7	--	*	5.3	*	-0-	
# Congenital malformations		7	2	5	--	1	5	2	*	3.8	*	*	
# SIDS		7	6	1	--	--	7	--	*	2.7	*	-0-	
# External causes		98	24	74	--	1	70	28	54.0	51.9	44.9	109.2	
# Accidents		57	11	46	--	--	34	23	31.4	33.1	21.8	89.7	
# Motor vehicle accidents		23	4	19	--	--	19	4	12.7	11.7	12.2	*	
# All other accidents		34	7	27	--	--	15	19	18.7	21.4	9.6	74.1	
# Suicide		17	--	17	--	--	15	2	9.4	8.4	9.6	*	
# Homicide		18	13	5	--	1	17	1	9.9	7.7	10.9	*	

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Perry County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	233	25	72	81	31	20	4	227	5	1
Sex	Male	125	13	42	45	13	11	1	121	3	1
	Female	108	12	30	36	18	9	3	106	2	--
Race	White	227	24	69	80	31	19	4			
	Black	5	1	2	1	--	1	--			
Ethnicity	Hispanic ¹	1	--	1	--	--	--	--			
Multiple Births		14	--	2	10	2	--	--	14	--	--
Marital Status	Married	159	8	34	65	30	18	4	157	2	--
	Single	74	17	38	16	1	2	--	70	3	1
Mother Not High School Graduate		38	16	17	5	--	--	--	36	2	--
Birthweight	Very Low (0-1,499 Grams)	1	--	1	--	--	--	--	1	--	--
	Low (0-2,499 Grams)	22	3	10	6	2	1	--	22	--	--
Caesarian Section	Primary	35	3	17	9	3	2	1	34	--	--
	Secondary	26	1	3	7	12	2	1	26	--	--
Trimester Prenatal Care Began	First	199	19	62	69	28	18	3	193	5	1
	Third or No Care	3	1	1	--	--	--	1	3	--	--
First Birth		74	19	25	25	3	2	--	71	2	1
2001 Percentages ²											
Live Births	Total	100.0	10.7	30.9	34.8	13.3	8.6	*	97.4	*	*
Sex	Male	53.6	*	*	*	*	*	*	53.3	*	*
	Female	46.4	*	*	*	*	*	*	46.7	*	-0-
Race	White	97.4	*	*	*	*	*	*			
	Black	*	*	*	*	-0-	*	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	-0-	-0-	-0-			
Multiple Births		6.0	-0-	*	*	*	-0-	-0-	6.2	-0-	-0-
Marital Status	Married	68.2	*	*	*	*	*	*	69.2	*	-0-
	Single	31.8	*	*	*	*	*	-0-	30.8	*	*
Mother Not High School Graduate		16.3	*	*	*	-0-	-0-	-0-	15.9	*	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	9.4	*	*	*	*	*	-0-	9.7	-0-	-0-
Caesarian Section	Primary	15.0	*	*	*	*	*	*	15.0	-0-	-0-
	Secondary	11.2	*	*	*	*	*	*	11.5	-0-	-0-
Trimester Prenatal Care Began	First	85.8	*	*	*	*	*	*	85.4	*	*
	Third or No Care	*	*	*	-0-	-0-	-0-	*	*	-0-	-0-
First Birth		31.8	*	*	*	*	*	*	31.3	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	14.4	31.2	32.3	14.7	6.1	1.3	96.7	2.5	0.8
Sex	Male	53.9	50.6	57.5	53.0	56.6	*	*	54.0	*	*
	Female	46.1	49.4	42.5	47.0	43.4	*	*	46.0	*	*
Race	White	96.7	93.6	96.8	97.4	97.1	*	*			
	Black	2.5	5.8	2.7	*	*	*	-0-			
Ethnicity	Hispanic ¹	0.8	*	*	*	-0-	-0-	-0-			
Multiple Births		3.1	*	*	5.7	*	-0-	*	3.2	-0-	-0-
Marital Status	Married	65.2	22.7	53.0	78.4	90.3	*	*	66.4	*	*
	Single	34.8	77.3	47.0	21.6	9.7	*	*	33.6	*	*
Mother Not High School Graduate		20.3	66.3	23.1	7.3	*	*	-0-	19.8	*	*
Birthweight	Very Low (0-1,499 Grams)	1.0	*	*	*	*	*	*	1.0	*	-0-
	Low (0-2,499 Grams)	8.0	12.2	7.3	7.8	5.7	*	*	7.8	*	-0-
Caesarian Section	Primary	13.7	14.5	13.2	14.5	12.6	*	*	13.4	*	*
	Secondary	10.9	*	6.5	12.5	21.1	*	*	11.1	*	*
Trimester Prenatal Care Began	First	87.7	80.6	85.4	90.1	93.1	*	*	88.0	*	*
	Third or No Care	1.6	*	*	*	*	-0-	*	1.6	*	-0-
First Birth		33.4	74.4	40.3	24.4	12.6	*	-0-	33.5	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Perry County - 2001

Population Estimates	
Total	23,000
Under 65 Years	19,360
65 and Older	3,640

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	278	3	--	1	5	2	5	11	28	52	77	94	
Male	128	2	--	1	2	2	4	5	16	28	37	31	
Female	150	1	--	--	3	--	1	6	12	24	40	63	
Black	7	--	--	1	2	--	1	--	--	1	--	2	
Male	5	--	--	1	2	--	1	--	--	1	--	--	
Female	2	--	--	--	--	--	--	--	--	--	--	2	
White	271	3	--	--	3	2	4	11	28	51	77	92	
Male	123	2	--	--	--	2	3	5	16	27	37	31	
Female	148	1	--	--	3	--	1	6	12	24	40	61	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	278	7	271	--	--		55	223			1,208.7	1,089.3	284.1	6,126.4
5-Year Average (1997-2001)	258	6	252	<1	<1		49	209			1,189.3	N.A.	272.1	5,502.9
# Infectious and parasitic diseases	4	--	4	--	--		--	4		*	*	*	-0-	*
# Septicemia	2	--	2	--	--		--	2		*	*	*	-0-	*
# Viral hepatitis	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# HIV disease	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Malignant neoplasms	63	--	63	--	--		18	45		273.9	257.9	93.0	1,236.3	
Lip, oral cavity and pharynx	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
Colorectal	5	--	5	--	--		--	5		*	24.5	-0-	*	*
Bronchus and lung	16	--	16	--	--		7	9		69.6	69.2	*	*	*
Female breast	8	--	8	--	--		3	5		* ³	23.1 ³	* ³	* ³	* ³
Cervical	--	--	--	--	--		--	--		-0- ³	* ³	-0- ³	-0- ³	-0- ³
Prostate	4	--	4	--	--		--	4		* ³	* ³	-0- ³	* ³	* ³
# Diabetes mellitus	8	--	8	--	--		1	7		*	30.3	*	*	*
# Alzheimer's disease	3	1	2	--	--		--	3		*	14.4	-0-	*	*
Major cardiovascular diseases	127	2	125	--	--		12	115		552.2	469.7	62.0	3,159.3	
# Diseases of heart	101	2	99	--	--		9	92		439.1	381.8	*	2,527.5	
Ischemic heart disease	71	2	69	--	--		5	66		308.7	286.7	*	1,813.2	
# Cerebrovascular diseases	19	--	19	--	--		1	18		82.6	63.4	*	494.5	
# Atherosclerosis	2	--	2	--	--		--	2		*	*	-0-	*	*
# Aortic aneurysm and dissection	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
Respiratory diseases	29	--	29	--	--		5	24		126.1	108.1	*	659.3	
# Influenza and pneumonia	10	--	10	--	--		1	9		43.5	34.6	*	*	*
# Chronic lower resp. diseases	16	--	16	--	--		4	12		69.6	56.2	*	329.7	
Emphysema	3	--	3	--	--		--	3		*	*	-0-	*	*
Asthma	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--		--	1		*	*	-0-	*	*
# Nephritis, nephrotic syn. & nephrosis	5	--	5	--	--		--	5		*	21.6	-0-	*	*
# Certain perinatal conditions	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
# Congenital malformations	2	--	2	--	--		2	--		*	*	*	-0-	-0-
SIDS	1	--	1	--	--		1	--		*	*	*	-0-	-0-
External causes	13	2	11	--	--		8	5		56.5	53.3	*	*	*
# Accidents	9	2	7	--	--		5	4		*	40.3	*	*	*
Motor vehicle accidents	3	--	3	--	--		2	1		*	23.1	*	*	*
All other accidents	6	2	4	--	--		3	3		*	17.3	*	*	*
# Suicide	4	--	4	--	--		3	1		*	*	*	*	*
# Homicide	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Piatt County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	165	17	51	44	32	17	4	165	--	--
Sex	Male	90	9	31	25	16	7	2	90	--	--
	Female	75	8	20	19	16	10	2	75	--	--
Race	White	165	17	51	44	32	17	4			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		6	2	2	2	--	--	--	6	--	--
Marital Status	Married	128	4	34	38	32	16	4	128	--	--
	Single	37	13	17	6	--	1	--	37	--	--
Mother Not High School Graduate		25	11	11	1	2	--	--	25	--	--
Birthweight	Very Low (0-1,499 Grams)	3	--	2	1	--	--	--	3	--	--
	Low (0-2,499 Grams)	9	3	2	3	1	--	--	9	--	--
Caesarian Section	Primary	22	3	4	7	5	2	1	22	--	--
	Secondary	12	--	2	6	1	3	--	12	--	--
Trimester Prenatal	First	136	12	46	36	26	14	2	136	--	--
Care Began	Third or No Care	2	1	--	--	--	--	1	2	--	--
First Birth		46	14	17	6	6	3	--	46	--	--
2001 Percentages ²											
Live Births	Total	100.0	10.3	30.9	26.7	19.4	10.3	*	100.0	-0-	-0-
Sex	Male	54.5	*	*	*	*	*	*	54.5	-0-	-0-
	Female	45.5	*	*	*	*	*	*	45.5	-0-	-0-
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	77.6	*	*	*	*	*	*	77.6	-0-	-0-
	Single	22.4	*	*	*	-0-	*	-0-	22.4	-0-	-0-
Mother Not High School Graduate		15.2	*	*	*	*	-0-	-0-	15.2	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	*	-0-	-0-	*	-0-	-0-
Caesarian Section	Primary	13.3	*	*	*	*	*	*	13.3	-0-	-0-
	Secondary	7.3	-0-	*	*	*	*	-0-	7.3	-0-	-0-
Trimester Prenatal	First	91.3	*	*	*	*	*	*	91.3	-0-	-0-
Care Began	Third or No Care	*	*	-0-	-0-	-0-	-0-	*	*	-0-	-0-
First Birth		27.9	*	*	*	*	*	*	27.9	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	8.7	24.3	29.2	24.0	11.8	2.0	99.2	*	1.1
Sex	Male	50.1	*	50.0	52.4	49.8	45.4	*	50.1	*	*
	Female	49.9	*	50.0	47.6	50.2	54.6	*	49.9	*	*
Race	White	99.2	*	98.6	99.6	99.1	100.0	*			
	Black	*	*	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	1.1	*	*	*	*	*	-0-			
Multiple Births		3.0	*	4.5	*	*	*	-0-	3.0	-0-	-0-
Marital Status	Married	81.6	*	72.5	91.8	91.8	94.4	*	81.8	-0-	*
	Single	18.4	*	27.5	8.2	8.2	*	*	18.2	*	*
Mother Not High School Graduate		8.4	*	12.2	*	*	*	*	8.3	*	*
Birthweight	Very Low (0-1,499 Grams)	1.1	-0-	*	*	*	*	-0-	1.1	-0-	-0-
	Low (0-2,499 Grams)	5.4	*	5.0	5.2	5.0	*	*	5.4	-0-	-0-
Caesarian Section	Primary	12.4	*	9.0	12.7	13.2	17.6	*	12.4	-0-	*
	Secondary	6.5	*	*	5.6	7.8	13.9	*	6.5	-0-	*
Trimester Prenatal	First	91.1	*	88.0	94.2	91.9	96.2	*	91.4	*	*
Care Began	Third or No Care	2.1	*	*	*	*	-0-	*	2.1	-0-	-0-
First Birth		31.4	*	38.7	30.7	19.6	12.0	-0-	31.3	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Piatt County - 2001

Population Estimates	
Total	16,400
Under 65 Years	13,830
65 and Older	2,570

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	147	1	--	--	3	--	1	10	17	31	43	41
Male	74	1	--	--	1	--	1	5	8	21	23	14
Female	73	--	--	--	2	--	--	5	9	10	20	27
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	147	1	--	--	3	--	1	10	17	31	43	41
Male	74	1	--	--	1	--	1	5	8	21	23	14
Female	73	--	--	--	2	--	--	5	9	10	20	27
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity	Age		Rates ²						
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age				
								2001	1999 - 2001	0-64	65+			
All Causes - Current Year	147	--	147	--	--	32	115	896.3	921.1	231.4	4,474.7			
5-Year Average (1997-2001)	150	<1	150	--	--	32	118	916.9	N.A.	229.7	4,546.9			
Infectious and parasitic diseases	1	--	1	--	--	1	--	*	*	*	-0-			
# Septicemia	1	--	1	--	--	1	--	*	*	*	-0-			
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Malignant neoplasms	38	--	38	--	--	13	25	231.7	253.0	94.0	972.8			
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
Colorectal	5	--	5	--	--	2	3	*	32.4	*	*			
Bronchus and lung	13	--	13	--	--	7	6	79.3	76.9	*	*			
Female breast	1	--	1	--	--	1	--	* ³	* ³	* ³	-0- ³			
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³			
Prostate	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³			
# Diabetes mellitus	5	--	5	--	--	1	4	*	48.6	*	*			
# Alzheimer's disease	5	--	5	--	--	--	5	*	*	-0-	*			
Major cardiovascular diseases	63	--	63	--	--	8	55	384.1	344.1	*	2,140.1			
# Diseases of heart	46	--	46	--	--	7	39	280.5	251.0	*	1,517.5			
Ischemic heart disease	35	--	35	--	--	4	31	213.4	188.3	*	1,206.2			
# Cerebrovascular diseases	9	--	9	--	--	--	9	*	58.7	-0-	*			
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Aortic aneurysm and dissection	3	--	3	--	--	1	2	*	*	*	*			
Respiratory diseases	15	--	15	--	--	2	13	91.5	81.0	*	505.8			
# Influenza and pneumonia	4	--	4	--	--	--	4	*	24.3	-0-	*			
# Chronic lower resp. diseases	8	--	8	--	--	2	6	*	42.5	*	*			
Emphysema	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
Asthma	1	--	1	--	--	--	1	*	*	-0-	*			
# Chronic liver disease and cirrhosis	2	--	2	--	--	1	1	*	*	*	*			
# Nephritis, nephrotic syn. & nephrosis	1	--	1	--	--	--	1	*	*	-0-	*			
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Congenital malformations	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
SIDS	1	--	1	--	--	1	--	*	*	*	-0-			
External causes	6	--	6	--	--	4	2	*	52.6	*	*			
# Accidents	6	--	6	--	--	4	2	*	40.5	*	*			
Motor vehicle accidents	4	--	4	--	--	3	1	*	*	*	*			
All other accidents	2	--	2	--	--	1	1	*	22.3	*	*			
# Suicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Pike County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	177	18	44	54	52	7	2	177	--	--
Sex	Male	97	12	22	33	26	3	1	97	--	--
	Female	80	6	22	21	26	4	1	80	--	--
Race	White	177	18	44	54	52	7	2			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		10	--	2	--	8	--	--	10	--	--
Marital Status	Married	133	6	25	47	47	6	2	133	--	--
	Single	44	12	19	7	5	1	--	44	--	--
Mother Not High School Graduate		32	12	10	4	6	--	--	32	--	--
Birthweight	Very Low (0-1,499 Grams)	1	--	--	1	--	--	--	1	--	--
	Low (0-2,499 Grams)	14	1	2	1	10	--	--	14	--	--
Caesarian Section	Primary	26	--	9	8	8	1	--	26	--	--
	Secondary	24	--	6	7	9	2	--	24	--	--
Trimester Prenatal	First	159	13	40	47	51	7	1	159	--	--
Care Began	Third or No Care	4	--	1	1	1	--	1	4	--	--
First Birth		49	15	13	11	9	1	--	49	--	--
2001 Percentages ²											
Live Births	Total	100.0	10.2	24.9	30.5	29.4	*	*	100.0	-0-	-0-
Sex	Male	54.8	*	*	*	*	*	*	54.8	-0-	-0-
	Female	45.2	*	*	*	*	*	*	45.2	-0-	-0-
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		5.6	-0-	*	-0-	*	-0-	-0-	5.6	-0-	-0-
Marital Status	Married	75.1	*	*	*	*	*	*	75.1	-0-	-0-
	Single	24.9	*	*	*	*	*	-0-	24.9	-0-	-0-
Mother Not High School Graduate		18.1	*	*	*	*	-0-	-0-	18.1	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.9	*	*	*	*	-0-	-0-	7.9	-0-	-0-
Caesarian Section	Primary	14.7	-0-	*	*	*	*	-0-	14.7	-0-	-0-
	Secondary	13.6	-0-	*	*	*	*	-0-	13.6	-0-	-0-
Trimester Prenatal	First	89.8	*	*	*	*	*	*	89.8	-0-	-0-
Care Began	Third or No Care	*	-0-	*	*	*	-0-	*	*	-0-	-0-
First Birth		27.7	*	*	*	*	*	*	27.7	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	12.7	30.4	29.9	18.4	6.6	2.0	99.6	-0-	*
Sex	Male	53.4	61.2	52.4	54.4	50.6	*	*	53.4	-0-	*
	Female	46.6	38.8	47.6	45.6	49.4	*	*	46.6	-0-	*
Race	White	99.6	100.0	99.7	98.9	100.0	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	-0-	-0-	-0-			
Multiple Births		3.5	-0-	*	*	5.7	*	*	3.5	-0-	-0-
Marital Status	Married	76.4	31.4	67.6	93.0	90.3	*	*	76.3	-0-	*
	Single	23.6	68.6	32.4	7.0	9.7	*	*	23.7	-0-	*
Mother Not High School Graduate		17.3	64.5	16.9	6.0	8.5	*	*	17.4	-0-	*
Birthweight	Very Low (0-1,499 Grams)	1.5	*	-0-	*	*	*	-0-	1.5	-0-	-0-
	Low (0-2,499 Grams)	7.1	*	4.1	4.9	12.5	*	*	7.2	-0-	-0-
Caesarian Section	Primary	14.8	11.6	13.4	16.1	13.1	*	*	14.7	-0-	*
	Secondary	8.9	-0-	7.2	10.2	13.1	*	*	8.8	-0-	-0-
Trimester Prenatal	First	86.8	73.6	84.7	89.8	93.7	*	*	86.8	-0-	*
Care Began	Third or No Care	2.0	*	*	*	*	*	*	2.0	-0-	*
First Birth		32.2	79.3	37.2	23.9	15.9	*	*	32.3	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Pike County - 2001

Population Estimates	
Total	17,100
Under 65 Years	13,840
65 and Older	3,260

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	220	--	2	1	--	1	4	6	21	40	45	100
Male	101	--	--	1	--	1	2	2	11	20	28	36
Female	119	--	2	--	--	--	2	4	10	20	17	64
Black	1	--	--	--	--	--	--	--	1	--	--	--
Male	1	--	--	--	--	--	--	--	1	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	219	--	2	1	--	1	4	6	20	40	45	100
Male	100	--	--	1	--	1	2	2	10	20	28	36
Female	119	--	2	--	--	--	2	4	10	20	17	64
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

Deaths by Selected Causes													
	Race Category				Ethnicity	Age		Rates ²					
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age			
								2001	1999 - 2001	0-64	65+		
All Causes - Current Year	220	1	219	--	--	35	185	1,286.5	1,317.2	252.9	5,674.8		
5-Year Average (1997-2001)	223	<1	223	--	--	34	189	1,295.0	N.A.	248.9	5,547.1		
Infectious and parasitic diseases	6	--	6	--	--	2	4	*	19.3	*	*		
# Septicemia	4	--	4	--	--	1	3	*	*	*	*		
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# HIV disease	1	--	1	--	--	1	--	*	*	*	-0-		
# Malignant neoplasms	59	--	59	--	--	14	45	345.0	336.6	101.2	1,380.4		
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
Colorectal	7	--	7	--	--	1	6	*	40.6	*	*		
Bronchus and lung	14	--	14	--	--	4	10	81.9	89.0	*	306.7		
Female breast	2	--	2	--	--	1	1	* ³	25.1 ³	* ³	* ³		
Cervical	1	--	1	--	--	1	--	* ³	* ³	* ³	-0- ³		
Prostate	2	--	2	--	--	--	2	* ³	* ³	-0- ³	* ³		
# Diabetes mellitus	10	--	10	--	--	1	9	58.5	52.2	*	*		
# Alzheimer's disease	--	--	--	--	--	--	--	-0-	32.9	-0-	-0-		
Major cardiovascular diseases	78	1	77	--	--	10	68	456.1	460.3	72.3	2,085.9		
# Diseases of heart	51	1	50	--	--	9	42	298.2	315.3	*	1,288.3		
Ischemic heart disease	31	1	30	--	--	5	26	181.3	207.0	*	797.5		
# Cerebrovascular diseases	24	--	24	--	--	1	23	140.4	125.7	*	705.5		
# Atherosclerosis	1	--	1	--	--	--	1	*	*	-0-	*		
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
Respiratory diseases	16	--	16	--	--	2	14	93.6	118.0	*	429.4		
# Influenza and pneumonia	3	--	3	--	--	1	2	*	19.3	*	*		
# Chronic lower resp. diseases	9	--	9	--	--	--	9	*	75.4	-0-	*		
Emphysema	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
Asthma	1	--	1	--	--	--	1	*	*	-0-	*		
# Chronic liver disease and cirrhosis	2	--	2	--	--	2	--	*	*	*	-0-		
# Nephritis, nephrotic syn. & nephrosis	3	--	3	--	--	--	3	*	*	-0-	*		
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
External causes	7	--	7	--	--	2	5	*	69.6	*	*		
# Accidents	7	--	7	--	--	2	5	*	58.0	*	*		
Motor vehicle accidents	5	--	5	--	--	2	3	*	29.0	*	*		
All other accidents	2	--	2	--	--	--	2	*	29.0	-0-	*		
# Suicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Pope County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	31	5	8	10	7	1	--	31	--	--
Sex	Male	18	3	4	6	5	--	--	18	--	--
	Female	13	2	4	4	2	1	--	13	--	--
Race	White	31	5	8	10	7	1	--			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		--	--	--	--	--	--	--	--	--	--
Marital Status	Married	23	2	4	10	6	1	--	23	--	--
	Single	8	3	4	--	1	--	--	8	--	--
Mother Not High School Graduate		5	3	1	--	1	--	--	5	--	--
Birthweight	Very Low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	1	--	--	1	--	--	--	1	--	--
Caesarian Section	Primary	6	1	2	1	2	--	--	6	--	--
	Secondary	--	--	--	--	--	--	--	0	--	--
Trimester Prenatal Care Began	First	29	5	7	10	7	--	--	29	--	--
	Third or No Care	--	--	--	--	--	--	--	--	--	--
First Birth		13	4	3	5	1	--	--	13	--	--
2001 Percentages ²											
Live Births	Total	*	*	*	*	*	*	-0-	*	-0-	-0-
Sex	Male	*	*	*	*	*	-0-	-0-	*	-0-	-0-
	Female	*	*	*	*	*	*	-0-	*	-0-	-0-
Race	White	*	*	*	*	*	*	-0-			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Marital Status	Married	*	*	*	*	*	*	-0-	*	-0-	-0-
	Single	*	*	*	-0-	*	-0-	-0-	*	-0-	-0-
Mother Not High School Graduate		*	*	*	-0-	*	-0-	-0-	*	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
Caesarian Section	Primary	*	*	*	*	*	-0-	-0-	*	-0-	-0-
	Secondary	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Trimester Prenatal Care Began	First	*	*	*	*	*	-0-	-0-	*	-0-	-0-
	Third or No Care	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
First Birth		*	*	*	*	*	-0-	-0-	*	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	13.8	29.9	28.2	20.7	*	*	100.0	-0-	-0-
Sex	Male	*	*	*	*	*	*	*	51.1	-0-	-0-
	Female	48.9	*	*	*	*	*	*	48.9	-0-	-0-
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Marital Status	Married	76.4	*	*	*	*	*	*	76.4	-0-	-0-
	Single	23.6	*	*	*	*	-0-	-0-	23.6	-0-	-0-
Mother Not High School Graduate		13.8	*	*	*	*	-0-	-0-	13.8	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	5.7	-0-	*	*	*	-0-	-0-	5.7	-0-	-0-
Caesarian Section	Primary	9.2	*	*	*	*	-0-	-0-	9.2	-0-	-0-
	Secondary	*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
Trimester Prenatal Care Began	First	89.5	*	*	*	*	*	*	89.5	-0-	-0-
	Third or No Care	-0-	0.0	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
First Birth		34.5	*	*	*	*	*	-0-	34.5	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Pope County - 2001

Population Estimates	
Total	4,300
Under 65 Years	3,510
65 and Older	790

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	43	--	--	--	1	1	2	2	7	12	8	10	
Male	20	--	--	--	--	--	1	1	5	6	4	3	
Female	23	--	--	--	1	1	1	1	2	6	4	7	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	43	--	--	--	1	1	2	2	7	12	8	10	
Male	20	--	--	--	--	--	1	1	5	6	4	3	
Female	23	--	--	--	1	1	1	1	2	6	4	7	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
											All Ages		Age	
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			2001	1999 - 2001	0-64	65+
All Causes - Current Year	43	--	43	--	--		13	30			1,000.0	1,097.0	370.4	3,797.5
5-Year Average (1997-2001)	49	<1	48	<1	<1		10	39			1,056.0	N.A.	270.1	4,886.1
Infectious and parasitic diseases	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Septicemia	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# Viral hepatitis	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# HIV disease	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# Malignant neoplasms	10	--	10	--	--		4	6			232.6	261.2	*	*
Lip, oral cavity and pharynx	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
Colorectal	1	--	1	--	--		--	1			*	*	-0-	*
Bronchus and lung	5	--	5	--	--		1	4			*	97.0	*	*
Female breast	2	--	2	--	--		1	1			* ³	* ³	* ³	* ³
Cervical	--	--	--	--	--		--	--			-0- ³	-0- ³	-0- ³	-0- ³
Prostate	--	--	--	--	--		--	--			-0- ³	* ³	-0- ³	-0- ³
# Diabetes mellitus	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Alzheimer's disease	1	--	1	--	--		--	1			*	*	-0-	*
Major cardiovascular diseases	17	--	17	--	--		2	15			395.3	425.4	*	1,898.7
# Diseases of heart	13	--	13	--	--		2	11			302.3	320.9	*	1,392.4
Ischemic heart disease	7	--	7	--	--		2	5			*	238.8	*	*
# Cerebrovascular diseases	1	--	1	--	--		--	1			*	74.6	-0-	*
# Atherosclerosis	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# Aortic aneurysm and dissection	2	--	2	--	--		--	2			*	*	-0-	*
Respiratory diseases	6	--	6	--	--		4	2			*	186.6	*	*
# Influenza and pneumonia	2	--	2	--	--		--	2			*	82.1	-0-	*
# Chronic lower resp. diseases	4	--	4	--	--		4	--			*	74.6	*	-0-
Emphysema	1	--	1	--	--		1	--			*	*	*	-0-
Asthma	1	--	1	--	--		1	--			*	*	*	-0-
# Chronic liver disease and cirrhosis	2	--	2	--	--		1	1			*	*	*	*
# Nephritis, nephrotic syn. & nephrosis	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Certain perinatal conditions	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
# Congenital malformations	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
SIDS	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-
External causes	4	--	4	--	--		2	2			*	*	*	*
# Accidents	3	--	3	--	--		1	2			*	*	*	*
Motor vehicle accidents	1	--	1	--	--		1	--			*	*	*	-0-
All other accidents	2	--	2	--	--		--	2			*	*	-0-	*
# Suicide	1	--	1	--	--		1	--			*	*	*	-0-
# Homicide	--	--	--	--	--		--	--			-0-	-0-	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Pulaski County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	104	24	36	27	12	5	--	72	32	--
Sex	Male	51	14	17	9	8	3	--	30	21	--
	Female	53	10	19	18	4	2	--	42	11	--
Race	White	72	13	27	19	10	3	--			
	Black	32	11	9	8	2	2	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		2	2	--	--	--	--	--	2	--	--
Marital Status	Married	46	5	15	17	8	1	--	42	4	--
	Single	58	19	21	10	4	4	--	30	28	--
Mother Not High School Graduate		26	15	4	3	2	2	--	14	12	--
Birthweight	Very Low (0-1,499 Grams)	4	--	1	1	1	1	--	1	3	--
	Low (0-2,499 Grams)	13	1	2	4	3	3	--	5	8	--
Caesarian Section	Primary	8	2	2	3	1	--	--	5	3	--
	Secondary	10	--	2	6	--	2	--	9	1	--
Trimester Prenatal	First	81	19	28	23	8	3	--	59	22	--
Care Began	Third or No Care	3	--	3	--	--	--	--	2	1	--
First Birth		35	16	16	2	1	--	--	24	11	--
2001 Percentages²											
Live Births	Total	100.0	23.1	34.6	26.0	11.5	*	-0-	69.2	30.8	-0-
Sex	Male	49.0	*	*	*	*	*	-0-	*	*	-0-
	Female	51.0	*	*	*	*	*	-0-	*	*	-0-
Race	White	69.2	*	*	*	*	*	-0-			
	Black	30.8	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	44.2	*	*	*	*	*	-0-	*	*	-0-
	Single	55.8	*	*	*	*	*	-0-	*	*	-0-
Mother Not High School Graduate		25.0	*	*	*	*	*	-0-	*	*	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	*	*	-0-	*	*	-0-
	Low (0-2,499 Grams)	12.5	*	*	*	*	*	-0-	*	*	-0-
Caesarian Section	Primary	*	*	*	*	*	-0-	-0-	*	*	-0-
	Secondary	9.6	-0-	*	*	-0-	*	-0-	*	*	-0-
Trimester Prenatal	First	81.8	*	*	*	*	*	-0-	*	*	-0-
Care Began	Third or No Care	*	-0-	*	-0-	-0-	-0-	-0-	*	*	-0-
First Birth		33.7	*	*	*	*	-0-	-0-	*	*	-0-
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	23.8	33.3	24.0	10.8	6.5	*	61.0	38.4	-0-
Sex	Male	50.0	50.4	49.1	45.9	*	*	*	47.7	52.8	-0-
	Female	50.0	49.6	50.9	54.1	*	*	*	52.3	47.2	-0-
Race	White	61.0	50.4	63.3	71.3	*	*	*			
	Black	38.4	49.6	36.1	27.9	*	*	*			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		*	*	*	-0-	-0-	-0-	-0-	*	*	-0-
Marital Status	Married	47.8	16.5	45.6	69.7	*	*	*	63.5	22.1	-0-
	Single	52.2	83.5	54.4	30.3	*	*	*	36.5	77.9	-0-
Mother Not High School Graduate		23.6	54.5	16.0	10.7	*	*	*	22.9	25.1	-0-
Birthweight	Very Low (0-1,499 Grams)	3.5	*	*	*	*	*	*	*	5.1	-0-
	Low (0-2,499 Grams)	10.8	11.6	8.9	*	*	*	*	7.1	16.4	-0-
Caesarian Section	Primary	11.4	9.9	13.6	10.7	*	*	*	12.6	9.7	-0-
	Secondary	7.3	*	*	13.9	*	*	*	7.7	6.7	-0-
Trimester Prenatal	First	83.7	80.5	84.8	86.0	*	*	*	87.5	77.2	-0-
Care Began	Third or No Care	2.4	0.0	*	*	-0-	*	-0-	*	*	-0-
First Birth		35.4	76.0	37.3	12.3	*	*	-0-	35.8	34.9	-0-

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Pulaski County - 2001

Population Estimates	
Total	7,200
Under 65 Years	5,960
65 and Older	1,240

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	104	--	--	--	1	1	1	10	10	16	30	35	
Male	42	--	--	--	--	--	1	4	3	8	10	16	
Female	62	--	--	--	1	1	--	6	7	8	20	19	
Black	29	--	--	--	1	1	--	3	5	5	10	4	
Male	10	--	--	--	--	--	--	--	2	1	3	4	
Female	19	--	--	--	1	1	--	3	3	4	7	--	
White	75	--	--	--	--	--	1	7	5	11	20	31	
Male	32	--	--	--	--	--	1	4	1	7	7	12	
Female	43	--	--	--	--	--	--	3	4	4	13	19	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	--	1	--	
Male	1	--	--	--	--	--	--	--	--	--	1	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	104	29	75	--	1	23	81	1,444.4	1,474.7	385.9	6,532.3		
5-Year Average (1997-2001)	106	31	75	--	<1	22	84	1,469.4	N.A.	368.7	6,521.7		
# Infectious and parasitic diseases	3	1	2	--	1	1	2	*	*	*	*		
# Septicemia	2	1	1	--	--	1	1	*	*	*	*		
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Malignant neoplasms	18	10	8	--	--	2	16	250.0	299.5	*	1,290.3		
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
Colorectal	2	1	1	--	--	--	2	*	46.1	-0-	*		
Bronchus and lung	3	2	1	--	--	--	3	*	73.7	-0-	*		
Female breast	2	--	2	--	--	--	2	* ³	* ³	-0- ³	* ³		
Cervical	1	1	--	--	--	1	--	* ³	* ³	* ³	-0- ³		
Prostate	2	1	1	--	--	--	2	* ³	* ³	-0- ³	* ³		
# Diabetes mellitus	7	2	5	--	--	1	6	*	59.9	*	*		
# Alzheimer's disease	2	1	1	--	--	1	1	*	*	*	*		
Major cardiovascular diseases	45	8	37	--	--	11	34	625.0	589.9	184.6	2,741.9		
# Diseases of heart	27	6	21	--	--	7	20	375.0	437.8	*	1,612.9		
Ischemic heart disease	19	5	14	--	--	4	15	263.9	294.9	*	1,209.7		
# Cerebrovascular diseases	16	2	14	--	--	4	12	222.2	133.6	*	967.7		
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*		
Respiratory diseases	8	--	8	--	--	1	7	*	161.3	*	*		
# Influenza and pneumonia	3	--	3	--	--	--	3	*	*	-0-	*		
# Chronic lower resp. diseases	4	--	4	--	--	--	4	*	92.2	-0-	*		
Emphysema	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Nephritis, nephrotic syn. & nephrosis	5	3	2	--	--	1	4	*	46.1	*	*		
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Congenital malformations	1	--	1	--	--	1	--	*	*	*	-0-		
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
External causes	2	1	1	--	--	1	1	*	64.5	*	*		
# Accidents	1	--	1	--	--	--	1	*	55.3	-0-	*		
Motor vehicle accidents	1	--	1	--	--	--	1	*	*	-0-	*		
All other accidents	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Suicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Putnam County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	62	7	17	18	15	5	--	62	--	2
Sex	Male	35	6	9	7	8	5	--	35	--	1
	Female	27	1	8	11	7	--	--	27	--	1
Race	White	62	7	17	18	15	5	--			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	2	--	--	--	2	--	--			
Multiple Births		2	--	--	--	--	2	--	2	--	--
Marital Status	Married	44	3	8	16	12	5	--	44	--	2
	Single	18	4	9	2	3	--	--	18	--	--
Mother Not High School Graduate		9	4	4	--	1	--	--	9	--	1
Birthweight	Very Low (0-1,499 Grams)	1	--	--	--	1	--	--	1	--	--
	Low (0-2,499 Grams)	8	--	5	--	1	2	--	8	--	--
Caesarian Section	Primary	10	--	2	1	3	4	--	10	--	--
	Secondary	9	--	2	1	5	1	--	9	--	--
Trimester Prenatal Care Began	First	59	7	15	18	14	5	--	59	--	2
	Third or No Care	--	--	--	--	--	--	--	--	--	--
First Birth		22	6	5	7	2	2	--	22	--	--
2001 Percentages ²											
Live Births	Total	*	*	*	*	*	*	-0-	*	-0-	*
Sex	Male	*	*	*	*	*	*	-0-	*	-0-	*
	Female	*	*	*	*	*	-0-	-0-	*	-0-	*
Race	White	*	*	*	*	*	*	-0-			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	-0-	*	-0-	-0-			
Multiple Births		*	-0-	-0-	-0-	-0-	*	-0-	*	-0-	-0-
Marital Status	Married	*	*	*	*	*	*	-0-	*	-0-	*
	Single	*	*	*	*	*	-0-	-0-	*	-0-	-0-
Mother Not High School Graduate		*	*	*	-0-	*	-0-	-0-	*	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	-0-	*	-0-	*	*	-0-	*	-0-	-0-
Caesarian Section	Primary	*	-0-	*	*	*	*	-0-	*	-0-	-0-
	Secondary	*	-0-	*	*	*	*	-0-	*	-0-	-0-
Trimester Prenatal Care Began	First	*	*	*	*	*	*	-0-	*	-0-	*
	Third or No Care	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
First Birth		*	*	*	*	*	*	-0-	*	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	8.3	23.9	29.9	26.4	10.2	*	99.0	-0-	4.5
Sex	Male	53.8	*	*	*	*	*	*	54.0	-0-	*
	Female	46.2	*	*	*	*	*	*	46.0	-0-	*
Race	White	99.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	4.5	-0-	*	*	*	*	*			
Multiple Births		3.8	-0-	*	-0-	*	*	-0-	3.9	-0-	-0-
Marital Status	Married	74.8	*	*	*	*	*	*	74.6	-0-	*
	Single	25.2	*	*	*	*	*	-0-	25.4	-0-	*
Mother Not High School Graduate		10.2	*	*	*	*	*	*	10.0	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	-0-	-0-	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.3	*	*	*	*	*	-0-	7.4	-0-	-0-
Caesarian Section	Primary	13.7	*	*	*	*	*	*	13.5	-0-	*
	Secondary	11.5	*	*	*	*	*	-0-	11.6	-0-	*
Trimester Prenatal Care Began	First	93.4	*	*	*	*	*	*	94.0	-0-	*
	Third or No Care	*	0.0	-0-	*	-0-	*	-0-	*	-0-	-0-
First Birth		29.0	*	*	*	*	*	-0-	28.6	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Putnam County - 2001

Population Estimates	
Total	6,100
Under 65 Years	5,140
65 and Older	960

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	53	1	--	1	--	--	5	3	3	9	15	16
Male	30	1	--	1	--	--	4	2	2	6	8	6
Female	23	--	--	--	--	--	1	1	1	3	7	10
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	53	1	--	1	--	--	5	3	3	9	15	16
Male	30	1	--	1	--	--	4	2	2	6	8	6
Female	23	--	--	--	--	--	1	1	1	3	7	10
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity	Age								
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age				
								2001	1999 - 2001	0-64	65+			
All Causes - Current Year	53	--	53	--	--	13	40	868.9	912.6	252.9	4,166.7			
5-Year Average (1997-2001)	58	<1	58	--	<1	13	45	973.0	N.A.	254.2	4,668.0			
Infectious and parasitic diseases	1	--	1	--	--	--	1	*	*	-0-	*			
# Septicemia	1	--	1	--	--	--	1	*	*	-0-	*			
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Malignant neoplasms	14	--	14	--	--	2	12	229.5	267.8	*	1,250.0			
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
Colorectal	1	--	1	--	--	--	1	*	*	-0-	*			
Bronchus and lung	4	--	4	--	--	--	4	*	65.6	-0-	*			
Female breast	1	--	1	--	--	1	--	* ³	* ³	* ³	-0- ³			
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³			
Prostate	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³			
# Diabetes mellitus	3	--	3	--	--	1	2	*	*	*	*			
# Alzheimer's disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
Major cardiovascular diseases	16	--	16	--	--	2	14	262.3	295.1	*	1,458.3			
# Diseases of heart	11	--	11	--	--	1	10	180.3	235.0	*	1,041.7			
Ischemic heart disease	7	--	7	--	--	--	7	*	169.4	-0-	*			
# Cerebrovascular diseases	3	--	3	--	--	1	2	*	*	*	*			
# Atherosclerosis	1	--	1	--	--	--	1	*	*	-0-	*			
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*			
Respiratory diseases	4	--	4	--	--	1	3	*	82.0	*	*			
# Influenza and pneumonia	2	--	2	--	--	--	2	*	*	-0-	*			
# Chronic lower resp. diseases	1	--	1	--	--	--	1	*	*	-0-	*			
Emphysema	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
Asthma	1	--	1	--	--	--	1	*	*	-0-	*			
# Chronic liver disease and cirrhosis	2	--	2	--	--	2	--	*	*	*	-0-			
# Nephritis, nephrotic syn. & nephrosis	1	--	1	--	--	--	1	*	*	-0-	*			
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
External causes	6	--	6	--	--	3	3	*	71.0	*	*			
# Accidents	4	--	4	--	--	1	3	*	54.6	*	*			
Motor vehicle accidents	1	--	1	--	--	--	1	*	*	-0-	*			
All other accidents	3	--	3	--	--	1	2	*	*	*	*			
# Suicide	2	--	2	--	--	2	--	*	*	*	-0-			
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Randolph County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	366	47	119	108	59	27	5	342	22	1
Sex	Male	195	29	63	55	30	16	2	187	7	1
	Female	171	18	56	53	29	11	3	155	15	--
Race	White	342	44	109	102	56	25	5			
	Black	22	3	9	6	2	2	--			
Ethnicity	Hispanic ¹	1	--	--	1	--	--	--			
Multiple Births		14	--	2	10	2	--	--	14	--	--
Marital Status	Married	235	10	67	81	50	21	5	226	8	--
	Single	131	37	52	27	9	6	--	116	14	1
Mother Not High School Graduate		64	23	22	13	4	1	1	59	5	--
Birthweight	Very Low (0-1,499 Grams)	7	1	--	4	2	--	--	7	--	--
	Low (0-2,499 Grams)	22	3	4	11	3	1	--	22	--	--
Caesarian Section	Primary	56	10	13	21	8	4	--	56	--	--
	Secondary	33	--	5	15	7	5	1	31	2	--
Trimester Prenatal Care Began	First	308	31	109	92	49	21	5	287	19	--
	Third or No Care	3	--	--	1	1	1	--	3	--	1
First Birth		120	35	51	25	8	1	--	114	6	--
2001 Percentages²											
Live Births	Total	100.0	12.9	32.6	29.6	16.2	7.4	*	93.4	6.0	*
Sex	Male	53.3	*	52.9	50.9	*	*	*	54.7	*	*
	Female	46.7	*	47.1	49.1	*	*	*	45.3	*	-0-
Race	White	93.4	*	91.6	94.4	*	*	*			
	Black	6.0	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple Births		3.8	-0-	*	9.3	*	-0-	-0-	4.1	-0-	-0-
Marital Status	Married	64.2	*	56.3	75.0	*	*	*	66.1	*	-0-
	Single	35.8	*	43.7	25.0	*	*	-0-	33.9	*	*
Mother Not High School Graduate		17.5	*	18.5	12.1	*	*	*	17.3	*	-0-
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.0	*	*	10.2	*	*	-0-	6.4	-0-	-0-
Caesarian Section	Primary	15.3	*	10.9	19.4	*	*	-0-	16.4	-0-	-0-
	Secondary	9.0	-0-	*	13.9	*	*	*	9.1	*	-0-
Trimester Prenatal Care Began	First	85.3	*	91.6	86.0	*	*	*	85.2	*	-0-
	Third or No Care	*	-0-	-0-	*	*	*	-0-	*	-0-	*
First Birth		32.8	*	42.9	23.1	*	*	-0-	33.3	*	-0-
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	13.2	29.7	30.1	17.8	7.9	1.2	93.6	5.5	0.8
Sex	Male	53.6	58.5	52.9	52.7	52.2	55.3	*	54.0	46.7	*
	Female	46.4	41.5	47.1	47.3	47.8	44.7	*	46.0	53.3	*
Race	White	93.6	88.1	92.2	96.0	95.3	95.4	*			
	Black	5.5	10.3	7.4	3.0	3.8	*	*			
Ethnicity	Hispanic ¹	0.8	*	*	*	*	-0-	*			
Multiple Births		3.2	*	1.9	4.7	4.7	*	-0-	3.5	-0-	-0-
Marital Status	Married	68.0	22.9	57.1	81.2	88.6	82.9	*	70.1	33.3	*
	Single	32.0	77.1	42.9	18.8	11.4	17.1	-0-	29.9	66.7	*
Mother Not High School Graduate		18.0	54.0	21.0	10.5	5.9	*	*	17.2	31.4	*
Birthweight	Very Low (0-1,499 Grams)	1.4	*	*	1.7	*	*	-0-	1.5	-0-	*
	Low (0-2,499 Grams)	6.9	10.7	5.8	8.0	4.1	6.6	*	6.7	*	*
Caesarian Section	Primary	14.3	13.4	12.9	15.8	13.8	17.8	*	14.5	10.5	*
	Secondary	10.9	*	7.6	12.2	17.0	19.1	*	10.9	12.4	*
Trimester Prenatal Care Began	First	86.8	76.8	87.2	90.2	88.7	85.2	*	87.3	79.0	*
	Third or No Care	1.7	*	*	*	*	*	-0-	1.6	*	*
First Birth		31.4	75.5	37.4	24.5	11.7	9.9	*	32.0	21.0	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Randolph County - 2001

Population Estimates	
Total	33,900
Under 65 Years	28,670
65 and Older	5,230

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	415	5	1	2	4	8	8	22	33	61	137	134	
Male	193	5	--	2	2	6	5	14	23	31	63	42	
Female	222	--	1	--	2	2	3	8	10	30	74	92	
Black	12	1	--	--	--	--	--	2	2	2	1	4	
Male	8	1	--	--	--	--	--	2	2	1	1	1	
Female	4	--	--	--	--	--	--	--	--	1	--	3	
White	403	4	1	2	4	8	8	20	31	59	136	130	
Male	185	4	--	2	2	6	5	12	21	30	62	41	
Female	218	--	1	--	2	2	3	8	10	29	74	89	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	1	--	--	--	--	--	1	--	--	--	--	--	
Male	1	--	--	--	--	--	1	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
											All Ages		Age	
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			2001	1999 - 2001	0-64	65+
All Causes - Current Year	415	12	403	--	1		83	332		1,224.2	1,135.6		289.5	6,348.0
5-Year Average (1997-2001)	380	10	370	<1	<1		76	304		1,122.2	N.A.		266.4	5,679.6
# Infectious and parasitic diseases	9	--	9	--	1		3	6		*	23.6		*	*
# Septicemia	4	--	4	--	--		--	4		*	11.8		-0-	*
# Viral hepatitis	1	--	1	--	--		1	--		*	*		*	-0-
# HIV disease	1	--	1	--	1		1	--		*	*		*	-0-
# Malignant neoplasms	85	6	79	--	--		22	63		250.7	254.4		76.7	1,204.6
Lip, oral cavity and pharynx	1	--	1	--	--		--	1		*	*		-0-	*
Colorectal	6	1	5	--	--		2	4		*	24.6		*	*
Bronchus and lung	24	1	23	--	--		10	14		70.8	61.9		34.9	267.7
Female breast	6	1	5	--	--		--	6		* ³	24.6 ³		-0- ³	* ³
Cervical	--	--	--	--	--		--	--		-0- ³	* ³		-0- ³	-0- ³
Prostate	3	--	3	--	--		--	3		* ³	14.7 ³		-0- ³	* ³
# Diabetes mellitus	11	--	11	--	--		2	9		32.4	40.3		*	*
# Alzheimer's disease	11	--	11	--	--		1	10		32.4	30.5		*	191.2
Major cardiovascular diseases	160	5	155	--	--		19	141		472.0	477.4		66.3	2,696.0
# Diseases of heart	107	4	103	--	--		15	92		315.6	337.9		52.3	1,759.1
Ischemic heart disease	75	2	73	--	--		13	62		221.2	263.3		45.3	1,185.5
# Cerebrovascular diseases	33	--	33	--	--		4	29		97.3	88.4		*	554.5
# Atherosclerosis	10	1	9	--	--		--	10		29.5	21.6		-0-	191.2
# Aortic aneurysm and dissection	4	--	4	--	--		--	4		*	11.8		-0-	*
Respiratory diseases	39	--	39	--	--		8	31		115.0	90.4		*	592.7
# Influenza and pneumonia	7	--	7	--	--		--	7		*	22.6		-0-	*
# Chronic lower resp. diseases	26	--	26	--	--		7	19		76.7	58.0		*	363.3
Emphysema	2	--	2	--	--		2	--		*	*		*	-0-
Asthma	--	--	--	--	--		--	--		-0-	*		-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--		--	1		*	*		-0-	*
# Nephritis, nephrotic syn. & nephrosis	9	--	9	--	--		2	7		*	27.5		*	*
# Certain perinatal conditions	3	--	3	--	--		3	--		*	9.8		*	-0-
# Congenital malformations	3	--	3	--	--		3	--		*	*		*	-0-
SIDS	--	--	--	--	--		--	--		-0-	-0-		-0-	-0-
External causes	31	--	31	--	--		16	15		91.4	74.7		55.8	286.8
# Accidents	22	--	22	--	--		10	12		64.9	56.0		34.9	229.4
Motor vehicle accidents	13	--	13	--	--		8	5		38.3	28.5		*	*
All other accidents	9	--	9	--	--		2	7		*	27.5		*	*
# Suicide	4	--	4	--	--		3	1		*	*		*	*
# Homicide	3	--	3	--	--		3	--		*	*		*	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Richland County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	190	18	64	50	48	9	1	188	--	1
Sex	Male	96	9	36	25	21	5	--	95	--	1
	Female	94	9	28	25	27	4	1	93	--	--
Race	White	188	18	63	50	48	8	1			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	1	--	--	--	--			
Multiple Births		8	--	2	4	2	--	--	8	--	--
Marital Status	Married	139	3	41	42	44	8	1	137	--	--
	Single	51	15	23	8	4	1	--	51	--	1
Mother Not High School Graduate		25	8	12	2	2	1	--	25	--	--
Birthweight	Very Low (0-1,499 Grams)	2	2	--	--	--	--	--	2	--	--
	Low (0-2,499 Grams)	11	2	3	3	3	--	--	11	--	--
Caesarian Section	Primary	14	2	4	4	4	--	--	14	--	--
	Secondary	22	--	5	5	11	1	--	21	--	--
Trimester Prenatal Care Began	First	170	16	56	47	44	6	1	168	--	--
	Third or No Care	5	--	1	1	2	1	--	5	--	1
First Birth		59	14	22	15	7	1	--	59	--	--
2001 Percentages ²											
Live Births	Total	100.0	9.5	33.7	26.3	25.3	*	*	98.9	-0-	*
Sex	Male	50.5	*	*	*	*	*	-0-	50.5	-0-	*
	Female	49.5	*	*	*	*	*	*	49.5	-0-	-0-
Race	White	98.9	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	-0-	-0-	-0-			
Multiple Births		*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
Marital Status	Married	73.2	*	*	*	*	*	*	72.9	-0-	-0-
	Single	26.8	*	*	*	*	*	-0-	27.1	-0-	*
Mother Not High School Graduate		13.2	*	*	*	*	*	-0-	13.3	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.8	*	*	*	*	-0-	-0-	5.9	-0-	-0-
Caesarian Section	Primary	7.4	*	*	*	*	-0-	-0-	7.4	-0-	-0-
	Secondary	11.6	-0-	*	*	*	*	-0-	11.2	-0-	-0-
Trimester Prenatal Care Began	First	89.5	*	*	*	*	*	*	89.4	-0-	-0-
	Third or No Care	*	-0-	*	*	*	*	-0-	*	-0-	*
First Birth		31.1	*	*	*	*	*	-0-	31.4	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	12.4	32.8	28.8	18.7	6.5	*	98.8	*	*
Sex	Male	51.4	43.7	52.5	53.1	50.8	*	*	51.0	*	*
	Female	48.6	56.3	47.5	46.9	49.2	*	*	49.0	*	*
Race	White	98.8	100.0	98.5	99.7	97.4	*	*			
	Black	*	-0-	*	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	*	*	-0-			
Multiple Births		2.5	*	3.0	*	*	*	-0-	2.6	-0-	-0-
Marital Status	Married	74.1	28.6	64.2	88.1	92.1	*	*	74.0	*	*
	Single	25.9	71.4	35.8	11.9	7.9	*	*	26.0	*	*
Mother Not High School Graduate		16.3	55.6	20.3	5.1	*	*	*	16.4	*	*
Birthweight	Very Low (0-1,499 Grams)	1.2	*	*	*	*	*	-0-	1.2	-0-	*
	Low (0-2,499 Grams)	6.3	8.7	6.6	5.1	6.8	*	-0-	6.3	-0-	*
Caesarian Section	Primary	12.5	7.9	11.9	12.2	15.7	*	*	12.6	-0-	*
	Secondary	9.7	*	6.0	9.2	17.3	*	-0-	9.6	*	*
Trimester Prenatal Care Began	First	90.9	88.7	89.2	93.5	92.6	*	*	90.8	*	*
	Third or No Care	1.1	*	*	*	*	*	-0-	1.1	-0-	*
First Birth		34.5	72.2	38.2	31.6	15.7	*	*	34.5	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Richland County - 2001

Population Estimates	
Total	16,000
Under 65 Years	13,140
65 and Older	2,860

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	165	3	--	--	--	2	5	10	10	25	39	71	
Male	68	2	--	--	--	1	4	6	5	11	19	20	
Female	97	1	--	--	--	1	1	4	5	14	20	51	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	165	3	--	--	--	2	5	10	10	25	39	71	
Male	68	2	--	--	--	1	4	6	5	11	19	20	
Female	97	1	--	--	--	1	1	4	5	14	20	51	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	--	--	1	
Male	1	--	--	--	--	--	--	--	--	--	--	1	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	165	--	165	--	1		30	135			1,031.3	1,131.4	228.3	4,720.3
5-Year Average (1997-2001)	189	<1	189	<1	<1		37	152			1,134.6	N.A.	271.2	5,188.2
# Infectious and parasitic diseases	1	--	1	--	--		--	1		*	*	*	-0-	*
# Septicemia	1	--	1	--	--		--	1		*	*	*	-0-	*
# Viral hepatitis	--	--	--	--	--		--	--		-0-	*	*	-0-	-0-
# HIV disease	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Malignant neoplasms	30	--	30	--	--		4	26		187.5	221.8	*	*	909.1
Lip, oral cavity and pharynx	--	--	--	--	--		--	--		-0-	*	*	-0-	-0-
Colorectal	3	--	3	--	--		1	2		*	28.7	*	*	*
Bronchus and lung	12	--	12	--	--		1	11		75.0	61.6	*	*	384.6
Female breast	2	--	2	--	--		--	2		* ³	* ³	* ³	-0- ³	* ³
Cervical	--	--	--	--	--		--	--		-0- ³	* ³	* ³	-0- ³	-0- ³
Prostate	2	--	2	--	--		--	2		* ³	* ³	* ³	-0- ³	* ³
# Diabetes mellitus	7	--	7	--	--		1	6		*	30.8	*	*	*
# Alzheimer's disease	3	--	3	--	--		--	3		*	*	*	-0-	*
Major cardiovascular diseases	64	--	64	--	1		10	54		400.0	472.3	76.1	1,888.1	
# Diseases of heart	46	--	46	--	1		7	39		287.5	349.1	*	1,363.6	
Ischemic heart disease	33	--	33	--	--		6	27		206.3	271.0	*	944.1	
# Cerebrovascular diseases	16	--	16	--	--		3	13		100.0	84.2	*	454.5	
# Atherosclerosis	1	--	1	--	--		--	1		*	22.6	-0-	*	*
# Aortic aneurysm and dissection	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
Respiratory diseases	11	--	11	--	--		1	10		68.8	98.6	*	349.7	
# Influenza and pneumonia	2	--	2	--	--		--	2		*	37.0	-0-	*	*
# Chronic lower resp. diseases	6	--	6	--	--		1	5		*	34.9	*	*	*
Emphysema	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
Asthma	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
# Nephritis, nephrotic syn. & nephrosis	5	--	5	--	--		--	5		*	26.7	-0-	*	*
# Certain perinatal conditions	1	--	1	--	--		1	--		*	*	*	-0-	-0-
# Congenital malformations	1	--	1	--	--		1	--		*	*	*	-0-	-0-
SIDS	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
External causes	14	--	14	--	--		9	5		87.5	76.0	*	*	*
# Accidents	8	--	8	--	--		5	3		*	55.4	*	*	*
Motor vehicle accidents	4	--	4	--	--		3	1		*	*	*	*	*
All other accidents	4	--	4	--	--		2	2		*	37.0	*	*	*
# Suicide	3	--	3	--	--		2	1		*	*	*	*	*
# Homicide	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Rock Island County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	1,961	291	587	501	391	146	45	1,702	204	306
Sex	Male	989	137	308	262	193	69	20	857	99	159
	Female	972	154	279	239	198	77	25	845	105	147
Race	White	1,702	227	503	441	356	132	43			
	Black	204	63	71	40	21	7	2			
Ethnicity	Hispanic ¹	306	65	94	72	50	22	3			
Multiple Births		60	6	12	12	26	4	--	46	11	10
Marital Status	Married	1,125	42	225	367	335	122	34	1,056	29	163
	Single	836	249	362	134	56	24	11	646	175	143
Mother Not High School Graduate		423	167	143	64	34	13	2	343	78	162
Birthweight	Very Low (0-1,499 Grams)	25	6	2	5	8	4	--	20	5	3
	Low (0-2,499 Grams)	139	28	36	35	29	10	1	109	26	18
Caesarian Section	Primary	242	35	62	63	54	18	10	222	15	25
	Secondary	148	5	24	40	50	23	6	124	21	21
Trimester Prenatal Care Began	First	1,661	212	481	439	359	135	35	1,476	141	242
	Third or No Care	58	15	23	11	3	3	3	42	13	12
First Birth		653	206	231	137	62	14	3	582	54	98
2001 Percentages ²											
Live Births	Total	100.0	14.8	29.9	25.5	19.9	7.4	2.3	86.8	10.4	15.6
Sex	Male	50.4	47.1	52.5	52.3	49.4	47.3	*	50.4	48.5	52.0
	Female	49.6	52.9	47.5	47.7	50.6	52.7	*	49.6	51.5	48.0
Race	White	86.8	78.0	85.7	88.0	91.0	90.4	*			
	Black	10.4	21.6	12.1	8.0	5.4	*	*			
Ethnicity	Hispanic ¹	15.6	22.3	16.0	14.4	12.8	15.1	*			
Multiple Births		3.1	*	2.0	2.4	6.6	*	-0-	2.7	5.4	3.3
Marital Status	Married	57.4	14.4	38.3	73.3	85.7	83.6	*	62.0	14.2	53.3
	Single	42.6	85.6	61.7	26.7	14.3	16.4	*	38.0	85.8	46.7
Mother Not High School Graduate		21.6	57.6	24.4	12.8	8.7	8.9	*	20.2	38.2	52.9
Birthweight	Very Low (0-1,499 Grams)	1.3	*	*	*	*	*	-0-	1.2	*	*
	Low (0-2,499 Grams)	7.1	9.6	6.1	7.0	7.4	6.8	*	6.4	12.7	5.9
Caesarian Section	Primary	12.3	12.0	10.6	12.6	13.8	12.3	*	13.0	7.4	8.2
	Secondary	7.5	*	4.1	8.0	12.8	15.8	*	7.3	10.3	6.9
Trimester Prenatal Care Began	First	85.0	73.4	81.9	87.6	92.3	93.8	*	86.9	69.8	79.1
	Third or No Care	3.0	5.2	3.9	2.2	*	*	*	2.5	6.4	3.9
First Birth		33.3	70.8	39.4	27.3	15.9	9.6	*	34.2	26.5	32.0
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	15.0	29.6	27.7	18.4	7.8	1.5	86.7	11.0	14.3
Sex	Male	50.9	52.0	52.3	50.4	49.8	48.3	47.9	51.2	47.9	51.8
	Female	49.1	48.0	47.7	49.6	50.2	51.7	52.1	48.8	52.1	48.2
Race	White	86.7	78.7	84.8	89.2	90.3	90.4	92.5			
	Black	11.0	20.6	13.4	7.9	6.3	6.6	*			
Ethnicity	Hispanic ¹	14.3	19.7	15.0	12.9	12.3	11.7	6.8			
Multiple Births		3.1	2.0	1.8	3.6	5.1	4.7	*	3.0	4.2	2.4
Marital Status	Married	58.4	12.4	44.3	74.3	84.4	78.6	79.5	63.1	17.3	53.8
	Single	41.6	87.6	55.7	25.7	15.6	21.4	20.5	36.9	82.7	46.2
Mother Not High School Graduate		21.9	60.2	24.6	10.8	9.0	9.5	11.1	20.5	35.6	48.7
Birthweight	Very Low (0-1,499 Grams)	1.6	2.3	1.5	1.2	1.8	1.7	*	1.5	2.8	1.6
	Low (0-2,499 Grams)	7.5	9.8	7.2	6.6	6.9	8.5	8.2	6.8	13.4	5.4
Caesarian Section	Primary	11.6	11.4	10.3	11.7	12.3	13.3	19.9	11.8	9.8	10.2
	Secondary	7.4	1.8	4.4	8.2	12.2	14.2	17.8	7.3	8.3	7.5
Trimester Prenatal Care Began	First	82.6	69.0	79.2	87.1	90.5	87.5	81.5	84.4	68.3	74.8
	Third or No Care	3.4	6.5	4.6	2.0	1.3	3.4	*	3.0	07.4	4.6
First Birth		32.9	71.4	34.9	26.9	18.5	10.9	12.3	33.4	27.5	33.6

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Rock Island County - 2001

Population Estimates	
Total	148,300
Under 65 Years	126,010
65 and Older	22,290

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	1,424	9	2	6	13	11	39	84	145	279	421	415	
Male	668	3	2	2	7	7	26	58	73	164	206	120	
Female	756	6	--	4	6	4	13	26	72	115	215	295	
Black	74	1	--	1	4	2	4	6	11	15	14	16	
Male	38	--	--	1	2	1	4	5	7	7	7	4	
Female	36	1	--	--	2	1	--	1	4	8	7	12	
White	1,347	8	2	5	9	9	35	78	134	262	406	399	
Male	630	3	2	1	5	6	22	53	66	157	199	116	
Female	717	5	--	4	4	3	13	25	68	105	207	283	
All other races	3	--	--	--	--	--	--	--	--	2	1	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	3	--	--	--	--	--	--	--	--	2	1	--	
Hispanic ethnicity ¹	33	--	--	1	2	1	--	3	2	6	11	7	
Male	19	--	--	--	1	1	--	3	2	4	6	2	
Female	14	--	--	1	1	--	--	--	--	2	5	5	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
											All Ages		Age	
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			2001	1999 - 2001	0-64	65+
All Causes - Current Year	1,424	74	1,347	3	33		309	1,115			960.2	1,015.5	245.2	5,002.2
5-Year Average (1997-2001)	1,502	75	1,423	4	29		309	1,194			1,009.5	N.A.	245.2	5,198.6
# Infectious and parasitic diseases	20	--	20	--	1		5	15			13.5	14.1	*	67.3
# Septicemia	16	--	16	--	1		4	12			10.8	10.5	*	53.8
# Viral hepatitis	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# HIV disease	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Malignant neoplasms	340	22	316	2	7		99	241			229.3	238.9	78.6	1,081.2
Lip, oral cavity and pharynx	5	--	5	--	--		3	2			*	3.4	*	*
Colorectal	32	2	29	1	2		7	25			21.6	25.5	*	112.2
Bronchus and lung	101	9	91	1	1		24	77			68.1	66.1	19.0	345.4
Female breast	31	3	28	--	1		18	13			20.9 ³	18.6 ³	14.3 ³	58.3 ³
Cervical	2	--	2	--	--		2	--			* ³	3.1 ³	* ³	-0- ³
Prostate	15	3	12	--	1		--	15			10.1 ³	13.9 ³	-0- ³	67.3 ³
# Diabetes mellitus	42	3	39	--	--		8	34			28.3	30.2	*	152.5
# Alzheimer's disease	30	2	28	--	1		--	30			20.2	15.5	-0-	134.6
Major cardiovascular diseases	571	28	542	1	14		86	485			385.0	421.5	68.2	2,175.9
# Diseases of heart	448	20	427	1	12		75	373			302.1	325.1	59.5	1,673.4
Ischemic heart disease	289	15	273	1	6		54	235			194.9	213.1	42.9	1,054.3
# Cerebrovascular diseases	98	7	91	--	2		11	87			66.1	77.8	8.7	390.3
# Atherosclerosis	6	--	6	--	--		--	6			*	4.5	-0-	*
# Aortic aneurysm and dissection	6	--	6	--	--		--	6			*	6.3	-0-	*
Respiratory diseases	141	6	135	--	2		14	127			95.1	99.3	11.1	569.8
# Influenza and pneumonia	38	1	37	--	--		6	32			25.6	24.6	*	143.6
# Chronic lower resp. diseases	73	2	71	--	1		5	68			49.2	59.2	*	305.1
Emphysema	13	--	13	--	--		1	12			8.8	11.9	*	53.8
Asthma	--	--	--	--	--		--	--			-0-	*	-0-	-0-
# Chronic liver disease and cirrhosis	15	--	15	--	1		12	3			10.1	10.3	9.5	*
# Nephritis, nephrotic syn. & nephrosis	27	--	27	--	1		1	26			18.2	17.0	*	116.6
# Certain perinatal conditions	4	1	3	--	--		4	--			*	4.9	*	-0-
# Congenital malformations	4	--	4	--	--		3	1			*	4.5	*	*
SIDS	--	--	--	--	--		--	--			-0-	*	-0-	-0-
External causes	72	5	67	--	4		49	23			48.6	50.4	38.9	103.2
# Accidents	44	4	40	--	2		26	18			29.7	32.3	20.6	80.8
Motor vehicle accidents	18	3	15	--	2		14	4			12.1	11.0	11.1	*
All other accidents	26	1	25	--	--		12	14			17.5	21.3	9.5	62.8
# Suicide	22	1	21	--	1		18	4			14.8	13.0	14.3	*
# Homicide	5	--	5	--	1		5	--			*	2.9	*	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of St. Clair County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	3,704	592	1,060	951	704	343	54	2,167	1,484	131
Sex	Male	1,870	306	518	482	369	168	27	1,098	745	63
	Female	1,834	286	542	469	335	175	27	1,069	739	68
Race	White	2,167	208	542	618	509	250	40			
	Black	1,484	379	506	318	177	90	14			
Ethnicity	Hispanic ¹	131	19	48	35	18	11	--			
Multiple Births		145	12	37	26	42	26	2	76	69	4
Marital Status	Married	1,932	37	368	624	581	278	44	1,578	314	91
	Single	1,772	555	692	327	123	65	10	589	1,170	40
Mother Not High School Graduate		736	357	228	96	39	13	3	284	446	62
Birthweight	Very Low (0-1,499 Grams)	84	22	18	20	18	6	--	25	58	1
	Low (0-2,499 Grams)	350	84	95	77	50	39	5	142	204	13
Caesarian Section	Primary	560	114	161	122	99	52	12	322	229	14
	Secondary	416	24	87	126	100	72	7	203	210	11
Trimester Prenatal Care Began	First	2,939	366	797	796	639	295	46	1,947	944	96
	Third or No Care	201	61	77	33	18	10	2	52	149	10
First Birth		1,136	418	328	226	125	35	4	699	420	45
2001 Percentages ²											
Live Births	Total	100.0	16.0	28.6	25.7	19.0	9.3	1.5	58.5	40.1	3.5
Sex	Male	50.5	51.7	48.9	50.7	52.4	49.0	*	50.7	50.2	48.1
	Female	49.5	48.3	51.1	49.3	47.6	51.0	*	49.3	49.8	51.9
Race	White	58.5	35.1	51.1	65.0	72.3	72.9	*			
	Black	40.1	64.0	47.7	33.4	25.1	26.2	*			
Ethnicity	Hispanic ¹	3.5	3.2	4.5	3.7	2.6	3.2	-0-			
Multiple Births		3.9	2.0	3.5	2.7	6.0	7.6	*	3.5	4.6	*
Marital Status	Married	52.2	6.3	34.7	65.6	82.5	81.0	*	72.8	21.2	69.5
	Single	47.8	93.8	65.3	34.4	17.5	19.0	*	27.2	78.8	30.5
Mother Not High School Graduate		19.9	60.3	21.5	10.1	5.5	3.8	*	13.1	30.1	47.3
Birthweight	Very Low (0-1,499 Grams)	2.3	3.7	1.7	2.1	*	*	-0-	1.2	3.9	*
	Low (0-2,499 Grams)	9.5	14.2	9.0	8.1	7.1	11.4	*	6.6	13.8	9.9
Caesarian Section	Primary	15.1	19.3	15.2	12.8	14.1	15.2	*	14.9	15.4	10.7
	Secondary	11.2	4.1	8.2	13.2	14.2	21.0	*	9.4	14.2	8.4
Trimester Prenatal Care Began	First	79.8	62.0	75.7	83.9	91.3	87.0	*	90.2	64.0	73.3
	Third or No Care	5.5	10.3	7.3	3.5	2.6	2.9	*	2.4	10.1	7.6
First Birth		30.7	70.6	30.9	23.8	17.8	10.2	*	32.3	28.3	34.4
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	16.7	28.3	25.8	18.9	8.7	1.5	58.5	40.0	2.9
Sex	Male	50.8	50.2	50.2	51.3	51.5	50.0	53.2	51.3	49.9	51.4
	Female	49.2	49.8	49.8	48.7	48.5	50.0	46.8	48.7	50.1	48.6
Race	White	58.5	34.5	49.6	65.1	75.5	75.3	68.9			
	Black	40.0	64.8	49.2	33.2	22.2	22.8	28.9			
Ethnicity	Hispanic ¹	2.9	2.8	3.3	2.6	2.6	2.7	*			
Multiple Births		3.3	2.2	2.8	3.5	4.0	5.5	*	3.3	3.5	2.3
Marital Status	Married	52.7	8.9	35.5	67.3	82.2	80.6	78.2	73.9	20.3	67.7
	Single	47.3	91.1	64.5	32.7	17.8	19.4	21.8	26.1	79.7	32.3
Mother Not High School Graduate		20.6	62.8	21.3	9.3	5.3	6.3	10.1	12.7	32.7	44.3
Birthweight	Very Low (0-1,499 Grams)	2.1	2.5	1.9	2.1	1.9	2.2	*	1.2	3.5	*
	Low (0-2,499 Grams)	9.6	12.1	9.9	8.7	7.6	10.2	11.1	7.0	13.5	7.2
Caesarian Section	Primary	14.3	17.0	14.2	13.3	13.0	14.4	17.9	13.6	15.2	11.7
	Secondary	11.4	3.7	9.0	13.1	15.0	19.7	20.0	9.5	14.4	8.7
Trimester Prenatal Care Began	First	78.1	57.2	72.7	84.9	90.7	87.6	82.3	89.4	60.9	74.6
	Third or No Care	6.0	11.6	7.8	3.9	2.6	3.7	6.1	2.4	11.6	6.6
First Birth		30.6	66.1	30.1	24.9	17.7	12.4	9.3	32.6	27.5	33.1

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of St. Clair County - 2001

Population Estimates	
Total	256,200
Under 65 Years	222,920
65 and Older	33,280

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	2,530	38	8	8	38	61	94	186	287	460	710	640	
Male	1,259	14	4	4	31	47	62	113	162	260	370	192	
Female	1,271	24	4	4	7	14	32	73	125	200	340	448	
Black	664	27	5	4	21	29	41	74	104	123	139	97	
Male	354	10	1	2	18	23	25	43	62	63	71	36	
Female	310	17	4	2	3	6	16	31	42	60	68	61	
White	1,862	11	3	4	17	32	52	112	182	335	571	543	
Male	904	4	3	2	13	24	37	70	99	197	299	156	
Female	958	7	--	2	4	8	15	42	83	138	272	387	
All other races	4	--	--	--	--	--	1	--	1	2	--	--	
Male	1	--	--	--	--	--	--	--	1	--	--	--	
Female	3	--	--	--	--	--	1	--	--	2	--	--	
Hispanic ethnicity ¹	15	--	1	--	--	1	1	4	1	3	3	1	
Male	8	--	1	--	--	1	1	1	1	1	2	--	
Female	7	--	--	--	--	--	--	3	--	2	1	1	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	2,530	664	1,862	4	15	720	1,810	987.5	990.3	323.0	5,438.7		
5-Year Average (1997-2001)	2,546	671	1,868	8	15	674	1,873	963.5	N.A.	293.1	5,449.9		
# Infectious and parasitic diseases	74	29	45	--	--	33	41	28.9	29.9	14.8	123.2		
# Septicemia	49	16	33	--	--	12	37	19.1	20.8	5.4	111.2		
# Viral hepatitis	5	1	4	--	--	4	1	*	*	*	*		
# HIV disease	11	10	1	--	--	11	--	4.3	4.8	4.9	-0-		
# Malignant neoplasms	591	153	437	1	1	199	392	230.7	233.2	89.3	1,177.9		
# Lip, oral cavity and pharynx	12	6	6	--	--	3	9	4.7	3.2	*	*		
# Colorectal	59	18	41	--	--	16	43	23.0	22.8	7.2	129.2		
# Bronchus and lung	174	41	133	--	--	57	117	67.9	73.0	25.6	351.6		
# Female breast	41	10	31	--	--	20	21	16.0 ³	17.9 ³	9.0 ³	63.1 ³		
# Cervical	3	3	--	--	--	1	2	* ³	1.8 ³	* ³	* ³		
# Prostate	36	13	23	--	--	4	32	14.1 ³	13.2 ³	* ³	96.2 ³		
# Diabetes mellitus	113	41	72	--	--	30	83	44.1	39.2	13.5	249.4		
# Alzheimer's disease	41	9	32	--	--	--	41	16.0	15.5	-0-	123.2		
# Major cardiovascular diseases	868	190	676	2	6	154	714	338.8	363.9	69.1	2,145.4		
# Diseases of heart	683	141	541	1	3	127	556	266.6	283.5	57.0	1,670.7		
# Ischemic heart disease	475	84	390	1	2	78	397	185.4	196.8	35.0	1,192.9		
# Cerebrovascular diseases	128	27	100	1	2	17	111	50.0	58.3	7.6	333.5		
# Atherosclerosis	4	1	3	--	--	1	3	*	2.2	*	*		
# Aortic aneurysm and dissection	15	2	13	--	1	3	12	5.9	5.9	*	36.1		
# Respiratory diseases	252	52	199	1	1	47	205	98.4	101.5	21.1	616.0		
# Influenza and pneumonia	60	13	46	1	--	7	53	23.4	28.5	*	159.3		
# Chronic lower resp. diseases	146	32	114	--	1	34	112	57.0	55.1	15.3	336.5		
# Emphysema	12	3	9	--	--	4	8	4.7	5.5	*	*		
# Asthma	7	4	3	--	--	5	2	*	2.5	*	*		
# Chronic liver disease and cirrhosis	21	6	15	--	1	9	12	8.2	7.2	*	36.1		
# Nephritis, nephrotic syn. & nephrosis	44	18	26	--	1	8	36	17.2	19.1	*	108.2		
# Certain perinatal conditions	22	15	7	--	--	22	--	8.6	7.6	9.9	-0-		
# Congenital malformations	6	3	3	--	--	5	1	*	2.3	*	*		
# SIDS	1	--	1	--	--	1	--	*	*	*	-0-		
# External causes	192	69	123	--	3	140	52	74.9	69.4	62.8	156.3		
# Accidents	112	29	83	--	2	69	43	43.7	42.7	31.0	129.2		
# Motor vehicle accidents	44	12	32	--	2	39	5	17.2	17.9	17.5	*		
# All other accidents	68	17	51	--	--	30	38	26.5	24.8	13.5	114.2		
# Suicide	36	7	29	--	1	32	4	14.1	11.5	14.4	*		
# Homicide	37	31	6	--	--	35	2	14.4	13.2	15.7	*		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Saline County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	296	53	86	85	51	20	1	276	16	9
Sex	Male	152	26	44	44	27	11	--	140	10	4
	Female	144	27	42	41	24	9	1	136	6	5
Race	White	276	50	79	79	49	18	1			
	Black	16	3	6	5	1	1	--			
Ethnicity	Hispanic ¹	9	3	3	2	1	--	--			
Multiple Births		13	4	4	1	4	--	--	13	--	--
Marital Status	Married	180	12	49	58	45	15	1	173	5	6
	Single	116	41	37	27	6	5	--	103	11	3
Mother Not High School Graduate		56	22	23	5	4	2	--	51	4	2
Birthweight	Very Low (0-1,499 Grams)	6	1	--	2	3	--	--	5	1	--
	Low (0-2,499 Grams)	28	7	5	9	6	1	--	24	4	--
Caesarian Section	Primary	45	14	11	8	11	1	--	39	4	3
	Secondary	31	1	6	9	10	4	1	29	2	1
Trimester Prenatal Care Began	First	251	40	80	67	45	18	1	236	11	7
	Third or No Care	6	1	1	1	2	1	--	6	--	--
First Birth		105	42	35	18	8	2	--	99	4	4
2001 Percentages²											
Live Births	Total	100.0	17.9	29.1	28.7	17.2	6.8	*	93.2	5.4	*
Sex	Male	51.4	*	*	*	*	*	-0-	50.7	*	*
	Female	48.6	*	*	*	*	*	*	49.3	*	*
Race	White	93.2	*	*	*	*	*	*			
	Black	5.4	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	*	-0-	-0-			
Multiple Births		4.4	*	*	*	*	-0-	-0-	4.7	-0-	-0-
Marital Status	Married	60.8	*	*	*	*	*	*	62.7	*	*
	Single	39.2	*	*	*	*	*	-0-	37.3	*	*
Mother Not High School Graduate		19.0	*	*	*	*	*	-0-	18.6	*	*
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	*	*	-0-	-0-	*	*	-0-
	Low (0-2,499 Grams)	9.5	*	*	*	*	*	-0-	8.7	*	-0-
Caesarian Section	Primary	15.2	*	*	*	*	*	-0-	14.1	*	*
	Secondary	10.5	*	*	*	*	*	*	10.5	*	*
Trimester Prenatal Care Began	First	86.9	*	*	*	*	*	*	87.4	*	*
	Third or No Care	*	*	*	*	*	*	-0-	*	-0-	-0-
First Birth		35.5	*	*	*	*	*	-0-	35.9	*	*
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	18.4	33.4	27.1	15.5	4.7	0.9	93.6	5.4	0.9
Sex	Male	51.0	52.5	50.1	51.8	48.3	*	*	51.2	*	*
	Female	49.0	47.5	49.9	48.2	51.7	*	*	48.8	*	*
Race	White	93.6	89.3	92.9	94.7	98.3	*	*			
	Black	5.4	10.0	6.3	4.1	*	*	*			
Ethnicity	Hispanic ¹	0.9	*	*	*	*	-0-	-0-			
Multiple Births		3.1	*	*	5.1	*	*	-0-	3.2	*	-0-
Marital Status	Married	64.8	25.7	60.1	79.9	88.1	*	*	67.3	*	*
	Single	35.2	74.3	39.9	20.1	11.9	*	*	32.7	*	*
Mother Not High School Graduate		22.7	56.4	22.8	10.2	8.1	*	*	21.6	*	*
Birthweight	Very Low (0-1,499 Grams)	1.3	*	*	*	*	*	-0-	1.2	*	-0-
	Low (0-2,499 Grams)	8.6	10.0	7.1	9.7	8.9	*	-0-	8.0	*	-0-
Caesarian Section	Primary	11.6	13.9	8.8	13.1	13.6	*	*	11.5	*	*
	Secondary	7.9	*	4.3	10.2	16.5	*	*	8.2	*	*
Trimester Prenatal Care Began	First	82.7	75.2	81.3	86.9	85.3	*	*	83.7	*	*
	Third or No Care	2.4	*	2.6	*	*	*	*	2.5	*	-0-
First Birth		35.2	72.5	38.1	23.0	14.8	*	*	35.1	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Saline County - 2001

Population Estimates	
Total	26,300
Under 65 Years	21,340
65 and Older	4,960

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	412	4	--	--	2	4	6	23	42	73	110	148	
Male	182	3	--	--	1	3	6	16	24	40	47	42	
Female	230	1	--	--	1	1	--	7	18	33	63	106	
Black	12	1	--	--	--	--	1	--	1	2	1	6	
Male	8	1	--	--	--	--	1	--	1	2	--	3	
Female	4	--	--	--	--	--	--	--	--	--	1	3	
White	398	3	--	--	2	4	5	22	41	70	109	142	
Male	173	2	--	--	1	3	5	15	23	38	47	39	
Female	225	1	--	--	1	1	--	7	18	32	62	103	
All other races	2	--	--	--	--	--	--	1	--	1	--	--	
Male	1	--	--	--	--	--	--	1	--	--	--	--	
Female	1	--	--	--	--	--	--	--	--	1	--	--	
Hispanic ethnicity ¹	8	--	--	--	--	1	--	2	1	4	--	--	
Male	5	--	--	--	--	1	--	1	--	3	--	--	
Female	3	--	--	--	--	--	--	1	1	1	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	412	12	398	2	8	81	331	1,566.5	1,592.6	379.6	6,673.4		
5-Year Average (1997-2001)	408	13	394	<1	2	85	323	1,568.0	N.A.	407.3	6,329.4		
# Infectious and parasitic diseases	1	--	1	--	--	--	1	*	14.0	-0-	*		*
# Septicemia	1	--	1	--	--	--	1	*	*	-0-	*		*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# Malignant neoplasms	77	2	74	1	2	25	52	292.8	319.8	117.2	1,048.4		
Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	*	-0-	*		*
Colorectal	6	--	6	--	--	4	2	*	33.0	*	*		*
Bronchus and lung	32	--	31	1	--	12	20	121.7	116.8	56.2	403.2		*
Female breast	3	1	2	--	--	--	3	* ³	16.5 ³	-0- ³	* ³		* ³
Cervical	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³		-0- ³
Prostate	3	--	3	--	--	1	2	* ³	12.7 ³	* ³	* ³		* ³
# Diabetes mellitus	13	--	13	--	1	1	12	49.4	53.3	*	241.9		
# Alzheimer's disease	21	1	19	1	--	1	20	79.8	78.7	*	403.2		
Major cardiovascular diseases	178	7	171	--	2	22	156	676.8	695.4	103.1	3,145.2		
# Diseases of heart	125	4	121	--	1	16	109	475.3	505.1	75.0	2,197.6		
Ischemic heart disease	82	3	79	--	1	9	73	311.8	337.6	*	1,471.8		
# Cerebrovascular diseases	34	2	32	--	1	4	30	129.3	120.6	*	604.8		
# Atherosclerosis	11	1	10	--	--	1	10	41.8	43.1	*	201.6		
# Aortic aneurysm and dissection	4	--	4	--	--	1	3	*	*	*	*		*
Respiratory diseases	43	--	43	--	1	5	38	163.5	128.2	*	766.1		
# Influenza and pneumonia	10	--	10	--	1	2	8	38.0	31.7	*	*		*
# Chronic lower resp. diseases	24	--	24	--	--	3	21	91.3	69.8	*	423.4		
Emphysema	1	--	1	--	--	--	1	*	*	-0-	*		*
Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
# Chronic liver disease and cirrhosis	5	--	5	--	--	4	1	*	16.5	*	*		*
# Nephritis, nephrotic syn. & nephrosis	17	1	16	--	2	2	15	64.6	52.0	*	302.4		
# Certain perinatal conditions	3	--	3	--	--	3	--	*	*	*	-0-		-0-
# Congenital malformations	3	--	3	--	--	2	1	*	*	*	*		*
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
External causes	16	1	15	--	--	12	4	60.8	81.2	56.2	*		*
# Accidents	12	--	12	--	--	9	3	45.6	59.6	*	*		*
Motor vehicle accidents	6	--	6	--	--	5	1	*	26.6	*	*		*
All other accidents	6	--	6	--	--	4	2	*	33.0	*	*		*
# Suicide	3	--	3	--	--	2	1	*	14.0	*	*		*
# Homicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Sangamon County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	2,555	340	670	674	565	264	42	2,115	399	42
Sex	Male	1,258	176	308	349	278	122	25	1,045	192	21
	Female	1,297	164	362	325	287	142	17	1,070	207	21
Race	White	2,115	237	502	598	506	239	33			
	Black	399	101	162	63	45	20	8			
Ethnicity	Hispanic ¹	42	5	11	12	11	2	1			
Multiple Births		81	4	14	24	22	15	2	75	6	--
Marital Status	Married	1,578	34	258	522	493	237	34	1,451	96	25
	Single	977	306	412	152	72	27	8	664	303	17
Mother Not High School Graduate		402	186	148	50	10	6	2	276	124	13
Birthweight	Very Low (0-1,499 Grams)	24	3	6	8	3	3	1	20	3	--
	Low (0-2,499 Grams)	216	32	54	53	41	30	6	162	52	3
Caesarian Section	Primary	271	35	49	74	69	41	3	238	28	3
	Secondary	179	4	39	45	61	24	6	144	34	2
Trimester Prenatal Care Began	First	2,240	257	535	627	539	245	37	1,911	292	35
	Third or No Care	64	21	24	10	3	5	1	33	30	1
First Birth		809	235	209	201	123	38	3	688	101	15
2001 Percentages ²											
Live Births	Total	100.0	13.3	26.2	26.4	22.1	10.3	1.6	82.8	15.6	1.6
Sex	Male	49.2	51.8	46.0	51.8	49.2	46.2	*	49.4	48.1	*
	Female	50.8	48.2	54.0	48.2	50.8	53.8	*	50.6	51.9	*
Race	White	82.8	69.7	74.9	88.7	89.6	90.5	*			
	Black	15.6	29.7	24.2	9.3	8.0	7.6	*			
Ethnicity	Hispanic ¹	1.6	*	1.6	1.8	1.9	*	*			
Multiple Births		3.2	*	2.1	3.6	3.9	5.7	*	3.5	*	-0-
Marital Status	Married	61.8	10.0	38.5	77.4	87.3	89.8	*	68.6	24.1	*
	Single	38.2	90.0	61.5	22.6	12.7	10.2	*	31.4	75.9	*
Mother Not High School Graduate		15.8	55.0	22.2	7.4	1.8	*	*	13.1	31.2	*
Birthweight	Very Low (0-1,499 Grams)	.9	*	*	*	*	*	*	.9	*	-0-
	Low (0-2,499 Grams)	8.5	9.4	8.1	7.9	7.3	11.4	*	7.7	13.0	*
Caesarian Section	Primary	10.6	10.3	7.3	11.0	12.2	15.5	*	11.3	7.0	*
	Secondary	7.0	*	5.8	6.7	10.8	9.1	*	6.8	8.5	*
Trimester Prenatal Care Began	First	88.4	76.7	81.2	93.3	95.6	93.2	*	90.9	74.5	*
	Third or No Care	2.5	6.3	3.6	1.5	*	*	*	1.6	7.7	*
First Birth		31.7	69.1	31.2	29.8	21.8	14.4	*	32.5	25.3	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	13.2	24.2	28.2	22.5	10.0	1.8	83.1	15.2	1.4
Sex	Male	50.4	52.0	49.6	50.4	50.1	50.2	52.4	50.5	48.9	47.4
	Female	49.6	48.0	50.4	49.6	49.9	49.8	47.6	49.5	51.1	52.6
Race	White	83.1	65.9	76.0	87.5	90.7	93.1	84.8			
	Black	15.2	33.4	22.9	10.3	6.9	5.3	13.4			
Ethnicity	Hispanic ¹	1.4	1.4	1.7	1.2	1.1	1.7	*			
Multiple Births		3.3	1.4	2.2	3.4	5.0	4.7	*	3.5	2.5	*
Marital Status	Married	64.2	10.9	41.6	79.5	88.2	88.0	86.1	71.5	22.2	60.0
	Single	35.8	89.1	58.4	20.5	11.8	12.0	13.9	28.5	77.8	40.0
Mother Not High School Graduate		16.3	58.8	22.8	6.7	2.7	3.3	7.8	12.6	37.2	25.9
Birthweight	Very Low (0-1,499 Grams)	1.6	2.0	1.7	1.5	1.5	1.0	*	1.2	3.5	-0-
	Low (0-2,499 Grams)	8.3	9.7	8.9	7.5	7.4	8.8	13.4	7.5	13.5	8.0
Caesarian Section	Primary	13.2	13.1	11.3	13.4	13.6	15.7	14.7	13.4	12.0	10.9
	Secondary	6.6	1.1	4.6	6.1	9.6	12.8	13.0	6.4	8.1	10.3
Trimester Prenatal Care Began	First	87.0	70.8	79.7	92.7	94.2	93.4	89.5	90.4	68.4	81.0
	Third or No Care	2.5	5.7	3.8	1.4	1.2	1.3	*	1.7	7.0	*
First Birth		32.1	67.8	33.0	32.2	19.6	14.7	9.5	32.8	27.0	30.9

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Sangamon County - 2001

Population Estimates	
Total	189,300
Under 65 Years	163,920
65 and Older	25,380

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	1,814	18	3	4	23	34	67	106	173	327	517	542	
Male	851	8	1	3	20	20	44	64	99	170	260	162	
Female	963	10	2	1	3	14	23	42	74	157	257	380	
Black	140	7	3	1	5	11	10	14	17	25	31	16	
Male	72	2	1	1	3	7	6	10	7	12	15	8	
Female	68	5	2	--	2	4	4	4	10	13	16	8	
White	1,668	11	--	2	18	22	56	91	156	302	484	526	
Male	777	6	--	2	17	12	38	53	92	158	245	154	
Female	891	5	--	--	1	10	18	38	64	144	239	372	
All other races	6	--	--	1	--	1	1	1	--	--	2	--	
Male	2	--	--	--	--	1	--	1	--	--	--	--	
Female	4	--	--	1	--	--	1	--	--	--	2	--	
Hispanic ethnicity ¹	6	--	--	--	--	1	--	1	--	1	2	1	
Male	2	--	--	--	--	--	--	1	--	1	--	--	
Female	4	--	--	--	--	1	--	--	--	--	2	1	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	1,814	140	1,668	6	6	428	1,386	958.3	957.1	261.1	5,461.0		
5-Year Average (1997-2001)	1,783	136	1,643	4	6	415	1,368	964.8	N.A.	260.4	5,381.2		
# Infectious and parasitic diseases		37	3	34	--	--	10	27	19.5	20.2	6.1	106.4	
# Septicemia		25	1	24	--	--	3	22	13.2	12.9	*	86.7	
# Viral hepatitis		2	--	2	--	--	1	1	*	*	*	*	
# HIV disease		4	2	2	--	--	4	--	*	3.2	*	-0-	
# Malignant neoplasms		423	30	392	1	1	118	305	223.5	228.4	72.0	1,201.7	
# Lip, oral cavity and pharynx		2	--	2	--	--	1	1	*	3.2	*	*	
# Colorectal		50	2	48	--	--	9	41	26.4	23.9	*	161.5	
# Bronchus and lung		124	13	111	--	--	37	87	65.5	64.0	22.6	342.8	
# Female breast		30	1	29	--	--	13	17	15.8 ³	17.2 ³	7.9 ³	67.0 ³	
# Cervical		4	--	4	--	--	2	2	* ³	* ³	* ³	* ³	
# Prostate		26	2	24	--	--	4	22	13.7 ³	15.3 ³	* ³	86.7 ³	
# Diabetes mellitus		41	6	35	--	--	13	28	21.7	21.6	7.9	110.3	
# Alzheimer's disease		35	2	33	--	1	1	34	18.5	15.4	*	134.0	
# Major cardiovascular diseases		706	45	660	1	2	107	599	373.0	369.2	65.3	2,360.1	
# Diseases of heart		511	26	484	1	1	89	422	269.9	268.0	54.3	1,662.7	
# Ischemic heart disease		299	13	286	--	1	49	250	158.0	161.2	29.9	985.0	
# Cerebrovascular diseases		143	15	128	--	1	12	131	75.5	72.0	7.3	516.2	
# Atherosclerosis		6	1	5	--	--	--	6	*	3.9	-0-	*	
# Aortic aneurysm and dissection		12	--	12	--	--	4	8	6.3	6.0	*	*	
# Respiratory diseases		202	14	188	--	--	22	180	106.7	109.1	13.4	709.2	
# Influenza and pneumonia		56	3	53	--	--	5	51	29.6	36.9	*	200.9	
# Chronic lower resp. diseases		100	7	93	--	--	9	91	52.8	50.5	*	358.6	
# Emphysema		19	1	18	--	--	1	18	10.0	10.6	*	70.9	
# Asthma		6	1	5	--	--	1	5	*	2.7	*	*	
# Chronic liver disease and cirrhosis		14	1	13	--	--	4	10	7.4	8.7	*	39.4	
# Nephritis, nephrotic syn. & nephrosis		44	3	41	--	--	10	34	23.2	17.9	6.1	134.0	
# Certain perinatal conditions		10	4	6	--	--	10	--	5.3	5.0	6.1	-0-	
# Congenital malformations		6	1	3	2	--	6	--	*	3.5	*	-0-	
# SIDS		2	1	1	--	--	2	--	*	*	*	-0-	
# External causes		108	11	96	1	1	84	24	57.1	53.9	51.2	94.6	
# Accidents		63	1	62	--	1	47	16	33.3	33.0	28.7	63.0	
# Motor vehicle accidents		31	--	31	--	1	28	3	16.4	13.7	17.1	*	
# All other accidents		32	1	31	--	--	19	13	16.9	19.3	11.6	51.2	
# Suicide		20	--	19	1	--	16	4	10.6	11.2	9.8	*	
# Homicide		18	10	8	--	--	17	1	9.5	6.9	10.4	*	

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Schuyler County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39 40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	82	2	22	22	20	14	2	82	--	--
Sex	Male	43	2	15	12	7	5	2	43	--	--
	Female	39	--	7	10	13	9	--	39	--	--
Race	White	82	2	22	22	20	14	2			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		--	--	--	--	--	--	--	--	--	--
Marital Status	Married	65	1	14	18	16	14	2	65	--	--
	Single	17	1	8	4	4	--	--	17	--	--
Mother Not High School Graduate		7	1	4	2	--	--	--	7	--	--
Birthweight	Very Low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	3	--	--	2	--	1	--	3	--	--
Caesarian Section	Primary	5	--	4	--	--	1	--	5	--	--
	Secondary	14	--	2	4	5	2	1	14	--	--
Trimester Prenatal	First	70	2	16	19	18	14	1	70	--	--
Care Began	Third or No Care	2	--	2	--	--	--	--	2	--	--
First Birth		16	1	6	5	2	2	--	16	--	--
2001 Percentages²											
Live Births	Total	*	*	*	*	*	*	*	*	-0-	-0-
Sex	Male	*	*	*	*	*	*	*	*	-0-	-0-
	Female	*	-0-	*	*	*	*	-0-	*	-0-	-0-
Race	White	*	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Marital Status	Married	*	*	*	*	*	*	*	*	-0-	-0-
	Single	*	*	*	*	*	-0-	-0-	*	-0-	-0-
Mother Not High School Graduate		*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	*	-0-	-0-	*	-0-	*	-0-	*	-0-	-0-
Caesarian Section	Primary	*	-0-	*	-0-	-0-	*	-0-	*	-0-	-0-
	Secondary	*	-0-	*	*	*	*	*	*	-0-	-0-
Trimester Prenatal	First	*	*	*	*	*	*	*	*	-0-	-0-
Care Began	Third or No Care	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First Birth		*	*	*	*	*	*	-0-	*	-0-	-0-
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	10.3	30.7	31.0	16.6	9.6	*	99.2	-0-	*
Sex	Male	51.6	*	49.2	52.0	*	*	*	51.8	-0-	*
	Female	48.4	*	50.8	48.0	*	*	*	48.2	-0-	*
Race	White	99.2	*	100.0	97.6	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	*	-0-	-0-			
Multiple Births		*	*	-0-	*	-0-	-0-	*	*	-0-	-0-
Marital Status	Married	78.8	*	72.1	91.1	*	*	*	78.7	-0-	*
	Single	21.2	*	27.9	8.9	*	*	*	21.3	-0-	-0-
Mother Not High School Graduate		11.1	*	13.1	*	-0-	-0-	-0-	11.2	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.8	*	*	*	*	*	*	5.8	-0-	-0-
Caesarian Section	Primary	13.9	*	14.8	10.6	*	*	*	14.0	-0-	-0-
	Secondary	9.1	*	*	9.8	*	*	*	9.1	-0-	-0-
Trimester Prenatal	First	80.9	*	77.0	87.0	*	*	*	81.0	-0-	*
Care Began	Third or No Care	*	0.0	*	*	-0-	*	-0-	*	-0-	-0-
First Birth		31.7	*	41.8	22.8	*	*	-0-	31.7	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Schuyler County - 2001

Population Estimates	
Total	7,100
Under 65 Years	5,730
65 and Older	1,370

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	99	--	--	--	2	--	4	6	5	22	30	30	
Male	52	--	--	--	1	--	4	4	3	12	15	13	
Female	47	--	--	--	1	--	--	2	2	10	15	17	
Black	1	--	--	--	--	--	--	1	--	--	--	--	
Male	1	--	--	--	--	--	--	1	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	98	--	--	--	2	--	4	5	5	22	30	30	
Male	51	--	--	--	1	--	4	3	3	12	15	13	
Female	47	--	--	--	1	--	--	2	2	10	15	17	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹	0-64	65+				All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	99	1	98	--	--	17	82				1,394.4	1,269.4	296.7	5,985.4
5-Year Average (1997-2001)	94	<1	93	--	--	14	79				1,225.1	N.A.	231.8	5,546.2
# Infectious and parasitic diseases	3	--	3	--	--	2	1				*	*	*	*
# Septicemia	2	--	2	--	--	1	1				*	*	*	*
# Viral hepatitis	1	--	1	--	--	1	--				*	*	*	-0-
# HIV disease	--	--	--	--	--	--	--				-0-	-0-	-0-	-0-
# Malignant neoplasms	27	1	26	--	--	5	22				380.3	283.1	*	1,605.8
Lip, oral cavity and pharynx	--	--	--	--	--	--	--				-0-	-0-	-0-	-0-
Colorectal	3	--	3	--	--	2	1				*	*	*	*
Bronchus and lung	7	--	7	--	--	--	7				*	86.8	-0-	*
Female breast	1	--	1	--	--	--	1				* ³	* ³	-0- ³	* ³
Cervical	--	--	--	--	--	--	--				-0- ³	-0- ³	-0- ³	-0- ³
Prostate	2	--	2	--	--	--	2				* ³	* ³	-0- ³	* ³
# Diabetes mellitus	3	--	3	--	--	--	3				*	*	-0-	*
# Alzheimer's disease	1	--	1	--	--	--	1				*	*	-0-	*
Major cardiovascular diseases	51	--	51	--	--	3	48				718.3	707.8	*	3,503.6
# Diseases of heart	41	--	41	--	--	2	39				577.5	561.6	*	2,846.7
Ischemic heart disease	35	--	35	--	--	2	33				493.0	474.9	*	2,408.8
# Cerebrovascular diseases	7	--	7	--	--	1	6				*	105.0	*	*
# Atherosclerosis	1	--	1	--	--	--	1				*	*	-0-	*
# Aortic aneurysm and dissection	--	--	--	--	--	--	--				-0-	*	-0-	-0-
Respiratory diseases	4	--	4	--	--	2	2				*	59.4	*	*
# Influenza and pneumonia	--	--	--	--	--	--	--				-0-	*	-0-	-0-
# Chronic lower resp. diseases	3	--	3	--	--	2	1				*	*	*	*
Emphysema	--	--	--	--	--	--	--				-0-	-0-	-0-	-0-
Asthma	--	--	--	--	--	--	--				-0-	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--				-0-	*	-0-	-0-
# Nephritis, nephrotic syn. & nephrosis	--	--	--	--	--	--	--				-0-	*	-0-	-0-
# Certain perinatal conditions	--	--	--	--	--	--	--				-0-	-0-	-0-	-0-
# Congenital malformations	--	--	--	--	--	--	--				-0-	*	-0-	-0-
SIDS	--	--	--	--	--	--	--				-0-	*	-0-	-0-
External causes	8	--	8	--	--	4	4				*	68.5	*	*
# Accidents	7	--	7	--	--	3	4				*	50.2	*	*
Motor vehicle accidents	5	--	5	--	--	3	2				*	*	*	*
All other accidents	2	--	2	--	--	--	2				*	*	-0-	*
# Suicide	1	--	1	--	--	1	--				*	*	*	-0-
# Homicide	--	--	--	--	--	--	--				-0-	-0-	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Scott County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	59	11	16	18	9	4	1	59	--	--
Sex	Male	33	7	7	11	5	3	--	33	--	--
	Female	26	4	9	7	4	1	1	26	--	--
Race	White	59	11	16	18	9	4	1			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple Births		--	--	--	--	--	--	--	--	--	--
Marital Status	Married	36	1	8	15	7	4	1	36	--	--
	Single	23	10	8	3	2	--	--	23	--	--
Mother Not High School Graduate		12	6	3	2	--	1	--	12	--	--
Birthweight	Very Low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	2	--	--	--	1	1	--	2	--	--
Caesarian Section	Primary	12	2	4	3	1	2	--	12	--	--
	Secondary	7	--	1	2	3	--	1	7	--	--
Trimester Prenatal Care Began	First	53	9	14	17	8	4	1	53	--	--
	Third or No Care	2	--	--	1	1	--	--	2	--	--
First Birth		24	9	7	4	3	1	--	24	--	--
2001 Percentages ²											
Live Births	Total	*	*	*	*	*	*	*	*	-0-	-0-
Sex	Male	*	*	*	*	*	*	-0-	*	-0-	-0-
	Female	*	*	*	*	*	*	*	*	-0-	-0-
Race	White	*	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple Births		-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Marital Status	Married	*	*	*	*	*	*	*	*	-0-	-0-
	Single	*	*	*	*	*	-0-	-0-	*	-0-	-0-
Mother Not High School Graduate		*	*	*		-0-	*	-0-	*	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	*	-0-	-0-	-0-	*	*	-0-	*	-0-	-0-
Caesarian Section	Primary	*	*	*	*	*	*	-0-	*	-0-	-0-
	Secondary	*	-0-	*	*	*	-0-	*	*	-0-	-0-
Trimester Prenatal Care Began	First	*	*	*	*	*	*	*	*	-0-	-0-
	Third or No Care	*	-0-	-0-	*	*	-0-	-0-	*	-0-	-0-
First Birth		*	*	*	*	*	*	-0-	*	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	14.4	25.1	32.1	15.9	10.7	*	99.7	-0-	*
Sex	Male	51.4	*	*	51.4	*	*	*	51.2	-0-	-0-
	Female	48.6	*	*	48.6	*	*	*	48.8	-0-	*
Race	White	99.7	*	*	100.0	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple Births		*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	70.9	*	*	85.7	*	*	*	70.9	-0-	-0-
	Single	29.1	*	*	14.3	*	*	*	29.1	-0-	*
Mother Not High School Graduate		14.4	*	*	*	*	*	-0-	14.4	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	3.1	*	*	*	*	*	-0-	3.1	-0-	-0-
Caesarian Section	Primary	16.2	*	*	14.3	*	*	-0-	16.0	-0-	-0-
	Secondary	8.0	-0-	*	10.5	*	*	*	8.0	-0-	-0-
Trimester Prenatal Care Began	First	86.8	*	*	91.4	*	*	*	86.8	-0-	*
	Third or No Care	*	-0-	*	*	*	*	-0-	*	-0-	-0-
First Birth		37.3	*	*	25.7	*	*	-0-	37.1	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Scott County - 2001

Population Estimates	
Total	5,500
Under 65 Years	4,580
65 and Older	920

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	69	--	--	--	--	--	--	4	9	10	26	20
Male	28	--	--	--	--	--	--	2	4	5	12	5
Female	41	--	--	--	--	--	--	2	5	5	14	15
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	69	--	--	--	--	--	--	4	9	10	26	20
Male	28	--	--	--	--	--	--	2	4	5	12	5
Female	41	--	--	--	--	--	--	2	5	5	14	15
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes								Rates ²			
	Race Category				Ethnicity		Age					
	All Races	Black	White	Other	Hispanic ¹	0-64	65+		All Ages		Age	
									2001	1999 - 2001	0-64	65+
All Causes - Current Year	69	--	69	--	--	13	56		1,254.5	1,181.8	283.8	6,087.0
5-Year Average (1997-2001)	64	<1	64	<1	--	13	51		1,155.8	N.A.	278.9	5,483.9
# Infectious and parasitic diseases	1	--	1	--	--	--	1		*	*	-0-	*
# Septicemia	--	--	--	--	--	--	--		-0-	*	-0-	-0-
# Viral hepatitis	--	--	--	--	--	--	--		-0-	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--		-0-	*	-0-	-0-
# Malignant neoplasms	17	--	17	--	--	6	11		309.1	230.3	*	1,195.7
Lip, oral cavity and pharynx	--	--	--	--	--	--	--		-0-	-0-	-0-	-0-
Colorectal	2	--	2	--	--	1	1		*	*	*	*
Bronchus and lung	4	--	4	--	--	--	4		*	*	-0-	*
Female breast	1	--	1	--	--	--	1		* ³	* ³	-0- ³	* ³
Cervical	--	--	--	--	--	--	--		-0- ³	-0- ³	-0- ³	-0- ³
Prostate	--	--	--	--	--	--	--		-0- ³	-0- ³	-0- ³	-0- ³
# Diabetes mellitus	2	--	2	--	--	1	1		*	*	*	*
# Alzheimer's disease	1	--	1	--	--	--	1		*	*	-0-	*
Major cardiovascular diseases	28	--	28	--	--	3	25		509.1	533.3	*	2,717.4
# Diseases of heart	19	--	19	--	--	3	16		345.5	412.1	*	1,739.1
Ischemic heart disease	14	--	14	--	--	2	12		254.5	345.5	*	1,304.3
# Cerebrovascular diseases	5	--	5	--	--	--	5		*	60.6	-0-	*
# Atherosclerosis	1	--	1	--	--	--	1		*	*	-0-	*
# Aortic aneurysm and dissection	--	--	--	--	--	--	--		-0-	-0-	-0-	-0-
Respiratory diseases	5	--	5	--	--	--	5		*	121.2	-0-	*
# Influenza and pneumonia	--	--	--	--	--	--	--		-0-	*	-0-	-0-
# Chronic lower resp. diseases	3	--	3	--	--	--	3		*	78.8	-0-	*
Emphysema	1	--	1	--	--	--	1		*	*	-0-	*
Asthma	--	--	--	--	--	--	--		-0-	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--		-0-	-0-	-0-	-0-
# Nephritis, nephrotic syn. & nephrosis	5	--	5	--	--	--	5		*	*	-0-	*
# Certain perinatal conditions	--	--	--	--	--	--	--		-0-	-0-	-0-	-0-
# Congenital malformations	--	--	--	--	--	--	--		-0-	*	-0-	-0-
SIDS	--	--	--	--	--	--	--		-0-	-0-	-0-	-0-
External causes	2	--	2	--	--	2	--		*	60.6	*	-0-
# Accidents	2	--	2	--	--	2	--		*	*	*	-0-
Motor vehicle accidents	--	--	--	--	--	--	--		-0-	*	-0-	-0-
All other accidents	2	--	2	--	--	2	--		*	*	*	-0-
# Suicide	--	--	--	--	--	--	--		-0-	*	-0-	-0-
# Homicide	--	--	--	--	--	--	--		-0-	-0-	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Shelby County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	223	28	62	73	45	14	1	221	1	2
Sex	Male	117	18	29	34	26	9	1	116	--	2
	Female	106	10	33	39	19	5	--	105	1	--
Race	White	221	27	62	72	45	14	1			
	Black	1	1	--	--	--	--	--			
Ethnicity	Hispanic ¹	2	--	--	1	--	1	--			
Multiple Births		6	--	2	2	2	--	--	6	--	--
Marital Status	Married	169	8	44	66	37	13	1	168	--	1
	Single	54	20	18	7	8	1	--	53	1	1
Mother Not High School Graduate		32	16	8	2	4	2	--	31	1	--
Birthweight	Very Low (0-1,499 Grams)	3	2	1	--	--	--	--	3	--	--
	Low (0-2,499 Grams)	11	3	3	2	2	--	1	11	--	--
Caesarian Section	Primary	36	7	13	11	2	2	1	35	1	--
	Secondary	15	--	4	6	5	--	--	14	--	--
Trimester Prenatal Care Began	First	187	19	49	66	39	13	1	185	1	1
	Third or No Care	4	2	2	--	--	--	--	4	--	--
First Birth		63	20	25	14	3	1	--	62	1	1
2001 Percentages ²											
Live Births	Total	100.0	12.6	27.8	32.7	20.2	6.3	*	99.1	*	*
Sex	Male	52.5	*	*	*	*	*	*	52.5	-0-	*
	Female	47.5	*	*	*	*	*	-0-	47.5	*	-0-
Race	White	99.1	*	*	*	*	*	*			
	Black	*	*	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	*	-0-			
Multiple Births		*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
Marital Status	Married	75.8	*	*	*	*	*	*	76.0	-0-	*
	Single	24.2	*	*	*	*	*	-0-	24.0	*	*
Mother Not High School Graduate		14.3	*	*	*	*	*	-0-	14.0	*	-0-
Birthweight	Very Low (0-1,499 Grams)	*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	4.9	*	*	*	*	-0-	*	5.0	-0-	-0-
Caesarian Section	Primary	16.1	*	*	*	*	*	*	15.8	*	-0-
	Secondary	6.7	-0-	*	*	*	-0-	-0-	6.3	-0-	-0-
Trimester Prenatal Care Began	First	86.6	*	*	*	*	*	*	86.4	*	*
	Third or No Care	*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First Birth		28.3	*	*	*	*	*	-0-	28.1	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	13.8	29.8	31.2	17.6	6.3	1.4	99.6	*	0.8
Sex	Male	49.7	52.0	49.2	50.4	49.3	*	*	49.6	*	*
	Female	50.3	48.0	50.8	49.6	50.7	*	*	50.4	*	*
Race	White	99.6	98.8	100.0	99.5	100.0	*	*			
	Black	*	*	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	0.8	-0-	*	*	-0-	*	-0-			
Multiple Births		2.4	-0-	*	2.6	*	*	*	2.4	-0-	-0-
Marital Status	Married	74.7	27.5	68.4	88.4	90.4	*	*	74.7	*	*
	Single	25.3	72.5	31.6	11.6	9.6	*	-0-	25.3	*	*
Mother Not High School Graduate		14.7	60.2	13.0	4.7	*	*	-0-	14.7	*	*
Birthweight	Very Low (0-1,499 Grams)	0.8	*	*	*	-0-	-0-	-0-	0.8	-0-	-0-
	Low (0-2,499 Grams)	5.9	5.8	6.2	6.2	4.6	*	*	5.9	-0-	-0-
Caesarian Section	Primary	12.6	12.9	14.1	12.7	6.8	*	*	12.5	*	*
	Secondary	8.8	*	5.1	10.1	16.0	*	*	8.7	-0-	-0-
Trimester Prenatal Care Began	First	85.0	67.5	83.1	92.4	87.1	*	*	84.9	*	*
	Third or No Care	2.8	6.5	3.6	*	*	-0-	-0-	2.8	-0-	*
First Birth		32.5	69.6	43.2	25.3	8.7	*	*	32.4	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Shelby County - 2001

Population Estimates	
Total	22,600
Under 65 Years	18,530
65 and Older	4,070

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	265	3	1	1	3	3	5	9	18	51	72	99	
Male	137	3	1	1	1	1	5	6	11	30	34	44	
Female	128	--	--	--	2	2	--	3	7	21	38	55	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	265	3	1	1	3	3	5	9	18	51	72	99	
Male	137	3	1	1	1	1	5	6	11	30	34	44	
Female	128	--	--	--	2	2	--	3	7	21	38	55	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age							
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			All Ages		Age	
											2001	1999 - 2001	0-64	65+
All Causes - Current Year	265	--	265	--	--		43	222			1,172.6	1,086.9	232.1	5,454.5
5-Year Average (1997-2001)	246	<1	246	--	<1		45	201			1,096.2	N.A.	245.7	5,045.2
# Infectious and parasitic diseases	4	--	4	--	--		--	4		*	*	*	-0-	*
# Septicemia	4	--	4	--	--		--	4		*	*	*	-0-	*
# Viral hepatitis	--	--	--	--	--		--	--		-0-	*	*	-0-	-0-
# HIV disease	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Malignant neoplasms	58	--	58	--	--		7	51		256.6	244.5	*	1,253.1	
Lip, oral cavity and pharynx	1	--	1	--	--		1	--		*	*	*	-0-	*
Colorectal	6	--	6	--	--		2	4		*	29.5	*	*	*
Bronchus and lung	22	--	22	--	--		2	20		97.3	69.2	*	491.4	*
Female breast	2	--	2	--	--		1	1		* ³	* ³	* ³	* ³	* ³
Cervical	--	--	--	--	--		--	--		-0- ³	* ³	-0- ³	-0- ³	-0- ³
Prostate	2	--	2	--	--		--	2		* ³	14.7 ³	-0- ³	-0- ³	* ³
# Diabetes mellitus	4	--	4	--	--		1	3		*	23.6	*	*	*
# Alzheimer's disease	2	--	2	--	--		--	2		*	16.2	-0-	-0-	*
Major cardiovascular diseases	113	--	113	--	--		8	105		500.0	474.2	*	2,579.9	
# Diseases of heart	81	--	81	--	--		6	75		358.4	353.5	*	1,842.8	*
Ischemic heart disease	54	--	54	--	--		2	52		238.9	240.1	*	1,277.6	*
# Cerebrovascular diseases	25	--	25	--	--		2	23		110.6	91.3	*	565.1	*
# Atherosclerosis	2	--	2	--	--		--	2		*	*	-0-	-0-	*
# Aortic aneurysm and dissection	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
Respiratory diseases	28	--	28	--	--		5	23		123.9	91.3	*	565.1	*
# Influenza and pneumonia	8	--	8	--	--		2	6		*	30.9	*	*	*
# Chronic lower resp. diseases	17	--	17	--	--		1	16		75.2	51.5	*	393.1	*
Emphysema	5	--	5	--	--		1	4		*	*	*	*	*
Asthma	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--		--	1		*	*	-0-	-0-	*
# Nephritis, nephrotic syn. & nephrosis	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
# Certain perinatal conditions	3	--	3	--	--		3	--		*	*	*	-0-	-0-
# Congenital malformations	--	--	--	--	--		--	--		-0-	*	-0-	-0-	-0-
SIDS	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-
External causes	16	--	16	--	--		12	4		70.8	60.4	64.8	*	*
# Accidents	13	--	13	--	--		9	4		57.5	51.5	*	*	*
Motor vehicle accidents	8	--	8	--	--		6	2		*	29.5	*	*	*
All other accidents	5	--	5	--	--		3	2		*	22.1	*	*	*
# Suicide	3	--	3	--	--		3	--		*	*	*	-0-	-0-
# Homicide	--	--	--	--	--		--	--		-0-	-0-	-0-	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Stark County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	76	7	20	25	10	14	--	76	--	2
Sex	Male	42	3	9	17	4	9	--	42	--	2
	Female	34	4	11	8	6	5	--	34	--	--
Race	White	76	7	20	25	10	14	--			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	2	1	--	1	--	--	--			
Multiple Births		4	--	2	--	--	2	--	4	--	--
Marital Status	Married	60	1	15	23	10	11	--	60	--	1
	Single	16	6	5	2	--	3	--	16	--	1
Mother Not High School Graduate		11	3	4	3	1	--	--	11	--	1
Birthweight	Very Low (0-1,499 Grams)	1	--	1	--	--	--	--	1	--	--
	Low (0-2,499 Grams)	5	1	3	1	--	--	--	5	--	--
Caesarian Section	Primary	11	1	2	3	2	3	--	11	--	--
	Secondary	10	--	2	4	2	2	--	10	--	--
Trimester Prenatal Care Began	First	68	5	18	24	10	11	--	68	--	2
	Third or No Care	2	--	--	--	--	2	--	2	--	--
First Birth		14	4	4	4	2	--	--	14	--	1
2001 Percentages ²											
Live Births	Total	*	*	*	*	*	*	-0-	*	-0-	*
Sex	Male	*	*	*	*	*	*	-0-	*	-0-	*
	Female	*	*	*	*	*	*	-0-	*	-0-	-0-
Race	White	*	*	*	*	*	*	-0-			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	*	-0-	-0-	-0-			
Multiple Births		*	-0-	*	-0-	-0-	*	-0-	*	-0-	-0-
Marital Status	Married	*	*	*	*	*	*	-0-	*	-0-	*
	Single	*	*	*	*	-0-	*	-0-	*	-0-	*
Mother Not High School Graduate		*	*	*	*	*	-0-	-0-	*	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
Caesarian Section	Primary	*	*	*	*	*	*	-0-	*	-0-	-0-
	Secondary	*	-0-	*	*	*	*	-0-	*	-0-	-0-
Trimester Prenatal Care Began	First	*	*	*	*	*	*	-0-	*	-0-	*
	Third or No Care	*	-0-	-0-	-0-	-0-	*	-0-	*	-0-	-0-
First Birth		*	*	*	*	*	-0-	-0-	*	-0-	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	11.3	24.5	33.0	21.4	8.2	*	99.7	-0-	*
Sex	Male	50.0	*	*	50.8	*	*	*	50.1	-0-	*
	Female	50.0	*	*	49.2	*	*	*	49.9	-0-	*
Race	White	99.7	*	*	100.0	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	-0-	-0-	-0-			
Multiple Births		2.6	-0-	*	*	-0-	*	-0-	2.6	-0-	-0-
Marital Status	Married	78.4	*	*	92.2	*	*	*	78.6	-0-	*
	Single	21.6	*	*	7.8	*	*	-0-	21.4	-0-	*
Mother Not High School Graduate		12.1	*	*	*	*	-0-	-0-	12.1	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.4	*	*	*	*	*	-0-	5.4	-0-	*
Caesarian Section	Primary	13.9	*	*	16.4	*	*	-0-	14.0	-0-	*
	Secondary	9.0	*	*	13.3	*	*	-0-	9.0	-0-	*
Trimester Prenatal Care Began	First	86.9	*	*	90.6	*	*	*	86.8	-0-	*
	Third or No Care	2.6	0.0	*	*	-0-	*	-0-	2.6	-0-	-0-
First Birth		26.8	*	*	20.3	*	*	-0-	26.6	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Stark County - 2001

Population Estimates	
Total	6,300
Under 65 Years	5,090
65 and Older	1,210

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	100	1	--	1	--	2	3	2	5	13	35	38
Male	44	1	--	1	--	--	1	1	5	7	16	12
Female	56	--	--	--	--	2	2	1	--	6	19	26
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	100	1	--	1	--	2	3	2	5	13	35	38
Male	44	1	--	1	--	--	1	1	5	7	16	12
Female	56	--	--	--	--	2	2	1	--	6	19	26
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity	Age								
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age				
								2001	1999 - 2001	0-64	65+			
All Causes - Current Year	100	--	100	--	--	14	86	1,587.3	1,470.6	275.0	7,107.4			
5-Year Average (1997-2001)	91	<1	91	<1	<1	15	76	1,469.5	N.A.	305.7	6,105.8			
Infectious and parasitic diseases	5	--	5	--	--	2	3	*	*	*	*			
# Septicemia	3	--	3	--	--	--	3	*	*	-0-	*			
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# HIV disease	1	--	1	--	--	1	--	*	*	*	-0-			
# Malignant neoplasms	20	--	20	--	--	5	15	317.5	331.6	*	1,239.7			
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
Colorectal	7	--	7	--	--	1	6	*	*	*	*			
Bronchus and lung	7	--	7	--	--	2	5	*	144.4	*	*			
Female breast	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³			
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³			
Prostate	1	--	1	--	--	--	1	* ³	* ³	-0- ³	* ³			
# Diabetes mellitus	1	--	1	--	--	--	1	*	*	-0-	*			
# Alzheimer's disease	3	--	3	--	--	--	3	*	*	-0-	*			
Major cardiovascular diseases	39	--	39	--	--	2	37	619.0	631.0	*	3,057.9			
# Diseases of heart	27	--	27	--	--	2	25	428.6	449.2	*	2,066.1			
Ischemic heart disease	11	--	11	--	--	1	10	174.6	160.4	*	826.4			
# Cerebrovascular diseases	11	--	11	--	--	--	11	174.6	155.1	-0-	909.1			
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*			
Respiratory diseases	14	--	14	--	--	1	13	222.2	171.1	*	1,074.4			
# Influenza and pneumonia	6	--	6	--	--	1	5	*	80.2	*	*			
# Chronic lower resp. diseases	4	--	4	--	--	--	4	*	*	-0-	*			
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Nephritis, nephrotic syn. & nephrosis	3	--	3	--	--	--	3	*	*	-0-	*			
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	*	-0-			
# Congenital malformations	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
External causes	6	--	6	--	--	3	3	*	96.3	*	*			
# Accidents	4	--	4	--	--	2	2	*	74.9	*	*			
Motor vehicle accidents	2	--	2	--	--	1	1	*	*	*	*			
All other accidents	2	--	2	--	--	1	1	*	53.5	*	*			
# Suicide	1	--	1	--	--	1	--	*	*	*	-0-			
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Stephenson County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	576	85	150	160	134	35	12	495	75	18
Sex	Male	288	49	79	65	67	19	9	241	45	11
	Female	288	36	71	95	67	16	3	254	30	7
Race	White	495	62	119	147	123	33	11			
	Black	75	23	30	12	8	1	1			
Ethnicity	Hispanic ¹	18	5	5	3	4	1	--			
Multiple Births		26	4	6	8	8	--	--	22	4	2
Marital Status	Married	357	7	59	125	124	32	10	336	16	8
	Single	219	78	91	35	10	3	2	159	59	10
Mother Not High School Graduate		94	49	29	10	4	2	--	64	29	11
Birthweight	Very Low (0-1,499 Grams)	10	--	6	2	1	1	--	8	2	--
	Low (0-2,499 Grams)	50	12	15	13	7	3	--	43	7	2
Caesarian Section	Primary	83	11	25	25	18	2	2	67	15	1
	Secondary	73	2	17	23	16	11	4	64	8	1
Trimester Prenatal Care Began	First	493	71	123	141	120	30	8	434	55	12
	Third or No Care	21	4	7	5	1	3	1	17	4	1
First Birth		192	67	57	44	19	5	--	167	24	7
2001 Percentages ²											
Live Births	Total	100.0	14.8	26.0	27.8	23.3	6.1	2.1	85.9	13.0	3.1
Sex	Male	50.0	*	52.7	40.6	50.0	*	*	48.7	*	*
	Female	50.0	*	47.3	59.4	50.0	*	*	51.3	*	*
Race	White	85.9	*	79.3	91.9	91.8	*	*			
	Black	13.0	*	20.0	7.5	*	*	*			
Ethnicity	Hispanic ¹	3.1	*	*	*	*	*	-0-			
Multiple Births		4.5	*	*	*	*	-0-	-0-	4.4	*	*
Marital Status	Married	62.0	*	39.3	78.1	92.5	*	*	67.9	*	*
	Single	38.0	*	60.7	21.9	7.5	*	*	32.1	*	*
Mother Not High School Graduate		16.3	*	19.3	6.3	*	*	-0-	12.9	*	*
Birthweight	Very Low (0-1,499 Grams)	1.7	-0-	*	*	*	*	-0-	*	*	-0-
	Low (0-2,499 Grams)	8.7	*	10.1	8.2	*	*	-0-	8.7	*	*
Caesarian Section	Primary	14.4	*	16.7	15.6	13.4	*	*	13.5	*	*
	Secondary	12.7	*	11.3	14.4	11.9	*	*	12.9	*	*
Trimester Prenatal Care Began	First	85.9	*	82.6	88.1	89.6	*	*	88.0	*	*
	Third or No Care	3.7	*	*	*	*	*	*	3.4	*	*
First Birth		33.3	*	38.0	27.5	14.2	*	*	33.7	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	14.0	26.1	29.6	21.0	7.8	1.4	85.7	13.4	2.4
Sex	Male	49.6	50.9	51.6	47.8	50.6	44.3	*	49.2	52.7	*
	Female	50.4	49.1	48.4	52.2	49.4	55.7	*	50.8	47.3	*
Race	White	85.7	69.8	81.1	91.4	92.1	90.3	*			
	Black	13.4	30.2	17.8	7.7	6.8	8.9	*			
Ethnicity	Hispanic ¹	2.4	6.6	2.4	1.2	1.7	*	-0-			
Multiple Births		2.8	*	2.3	2.5	4.4	*	-0-	2.9	*	*
Marital Status	Married	63.4	10.6	43.4	80.8	89.2	85.7	*	69.9	20.9	*
	Single	36.6	89.4	56.6	19.2	10.8	14.3	*	30.1	79.1	*
Mother Not High School Graduate		15.8	59.7	17.0	6.1	3.9	4.6	-0-	12.5	37.2	*
Birthweight	Very Low (0-1,499 Grams)	1.6	*	2.4	1.1	*	*	*	1.3	3.9	-0-
	Low (0-2,499 Grams)	7.9	12.0	9.0	6.3	6.1	8.4	*	7.1	13.1	*
Caesarian Section	Primary	14.4	15.1	14.1	15.2	13.8	13.5	*	14.4	14.8	*
	Secondary	10.7	2.8	8.2	11.3	14.0	21.1	*	10.5	12.6	*
Trimester Prenatal Care Began	First	86.4	72.0	85.9	89.9	92.1	88.0	*	88.6	72.8	*
	Third or No Care	2.7	4.0	3.2	2.5	*	*	*	2.1	6.7	*
First Birth		32.6	71.7	37.7	28.7	14.6	12.7	*	32.9	31.0	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Stephenson County - 2001

Population Estimates	
Total	48,300
Under 65 Years	40,260
65 and Older	8,040

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	534	3	--	2	--	5	12	20	45	94	156	197
Male	254	3	--	--	--	2	8	15	33	46	79	68
Female	280	--	--	2	--	3	4	5	12	48	77	129
Black	31	1	--	1	--	1	1	3	4	6	9	5
Male	15	1	--	--	--	--	--	2	2	5	3	2
Female	16	--	--	1	--	1	1	1	2	1	6	3
White	501	2	--	1	--	4	11	17	41	87	146	192
Male	237	2	--	--	--	2	8	13	31	40	75	66
Female	264	--	--	1	--	2	3	4	10	47	71	126
All other races	2	--	--	--	--	--	--	--	--	1	1	--
Male	2	--	--	--	--	--	--	--	--	1	1	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

Deaths by Selected Causes												
	Race Category				Ethnicity		Age		Rates ²			
	All Races	Black	White	Other	Hispanic ¹	0-64	65+		All Ages		Age	
									2001	1999 - 2001	0-64	65+
All Causes - Current Year	534	31	501	2	--	87	447		1,105.6	1,080.0	216.1	5,559.7
5-Year Average (1997-2001)	515	30	484	1	2	88	426		1,051.1	N.A.	216.0	5,308.9
# Infectious and parasitic diseases	11	1	10	--	--	1	10		22.8	17.8	*	124.4
# Septicemia	8	--	8	--	--	--	8		*	12.3	-0-	*
# Viral hepatitis	--	--	--	--	--	--	--		-0-	*	-0-	-0-
# HIV disease	--	--	--	--	--	--	--		-0-	*	-0-	-0-
# Malignant neoplasms	112	9	102	1	--	25	87		231.9	224.2	62.1	1,082.1
Lip, oral cavity and pharynx	1	--	1	--	--	1	--		*	*	*	-0-
Colorectal	9	1	8	--	--	1	8		*	21.9	*	*
Bronchus and lung	34	1	32	1	--	8	26		70.4	61.5	*	323.4
Female breast	2	--	2	--	--	1	1		* ³	13.0 ³	* ³	* ³
Cervical	--	--	--	--	--	--	--		-0- ³	* ³	-0- ³	-0- ³
Prostate	5	--	5	--	--	--	5		* ³	13.0 ³	-0- ³	* ³
# Diabetes mellitus	17	--	17	--	--	1	16		35.2	30.1	*	199.0
# Alzheimer's disease	13	1	12	--	--	--	13		26.9	25.3	-0-	161.7
Major cardiovascular diseases	214	13	200	1	--	28	186		443.1	440.2	69.5	2,313.4
# Diseases of heart	150	11	138	1	--	25	125		310.6	317.2	62.1	1,554.7
Ischemic heart disease	77	5	72	--	--	16	61		159.4	187.3	39.7	758.7
# Cerebrovascular diseases	41	1	40	--	--	2	39		84.9	81.3	*	485.1
# Atherosclerosis	2	--	2	--	--	--	2		*	*	-0-	*
# Aortic aneurysm and dissection	7	1	6	--	--	--	7		*	14.4	-0-	*
Respiratory diseases	60	3	57	--	--	7	53		124.2	140.1	*	659.2
# Influenza and pneumonia	15	1	14	--	--	3	12		31.1	30.8	*	149.3
# Chronic lower resp. diseases	36	--	36	--	--	3	33		74.5	83.4	*	410.4
Emphysema	2	--	2	--	--	--	2		*	9.6	-0-	*
Asthma	1	--	1	--	--	1	--		*	*	*	-0-
# Chronic liver disease and cirrhosis	5	--	5	--	--	4	1		*	9.6	*	*
# Nephritis, nephrotic syn. & nephrosis	10	1	9	--	--	--	10		20.7	19.1	-0-	124.4
# Certain perinatal conditions	2	1	1	--	--	2	--		*	*	*	-0-
# Congenital malformations	2	--	2	--	--	2	--		*	*	*	-0-
SIDS	--	--	--	--	--	--	--		-0-	*	-0-	-0-
External causes	16	--	16	--	--	8	8		33.1	45.8	*	*
# Accidents	12	--	12	--	--	7	5		24.8	31.4	*	*
Motor vehicle accidents	4	--	4	--	--	2	2		*	12.3	*	*
All other accidents	8	--	8	--	--	5	3		*	19.1	*	*
# Suicide	4	--	4	--	--	1	3		*	8.9	*	*
# Homicide	--	--	--	--	--	--	--		-0-	*	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Tazewell County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	1,573	153	382	524	353	143	18	1,551	3	21
Sex	Male	811	72	201	264	183	81	10	800	3	10
	Female	762	81	181	260	170	62	8	751	--	11
Race	White	1,551	150	381	514	345	143	18			
	Black	3	--	--	2	1	--	--			
Ethnicity	Hispanic ¹	21	3	10	5	--	3	--			
Multiple Births		58	--	8	28	14	6	2	58	--	--
Marital Status	Married	1,158	28	221	439	324	131	15	1,139	2	17
	Single	415	125	161	85	29	12	3	412	1	4
Mother Not High School Graduate		189	82	62	29	8	7	1	185	--	4
Birthweight	Very Low (0-1,499 Grams)	11	--	3	6	1	1	--	11	--	--
	Low (0-2,499 Grams)	96	5	21	41	23	4	2	96	--	3
Caesarian Section	Primary	207	18	38	75	49	23	4	207	--	4
	Secondary	126	3	18	40	45	18	2	124	--	2
Trimester Prenatal Care Began	First	1,440	121	337	495	340	131	16	1,418	3	19
	Third or No Care	23	5	4	7	4	2	1	23	--	--
First Birth		482	103	142	168	61	7	1	472	1	7
2001 Percentages ²											
Live Births	Total	100.0	9.7	24.3	33.3	22.4	9.1	1.1	98.6	*	1.3
Sex	Male	51.6	47.1	52.6	50.4	51.8	56.6	*	51.6	*	*
	Female	48.4	52.9	47.4	49.6	48.2	43.4	*	48.4	-0-	*
Race	White	98.6	98.0	99.7	98.1	97.7	100.0	*			
	Black	*	-0-	-0-	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	1.3	*	2.6	*	-0-	*	-0-			
Multiple Births		3.7	-0-	*	5.3	4.0	*	*	3.7	-0-	-0-
Marital Status	Married	73.6	18.3	57.9	83.8	91.8	91.6	*	73.4	*	*
	Single	26.4	81.7	42.1	16.2	8.2	8.4	*	26.6	*	*
Mother Not High School Graduate		12.0	53.6	16.2	5.5	*	*	*	11.9	-0-	*
Birthweight	Very Low (0-1,499 Grams)	.7	-0-	*	*	*	*	-0-	.7	-0-	-0-
	Low (0-2,499 Grams)	6.1	*	5.5	7.8	6.5	*	*	6.2	-0-	*
Caesarian Section	Primary	13.2	11.8	9.9	14.3	13.9	16.1	*	13.3	-0-	*
	Secondary	8.0	*	4.7	7.6	12.7	12.6	*	8.0	-0-	*
Trimester Prenatal Care Began	First	91.8	79.6	88.9	94.5	96.3	92.3	*	91.7	*	*
	Third or No Care	1.5	*	*	*	*	*	*	1.5	-0-	-0-
First Birth		30.6	67.3	37.2	32.1	17.3	*	*	30.4	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	11.5	25.6	31.9	21.4	8.3	1.3	98.7	0.2	1.0
Sex	Male	51.5	49.5	52.2	51.2	51.6	53.7	47.6	51.5	*	*
	Female	48.5	50.5	47.8	48.8	48.4	46.3	52.4	48.5	*	*
Race	White	98.7	98.9	99.3	98.6	98.0	98.9	99.0			
	Black	0.2	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	1.0	*	1.2	1.0	*	1.5	*			
Multiple Births		2.9	*	1.7	3.4	4.6	2.8	*	2.9	-0-	*
Marital Status	Married	73.3	17.0	60.3	86.0	91.7	92.0	91.3	73.2	*	*
	Single	26.7	83.0	39.7	14.0	8.3	8.0	*	26.8	*	*
Mother Not High School Graduate		12.9	54.1	16.0	4.6	3.1	4.1	*	12.9	*	*
Birthweight	Very Low (0-1,499 Grams)	1.2	1.2	0.9	0.9	2.1	*	-0-	1.2	-0-	*
	Low (0-2,499 Grams)	6.3	7.0	6.4	5.3	7.5	5.7	*	6.2	*	*
Caesarian Section	Primary	12.0	9.1	9.7	13.4	13.3	13.9	13.6	11.9	*	*
	Secondary	8.4	1.3	4.8	8.1	13.5	15.6	19.4	8.4	-0-	*
Trimester Prenatal Care Began	First	91.1	79.1	87.9	94.5	95.4	94.3	86.4	91.2	*	*
	Third or No Care	1.4	0.9	1.7	0.8	.9	*	*	1.4	-0-	-0-
First Birth		33.3	72.4	40.6	31.0	17.8	10.1	*	33.2	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Tazewell County - 2001

Population Estimates	
Total	128,400
Under 65 Years	109,220
65 and Older	19,180

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	1,197	8	--	--	15	8	38	76	116	236	315	385
Male	559	4	--	--	12	5	21	47	60	132	141	137
Female	638	4	--	--	3	3	17	29	56	104	174	248
Black	3	--	--	--	--	--	--	--	--	--	2	1
Male	1	--	--	--	--	--	--	--	--	--	1	--
Female	2	--	--	--	--	--	--	--	--	--	1	1
White	1,192	8	--	--	14	8	38	76	116	235	313	384
Male	557	4	--	--	11	5	21	47	60	132	140	137
Female	635	4	--	--	3	3	17	29	56	103	173	247
All other races	2	--	--	--	1	--	--	--	--	1	--	--
Male	1	--	--	--	1	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	1	--	--
Hispanic ethnicity ¹	2	--	--	--	--	--	--	--	--	2	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	2	--	--	--	--	--	--	--	--	2	--	--

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity	Age								
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age				
								2001	1999 - 2001	0-64	65+			
All Causes - Current Year	1,197	3	1,192	2	2	261	936	932.2	944.4	239.0	4,880.1			
5-Year Average (1997-2001)	1,202	4	1,197	<1	2	232	969	925.6	N.A.	209.7	5,103.2			
Infectious and parasitic diseases	17	--	17	--	--	6	11	13.2	12.4	*	57.4			
# Septicemia	13	--	13	--	--	3	10	10.1	7.7	*	52.1			
# Viral hepatitis	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# HIV disease	1	--	1	--	--	--	1	*	*	-0-	*			
# Malignant neoplasms	310	1	309	--	1	82	228	241.4	240.6	75.1	1,188.7			
Lip, oral cavity and pharynx	2	--	2	--	--	--	2	*	*	-0-	*			
Colorectal	43	--	43	--	--	11	32	33.5	27.6	10.1	166.8			
Bronchus and lung	85	--	85	--	1	24	61	66.2	69.6	22.0	318.0			
Female breast	21	1	20	--	--	8	13	16.4 ³	18.5 ³	* ³	67.8 ³			
Cervical	1	--	1	--	--	1	--	* ³	* ³	* ³	-0- ³			
Prostate	15	--	15	--	--	2	13	11.7 ³	11.8 ³	* ³	67.8 ³			
# Diabetes mellitus	36	--	36	--	--	3	33	28.0	31.4	*	172.1			
# Alzheimer's disease	28	--	28	--	--	1	27	21.8	21.1	*	140.8			
Major cardiovascular diseases	469	1	467	1	1	72	397	365.3	368.1	65.9	2,069.9			
# Diseases of heart	345	1	343	1	1	63	282	268.7	264.8	57.7	1,470.3			
Ischemic heart disease	241	1	239	1	1	45	196	187.7	183.2	41.2	1,021.9			
# Cerebrovascular diseases	98	--	98	--	--	6	92	76.3	78.8	*	479.7			
# Atherosclerosis	3	--	3	--	--	--	3	*	3.9	-0-	*			
# Aortic aneurysm and dissection	13	--	13	--	--	2	11	10.1	9.5	*	57.4			
Respiratory diseases	102	--	102	--	--	15	87	79.4	84.8	13.7	453.6			
# Influenza and pneumonia	30	--	30	--	--	5	25	23.4	24.7	*	130.3			
# Chronic lower resp. diseases	57	--	57	--	--	5	52	44.4	46.6	*	271.1			
Emphysema	7	--	7	--	--	2	5	*	7.0	*	*			
Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Chronic liver disease and cirrhosis	14	--	14	--	--	11	3	10.9	9.3	10.1	*			
# Nephritis, nephrotic syn. & nephrosis	22	--	22	--	--	3	19	17.1	19.3	*	99.1			
# Certain perinatal conditions	5	--	5	--	--	5	--	*	3.3	*	-0-			
# Congenital malformations	2	--	2	--	--	2	--	*	3.3	*	-0-			
SIDS	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
External causes	57	--	56	1	--	39	18	44.4	41.5	35.7	93.8			
# Accidents	29	--	29	--	--	18	11	22.6	24.7	16.5	57.4			
Motor vehicle accidents	9	--	9	--	--	7	2	*	7.0	*	*			
All other accidents	20	--	20	--	--	11	9	15.6	17.8	10.1	*			
# Suicide	24	--	24	--	--	18	6	18.7	12.6	16.5	*			
# Homicide	2	--	1	1	--	2	--	*	2.6	*	-0-			

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Union County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	211	20	63	85	30	10	3	210	--	17
Sex	Male	111	10	32	47	16	4	2	111	--	6
	Female	100	10	31	38	14	6	1	99	--	11
Race	White	210	20	63	85	29	10	3			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	17	1	5	6	2	2	1			
Multiple Births		2	--	2	--	--	--	--	2	--	--
Marital Status	Married	159	7	41	72	28	8	3	158	--	14
	Single	52	13	22	13	2	2	--	52	--	3
Mother Not High School Graduate		39	14	12	7	1	3	2	39	--	12
Birthweight	Very Low (0-1,499 Grams)	1	--	1	--	--	--	--	1	--	--
	Low (0-2,499 Grams)	15	4	10	--	1	--	--	15	--	--
Caesarian Section	Primary	41	4	11	16	8	2	--	40	--	2
	Secondary	23	1	2	9	8	2	1	23	--	2
Trimester Prenatal Care Began	First	184	16	56	78	25	7	2	183	--	13
	Third or No Care	2	1	1	--	--	--	--	2	--	--
First Birth		69	16	24	24	4	1	--	68	--	4
2001 Percentages ²											
Live Births	Total	100.0	9.5	29.9	40.3	14.2	4.7	*	99.5	-0-	8.1
Sex	Male	52.6	*	*	*	*	*	*	52.9	-0-	*
	Female	47.4	*	*	*	*	*	*	47.1	-0-	*
Race	White	99.5	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	8.1	*	*	*	*	*	*			
Multiple Births		*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
Marital Status	Married	75.4	*	*	*	*	*	*	75.2	-0-	*
	Single	24.6	*	*	*	*	*	-0-	24.8	-0-	*
Mother Not High School Graduate		18.5	*	*	*	*	*	*	18.6	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.1	*	*	-0-	*	-0-	-0-	7.1	-0-	-0-
Caesarian Section	Primary	19.4	*	*	*	*	*	-0-	19.0	-0-	*
	Secondary	10.9	*	*	*	*	*	*	11.0	-0-	*
Trimester Prenatal Care Began	First	89.3	*	*	*	*	*	*	89.3	-0-	*
	Third or No Care	*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First Birth		32.7	*	*	*	*	*	-0-	32.4	-0-	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	13.0	30.6	33.8	14.6	6.5	1.5	99.6	*	9.8
Sex	Male	50.9	47.4	53.2	50.6	47.3	*	*	51.0	*	42.0
	Female	49.1	52.6	46.8	49.4	52.7	*	*	49.0	*	58.0
Race	White	99.6	100.0	99.7	99.4	99.3	*	*			
	Black	*	-0-	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	9.8	10.5	11.8	7.5	9.3	*	*			
Multiple Births		1.8	-0-	*	*	*	-0-	-0-	1.8	-0-	-0-
Marital Status	Married	76.9	42.1	72.0	87.0	90.0	*	*	76.8	*	83.0
	Single	23.1	57.9	28.0	13.0	10.0	*	*	23.2	-0-	17.0
Mother Not High School Graduate		21.3	57.1	21.8	11.6	12.0	*	*	21.4	-0-	74.5
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	*	*	-0-	-0-	*	-0-	*
	Low (0-2,499 Grams)	7.6	12.0	8.9	5.5	6.7	*	*	7.6	-0-	*
Caesarian Section	Primary	12.9	*	13.4	12.4	18.7	*	*	12.8	-0-	13.0
	Secondary	7.2	*	3.8	9.0	13.3	*	*	7.1	*	11.0
Trimester Prenatal Care Began	First	87.9	87.0	88.1	88.9	87.8	*	*	87.9	*	73.0
	Third or No Care	1.8	*	*	*	*	*	-0-	1.8	-0-	*
First Birth		35.2	82.0	43.9	25.4	12.0	*	*	35.3	-0-	29.0

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Union County - 2001

Population Estimates	
Total	18,200
Under 65 Years	15,050
65 and Older	3,150

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	281	1	--	1	--	3	3	17	28	51	85	92	
Male	145	1	--	--	--	1	1	13	14	26	50	39	
Female	136	--	--	1	--	2	2	4	14	25	35	53	
Black	1	--	--	--	--	--	--	--	1	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	1	--	--	--	
White	280	1	--	1	--	3	3	17	27	51	85	92	
Male	145	1	--	--	--	1	1	13	14	26	50	39	
Female	135	--	--	1	--	2	2	4	13	25	35	53	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	2	--	--	--	--	--	1	--	--	1	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	2	--	--	--	--	--	1	--	--	1	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	281	1	280	--	2	53	228	1,544.0	1,464.9	352.2	7,238.1		
5-Year Average (1997-2001)	255	2	252	--	1	53	202	1,435.2	N.A.	361.7	6,316.4		
# Infectious and parasitic diseases	7	--	7	--	--	--	7	*	22.1	-0-	*		
# Septicemia	6	--	6	--	--	--	6	*	18.5	-0-	*		
# Viral hepatitis	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# Malignant neoplasms	60	--	60	--	1	15	45	329.7	308.1	99.7	1,428.6		
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
Colorectal	7	--	7	--	--	1	6	*	29.5	*	*		
Bronchus and lung	11	--	11	--	--	3	8	60.4	97.8	*	*		
Female breast	3	--	3	--	--	1	2	³ 412.1	³ 337.6	³ 113.0	³ 1,841.3		
Cervical	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³		
Prostate	6	--	6	--	--	--	6	* ³	* ³	-0- ³	* ³		
# Diabetes mellitus	5	--	5	--	--	2	3	*	31.4	*	*		
# Alzheimer's disease	8	--	8	--	--	--	8	*	27.7	-0-	*		
Major cardiovascular diseases	124	--	124	--	--	19	105	681.3	621.8	126.2	3,333.3		
# Diseases of heart	100	--	100	--	--	18	82	549.5	500.0	119.6	2,603.2		
Ischemic heart disease	75	--	75	--	--	17	58	412.1	337.6	113.0	1,841.3		
# Cerebrovascular diseases	18	--	18	--	--	1	17	98.9	90.4	*	539.7		
# Atherosclerosis	4	--	4	--	--	--	4	*	*	-0-	*		
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*		
Respiratory diseases	24	--	24	--	--	--	24	131.9	186.3	-0-	761.9		
# Influenza and pneumonia	11	--	11	--	--	--	11	60.4	90.4	-0-	349.2		
# Chronic lower resp. diseases	12	--	12	--	--	--	12	65.9	70.1	-0-	381.0		
Emphysema	1	--	1	--	--	--	1	*	*	-0-	*		
Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Chronic liver disease and cirrhosis	4	--	4	--	--	2	2	*	*	*	*		
# Nephritis, nephrotic syn. & nephrosis	12	--	12	--	--	1	11	65.9	48.0	*	349.2		
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# Congenital malformations	1	--	1	--	--	1	--	*	*	*	-0-		
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
External causes	9	--	9	--	--	5	4	*	66.4	*	*		
# Accidents	7	--	7	--	--	5	2	*	48.0	*	*		
Motor vehicle accidents	4	--	4	--	--	4	--	*	27.7	*	-0-		
All other accidents	3	--	3	--	--	1	2	*	20.3	*	*		
# Suicide	1	--	1	--	--	--	1	*	*	-0-	*		
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Vermilion County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	1,119	180	381	292	189	66	11	955	149	51
Sex	Male	568	87	190	153	98	35	5	490	71	28
	Female	551	93	191	139	91	31	6	465	78	23
Race	White	955	140	315	254	174	62	10			
	Black	149	40	61	31	13	3	1			
Ethnicity	Hispanic ¹	51	10	18	12	8	3	--			
Multiple Births		32	4	16	6	2	4	--	28	4	--
Marital Status	Married	626	24	160	214	161	57	10	586	28	25
	Single	493	156	221	78	28	9	1	369	121	26
Mother Not High School Graduate		251	110	92	28	15	4	2	192	57	18
Birthweight	Very Low (0-1,499 Grams)	20	5	8	3	2	2	--	18	2	1
	Low (0-2,499 Grams)	92	16	39	19	9	7	2	76	15	6
Caesarian Section	Primary	130	17	47	33	21	11	1	114	16	6
	Secondary	111	1	28	36	31	13	2	94	16	4
Trimester Prenatal Care Began	First	874	126	283	241	159	56	9	769	96	35
	Third or No Care	27	5	12	8	2	--	--	16	11	4
First Birth		325	124	123	52	21	5	--	282	40	19
2001 Percentages²											
Live Births	Total	100.0	16.1	34.0	26.1	16.9	5.9	1.0	85.3	13.3	4.6
Sex	Male	50.8	48.3	49.9	52.4	51.9	*	*	51.3	47.7	*
	Female	49.2	51.7	50.1	47.6	48.1	*	*	48.7	52.3	*
Race	White	85.3	77.8	82.7	87.0	92.1	*	*			
	Black	13.3	22.2	16.0	10.6	6.9	*	*			
Ethnicity	Hispanic ¹	4.6	5.6	4.7	4.1	*	*	-0-			
Multiple Births		2.9	*	4.2	*	*	*	-0-	2.9	*	-0-
Marital Status	Married	55.9	13.3	42.0	73.3	85.2	*	*	61.4	18.8	*
	Single	44.1	86.7	58.0	26.7	14.8	*	*	38.6	81.2	*
Mother Not High School Graduate		22.5	61.1	24.2	9.7	8.0	*	*	20.1	38.5	*
Birthweight	Very Low (0-1,499 Grams)	1.8	*	*	*	*	*	-0-	1.9	*	*
	Low (0-2,499 Grams)	8.2	8.9	10.2	6.5	*	*	*	8.0	10.1	*
Caesarian Section	Primary	11.6	9.4	12.3	11.3	11.1	*	*	11.9	10.7	*
	Secondary	9.9	*	7.3	12.3	16.4	*	*	9.8	10.7	*
Trimester Prenatal Care Began	First	81.4	72.4	77.5	86.7	86.9	*	*	83.5	68.1	*
	Third or No Care	2.5	*	3.3	*	*	-0-	-0-	1.7	7.8	*
First Birth		29.0	68.9	32.3	17.8	11.1	*	-0-	29.5	26.8	*
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	18.1	32.9	26.0	15.6	6.3	1.0	85.0	13.9	4.8
Sex	Male	51.6	50.5	51.7	51.9	52.7	49.9	*	51.8	50.1	52.3
	Female	48.4	49.5	48.3	48.1	47.3	50.1	*	48.2	49.9	47.7
Race	White	85.0	76.9	84.0	87.6	89.9	91.8	*			
	Black	13.9	22.7	15.0	11.4	8.1	6.5	*			
Ethnicity	Hispanic ¹	4.8	7.3	5.0	4.1	3.6	3.5	*			
Multiple Births		3.3	1.7	3.2	2.9	4.6	6.3	-0-	3.1	4.0	*
Marital Status	Married	55.0	15.2	45.1	70.4	84.6	78.5	*	60.5	19.1	39.5
	Single	45.0	84.8	54.9	29.6	15.4	21.5	*	39.5	80.9	60.5
Mother Not High School Graduate		23.7	62.6	23.3	10.8	8.0	7.8	*	21.7	36.9	47.3
Birthweight	Very Low (0-1,499 Grams)	1.7	2.4	1.6	1.5	1.1	*	-0-	1.6	2.1	*
	Low (0-2,499 Grams)	8.2	8.2	7.9	7.5	7.8	12.3	*	7.6	11.9	7.5
Caesarian Section	Primary	11.9	12.5	11.0	10.8	13.9	13.4	*	12.2	10.5	9.3
	Secondary	9.8	1.5	7.7	12.9	14.9	18.0	*	9.2	12.6	6.4
Trimester Prenatal Care Began	First	80.4	69.6	77.9	85.4	87.4	86.5	*	82.5	67.3	67.1
	Third or No Care	3.8	5.3	4.1	3.1	2.8	2.8	*	3.1	8.4	10.1
First Birth		29.2	66.3	29.0	19.3	13.9	6.5	*	29.8	26.4	33.5

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Vermilion County - 2001

Population Estimates	
Total	83,200
Under 65 Years	69,820
65 and Older	13,380

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	939	17	--	3	8	13	26	60	104	156	313	239
Male	470	7	--	1	4	8	18	41	67	96	159	69
Female	469	10	--	2	4	5	8	19	37	60	154	170
Black	77	2	--	--	1	1	9	5	11	15	19	14
Male	41	1	--	--	--	1	5	4	7	7	10	6
Female	36	1	--	--	1	--	4	1	4	8	9	8
White	860	15	--	3	7	12	17	54	92	141	294	225
Male	428	6	--	1	4	7	13	36	60	89	149	63
Female	432	9	--	2	3	5	4	18	32	52	145	162
All other races	2	--	--	--	--	--	--	1	1	--	--	--
Male	1	--	--	--	--	--	--	1	--	--	--	--
Female	1	--	--	--	--	--	--	--	1	--	--	--
Hispanic ethnicity ¹	9	2	--	--	1	1	--	--	--	2	1	2
Male	6	1	--	--	1	1	--	--	--	2	1	--
Female	3	1	--	--	--	--	--	--	--	--	--	2

Deaths by Selected Causes												
		Race Category				Ethnicity	Age		Rates ²			
		All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age	
									2001	1999 - 2001	0-64	65+
All Causes - Current Year		939	77	860	2	9	231	708	1,128.6	1,139.6	330.9	5,291.5
5-Year Average (1997-2001)		960	64	895	2	5	209	751	1,128.3	N.A.	293.9	5,391.2
Infectious and parasitic diseases		32	5	27	--	2	10	22	38.5	27.8	14.3	164.4
#	Septicemia	22	2	20	--	1	3	19	26.4	20.3	*	142.0
#	Viral hepatitis	3	1	2	--	--	3	--	*	*	*	-0-
#	HIV disease	3	1	2	--	1	3	--	*	*	*	-0-
#	Malignant neoplasms	197	18	178	1	2	58	139	236.8	271.3	83.1	1,038.9
	Lip, oral cavity and pharynx	2	--	2	--	--	--	2	*	*	-0-	*
	Colorectal	16	1	15	--	--	5	11	19.2	25.9	*	82.2
	Bronchus and lung	69	9	60	--	1	22	47	82.9	90.3	31.5	351.3
	Female breast	12	--	12	--	--	5	7	14.4 ³	15.5 ³	* ³	* ³
	Cervical	1	--	1	--	--	1	--	* ³	* ³	* ³	-0- ³
	Prostate	15	1	14	--	--	2	13	18.0 ³	15.9 ³	* ³	97.2 ³
#	Diabetes mellitus	36	3	33	--	--	9	27	43.3	36.6	*	201.8
#	Alzheimer's disease	13	--	13	--	--	1	12	15.6	16.3	*	89.7
	Major cardiovascular diseases	364	27	337	--	3	55	309	437.5	428.4	78.8	2,309.4
#	Diseases of heart	283	20	263	--	2	47	236	340.1	327.8	67.3	1,763.8
	Ischemic heart disease	176	10	166	--	--	29	147	211.5	220.0	41.5	1,098.7
#	Cerebrovascular diseases	66	6	60	--	1	5	61	79.3	79.2	*	455.9
#	Atherosclerosis	1	--	1	--	--	--	1	*	*	-0-	*
#	Aortic aneurysm and dissection	6	1	5	--	--	2	4	*	8.8	*	*
	Respiratory diseases	107	2	105	--	--	15	92	128.6	124.9	21.5	687.6
#	Influenza and pneumonia	21	1	20	--	--	1	20	25.2	26.3	*	149.5
#	Chronic lower resp. diseases	67	1	66	--	--	12	55	80.5	76.8	17.2	411.1
	Emphysema	3	--	3	--	--	1	2	*	4.0	*	*
	Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-
#	Chronic liver disease and cirrhosis	11	1	10	--	--	6	5	13.2	12.7	*	*
#	Nephritis, nephrotic syn. & nephrosis	12	2	10	--	--	1	11	14.4	16.7	*	82.2
#	Certain perinatal conditions	9	1	8	--	--	9	--	*	6.8	*	-0-
#	Congenital malformations	5	--	5	--	--	4	1	*	5.2	*	*
	SIDS	2	--	2	--	1	2	--	*	*	*	-0-
	External causes	56	3	53	--	1	40	16	67.3	63.6	57.3	119.6
#	Accidents	38	--	38	--	1	30	8	45.7	42.2	43.0	*
	Motor vehicle accidents	23	--	23	--	1	22	1	27.6	22.3	31.5	*
	All other accidents	15	--	15	--	--	8	7	18.0	19.9	*	*
#	Suicide	8	1	7	--	--	5	3	*	10.3	*	*
#	Homicide	4	1	3	--	--	1	3	*	5.6	*	*

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Wabash County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black	Hispanic ¹
2001 Numbers											
Live Births	Total	152	18	54	46	23	10	1	147	--	3
Sex	Male	85	10	29	28	11	7	--	84	--	2
	Female	67	8	25	18	12	3	1	63	--	1
Race	White	147	18	54	45	20	9	1			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	3	--	--	2	--	1	--			
Multiple Births		10	--	--	6	2	2	--	8	--	--
Marital Status	Married	112	6	37	39	20	10	--	107	--	2
	Single	40	12	17	7	3	--	1	40	--	1
Mother Not High School Graduate		25	11	14	--	--	--	--	25	--	--
Birthweight	Very Low (0-1,499 Grams)	1	--	--	1	--	--	--	1	--	--
	Low (0-2,499 Grams)	13	3	2	4	3	--	1	12	--	--
Caesarian Section	Primary	15	--	7	8	--	--	--	15	--	--
	Secondary	17	--	3	5	4	5	--	15	--	1
Trimester Prenatal	First	140	17	48	44	21	9	1	138	--	2
Care Began	Third or No Care	2	1	1	--	--	--	--	2	--	--
First Birth		52	12	27	8	3	2	--	51	--	1
2001 Percentages²											
Live Births	Total	100.0	11.8	35.5	30.3	15.1	6.6	*	96.7	-0-	*
Sex	Male	55.9	*	*	*	*	*	-0-	57.1	-0-	*
	Female	44.1	*	*	*	*	*	*	42.9	-0-	*
Race	White	96.7	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	*	-0-			
Multiple Births		6.6	-0-	-0-	*	*	*	-0-	*	-0-	-0-
Marital Status	Married	73.7	*	*	*	*	*	-0-	72.8	-0-	*
	Single	26.3	*	*	*	*	-0-	*	27.2	-0-	*
Mother Not High School Graduate		16.7	*	*	-0-	-0-	-0-	-0-	17.2	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	8.7	*	*	*	*	-0-	*	8.3	-0-	-0-
Caesarian Section	Primary	9.9	-0-	*	*	-0-	-0-	-0-	10.2	-0-	-0-
	Secondary	11.2	-0-	*	*	*	*	-0-	10.2	-0-	*
Trimester Prenatal	First	92.1	*	*	*	*	*	*	93.9	-0-	*
Care Began	Third or No Care	*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First Birth		34.2	*	*	*	*	*	-0-	34.7	-0-	*
Percentages² based on 1997-2001 average											
Live Births	Total	100.0	13.3	32.9	30.1	16.0	6.0	1.6	98.7	-0-	*
Sex	Male	52.5	*	49.1	51.2	58.9	*	*	52.7	-0-	*
	Female	47.5	*	50.9	48.8	41.1	*	*	47.3	-0-	*
Race	White	98.7	*	99.5	99.5	96.3	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	-0-	*	-0-			
Multiple Births		3.7	-0-	*	5.0	*	*	-0-	3.5	-0-	-0-
Marital Status	Married	73.7	*	70.5	87.1	86.9	*	*	73.3	-0-	*
	Single	26.3	*	29.5	12.9	13.1	*	*	26.7	-0-	*
Mother Not High School Graduate		18.9	*	22.8	6.0	*	*	*	19.2	-0-	*
Birthweight	Very Low (0-1,499 Grams)	1.5	*	*	*	*	*	-0-	1.5	-0-	-0-
	Low (0-2,499 Grams)	8.1	*	6.4	6.5	*	*	*	8.0	-0-	-0-
Caesarian Section	Primary	12.1	*	11.4	12.4	15.0	*	*	12.3	-0-	-0-
	Secondary	8.7	-0-	6.8	10.0	10.3	*	*	8.5	-0-	*
Trimester Prenatal	First	89.5	*	88.1	94.0	88.8	*	*	90.1	-0-	*
Care Began	Third or No Care	1.5	*	*	*	*	-0-	-0-	1.5	-0-	-0-
First Birth		34.6	*	43.2	22.9	13.1	*	-0-	34.7	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Wabash County - 2001

Population Estimates	
Total	12,800
Under 65 Years	10,640
65 and Older	2,160

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	123	1	1	1	3	2	3	1	13	17	31	50	
Male	60	--	1	1	1	2	2	1	9	10	17	16	
Female	63	1	--	--	2	--	1	--	4	7	14	34	
Black	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
White	123	1	1	1	3	2	3	1	13	17	31	50	
Male	60	--	1	1	1	2	2	1	9	10	17	16	
Female	63	1	--	--	2	--	1	--	4	7	14	34	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	1	1	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	1	--	--	--	--	--	--	--	--	--	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	123	--	123	--	1	25	98	960.9	1,080.9	235.0	4,537.0		
5-Year Average (1997-2001)	140	<1	140	--	<1	26	115	1,109.0	N.A.	246.4	5,237.7		
# Infectious and parasitic diseases	4	--	4	--	--	2	2	*	26.1	*	*		*
# Septicemia	3	--	3	--	--	1	2	*	*	*	*		*
# Viral hepatitis	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# Malignant neoplasms	26	--	26	--	--	9	17	203.1	242.8	*	787.0		*
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	*	-0-		-0-
Colorectal	4	--	4	--	--	1	3	*	*	*	*		*
Bronchus and lung	9	--	9	--	--	3	6	*	83.6	*	*		*
Female breast	2	--	2	--	--	1	1	* ³	* ³	* ³	* ³		* ³
Cervical	1	--	1	--	--	--	1	* ³	* ³	-0- ³	* ³		* ³
Prostate	1	--	1	--	--	--	1	* ³	* ³	-0- ³	* ³		* ³
# Diabetes mellitus	3	--	3	--	--	2	1	*	33.9	*	*		*
# Alzheimer's disease	2	--	2	--	--	--	2	*	26.1	-0-	*		*
Major cardiovascular diseases	51	--	51	--	--	2	49	398.4	433.4	*	2,268.5		*
# Diseases of heart	43	--	43	--	--	2	41	335.9	331.6	*	1,898.1		*
Ischemic heart disease	27	--	27	--	--	2	25	210.9	214.1	*	1,157.4		*
# Cerebrovascular diseases	7	--	7	--	--	--	7	*	78.3	-0-	*		*
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*		*
Respiratory diseases	7	--	7	--	--	2	5	*	101.8	*	*		*
# Influenza and pneumonia	3	--	3	--	--	--	3	*	28.7	-0-	*		*
# Chronic lower resp. diseases	3	--	3	--	--	2	1	*	44.4	*	*		*
Emphysema	--	--	--	--	--	--	--	-0-	*	-0-	-0-		-0-
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--	--	1	*	*	-0-	*		*
# Nephritis, nephrotic syn. & nephrosis	1	--	1	--	--	--	1	*	*	-0-	*		*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
# Congenital malformations	1	--	1	--	1	1	--	*	*	*	-0-		-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-
External causes	5	--	5	--	--	5	--	*	54.8	*	-0-		-0-
# Accidents	4	--	4	--	--	4	--	*	41.8	*	-0-		-0-
Motor vehicle accidents	2	--	2	--	--	2	--	*	*	*	-0-		-0-
All other accidents	2	--	2	--	--	2	--	*	*	*	-0-		-0-
# Suicide	1	--	1	--	--	1	--	*	*	*	-0-		-0-
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Warren County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	191	25	59	61	27	16	3	187	4	9
Sex	Male	91	11	26	32	14	8	--	89	2	4
	Female	100	14	33	29	13	8	3	98	2	5
Race	White	187	24	57	60	27	16	3			
	Black	4	1	2	1	--	--	--			
Ethnicity	Hispanic ¹	9	1	3	4	1	--	--			
Multiple Births		--	--	--	--	--	--	--	--	--	--
Marital Status	Married	113	5	25	45	24	12	2	113	--	5
	Single	78	20	34	16	3	4	1	74	4	4
Mother Not High School Graduate		34	12	14	8	--	--	--	32	2	4
Birthweight	Very Low (0-1,499 Grams)	2	2	--	--	--	--	--	2	--	--
	Low (0-2,499 Grams)	11	3	2	3	2	1	--	11	--	1
Caesarian Section	Primary	21	3	3	8	4	3	--	21	--	--
	Secondary	23	1	3	12	3	4	--	23	--	1
Trimester Prenatal Care Began	First	171	19	51	56	27	15	3	168	3	6
	Third or No Care	2	--	2	--	--	--	--	2	--	1
First Birth		56	17	16	16	4	3	--	55	1	3
2001 Percentages ²											
Live Births	Total	100.0	13.1	30.9	31.9	14.1	8.4	*	97.9	*	*
Sex	Male	47.6	*	*	*	*	*	-0-	47.6	*	*
	Female	52.4	*	*	*	*	*	*	52.4	*	*
Race	White	97.9	*	*	*	*	*	*			
	Black	*	*	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	*	-0-	-0-			
Multiple Births		-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Marital Status	Married	59.2	*	*	*	*	*	*	60.4	-0-	*
	Single	40.8	*	*	*	*	*	*	39.6	*	*
Mother Not High School Graduate		17.8	*	*	*	-0-	-0-	-0-	17.1	*	*
Birthweight	Very Low (0-1,499 Grams)	*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.8	*	*	*	*	*	-0-	5.9	-0-	*
Caesarian Section	Primary	11.0	*	*	*	*	*	-0-	11.2	-0-	-0-
	Secondary	12.0	*	*	*	*	*	-0-	12.3	-0-	*
Trimester Prenatal Care Began	First	89.5	*	*	*	*	*	*	89.8	*	*
	Third or No Care	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	*
First Birth		29.3	*	*	*	*	*	-0-	29.4	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	15.0	32.5	27.8	16.1	7.2	1.4	96.9	2.5	5.7
Sex	Male	49.6	51.2	48.3	51.4	49.4	*	*	49.7	*	*
	Female	50.4	48.8	51.7	48.6	50.6	*	*	50.3	*	*
Race	White	96.9	93.8	96.8	98.0	96.5	*	*			
	Black	2.5	*	2.9	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	5.7	*	6.4	6.4	*	*	*			
Multiple Births		2.8	-0-	3.5	4.1	*	-0-	*	2.7	*	-0-
Marital Status	Married	63.1	15.6	55.2	80.4	82.0	*	*	64.4	*	*
	Single	36.9	84.4	44.8	19.6	18.0	*	*	35.6	*	*
Mother Not High School Graduate		19.2	53.1	20.5	9.8	8.7	*	*	18.7	*	*
Birthweight	Very Low (0-1,499 Grams)	1.4	*	*	*	*	*	-0-	1.5	-0-	-0-
	Low (0-2,499 Grams)	7.0	8.8	7.5	6.8	*	*	*	7.0	*	*
Caesarian Section	Primary	11.0	8.1	11.3	10.8	10.5	*	*	11.0	*	*
	Secondary	10.2	*	7.2	10.5	19.2	*	*	10.4	*	*
Trimester Prenatal Care Began	First	84.7	73.8	79.9	90.2	91.3	*	*	85.0	*	*
	Third or No Care	2.0	0.6	2.9	*	*	*	-0-	1.9	*	*
First Birth		30.6	73.1	31.8	20.3	16.3	*	*	30.9	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Warren County - 2001

Population Estimates	
Total	18,400
Under 65 Years	15,390
65 and Older	3,010

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	191	--	--	--	--	1	2	12	8	31	70	67
Male	79	--	--	--	--	1	2	2	5	21	29	19
Female	112	--	--	--	--	--	--	10	3	10	41	48
Black	4	--	--	--	--	--	1	1	--	2	--	--
Male	2	--	--	--	--	--	1	--	--	1	--	--
Female	2	--	--	--	--	--	--	1	--	1	--	--
White	187	--	--	--	--	1	1	11	8	29	70	67
Male	77	--	--	--	--	1	1	2	5	20	29	19
Female	110	--	--	--	--	--	--	9	3	9	41	48
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	2	--	--	--	--	--	--	--	--	2	--	--
Male	2	--	--	--	--	--	--	--	--	2	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

Deaths by Selected Causes												
	Race Category				Ethnicity	Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		
								2001	1999 - 2001	0-64	65+	
All Causes - Current Year	191	4	187	--	2	23	168	1,038.0	1,143.4	149.4	5,581.4	
5-Year Average (1997-2001)	211	3	208	--	1	33	178	1,122.5	N.A.	211.5	5,601.8	
Infectious and parasitic diseases	7	1	6	--	--	1	6	*	23.3	*	*	
# Septicemia	5	--	5	--	--	--	5	*	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
# Malignant neoplasms	48	2	46	--	--	8	40	260.9	274.2	*	1,328.9	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
Colorectal	4	--	4	--	--	1	3	*	34.1	*	*	
Bronchus and lung	15	1	14	--	--	3	12	81.5	91.4	*	398.7	
Female breast	5	1	4	--	--	3	2	* ³	19.7 ³	* ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³	
Prostate	4	--	4	--	--	--	4	* ³	17.9 ³	-0- ³	* ³	
# Diabetes mellitus	8	--	8	--	1	--	8	*	39.4	-0-	*	
# Alzheimer's disease	2	--	2	--	--	--	2	*	*	-0-	*	
Major cardiovascular diseases	81	--	81	--	--	8	73	440.2	521.5	*	2,425.2	
# Diseases of heart	58	--	58	--	--	7	51	315.2	379.9	*	1,694.4	
Ischemic heart disease	40	--	40	--	--	2	38	217.4	288.5	*	1,262.5	
# Cerebrovascular diseases	18	--	18	--	--	1	17	97.8	114.7	*	564.8	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*	
Respiratory diseases	19	--	19	--	--	3	16	103.3	100.4	*	531.6	
# Influenza and pneumonia	6	--	6	--	--	--	6	*	28.7	-0-	*	
# Chronic lower resp. diseases	10	--	10	--	--	2	8	54.3	48.4	*	*	
Emphysema	2	--	2	--	--	1	1	*	*	*	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
# Nephritis, nephrotic syn. & nephrosis	1	--	1	--	--	--	1	*	*	-0-	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	*	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	
External causes	8	1	7	--	1	3	5	*	43.0	*	*	
# Accidents	6	1	5	--	1	1	5	*	28.7	*	*	
Motor vehicle accidents	3	--	3	--	1	--	3	*	*	-0-	*	
All other accidents	3	1	2	--	--	1	2	*	*	*	*	
# Suicide	2	--	2	--	--	2	--	*	*	*	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-	

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Washington County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	189	19	54	47	46	20	3	185	1	1
Sex	Male	89	6	33	22	20	7	1	88	--	--
	Female	100	13	21	25	26	13	2	97	1	1
Race	White	185	19	52	45	46	20	3			
	Black	1	--	1	--	--	--	--			
Ethnicity	Hispanic ¹	1	1	--	--	--	--	--			
Multiple Births		6	--	--	--	6	--	--	6	--	--
Marital Status	Married	138	2	33	43	39	18	3	134	1	--
	Single	51	17	21	4	7	2	--	51	--	1
Mother Not High School Graduate		28	14	11	1	1	1	--	28	--	1
Birthweight	Very Low (0-1,499 Grams)	2	--	1	--	1	--	--	2	--	--
	Low (0-2,499 Grams)	8	1	2	1	3	1	--	8	--	--
Caesarian Section	Primary	30	3	10	3	10	2	2	30	--	--
	Secondary	31	--	8	2	14	7	--	31	--	--
Trimester Prenatal	First	161	9	47	41	44	17	3	160	--	--
Care Began	Third or No Care	8	3	1	2	1	1	--	7	--	--
First Birth		60	14	24	12	7	2	1	60	--	1
2001 Percentages ²											
Live Births	Total	100.0	10.1	28.6	24.9	24.3	10.6	*	97.9	*	*
Sex	Male	47.1	*	*	*	*	*	*	47.6	-0-	-0-
	Female	52.9	*	*	*	*	*	*	52.4	*	*
Race	White	97.9	*	*	*	*	*	*			
	Black	*	-0-	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	-0-	-0-	-0-	-0-			
Multiple Births		*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
Marital Status	Married	73.0	*	*	*	*	*	*	72.4	*	-0-
	Single	27.0	*	*	*	*	*	-0-	27.6	-0-	*
Mother Not High School Graduate		14.8	*	*	*	*	*	-0-	15.1	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	-0-	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	*	*	-0-	*	-0-	-0-
Caesarian Section	Primary	15.9	*	*	*	*	*	*	16.2	-0-	-0-
	Secondary	16.4	-0-	*	*	*	*	-0-	16.8	-0-	-0-
Trimester Prenatal	First	85.2	*	*	*	*	*	*	86.5	-0-	-0-
Care Began	Third or No Care	*	*	*	*	*	*	-0-	*	-0-	-0-
First Birth		31.7	*	*	*	*	*	-0-	32.4	-0-	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	11.1	26.8	31.3	21.2	8.0	1.7	98.9	*	*
Sex	Male	50.1	*	51.6	52.5	50.0	*	*	50.4	-0-	-0-
	Female	49.9	*	48.4	47.5	50.0	*	*	49.6	*	*
Race	White	98.9	*	98.7	98.9	100.0	*	*			
	Black	*	-0-	*	-0-	-0-	*	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	-0-	-0-	-0-			
Multiple Births		3.0	-0-	*	*	7.9	-0-	-0-	3.0	-0-	-0-
Marital Status	Married	76.5	*	63.6	92.4	89.9	*	*	76.9	*	*
	Single	23.5	*	36.4	7.6	10.1	*	-0-	23.1	*	*
Mother Not High School Graduate		11.2	*	12.9	*	*	*	-0-	11.2	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	-0-	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	4.4	*	4.9	*	6.2	*	-0-	4.5	-0-	-0-
Caesarian Section	Primary	14.3	*	15.1	13.3	15.2	*	*	14.4	-0-	*
	Secondary	10.5	-0-	8.0	6.8	18.5	*	*	10.6	-0-	-0-
Trimester Prenatal	First	88.6	*	87.1	92.7	95.5	*	*	89.3	-0-	*
Care Began	Third or No Care	2.3	0.6	*	*	*	*	-0-	1.9	*	-0-
First Birth		35.1	*	46.2	27.8	19.7	*	*	35.3	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Washington County - 2001

Population Estimates	
Total	15,200
Under 65 Years	12,680
65 and Older	2,520

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	172	4	--	--	2	1	6	9	9	28	65	48	
Male	84	3	--	--	2	--	6	4	6	12	35	16	
Female	88	1	--	--	--	1	--	5	3	16	30	32	
Black	1	--	--	--	--	--	--	--	--	--	--	1	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	1	--	--	--	--	--	--	--	--	--	--	1	
White	171	4	--	--	2	1	6	9	9	28	65	47	
Male	84	3	--	--	2	--	6	4	6	12	35	16	
Female	87	1	--	--	--	1	--	5	3	16	30	31	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity	Age		Rates ²						
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age				
								2001	1999 - 2001	0-64	65+			
All Causes - Current Year	172	1	171	--	--	31	141	1,131.6	1,182.8	244.5	5,595.2			
5-Year Average (1997-2001)	170	<1	169	<1	--	30	140	1,131.6	N.A.	244.2	5,087.1			
Infectious and parasitic diseases	3	--	3	--	--	2	1	*	*	*	*			
# Septicemia	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Viral hepatitis	1	--	1	--	--	1	--	*	*	*	-0-			
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Malignant neoplasms	34	--	34	--	--	5	29	223.7	231.3	*	1,150.8			
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
Colorectal	4	--	4	--	--	--	4	*	*	-0-	*			
Bronchus and lung	7	--	7	--	--	2	5	*	55.1	*	*			
Female breast	2	--	2	--	--	--	2	* ³	* ³	-0- ³	* ³			
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³			
Prostate	2	--	2	--	--	--	2	* ³	* ³	-0- ³	* ³			
# Diabetes mellitus	5	1	4	--	--	1	4	*	33.0	*	*			
# Alzheimer's disease	5	--	5	--	--	--	5	*	24.2	-0-	*			
Major cardiovascular diseases	75	--	75	--	--	7	68	493.4	570.5	*	2,698.4			
# Diseases of heart	57	--	57	--	--	6	51	375.0	418.5	*	2,023.8			
Ischemic heart disease	47	--	47	--	--	5	42	309.2	354.6	*	1,666.7			
# Cerebrovascular diseases	14	--	14	--	--	1	13	92.1	110.1	*	515.9			
# Atherosclerosis	1	--	1	--	--	--	1	*	*	-0-	*			
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*			
Respiratory diseases	17	--	17	--	--	2	15	111.8	107.9	*	595.2			
# Influenza and pneumonia	1	--	1	--	--	1	--	*	30.8	*	-0-			
# Chronic lower resp. diseases	12	--	12	--	--	1	11	78.9	57.3	*	436.5			
Emphysema	2	--	2	--	--	--	2	*	*	-0-	*			
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	*	-0-	-0-			
# Nephritis, nephrotic syn. & nephrosis	4	--	4	--	--	--	4	*	24.2	-0-	*			
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	*	-0-			
# Congenital malformations	4	--	4	--	--	4	--	*	*	*	-0-			
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-			
External causes	9	--	9	--	--	7	2	*	79.3	*	*			
# Accidents	7	--	7	--	--	6	1	*	66.1	*	*			
Motor vehicle accidents	5	--	5	--	--	5	--	*	39.6	*	-0-			
All other accidents	2	--	2	--	--	1	1	*	26.4	*	*			
# Suicide	2	--	2	--	--	1	1	*	*	*	*			
# Homicide	--	--	--	--	--	--	--	-0-	*	-0-	-0-			

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Wayne County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	207	33	79	42	40	10	3	204	--	1
Sex	Male	104	14	40	26	19	5	--	104	--	--
	Female	103	19	39	16	21	5	3	100	--	1
Race	White	204	33	78	42	38	10	3			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	1	--	--	--	--			
Multiple Births		13	--	4	--	5	2	2	11	--	--
Marital Status	Married	154	16	57	37	36	7	1	152	--	--
	Single	53	17	22	5	4	3	2	52	--	1
Mother Not High School Graduate		32	19	6	2	5	--	--	30	--	--
Birthweight	Very Low (0-1,499 Grams)	7	--	5	--	2	--	--	7	--	--
	Low (0-2,499 Grams)	18	--	7	2	7	--	2	18	--	--
Caesarian Section	Primary	42	6	16	5	11	3	1	42	--	--
	Secondary	13	1	5	5	2	--	--	13	--	--
Trimester Prenatal Care Began	First	187	26	74	40	36	10	1	185	--	--
	Third or No Care	5	3	--	--	--	--	2	5	--	--
First Birth		80	27	30	11	11	1	--	80	--	--
2001 Percentages ²											
Live Births	Total	100.0	15.9	38.2	20.3	19.3	4.8	*	98.6	-0-	*
Sex	Male	50.2	*	*	*	*	*	-0-	51.0	-0-	-0-
	Female	49.8	*	*	*	*	*	*	49.0	-0-	*
Race	White	98.6	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	-0-	-0-	-0-			
Multiple Births		6.3	-0-	*	-0-	*	*	*	5.4	-0-	-0-
Marital Status	Married	74.4	*	*	*	*	*	*	74.5	-0-	-0-
	Single	25.6	*	*	*	*	*	*	25.5	-0-	*
Mother Not High School Graduate		15.5	*	*	*	*	-0-	-0-	14.7	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	-0-	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	8.7	-0-	*	*	*	-0-	*	8.8	-0-	-0-
Caesarian Section	Primary	20.3	*	*	*	*	*	*	20.6	-0-	-0-
	Secondary	6.3	*	*	*	*	-0-	-0-	6.4	-0-	-0-
Trimester Prenatal Care Began	First	90.3	*	*	*	*	*	*	90.7	-0-	-0-
	Third or No Care	*	*	-0-	-0-	-0-	-0-	*	*	-0-	-0-
First Birth		38.6	*	*	*	*	*	*	39.2	-0-	-0-
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	14.7	32.5	27.8	16.9	6.5	1.7	98.5	*	*
Sex	Male	49.3	50.3	49.8	49.8	49.1	*	*	49.4	-0-	*
	Female	50.7	49.7	50.2	50.2	50.9	*	*	50.6	*	*
Race	White	98.5	100.0	99.1	98.5	95.8	*	*			
	Black	*	-0-	-0-	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	*	-0-	-0-			
Multiple Births		2.9	*	*	-0-	8.4	*	*	2.8	-0-	-0-
Marital Status	Married	75.5	44.1	72.3	86.2	89.8	*	*	75.4	*	*
	Single	24.5	55.9	27.7	13.8	10.2	*	*	24.6	-0-	*
Mother Not High School Graduate		13.9	45.5	9.3	7.7	8.4	*	*	13.8	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	2.3	*	*	*	*	*	-0-	2.4	-0-	-0-
	Low (0-2,499 Grams)	8.1	6.9	7.2	5.5	10.2	*	*	8.2	-0-	-0-
Caesarian Section	Primary	14.9	17.2	14.0	9.8	19.2	*	*	15.0	-0-	-0-
	Secondary	6.4	*	5.6	6.5	10.2	*	*	6.5	-0-	-0-
Trimester Prenatal Care Began	First	88.2	76.6	89.0	92.0	91.0	*	*	88.4	*	*
	Third or No Care	2.5	*	*	*	*	*	*	2.5	-0-	-0-
First Birth		36.1	77.9	40.2	26.9	18.6	*	*	36.4	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Wayne County - 2001

Population Estimates		
Total		17,000
Under 65 Years		13,810
65 and Older		3,190

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	183	4	--	1	2	2	6	6	8	28	59	67
Male	94	1	--	1	1	1	3	6	5	18	28	30
Female	89	3	--	--	1	1	3	--	3	10	31	37
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	179	3	--	--	2	1	5	6	8	28	59	67
Male	93	1	--	--	1	1	3	6	5	18	28	30
Female	86	2	--	--	1	--	2	--	3	10	31	37
All other races	4	1	--	1	--	1	1	--	--	--	--	--
Male	1	--	--	1	--	--	--	--	--	--	--	--
Female	3	1	--	--	--	1	1	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes								Rates ²			
	Race Category				Ethnicity		Age					
	All Races	Black	White	Other	Hispanic ¹		0-64	65+	All Ages		Age	
									2001	1999 - 2001	0-64	65+
All Causes - Current Year	183	--	179	4	--		29	154	1,076.5	1,205.5	210.0	4,827.6
5-Year Average (1997-2001)	210	<1	208	1	<1		37	172	1,240.2	N.A.	274.8	5,234.0
# Infectious and parasitic diseases	5	--	5	--	--		1	4	*	21.5	*	*
# Septicemia	5	--	5	--	--		1	4	*	*	*	*
# Viral hepatitis	--	--	--	--	--		--	--	-0-	-0-	-0-	-0-
# HIV disease	--	--	--	--	--		--	--	-0-	-0-	-0-	-0-
# Malignant neoplasms	42	--	42	--	--		2	40	247.1	291.6	*	1,253.9
# Lip, oral cavity and pharynx	1	--	1	--	--		--	1	*	*	-0-	*
# Colorectal	3	--	3	--	--		--	3	*	21.5	-0-	*
# Bronchus and lung	15	--	15	--	--		--	15	88.2	111.5	-0-	470.2
# Female breast	2	--	2	--	--		--	2	* ³	* ³	-0- ³	* ³
# Cervical	--	--	--	--	--		--	--	-0- ³	* ³	-0- ³	-0- ³
# Prostate	2	--	2	--	--		--	2	* ³	19.6 ³	-0- ³	* ³
# Diabetes mellitus	3	--	3	--	--		--	3	*	*	-0-	*
# Alzheimer's disease	2	--	2	--	--		--	2	*	19.6	-0-	*
# Major cardiovascular diseases	81	--	81	--	--		9	72	476.5	526.4	*	2,257.1
# Diseases of heart	65	--	65	--	--		9	56	382.4	411.0	*	1,755.5
# Ischemic heart disease	58	--	58	--	--		9	49	341.2	336.6	*	1,536.1
# Cerebrovascular diseases	10	--	10	--	--		--	10	58.8	82.2	-0-	313.5
# Atherosclerosis	2	--	2	--	--		--	2	*	*	-0-	*
# Aortic aneurysm and dissection	2	--	2	--	--		--	2	*	*	-0-	*
# Respiratory diseases	14	--	14	--	--		1	13	82.4	113.5	*	407.5
# Influenza and pneumonia	6	--	6	--	--		--	6	*	33.3	-0-	*
# Chronic lower resp. diseases	7	--	7	--	--		1	6	*	58.7	*	*
# Emphysema	--	--	--	--	--		--	--	-0-	*	-0-	-0-
# Asthma	--	--	--	--	--		--	--	-0-	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--		--	--	-0-	*	-0-	-0-
# Nephritis, nephrotic syn. & nephrosis	3	--	3	--	--		--	3	*	*	-0-	*
# Certain perinatal conditions	2	--	2	--	--		2	--	*	*	*	-0-
# Congenital malformations	--	--	--	--	--		--	--	-0-	*	-0-	-0-
# SIDS	1	--	1	--	--		1	--	*	*	*	-0-
# External causes	15	--	11	4	--		10	5	88.2	78.3	72.4	*
# Accidents	12	--	8	4	--		7	5	70.6	52.8	*	*
# Motor vehicle accidents	7	--	3	4	--		7	--	*	27.4	*	-0-
# All other accidents	5	--	5	--	--		--	5	*	25.4	-0-	*
# Suicide	2	--	2	--	--		2	--	*	19.6	*	-0-
# Homicide	1	--	1	--	--		1	--	*	*	*	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of White County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	171	25	55	48	31	6	6	170	--	2
Sex	Male	84	10	28	28	14	2	2	84	--	--
	Female	87	15	27	20	17	4	4	86	--	2
Race	White	170	25	55	48	30	6	6			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	2	1	--	--	1	--	--			
Multiple Births		2	--	--	--	2	--	--	2	--	--
Marital Status	Married	116	6	31	40	28	5	6	115	--	2
	Single	55	19	24	8	3	1	--	55	--	--
Mother Not High School Graduate		28	14	10	4	--	--	--	28	--	1
Birthweight	Very Low (0-1,499 Grams)	2	--	2	--	--	--	--	2	--	--
	Low (0-2,499 Grams)	13	4	5	2	1	--	1	13	--	1
Caesarian Section	Primary	27	3	9	11	3	--	1	26	--	--
	Secondary	21	1	2	7	7	2	2	21	--	--
Trimester Prenatal Care Began	First	144	21	41	42	29	6	5	143	--	2
	Third or No Care	4	1	2	1	--	--	--	4	--	--
First Birth		58	18	21	12	4	2	1	58	--	1
2001 Percentages ²											
Live Births	Total	100.0	14.6	32.2	28.1	18.1	*	*	99.4	-0-	*
Sex	Male	49.1	*	*	*	*	*	*	49.4	-0-	-0-
	Female	50.9	*	*	*	*	*	*	50.6	-0-	*
Race	White	99.4	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	-0-	*	-0-	-0-			
Multiple Births		*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
Marital Status	Married	67.8	*	*	*	*	*	*	67.6	-0-	*
	Single	32.2	*	*	*	*	*	-0-	32.4	-0-	-0-
Mother Not High School Graduate		16.7	*	*	*	-0-	-0-	-0-	16.8	-0-	*
Birthweight	Very Low (0-1,499 Grams)	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.6	*	*	*	*	-0-	*	7.6	-0-	*
Caesarian Section	Primary	15.8	*	*	*	*	-0-	*	15.3	-0-	-0-
	Secondary	12.3	*	*	*	*	*	*	12.4	-0-	-0-
Trimester Prenatal Care Began	First	84.2	*	*	*	*	*	*	84.1	-0-	*
	Third or No Care	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
First Birth		33.9	*	*	*	*	*	-0-	34.1	-0-	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	16.6	31.7	30.5	13.7	5.7	1.8	99.0	*	*
Sex	Male	50.4	48.2	51.7	50.6	51.3	*	*	50.4	*	*
	Female	49.6	51.8	48.3	49.4	48.7	*	*	49.6	-0-	*
Race	White	99.0	100.0	99.2	100.0	97.3	*	*			
	Black	*	-0-	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	*	*	*	-0-			
Multiple Births		3.6	*	*	4.8	*	*	-0-	3.4	-0-	-0-
Marital Status	Married	72.6	38.7	67.0	87.6	88.5	*	*	72.5	*	*
	Single	27.4	61.3	33.0	12.4	11.5	*	*	27.5	-0-	*
Mother Not High School Graduate		18.5	51.8	22.4	5.6	*	*	*	18.7	-0-	*
Birthweight	Very Low (0-1,499 Grams)	2.1	*	*	*	*	*	*	1.8	-0-	-0-
	Low (0-2,499 Grams)	10.9	14.6	11.9	8.4	8.8	*	*	10.8	-0-	*
Caesarian Section	Primary	14.7	16.8	13.4	13.9	15.9	*	*	14.3	-0-	-0-
	Secondary	10.6	*	6.5	11.6	19.5	*	*	10.4	-0-	-0-
Trimester Prenatal Care Began	First	84.1	77.4	77.4	88.4	92.9	*	*	83.9	*	*
	Third or No Care	2.3	0.9	3.8	*	*	-0-	-0-	2.3	-0-	-0-
First Birth		36.7	76.6	41.8	25.9	11.5	*	*	36.8	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of White County - 2001

Population Estimates	
Total	15,400
Under 65 Years	12,220
65 and Older	3,180

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	217	--	--	--	3	--	4	7	18	43	56	86
Male	108	--	--	--	2	--	3	6	12	25	32	28
Female	109	--	--	--	1	--	1	1	6	18	24	58
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	217	--	--	--	3	--	4	7	18	43	56	86
Male	108	--	--	--	2	--	3	6	12	25	32	28
Female	109	--	--	--	1	--	1	1	6	18	24	58
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	1	--	--
Male	1	--	--	--	--	--	--	--	--	1	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

Deaths by Selected Causes											
	Race Category				Ethnicity	Age		Rates ²			
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age	
								2001	1999 - 2001	0-64	65+
All Causes - Current Year	217	--	217	--	1	32	185	1,409.1	1,572.7	261.9	5,817.6
5-Year Average (1997-2001)	243	<1	241	<1	<1	37	206	1,569.2	N.A.	300.5	6,280.5
Infectious and parasitic diseases	6	--	6	--	--	3	3	*	34.7	*	*
# Septicemia	4	--	4	--	--	1	3	*	21.7	*	*
# Viral hepatitis	2	--	2	--	--	2	--	*	*	*	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-	-0-
# Malignant neoplasms	49	--	49	--	1	8	41	318.2	336.2	*	1,289.3
Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	*	-0-	*
Colorectal	7	--	7	--	--	1	6	*	45.6	*	*
Bronchus and lung	16	--	16	--	--	3	13	103.9	84.6	*	408.8
Female breast	3	--	3	--	--	1	2	* ³	* ³	* ³	* ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³
Prostate	1	--	1	--	--	--	1	* ³	* ³	-0- ³	* ³
# Diabetes mellitus	5	--	5	--	--	3	2	*	30.4	*	*
# Alzheimer's disease	8	--	8	--	--	--	8	*	39.0	-0-	*
Major cardiovascular diseases	86	--	86	--	--	9	77	558.4	702.8	*	2,421.4
# Diseases of heart	76	--	76	--	--	9	67	493.5	583.5	*	2,106.9
Ischemic heart disease	63	--	63	--	--	8	55	409.1	492.4	*	1,729.6
# Cerebrovascular diseases	7	--	7	--	--	--	7	*	82.4	-0-	*
# Atherosclerosis	2	--	2	--	--	--	2	*	23.9	-0-	*
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*
Respiratory diseases	26	--	26	--	--	1	25	168.8	171.4	*	786.2
# Influenza and pneumonia	5	--	5	--	--	--	5	*	43.4	-0-	*
# Chronic lower resp. diseases	16	--	16	--	--	1	15	103.9	97.6	*	471.7
Emphysema	--	--	--	--	--	--	--	-0-	*	-0-	-0-
Asthma	--	--	--	--	--	--	--	-0-	*	-0-	-0-
# Chronic liver disease and cirrhosis	3	--	3	--	--	--	3	*	*	-0-	*
# Nephritis, nephrotic syn. & nephrosis	6	--	6	--	--	--	6	*	32.5	-0-	*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	*	-0-	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-
External causes	10	--	10	--	--	5	5	64.9	60.7	*	*
# Accidents	7	--	7	--	--	3	4	*	43.4	*	*
Motor vehicle accidents	3	--	3	--	--	2	1	*	*	*	*
All other accidents	4	--	4	--	--	1	3	*	34.7	*	*
# Suicide	3	--	3	--	--	2	1	*	*	*	*
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Whiteside County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	727	105	221	186	154	52	9	713	9	114
Sex	Male	361	49	115	97	73	23	4	355	4	56
	Female	366	56	106	89	81	29	5	358	5	58
Race	White	713	99	218	183	154	50	9			
	Black	9	6	--	1	--	2	--			
Ethnicity	Hispanic ¹	114	25	30	26	23	10	--			
Multiple Births		21	2	6	5	6	2	--	19	2	4
Marital Status	Married	434	12	95	144	137	39	7	431	1	64
	Single	293	93	126	42	17	13	2	282	8	50
Mother Not High School Graduate		138	62	42	19	12	3	--	133	4	48
Birthweight	Very Low (0-1,499 Grams)	8	3	4	1	--	--	--	7	1	--
	Low (0-2,499 Grams)	46	10	16	8	8	2	2	43	2	7
Caesarian Section	Primary	94	20	28	13	24	7	2	92	2	12
	Secondary	67	1	19	15	25	7	--	65	2	11
Trimester Prenatal Care Began	First	655	86	196	178	139	47	9	642	8	97
	Third or No Care	5	--	2	2	--	1	--	5	--	3
First Birth		210	74	74	36	18	6	2	207	2	32
2001 Percentages ²											
Live Births	Total	100.0	14.4	30.4	25.6	21.2	7.2	*	98.1	*	15.7
Sex	Male	49.7	46.7	52.0	52.2	47.4	*	*	49.8	*	49.1
	Female	50.3	53.3	48.0	47.8	52.6	*	*	50.2	*	50.9
Race	White	98.1	94.3	98.6	98.4	100.0	*	*			
	Black	*	*	-0-	*	-0-	*	-0-			
Ethnicity	Hispanic ¹	15.7	23.8	13.6	14.0	14.9	*	-0-			
Multiple Births		2.9	*	*	*	*	*	-0-	2.7	*	*
Marital Status	Married	59.7	11.4	43.0	77.4	89.0	*	*	60.4	*	56.1
	Single	40.3	88.6	57.0	22.6	11.0	*	*	39.6	*	43.9
Mother Not High School Graduate		19.0	59.0	19.0	10.2	7.8	*	-0-	18.7	*	42.1
Birthweight	Very Low (0-1,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	*	-0-
	Low (0-2,499 Grams)	6.3	9.5	7.2	*	*	*	*	6.0	*	*
Caesarian Section	Primary	12.9	19.0	12.7	7.0	15.6	*	*	12.9	*	10.5
	Secondary	9.2	*	8.6	8.1	16.2	*	-0-	9.1	*	9.6
Trimester Prenatal Care Began	First	90.3	81.9	89.1	96.2	90.3	*	*	90.3	*	85.8
	Third or No Care	*	-0-	*	*	-0-	*	-0-	*	-0-	*
First Birth		28.9	70.5	33.5	19.4	11.7	*	-0-	29.0	*	28.1
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	15.4	28.9	28.4	19.0	6.8	1.5	98.5	0.9	15.2
Sex	Male	51.3	52.0	52.3	48.9	53.8	48.9	*	51.5	*	51.1
	Female	48.7	48.0	47.7	51.1	46.2	51.1	*	48.5	*	48.9
Race	White	98.5	96.8	98.8	98.9	99.0	97.7	*			
	Black	0.9	2.9	*	*	*	*	*			
Ethnicity	Hispanic ¹	15.2	21.9	16.7	12.5	12.2	15.3	*			
Multiple Births		3.0	1.7	2.5	3.7	3.3	5.3	-0-	3.0	*	2.1
Marital Status	Married	63.9	14.3	52.3	79.8	90.0	82.8	*	64.3	*	53.3
	Single	36.1	85.7	47.7	20.2	10.0	17.2	*	35.7	*	46.7
Mother Not High School Graduate		19.8	62.0	21.5	7.3	6.4	8.0	*	19.6	*	38.6
Birthweight	Very Low (0-1,499 Grams)	0.9	1.7	*	0.9	*	-0-	-0-	0.8	*	*
	Low (0-2,499 Grams)	5.8	7.4	5.9	4.9	5.9	5.0	*	5.7	*	5.3
Caesarian Section	Primary	13.3	16.2	12.2	12.7	13.4	13.0	*	13.3	*	11.6
	Secondary	8.2	*	5.9	8.4	14.6	14.9	*	8.1	*	7.5
Trimester Prenatal Care Began	First	88.3	78.6	86.4	92.5	92.1	89.3	*	88.3	*	83.2
	Third or No Care	1.5	0.5	1.7	1.1	*	*	*	1.5	*	2.2
First Birth		31.7	74.6	33.9	24.2	13.5	12.6	*	31.7	*	29.9

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Whiteside County - 2001

Population Estimates	
Total	60,400
Under 65 Years	50,660
65 and Older	9,740

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	589	7	1	2	3	7	16	33	61	100	177	182	
Male	306	4	1	1	2	5	8	21	41	60	91	72	
Female	283	3	--	1	1	2	8	12	20	40	86	110	
Black	3	--	--	--	--	--	--	1	1	--	1	--	
Male	2	--	--	--	--	--	--	1	1	--	--	--	
Female	1	--	--	--	--	--	--	--	--	--	1	--	
White	586	7	1	2	3	7	16	32	60	100	176	182	
Male	304	4	1	1	2	5	8	20	40	60	91	72	
Female	282	3	--	1	1	2	8	12	20	40	85	110	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	23	--	1	--	--	--	3	2	2	4	8	3	
Male	12	--	1	--	--	--	1	--	1	2	6	1	
Female	11	--	--	--	--	--	2	2	1	2	2	2	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	589	3	586	--	23	130	459	975.2	1,003.3	256.6	4,712.5		
5-Year Average (1997-2001)	614	4	610	<1	21	121	493	1,015.9	N.A.	238.1	5,053.3		
# Infectious and parasitic diseases	10	--	10	--	--	5	5	16.6	14.3	*	*		
# Septicemia	5	--	5	--	--	3	2	*	8.3	*	*		
# Viral hepatitis	1	--	1	--	--	1	--	*	*	*	-0-		
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# Malignant neoplasms	166	1	165	--	10	49	117	274.8	242.0	96.7	1,201.2		
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
Colorectal	18	--	18	--	--	4	14	29.8	24.3	*	143.7		
Bronchus and lung	48	--	48	--	1	11	37	79.5	61.7	21.7	379.9		
Female breast	12	--	12	--	2	6	6	19.9 ³	17.6 ³	* ³	* ³		
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	-0- ³		
Prostate	11	--	11	--	--	--	11	18.2 ³	16.0 ³	-0- ³	112.9 ³		
# Diabetes mellitus	23	--	23	--	1	4	19	38.1	34.7	*	195.1		
# Alzheimer's disease	8	--	8	--	--	--	8	*	19.3	-0-	*		
Major cardiovascular diseases	237	1	236	--	8	28	209	392.4	443.8	55.3	2,145.8		
# Diseases of heart	186	--	186	--	5	20	166	307.9	344.0	39.5	1,704.3		
Ischemic heart disease	137	--	137	--	4	12	125	226.8	261.9	23.7	1,283.4		
# Cerebrovascular diseases	42	1	41	--	2	6	36	69.5	84.3	*	369.6		
# Atherosclerosis	1	--	1	--	--	--	1	*	*	-0-	*		
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	*	-0-	*		
Respiratory diseases	39	--	39	--	--	5	34	64.6	81.6	*	349.1		
# Influenza and pneumonia	17	--	17	--	--	--	17	28.1	25.4	-0-	174.5		
# Chronic lower resp. diseases	14	--	14	--	--	5	9	23.2	37.5	*	*		
Emphysema	1	--	1	--	--	--	1	*	6.1	-0-	*		
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# Chronic liver disease and cirrhosis	3	--	3	--	--	--	3	*	6.1	-0-	*		
# Nephritis, nephrotic syn. & nephrosis	9	--	9	--	2	1	8	*	14.9	*	*		
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	*	-0-		
# Congenital malformations	3	--	3	--	--	3	--	*	*	*	-0-		
SIDS	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
External causes	30	--	30	--	--	19	11	49.7	45.8	37.5	112.9		
# Accidents	24	--	24	--	--	13	11	39.7	35.3	25.7	112.9		
Motor vehicle accidents	10	--	10	--	--	7	3	16.6	12.1	*	*		
All other accidents	14	--	14	--	--	6	8	23.2	23.2	*	*		
# Suicide	5	--	5	--	--	5	--	*	8.8	*	-0-		
# Homicide	1	--	1	--	--	1	--	*	*	*	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Will County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	8,681	547	1,419	2,497	2,848	1,173	197	7,481	878	1,208
Sex	Male	4,431	297	719	1,287	1,452	586	90	3,824	459	611
	Female	4,250	250	700	1,210	1,396	587	107	3,657	419	597
Race	White	7,481	388	1,125	2,180	2,560	1,053	175			
	Black	878	149	260	214	162	79	14			
Ethnicity	Hispanic ¹	1,208	155	364	358	221	98	12			
Multiple Births		359	5	43	96	145	64	6	327	17	27
Marital Status	Married	6,929	83	732	2,172	2,673	1,100	169	6,295	339	816
	Single	1,752	464	687	325	175	73	28	1,186	539	392
Mother Not High School Graduate		975	298	307	187	100	74	9	817	142	528
Birthweight	Very Low (0-1,499 Grams)	114	12	27	31	21	21	2	84	27	12
	Low (0-2,499 Grams)	613	50	115	178	155	95	20	477	100	67
Caesarian Section	Primary	1,215	77	189	350	391	170	38	1,031	132	141
	Secondary	935	8	87	235	349	215	41	796	106	138
Trimester Prenatal Care Began	First	7,880	402	1,187	2,324	2,699	1,089	179	6,899	696	1,056
	Third or No Care	127	20	48	23	25	10	1	80	41	18
First Birth		2,483	392	539	793	584	153	22	2,153	231	379
2001 Percentages ²											
Live Births	Total	100.0	6.3	16.3	28.8	32.8	13.5	2.3	86.2	10.1	13.9
Sex	Male	51.0	54.3	50.7	51.5	51.0	50.0	45.7	51.1	52.3	50.6
	Female	49.0	45.7	49.3	48.5	49.0	50.0	54.3	48.9	47.7	49.4
Race	White	86.2	70.9	79.3	87.3	89.9	89.8	88.8			
	Black	10.1	27.2	18.3	8.6	5.7	6.7	7.1			
Ethnicity	Hispanic ¹	13.9	28.3	25.7	14.3	7.8	8.4	6.1			
Multiple Births		4.1	*	3.0	3.8	5.1	5.5	*	4.4	1.9	2.2
Marital Status	Married	79.8	15.2	51.6	87.0	93.9	93.8	85.8	84.1	38.6	67.5
	Single	20.2	84.8	48.4	13.0	6.1	6.2	14.2	15.9	61.4	32.5
Mother Not High School Graduate		11.3	54.6	21.7	7.5	3.5	6.3	*	10.9	16.2	43.9
Birthweight	Very Low (0-1,499 Grams)	1.3	2.2	1.9	1.2	.7	1.8	*	1.1	3.1	1.0
	Low (0-2,499 Grams)	7.1	9.1	8.1	7.1	5.4	8.1	10.2	6.4	11.4	5.5
Caesarian Section	Primary	14.0	14.1	13.3	14.0	13.7	14.5	19.3	13.8	15.0	11.7
	Secondary	10.8	*	6.1	9.4	12.3	18.3	20.8	10.6	12.1	11.4
Trimester Prenatal Care Began	First	91.6	74.4	84.3	93.9	95.6	94.0	91.8	93.1	80.1	88.6
	Third or No Care	1.5	3.7	3.4	.9	.9	.9	*	1.1	4.7	1.5
First Birth		28.6	71.7	38.0	31.8	20.5	13.0	*	28.8	26.3	31.4
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	7.5	16.8	29.4	31.3	13.2	1.9	86.0	11.0	12.1
Sex	Male	51.3	51.9	51.5	51.2	51.2	51.6	50.5	51.3	52.2	51.5
	Female	48.7	48.1	48.5	48.8	48.8	48.4	49.5	48.7	47.8	48.5
Race	White	86.0	68.1	78.5	88.3	90.4	89.7	90.0			
	Black	11.0	30.5	19.4	8.4	6.2	7.2	7.8			
Ethnicity	Hispanic ¹	12.1	21.7	22.1	12.0	7.1	6.8	7.5			
Multiple Births		3.8	1.4	2.5	3.5	5.0	4.9	3.6	3.9	3.3	2.3
Marital Status	Married	79.1	14.3	52.8	87.8	93.8	93.2	89.5	84.1	37.0	67.9
	Single	20.9	85.7	47.2	12.2	6.2	6.8	10.5	15.9	63.0	32.1
Mother Not High School Graduate		11.0	52.1	20.1	6.7	3.6	4.4	4.6	10.2	19.1	41.1
Birthweight	Very Low (0-1,499 Grams)	1.4	1.7	1.6	1.4	1.3	1.4	*	1.2	3.0	1.4
	Low (0-2,499 Grams)	7.0	9.0	7.4	6.6	6.5	7.4	9.1	6.4	12.0	5.9
Caesarian Section	Primary	12.9	11.9	11.5	13.7	12.7	13.5	16.7	12.8	13.6	11.2
	Secondary	9.6	1.5	6.2	8.1	11.7	16.0	16.8	9.4	11.2	10.5
Trimester Prenatal Care Began	First	90.8	72.9	83.6	93.7	94.9	93.8	92.1	92.3	79.5	85.4
	Third or No Care	1.7	0.8	3.4	1.0	.8	1.3	*	1.3	05.3	2.5
First Birth		29.5	70.9	37.9	32.8	20.1	12.9	9.6	29.7	26.6	32.0

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Will County - 2001

Population Estimates	
Total	536,900
Under 65 Years	493,420
65 and Older	43,480

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	3,086	52	5	14	49	59	98	219	369	546	904	771	
Male	1,465	34	2	10	38	35	57	125	221	301	415	227	
Female	1,621	18	3	4	11	24	41	94	148	245	489	544	
Black	237	12	1	4	6	9	13	26	43	50	47	26	
Male	110	8	--	2	5	3	7	16	19	25	17	8	
Female	127	4	1	2	1	6	6	10	24	25	30	18	
White	2,823	40	4	10	42	49	85	187	321	495	848	742	
Male	1,341	26	2	8	32	31	50	107	197	275	395	218	
Female	1,482	14	2	2	10	18	35	80	124	220	453	524	
All other races	26	--	--	--	1	1	--	6	5	1	9	3	
Male	14	--	--	--	1	1	--	2	5	1	3	1	
Female	12	--	--	--	--	--	--	4	--	--	6	2	
Hispanic ethnicity ¹	86	9	1	2	8	4	3	5	16	19	10	9	
Male	52	5	1	1	7	2	2	2	12	14	2	4	
Female	34	4	--	1	1	2	1	3	4	5	8	5	

Deaths by Selected Causes														
Race Category				Ethnicity		Age		Rates ²						
				Hispanic ¹				All Ages		Age				
								2001	1999 - 2001	0-64	65+			
All Causes - Current Year				3,086	237	2,823	26	86	865	2,221	574.8	586.1	175.3	5,108.1
5-Year Average (1997-2001)				2,866	232	2,614	19	75	804	2,062	640.4	N.A.	196.5	5,369.3
Infectious and parasitic diseases				74	10	63	1	3	22	52	13.8	12.5	4.5	119.6
#	Septicemia			57	5	51	1	2	12	45	10.6	9.0	2.4	103.5
#	Viral hepatitis			6	1	5	--	--	3	3	*	0.8	*	*
#	HIV disease			4	3	1	--	--	4	--	*	0.9	*	-0-
#	Malignant neoplasms			762	49	707	6	14	277	485	141.9	148.3	56.1	1,115.5
	Lip, oral cavity and pharynx			8	1	7	--	--	6	2	*	1.4	*	*
	Colorectal			82	4	77	1	--	21	61	15.3	15.3	4.3	140.3
	Bronchus and lung			216	12	203	1	1	74	142	40.2	42.7	15.0	326.6
	Female breast			63	6	56	1	3	26	37	11.7 ³	12.2 ³	5.3 ³	85.1 ³
	Cervical			9	1	8	--	--	8	1	* ³	1.4 ³	* ³	* ³
	Prostate			35	4	31	--	--	4	31	6.5 ³	7.1 ³	* ³	71.3 ³
#	Diabetes mellitus			74	6	68	--	3	14	60	13.8	14.0	2.8	138.0
#	Alzheimer's disease			45	1	44	--	--	--	45	8.4	8.2	-0-	103.5
	Major cardiovascular diseases			1,199	89	1,099	11	25	186	1,013	223.3	232.5	37.7	2,329.8
#	Diseases of heart			925	59	856	10	19	142	783	172.3	182.7	28.8	1,800.8
	Ischemic heart disease			663	42	611	10	13	99	564	123.5	139.7	20.1	1,297.1
#	Cerebrovascular diseases			197	19	177	1	5	31	166	36.7	37.4	6.3	381.8
#	Atherosclerosis			17	2	15	--	--	--	17	3.2	2.6	-0-	39.1
#	Aortic aneurysm and dissection			27	3	24	--	1	9	18	5.0	4.5	*	41.4
	Respiratory diseases			246	12	230	4	2	36	210	45.8	45.7	7.3	483.0
#	Influenza and pneumonia			47	1	46	--	1	7	40	8.8	9.7	*	92.0
#	Chronic lower resp. diseases			139	7	130	2	--	23	116	25.9	25.4	4.7	266.8
	Emphysema			27	--	27	--	--	6	21	5.0	4.1	*	48.3
	Asthma			4	1	3	--	--	3	1	*	1.2	*	*
#	Chronic liver disease and cirrhosis			27	1	26	--	2	15	12	5.0	6.9	3.0	27.6
#	Nephritis, nephrotic syn. & nephrosis			41	3	37	1	2	5	36	7.6	8.0	*	82.8
#	Certain perinatal conditions			34	8	26	--	6	34	--	6.3	7.1	6.9	-0-
#	Congenital malformations			19	2	17	--	2	18	1	3.5	3.5	3.6	*
	SIDS			1	1	--	--	--	1	--	*	*	*	-0-
	External causes			204	25	176	3	16	166	38	38.0	35.9	33.6	87.4
#	Accidents			136	16	118	2	11	104	32	25.3	22.6	21.1	73.6
	Motor vehicle accidents			61	4	57	--	8	52	9	11.4	10.7	10.5	*
	All other accidents			75	12	61	2	3	52	23	14.0	11.9	10.5	52.9
#	Suicide			53	3	50	--	4	50	3	9.9	9.4	10.1	*
#	Homicide			9	6	2	1	1	9	--	*	2.7	*	-0-

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Williamson County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity ¹
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	733	91	240	205	142	45	10	715	12	10
Sex	Male	384	43	122	110	76	28	5	373	6	6
	Female	349	48	118	95	66	17	5	342	6	4
Race	White	715	89	234	201	136	45	10			
	Black	12	1	5	3	3	--	--			
Ethnicity	Hispanic ¹	10	2	3	3	1	1	--			
Multiple Births		21	2	2	4	13	--	--	21	--	--
Marital Status	Married	510	19	151	172	122	39	7	505	2	5
	Single	223	72	89	33	20	6	3	210	10	5
Mother Not High School Graduate		103	44	37	16	5	1	--	101	1	4
Birthweight	Very Low (0-1,499 Grams)	11	1	--	--	9	1	--	10	--	--
	Low (0-2,499 Grams)	53	5	16	9	20	2	1	50	2	1
Caesarian Section	Primary	109	10	41	16	31	8	3	107	1	2
	Secondary	54	1	15	16	17	4	1	52	2	--
Trimester Prenatal Care Began	First	633	84	213	167	123	38	8	618	11	8
	Third or No Care	11	1	4	5	--	--	1	11	--	1
First Birth		247	65	83	63	26	10	--	240	4	1
2001 Percentages ²											
Live Births	Total	100.0	12.4	32.7	28.0	19.4	6.1	1.4	97.5	1.6	1.4
Sex	Male	52.4	*	50.8	53.7	53.5	*	*	52.2	*	*
	Female	47.6	*	49.2	46.3	46.5	*	*	47.8	*	*
Race	White	97.5	*	97.5	98.0	95.8	*	*			
	Black	1.6	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	1.4	*	*	*	*	*	-0-			
Multiple Births		2.9	*	*	*	9.2	-0-	-0-	2.9	-0-	-0-
Marital Status	Married	69.6	*	62.9	83.9	85.9	*	*	70.6	*	*
	Single	30.4	*	37.1	16.1	14.1	*	*	29.4	*	*
Mother Not High School Graduate		14.1	*	15.5	7.8	*	*	-0-	14.2	*	*
Birthweight	Very Low (0-1,499 Grams)	1.5	*	-0-	-0-	*	*	-0-	1.4	-0-	-0-
	Low (0-2,499 Grams)	7.2	*	6.7	*	14.1	*	*	7.0	*	*
Caesarian Section	Primary	14.9	*	17.1	7.8	21.8	*	*	15.0	*	*
	Secondary	7.4	*	6.3	7.8	12.0	*	*	7.3	*	-0-
Trimester Prenatal Care Began	First	87.8	*	89.5	82.7	87.9	*	*	87.9	*	*
	Third or No Care	1.5	*	*	*	-0-	-0-	*	1.6	-0-	*
First Birth		33.7	*	34.6	30.7	18.3	*	*	33.6	*	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	14.2	31.4	29.0	17.2	7.1	1.2	96.7	2.5	1.1
Sex	Male	51.2	48.1	51.3	52.6	50.0	54.8	*	51.2	*	*
	Female	48.8	51.9	48.7	47.4	50.0	45.2	*	48.8	*	*
Race	White	96.7	97.0	95.9	97.5	96.2	98.0	*			
	Black	2.5	2.6	3.7	1.8	2.0	*	*			
Ethnicity	Hispanic ¹	1.1	*	1.5	1.3	*	*	-0-			
Multiple Births		2.5	*	1.9	2.8	4.1	*	-0-	2.4	*	-0-
Marital Status	Married	69.5	27.5	62.4	83.6	85.6	84.5	*	70.2	*	*
	Single	30.5	72.5	37.6	16.4	14.4	15.5	*	29.8	*	*
Mother Not High School Graduate		16.2	52.1	18.5	7.0	4.1	*	*	16.0	*	*
Birthweight	Very Low (0-1,499 Grams)	1.3	*	*	1.0	3.0	*	*	1.2	*	-0-
	Low (0-2,499 Grams)	6.3	9.0	5.9	4.8	7.9	4.4	*	6.1	*	*
Caesarian Section	Primary	13.4	12.4	13.8	12.3	15.2	12.7	*	13.5	*	*
	Secondary	7.6	*	5.4	8.8	11.6	16.3	*	7.6	*	*
Trimester Prenatal Care Began	First	85.8	83.1	85.1	86.8	87.4	86.8	*	85.9	*	*
	Third or No Care	1.9	0.3	2.6	1.4	*	*	*	1.8	*	*
First Birth		34.9	75.4	37.5	29.3	17.0	13.5	*	35.2	*	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Williamson County - 2001

Population Estimates	
Total	61,900
Under 65 Years	51,800
65 and Older	10,100

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	745	1	1	3	10	9	20	27	70	134	235	235	
Male	372	1	1	1	7	7	12	16	44	84	129	70	
Female	373	--	--	2	3	2	8	11	26	50	106	165	
Black	7	--	--	--	--	--	1	--	1	1	3	1	
Male	2	--	--	--	--	--	--	--	1	--	1	--	
Female	5	--	--	--	--	--	1	--	--	1	2	1	
White	738	1	1	3	10	9	19	27	69	133	232	234	
Male	370	1	1	1	7	7	12	16	43	84	128	70	
Female	368	--	--	2	3	2	7	11	26	49	104	164	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	3	--	1	--	--	--	--	--	--	--	2	--	
Male	1	--	1	--	--	--	--	--	--	--	--	--	
Female	2	--	--	--	--	--	--	--	--	--	2	--	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	745	7	738	--	3	141	604	1,203.6	1,199.2	272.2	5,980.2		
5-Year Average (1997-2001)	733	10	722	<1	2	151	583	1205.9	N.A.	295.9	5,880.1		
# Infectious and parasitic diseases	15	--	15	--	--	5	10	24.2	17.3	*	99.0		
# Septicemia	12	--	12	--	--	3	9	19.4	14.6	*	*		
# Viral hepatitis	1	--	1	--	--	1	--	*	*	*	-0-		
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	-0-		
# Malignant neoplasms	178	3	175	--	--	43	135	287.6	288.6	83.0	1,336.6		
# Lip, oral cavity and pharynx	3	--	3	--	--	--	3	*	*	-0-	*		
# Colorectal	21	1	20	--	--	4	17	33.9	32.5	*	168.3		
# Bronchus and lung	55	--	55	--	--	11	44	88.9	88.8	21.2	435.6		
# Female breast	14	1	13	--	--	4	10	22.6 ³	22.2 ³	* ³	99.0 ³		
# Cervical	--	--	--	--	--	--	--	-0- ³	* ³	-0- ³	-0- ³		
# Prostate	11	--	11	--	--	1	10	17.8 ³	14.1 ³	* ³	99.0 ³		
# Diabetes mellitus	22	2	20	--	--	4	18	35.5	35.7	*	178.2		
# Alzheimer's disease	22	--	22	--	--	2	20	35.5	27.1	*	198.0		
# Major cardiovascular diseases	252	--	252	--	--	30	222	407.1	449.4	57.9	2,198.0		
# Diseases of heart	175	--	175	--	--	25	150	282.7	333.5	48.3	1,485.1		
# Ischemic heart disease	107	--	107	--	--	20	87	172.9	219.3	38.6	861.4		
# Cerebrovascular diseases	57	--	57	--	--	3	54	92.1	82.3	*	534.7		
# Atherosclerosis	2	--	2	--	--	--	2	*	6.5	-0-	*		
# Aortic aneurysm and dissection	3	--	3	--	--	1	2	*	8.7	*	*		
# Respiratory diseases	74	--	74	--	2	5	69	119.5	114.8	*	683.2		
# Influenza and pneumonia	15	--	15	--	--	--	15	24.2	23.8	-0-	148.5		
# Chronic lower resp. diseases	47	--	47	--	1	3	44	75.9	70.4	*	435.6		
# Emphysema	8	--	8	--	1	--	8	*	16.2	-0-	*		
# Asthma	2	--	2	--	--	--	2	*	*	-0-	*		
# Chronic liver disease and cirrhosis	4	--	4	--	--	1	3	*	6.5	*	*		
# Nephritis, nephrotic syn. & nephrosis	18	--	18	--	--	3	15	29.1	28.2	*	148.5		
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	*	-0-		
# Congenital malformations	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# SIDS	--	--	--	--	--	--	--	-0-	*	-0-	-0-		
# External causes	37	--	37	--	--	27	10	59.8	62.8	52.1	99.0		
# Accidents	22	--	22	--	--	13	9	35.5	40.1	25.1	*		
# Motor vehicle accidents	11	--	11	--	--	11	--	17.8	20.6	21.2	-0-		
# All other accidents	11	--	11	--	--	2	9	17.8	19.5	*	*		
# Suicide	11	--	11	--	--	10	1	17.8	14.1	19.3	*		
# Homicide	3	--	3	--	--	3	--	*	6.0	*	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Winnebago County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	3,938	500	1,062	1,054	874	381	67	3,184	640	536
Sex	Male	2,019	258	532	574	426	195	34	1,617	344	267
	Female	1,919	242	530	480	448	186	33	1,567	296	269
Race	White	3,184	327	782	896	784	335	60			
	Black	640	163	256	126	57	35	3			
Ethnicity	Hispanic ¹	536	93	166	144	85	40	8			
Multiple Births		123	8	24	35	38	18	--	99	24	6
Marital Status	Married	2,354	68	436	758	727	305	60	2,152	119	322
	Single	1,584	432	626	296	147	76	7	1,032	521	214
Mother Not High School Graduate		932	325	309	174	83	37	4	650	258	281
Birthweight	Very Low (0-1,499 Grams)	64	10	18	11	15	8	2	35	28	5
	Low (0-2,499 Grams)	340	44	109	85	65	29	8	220	108	27
Caesarian Section	Primary	633	75	154	172	144	72	16	515	104	75
	Secondary	365	9	61	99	120	68	8	289	68	38
Trimester Prenatal Care Began	First	3,167	323	821	886	768	313	56	2,645	430	366
	Third or No Care	157	36	51	41	17	10	2	99	54	41
First Birth		1,238	355	376	263	187	45	12	1,024	175	181
2001 Percentages ²											
Live Births	Total	100.0	12.7	27.0	26.8	22.2	9.7	1.7	80.9	16.3	13.6
Sex	Male	51.3	51.6	50.1	54.5	48.7	51.2	*	50.8	53.8	49.8
	Female	48.7	48.4	49.9	45.5	51.3	48.8	*	49.2	46.3	50.2
Race	White	80.9	65.4	73.6	85.0	89.7	87.9	*			
	Black	16.3	32.6	24.1	12.0	6.5	9.2	*			
Ethnicity	Hispanic ¹	13.6	18.6	15.6	13.7	9.7	10.5	*			
Multiple Births		3.1	*	2.3	3.3	4.3	4.7	-0-	3.1	3.8	*
Marital Status	Married	59.8	13.6	41.1	71.9	83.2	80.1	*	67.6	18.6	60.1
	Single	40.2	86.4	58.9	28.1	16.8	19.9	*	32.4	81.4	39.9
Mother Not High School Graduate		23.7	65.3	29.1	16.6	9.5	9.7	*	20.5	40.3	52.8
Birthweight	Very Low (0-1,499 Grams)	1.6	2.0	1.7	1.0	*	*	*	1.1	4.4	*
	Low (0-2,499 Grams)	8.6	8.8	10.3	8.1	7.4	7.6	*	6.9	16.9	5.0
Caesarian Section	Primary	16.1	15.0	14.5	16.3	16.5	18.9	*	16.2	16.3	14.0
	Secondary	9.3	*	5.7	9.4	13.7	17.8	*	9.1	10.6	7.1
Trimester Prenatal Care Began	First	80.8	64.9	78.0	84.3	88.1	82.6	*	83.4	67.7	68.7
	Third or No Care	4.0	7.2	4.8	3.9	1.9	2.6	*	3.1	8.5	7.7
First Birth		31.4	71.0	35.4	25.0	21.4	11.8	*	32.2	27.3	33.8
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	13.6	25.6	28.8	21.2	9.4	1.4	82.2	15.4	12.2
Sex	Male	51.5	52.5	51.0	51.8	51.2	50.8	52.0	51.5	50.9	52.1
	Female	48.5	47.5	49.0	48.2	48.8	49.2	48.0	48.5	49.1	47.9
Race	White	82.2	66.9	77.6	85.7	89.5	88.7	87.8			
	Black	15.4	31.7	20.7	11.6	7.3	7.9	7.4			
Ethnicity	Hispanic ¹	12.2	16.2	16.0	11.6	8.0	7.6	10.7			
Multiple Births		3.3	1.6	2.3	3.3	4.9	5.1	4.4	3.3	3.7	2.2
Marital Status	Married	62.1	13.2	45.0	75.3	84.8	84.5	84.5	69.5	20.2	59.4
	Single	37.9	86.8	55.0	24.7	15.2	15.5	15.5	30.5	79.8	40.6
Mother Not High School Graduate		23.9	67.1	29.9	14.7	8.8	9.3	10.8	21.0	40.1	55.7
Birthweight	Very Low (0-1,499 Grams)	1.7	2.3	1.4	1.4	1.8	2.0	*	1.4	3.5	1.0
	Low (0-2,499 Grams)	8.3	10.1	7.6	7.8	8.0	9.1	11.4	7.1	14.9	5.7
Caesarian Section	Primary	14.4	13.2	12.0	14.3	16.1	17.9	20.7	14.5	13.8	11.3
	Secondary	8.8	1.7	6.0	9.0	12.6	16.6	12.9	8.8	8.9	8.6
Trimester Prenatal Care Began	First	80.3	63.7	76.0	84.9	87.5	84.5	81.2	82.7	67.1	68.9
	Third or No Care	3.8	7.8	4.7	2.9	2.4	2.2	*	3.1	8.0	6.5
First Birth		32.2	69.3	35.5	27.2	19.9	15.0	13.7	32.8	28.5	34.6

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Winnebago County - 2001

Population Estimates	
Total	279,700
Under 65 Years	244,200
65 and Older	35,500

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	2,460	23	1	10	24	39	101	180	275	417	711	679	
Male	1,224	12	1	7	18	24	53	113	169	242	352	233	
Female	1,236	11	--	3	6	15	48	67	106	175	359	446	
Black	213	10	--	2	6	10	25	26	34	38	37	25	
Male	105	3	--	1	2	6	12	18	19	20	17	7	
Female	108	7	--	1	4	4	13	8	15	18	20	18	
White	2,235	13	--	8	18	29	75	152	241	375	672	652	
Male	1,115	9	--	6	16	18	41	94	150	220	335	226	
Female	1,120	4	--	2	2	11	34	58	91	155	337	426	
All other races	12	--	1	--	--	--	1	2	--	4	2	2	
Male	4	--	1	--	--	--	--	1	--	2	--	--	
Female	8	--	--	--	--	--	1	1	--	2	2	2	
Hispanic ethnicity ¹	32	3	--	--	3	3	2	4	9	3	3	2	
Male	18	1	--	--	2	2	1	3	5	2	1	1	
Female	14	2	--	--	1	1	1	1	4	1	2	1	

Deaths by Selected Causes													
	Race Category				Ethnicity		Age		Rates ²				
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages		Age		0-64	65+
								2001	1999 - 2001				
All Causes - Current Year	2,460	213	2,235	12	32	653	1,807	879.5	899.1	267.4	5,090.1		
5-Year Average (1997-2001)	2,426	196	2,222	8	25	611	1,815	907.8	N.A.	263.4	5,144.5		
# Infectious and parasitic diseases	40	7	33	--	--	19	21	14.3	13.6	7.8	59.2		
# Septicemia	22	2	20	--	--	5	17	7.9	7.4	*	47.9		
# Viral hepatitis	1	--	1	--	--	1	--	*	*	*	-0-		
# HIV disease	13	5	8	--	--	13	--	4.6	3.5	5.3	-0-		
# Malignant neoplasms	620	44	573	3	8	199	421	221.7	216.9	81.5	1,185.9		
# Lip, oral cavity and pharynx	14	3	11	--	--	7	7	5.0	3.1	*	*		
# Colorectal	48	3	45	--	--	12	36	17.2	19.8	4.9	101.4		
# Bronchus and lung	203	13	189	1	3	69	134	72.6	65.1	28.3	377.5		
# Female breast	35	4	31	--	--	18	17	12.5 ³	12.9 ³	7.4 ³	47.9 ³		
# Cervical	6	--	5	1	--	5	1	* ³	1.7 ³	* ³	* ³		
# Prostate	33	2	31	--	--	--	33	11.8 ³	10.3 ³	-0- ³	93.0 ³		
# Diabetes mellitus	76	12	64	--	--	19	57	27.2	27.1	7.8	160.6		
# Alzheimer's disease	59	3	56	--	1	1	58	21.1	26.7	*	163.4		
# Major cardiovascular diseases	970	70	895	5	8	176	794	346.8	354.8	72.1	2,236.6		
# Diseases of heart	725	51	671	3	7	146	579	259.2	264.1	59.8	1,631.0		
# Ischemic heart disease	485	30	454	1	4	88	397	173.4	180.1	36.0	1,118.3		
# Cerebrovascular diseases	170	14	155	1	--	17	153	60.8	64.2	7.0	431.0		
# Atherosclerosis	20	1	19	--	--	2	18	7.2	8.1	*	50.7		
# Aortic aneurysm and dissection	16	--	16	--	1	5	11	5.7	8.1	*	31.0		
# Respiratory diseases	208	13	194	1	--	25	183	74.4	77.7	10.2	515.5		
# Influenza and pneumonia	51	7	44	--	--	6	45	18.2	20.4	*	126.8		
# Chronic lower resp. diseases	115	2	113	--	--	10	105	41.1	42.8	4.1	295.8		
# Emphysema	18	1	17	--	--	4	14	6.4	5.4	*	39.4		
# Asthma	1	--	1	--	--	--	1	*	1.6	-0-	*		
# Chronic liver disease and cirrhosis	26	3	23	--	1	15	11	9.3	9.0	6.1	31.0		
# Nephritis, nephrotic syn. & nephrosis	54	9	45	--	1	7	47	19.3	15.8	*	132.4		
# Certain perinatal conditions	12	4	8	--	2	12	--	4.3	5.4	4.9	-0-		
# Congenital malformations	10	3	7	--	--	10	--	3.6	4.2	4.1	-0-		
# SIDS	3	3	--	--	--	3	--	*	1.2	*	-0-		
# External causes	167	26	139	2	10	116	51	59.7	57.7	47.5	143.7		
# Accidents	111	18	92	1	7	73	38	39.7	37.9	29.9	107.0		
# Motor vehicle accidents	32	4	28	--	3	23	9	11.4	13.0	9.4	*		
# All other accidents	79	14	64	1	4	50	29	28.2	24.9	20.5	81.7		
# Suicide	33	2	30	1	--	23	10	11.8	10.9	9.4	28.2		
# Homicide	16	6	10	--	3	16	--	5.7	6.3	6.6	-0-		

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Selected Natality Statistics among Residents of Woodford County - 2001

			Mother's Age (in Years)						Race Category		Ethnicity
			All Ages	Under 20	20-24	25-29	30-34	35-39	40 and over	White	Black
2001 Numbers											
Live Births	Total	459	31	92	137	132	48	19	452	1	5
Sex	Male	228	18	51	69	65	18	7	225	--	2
	Female	231	13	41	68	67	30	12	227	1	3
Race	White	452	31	92	133	129	48	19			
	Black	1	--	--	1	--	--	--			
Ethnicity	Hispanic ¹	5	--	2	--	1	1	1			
Multiple Births		26	--	--	6	10	4	6	26	--	--
Marital Status	Married	370	2	53	125	126	46	18	363	1	4
	Single	89	29	39	12	6	2	1	89	--	1
Mother Not High School Graduate		35	15	14	4	1	1	--	35	--	--
Birthweight	Very Low (0-1,499 Grams)	6	1	1	1	--	1	2	6	--	--
	Low (0-2,499 Grams)	32	2	3	7	9	6	5	32	--	--
Caesarian Section	Primary	59	2	14	20	15	6	2	57	--	--
	Secondary	37	1	2	6	19	8	1	37	--	1
Trimester Prenatal Care Began	First	416	21	77	128	130	46	14	409	1	3
	Third or No Care	5	1	4	--	--	--	--	5	--	--
First Birth		154	24	44	50	27	8	1	151	--	1
2001 Percentages ²											
Live Births	Total	100.0	6.8	20.0	29.8	28.8	10.5	4.1	98.5	*	*
Sex	Male	49.7	*	*	50.4	49.2	*	*	49.8	-0-	*
	Female	50.3	*	*	49.6	50.8	*	*	50.2	*	*
Race	White	98.5	*	*	97.1	97.7	*	*			
	Black	*	-0-	-0-	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	*	*	*			
Multiple Births		5.7	-0-	-0-	*	7.6	*	*	5.8	-0-	-0-
Marital Status	Married	80.6	*	*	91.2	95.5	*	*	80.3	*	*
	Single	19.4	*	*	8.8	*	*	*	19.7	-0-	*
Mother Not High School Graduate		7.6	*	*	*	*	*	-0-	7.7	-0-	-0-
Birthweight	Very Low (0-1,499 Grams)	*	*	*	*	-0-	*	*	*	-0-	-0-
	Low (0-2,499 Grams)	7.0	*	*	*	*	*	*	7.1	-0-	-0-
Caesarian Section	Primary	12.9	*	*	14.6	11.4	*	*	12.6	-0-	-0-
	Secondary	8.1	*	*	*	14.4	*	*	8.2	-0-	*
Trimester Prenatal Care Began	First	90.8	*	*	93.4	98.5	*	*	90.7	*	*
	Third or No Care	*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First Birth		33.6	*	*	36.5	20.5	*	-0-	33.4	-0-	*
Percentages ² based on 1997-2001 average											
Live Births	Total	100.0	7.4	19.8	31.2	27.2	11.6	2.7	99.2	*	0.8
Sex	Male	50.1	55.3	52.4	47.8	51.8	46.2	*	50.2	-0-	*
	Female	49.9	44.7	47.6	52.2	48.2	53.8	*	49.8	*	*
Race	White	99.2	100.0	99.5	98.8	99.3	98.4	*			
	Black	*	-0-	-0-	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	0.8	*	*	*	*	*	*			
Multiple Births		3.9	*	*	2.7	6.2	5.2	*	3.9	-0-	-0-
Marital Status	Married	82.2	22.0	62.3	92.2	95.2	94.4	*	82.2	*	*
	Single	17.8	78.0	37.7	7.8	4.8	5.6	*	17.8	*	*
Mother Not High School Graduate		7.8	50.3	12.3	2.8	*	*	*	7.8	-0-	*
Birthweight	Very Low (0-1,499 Grams)	1.2	*	*	*	*	*	*	1.2	-0-	-0-
	Low (0-2,499 Grams)	6.6	9.4	5.7	4.6	7.2	8.4	*	6.7	-0-	*
Caesarian Section	Primary	11.7	8.8	12.5	11.4	10.8	13.7	*	11.7	-0-	-0-
	Secondary	9.7	*	6.4	7.3	13.9	16.9	*	9.7	-0-	*
Trimester Prenatal Care Began	First	90.9	71.7	81.8	94.7	97.8	94.0	*	90.9	*	*
	Third or No Care	1.4	0.3	2.8	*	*	*	*	1.4	-0-	-0-
First Birth		29.5	73.6	41.3	31.0	16.9	11.2	*	29.5	-0-	*

¹ Hispanic ethnicity may be of any race.

² Percentages are based on total events in age group except for age groups, which are based on total births.

Selected Mortality Statistics among Residents of Woodford County - 2001

Population Estimates	
Total	35,700
Under 65 Years	30,470
65 and Older	5,230

	All	Under	Number of Deaths by Age (in Years)										85 and
	Ages	1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	Over	
All races	341	3	--	1	2	6	7	16	30	47	102	127	
Male	155	1	--	--	2	4	3	8	18	21	49	49	
Female	186	2	--	1	--	2	4	8	12	26	53	78	
Black	2	--	--	1	--	--	--	--	--	1	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	2	--	--	1	--	--	--	--	--	1	--	--	
White	339	3	--	--	2	6	7	16	30	46	102	127	
Male	155	1	--	--	2	4	3	8	18	21	49	49	
Female	184	2	--	--	--	2	4	8	12	25	53	78	
All other races	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	
Male	--	--	--	--	--	--	--	--	--	--	--	--	
Female	--	--	--	--	--	--	--	--	--	--	--	--	

	Deaths by Selected Causes										Rates ²			
	Race Category				Ethnicity		Age				Rates ²			
											All Ages		Age	
	All Races	Black	White	Other	Hispanic ¹		0-64	65+			2001	1999 - 2001	0-64	65+
All Causes - Current Year	341	2	339	--	--		65	276			955.2	956.9	213.3	5,277.2
5-Year Average (1997-2001)	339	1	338	--	<1		58	281			976.4	N.A.	194.5	5,689.4
Infectious and parasitic diseases	2	--	2	--	--		--	2		*	13.1		-0-	*
# Septicemia	1	--	1	--	--		--	1		*	*		-0-	*
# Viral hepatitis	--	--	--	--	--		--	--		-0-	-0-		-0-	-0-
# HIV disease	--	--	--	--	--		--	--		-0-	-0-		-0-	-0-
# Malignant neoplasms	68	--	68	--	--		20	48		190.5	208.1		65.6	917.8
Lip, oral cavity and pharynx	1	--	1	--	--		--	1		*	*		-0-	*
Colorectal	6	--	6	--	--		2	4		*	18.7		*	*
Bronchus and lung	13	--	13	--	--		5	8		36.4	45.9		*	*
Female breast	6	--	6	--	--		2	4		* ³	15.0 ³		* ³	* ³
Cervical	1	--	1	--	--		1	--		* ³	* ³		* ³	-0- ³
Prostate	7	--	7	--	--		--	7		* ³	20.6 ³		-0- ³	* ³
# Diabetes mellitus	6	--	6	--	--		--	6		*	26.2		-0-	*
# Alzheimer's disease	21	--	21	--	--		--	21		58.8	47.8		-0-	401.5
Major cardiovascular diseases	133	1	132	--	--		17	116		372.5	400.2		55.8	2,218.0
# Diseases of heart	95	1	94	--	--		15	80		266.1	279.3		49.2	1,529.6
Ischemic heart disease	62	--	62	--	--		9	53		173.7	192.1		*	1,013.4
# Cerebrovascular diseases	32	--	32	--	--		1	31		89.6	99.3		*	592.7
# Atherosclerosis	1	--	1	--	--		1	--		*	*		*	-0-
# Aortic aneurysm and dissection	3	--	3	--	--		--	3		*	*		-0-	*
Respiratory diseases	37	--	37	--	--		2	35		103.6	79.7		*	669.2
# Influenza and pneumonia	5	--	5	--	--		--	5		*	15.9		-0-	*
# Chronic lower resp. diseases	24	--	24	--	--		2	22		67.2	46.9		*	420.7
Emphysema	5	--	5	--	--		--	5		*	*		-0-	*
Asthma	2	--	2	--	--		1	1		*	*		*	*
# Chronic liver disease and cirrhosis	1	--	1	--	--		1	--		*	*		*	-0-
# Nephritis, nephrotic syn. & nephrosis	8	--	8	--	--		2	6		*	15.9		*	*
# Certain perinatal conditions	2	--	2	--	--		2	--		*	*		*	-0-
# Congenital malformations	--	--	--	--	--		--	--		-0-	*		-0-	-0-
SIDS	--	--	--	--	--		--	--		-0-	*		-0-	-0-
External causes	16	--	16	--	--		12	4		44.8	49.7		39.4	*
# Accidents	14	--	14	--	--		11	3		39.2	36.6		36.1	*
Motor vehicle accidents	5	--	5	--	--		5	--		*	14.1		*	-0-
All other accidents	9	--	9	--	--		6	3		*	22.5		*	*
# Suicide	1	--	1	--	--		1	--		*	*		*	-0-
# Homicide	1	--	1	--	--		--	1		*	*		-0-	*

Leading cause of death for ranking purposes

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

CITY TABLES

PART
III

Table 1.
Live Births, Infant Deaths, Neonatal Deaths and Fetal Deaths
by Race Categories Among Residents of the Larger Cities of Illinois, 2001

	Live Births			Infant Deaths			Neonatal Deaths			Fetal Deaths		
	Total	White	All Other Races	Total	White	All Other Races	Total	White	All Other Races	Total	White	All Other Races
Addison	656	599	57	7	6	1	6	6	--	2	2	--
Alton	473	334	139	1	1	--	--	--	--	5	3	2
Arlington Heights	1,032	913	119	2	2	--	2	2	--	2	2	--
Aurora	3,687	3,195	492	30	26	4	20	19	1	25	18	7
Bartlett	690	608	82	4	3	1	3	2	1	2	2	--
Belleville	707	506	201	8	5	3	4	2	2	4	2	2
Berwyn	937	882	55	9	9	--	7	7	--	5	5	--
Bloomington	1,149	951	198	10	9	1	5	4	1	6	3	3
Bolingbrook	1,060	776	284	6	5	1	6	5	1	8	3	5
Buffalo Grove	477	408	69	--	--	--	--	--	--	3	3	--
Calumet City	592	201	391	2	--	2	2	--	2	3	--	3
Carbondale	306	165	141	3	2	1	2	2	--	3	3	--
Carol Stream	665	547	118	6	5	1	4	3	1	6	3	3
Champaign	968	631	337	12	5	7	7	3	4	6	5	1
Chicago	49,596	28,775	20,821	446	157	289	289	115	174	435	182	253
Cicero	2,084	2,055	29	15	14	1	5	5	--	12	12	--
Crystal Lake	688	657	31	2	2	--	1	1	--	3	3	--
Danville	641	485	156	10	8	2	6	5	1	6	3	3
De Kalb	518	436	82	5	4	1	5	4	1	1	1	--
Decatur	1,138	805	333	14	8	6	8	5	3	7	2	5
Des Plaines	1,150	850	300	21	16	5	18	14	4	10	9	1
Downers Grove	660	596	64	4	3	1	2	2	--	7	7	--
East St. Louis	727	15	712	11	--	11	7	--	7	12	--	12
Elgin	2,096	1,869	227	11	10	1	9	8	1	11	8	3
Elk Grove Village	377	320	57	1	1	--	1	1	--	--	--	--
Elmhurst	590	545	45	3	3	--	3	3	--	3	3	--
Evanston	1,009	697	312	--	--	--	--	--	--	2	1	1
Freeport	384	305	79	3	2	1	3	2	1	3	3	--
Galesburg	411	362	49	6	5	1	3	2	1	2	2	--
Glenview	573	500	73	1	1	--	1	1	--	2	2	--
Granite City	554	523	31	1	1	--	1	1	--	4	4	--
Hanover Park	705	561	144	6	5	1	5	4	1	3	2	1
Hoffman Estates	702	493	209	7	4	3	5	4	1	9	5	4
Joliet	1,929	1,464	465	13	6	7	10	5	5	20	12	8
Kankakee	623	345	278	3	1	2	3	1	2	7	2	5
Lombard	673	557	116	2	2	--	--	--	--	3	3	--
Moline	592	545	47	2	2	--	1	1	--	3	2	1
Mount Prospect	913	729	184	4	4	--	4	4	--	2	1	1
Naperville	2,052	1,667	385	9	4	5	5	3	2	7	3	4
Normal	456	387	69	4	3	1	4	3	1	3	3	--
North Chicago	389	205	184	2	1	1	--	--	--	3	1	2
Oak Lawn	650	609	41	5	4	1	2	1	1	--	--	--
Oak Park	748	544	204	4	3	1	3	2	1	1	1	--
Orland Park	523	499	24	1	1	--	1	1	--	1	1	--
Palatine	1,143	985	158	7	6	1	7	6	1	6	5	1
Park Ridge	438	422	16	2	2	--	1	1	--	3	2	1
Pekin	502	497	5	3	3	--	2	2	--	2	2	--
Peoria	1,915	1,152	763	15	3	12	5	2	3	13	4	9
Quincy	592	543	49	6	5	1	5	4	1	2	2	--
Rock Island	566	412	154	1	--	1	1	--	1	5	1	4
Rockford	2,766	2,064	702	17	7	10	12	7	5	24	15	9
Schaumburg	954	638	316	5	4	1	4	3	1	2	1	1
Skokie	567	343	224	5	--	5	4	--	4	5	3	2
Springfield	1,908	1,474	434	12	6	6	6	3	3	10	8	2
Streamwood	696	557	139	2	1	1	1	1	--	1	1	--
Tinley Park	640	596	44	5	5	--	4	4	--	2	1	1
Urbana	471	286	185	5	2	3	2	--	2	2	2	--
Waukegan	2,044	1,672	372	14	12	2	6	5	1	11	9	2
Wheaton	678	608	70	1	1	--	1	1	--	5	4	1
Wheeling	595	490	105	1	1	--	1	1	--	1	--	1

Table 2.
Race Specific Live Birth, Infant Death and Neonatal Rates and Fetal Death Rates
By Race Category Among Residents of the Larger Cities of Illinois, 2001

	Live Births	Infant Deaths			Neonatal Deaths			Fetal Deaths		
		Total	White	All Other Races	Total	White	All Other Races	Total	White	All Other Races
Addison	18.0	*	*	*	*	*	-0-	*	*	-0-
Alton	15.6	*	*	-0-	-0-	-0-	-0-	*	*	*
Arlington Heights	13.6	*	*	-0-	*	*	-0-	*	*	-0-
Aurora	24.7	8.1	8.1	*	5.4	5.2	*	6.7	5.6	*
Bartlett	18.5	*	*	*	*	*	*	*	*	-0-
Belleville	17.0	*	*	*	*	*	*	*	*	*
Berwyn	17.2	*	*	-0-	*	*	-0-	*	*	-0-
Bloomington	17.4	8.7	*	*	*	*	*	*	*	*
Bolingbrook	17.9	*	*	*	*	*	*	*	*	*
Buffalo Grove	11.1	-0-	-0-	-0-	-0-	-0-	-0-	*	*	-0-
Calumet City	15.2	*	-0-	*	*	-0-	*	*	-0-	*
Carbondale	12.2	*	*	*	*	*	-0-	*	*	-0-
Carol Stream	16.2	*	*	*	*	*	*	*	*	*
Champaign	14.0	12.4	*	*	*	*	*	*	*	*
Chicago	17.2	9.0	5.5	13.9	5.8	2.3	3.5	8.7	6.3	12.0
Cicero	24.3	7.2	6.8	*	*	*	-0-	5.7	5.8	-0-
Crystal Lake	17.5	*	*	-0-	*	*	-0-	*	*	-0-
Danville	19.0	15.6	*	*	*	*	*	*	*	*
De Kalb	13.0	*	*	*	*	*	*	*	*	-0-
Decatur	14.1	12.3	*	*	*	*	*	*	*	*
Des Plaines	20.2	18.3	18.8	*	15.7	12.2	*	8.6	*	*
Downers Grove	13.4	*	*	*	*	*	-0-	*	*	-0-
East St. Louis	23.3	15.1	-0-	15.4	*	-0-	*	16.2	-0-	16.6
Elgin	21.4	5.2	5.4	*	*	*	*	5.2	*	*
Elk Grove Village	10.9	*	*	-0-	*	*	-0-	-0-	-0-	-0-
Elmhurst	13.8	*	*	-0-	*	*	-0-	*	*	-0-
Evanston	13.7	-0-	-0-	-0-	-0-	-0-	-0-	*	*	*
Freeport	14.7	*	*	*	*	*	*	*	*	-0-
Galesburg	12.2	*	*	*	*	*	*	*	*	-0-
Glenview	13.6	*	*	-0-	*	*	-0-	*	*	-0-
Granite City	17.7	*	*	-0-	*	*	-0-	*	*	-0-
Hanover Park	18.3	*	*	*	*	*	*	*	*	*
Hoffman Estates	14.2	*	*	*	*	*	*	*	*	*
Joliet	17.5	6.7	*	*	5.2	*	*	10.3	8.1	*
Kankakee	22.5	*	*	*	*	*	*	*	*	*
Lombard	15.8	*	*	-0-	-0-	-0-	-0-	*	*	-0-
Moline	13.6	*	*	-0-	*	*	-0-	*	*	*
Mount Prospect	16.2	*	*	-0-	*	*	-0-	*	*	*
Naperville	15.8	*	*	*	*	*	*	*	*	*
Normal	10.0	*	*	*	*	*	*	*	*	-0-
North Chicago	10.6	*	*	*	-0-	-0-	-0-	*	*	*
Oak Lawn	11.8	*	*	*	*	*	*	-0-	-0-	-0-
Oak Park	14.3	*	*	*	*	*	*	*	*	-0-
Orland Park	10.1	*	*	-0-	*	*	-0-	*	*	-0-
Palatine	17.3	*	*	*	*	*	*	*	*	*
Park Ridge	11.6	*	*	-0-	*	*	-0-	*	*	*
Pekin	14.9	*	*	-0-	*	*	-0-	*	*	-0-
Peoria	17.1	7.8	*	15.7	*	*	*	6.7	*	*
Quincy	14.7	*	*	*	*	*	*	*	*	-0-
Rock Island	14.3	*	-0-	*	*	-0-	*	*	*	*
Rockford	18.4	6.1	*	14.2	4.3	*	*	8.6	7.2	*
Schaumburg	12.6	*	*	*	*	*	*	*	*	*
Skokie	8.9	*	-0-	*	*	-0-	*	*	*	*
Springfield	17.1	6.3	*	*	*	*	*	5.2	*	*
Streamwood	19.0	*	*	*	*	*	-0-	*	*	-0-
Tinley Park	13.2	*	*	-0-	*	*	-0-	*	*	*
Urbana	12.5	*	*	*	*	-0-	*	*	*	-0-
Waukegan	22.8	6.8	7.2	*	*	*	*	5.4	*	*
Wheaton	12.2	*	*	-0-	*	*	-0-	*	*	*
Wheeling	17.1	*	*	-0-	*	*	-0-	*	-0-	*

Live births per 1,000 estimated population as of July 1, 2001. All other rates and ratios per 1,000 live births

Table 3.
Live Births with Percentage Rates for Low Birthweight Births and Infant Deaths
by Age with Rates Among Residents of the Larger Cities of Illinois, 2001

	Live Births			Infant Deaths by Age					
	Low Birthweight			Under 7 days		7 to 27 days		28 Days to 1 Year	
	Total	Number	Percent	Number	Rate	Number	Rate	Number	Rate
Addison	656	45	6.9	6	*	--	-0-	1	*
Alton	473	43	9.1	--	-0-	--	-0-	1	*
Arlington Heights	1,032	59	5.7	2	*	--	-0-	--	-0-
Aurora	3,687	260	7.1	16	4.3	4	*	10	2.7
Bartlett	690	44	6.4	3	*	--	-0-	1	*
Belleville	707	66	9.3	3	*	1	*	4	*
Berwyn	937	64	6.8	7	*	--	-0-	2	*
Bloomington	1,149	85	7.4	5	*	--	-0-	5	*
Bolingbrook	1,060	83	7.8	5	*	1	*	--	-0-
Buffalo Grove	477	32	6.7	--	-0-	--	-0-	--	-0-
Calumet City	592	64	10.8	1	*	1	*	--	-0-
Carbondale	306	23	7.5	2	*	--	-0-	1	*
Carol Stream	665	43	6.5	3	*	1	*	2	*
Champaign	968	61	6.3	6	*	1	*	5	*
Chicago	49,596	4,987	10.1	219	4.4	70	1.4	157	3.2
Cicero	2,084	126	6.0	3	*	2	*	10	4.8
Crystal Lake	688	46	6.7	1	*	--	-0-	1	*
Danville	641	55	8.6	6	*	--	-0-	4	*
De Kalb	518	33	6.4	4	*	1	*	--	-0-
Decatur	1,138	110	9.7	5	*	3	*	6	*
Des Plaines	1,150	106	9.2	15	13.0	3	*	3	*
Downers Grove	660	36	5.5	2	*	--	-0-	2	*
East St. Louis	727	100	13.8	7	*	--	-0-	4	*
Elgin	2,096	147	7.0	7	*	2	*	2	*
Elk Grove Village	377	27	7.2	1	*	--	-0-	--	-0-
Elmhurst	590	44	7.5	3	*	--	-0-	--	-0-
Evanston	1,009	69	6.8	--	-0-	--	-0-	--	-0-
Freeport	384	37	9.6	3	*	--	-0-	--	-0-
Galesburg	411	36	8.8	1	*	2	*	3	*
Glenview	573	26	4.5	1	*	--	-0-	--	-0-
Granite City	554	40	7.2	1	*	--	-0-	--	-0-
Hanover Park	705	49	7.0	5	*	--	-0-	1	*
Hoffman Estates	702	59	8.4	4	*	1	*	2	*
Joliet	1,929	152	7.9	9	*	1	*	3	*
Kankakee	623	64	10.3	3	*	--	-0-	--	-0-
Lombard	673	47	7.0	--	-0-	--	-0-	2	*
Moline	592	42	7.1	1	*	--	-0-	1	*
Mount Prospect	913	48	5.3	4	*	--	-0-	--	-0-
Naperville	2,052	125	6.1	5	*	--	-0-	4	*
Normal	456	32	7.0	3	*	1	*	--	-0-
North Chicago	389	38	9.8	--	-0-	--	-0-	2	*
Oak Lawn	650	35	5.4	1	*	1	*	3	*
Oak Park	748	51	6.8	3	*	--	-0-	1	*
Orland Park	523	35	6.7	1	*	--	-0-	--	-0-
Palatine	1,143	66	5.8	7	*	--	-0-	--	-0-
Park Ridge	438	21	4.8	--	-0-	1	*	1	*
Pekin	502	30	6.0	2	*	--	-0-	1	*
Peoria	1,915	150	7.8	3	*	2	*	10	5.2
Quincy	592	47	7.9	4	*	1	*	1	*
Rock Island	566	45	8.0	1	*	--	-0-	--	-0-
Rockford	2,766	269	9.7	8	*	4	*	5	*
Schaumburg	954	83	8.7	3	*	1	*	1	*
Skokie	567	49	8.6	4	*	--	-0-	1	*
Springfield	1,908	173	9.1	3	*	3	*	6	*
Streamwood	696	45	6.5	--	-0-	1	*	1	*
Tinley Park	640	36	5.6	1	*	3	*	1	*
Urbana	471	39	8.3	2	*	--	-0-	3	*
Waukegan	2,044	177	8.7	5	*	1	*	8	*
Wheaton	678	48	7.1	1	*	--	-0-	--	-0-
Wheeling	595	55	9.2	1	*	--	-0-	--	-0-

Numbers and rates for total infant deaths are shown in Tables 1 and 2 of this section.
Rates are per 1,000 live births.

Table 4.
Deaths for Selected Causes Among Residents of the Larger Cities of Illinois, 2001

	All Causes	Malignant Neoplasms					Diseases of the Circulatory System			
		Septicemia	Total	Bronchus and Lung	Colorectal	Diabetes Mellitus	Alzheimer's Disease	Total	Diseases of Heart	Cerebrovascular Diseases
Addison.....	201	2	59	16	6	8	3	64	47	15
Alton	373	6	87	16	11	11	6	152	130	15
Arlington Heights.....	743	9	180	46	24	15	17	291	201	70
Aurora	762	9	193	46	19	35	12	249	190	44
Bartlett	154	1	40	12	7	4	--	52	39	6
Belleville.....	556	12	115	31	9	22	13	193	147	33
Berwyn	521	12	106	32	8	16	17	202	153	38
Bloomington.....	499	7	119	25	16	15	8	184	142	35
Bolingbrook.....	238	2	55	8	5	7	2	98	73	16
Buffalo Grove.....	224	4	58	16	3	8	7	84	67	12
Calumet City.....	304	11	89	32	13	7	3	125	108	8
Carbondale	142	1	23	2	4	4	6	52	31	18
Carol Stream.....	204	1	59	9	6	4	2	81	57	18
Champaign.....	452	8	112	29	8	9	13	142	106	29
Chicago.....	23,398	692	5,171	1,295	592	783	297	8,903	7,019	1,340
Cicero	491	13	108	26	10	17	11	191	147	31
Crystal Lake.....	293	7	77	18	14	12	8	107	80	17
Danville	489	13	94	38	7	21	7	198	147	41
De Kalb	212	1	32	7	4	10	5	78	61	12
Decatur	908	9	197	54	22	21	13	388	271	99
Des Plaines.....	710	9	148	39	17	18	20	284	213	43
Downers Grove	494	7	129	32	10	11	9	193	148	33
East St. Louis.....	396	8	102	30	9	22	6	116	87	14
Elgin.....	647	16	151	34	12	10	7	249	177	43
Elk Grove Village	252	7	55	11	9	6	9	93	68	17
Elmhurst.....	365	7	99	34	5	9	5	155	107	35
Evanston.....	608	9	131	26	12	10	20	249	193	39
Freeport	350	2	74	25	5	7	13	134	94	27
Galesburg	451	4	81	29	9	14	17	185	136	41
Glenview	400	4	107	38	13	11	15	141	103	27
Granite City.....	429	10	87	26	9	11	10	174	135	31
Hanover Park	128	2	29	10	3	4	1	44	36	6
Hoffman Estates	219	2	57	15	4	4	2	75	58	16
Joliet	934	21	177	63	14	18	12	409	319	65
Kankakee.....	402	7	90	29	7	12	12	164	120	40
Lombard.....	407	7	96	22	17	7	7	158	107	41
Moline	366	2	86	19	9	14	4	148	113	29
Mount Prospect.....	410	4	112	32	7	7	10	149	109	33
Naperville.....	585	3	143	36	15	5	18	217	144	43
Normal	237	2	49	12	5	8	14	93	72	15
North Chicago.....	109	3	25	8	3	4	1	40	32	6
Oak Lawn.....	723	14	188	58	28	19	14	301	237	52
Oak Park.....	332	9	80	19	8	10	6	123	97	19
Orland Park.....	516	5	151	32	14	14	13	195	154	23
Palatine.....	346	4	107	28	3	5	3	132	108	19
Park Ridge	398	6	104	28	15	7	15	168	121	35
Pekin.....	348	3	90	27	14	13	7	135	101	27
Peoria	1,067	17	259	75	22	27	22	386	247	107
Quincy.....	588	24	131	39	15	18	16	223	172	23
Rock Island	423	4	111	37	10	19	4	172	136	28
Rockford	1,733	15	395	115	30	57	48	707	504	141
Schaumburg.....	558	9	121	30	15	12	18	237	178	43
Skokie.....	704	20	168	36	19	17	24	263	213	43
Springfield.....	1,240	16	279	83	30	28	27	482	353	95
Streamwood.....	187	5	43	10	3	11	3	55	43	10
Tinley Park.....	369	6	98	25	6	9	5	147	124	18
Urbana.....	333	6	80	23	6	10	16	111	74	25
Waukegan.....	532	5	124	30	7	25	7	193	133	46
Wheaton	377	7	78	20	5	7	12	155	107	31
Wheeling.....	255	4	59	7	7	8	5	104	86	13

Table 4 (Continued).
Deaths for Selected Causes Among Residents of the Larger Cities of Illinois, 2001

	Diseases of the Respiratory System		Chronic Liver Disease and Cirrhosis	Nephritis, Nephrotic Syndrome and Nephroses	Conditions Originating in the Perinatal Period	Accidents			
	Influenza and Pneumonia	Chronic Lower Respiratory Diseases				Total	Motor Vehicle	Suicide	Homicide
Addison	2	3	3	7	6	13	7	1	--
Alton	21	17	2	8	--	14	4	6	2
Arlington Heights ..	25	30	4	9	2	21	5	8	1
Aurora	16	29	13	12	17	35	16	12	8
Bartlett.....	4	7	1	2	2	8	5	7	--
Belleville	14	35	2	13	4	18	9	14	2
Berwyn	10	25	6	8	8	21	6	5	6
Bloomington	9	35	6	12	4	19	10	9	1
Bolingbrook	3	9	2	4	2	8	4	5	1
Buffalo Grove	3	12	2	4	--	6	4	2	1
Calumet City	2	19	1	6	1	5	1	2	5
Carbondale.....	2	8	1	7	2	7	2	1	2
Carol Stream	2	3	4	3	1	10	4	2	--
Champaign	8	27	4	11	7	14	5	7	2
Chicago	598	771	327	550	241	1,028	300	206	639
Cicero.....	8	21	9	6	4	15	4	6	9
Crystal Lake	7	14	6	3	1	8	5	1	--
Danville	8	32	3	7	6	12	7	3	4
De Kalb	5	12	1	7	4	11	3	3	1
Decatur.....	15	35	7	19	7	34	10	4	6
Des Plaines	15	42	7	13	14	22	7	9	3
Downers Grove....	14	29	2	15	2	13	2	3	2
East St. Louis	8	19	6	8	8	15	8	4	19
Elgin	17	31	10	14	8	26	11	7	8
Elk Grove Village ..	8	13	3	6	1	9	5	1	1
Elmhurst	5	14	5	8	3	7	2	1	--
Evanston	29	21	4	7	--	18	2	5	--
Freeport.....	11	25	4	9	2	8	3	3	--
Galesburg.....	16	31	5	9	3	10	1	5	2
Glenview.....	17	18	3	7	1	10	6	5	--
Granite City	6	24	6	5	--	19	8	8	4
Hanover Park	4	6	--	5	3	7	2	2	2
Hoffman Estates...	11	8	--	7	2	9	4	3	1
Joliet.....	11	47	10	17	11	36	16	19	6
Kankakee	9	12	3	5	2	14	4	4	9
Lombard	16	19	2	9	--	17	6	4	1
Moline.....	11	22	3	7	1	8	3	5	2
Mount Prospect ...	10	17	4	9	1	18	8	6	1
Naperville	18	26	5	15	3	21	9	11	1
Normal.....	1	11	3	3	2	5	2	2	--
North Chicago	3	5	3	4	1	4	2	--	3
Oak Lawn	15	27	5	8	1	16	3	7	2
Oak Park	8	13	5	1	2	11	3	3	3
Orland Park	13	27	5	13	1	9	5	1	--
Palatine	2	9	3	7	7	12	4	4	1
Park Ridge.....	12	16	2	3	1	10	3	3	1
Pekin	12	11	3	6	2	9	3	10	--
Peoria.....	32	52	8	19	4	34	14	9	17
Quincy	21	28	--	10	5	17	6	9	--
Rock Island.....	10	16	2	10	1	11	4	4	--
Rockford.....	39	81	20	41	10	82	20	16	11
Schaumburg	19	25	7	11	2	19	6	11	1
Skokie	22	33	2	14	2	18	9	9	2
Springfield	37	72	11	33	6	45	21	12	17
Streamwood	16	7	2	6	1	8	4	4	3
Tinley Park	5	10	5	6	3	10	3	3	1
Urbana	9	14	4	3	3	11	--	5	1
Waukegan	13	31	10	11	4	29	9	5	8
Wheaton.....	13	18	1	10	--	8	2	5	--
Wheeling	8	16	7	3	1	7	1	6	1

Table 5.
Death Rates for Selected Causes Among Residents of the Larger Cities of Illinois, 2001

	All Causes	Septicemia	Malignant Neoplasms			Diabetes Mellitus	Alzheimer's Disease	Diseases of the Circulatory System		
			Total	Bronchus and Lung	Colorectal			Total	Diseases of Heart	Cerebrovascular Diseases
Addison.....	550.7	*	161.6	43.8	*	*	*	175.3	128.8	41.1
Alton	1231.0	*	287.1	52.8	36.3	36.3	*	501.7	429.0	49.5
Arlington Heights.....	976.3	*	236.5	60.4	31.5	19.7	22.3	382.4	264.1	92.0
Aurora	510.0	*	129.2	30.8	12.7	23.4	8.0	166.7	127.2	29.5
Bartlett.....	414.0	*	107.5	32.3	*	*	-0-	139.8	104.8	*
Belleville.....	1336.5	28.8	276.4	74.5	*	*	31.3	463.9	353.4	79.3
Berwyn	956.0	22.0	194.5	58.7	*	*	31.2	370.6	280.7	69.7
Bloomington	754.9	*	180.0	37.8	24.2	22.7	*	278.4	214.8	53.0
Bolingbrook	402.7	*	93.1	*	*	*	*	165.8	123.5	27.1
Buffalo Grove.....	520.9	*	134.9	37.2	*	*	*	195.3	155.8	27.9
Calumet City.....	781.5	28.3	228.8	82.3	33.4	18.0	*	321.3	277.6	*
Carbondale.....	568.0	*	92.0	*	*	*	*	208.0	124.0	72.0
Carol Stream.....	497.6	*	143.9	*	*	*	*	197.6	139.0	43.9
Champaign.....	656.0	*	162.6	42.1	*	*	18.9	206.1	153.8	42.1
Chicago.....	811.8	24.0	179.4	44.9	20.5	27.2	10.3	308.9	243.5	46.5
Cicero.....	572.9	15.2	126.0	30.3	11.7	19.8	12.8	222.9	171.5	36.2
Crystal Lake	743.7	*	195.4	45.7	35.5	30.5	*	271.6	203.0	43.1
Danville	1451.0	38.6	278.9	112.8	*	*	*	587.5	436.2	121.7
De Kalb	530.0	*	80.0	*	*	*	*	195.0	152.5	30.0
Decatur	1125.2	*	244.1	66.9	27.3	26.0	16.1	480.8	335.8	122.7
Des Plaines.....	1247.8	*	260.1	68.5	29.9	31.6	35.1	499.1	374.3	75.6
Downers Grove	1006.1	*	262.7	65.2	20.4	22.4	*	393.1	301.4	67.2
East St. Louis.....	1269.2	*	326.9	96.2	*	*	*	371.8	278.8	44.9
Elgin	660.9	16.3	154.2	34.7	12.3	10.2	*	254.3	180.8	43.9
Elk Grove Village.....	728.3	*	159.0	31.8	*	*	*	268.8	196.5	49.1
Elmhurst.....	850.8	*	230.8	79.3	*	*	*	361.3	249.4	81.6
Evanston	822.7	*	177.3	35.2	16.2	13.5	27.1	336.9	261.2	52.8
Freeport	1335.9	*	282.4	95.4	*	*	49.6	511.5	358.8	103.1
Galesburg	1342.3	*	241.1	86.3	*	*	50.6	550.6	404.8	122.0
Glenview	952.4	*	254.8	90.5	31.0	26.2	35.7	335.7	245.2	64.3
Granite City	1370.6	31.9	278.0	83.1	*	*	31.9	555.9	431.3	99.0
Hanover Park	332.5	*	75.3	26.0	*	*	*	114.3	93.5	*
Hoffman Estates.....	442.4	*	115.2	30.3	*	*	*	151.5	117.2	32.3
Joliet.....	845.2	19.0	160.2	57.0	12.7	16.3	10.9	370.1	288.7	58.8
Kankakee	1451.3	*	324.9	104.7	*	*	43.3	592.1	433.2	144.4
Lombard.....	955.4	*	225.4	51.6	39.9	16.4	*	370.9	251.2	96.2
Moline	843.3	*	198.2	43.8	*	*	*	341.0	260.4	66.8
Mount Prospect.....	725.7	*	198.2	56.6	*	*	17.7	263.7	192.9	58.4
Naperville	450.0	*	110.0	27.7	11.5	3.8	13.8	166.9	110.8	33.1
Normal	517.5	*	107.0	26.2	*	*	30.6	203.1	157.2	32.8
North Chicago	297.8	*	68.3	*	*	*	*	109.3	87.4	*
Oak Lawn.....	1309.8	25.4	340.6	105.1	50.7	34.4	25.4	545.3	429.3	94.2
Oak Park	636.0	*	153.3	36.4	*	*	*	235.6	185.8	36.4
Orland Park.....	998.1	*	292.1	61.9	27.1	27.1	25.1	377.2	297.9	44.5
Palatine	524.2	*	162.1	42.4	*	*	*	200.0	163.6	28.8
Park Ridge	1050.1	*	274.4	73.9	39.6	18.5	39.6	443.3	319.3	92.3
Pekin.....	1029.6	*	266.3	79.9	41.4	38.5	*	399.4	298.8	79.9
Peoria.....	951.8	15.2	231.0	66.9	19.6	24.1	19.6	344.3	220.3	95.5
Quincy.....	1459.1	59.6	325.1	96.8	37.2	44.7	39.7	553.3	426.8	57.1
Rock Island	1070.9	*	281.0	93.7	25.3	48.1	*	435.4	344.3	70.9
Rockford.....	1150.7	10.0	262.3	76.4	19.9	37.8	31.9	469.5	334.7	93.6
Schaumburg.....	736.1	*	159.6	39.6	19.8	15.8	23.7	312.7	234.8	56.7
Skokie	1103.4	31.3	263.3	56.4	29.8	26.6	37.6	412.2	333.9	67.4
Springfield	1110.1	14.3	249.8	74.3	26.9	25.1	24.2	431.5	316.0	85.0
Streamwood.....	509.5	*	117.2	27.2	*	*	*	149.9	117.2	27.2
Tinley Park	759.3	*	201.6	51.4	*	*	*	302.5	255.1	37.0
Urbana	883.3	*	212.2	61.0	*	*	42.4	294.4	196.3	66.3
Waukegan.....	592.4	*	138.1	33.4	*	*	*	214.9	148.1	51.2
Wheaton.....	678.1	*	140.3	36.0	*	*	21.6	278.8	192.4	55.8
Wheeling	732.8	*	169.5	*	*	*	*	298.9	247.1	37.4

Rates are per 100,000 population estimated as of July 1, 2001.

Table 5 (Continued).
Death Rates for Selected Causes Among Residents of the Larger Cities of Illinois, 2001

	Diseases of the Respiratory System		Chronic Liver Disease and Cirrhosis	Nephritis, Nephrotic Syndrome and Nephroses	Conditions Originating in the Perinatal Period	Accidents			
	Influenza and Pneumonia	Chronic Lower Respiratory Diseases				Total	Motor Vehicle	Suicide	Homicide
Addison	*	*	*	*	*	35.6	*	*	-0-
Alton	69.3	56.1	*	*	-0-	46.2	*	*	*
Arlington Heights	32.9	39.4	*	*	*	27.6	*	*	*
Aurora	10.7	19.4	8.7	8.7	11.4	23.4	10.7	8.0	*
Bartlett.....	*	*	*	*	*	*	*	*	-0-
Belleville	33.7	84.1	*	4.8	*	43.3	*	33.7	*
Berwyn	18.3	45.9	*	*	*	38.5	*	*	*
Bloomington	*	53.0	*	9.1	*	28.7	15.1	*	*
Bolingbrook	*	*	*	*	*	*	*	*	*
Buffalo Grove	*	27.9	*	*	-0-	*	*	*	*
Calumet City.....	*	48.8	*	*	*	*	*	*	*
Carbondale.....	*	*	*	*	*	*	*	*	*
Carol Stream	*	*	*	*	*	24.4	*	*	-0-
Champaign	*	39.2	*	5.8	*	20.3	*	*	*
Chicago	20.7	26.7	11.3	11.3	8.4	35.7	10.4	7.1	22.2
Cicero.....	*	24.5	*	*	*	17.5	*	*	*
Crystal Lake	*	35.5	*	*	*	*	*	*	-0-
Danville	*	95.0	*	*	*	35.6	*	*	*
De Kalb	*	30.0	*	*	*	27.5	*	*	*
Decatur.....	18.6	43.4	*	8.7	*	42.1	12.4	*	*
Des Plaines	26.4	73.8	*	12.3	24.6	38.7	*	*	*
Downers Grove	28.5	59.1	*	4.1	*	26.5	*	*	*
East St. Louis	*	60.9	*	*	*	48.1	*	*	60.9
Elgin	17.4	31.7	10.2	10.2	*	26.6	11.2	*	*
Elk Grove Village.....	*	37.6	*	*	*	*	*	*	*
Elmhurst	*	32.6	*	*	*	*	*	*	-0-
Evanston	39.2	28.4	*	*	-0-	24.4	*	*	-0-
Freeport.....	42.0	95.4	*	*	*	*	*	*	-0-
Galesburg.....	47.6	92.3	*	*	*	29.8	*	*	*
Glenview	40.5	42.9	*	*	*	23.8	*	*	-0-
Granite City	*	76.7	*	*	-0-	60.7	*	*	*
Hanover Park	*	*	-0-	*	*	*	*	*	*
Hoffman Estates.....	22.2	*	-0-	*	*	*	*	*	*
Joliet.....	10.0	42.5	9.0	9.0	10.0	32.6	14.5	17.2	*
Kankakee	*	43.3	*	*	*	50.5	*	*	*
Lombard	37.6	44.6	*	*	-0-	39.9	*	*	*
Moline.....	25.3	50.7	*	*	*	*	*	*	*
Mount Prospect	17.7	30.1	*	*	*	31.9	*	*	*
Naperville	13.8	20.0	*	3.8	*	16.2	*	8.5	*
Normal.....	*	24.0	*	*	*	*	*	*	-0-
North Chicago	*	*	*	*	*	*	*	-0-	*
Oak Lawn	27.2	48.9	*	*	*	29.0	*	*	*
Oak Park	*	24.9	*	*	*	21.1	*	*	*
Orland Park	25.1	52.2	*	9.7	*	*	*	*	-0-
Palatine	*	*	*	*	*	18.2	*	*	*
Park Ridge	31.7	42.2	*	*	*	26.4	*	*	*
Pekin	35.5	32.5	*	*	*	*	*	29.6	-0-
Peoria.....	28.5	46.4	*	7.1	*	30.3	12.5	*	15.2
Quincy	52.1	69.5	-0-	.0	*	42.2	*	*	-0-
Rock Island	25.3	40.5	*	5.1	*	27.8	*	*	-0-
Rockford.....	25.9	53.8	13.3	13.3	6.6	54.4	13.3	10.6	7.3
Schaumburg.....	25.1	33.0	*	9.2	*	25.1	*	14.5	*
Skokie	34.5	51.7	*	3.1	*	28.2	*	*	*
Springfield	33.1	64.5	9.8	9.8	*	40.3	18.8	10.7	15.2
Streamwood	43.6	*	*	*	*	*	*	*	*
Tinley Park	*	20.6	*	*	*	20.6	*	*	*
Urbana	*	37.1	*	*	*	29.2	-0-	*	*
Waukegan	14.5	34.5	11.1	11.1	*	32.3	*	*	*
Wheaton	23.4	32.4	*	1.8	-0-	*	*	*	-0-
Wheeling	*	46.0	*	*	*	*	*	*	*

Rates are per 100,000 population estimated as of July 1, 2001

A P P E N D I C E S

APPENDIX 1. DATA SOURCES AND ANALYSIS

VITAL RECORDS SYSTEM

State statute requires that all vital record certificates be filed with the Illinois Department of Public Health. The director of the Department is also the state registrar who, in turn, delegates authority to the deputy state registrar to administer and enforce the Vital Records Act. The requirement to register births and deaths was first included in the legislation that established the State Board of Health in 1877. However, the law did not provide workable enforcement, and the system failed for lack of central legal control over the data collection process. After several attempts, a law incorporating the elements of an efficient system became effective January 1, 1916. Slight modifications were made over the years until January 1, 1962, when the current law, including several significant provisions, became effective.

The original live birth, death and fetal death certificates are collected by local registrars of vital records who are appointed by and are under the direct supervision of the state registrar. Local registrars keep a copy of each certificate for their files and for the files of the county clerk and send the original to the Illinois Department of Public Health. (See Exhibits 1 through 6 for copies of sample certificates.)

Insuring that a certificate of live birth is filed is the responsibility of the hospital administrator when the birth occurs in a hospital. The attending physician verifies or provides the date of birth and required medical information. When births occur outside hospitals, the physician or other attendant prepares and files the certificate.

Funeral directors must file death certificates with the local registrar in the area in which the death occurred in order to obtain legally necessary burial or removal permits. (A fetal death certificate must be prepared if the fetus is determined to be a product of 20 or more completed weeks of gestation and not born alive.) Medical certification, including a determination of the cause of death, is completed by the physician in charge of the decedent's care unless a coroner's or medical examiner's certificate is filed. A

physician may request that a coroner or medical examiner review any death.

The coroner's physician, whose position was established by the Coroner's Act of 1957, is unique in Illinois. When requested, the coroner's physician investigates a death involving a motor vehicle accident, other accidents and forms of violence, suspicious circumstances, or a person found dead. Programs related to boating, recreational gun usage, highway safety, hazardous substance control, drug abuse, law enforcement, suicide prevention, hospital and nursing home construction, home construction, home safety and pesticide control rely heavily on the findings of the coroner, the coroner's physician and, in Cook County, the medical examiner.

The registration system also provides for amendments of birth and death certificates, preparation of new documents for adopted and legitimated children, and the certification of the contents of a record when a citizen needs it.

Central registration of marriages and divorces began on January 1, 1962. Prior to that date, annual counts of marriages and divorces by county were made intermittently. Since 1962, marriage records are filed directly with the Illinois Department of Public Health by county clerks. The application record combines information supplied by applicants for the license and by the marriage officiant. Certificates of divorce or annulment are filed directly with the Department by the clerk of the circuit court. Each certificate contains information supplied by the attorney for the petitioner and from the divorce or annulment decree.

The Division of Vital Records inspects the certificates and requests supplemental information on those that are incomplete, inconsistent or unclear. When a certificate is judged to be acceptable, coded information from the certificate is entered into a database for statistical purposes and this information is shared with the National Center for Health Statistics.

In 1988, the Illinois Department of Public Health initiated testing of an electronic birth certificate (EBC). EBCs were implemented in April 1991 and, by December 2001, nearly 93 percent of Illinois hospitals were utilizing this method for the filing of birth certificates representing approximately 99 percent of all births occurring in Illinois.

CUTOFF DATES AND INTERSTATE EXCHANGE

There is no cutoff date for the filing of a vital record as a legal document. However, there must be a cutoff date for inclusion of events for statistical purposes. The cutoff date for 2001 events was April 2002.

Copies of vital record certificates pertaining to persons who were born or died outside of the state of residence are exchanged, usually on a monthly basis, with all of the states and the Canadian provinces. The original birth, fetal death or death certificate is never released or received in these transactions. There is no exchange of marriage, divorce or annulment data.

RACIAL CLASSIFICATION

For statistical purposes, vital events in Illinois are classified by race into white, black, American Indian, Chinese, Hawaiian, Japanese, Filipino, other Asian or Pacific Islander and other. Racial classification for a decedent, bride, groom or for divorcing spouses is based on race stated on the vital record certificate. Prior to 1989, the racial designation used for a live birth or fetal death was determined through an algorithm based on the race of both parents, as reported on the certificate. Since data year 1989, racial classification of live births and fetal deaths has been based solely on the reported race of the mother.

In the 2000 census, race and ethnicity data were collected based on the Office of Management and Budget's (OMB) directive (Federal Register, July 9, 1997), which replaced Statistical Policy Directive No. 15 (1977). Both OMB directives provided a minimum standard for maintaining, collecting, and presenting data on race and ethnicity for all federal reporting purposes. Following the 1997 OMB standards, the 2000 decennial census asked respondents to "mark one or more" races for each individual, resulting in the tabulation of 6 single

races and an additional 57 multiple-race categories. Separately, respondents were asked their ethnicity (Hispanic or Latino and Non-Hispanic or Latino). The race categories collected were

1. American Indian or Alaska Native
2. Asian
3. Black or African American
4. Native Hawaiian or Other Pacific Islander
5. White
6. Other

The U.S. Census Bureau produced an additional product for April 1, 2000, called the Modified Race (MR) file. This product redistributed responses that included the "Other" race category to the remaining five categories and their combinations. The MR file contains 5 single race categories and 26 multiple-race categories.

In calendar year 2001, race categories on Illinois vital certificates (as well as those for most other states) were collected based on the 1977 OMB race and ethnicity directive. Therefore, there would be comparability issues if the decennial census population data by race categories were used as denominators in calculating vital rates. To address these issues, the National Center for Health Statistics (NCHS), in cooperation with the U.S. Census Bureau, has issued "bridged-race" population estimates for April 1, 2000, for the U.S., states and counties. The estimates were based on the Census Bureau's MR file. Among the 5 single race categories, Asian and Native Hawaiian or Other Pacific Islander were combined to create Asian and Pacific Islander (API). The 26 multiple-race categories were decomposed into the remaining four race categories: American Indian or Alaskan Native, API, Black and White. The primary basis for this decomposition was results from the National Health Interview Survey, where race questions were asked separately in both "mark one" and "mark one or more" formats. (For more information about NCHS's bridged-race population estimates, visit the NCHS Web site [www.cdc.gov/nchs] and specifically see their page on the bridged-race population estimates (www.cdc.gov/nchs/about/major/dvs/popbridge/popbridge.htm].)

The state-level vital rates by race category in this book used the bridged-race population estimates from NCHS. NCHS and the Census Bureau did not produce an equivalent bridged-race set of estimates for cities. The Illinois Center for Health

Statistics has completed population estimates for the city of Chicago that approximate the bridged-race population estimates from NCHS for counties. Those estimates are used for computation of vital rates for Chicago and Downstate.

The tables in this report do not show data for a detailed classification by race category. In some tables the divisions are white, black, and all other races. In other tables the classifications are simply white and all other races categories..

HISPANIC ORIGIN

In 1979, an item was added to the birth and death certificates to identify ethnic origin of a newborn's parents and of a decedent. An open ended format was used to obtain the specific origin or descent (e.g., Italian, Mexican, English). In 1989, the item was changed to a format directed toward the Hispanic population, requesting only the specific Hispanic origin (e.g., Mexican, Puerto Rican).

COMPUTATION OF PERCENTS

Births with unknown age of mother, month of pregnancy in which prenatal care began, educational attainment of mother, method of delivery and Apgar scores were subtracted from the figures for total births that were used as denominators before percentages were computed. Percent distributions for marriages and divorces also exclude cases for which the pertinent information (e.g., duration of marriage) is not stated.

INTERPRETATION OF VITAL STATISTICS

Qualifying factors to be considered in the interpretation of vital statistics depend on the specific administrative, scientific or planning purposes for which the data are to be used. It is not feasible to discuss all of the pertinent factors in the use of vital statistics, but the following are taken into account:

1. Incomplete information. There are failures to provide certain types of information requested on the vital records certificates. Also, the classification systems used to prepare information on the

certificates for tabulation do not employ categories that are suitable for every purpose.

2. Erroneous information. Despite procedures used to obtain, process and transmit accurate information, the user of vital statistics should not disregard the possibility of errors.
3. Lack of precise populations exposed to risk requires using estimates that may, in some instances, be inaccurate.
4. Crude rates. Most rates in this report are not adjusted to control for differences in the age, race or sex composition of populations in different geographical areas or at different periods of time. Divorce rates are not adjusted for peaks in marriage registrations in earlier years.
5. Some tables are designed to focus attention on selected risk groups. Other risk factors could have been selected.
6. Rate stability. Rates based on a small number of events tend to exhibit considerable variation over time because of chance fluctuations. Excessive variation in rates not only negates their utility as estimators of a probability of an event occurring, but also negates their usefulness for comparative purposes.

In the county summary tables in Part II of this report, 95 percent confidence intervals are shown for selected county rates. In general, vital rates should be thought of and treated as estimations of "true" underlying rates. When the number of events is very large, the calculated rate will approach the value of the underlying rate. However, the opposite happens as the number of events becomes small and thus the rates are subject to greater chance fluctuations. Commonly, 90 or 95 percent confidence intervals or probability ranges can be calculated for rates. A 95 percent interval means that the true rate has a 19 in 20 chance of lying within the specified rate (which is normally distributed, meaning there is a central tendency within the range). See the Illinois Center for Health Statistics' *Vital Statistics*

Basic Research Series articles "The Pros and Cons of Standardized Rates" (Vol.2, No. 1) and "The Interpolation and Practical Limitations of Mortality Measures" (Vol. 2, No. 4) for further discussions of confidence intervals and their calculation.

In Part II of this report, an asterisk is substituted for a printed rate or percentage if it is based on a numerator less than 10 or a denominator less than 100. These criteria have been adopted to avoid printing rates and percentages that are subject to especially large fluctuations.

The numbers "10" and "100" are arbitrary and are not set forth as critical points distinguishing statistically reliable rates from unreliable rates.

To obtain meaningful information for small areas (e.g., counties), rates are presented in Part II that are based on events aggregated over multiple years. This method of obtaining greater rate stability may obscure major changes that have occurred over time.

Exhibit 1

STATE OF ILLINOIS MARRIAGE APPLICATION AND RECORD		STATE FILE NUMBER
COUNTY		LICENSE NUMBER
1. GROOM — NAME FIRST MIDDLE LAST		
2a. RESIDENCE — STREET AND NUMBER OR R.F.D.		2b. CITY, TOWN, TWP., OR ROAD DIST. NO.
2c. COUNTY		2d. STATE
3a. DATE OF BIRTH (MONTH, DAY, YEAR)	3b. AGE	3c. BIRTHPLACE (STATE OR FOREIGN COUNTRY)
4. SOCIAL SECURITY NUMBER		5. USUAL OCCUPATION
6a. FATHER'S NAME (FIRST, MIDDLE, LAST)		6b. ADDRESS
6c. BIRTHPLACE (STATE OR FOREIGN COUNTRY)		
7a. MOTHER'S MAIDEN NAME (FIRST, MIDDLE, LAST)		7b. ADDRESS
7c. BIRTHPLACE (STATE OR FOREIGN COUNTRY)		
8a. BRIDE — NAME FIRST MIDDLE LAST		8b. MAIDEN NAME (IF DIFFERENT)
9a. RESIDENCE — STREET AND NUMBER OR R.F.D.		9b. CITY, TOWN, TWP., OR ROAD DIST. NO.
9c. COUNTY		9d. STATE
10a. DATE OF BIRTH (MONTH, DAY, YEAR)	10b. AGE	10c. BIRTHPLACE (STATE OR FOREIGN COUNTRY)
11. SOCIAL SECURITY NUMBER		12. USUAL OCCUPATION
13a. FATHER'S NAME (FIRST, MIDDLE, LAST)		13b. ADDRESS
13c. BIRTHPLACE (STATE OR FOREIGN COUNTRY)		
14a. MOTHER'S MAIDEN NAME (FIRST, MIDDLE, LAST)		14b. ADDRESS
14c. BIRTHPLACE (STATE OR FOREIGN COUNTRY)		
15. IF PARTIES ARE RELATED TO EACH OTHER — SPECIFY RELATIONSHIP		16. THIS LICENSE EFFECTIVE ON —
WE HEREBY CERTIFY THAT THE INFORMATION GIVEN IN THIS APPLICATION IS TRUE TO THE BEST OF OUR KNOWLEDGE, THAT WE ARE FREE TO INTERMARRY UNDER THE LAWS OF THIS STATE AND THE LAWS OF THE JURISDICTION WHERE WE RESIDE.		
17. GROOM (SIGN FULL NAME)		18. BRIDE (SIGN FULL NAME)
19. SUBSCRIBED AND SWORN TO BEFORE ME ON:		20. SIGNATURE OF COUNTY CLERK BY
21. DATE OF MARRIAGE (MONTH, DAY, YEAR)		22. PLACE OF MARRIAGE (CITY, VILL. OR TOWN, IF RURAL, GIVE TWP. NAME OR ROAD DIST.)
23. TYPE OF CEREMONY (RELIGIOUS OR CIVIL)		DEPUTY
24. NAME OF OFFICIANT		25. TITLE
26. DATE RECORDED (MONTH, DAY, YEAR)		27. SIGNATURE OF COUNTY CLERK BY
28. DEPUTY		
VR-600 (10/89) ILLINOIS DEPARTMENT OF PUBLIC HEALTH — DIVISION OF VITAL RECORDS (BASED ON 1989 U.S. STANDARD FORM)		
INFORMATION FOR STATISTICAL PURPOSES ONLY		
RACE	EDUCATION (SPECIFY HIGHEST GRADE COMPLETED)	NUMBER OF THIS MARRIAGE
SPECIFY (e.g. WHITE, BLACK, AMERICAN INDIAN, ETC.)	ELEMENTARY OR SECONDARY (0-12) COLLEGE (1-4 OR 5+)	FIRST — SECOND ETC. (SPECIFY)
28.	29.	30a.
31.	32.	33a.
34. OF HISPANIC ORIGIN? (SPECIFY NO OR YES — IF YES, SPECIFY CUBAN, MEXICAN, PUERTO RICAN, ETC.)		34b.
GROOM ☐ NO ☐ YES		BRIDE ☐ NO ☐ YES
SPECIFY:		SPECIFY:

IL 482-0010

Exhibit 2

TYPE
OR PRINT
IN
PERMANENT
INK

ORIGINAL

STATE OF ILLINOIS
**CERTIFICATE OF DISSOLUTION
INVALIDITY OF MARRIAGE OR LEGAL SEPARATION**

Name of County		State File Number	
Court File Number			
1. Husband - Name First Middle Last			2a. Social Security Number
2b. Residence - City, Town, Twp., or Road District Number	2c. County	2d. State	3. State of Birth (If Not in U.S. Name Country)
4a. Date of Birth (Mo., Day, Year)		4b. Age Now	
5a. Wife - Name First Middle Last			5b. (MAIDEN) LAST
5c. Social Security Number			
6a. Residence - City, Town, Twp., or Road District Number	6b. County	6c. State	7. State of Birth (If Not in U.S. Name Country)
8a. Date of Birth (Mo., Day, Year)		8b. Age Now	
9a. Date of This Marriage (Mo., Day, Year)	9b. Place of This Marriage - City	9c. County	9d. State (If Not in U.S., Name Country)
10. Date Couple Last Resided in Same Household (Month, Day, Year)	11a. Number of Children Born Alive of This Marriage	11b. Children Under 18 in This Household (Specify)	12. Petitioner-Husband, Wife, Both, Other (Specify)
13a. Type of Decree (Specify: Dissolution, Invalidity, or Legal Separation)		13b. Legal Grounds for Decree (Specify)	
14. Number of Children Under 18 Whose Physical Custody Was Awarded To Husband _____ Wife _____ ☐ No children Joint (Husband/Wife) _____ Other _____		15. Legal Representative - Name and Address (Street or R.F.D., City or Town, State, Zip)	

FOR COURT CLERK ONLY

16. Date of Recording Decree (Month, Day, Year)	17. Signature of Court Clerk ▶
---	-----------------------------------

INFORMATION FOR STATISTICAL PURPOSES ONLY

Race	Number of This Marriage	If Previously Married, Last Marriage Ended By		Education (Specify Highest Grade Completed)	
18. Specify (e.g. White, Black, American Indian, etc.)	19. First, Second, etc.	20a. By Death, Dissolution, or Invalidity? Specify:	20b. Date (Month, Day, Year)	21a. Elementary or Secondary (0-12)	21b. College (1-4 or 5 +)
22. Specify (e.g. White, Black, American Indian, etc.)	23. First, Second, etc.	24a. By Death, Dissolution, or Invalidity? Specify:	24b. Date (Month, Day, Year)	25a. Elementary or Secondary (0-12)	25b. College (1-4 or 5 +)
26. Of Hispanic Origin? (Specify No or Yes - If yes, specify Cuban Mexican, Puerto Rican, etc.)	HUSBAND	26a. ☐ No ☐ Yes Specify:	WIFE	26b. ☐ No ☐ Yes Specify:	

VR700 (REV. 1998)

ILLINOIS DEPARTMENT OF PUBLIC HEALTH - DIVISION OF VITAL RECORDS

BASED ON 1989 US STANDARD CERT.

Exhibit 3

MATCHING DC		STATE OF ILLINOIS		CHILD'S BIRTH NUMBER	
CERTIFICATE OF LIVE BIRTH		112-			
REGISTRATION DISTRICT NO. REGISTERED NUMBER		DATE OF BIRTH (MONTH DAY YEAR)		TIME OF BIRTH	
CHILD'S NAME FIRST MIDDLE LAST		DATE OF BIRTH (MONTH DAY YEAR)		TIME OF BIRTH	
SEX CHILD'S BLOOD TYPE CITY, TOWN, TWP., ROAD DIST. NO. OR LOCATION OF BIRTH		COUNTY OF BIRTH		DATE OF BIRTH (MONTH DAY YEAR)	
PLACE OF BIRTH ☐ HOSPITAL ☐ RESIDENCE		FACILITY NAME (IF NOT INSTITUTION, GIVE STREET AND NUMBER)		DATE OF BIRTH (MONTH DAY YEAR)	
8. OTHER (SPECIFY)		9. DATE SIGNED (Month, Day, Year)		ATTENDANT'S NAME AND TITLE (IF OTHER THAN CERTIFIER, TYPE PRINT)	
10a. CERTIFIER'S NAME AND TITLE (TYPE PRINT)		10b. ILLINOIS LICENSE NUMBER		10c. DATE SIGNED (Month, Day, Year)	
11. OTHER (SPECIFY)		12. OTHER (SPECIFY)		13. DATE FILED BY LOCAL REGISTRAR (MONTH DAY YEAR)	
14. SIGNATURE		15. DATE OF BIRTH (MONTH DAY YEAR)		16. BIRTHPLACE (STATE OR FOREIGN COUNTRY)	
17. RESIDENCE - STREET AND NUMBER		18. CITY, TOWN, TWP., OR ROAD DIST. NO.		19. INSIDE CITY (YES/NO)	
19a. COUNTY		19b. STATE		19c. MOTHER'S MAILING ADDRESS (IF SAME AS RESIDENCE, ENTER ZIP CODE ONLY)	
20. FATHER'S NAME (FIRST MIDDLE LAST)		21. DATE OF BIRTH (MONTH DAY YEAR)		22. BIRTHPLACE (STATE OR FOREIGN COUNTRY)	
23. I CERTIFY THAT THE PERSONAL INFORMATION PROVIDED ON THIS CERTIFICATE IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.		23a. MOTHER'S SIGNATURE		23b. FATHER'S SIGNATURE	
INFORMATION FOR MEDICAL AND HEALTH USE ONLY (Based on 1989 U.S. Standard Certificate)					
24. OF HISPANIC ORIGIN? (Specify No or Yes-if Yes, specify Cuban, Mexican, Puerto Rican, etc.)		25. RACE - American Indian, Black, White, etc. (Specify below)		26. EDUCATION (Specify only highest grade completed)	
24a. Specify:		25a. Specify:		26a. Specify:	
24b. Specify:		25b. Specify:		26b. Specify:	
27. OCCUPATION AND BUSINESS INDUSTRY (Worked during last year)		28. PREGNANCY HISTORY (Complete each section)		29. MOTHER MARRIED? (At delivery, conception, or at any time between (Yes or No))	
27a. Occupation		28a. LIVE BIRTHS (Do not include this child)		29a. DATE LAST NORMAL MENSTRUATION BEGAN (Month, Day, Year)	
27b. Business/Industry		28b. OTHER TERMINATIONS (Spontaneous and induced at any time after conception)		29b. MONTH OF PREGNANCY PRENATAL CARE BEGAN (First, Second, Third, Etc. Specify)	
27c. Specify:		28c. DATE OF LAST LIVE BIRTH (Month, Year)		29c. BIRTHWEIGHT (Specify Units)	
27d. Specify:		28d. DATE OF LAST OTHER TERMINATION (Month, Year)		29d. PLURALITY (Single, Twin, Triplet, etc. Specify)	
30. APGAR SCORE		31. MOTHER TRANSFERRED PRIOR TO DELIVERY? ☐ NO ☐ YES		32. PRENATAL VISITS (Total Number (if none, so state))	
30a. 1 MINUTE		31a. INFANT TRANSFERRED? ☐ NO ☐ YES		32a. CLINICAL ESTIMATE OF GESTATION (Weeks)	
30b. 5 MINUTES		31b. IF YES, ENTER NAME AND LOCATION OF FACILITY TRANSFERRED FROM		32b. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify)	
30c. 37a. 37b.		31c. 35a. 35b.		32c. 33. 34. 35.	
38a. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)		40. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply)		43. CONGENITAL ANOMALIES OF CHILD (Check all that apply)	
38b. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)		41. METHOD OF DELIVERY (Check all that apply)		44a. DATE OF MOTHER'S BLOOD TEST FOR SYPHILIS (MONTH, DAY, YEAR)	
39. OBSTETRIC PROCEDURES (Check all that apply)		42. ABNORMAL CONDITIONS OF THE NEWBORN (Check all that apply)		44b. LABORATORY DOING THE SEROLOGY	
45. MOTHER'S Social Security Number		46. FATHER'S Social Security Number		47. DATE OF MOTHER'S BLOOD TEST FOR SYPHILIS (MONTH, DAY, YEAR)	

Exhibit 4

Type or Print in PERMANENT INK See Hospital and Funeral Directors Handbooks for INSTRUCTIONS

STATE OF ILLINOIS
CERTIFICATE OF FETAL DEATH

STATE FILE NUMBER

FETUS

1. FETUS NAME FIRST MIDDLE LAST
2a. DATE OF DELIVERY (MONTH DAY YEAR)
2b. HOUR
2c. MINUTE

MOTHER

3. MOTHER-MAIDEN NAME FIRST MIDDLE LAST
4a. COUNTY OF DELIVERY
4b. CITY, TOWN, TWP. OR ROAD/DISTRICT NO.
4c. HOSPITAL NAME (if NOT HOSPITAL, GIVE STREET AND NUMBER)
5a. DATE OF BIRTH (MONTH DAY YEAR)
5b. BIRTHPLACE (STATE OR FOREIGN COUNTRY)
5c. RESIDENCE (STREET AND NUMBER OR R.F.D.)
5d. CITY, TOWN, TWP. OR ROAD/DISTRICT NO.
5e. INSIDE CITY (YES/NO)
5f. COUNTY
5g. STATE
5h. ZIP CODE

FATHER

6a. FATHER NAME FIRST MIDDLE LAST
6b. DATE OF BIRTH (MONTH DAY YEAR)
6c. BIRTHPLACE (STATE OR FOREIGN COUNTRY)
7a. INFORMANT'S SIGNATURE
7b. RELATIONSHIP
7c. MAILING ADDRESS (STREET AND NO. OR R.F.D. CITY OR TOWN, STATE AND ZIP)

CAUSE

8a. IMMEDIATE CAUSE
(a) DUE TO OR AS A CONSEQUENCE OF
(b) DUE TO OR AS A CONSEQUENCE OF
(c) DUE TO OR AS A CONSEQUENCE OF

CERTIFIER

9. PART I: FETAL DEATH WAS CAUSED BY (ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c))
10. FETUS DIED BEFORE LABOR DURING LABOR OR DELIVERY (UNKNOWN (SPECIFY))
11a. AUTOPSY (YES/NO)
11b. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH (YES/NO)

DISPOSITION

12a. CERTIFY THAT THIS FETUS WAS BORN DEAD AT THE PLACE AND TIME ON THE DATE STATED ABOVE
12b. DATE SIGNED (MONTH DAY YEAR)
12c. ATTENDANT - M.D. D.O. MIDWIFE OTHER (SPECIFY)
12d. CERTIFIER'S COMPLETE MAILING ADDRESS (STREET AND NO. OR R.F.D. CITY OR TOWN, STATE, ZIP)
12e. ILLINOIS LICENSE NUMBER
13. BURIAL, CREMATION OR REMOVAL (SPECIFY)
14a. CEMETERY OR CREMATORY - NAME
14b. LOCATION (CITY OR TOWN, STATE)
14c. DATE (MONTH DAY YEAR)
14d. FUNERAL HOME NAME
14e. STREET AND NUMBER OR R.F.D. CITY OR TOWN, STATE, ZIP
15a. FUNERAL DIRECTOR'S SIGNATURE
15b. FUNERAL DIRECTOR'S ILLINOIS LICENSE NUMBER
15c. LOCAL REGISTRAR'S SIGNATURE
15d. DATE FILED BY LOCAL REGISTRAR (MONTH DAY YEAR)

MOTHER

16a. INFORMATION FOR HEALTH AND STATISTICAL USE ONLY (BASED ON 1989 U.S. STANDARD CERTIFICATE)
17. OF HISPANIC ORIGIN? (Specify below No or Yes - If Yes, specify Cuban, Mexican, Puerto Rican, etc.)
18. RACE - American Indian, Black, White, etc. (Specify below)
19. EDUCATION (Specify only highest grade completed)
20. OCCUPATION AND BUSINESS INDUSTRY (Worked during last year)
21. PREGNANCY HISTORY (Complete each section)
22. MOTHER MARRIED? (At delivery, conception or at any time between) (Yes or No)
23. DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)
24. MONTH OF PREGNANCY PRENATAL CARE BEGAN (First, Second, Third, Etc. (Specify))
25. PRENATAL VISITS (Total Number (If none, so state))
26. WEIGHT OF FETUS (Specify in lbs.)
27. CLINICAL ESTIMATE OF GESTATION (Specify) Weeks
28a. FLURALITY (Single, Twin, Triplet, etc. (Specify))
28b. IF NOT SINGLE BIRTH - born First, Second, Third, etc. (Specify)
29a. DATE OF MOTHER'S BLOOD TEST FOR SYPHILIS (MONTH DAY YEAR)
29b. LABORATORY DOING THE SEROLOGY

FATHER

30a. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)
30b. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)
31. METHOD OF DELIVERY (Check all that apply)

MOTHER

32. OBSTETRIC PROCEDURES (Check all that apply)
33. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply)

FATHER

34. CONGENITAL ANOMALIES OF FETUS (Check all that apply)

PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS
Illinois Department of Public Health - Division of Vital Records

Exhibit 5

DECEDENT'S BIRTH NO.		STATE OF ILLINOIS		STATE FILE NUMBER	
REGISTRATION DISTRICT NO.		MEDICAL CERTIFICATE OF DEATH			
REGISTERED NUMBER		DECEASED-NAME		SEX	
		FIRST MIDDLE LAST		DATE OF DEATH (MONTH, DAY, YEAR)	
		1.		2.	
		COUNTY OF DEATH		DATE OF BIRTH (MONTH, DAY, YEAR)	
		4.		5d.	
		CITY, TOWN, TWP, OR ROAD DISTRICT NUMBER		HOSPITAL OR OTHER INSTITUTION-NAME (IF NOT IN EITHER, GIVE STREET AND NUMBER)	
		6a.		6b.	
		BIRTHPLACE (CITY AND STATE OR FOREIGN COUNTRY)		NAME OF SURVIVING SPOUSE (MAIDEN NAME, IF WIFE)	
		7.		8b.	
		SOCIAL SECURITY NUMBER		KIND OF BUSINESS OR INDUSTRY	
		10.		11b.	
		RESIDENCE (STREET AND NUMBER)		CITY, TOWN, TWP, OR ROAD DISTRICT NO.	
		13a.		13b.	
		STATE		OF HISPANIC ORIGIN? (SPECIFY NO OR YES-IF YES, SPECIFY CUBAN, MEXICAN, PUERTO RICAN, etc.)	
		13e.		14b. ☐ NO ☐ YES SPECIFY:	
		FATHER-NAME FIRST MIDDLE LAST		MOTHER-NAME FIRST MIDDLE (MAIDEN) LAST	
		15.		16.	
		INFORMANT'S NAME (TYPE OR PRINT)		MAILING ADDRESS (STREET AND NO. OR R.F.D., CITY OR TOWN, STATE, ZIP)	
		17a.		17c.	
		18. PART I. Enter the diseases, or complications that caused the death, and the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure, etc. (Specify)			
		Immediate Cause (Final disease or condition resulting in death) (a) DUE TO, OR AS A CONSEQUENCE OF			
		CONDITIONS, IF ANY WHICH GIVE RISE TO IMMEDIATE CAUSE (a) STATING THE UNDERLYING CAUSE LAST. (b) DUE TO, OR AS A CONSEQUENCE OF			
		(c) DUE TO, OR AS A CONSEQUENCE OF			
		PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in PART I.			
		DATE OF OPERATION, IF ANY		AUTOPSY (YES/NO)	
		20a.		19a.	
		MAJOR FINDINGS OF OPERATION		IF FEMALE, WAS THERE A PREGNANCY IN PAST THREE MONTHS?	
		20b.		20c. YES ☐ NO ☐	
		I (DID) (DID NOT) ATTEND THE DECEASED AND LAST SAW HIM/HER ALIVE ON (MONTH, DAY, YEAR)		WAS CORONER OR MEDICAL EXAMINER NOTIFIED? (YES/NO)	
		21a.		21b.	
		TO THE BEST OF MY KNOWLEDGE, DEATH OCCURRED AT THE TIME, DATE AND PLACE AND DUE TO THE CAUSE(S) STATED.		HOUR OF DEATH	
		22a. SIGNATURE		21c. M.	
		NAME AND ADDRESS OF CERTIFIER (TYPE OR PRINT)		DATE SIGNED (MONTH, DAY, YEAR)	
		22c.		22b.	
		NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (TYPE OR PRINT)		ILLINOIS LICENSE NUMBER	
		22d.		22d.	
		23.		NOTE: IF AN INJURY WAS INVOLVED IN THIS DEATH THE CORONER OR MEDICAL EXAMINER MUST BE NOTIFIED.	
		BURIAL, CREMATION, REMOVAL (SPECIFY)		CITY OR TOWN STATE	
		24a.		24c.	
		CEMETERY OR CREMATORY-NAME		DATE (MONTH, DAY, YEAR)	
		24b.		24d.	
		FUNERAL HOME		STATE ZIP	
		25a.		25c.	
		FUNERAL DIRECTOR'S SIGNATURE		FUNERAL DIRECTOR'S ILLINOIS LICENSE NUMBER	
		25b.		25c.	
		LOCAL REGISTRAR'S SIGNATURE		DATE FILED BY LOCAL REGISTRAR (MONTH, DAY, YEAR)	
		26a.		26b.	

PRINTED BY AUTHORITY OF THE STATE OF ILLINOIS

Exhibit 6

☐ PERMANENT CERTIFICATE ☐ TEMPORARY CERTIFICATE		STATE OF ILLINOIS	STATE FILE NUMBER
		MEDICAL EXAMINER'S - CORONER'S CERTIFICATE OF DEATH	
REGISTRATION DISTRICT NO. _____ REGISTERED NUMBER _____			
DECEASED-NAME FIRST MIDDLE LAST 1. _____		SEX 2. _____	DATE OF DEATH (MONTH, DAY, YEAR) 3. _____
COUNTY OF DEATH 4. _____		AGE-LAST BIRTHDAY (YRS) 5a. _____	UNDER 1 YEAR UNDER 1 DAY 5b. MOS. DAYS 5c. HOURS MIN. 5d. _____
CITY, TOWN, TWP, OR ROAD DISTRICT NUMBER 6a. _____		HOSPITAL OR OTHER INSTITUTION-NAME (IF NOT IN EITHER, GIVE STREET AND NUMBER) 6b. _____	
		IF HOSP. OR INST. INDICATED D.O.A., OP-EMER, RM. INPATIENT (SPECIFY) 6c. _____	
BIRTHPLACE (CITY AND STATE OR FOREIGN COUNTRY) 7. _____		MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (SPECIFY) 8a. _____	NAME OF SURVIVING SPOUSE (MAIDEN NAME, IF WIFE) 8b. _____
SOCIAL SECURITY NUMBER 10. _____		USUAL OCCUPATION 11a. _____	KIND OF BUSINESS OR INDUSTRY 11b. _____
RESIDENCE (STREET AND NUMBER) 13a. _____		CITY, TOWN, TWP, OR ROAD DISTRICT NO. 13b. _____	INSIDE CITY (YES/NO) 13c. _____
STATE 13e. _____		ZIP CODE 13f. _____	RACE (WHITE, BLACK, AMERICAN INDIAN, etc.) (SPECIFY) 14a. _____
		OF HISPANIC ORIGIN? (SPECIFY NO OR YES-IF YES, SPECIFY CUBAN, MEXICAN, PUERTO RICAN, etc.) 14b. ☐ NO ☐ YES SPECIFY: _____	
FATHER-NAME FIRST MIDDLE LAST 15. _____		MOTHER-NAME FIRST MIDDLE (MAIDEN) LAST 16. _____	
INFORMANT'S NAME (TYPE OR PRINT) 17a. _____		RELATIONSHIP 17b. _____	MAILING ADDRESS (STREET AND NO. OR R.F.D., CITY OR TOWN, STATE, ZIP) 17c. _____
18. PART I. Enter the diseases, injuries, or complications that caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause on each line. Immediate Cause (Final disease or condition resulting in death) (a) DUE TO, OR AS A CONSEQUENCE OF CONDITIONS, IF ANY WHICH GIVE RISE TO IMMEDIATE CAUSE (a) STATING THE UNDERLYING CAUSE LAST. (b) DUE TO, OR AS A CONSEQUENCE OF (c) _____		COPY	
PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in PART I. NATURAL ACCIDENT, HOMICIDE, SUICIDE, UNDETERMINED, (SPECIFY) 20a. _____		DATE OF INJURY (MONTH, DAY, YEAR) 20b. _____	HOUR 20c. _____ M. 20d. _____
INJURY AT WORK (YES/NO) 20e. _____		PLACE OF INJURY (AT HOME, FARM, STREET, FACTORY, OFFICE BUILDING, ETC.) (SPECIFY) 20f. _____	LOCATION (CITY, VIL. OR TOWN, OR TWP., OR RD. DIST. NO., COUNTY, STATE) 20g. _____
		IF FEMALE, WAS THERE A PREGNANCY IN PAST THREE MONTHS? 20h. YES ☐ NO ☐	
I CERTIFY THAT IN MY OPINION BASED UPON MY INVESTIGATION AND/OR THE INQUIRY, THIS DEATH OCCURRED ON THE DATE, AT THE PLACE AND DUE TO THE CAUSE(S) STATED, AND THAT 21a. CORONER'S - MEDICAL EXAMINER'S SIGNATURE _____		THE DECEASED WAS PRONOUNCED DEAD ON 21b. MONTH DAY YEAR AT 21c. _____ M.	
22a. CORONER'S PHYSICIAN'S NAME (Type or Print) _____		DATE SIGNED (MONTH, DAY, YEAR) 22b. _____	
23a. _____		DATE SIGNED (MONTH, DAY, YEAR) 23b. _____	
BURIAL, CREMATION, REMOVAL (SPECIFY) 24a. _____		CEMETERY OR CREMATORY-NAME 24b. _____	LOCATION CITY OR TOWN STATE 24c. _____
FUNERAL HOME NAME STREET AND NUMBER OR R.F.D. CITY OR TOWN STATE ZIP 25a. _____		DATE (MONTH, DAY, YEAR) 24d. _____	
FUNERAL DIRECTOR'S SIGNATURE 25b. _____		FUNERAL DIRECTOR'S ILLINOIS LICENSE NUMBER 25c. _____	
LOCAL REGISTRAR'S SIGNATURE 26a. _____		DATE FILED BY LOCAL REGISTRAR (MONTH, DAY, YEAR) 26b. _____	

Appendix 2. Definitions of Terms,

Rates and Ratios

AGE

Age in years as of last birthday. For infants, age may be stated in days, weeks or months.

BIRTH ORDER

The total number of births the mother has had, including live births and terminations of pregnancy, both spontaneous and induced.

BIRTHWEIGHT

Weight of fetus or infant at time of delivery.

FETAL DEATH

Death prior to the complete expulsion or extraction from its mother of a product of conception, having completed at least 20 weeks of gestation; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles.

FIRST PARITY

The first live birth a mother delivers.

INFANT DEATH

Death occurring to an individual less than 1 year of age. The term excludes fetal deaths.

LIVE BIRTH

The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of umbilical cord or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

LOW BIRTHWEIGHT BIRTH

A live birth or fetal death in which the weight is less than 2,500 grams (approximately 5 lb. 8 oz.) at time of delivery.

MATERNAL DEATH

Death for which the certifying physician has designated a complication of pregnancy, childbirth or the puerperium as the underlying cause of death.

METROPOLITAN COUNTY

A county with at least one city of 50,000 inhabitants or with "twin cities" with a combined population of at least 50,000; part of a metropolitan statistical area (MSA). Metropolitan county and MSA status are defined and determined by the U. S. Office of Management and Budget.

NEONATAL DEATH

Death occurring to an individual less than 28 days of age.

OCCURRENCE RATE

A rate based on the location of the event. Some rates are calculated according to where the event occurred, regardless of residence (e.g., marriage and divorce rates).

PERINATAL DEATH

A fetal death or a death occurring to an individual less than 7 days of age.

RESIDENCE

Usual place of residence. For births and fetal deaths, usual place of residence of mother is used. Some rates are calculated according to place of residence, regardless of where event occurred.

UNDERLYING CAUSE OF DEATH

Disease or condition that gave rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. See Appendix 3 for the causes and ICD numbers used in this report.

Rates and Ratios

Definitions of selected rates and ratios are presented below. No attempt is made to present the method of calculating each vital rate or ratio contained in this report.

The principles applied in computing age-specific, race-specific or other category-specific vital rates may be inferred from the definitions given below for certain category-specific death rates.

$$\text{(Crude) death rate} = 1,000 \text{ or } 100,000 \times \frac{\text{number of deaths}}{\text{total population}}$$

$$\text{Cause-specific death rate} = 100,000 \times \frac{\text{number of deaths from the cause}}{\text{population}}$$

$$\text{Race-specific death rate} = 100,000 \times \frac{\text{number of deaths for the race}}{\text{population for that race}}$$

$$\text{Age-specific death rate} = 100,000 \times \frac{\text{number of deaths for the age}}{\text{population for that age}}$$

$$\text{Maternal mortality rate} = 10,000 \text{ or } 100,000 \times \frac{\text{number of maternal deaths}}{\text{live births}}$$

$$\begin{array}{l} \text{Perinatal mortality rate} \\ \text{(sometimes designated as a ratio)} \end{array} = 1,000 \times \frac{\text{number of deaths under 7 days of age + fetal deaths}}{\text{number of live births + fetal deaths}}$$

$$\text{Fetal death rate} = 1,000 \times \frac{\text{number of fetal deaths}}{\text{number of live births + fetal deaths}}$$

$$\text{Fetal death ratio} = 1,000 \times \frac{\text{number of fetal deaths}}{\text{number of live births}}$$

$$\text{Infant mortality rate} = 1,000 \times \frac{\text{number of deaths under 1 year of age}}{\text{number of live births}}$$

$$\text{Neonatal mortality rate} = 1,000 \times \frac{\text{number of deaths under 28 days of age}}{\text{number of live births}}$$

$$\text{Neonatal mortality rate} = 1,000 \times \frac{\text{number of deaths from 28 days of age through 11 months}}{\text{number of live births}}$$

$$\text{Years of potential life lost} = \sum \left(\begin{array}{l} 65 - \text{decedent's age in years for} \\ \text{those who died before reaching their 65}^{\text{th}} \text{ birthday} \end{array} \right)$$

$$\text{(Crude) live birth rate} = 1,000 \times \frac{\text{number of live births}}{\text{total population}}$$

$$\text{(General) fertility rate} = 1,000 \times \frac{\text{number of live births to women of all ages}}{\text{number of women 15 to 44 years of age}}$$

$$\text{Age-specific birth rate} = 100,000 \times \frac{\text{number of live births to women of specified ages}}{\text{number of women of that age}}$$

$$\text{Teenage live birth ratio} = 1,000 \times \frac{\text{number of live births to women under 20 years of age}}{\text{number of live births to women of all ages}}$$

$$\text{Ratio of out-of-wedlock childbearing} = 1,000 \times \frac{\text{number of live births to unmarried women}}{\text{number of live births}}$$

$$\text{(Crude) marriage rate} = 1,000 \times \frac{\text{number of marriages}}{\text{total population}}$$

$$\text{(Crude) Divorce rate} = 1,000 \times \frac{\text{number of divorces and annulments}}{\text{total population}}$$

Appendix 3. Cause of Death Classification

Cause-of-death data presented in this publication were classified according to the International Classification of Diseases (ICD) and coded by procedures outlined in World Health Organization regulations.

Revisions in the ICD are made about every 10 years to reflect progress in medical knowledge and changes in the experience of morbid conditions. The eighth revision of the ICD was used in Illinois from 1969 through 1978. Use of the ninth revision began in 1979 and extended through 1998. The use of the

tenth revision began in 1999 and is used in Vital Statistics Illinois publications for the first time with this issue. The introduction of a new revision often entails major changes in classifications that cause breaks in the continuity of mortality statistics.

When more than one cause of death is cited on the certificate, the cause designated by the certifying physician as "underlying" is, generally, the cause tabulated. When the underlying cause is unclear, the physician is queried for clarification.

ICD tenth revision category numbers for selected causes of death are given on the following pages.

CATEGORY NUMBERS FOR SELECTED CAUSES OF DEATH ACCORDING TO THE
TENTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES (ICD-10)
ADAPTED FOR USE IN THE UNITED STATES (1999)

I.	Certain infectious and parasitic diseases	A00-B99
	Intestinal infectious diseases	A00-A09
	Shigellosis	A03
	Tuberculosis	A15-A19
	Respiratory tuberculosis	A15-A16
	Zoonotic bacterial diseases	A20-A28
	Anthrax	A22
	Leptospirosis	A27
	Other bacterial diseases	A30-A49
	Tetanus	A33-A35
	Scarlet fever and erysipelas	A38, A46
	Meningococcal infection	A39
	Septicemia	A40-A41
	Infections with a predominantly sexual mode of transmission.....	A50-A64
	Syphilis	A50-A53
	Gonococcal infection	A54
	Typhus fever.....	A75
	Rocky Mountain spotted fever	A77.0
	Viral infections of the central nervous system.....	A80-A89
	Acute poliomyelitis.....	A80
	Sequelae of poliomyelitis.....	B91
	Rabies	A82
	Mosquito-borne viral encephalitis	A83
	Herpesviral (Herpes simplex) infections	B00
	Varicella (chicken pox)	B01
	Zoster (herpes zoster)	B02
	Measles	B05
	Rubella (German measles)	B06
	Viral hepatitis	B15-B19
	Human immunodeficiency virus (HIV) disease.....	B20-B24
	Mumps	B26
	Infectious mononucleosis	B27
	Malaria	B50-B54
	Mycoses	B35-B49
	Pneumocystosis	B59
II.	Malignant neoplasms	C00-C97
	Malignant neoplasms of lip, oral cavity and pharynx.....	C00-C14
	Malignant neoplasm of digestive organs	C15-C26
	Malignant neoplasms of colon, rectum and anus	C18-C21
	Malignant neoplasms of respiratory and intrathoracic organs	C30-C39
	Malignant neoplasms of bronchus and lung	C34
	Malignant neoplasm of breast	C50
	Malignant neoplasm of cervix uteri	C53
	Malignant neoplasm of prostate	C61
	Malignant neoplasms of urinary tract.....	C64-C68
	Malignant neoplasms of meninges, brain and other parts of central nervous system.....	C70-C72

Hodgkin's disease	C81
Non-Hodgkin's lymphoma.	C82-C85
Leukemia.....	C91-C95
III. Diseases of the blood and blood forming organs	D50-D76
Anemia	D50-D64
IV. Endocrine, nutritional and metabolic disease.....	E00-E90
Diabetes mellitus.	E10-E14
Cystic fibrosis.....	E84
Malnutrition	E40-E46
V. Mental and behavioral disorders.....	F00-F99
due to psychoactive substance abuse.....	F10-F19
VI. Diseases of the nervous system	G00-G99
Meningitis	G00, G03
Parkinson's disease.....	G20-G21
Alzheimer's disease	G30
Epilepsy.....	G40
Infantile cerebral palsy	G80
Muscular dystrophy.....	G71.0
VII. Major cardiovascular diseases	I00-I78
Diseases of heart	I00-I09, I11, I13,I20-I51
Acute rheumatic fever and chronic rheumatic heart diseases	I00-I09
Hypertensive diseases	I10-I15
Essential hypertension without mention of heart	I10, I12
Hypertensive heart disease	I11
Hypertensive heart and renal disease	I13
Ischemic heart diseases	I20-I25
Angina pectoris.....	I20
Acute myocardial infarction	I21-I22
Other acute ischemic heart diseases	I24
Other forms of chronic ischemic heart disease	I20, I25
Cerebrovascular diseases	I60-I69
Subarachnoid haemorrhage	I60
Intercerebral haemorrhage	I61
Cerebral infarction due to thrombosis of cerebral arteries	I63.3
Atherosclerosis	I70
Aortic aneurysm and dissection	I71
VIII. Diseases of the respiratory system	J00-J99
Acute upper respiratory infections.....	J00-J06
Influenza and pneumonia	J10-J18
Influenza.....	J10-J11
Pneumonia	J12-J18
Acute bronchitis and bronchiolitis	J20-J21
Chronic lower respiratory diseases	J40-J47
Bronchitis, chronic and unspecified.....	J40-J42
Emphysema	J43
Asthma	J45-J46
Other chronic lower respiratory diseases	J44, J47

IX.	Diseases of the digestive system	K00-K93
	Ulcer of stomach and duodenum	K25-K27
	Noninfective gastritis, duodenitis, enteritis and colitis	K29, K50-K52
	Hernia and intestinal obstructions.....	K40-K46, K56
	Chronic liver disease and cirrhosis	K70, K73-K74
	Alcoholic liver disease	K70
	Cholelithiasis and other disorders of gallbladder	K80-K82
X.	Diseases of the genitourinary system	N00-N99
	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27
	Infections of kidney.....	N10-N12, N13.6, N15.1
	Hyperplasia of prostate	N40
XI.	Pregnancy, childbirth and the puerperium.....	O00-O99
XII.	Certain conditions originating in the perinatal period	P00-P96
	Factors that may be unrelated to present pregnancy.....	P00
	Maternal complications of pregnancy	P01
	Premature rupture of membrane	P01.1
	Multiple pregnancy.....	P01.5
	Complications of placenta, cord and membranes.....	P02
	Placental conditons	P02.0-P02.3
	Prolapsed cord	P02.4
	Other complications of labor and delivery	P03
	Birth trauma.....	P10-P15
	Interuterine hypoxia and birth asphyxia.....	P20-P21
	Respiratory distress syndrome.....	P22
	Fetal and neonatal hemorrhage	P50-P54
	RH incompatibility.....	P55.0
XIII.	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
	Nervous system	Q00-Q07
	Circulatory system.....	Q20-Q28
	Heart.....	Q20-Q24
XIV.	Symptoms, signs, and abnormal clinical and laboratory findings.....	R00-R99
	Senility without mention of psychosis	R54
	Sudden infant death syndrome.....	R95
XV.	External Causes	V01-Y98
	Accidents	V01-X59, Y85-Y86
	Transport accidents	V01-V99, Y85
	Motor vehicle accidents.....	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
	Other land transport accidents	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6, V80.9, V81.2-V81.9, 82.2-V82.9,V87.9, V88.9,V89.1,V89.3, V89.9
	Water, air and space, and other and unspecified transport accidents and their sequelae	V90-V99,Y85
	Nontransport accidents.....	W00-X59, Y86
	Falls	W00-W19
	Accidental discharge of firearms.....	W32-W34
	Accidental drowning and submersion.....	W65-W74
	Accidental exposure to smoke, fire and flames	X00-X09

Accidental poisoning and exposure to noxious substances.....	X40-X49
Intentional self-harm (suicide)	X60-X84, Y87.0
by poisoning	X60-X69
by hanging, strangulation, suffocation, drowning or submersion.....	X70-X71
by discharge of firearms	X72-X74
by handgun	X72
Assault (homicide).....	X85-Y09, Y87.1
by discharge of firearms	X93-X95
by handgun	X93
by sharp object	X99
Legal intervention.....	Y35, Y89.0
Events of undetermined intent	Y10-Y34, Y87.2, Y89.9
Discharge of firearms, undetermined intent.....	Y22-Y24
Operations of war and their sequelae	Y36, Y89.1

Appendix 4. Comparability and Measurement of Mortality Trends

Cause of Death Classification

There are periodic revisions to the International Statistical Classification of Diseases and Related Health Problems (ICD) as the understanding of diseases, their etiology and their classification changes. The ninth revision of the ICD (ICD-9) was in use in the U.S. from 1979 through 1998. (ICDA-8 was used from 1968-78, ICD-7 from 1958-67, and ICD-6 from 1949-57.) ICD-10, or the 10th revision, currently is used for cause-of-death classification, having started with 1999 events.

The World Health Organization (WHO) promulgates the International Classification of Diseases, which includes the classification (definitions) of causes of death and the mortality coding rules. The coding rules are used to determine the single underlying cause of death from the multiple causes of death that may have been reported on the death certificate by the certifying physician, coroner or medical examiner. (The ICD also specifies the format of the medical certificate of death.) The WHO collaborating center for the classification of diseases in North America, which is housed in the National Center for Health Statistics (NCHS) - one of the centers of the U.S. Centers for Disease Control and Prevention (CDC) - promotes use of the ICD in North America. NCHS applies the ICD for coding and tabulating causes of death in the U.S. and, in addition, NCHS establishes tabulation lists for mortality used in the U.S. In addition to developing the tabulation lists, NCHS also ranks leading causes of death using procedures established jointly by vital statistics programs and the U.S. Public Health Service. Each state, as well as much of the world, uses the ICD to code and classify causes of death.

The changes from ICD-9 to ICD-10 are considerable, and include revision of categories, re-groupings of diseases, renamed causes of death and modification of coding rules. There are roughly 4,000 codes in ICD-9, whereas there are approximately 8,000 codes in ICD-10. With name and definition changes arise issues of comparability. For example, heart disease is defined differently in ICD-9 from how the category "diseases of heart" is defined in ICD-10.

Inasmuch as cause-of-death information using ICD-9 definitions and coding rules would result in heart disease as the underlying cause of death, application of ICD-10 definitions and coding rules would result in some of those deaths being attributed to other causes. Similarly, under ICD-9 some deaths may have been coded to other causes of death that under ICD-10 would be coded to diseases of heart. In general, the net effect between the two ICD revisions for specific causes of death may be 99 percent or more comparable, whereas others may be 70 percent or less.

Nota bene: ICD revisions do not affect the total number of deaths or "deaths due to all causes," as this number is determined simply by the number of recorded death certificates, but they affect the size of the cause-of-death "slices" in the total-number-of-deaths pie.

Measuring Mortality Trends

It must be recognized that the number of deaths due to a particular cause in 1998 (under ICD-9) will be different in 1999 (ICD-10), at least partially because of the changes in classification. However, between any two cause-specific mortality measurements, there are other factors that come into play besides possible ICD revision differences. Most notably, there could be changes in 1) disease prevalence, 2) disease recognition by the medical community, 3) frequency of autopsy, 4) the prevalence of misreporting and other recording or certificate handling errors, 5) population size and 6) the population's age structure. If the mortality measure is population based, there are population estimation or measurement errors also to consider. It often is assumed that the difference observed is change in disease prevalence and that the amount of change from other sources, including error, is minimal. However, there are instances where one or more of these other sources would contribute substantially to differences in mortality measures over time.

Keeping these other factors of change in mind, in general, mortality measures are more comparable within a revision of the ICD than they are across revisions. To help in understanding the differences in coding and classification due to the

change in ICD revisions at the national level, NCHS did a recent comparability study. In this study, 1996 death certificates were cause-of-death coded twice: once using ninth revision codes, classifications and rules and again using those for the 10th revision.¹ Then, the number for each cause of death under both revisions are compared and expressed as a ratio. Each *comparability ratio* is calculated as follows:

$$CR = \frac{D_{ICD-10}}{D_{ICD-9}}$$

where D_{ICD-10} is the number of deaths for a particular cause based on ICD-10 and D_{ICD-9} is the number of deaths for the same or most similar cause based on ICD-9. A comparability ratio of 1.0000 can be interpreted as the same number of deaths were found under both revisions of the ICD. A comparability ratio less than 1 means fewer deaths for a particular cause were coded under ICD-10 compared with the comparable cause under ICD-9. A comparability ratio greater than 1 means more deaths for a particular cause were coded under ICD-10 than the comparable cause under ICD-9. For example, the comparability ratio from this study for diseases of heart, 0.9852, means the causes of death are nearly 99 percent comparable, with a difference of over 1 percent, where there were fewer deaths due to this cause under ICD-10 compared to ICD-9. Similarly, for cerebrovascular diseases, the comparability ratio was 1.0502. This means this cause of death is about 95 percent comparable between the ICD revisions ($1 / 1.0502 \times 100 = 95.2\%$), where there were almost 6 percent more deaths under ICD-10 than under ICD-9.

It should be noted that the comparability ratio represents a *net* difference in the number of deaths classified for a particular cause between the two revisions of the ICD. That is, a cause of death may include additional deaths from a different cause while losing deaths to a third cause. One such example is diseases of heart, which had additional deaths under ICD-10 from pneumonia (compared to ICD-9), but lost deaths due to cardiac arrest, an ill-defined condition in ICD-10 (but part of heart disease under ICD-9). Therefore, a ratio of 1.00

does not necessarily imply perfect comparability. It also is possible there are deviations from a cause-specific comparability ratio by demographic variables, such as age, sex, race and geographic region. However, these variations were not within the scope of NCHS's comparability study. See the appendix to the 1999 edition of Vital Statistics Illinois for an extract from the NCHS publication that explains results of the comparability study more fully.

Two other cautions should be mentioned when interpreting these comparability ratios. First, these ratios are based on a death certificate sample for the entire U.S. While Illinois should be well represented in this sample, it is unknown how similar or different such a study would be if it was done strictly for Illinois death certificates. Second, the study was conducted using death certificates for 1996, three years before ICD-10 was implemented in the United States. Substantial changes in comparability ratios at the national level have occurred for some causes of death, and such ratios, in general, should be less applicable the further in time from 1996. In summary, it is unknown how well the 1996 national comparability ratios apply to Illinois for 1999 mortality and beyond. However, the national comparability ratios should give a good overall indication of the direction and general magnitude of revision impacts for most causes of death in Illinois in 1999. In fact, if cause-of-death trends that cross ICD revision temporal boundaries are used in analysis, it should be *de rigeur* that comparability ratios, such as these national ones, be examined and considered for the role ICD revisions may have played in affecting the trends in numbers of deaths.

Table A-1 is a list of comparability ratios for selected causes of death and taken from the preliminary comparability study done by NCHS. There are several of the leading causes of death and their comparability ratios discussed in Appendix 4 of the 1999 edition of Vital Statistics Illinois. The complete comparability study can be found on the Internet at the following CDC web site address:
www.cdc.gov/nchs/data/nvsr/nvsr49/nvsr49_02.pdf

Table A-1.
ICD-9 and ICD-10 Codes and National Final Comparability Ratios
for Selected Causes of Death

ICD-10		Estimated Comparability Ratio	ICD-9	
Cause of Death	Code		Cause of Death	Code
Tuberculosis	A16-A19	0.8809	Tuberculosis	010-018
Septicemia	A40-A41	1.1900	Septicemia	038
HIV disease	B20-B24	1.0821	HIV infection	042-044
Malignant neoplasms	C00-C97	1.0093	Malignant neoplasms	140-208
of lip, oral cavity and pharynx	C00-C14	0.9597	of lip, oral cavity and pharynx	140-149
of colon, rectum and anus	C18-C21	0.9988	of colon, rectum and anus	153-154
of trachea, bronchus and lung	C33-C34	0.9844	of trachea, bronchus and lung	162
of skin	C43	0.9494	melanoma of skin	172
of breast	C50	1.0073	of breast	174-175
of ovary	C56	0.9938	of ovary	183.0
of prostate	C61	1.0144	of prostate	185
of lymphoid, hematopoietic and related tissue	C81-C96	1.0044	of lymphatic and hematopoietic tissue	200-208
Non-Hodgkin's lymphoma	C82-C85	0.9787	Non-Hodgkin's lymphoma	200, 202
Leukemia	C91-C95	1.0104	Leukemia	204-208
Anemias	D50-D64	0.9430	Anemias	280-285
Diabetes mellitus	E10-E14	1.0193	Diabetes mellitus	250
Parkinson's disease	G20-G21	1.0101	Parkinson's disease	332
Alzheimer's disease	G30	1.5812	Alzheimer's disease	331.0
Major cardiovascular disease	I00-I78	0.9963	Major cardiovascular diseases	390-434, 436-438
Diseases of heart	I00-I09, I11, I13, I20-I51	0.9852	Heart disease	390-398, 402, 404, 410-429
Hypertensive heart disease	I11	0.7985	Hypertensive heart disease	402
Ischemic heart disease	I20-I25	1.0006	Ischemic heart disease	410-414, 429.2
Essential (primary) hypertension and hypertensive renal disease	I10, I12	1.1162	Essential hypertension and hypertensive renal disease	401, 403
Cerebrovascular diseases	I60-I69	1.0502	Cerebrovascular diseases	430-434, 436-438
Atherosclerosis	I70	0.9658	Atherosclerosis	440
Influenza and pneumonia	J10-J18	0.6974	Pneumonia and influenza	480-487
Chronic lower respiratory diseases	J40-J47	1.0411	Chronic obstructive pulmonary diseases and allied conditions*	490-496
Emphysema	J43	0.9617	Emphysema	492
Asthma	J45-J46	0.8855	Asthma	493
Pneumonitis due to solids and liquids	J69	1.1046	Pneumonitis due to solids and liquids	507
Peptic ulcer	K25-K28	0.9711	Peptic ulcer	531-534
Hernia	K40-K46	1.0122	Hernia	550-553
Chronic liver disease and cirrhosis	K70, K73-K74	1.0321	Chronic liver disease and cirrhosis	571
Cholelithiasis and other disorders of gallbladder	K80-K82	0.9609	Cholelithiasis and other disorders of gallbladder	574-575
Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27	1.2555	Nephritis, nephrotic syndrome and nephrosis	580-589
Certain conditions originating in the perinatal period	P00-P96	1.0756	Certain conditions originating in the perinatal period	760-771.2, 771.4-779
Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99	0.8956	Congenital anomalies	740-759
Accidents	V01-X59, Y85-Y86	1.0251	Unintentional injuries	E800-E869, E880-E929

Table A-1.
ICD-9 and ICD-10 Codes and National Final Comparability Ratios
for Selected Causes of Death

ICD-10		Estimated Comparability Ratio	ICD-9	
Cause of Death	Code		Cause of Death	Code
Transport accidents	V01-V99, Y85	0.9942	Transport accidents	E800-E848, E929.0, E929.1
Motor vehicle accidents	V02-V04, V09.2, V12-V14, V19.0-V19.2, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2	0.9527	Motor vehicle accidents	E810-E825, E929.0
Nontransport accidents.....	W00-X59, Y86	1.0602	Nontransport accidents.....	E850-E869, E880-E928, E929.2-E929.9
Falls.....	W00-W19	0.7720	Falls.....	E880-E888
Suicide.....	X60-X84, Y87.0	1.0022	Suicide.....	E950-E959
Homicide	X85-Y09, Y87.1	1.0020	Homicide	E960-E969

* COPD in ICD-9 also included 495, extrinsic allergic alveolitis

Appendix 5. LIFE TABLE CONSTRUCTION

Life tables are a type of survival analysis where age-specific death rates are applied to a hypothetical cohort to derive life expectancy and other survivorship measures. The abridged period life table, the most commonly used type for vital statistics purposes, appears in this publication (pages I-41–I-45). Abridged refers to the fact that the life table contains data for age groups instead of single-year ages. Period means the current or a particular period's age-specific death rates are applied to the life table's hypothetical cohort, instead of tracking a real cohort throughout their lives to see what levels of mortality the cohort actually experienced. The life tables in this publication were constructed using the method found in Robert Schoen's article, "Calculating Life Tables by Estimating Chiang's $\bullet$ from Observed Rates" (*Demography* 15(4): 625-625, November 1978).

Three years of mortality data (1999-2001) were averaged to minimize the effects of influenza epidemics and other periodic or one-time mortality influences. The population data, combined with the mortality data to calculate age-specific death rates, were the 1 April, 2000, "bridged-race" population estimates from the National Center for Health Statistics. These were produced in conjunction with the U.S. Census Bureau to "bridge" how race categories were collected in the 2000 decennial census and collected on state vital certificates. In brief, the 2000 census allowed for the collection of race categories based on multiple-race responses, as well as slightly different single race categories, compared to those collected on most state vital certificates. Both the mortality and population data inputs were left unsmoothed, meaning no efforts were made to mitigate or correct for irregularities or inconsistencies.

The following is a brief explanation of the columns shown in the life tables. For a more complete explanation of life table functions, see *The Methods and Materials of Demography* by Henry Shryock and Jacob

Siegel, 1980 (4th ed.), U.S. Department of Commerce, Bureau of the Census.

x	The age in years at the start of the interval. The interval implied is the age at the start through to, but not including, the next stated age.
${}_nq_x$	The probability of dying during the age interval.
l_x	Of a hypothetical birth cohort of 100,000 (or some other arbitrary starting number, called a radix), the number alive at the start of the age interval.
${}_nd_x$	Of a hypothetical birth cohort of 100,000 experiencing the ${}_nq_x$ values at each interval, the number dying during the age interval.
${}_nL_x$	Of a population experiencing constant rates of mortality, number of births, age structure and size (i.e., a "stationary" population), the number of person-years lived during the age interval.
T_x	Of the stationary population, the total number of person-years lived in the age interval and all subsequent age intervals.
e_x	The expectation of life remaining at the start of the age interval.

Appendix 7: Full Mortality Rate Tables for Chicago and Downstate Illinois, 2000

Table 40.

Rates For the Twelve Leading Causes of Death by Age and Race Category Among Residents
City of Chicago, 2000

Rank	Cause of Death	All Ages	Age of Decedent						
			0 - 4 Years	5 - 14 Years	15 - 24 Years	25 - 44 Years	45 - 64 Years	65 - 84 Years	85 and Older
	All Causes.....	825.9	278.7	24.2	121.6	219.2	907.1	4,032.0	14,130.3
	White race category	763.8	202.2	15.6	82.4	128.8	668.3	3,899.8	14,497.9
	All other races category	909.0	369.2	32.3	174.3	365.8	1,208.0	4,213.6	13,379.3
1	Diseases of heart	248.9	6.0	*	5.2	29.1	256.4	1,294.4	5,342.8
	White race category	244.4	*	*	5.5	15.9	173.5	1,237.3	5,514.8
	All other races category	254.9	*	*	*	50.6	360.9	1,372.9	4,991.4
	A. Ischemic heart disease	183.6	*	*	*	10.5	176.4	976.4	3,988.7
	White race category	191.2	*	*	*	6.5	134.7	984.8	4,206.8
	All other races category	173.5	*	*	*	17.0	228.9	964.7	3,543.1
	B. All other heart diseases	65.3	5.5	*	4.8	18.6	80.0	318.1	1,354.1
	White race category	53.2	*	*	5.5	9.4	38.8	252.5	1,308.0
	All other races category	81.4	*	*	*	33.5	131.9	408.1	1,448.3
2	Malignant neoplasms	187.8	*	3.1	4.3	26.4	270.0	1,126.2	1,997.2
	White race category	168.9	*	*	*	18.4	205.5	1,048.1	1,894.5
	All other races category	213.1	*	*	5.3	39.5	351.4	1,233.5	2,206.9
3	Cerebrovascular disease.....	48.2	*	*	*	6.4	41.3	250.6	1,255.0
	White race category	46.0	*	*	*	2.8	21.2	232.0	1,362.9
	All other races category	51.2	*	*	*	12.2	66.6	276.0	1,034.5
4	Accidents	37.5	20.7	5.7	29.5	45.1	47.8	54.5	124.6
	White race category	32.2	12.7	*	31.3	32.2	38.5	56.7	139.2
	All other races category	44.6	30.2	6.9	27.1	66.0	59.6	51.6	94.8
5	A. Motor vehicle	11.6	4.6	2.4	18.4	12.7	12.5	13.3	*
	White race category	11.0	*	*	17.4	10.5	13.0	12.5	*
	All other races category	12.3	*	*	19.7	16.2	11.9	14.5	*
	B. All other accidents.....	25.9	16.1	3.3	11.1	32.4	35.3	41.2	104.8
	White race category	21.2	8.5	*	5.5	21.7	25.4	44.2	109.7
	All other races category	32.3	14.1	*	7.4	49.8	47.7	37.1	94.8
	Chronic lower respiratory diseases	28.1	*	*	3.2	5.0	18.2	178.1	492.9
	White race category	30.4	*	*	*	2.0	13.0	203.7	573.8
	All other races category	25.0	*	*	5.3	9.7	24.7	143.0	327.6
6	Diabetes mellitus.....	24.2	*	*	*	3.4	27.5	161.7	255.0
	White race category	22.6	*	*	*	*	21.2	160.8	236.3
	All other races category	26.4	*	*	*	7.3	35.3	162.9	293.1
7	Septicemia	22.4	5.5	*	*	4.4	20.7	131.2	379.6
	White race category	16.4	*	*	*	2.3	9.8	98.9	303.8
	All other races category	30.3	*	*	*	7.8	34.5	175.6	534.5
8	Assault (homicide).....	21.9	7.8	2.6	60.4	26.4	12.4	5.0	*
	White race category	9.1	*	*	26.5	8.9	5.9	*	*
	All other races category	38.9	14.1	*	105.7	54.9	20.6	*	*
9	Influenza and pneumonia	21.7	*	*	*	3.0	12.7	92.3	773.4
	White race category	22.5	*	*	*	2.2	10.4	91.0	789.0
	All other races category	20.6	*	*	*	4.3	15.6	94.1	741.4
10	Nephritis, nephrotic syndrome and nephrosis	19.2	*	*	*	2.6	18.5	113.3	356.9
	White race category	15.9	*	*	*	*	9.5	98.2	329.1
	All other races category	23.6	*	*	*	5.1	30.0	133.9	413.8
11	Human immunodeficiency virus disease	10.5	*	*	*	17.6	20.7	5.3	*
	White race category	5.9	*	*	*	8.5	13.0	*	*
	All other races category	16.7	*	*	*	32.2	30.4	*	*
12	Chronic liver disease and cirrhosis.....	10.2	*	*	*	6.2	26.9	30.5	*
	White race category	10.7	*	*	*	5.8	28.4	33.6	*
	All other races category	9.5	*	*	*	6.8	25.1	26.2	*

Table 42.
Rates For the Twelve Leading Causes of Death by Age and Race Category Among Residents
Downstate Illinois, 2000

R a n k	Cause of Death	All Ages	Age of Decedent						
			0 - 4 Years	5 - 14 Years	15 - 24 Years	25 - 44 Years	45 - 64 Years	65 - 84 Years	85 and Older
	All causes.....	863.4	173.3	13.6	70.0	123.6	572.3	3,781.0	15,650.5
	White	916.8	149.3	12.8	66.7	117.0	556.2	3,782.4	15,733.6
	All other races	494.4	299.3	17.8	88.7	165.3	708.7	3,758.1	13,634.9
1	Diseases of heart	257.5	4.4	*	3.3	18.1	141.5	1,107.7	5,896.3
	White	276.1	3.8	*	2.9	17.2	136.3	1,106.7	5,926.7
	All other races	128.8	*	*	5.5	23.4	185.7	1,124.2	5,158.7
	Ischemic heart disease.....	185.0	*	*	*	9.7	105.4	826.5	4,074.2
	White	199.4	*	*	*	9.7	103.7	827.8	4,097.5
	All other races	85.3	-0-	-0-	*	9.8	119.4	804.8	3,507.9
	Other heart disease	72.5	4.3	*	3.0	8.3	36.1	281.3	1,822.1
	White	76.7	3.6	*	2.6	7.5	32.6	278.9	1,829.2
	All other races	43.5	*	*	5.0	13.6	66.3	319.4	1,650.8
2	Malignant neoplasms	208.4	2.1	1.7	4.1	22.5	222.6	1,099.8	1,822.8
	White	221.4	2.4	1.9	4.3	21.8	222.0	1,099.7	1,822.6
	All other races	118.2	*	*	*	27.0	227.7	1,101.6	1,825.4
3	Cerebrovascular diseases.....	63.1	1.5	*	*	2.9	22.4	263.5	1,685.1
	White	67.5	*	*	*	2.6	19.9	261.9	1,695.0
	All other races	32.4	*	-0-	*	4.9	42.9	288.7	1,444.4
4	Chronic lower respiratory diseases	41.3	*	*	*	1.2	18.7	243.8	595.9
	White	45.5	-0-	*	*	0.9	18.9	252.2	605.4
	All other races	12.5	*	*	*	3.1	17.2	109.7	365.1
5	Accidents	30.4	13.7	5.3	32.4	27.6	24.4	58.8	250.2
	White	31.4	12.0	4.7	33.5	28.3	24.1	59.7	253.9
	All other races	23.6	22.9	8.7	26.1	23.4	27.0	45.2	158.7
	Motor vehicle accidents.....	12.2	3.7	2.6	21.7	13.5	11.0	16.0	25.1
	White	12.5	3.6	2.6	22.1	13.7	11.2	16.2	25.5
	All other races	10.3	*	*	19.0	12.1	9.3	*	*
	Other accidents	18.2	10.1	2.8	10.7	14.1	13.4	42.8	225.0
	White	18.9	8.3	2.1	11.4	14.5	12.8	43.5	228.4
	All other races	13.3	19.1	6.4	7.0	11.3	17.7	32.3	*
6	Diabetes mellitus.....	23.9	-0-	*	-0-	2.5	19.3	125.7	305.5
	White	24.5	-0-	*	-0-	2.4	17.4	121.1	301.0
	All other races	20.0	-0-	-0-	-0-	3.1	35.4	198.4	412.7
7	Influenza and pneumonia	23.9	*	*	*	1.8	5.8	86.4	745.4
	White	26.1	*	*	*	1.8	5.6	86.3	759.2
	All other races	9.1	*	-0-	*	*	7.5	87.1	412.7
8	Alzheimer's disease	19.7	-0-	-0-	-0-	-0-	1.0	72.2	695.2
	White	21.8	-0-	-0-	-0-	-0-	1.0	73.8	701.6
	All other races	5.4	-0-	-0-	-0-	-0-	*	46.8	539.7
9	Nephritis, nephrotic syndrome and Nephrosis	16.4	1.5	-0-	-0-	1.0	7.9	76.7	349.5
	White	16.7	*	-0-	-0-	0.7	6.2	73.7	345.5
	All other races	14.1	*	-0-	-0-	2.8	22.5	124.2	444.4
10	Septicemia	12.8	1.8	*	*	1.3	7.8	58.0	245.8
	White	12.8	*	*	*	1.1	6.7	54.3	240.8
	All other races	12.4	*	-0-	*	2.8	16.4	117.7	365.1
11	Intentional self-harm (suicide)	8.4	-0-	*	8.8	11.0	10.1	12.2	14.5
	White	9.0	-0-	*	9.5	11.7	11.1	12.5	14.4
	All other races	3.7	-0-	-0-	5.0	6.7	*	*	*
12	Chronic liver disease and cirrhosis	8.0	-0-	-0-	*	4.3	14.2	28.4	23.3
	White	8.5	-0-	-0-	*	4.4	14.1	29.6	24.2
	All other races	4.4	-0-	-0-	*	3.3	14.6	*	-0-