STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
		145646	B. WING		C <b>03/19/2013</b>		
NAME OF P	ROVIDER OR SUPPLIER	143040	B. WIIVO		REET ADDRESS, CITY, STATE, ZIP CODE	03/	19/2013
ROSEWOOD CARE CENTER OF EAST PEORIA				90	00 CENTENNIAL DRIVE AST PEORIA, IL 61611		
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES  MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREF TAG		PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	BE	(X5) COMPLETION DATE
F 323	mechanical lift and resident (R1) was in asking if the legs of during transfer and  The facility's weight 1/23/13 R1 weighed	and asked E6 to look at the stated it fell over while a it. E6 stated questioning E5 the mechanical lift were open E5 stated "no."  Trecord for R1 documents on d 351.9 pounds. User Instruction Manual unds patient lift.  IONS		999			
	d) Pursuant to subscare shall include, a and shall be practic seven-day-a-week 6) All necessary preasure that the resi as free of accident nursing personnel sthat each resident rand assistance to p  Section 300.3240 Aa) An owner, licens	section (a), general nursing at a minimum, the following sed on a 24-hour, basis: ecautions shall be taken to dents' environment remains hazards as possible. All shall evaluate residents to see ecceives adequate supervision revent accidents.					

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED		
		145646	B. WING			C <b>03/19/2013</b>		
NAME OF PROVIDER OR SUPPLIER  ROSEWOOD CARE CENTER OF EAST PEORIA				90	EET ADDRESS, CITY, STATE, ZIP CODE DO CENTENNIAL DRIVE AST PEORIA, IL 61611			
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES YMUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREF TAG		PROVIDER'S PLAN OF CORRECTIOI (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPI DEFICIENCY)	BE	(X5) COMPLETION DATE	
F9999	Based on observati the facility failed to repositioning and facorrectly for one of for safety during trafell out of bed durin a laceration requirir Findings include:  1. R4's most recensigned 9/21/12 doc assistance and two for bed mobility and Summary dated 2/1 for transfers, requir summary documen repositioned by staft Therapy discharge documents for bed moderate assist with Assistive Device/Refully5/12, 10/24/12 a always confused, hawareness deficit, unassisted and pood dated 10/5/12 also follow commands. If Assessment documunsteady gait, confirmation of the facility of the facilit	on interview and record review ensure the safety during siled to use mechanical lifts four residents (R4) reviewed insfers in a sample of four. R4 g repositioning and sustained	F99	9999				

		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	, ,		E CONSTRUCTION	COM	E SURVEY PLETED
		145646	B. WING				C 1 <b>9/2013</b>
NAME OF PROVIDER OR SUPPLIER  ROSEWOOD CARE CENTER OF EAST PEORIA				90	EET ADDRESS, CITY, STATE, ZIP CODE 00 CENTENNIAL DRIVE AST PEORIA, IL 61611	<u> </u>	13/2010
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES 'MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREF TAG		PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPI DEFICIENCY)	BE	(X5) COMPLETION DATE
F9999	The Facility's Incided documents R4 had  The Facility's Incided documents E5 CNA was rolling R4 in be bed." The Facility's Accident form Incid." While CNA (E5) was sent to hospita for a laceration on t Incident Investigation documents R4 had forehead. The Cominvestigation form of bloody nose and a I hospital, received s.  R4's Narrative Nurson 2/12/13 "R (right stitches forehead in R4's Hospital Emeridocuments the date with fall as the chief documented for R4 Repair with a diagnosischarge instruction out in 5 days."  Post investigation a included staff inserved Education/Meeting provided for 2/11/13 (Administrator). The documents for the second comments for the second c	ent and Accident log falls on 2/11/13 and 3/7/13.  ent/Accident witness statement (Certified Nursing Assistant) and and "(R4) rolled right out of Report of Serious Incident or ent Summary documents is rolling (R4) to provide cares and onto the floor." Resident I where (R4) received stitches the forehead. The Facility's on form dated 2/11/13 a fall with a laceration on the mentary section of the locuments R4 "received a laceration to forehead, sent to titches."  se's Progress Notes document of eye swollen, purple bruising, stact."  gency Department record of visit for R4 was 2/11/13 fromplaint. The procedures are Routine Laceration osis of "cut on Face." The ons for R4 included "sutures attendance sheets were	F99	999			

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION  A. BUILDING				(X3) DATE SURVEY COMPLETED	
		145646	B. WING	i			C 1 <b>9/2013</b>	
NAME OF PROVIDER OR SUPPLIER  ROSEWOOD CARE CENTER OF EAST PEORIA				90	REET ADDRESS, CITY, STATE, ZIP CODE 00 CENTENNIAL DRIVE AST PEORIA, IL 61611	1 00/	13/2010	
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES 'MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREF TAG		PROVIDER'S PLAN OF CORRECTIO (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROP DEFICIENCY)	BE	(X5) COMPLETION DATE	
F9999	subject was turning hours. E5 CNA (Ce involved in fall on 2 inservice on 2/11/13 intervention docume people when rolling On 3/13/13 at 9:30 2/11/13 E5 was chaside. E5 stated that hand E5 reached for moving, tried to grade of the services on 2/11/15 The Facility's Report Accident form documents on 2/11/15 The Facility's Report Accident form documents ferring R4 via the wheelchair to the beful onto the right hip hematoma and was evaluation. The facil documents "swellin occurred. The Facil statement dated 3/15 (Certified Nursing Assistant) in the section of the form the section of the section of the form the section of the section of the section of the form the section of the section	and repositioning every 2 rtified Nursing Assistant /11/13) did not attend either 3 or 2/12/13. The new ented was to always use 2 R4. a.m. E5 (CNA) stated on anging R4 and put R4 on her while holding R4 with one or a wet wipe and felt R4 b R4 but R4 still fell. p.m. E2 DON (Director of at E5 (CNA) did not attend the	F99	666				

	FOF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	` '		LE CONSTRUCTION	(X3) DATE SU COMPLE	
		145646	B. WING				C <b>19/2013</b>
	PROVIDER OR SUPPLIER	OF EAST PEORIA		9	REET ADDRESS, CITY, STATE, ZIP CODE DOO CENTENNIAL DRIVE EAST PEORIA, IL 61611		
(X4) ID PREFIX TAG	(EACH DEFICIENCY	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREF TAG		PROVIDER'S PLAN OF CORRECTIOI (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPI DEFICIENCY)	BE	(X5) COMPLETION DATE
F9999	saw/heard: "assisted mechanical lift and the mechanical lift and the mechanical lift proceeding to move (R4) bed. Resident weight assessment investigation and do 195.1 pounds. E1's the Incident on 3/7/(R4) head was on the and was laying on the mechanical lift sling wrong size." The sling wrong size." The sling wrong size." The sling wrong size. The sling wrong size and E7) were instructed instally they placed Questioning the CN that they (E5 and E and they did not att summary also document it was the wroll incident linvestigation of incident was a fabump to the back of for R4's fall from the form documents "with staff (E5 and E7) mechanical lift residuations on the same Facility inservice datand 1/29/13 titled mechanical stilled mechanical lift residuations on the same Facility inservice datand 1/29/13 titled mechanical stilled mechanical lift residuations on the same Facility inservice datand 1/29/13 titled mechanical lift residuations on the same Facility inservice datand 1/29/13 titled mechanical lift and C/O (combump noted to back and 1/29/13 titled mechanical lift and 1/29/13 titled mechanical li	age 7 Itled describe what you ed the resident (R4) with a fasten up the resident (R4) in pad and resident (R4) after e the mechanical lift to her (R4) fall out of bed." R4's its were included with the ocumented R4's weight was a (Administrator) summary of ital documents "Resident's the foot of the mechanical lift right side. The sling was still chanical lift. I (E1) checked the g which was noted to be the ing was an XL. The CNA's (E5 ucted to re enact the transfer. the sling upside down. "From JA's (E5 and E7) it appears ital used the wrong size sling each the Velcro properly." The umented E5 (CNA) stated "she ong size sling." The Facility's on documents for R4 the type all with description of injury as a of the head. The commentary e mechanical lift on the same while being transferred by 2 nembers with the use of dent (R4) inadvertently slipped body on floor. Resident (R4) hplain of) headache. Small k of head. "Post investigation e form were staff inservices.  ated 1/12/13, 1/15/13, 1/18/13 hechanical lift usage contains hat E5 (CNA) attended.	F99	999			

		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	` '		E CONSTRUCTION	COM	X3) DATE SURVEY COMPLETED	
		145646	B. WING	i			C 19/2013	
NAME OF PROVIDER OR SUPPLIER  ROSEWOOD CARE CENTER OF EAST PEORIA				90	REET ADDRESS, CITY, STATE, ZIP CODE 00 CENTENNIAL DRIVE AST PEORIA, IL 61611	<u> </u>	13/2010	
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREF TAG		PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPI DEFICIENCY)	BE	(X5) COMPLETION DATE	
F9999	The Facility's Total Mechanical Lifts Po "Operation, use, we requirements are di model of mechanica follow the manufact the lifts." The Facilit documents; "Acces for toileting. User w pounds and L is for was 195 and accord Formulary the L slir use.  On 3/13/13 at 10:00 Nursing Assistant) s 3/7/13. The mechan stated E5 Velcro the R4 and the Velcro I was then attached the started raising (R4 mechanical lift (R4 sling was the right s sling was not secun rushing and was newas the wrong size  On 3/13/13 at 9:30 Nursing Assistant) son R4 and I (E5) was incident (rolling R4 were using a half sl don't think they are that the sling was to move her (R4) real the Administrator (E	Resident Transfers Using slicy dated 3/31/08 documents: eight limits and maintenance ifferent for each brand and all lift. Trained employees must curers directions when using try's Sling Formulary s slings designed specifically eight for XL sling is 275 to 500 175-300 pounds. R4's weight ding to the Facility's Sling ag was the appropriate sling to a.m. E7 CNA (Certified stated taking R4 to room on inical lift pad was new, E7 e mechanical lift pad around cooked and felt ok. The sling to the mechanical lift and we of and when I (E7) turned the of fell out. E7 stated she felt the ed. E7 stated she was not over instructed that the sling	F9:	666				

		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	, ,		E CONSTRUCTION	COM	E SURVEY PLETED
		145646	B. WING				C 19/2013
NAME OF PROVIDER OR SUPPLIER  ROSEWOOD CARE CENTER OF EAST PEORIA				90	EET ADDRESS, CITY, STATE, ZIP CODE DO CENTENNIAL DRIVE AST PEORIA, IL 61611		
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREF TAG		PROVIDER'S PLAN OF CORRECTIOI (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPI DEFICIENCY)	BE	(X5) COMPLETION DATE
F9999	that's what we are used to the with the mechanical lift that the legs of the with the bed and that and chair."  On 3/14/13 at 1:45 mechanical lift and (1/2 sling) is used sprocess and is not a sling only suits 25% designed for genera Z3 (representative sling, technical supp (1/2 sling) is a true for general use. The used on needs good able to hold on.  On 3/14/13 at 2:45 Nursing) confirmed was poor.  On 3/13/13 at 11:10 transferred R4 from While the CNA's we R4 kept stating "I do placed in the wheeld tray, pommel cushid at 1:20 p.m. E9 and Assistants) were trailift from the wheelcl R4 from the chair wheel saying "set me placed R4 in bed the weel that the control of the saying set me placed R4 in bed the saying set me saying set me saying set	ge 9 using." E5 stated on 3/7/13 E5 g R4 from the chair to bed I lift and when R4 was lifted up ft it was raised and turned so mechanical lift were aligned at is when R4 fell between bed  p.m. Z2 (representative for sling) stated the Access Sling pecifically for the toileting a general purpose sling. The of residents and is not al use. On 3/14/13 at 2:00 p.m. for mechanical lift and bort) stated the Access sling hygenic sling and is not good a resident the sling is to be d upper body strength to be  p.m. E2 DON (Director of upper body strength on R4  D a.m.E8 and E9 CNA's the bed to the wheelchair. For raising the mechanical lift on't like this." R4 was then chair with the use of a half lap on and foot board. On 3/14/13 I E16 CNA's (Certified Nursing ansferring R4 via mechanical mair to the bed. E9 was raising with the mechanical lift and R4 of down." After the CNA's ey began to roll R4 back and sling out from under her. R4	F9:	999			

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	` '	TIPLE CONSTRUCTION  NG	CON	(X3) DATE SURVEY COMPLETED	
		145646	B. WING _			C / <b>19/2013</b>	
NAME OF PROVIDER OR SUPPLIER  ROSEWOOD CARE CENTER OF EAST PEORIA				STREET ADDRESS, CITY, STATE, ZIP COD 900 CENTENNIAL DRIVE EAST PEORIA, IL 61611		10/2010	
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES 'MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORF ( EACH CORRECTIVE ACTION S CROSS-REFERENCED TO THE A DEFICIENCY)	HOULD BE	(X5) COMPLETION DATE	
F9999	grabbed E16's shirt me."  On 3/14/13 at 1:30 Nursing Assistant) staff is rolling her in mechanical lift she certain people. E9 shecomes anxious, the become combative with just one staff in people.  On 3/14/13 at 1:30 Nursing Assistant) saccess sling becauthere is no support stated he tries to average E16 stated R4 is no staff need to use 2 rolling R4 to roll R4	ge 10 p.m. E9 CNA (Certified stated R4 is nervous when bed and when using the is more comfortable with stated when R4 is rolled she frustrated, grabs and can and E9 stated R4 can be rolled nember but E9 likes to use 2 p.m. E16 CNA (Certified stated he tries not to use the se they do not feel safe and for the residents bottom. E16 yold using the access sling. Ervous when being rolled. E16 stated when towards you. E16 states R4 the is rolled then stated "can"  (B)	F999	99			