

Vital Statistics Illinois 2000

Illinois Department of Public Health
Illinois Center for Health Statistics
525 W. Jefferson St.
Springfield, IL 62761

217-785-1064
TTY (hearing impaired use only) 800-547-0466

February 2004

Explanation of Symbols

Quantity zero in frequency tables	--
Rates or percent more than 0 but less than 0.05	0.0
Figures within parentheses not included in totals	()
Rate zero corresponding to -- on frequency table	-0-
Rate or ratio does not meet standards of reliability or precision	*
Category is not applicable or data are not available	...

T
A
B
L
E

O
F

C
O
N
T
E
N
T
S

TABLE OF CONTENTS
VITAL STATISTICS ILLINOIS
CALENDAR YEAR 2000

INTRODUCTION ix

PART I. GENERAL SUMMARY

Marriage and Divorce
 Marriages I-3
 Divorces and Annulments I-6

Natality
 Live Births I-11
 Births to Unmarried Women I-13
 Prenatal Care I-14
 Infant Health I-16
 Births to Hispanic Women I-17

Mortality
 General Mortality I-27
 Perinatal and Infant Mortality I-27
 Leading Causes of Death I-31
 Death Due to Drugs I-36
 Deaths Due to Firearms I-36

Additional Vital Statistics Resources I-49

FIGURES

Figure 1. Marriage and Divorce Rates, Illinois: 1965-2000 I-3
 Figure 2. Crude Birth and Death Rates, Illinois: 1965-2000 I-11
 Figure 3. Resident Births to Unmarried Women by Race, Illinois: 1950-2000 I-13
 Figure 4. Percent of Resident Live Births with Low Birthweight by Age
 and Marital Status of Mother, Illinois: 2000 I-16
 Figure 5. Cumulative Infant Deaths by Period, Illinois: 1970-2000 I-29
 Figure 6. Infant Mortality Rates with 95 Percent Confidence Intervals, Illinois: 1980-2000 .. I-30
 Figure 7. Infant Mortality Rates by Race, Illinois: 1960-2000 I-30

TABLES

Table A. Live Births, Deaths, Infant Deaths, Neonatal Deaths, And Maternal Deaths,
 with Rates for Each, and Fetal Deaths, with Ratios,
 Illinois: 1918 - 2000 x

Table 1. Occurrences of Marriages, Divorces and Annulments,
 Illinois: 1970-2000 I-4

Table 2. Marriages by Age of Bride and Groom, Illinois: 2000 I-5

Table 3. Number of Previous Marriages of Bride and Groom,
 Illinois: 2000 I-5

Table 4. Marital Status of Bride and Groom at Time of Marriage,
 Illinois: 2000 I-6

Table 5. Median Age of Brides and Grooms and Median Duration
 of Marriage, Illinois: 1965, 1970, 1975, 1980 and 1985-2000 I-6

Table 6. Divorces and Annulments by Age of Husband and Wife at
 Time of Decree, Illinois: 2000 I-7

Table 7. Divorces and Annulments Classified by Duration of
 Marriage, Illinois: 2000 I-7

Table 8. Resident Live Births and Birth Rates by Age of Mother for
 All Births and for First Child, Illinois: 1980, 1990, 1995-2000 I-12

TABLES (Continued)

Table 9.	Proportion of Nonmarital Births by Age of Mother, Illinois: 1980, 1990, 1995 and 2000	I-13
Table 10.	Number and Percent Distribution of Resident Live Births by Educational Attainment and Race of Mother, Illinois: 2000	I-14
Table 11.	Prenatal Care Initiated in the First Trimester of Pregnancy as Percent of Resident Live Births by Race, Age and Marital Status of Mother, Illinois: 2000	I-15
Table 12.	Percent of Resident Live Births of Low Birthweight by Marital Status, Race and Age of Mother, Illinois: 2000	I-15
Table 13.	Number and Percent Distribution of Live Births by Race of Mother According to Hispanic Origin of Mother, Illinois: 2000	I-17
Table 14.	Live Births by Selected Counties of Residence and Hispanic Origin of Mother and by Race of Non-Hispanic Mothers, Illinois: 2000	I-18
Table 15.	Live Births by Age and Hispanic Origin of Mother and by Race of Non-Hispanic Mothers, Illinois: 2000	I-18
Table 16.	Percent of Live Births with Selected Characteristics by Hispanic Origin of Mother and by Race of Non-Hispanic Mothers, Illinois: 2000	I-19
Table 17.	Resident Live Births by Birthweight, Sex and Race, Illinois: 2000	I-20
Table 18.	Resident Live Births by Birthweight, Sex and Race, City of Chicago: 2000	I-21
Table 19.	Resident Live Births by Birthweight, Sex and Race, Downstate: 2000	I-22
Table 20.	Resident Live Births by Sex, Place of Birth, Attendant and Marital Status of Mother, Illinois, Chicago and Downstate: 2000	I-23
Table 21.	Resident Total Live Births with Numbers and Ratios of Births to Unmarried Women, Illinois: 1950, 1955, 1960, 1965, 1970, 1975, 1980-2000	I-24
Table 22.	Age Specific Death Rates, Illinois: 1980, 1990 and 2000	I-27
Table 23.	Age Specific Death Rates by Race and Sex, Illinois: 2000	I-27
Table 24.	Resident Perinatal Losses and Perinatal Mortality Ratio by Race and Sex, Illinois, Chicago and Downstate: 2000	I-28
Table 25.	Number of Deaths and Rates for Infants by Race for Neonatal and Postneonatal Periods, Illinois, Chicago and Downstate: 1990, 1999 and 2000	I-28
Table 26.	Leading Causes of Infant Death, by Age, Illinois: 2000	I-31
Table 27.	Leading Causes of Death by Age and Sex, Illinois 2000	I-32
Table 28.	Components of Resident Heart Disease by Age, Illinois: 2000	I-32
Table 29.	Resident Cancer Deaths by Site and Age, Illinois: 2000	I-33
Table 30.	Components of Resident Chronic Lower Respiratory Diseases Deaths by Age, Illinois: 2000	I-34
Table 31.	Components of Resident Influenza and Pneumonia Deaths by Age, Illinois: 2000	I-35
Table 32.	Death Due to Drugs by Age and Circumstance, Number and Rate, Illinois: 2000	I-35
Table 33.	Death Due to Firearms by Age and Cause, Number and Rate, Illinois: 2000	I-36
Table 34.	Deaths and Death Rates from the Principal Diseases Affecting the Respiratory System, Illinois: 1980, 1985, 1990, 1995 and 2000	I-37
Table 35.	Accidental Deaths Among Residents by Type of Accident and Age of Decedent, Illinois: 2000	I-38
Table 36.	Ten Leading Causes of Deaths Among White and All Other Races, Illinois Residents: 2000	I-39
Table 37.	The 12 Leading Causes of Death by Age and Race, Among Residents, Illinois: 2000	I-40
Table 38.	Rates for the 12 Leading Causes of Death, by Age and Race Among Residents, Illinois: 2000	I-41
Table 39.	The 12 Leading Causes of Death by Age and Race Among Residents, City of Chicago: 2000	I-42

TABLES (Continued)

Table 40	Rates for the 12 Leading Causes of Death by Age Among Residents , City of Chicago: 2000	I-43
Table 41.	The 12 Leading Causes of Death by Age and Race Among Residents, Downstate: 2000	I-44
Table 42	Rates for the 12 Leading Causes of Death by Age Among Residents, Downstate: 2000	I-45
Table 43.	Leading Causes of Death by Selected Age Groups, Illinois Residents: 2000	I-46

PART II. ILLINOIS COUNTY SUMMARIES AND DETAIL TABLES

Map of Illinois Health Service Areas	II-3
--------------------------------------	------

COUNTY SUMMARIES

Table CS-1.	Natality Summary by County, Illinois: 2000	II-4
Table CS-2.	Mortality Summary of Rates and Selected Causes by County, Illinois: 2000	II-6
Table CS-3.	Mortality Summary by Age by County, Illinois: 2000	II-8
Table CS-4.	Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates, Illinois, City of Chicago and Counties: 2000	II-10

COUNTY DETAIL TABLES

State of Illinois	II-20
City of Chicago	II-22
Adams	II-24
Alexander	II-26
Bond	II-28
Boone	II-30
Brown	II-32
Bureau	II-34
Calhoun	II-36
Carroll	II-38
Cass	II-40
Champaign	II-42
Christian	II-44
Clark	II-46
Clay	II-48
Clinton	II-50
Coles	II-52
Cook	II-54
Crawford	II-56
Cumberland	II-58
DeKalb	II-60
DeWitt	II-62
Douglas	II-64
DuPage	II-66
Edgar	II-68
Edwards	II-70
Effingham	II-72
Fayette	II-74
Ford	II-76
Franklin	II-78
Fulton	II-80
Gallatin	II-82
Greene	II-84
Grundy	II-86
Hamilton	II-88

COUNTY DETAIL TABLES (continued)

Hancock	II-90
Hardin	II-92
Henderson	II-94
Henry	II-96
Iroquois	II-98
Jackson	II-100
Jasper	II-102
Jefferson	II-104
Jersey	II-106
Jo Daviess	II-108
Johnson	II-110
Kane	II-112
Kankakee	II-114
Kendall	II-116
Knox	II-118
Lake	II-120
La Salle	II-122
Lawrence	II-124
Lee	II-126
Livingston	II-128
Logan	II-130
McDonough	II-132
McHenry	II-134
McLean	II-136
Macon	II-138
Macoupin	II-140
Madison	II-142
Marion	II-144
Marshall	II-146
Mason	II-148
Massac	II-150
Menard	II-152
Mercer	II-154
Monroe	II-156
Montgomery	II-158
Morgan	II-160
Moultrie	II-162
Ogle	II-164
Peoria	II-166
Perry	II-168
Piatt	II-170
Pike	II-172
Pope	II-174
Pulaski	II-176
Putnam	II-178
Randolph	II-180
Richland	II-182
Rock Island	II-184
St. Clair	II-186
Saline	II-188
Sangamon	II-190
Schuyler	II-192
Scott	II-194
Shelby	II-196
Stark	II-198
Stephenson	II-200
Tazewell	II-202
Union	II-204
Vermilion	II-206
Wabash	II-208

COUNTY DETAIL TABLES (continued)

Warren	II-210
Washington	II-212
Wayne	II-214
White	II-216
Whiteside	II-218
Will	II-220
Williamson	II-222
Winnebago	II-224
Woodford	II-226

PART III. CITY TABLES

Table 1. Live Births, Infant Deaths, Neonatal Deaths, and Fetal Deaths by Race Among Residents of the Larger Cities of Illinois: 2000	III-3
Table 2. Race-specific Live Birth Rates, Infant Death, Neonatal Death Rates, and Fetal Death Ratios Among Residents of the Larger Cities of Illinois: 2000	III-4
Table 3. Live Births with Percentage Rates for Low Birthweight Births and Infant Deaths by Age with Rates, Among Residents of the Larger Cities of Illinois: 2000	III-5
Table 4. Deaths for Selected Causes Among Residents of the Larger Cities of Illinois: 2000	III-6
Table 5. Death Rates for Selected Causes Among Residents of the Larger Cities of Illinois: 2000	III-8

PART IV. APPENDICES

Appendix 1. Data Sources and Analysis	
Vital Records System	IV-3
Cutoff Dates and Interstate Exchange	IV-4
Hispanic Origin	IV-4
Racial Classification	IV-4
Population by Race Categories	IV-4
Computation of Percents	IV-5
Interpretation of Vital Statistics	IV-5
Exhibit 1. Certificate of Live Birth	IV-7
Exhibit 2. Certificate of Fetal Death	IV-8
Exhibit 3. Medical Certificate of Death	IV-9
Exhibit 4. Coroner's Certificate of Death	IV-10
Exhibit 5. Marriage Application and Record	IV-11
Exhibit 6. Certificate of Dissolution, Invalidation of Marriage or Legal Separation	IV-12
Appendix 2. Definitions of Terms, Rates and Ratios	IV-13
Appendix 3. Cause-of-Death Classification	IV-17
Appendix 4. Comparability and Measurement of Mortality Trends	IV-22
Table A-1. ICD-9 and ICD-10 Codes and National Comparability Ratios for Selected Causes of Death	IV-24

V
I
T
A
L

S
T
A
T
I
S
T
I
C
S

I
L
L
I
N
O
I
S

2
0
0
0

INTRODUCTION

This report is in five parts: This introduction including Table A, an historical summary (1918-2000) of numbers and rates of major vital events in Illinois; Part I, a narrative generally limited to statewide and large-scale regional tabulations; Part II, tabulations for the state, the city of Chicago and each county; Part III, tabulations for selected larger cities of Illinois; and, Part IV, technical appendices.

Downstate, as used in this report, refers to all areas of Illinois outside the corporate limits of the city of Chicago, unless otherwise stated.

Data in this report are based on birth, death, fetal death, marriage, and divorce certificates, which by law must be filed with the Illinois Department of Public Health. The birth, death, and fetal death tables include data received from other states and Canada on Illinois residents who were born or died in their jurisdictions, and exclude data on nonresidents of Illinois who were born or died in this state. The marriage and divorce tables include all and only those events that occurred in Illinois. Appendix 1 includes samples of the certificates and a description of the vital statistics system.

Vital rates for Illinois cited in this report for 1990-1999 are based on revised intercensal population estimates obtained from the U.S. Bureau of the Census and may differ from those published in previous editions of *Vital Statistics Illinois*.

Starting with 1989 data, the tabulation of births and fetal deaths by race was changed. In prior years, birth and fetal death tabulations were by race of child, based on information reported for the mother and father. In cases where only one parent was white, the child was assigned to the other parent's race. When neither parent was white, the child was assigned the race of the father. Beginning with the 1989 data year, births and fetal deaths were tabulated by race of mother, as reported on the

certificate. Changing the basis for tabulation to race of mother results in more births and fetal deaths classified as white and fewer classified as black or of other races.

In Part II, there are two pages for the state, Chicago and each of Illinois' 102 counties. The numbers of events are provided for white and black race groups as well as for persons of Hispanic origin (persons of Hispanic origin may be of any race). On the first page, detailed natality information is presented along with infant mortality data. On the second page, detailed mortality data are given by age at death and by cause. Rates are calculated for the total population as well as for the population ages 0 to 64 years and 65 years and older.

As started with the 1999 edition, this year's "Vital Statistics Illinois" continues using mortality coding based upon revision 10 of the International Classification of Diseases (ICD-10). Editions 1979 through 1998 utilized ICD-9 codification for mortality tabulations. The mortality section of this publication contains a description of the ramifications of the transition from ICD-9 to ICD-10. Appendix 3 contains ICD-10 codes for the leading causes of death. Appendix 4 contains information on cause of death classification and ICD-9 and ICD-10 comparability.

The leading causes of death in the tables for Illinois, Chicago and Downstate (Tables 37, 39 and 41) consist of tabulations for leading causes unique to the area being described. Population by race categories for Chicago consistent with how race was collected in our vital records (see Appendix 1) was not available when this publication went to press. As a result, rates for racial groupings are provided only for the State of Illinois as a whole (Table 38). For Chicago and Downstate, rates for leading causes of death are provided only for all races (Tables 40 and 42).

TABLE A.
LIVE BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS,
AND MATERNAL DEATHS, WITH RATES FOR EACH, AND FETAL DEATHS, WITH RATIOS,
ILLINOIS: 1918 - 2000

(LIVE BIRTH RATES AND DEATH RATES PER 1,000 ESTIMATED MIDEAR POPULATION. INFANT AND NEONATAL DEATH RATES AND FETAL DEATH RATIOS PER 1,000 LIVE BIRTHS. MATERNAL DEATH RATES PER 10,000 LIVE BIRTHS)

Year	Estimated population	Live births		Deaths		Infant deaths		Neonatal deaths		Maternal deaths		Fetal deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Ratio
2000*	12,436,000	185,003	14.9	106,287	8.5	1,379	7.5	1,033	5.6	19	1.0	1,352	7.3
1999*	12,359,000	182,027	14.7	108,122	8.7	1,504	8.3	1,037	5.7	18	1.0	1,286	7.1
1998*	12,272,000	182,503	14.9	104,070	8.5	1,505	8.2	988	5.4	23	1.3	1,246	6.8
1997*	12,186,000	180,649	14.8	102,404	8.4	1,476	8.2	974	5.4	14	0.8	1,190	6.6
1996*	12,102,000	183,079	15.1	105,701	8.7	1,536	8.4	990	5.4	21	1.1	1,308	7.1
1995*	12,008,000	185,801	15.5	108,089	9.0	1,724	9.3	1,156	6.2	19	1.0	1,297	7.0
1994*	11,913,000	189,182	15.9	106,911	9.0	1,711	9.0	1,091	5.8	24	1.3	1,487	7.8
1993*	11,810,000	190,709	16.1	106,875	9.0	1,838	9.6	1,170	6.1	17	0.9	1,458	7.6
1992*	11,694,000	190,923	16.3	101,861	8.7	1,911	10.0	1,227	6.4	16	0.8	1,500	7.8
1991*	11,569,000	194,066	16.8	103,871	9.0	2,068	10.7	1,367	7.0	16	0.8	1,418	7.3
1990*	11,453,000	195,499	17.1	102,697	9.0	2,090	10.7	1,368	7.0	22	1.1	1,529	7.8
1989*	11,410,000	190,247	16.7	103,027	9.0	2,217	11.7	1,416	7.4	21	1.1	1,493	7.8
1988*	11,390,000	184,708	16.2	105,038	9.2	2,077	11.2	1,330	7.2	18	1.0	1,403	7.6
1987*	11,391,000	180,441	15.8	102,105	9.0	2,094	11.6	1,400	7.8	13	0.7	1,392	7.7
1986*	11,387,000	176,567	15.5	103,009	9.0	2,125	12.0	1,422	8.1	22	1.2	1,349	7.6
1985*	11,400,000	180,657	15.8	101,948	8.9	2,103	11.6	1,423	7.9	13	0.7	1,471	8.1
1984*	11,412,000	179,216	15.7	100,640	8.8	2,148	12.0	1,443	8.1	27	1.5	1,503	8.4
1983*	11,409,000	178,820	15.7	102,195	9.0	2,208	12.3	1,467	8.2	24	1.3	1,479	8.3
1982*	11,423,000	183,564	16.1	100,276	8.8	2,492	13.6	1,714	9.3	23	1.3	1,642	8.9
1981*	11,443,000	184,897	16.2	101,526	8.9	2,561	13.9	1,801	9.7	27	1.5	1,707	9.2
1980*	11,427,000	189,941	16.6	102,239	8.9	2,788	14.7	1,889	9.9	26	1.4	1,797	9.5
1979*	11,397,000	184,184	16.2	102,002	8.9	2,778	15.1	1,913	10.4	32	1.7	1,767	9.6
1978*	11,413,000	174,397	15.3	102,771	9.0	2,731	15.7	1,898	10.9	11	0.6	1,733	9.9
1977*	11,386,000	177,148	15.6	103,079	9.1	2,824	15.9	1,991	11.2	18	1.0	1,899	10.7
1976*	11,343,000	170,181	15.0	103,417	9.1	2,843	16.7	2,084	12.2	20	1.2	1,902	11.2
1975*	11,292,000	169,248	15.0	103,166	9.1	3,107	18.4	2,221	13.1	28	1.7	1,954	11.5
1974*	11,262,000	168,991	15.0	107,872	9.6	3,271	19.4	2,441	14.4	38	2.2	1,984	11.7
1973*	11,251,000	168,992	15.0	110,259	9.8	3,398	20.1	2,551	15.1	23	1.3	2,161	12.8
1972*	11,252,000	177,848	15.8	110,970	9.9	3,618	20.3	2,681	15.1	40	2.2	2,358	13.3
1971*	11,202,000	195,311	17.4	109,491	9.8	4,107	21.0	3,084	15.8	51	2.6	2,644	13.5
1970*	11,110,000	205,203	18.5	110,474	9.9	4,415	21.5	3,388	16.5	57	2.8	2,811	13.7
1969*	11,039,000	195,699	17.7	111,107	10.1	4,387	22.4	3,342	17.1	65	3.3	2,658	13.6
1968*	10,995,000	193,261	17.6	112,905	10.3	4,536	23.5	3,389	17.5	72	3.7	2,657	13.7
1967*	10,947,000	195,644	17.9	110,030	10.1	4,611	23.6	3,386	17.3	84	4.3	2,755	14.1
1966*	10,836,000	201,284	18.6	111,155	10.3	5,121	25.4	3,745	18.6	57	2.8	2,881	14.3
1965*	10,693,000	208,063	19.5	108,138	10.1	5,339	25.7	3,890	18.7	69	3.3	3,096	14.9
1964*	10,580,000	222,259	21.0	106,802	10.1	5,590	25.2	4,141	18.6	71	3.2	3,372	15.2
1963*	10,402,000	224,787	21.6	107,761	10.4	5,372	23.9	3,981	17.7	70	3.1	3,335	14.8
1962*	10,280,000	230,484	22.4	104,695	10.2	5,527	24.0	4,061	17.6	70	3.0	3,393	14.7
1961*	10,130,000	237,051	23.4	101,696	10.0	5,757	24.3	4,209	17.8	61	2.6	3,472	14.6
1960*	10,086,000	238,760	23.7	103,038	10.2	5,959	25.0	4,322	18.1	70	2.9	3,528	14.8

TABLE A (Continued):

(LIVE BIRTH RATES AND DEATH RATES PER 1,000 ESTIMATED MIDYEAR POPULATION. INFANT AND NEONATAL DEATH RATES AND FETAL DEATH RATIOS PER 1,000 LIVE BIRTHS. MATERNAL DEATH RATES PER 10,000 LIVE BIRTHS)

Year	Estimated population	Live births		Deaths		Infant deaths		Neonatal deaths		Maternal deaths		Fetal deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Ratio
1959*	9,986,000	239,871	24.0	101,406	10.2	5,990	25.0	4,318	18.0	72	3.0	3,489	14.5
1958*	9,886,000	234,712	23.7	101,729	10.3	5,857	25.0	4,211	17.9	74	3.2	3,615	15.4
1957*	9,668,000	238,579	24.7	102,293	10.6	6,070	25.4	4,417	18.5	80	3.4	3,653	15.3
1956*	9,530,000	229,571	24.1	96,956	10.2	5,642	24.6	4,158	18.1	77	3.3	3,399	14.8
1955*	9,435,000	220,541	23.4	95,585	10.1	5,479	24.8	3,969	18.0	83	3.8	3,328	15.1
1954*	9,252,000	217,229	23.5	92,307	10.0	5,442	25.1	4,018	18.5	76	3.5	3,235	14.9
1953*	9,065,000	206,813	22.8	96,607	10.7	5,326	25.8	3,812	18.4	88	4.3	3,323	16.1
1952*	8,956,000	205,438	22.9	94,173	10.5	5,115	24.9	3,721	18.1	92	4.5	3,239	15.8
1951*	8,790,000	201,082	22.9	93,254	10.6	5,023	25.0	3,776	18.8	107	5.3	3,270	16.3
1950*	8,738,000	189,640	21.7	92,260	10.6	4,855	25.6	3,580	18.9	114	6.0	3,083	16.3
1949+	8,670,000	189,313	21.8	92,568	10.7	5,195	27.4	3,812	20.1	132	7.0	3,274	17.3
1948+	8,552,000	184,871	21.6	91,328	10.7	5,123	27.7	3,792	20.5	151	8.2	3,284	17.8
1947+	8,341,000	196,007	23.5	93,686	11.2	5,672	28.9	4,236	21.6	204	10.4	3,669	18.7
1946+	8,155,000	174,825	21.4	89,566	11.0	5,316	30.4	4,015	23.0	237	13.6	3,667	21.0
1945+	7,601,000	138,705	18.2	90,116	11.9	4,377	31.6	3,001	21.6	235	16.9	2,951	21.3
1944+	7,719,000	142,005	18.4	88,180	11.4	4,602	32.4	3,107	21.9	254	17.9	3,158	22.2
1943+	7,761,000	155,735	20.1	92,058	11.9	5,184	33.3	3,474	22.3	320	20.5	3,470	22.3
1942+	8,057,000	156,232	19.4	87,777	10.9	5,170	33.1	3,613	23.1	326	20.9	3,445	22.1
1941+	7,995,000	136,159	17.0	86,582	10.8	4,661	34.2	3,215	23.6	340	25.0	3,186	23.4
1940+	7,905,000	124,615	15.8	89,099	11.3	4,398	35.3	3,004	24.1	369	29.6	3,152	25.3
1939++	7,890,000	117,841	14.9	86,994	11.0	4,474	38.0	3,011	25.6	370	31.4	2,978	25.3
1938++	7,866,000	122,562	15.6	84,769	10.8	5,016	40.9	3,244	26.5	412	33.6	3,207	26.1
1937++	7,857,000	115,282	14.7	87,739	11.2	4,967	43.1	3,208	27.8	450	39.0	3,058	26.5
1936++	7,840,000	112,167	14.3	92,806	11.6	5,246	46.8	3,315	29.6	500	44.6	3,099	27.6
1935++	7,797,000	111,884	14.3	85,518	11.0	5,138	45.9	3,380	30.2	555	49.6	3,308	29.6
1934++	7,772,000	110,226	14.2	87,205	11.2	5,825	52.8	3,633	33.0	568	51.5	3,333	30.2
1933++	7,768,000	107,910	13.9	82,513	10.6	5,284	49.0	3,402	31.5	537	49.8	3,219	29.8
1932++	7,736,000	111,512	14.4	83,180	10.8	5,884	52.8	3,639	32.6	625	56.0	3,446	30.9
1931++	7,687,000	118,788	15.5	85,788	11.2	6,961	58.6	4,067	34.2	659	55.5	4,080	34.3
1930++	7,644,000	128,121	16.8	83,591	10.9	7,152	55.8	4,356	34.0	699	54.6	4,311	33.6
1929++	7,606,000	128,633	16.9	87,788	11.5	7,901	61.4	4,751	36.9	874	67.9	4,452	34.6
1928++	7,576,000	129,667	17.1	90,195	11.9	8,326	64.2	4,760	36.7	743	57.3	4,677	36.1
1927++	7,519,000	133,662	17.8	82,849	11.0	8,605	64.4	4,989	37.3	743	55.6	4,693	35.1
1926++	7,395,000	133,939	18.1	85,331	11.5	9,294	69.4	5,043	37.7	871	65.0	4,879	36.4
1925++	7,306,000	135,437	18.5	81,593	11.2	9,822	72.5	5,156	38.1	789	58.3	4,885	36.1
1924++	7,215,000	137,118	19.0	77,133	10.7	9,734	71.0	5,475	39.9	844	61.6	5,290	38.6
1923++	7,068,000	131,920	18.7	81,753	11.6	10,809	81.9	5,467	41.4	846	64.1	5,157	39.0
1922++	6,958,000	134,050	19.3	75,771	10.9	10,195	76.1	5,438	40.6	847	63.2	4,826	36.0
1921++	6,858,000	NA	NA	73,424	10.7	10,674	NA	5,620	NA	944	NA	NA	NA
1920++	6,663,000	NA	NA	82,296	12.4	11,641	NA	5,584	NA	1,141	NA	NA	NA
1919++	6,392,000	NA	NA	77,256	12.1	11,148	NA	5,317	NA	960	NA	NA	NA
1918++	6,275,000	NA	NA	100,396	16.0	13,109	NA	5,897	NA	1,160	NA	NA	NA

* 1950 - 2000: Resident data from tabulations in Illinois Department of Public Health.
 (1953 - 1954 Maternal deaths from Vital Statistics of the United States)
 + 1940 - 1949: Resident data from Vital Statistics of the United States for each year.
 ++ 1918 - 1939: Occurrence data from United States Bureau of the Census publications.
 NA (not available): Illinois was admitted to the United States Birth Registration Area in 1922.
 Population Estimates: United States Bureau of the Census Series P-25, Nos. 139, 304, 460, 957, and 1058.

MARRIAGE

and

DIVORCE

Marriage

After a small increase in the annual number of marriages registered during 1999, the number of marriages recorded in Illinois during 2000 continued its longer-term decline. The total number of marriages recorded in Illinois in 2000 was 85,798, down 1.3 percent from the 86,961 recorded in 1999. With the exception of the 1988-1989 period (discussed below), the number of marriages during 2000 is the second lowest recorded since at least 1970 (Table 1).

The marriage rate (the number of marriages per 1,000 population) decreased from 7.0 in 1999 to 6.9 in 2000 (Figure 1). This was the result of 1,163 fewer marriages combined with an increase of 77,000 in the estimated population between 1999 and 2000 (Table A).

Figure 1 shows a sharp fluctuation in the marriage rate from 1988 through 1990. The fluctuation appears to be largely the result of the human immunodeficiency virus (HIV) testing requirement for

obtaining a marriage license initiated in Illinois in 1988. The marriage rate in 1988 dropped sharply, coinciding with the HIV testing requirement, and rebounded in 1989 and 1990 following its repeal. The pre-1988 trend of generally declining marriage rates seems to have been reestablished following this period of fluctuation.

Recent marriage totals are a part of a much larger decreasing trend since the early 1970s (Table 1). To some degree, the smaller number of marriages in 1991 through 2000, compared to 1987, can be attributed to the fact that the proportion of the population 20 to 29 years of age, which has the highest marriage rate, shrank from 1,956,400 (or 17.2% of the total population) in 1987 to 1,738,100 (or 14.0%) in 2000. Such a demographic change not only lowered the number of marriages, it also contributed to the rise in the median age of marriage by over two years for grooms, from 27.7 years in 1987 to 30.0 years in 2000, and for brides, from 25.8 years to 28.1 years (Table 5).

As in previous years, young adults 20 to 29 years of age accounted for a near majority of the number and percentage of marriages for brides and grooms in 2000. For grooms, however, those 30 years of age and older formed the largest percentage group. Since at least 1985, both brides and grooms have showed an increasing tendency for delayed marriage. In 1985, 58.3 percent of the grooms and 59.5 percent of the brides were 20 - 29 years of age. In 2000, these percentages had shrunk to 46.9 and 51.6 percent, respectively. During the same period, marriages to grooms age 30 years and older increased from 37.1 percent of all marriages to 50.4 percent and brides of that age group increased from 28.2 percent to 41.8 percent of all marriages. Marriages at ages younger than 20 years also have been declining. In 1985, 4.6 percent of the grooms and 12.3 percent of the brides were under 20 years of age. During 2000, only 2.6 percent of the grooms and 6.6 percent of the brides were under 20 years of age (Table 2).

In addition to varying by age, marriage rates also varied by race. Whites were more likely to marry than those of other races, but the difference in 2000 was not as large as in most previous years. The marriage rate for whites (the number of marriages with a white bride and a white groom per 1,000 white population) was 6.0 in 2000, compared to 5.3 for those of all other races. Rates for both white and all other races decreased from comparative 1999 values (6.2 and 6.1 respectively).

Approximately 31.7 percent of both brides and grooms had been married before (Table 3). Of the total number of marriages where the previous

Figure 1.
Marriage and Divorce Rates
Illinois, 1965-2000




Table 1.
Occurrences of Marriages, Divorces and Annulments
Illinois, 1970 - 2000

Year	Marriages		Divorces and Annulments			
	Number	Rate ¹	Divorces	Annulments	Total	Rate ¹
1970	115,478	10.4	36,054	396	36,450	3.3
1971	115,826	10.3	39,753	383	40,136	3.6
1972	118,592	10.5	42,628	464	43,092	3.8
1973	119,843	10.7	44,671	481	45,152	4.0
1974	116,419	10.3	47,878	483	48,361	4.3
1975	111,459	9.9	50,452	502	50,954	4.5
1976	110,847	9.8	51,317	493	51,810	4.6
1977	108,100	9.5	48,566	414	48,980	4.3
1978	105,946	9.3	49,761	550	50,311	4.4
1979	108,480	9.5	51,832	301	52,133 ²	4.6
1980	109,823	9.6	50,728	269	50,997	4.5
1981	109,074	9.5	51,536	253	51,789	4.5
1982	107,023	9.4	49,363	276	49,639	4.3
1983	103,773	9.1	50,113	243	50,356	4.4
1984	102,418	9.0	48,670	227	48,897	4.3
1985	97,701	8.6	48,682	203	48,885	4.3
1986	96,189	8.4	45,675	177	45,852	4.0
1987	95,613	8.4	46,800	186	46,986	4.1
1988	78,302	6.9	45,736	175	45,911	4.0
1989	85,695	7.5	45,676	201	45,877	4.0
1990	100,632	8.8	45,819	158	45,977	4.0
1991	94,771	8.2	45,659	154	45,813	4.0
1992	94,500	8.1	43,580	177	43,757	3.7
1993	91,578	7.8	43,061	155	43,216	3.7
1994	93,430	7.8	43,202	150	43,352	3.6
1995	93,357	7.8	41,711	145	41,856	3.5
1996	91,187	7.5	40,585	144	40,729	3.4
1997	94,574	7.8	39,807	174	39,981	3.3
1998	85,515	7.0	40,904	159	41,063	3.3
1999	86,961	7.0	41,020	92	41,112	3.3
2000	85,798	6.9	39,429	95	39,524	3.2

¹ Rates per 1,000 estimated population
² Reporting known to be incomplete

Table 2.
Marriages by Age of Bride and Groom
Illinois, 2000

Bride's Age	Total	Groom's Age										
		Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 and older
Under 20	5,681	1,489	3,166	763	183	52	15	6	5	2	--	--
20-24	22,430	665	11,147	7,829	1,951	577	176	46	25	10	3	1
25-29	21,821	75	2,311	10,947	5,717	1,874	611	186	64	27	5	4
30-34	12,941	19	428	2,578	4,936	2,986	1,299	448	152	56	24	15
35-39	8,531	11	130	636	1,699	2,743	1,884	882	351	130	44	21
40-44	5,865	1	41	206	485	1,103	1,699	1,279	659	249	84	59
45-49	3,880	1	12	55	131	382	760	1,103	811	366	170	89
50-54	2,242	--	2	12	32	85	197	372	690	475	219	158
55-59	1,040	--	--	2	9	14	41	79	158	316	218	203
60-64	627	--	--	1	2	8	14	15	44	84	169	290
65 and older	740	--	--	--	2	--	1	6	15	20	47	649
Total	85,798	2,261	17,237	23,029	15,147	9,824	6,697	4,422	2,974	1,735	983	1,489

Table 3.
Number of Previous Marriages of Bride and Groom
Illinois, 2000

Bride	Total	Groom										
		0	1	2	3	4	5	6	7	8	9+	Unknown
0	58,390	49,147	8,006	1,005	153	26	8	1	1	1	1	41
1	20,234	7,779	9,567	2,302	458	68	21	6	2	1	--	30
2	5,064	1,114	2,408	1,188	272	42	19	6	4	1	--	10
3	1,260	192	553	311	158	27	10	6	--	1	--	2
4	311	37	130	87	31	21	3	2	--	--	--	--
5	108	13	40	31	12	10	2	--	--	--	--	--
6	36	2	11	9	7	4	3	--	--	--	--	--
7	11	1	5	3	1	1	--	--	--	--	--	--
8	8	--	3	1	--	1	--	--	--	3	--	--
9+	8	1	6	1	--	--	--	--	--	--	--	--
Unknown	368	34	50	11	2	--	--	--	--	--	--	271
Total	85,798	58,320	20,779	4,949	1,094	200	66	21	7	7	1	354

Table 4.
Marital Status of Bride and Groom at Time of Marriage
Illinois, 2000

Marital Status of Bride	Total	Marital Status of Groom				
		Never Married	Widowed	Divorced	Annulled	Unknown
Never Married	58,390	49,147	347	8,799	45	52
Widowed	2,179	424	725	1,019	6	5
Divorced	24,661	8,604	1,026	14,976	24	31
Annulled	97	38	3	40	16	--
Unknown	471	107	4	56	--	304
Total	85,798	58,320	2,105	24,890	91	392

Table 5.
Median Age of Brides and Grooms
and Median Duration of Marriage
Illinois: 1965, 1970, 1975, 1980, and
1985 - 2000

Year	Median Age in Years		Median Duration of Marriage in Years ¹
	Bride	Groom	
1965	22.3 ²	24.5 ²	7.1
1970	22.1 ²	24.2 ²	6.9
1975	23.1 ²	25.1 ²	6.5
1980	23.8 ²	26.0 ²	6.9
1985	25.4 ²	27.7 ²	6.9
1986	25.5	27.5	7.0
1987	25.8	27.7	7.2
1988	25.7	27.6	7.5
1989	26.0	27.9	7.2
1990	26.5	28.4	7.2
1991	26.6	28.5	7.1
1992	26.8	28.7	7.2
1993	26.9	28.9	7.2
1994	27.0	29.0	7.3
1995	27.1	29.0	7.4
1996	27.4	29.3	7.5
1997	27.6	29.5	7.5
1998	27.8	29.7	7.7
1999	27.9	29.8	7.9
2000	28.1	30.0	7.8

¹ At time of divorce

² Based on sample data from the National Center for Health Statistics

marital status was known, 8.0 percent of the brides and 7.4 percent of the grooms had been married more than once before. Only 1.6 percent of the grooms and 2.0 percent of the brides had been married more than twice. Again, where previous marital status of the bride and groom was known, 57.8 percent of

marriages were to couples where neither had been married before.

In 2000, among both grooms and brides who had been married before and whose previous marital status was known, 91.9 percent of the grooms and 91.6 percent of the brides had been divorced (Table 4). The widowed and those whose marriages had been annulled accounted for the remaining 8.1 percent of the grooms and 8.4 percent of the brides.

Divorces and Annulments

The number of divorces and annulments in 2000 totaled 39,524 (39,429 divorces and 95 annulments), down nearly 4 percent from those recorded in 1999. The numbers of divorces and annulments (hereafter collectively referred to as "divorces") registered in Illinois during 2000 were lower than those recorded in any year since 1971. In general, the number of divorces occurring in Illinois during the peak period of the late 1970s and early 1980s were approximately 9,000 to 12,500 more than the number registered in 2000

The divorce rate per 1,000 population reached peaks of 4.6 in 1976 and 1979. Between 1979 and 1996, the divorce rate gradually declined and between 1997 and 1999 had been steady at 3.3 before dropping to 3.2 in 2000 (Figure 1). Census and divorce data suggest that a portion of the decline in the divorce rate from 1980 to 1995 may be attributed to the change in the age structure

Table 6.
Divorces and Annulments by Age of Husband and Wife at Time of Decree
Illinois, 2000

Age of Wife (Years)	Total	Age of Husband (Years)											
		Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 and older	Unknown
Total	39,524	85	1,917	5,719	6,939	7,314	6,332	4,620	2,919	1,535	767	738	639
Under 20	267	45	160	34	17	4	--	2	--	1	--	--	4
20-24	3,571	33	1,353	1,550	395	139	54	15	3	--	1	1	27
25-29	6,648	6	300	3,029	2,259	696	203	70	31	10	4	2	38
30-34	7,194	--	50	755	3,017	2,245	737	212	86	35	5	5	45
35-39	7,187	--	28	200	794	2,980	2,076	717	223	72	25	19	53
40-44	5,930	1	5	73	251	854	2,381	1,556	511	166	53	34	45
45-49	3,980	--	2	21	84	243	623	1,601	958	278	93	53	24
50-54	2,176	--	2	4	23	54	148	321	880	499	168	62	15
55-59	1,000	--	--	2	7	20	35	59	169	365	223	108	12
60-64	454	--	--	1	1	8	7	13	30	69	152	163	10
65 +	351	--	--	1	2	1	3	7	6	19	32	275	5
Unknown	766	--	15	49	89	70	65	47	22	21	11	16	361

Table 7.
Divorces and Annulments Classified
by Duration of Marriage
Illinois, 2000

	Type of Decree		
	Divorce	Annulment	
Under 1 Year	1,194	56	
1 Year	2,502	19	
2 Years	2,998	9	
3 Years	3,133	4	
4 Years	2,822	2	
Under 5 Years	12,649		90
5 Years	2,683	1	
6 Years	2,241	1	
7 Years	2,090	--	
8 Years	1,864	--	
9 Years	1,720	--	
5-9 Years	10,598		2
10-14 Years	6,159	--	
15-19 Years	3,989	--	
20-24 Years	2,665	1	
25-29 Years	1,606	1	
30-34 Years	827	1	
35-39 Years	363	--	
40-44 Years	173	--	
45-49 Years	67	--	
50 Years and Over	35	--	
Unknown	298	--	
Total	39,429		95

of the increasing proportion of older adults (who had a lower rate).

While the 2000 Illinois male population 20 - 34 years of age accounted for about 28.5 percent of the male population 15 years of age and over, approximately 37 percent of the divorced husbands were in this age group (Table 6). This age concentration, indicating a higher divorce rate among young adult males, was even more pronounced for females. While 26 percent of the female population 15 years of age and over were in the age group 20 to 34 years, about 45 percent of the divorced wives were in this same age group.

Most divorces occur relatively early in marriage. (For strictly annulments, in 2000, approximately 59 percent occurred before the end of the first year of marriage.) In 2000, the mode (the highest number of divorces) was for couples who had been married three years, and the number of divorces generally declined with increasing duration of marriage. For those whose length of marriage was known, 32 percent of divorcing couples had been married less than five years and approximately 59 percent had been married less than 10 years (Table 7). The median duration of marriage at time of divorce decree in Illinois in 2000 was 7.8 years, 0.1 of a year lower than in 1999 (Table 5). The 2000 value of 7.8 years is the second longest

median duration in Illinois since at least 1965, exceeded only by 1999's value of 7.9 years.

In 2000, the number of children younger than 18 years of age whose parents divorced was 35,834, or 757 less than in 1999 (36,591). The rate of children involved in divorce per 1,000 children under 18 years of age was 11.0 in 2000 compared to 11.5 in 1999, 12.5 in 1995 and


14.5 in 1990. Among the 37,831 divorces where the presence of children was stated, 53 percent of couples divorcing in 2000 had children under the age of 18 years, 23 percent had one child, while 20 percent had two children and 9 percent had three or more children. For 4.3 percent of divorcing couples, the number of children involved was unstated.

N
A
T
A
L
I
T
Y

Live Births

For just the second time in the past 10 years, the number of births recorded to Illinois' resident mothers increased over the number recorded the previous year. There were 185,003 live births recorded to Illinois' resident mothers for 2000, up 2,976 (1.6%) over the 182,027 births recorded for 1999 (Table A). Like the number of live births, the crude birth rate (the number of live births per 1,000 estimated population) increased from 14.7 in 1999 to 14.9 in 2000. This increase in rate was the result of the 1.6 percent increase in births and an increase in July 1, 2000 population of 77,000 (0.6%) over the July 1, 1999 population.

Figure 2.
Crude Birth and Death Rates
Illinois, 1965-2000



The 2000 general fertility rate (number of live births per 1,000 women 15-44 years of age) was 67.4, above the 1999 and 1998 rates of 66.3 and 66.4 respectively. The rate for the resident white population (66.2) increased from the rate for 1999 (65.7). The rate for all other races decreased from 77.0 in 1999 to 71.8 in 2000.

One reason for the decline in the general fertility rate is the decrease in the number of women in the peak childbearing age groups. In 1990, the general fertility rate was 72.6, the proportion of births to women age 20 to 34 years was 77.7 percent and the estimated female population for this same age group was 1,430,700 (Table 8). In 2000, the

general fertility rate had declined to 67.4 (-7.4%), the proportion of births declined to 74.6 percent and the population was 1,309,000 (-8.1%). On the other hand, age-specific birth rates for women age 30 years and older have been increasing since 1990. From 1990 to 2000, the age 30-34 birth rate increased 15 percent, age 35-39 years increased 28 percent and age 40-44 years increased 44 percent.

For women age 30-34 years, the proportion of births that were first children was higher than in 1990. In 2000, 28.9 percent of all births to women age 30-34 years were first children, compared to 25.2 percent in 1990. For mothers under 25 years of age, the percentage of all births that were first children also increased from 55.4 percent in 1990 to 55.9 percent in 2000. This means that a smaller proportion of births in 2000 to mothers less than 25 years of age represented their second, third or higher order child, compared to mothers of the same age in 1990.

Births to mothers under age 20 years declined for the seventh consecutive year. During 2000, 21,108 births were recorded to mothers under age 20 years. Of those births, 392 (1.9 %) were to mothers under the age of 15 years; 7,156 (33.9%) were to mothers age 15-17 years and 13,560 (64.2%) were to mothers 18 or 19 years of age. Since 1990, the number of births to women age 15-19 years has decreased by 16.8 percent and the rate by 23.7 percent. For females age 10-14 years of age, the number decreased by 38 percent since 1990 while the rate declined by 45.8 percent. The 2000 rate of 0.9 births per 1,000 females age 10-14 years is the lowest since at least 1970. The 2000 rate of 48.0 births per 1,000 females age 15-19 years is lower than any year since at least 1981.

The level of educational attainment of mothers is generally inversely related to the fertility rate. However, 49.5 percent of the live births in Illinois during 2000 occurred to women with at least some college education (Table 10), the same as in 1999 but higher than the comparable proportions for 1998 (48.7%) and 1997 (48.4%). In 2000, 78.1 percent of the live births occurred to women with at least a high school education.

The number of infants born in multiple deliveries (e.g., twins, triplets) in 2000 was 6,357, up 236 from the 6,121 recorded in 1999. Multiple deliveries accounted for 3.4 percent of the total live births, having steadily risen from 2.0 percent in 1980. The twinning ratio (the proportion of live births as part of twins per 1,000 live births) was 31.7 in 2000, up over 60 percent from the 1980 ratio of 19.8. The higher order multiple birth ratio (triplets and higher order births) was 0.51 in 1980, rising to 2.64 in 2000, over a 400 percent increase.

Table 8.
Resident Live Births and Birth Rates by Age of Mother
For All Births and for First Child
Illinois: 1980, 1990, 1995-2000
(Rates per 1,000 women in specified age group)


Year and birth order	All Ages ⁽¹⁾	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All Births	<u>Numbers of Births</u>								
2000	185,003	392	20,716	43,054	49,617	45,287	21,627	4,112	172
1999	182,027	422	21,411	41,375	49,822	43,833	21,122	3,834	186
1998	182,503	462	22,170	41,014	49,847	44,576	20,859	3,684	146
1997	180,649	463	22,183	40,415	49,623	44,217	20,193	3,376	165
1996	183,079	508	22,823	41,210	50,466	44,982	19,747	3,223	103
1995	185,801	579	23,467	43,059	50,708	45,677	19,101	3,097	102
1990	195,499	632	24,913	47,443	60,268	44,267	15,538	2,315	76
1980	189,941	609	29,174	62,404	58,463	29,956	7,955	1,310	63
First child ⁽²⁾	<u>Age-specific Rates</u>								
2000	73,004	386	16,005	19,482	18,673	13,088	4,521	800	39
1999	71,302	411	16,369	18,465	18,531	12,466	4,242	758	50
1998	71,320	451	16,894	18,247	18,305	12,538	4,188	663	26
1997	72,174	446	16,943	18,382	19,109	12,315	4,240	701	32
1996	73,057	499	17,265	18,902	19,236	12,379	4,117	630	23
1995	74,418	557	17,602	19,942	19,570	12,290	3,812	625	18
1990	77,399	613	18,084	21,719	22,334	11,148	3,089	378	12
	General Fertility Rate ⁽³⁾								
2000	67.4	0.9	48.0	103.7	113.0	99.6	43.2	8.2	0.4
1999	66.3	1.0	49.6	101.4	112.1	94.9	41.7	7.8	0.4
1998	66.4	1.1	51.8	102.4	111.3	94.0	40.8	7.6	0.3
1997	65.8	1.1	52.7	102.0	110.7	90.6	39.3	7.1	0.4
1996	66.7	1.2	55.3	103.7	112.5	89.5	38.4	6.9	0.2
1995	67.9	1.4	58.4	105.8	113.6	88.7	37.4	6.8	0.3
1990	72.6	1.6	63.4	111.2	122.3	86.6	33.7	5.7	0.2
1980	71.3	1.4	55.8	115.6	117.6	67.8	22.2	4.3	0.2
First child ⁽²⁾	<u>Age-specific Rates</u>								
2000	26.6	0.9	37.0	46.9	42.5	28.8	9.0	1.6	0.1
1999	26.0	0.9	38.0	45.2	41.7	27.0	8.4	1.5	0.1
1998	25.9	1.1	39.4	45.6	40.9	26.4	8.2	1.4	0.1
1997	26.3	1.0	40.2	46.4	42.6	25.2	8.2	1.5	0.1
1996	26.6	1.2	41.8	47.6	42.9	24.6	8.0	1.3	0.1
1995	27.2	1.3	43.8	49.0	43.8	23.9	7.5	1.4	0.0
1990	28.7	1.6	46.0	50.9	45.3	21.8	6.7	0.9	0.0

(1) Includes figures for age of mother not stated and when mother was 50 years of age or older

(2) First child is defined as mother's first live birth.

(3) General fertility rates are computed by relating total births to women 15 to 44 years of age, regardless of age of mother.

Figure 3.
Resident Births to Unmarried Women by Race
Illinois, 1950-2000



Births to Unmarried Mothers

In 2000, the number of births recorded to Illinois' unmarried women totaled 63,823, up from the 62,045 recorded in 1999 but down 1.9 percent from the number recorded for the peak year of 1993 (65,086). The percentage of all births to unmarried women in 2000 (34.5%) was up from the 34.1 percent recorded the two previous years.

For most age groups, the proportion of all births that are to unmarried women increased from 1990. As in 1999, 85 percent of all mothers 15-19 years of age were unmarried, an increase of 5 percentage points from the corresponding proportion in 1990, but much higher than the 57 percent in 1980 (Table 9). Since 1990, the proportion of births to unmarried mothers increased for mothers younger than 30 years of age as well as for mothers 35 years of age and older, while remaining stable for mothers 30-34 years of age and older. The proportion of births to unmarried mothers was smallest for mothers aged 30-34 years of age (13%).

The number of births to unmarried mothers was disproportionately larger among blacks compared to whites. While black births comprised only 18.5

percent of all Illinois births, the number of births to unmarried black women (26,182) accounted for 41 percent of the total births to unmarried Illinois women in 2000 (Table 20).

Among births to black women, 76.4 percent were to unmarried mothers, down from 77.2 percent in 1999. Among white women, 25.9 percent of all births were to unmarried mothers, up from 25.0 percent in 1999. The percentage of births to unmarried white mothers in 2000 was a new peak, following the general trend since at least 1950 of increasing proportions (Figure 3).

Table 9.
Proportion of Nonmarital Births
by Age of Mother
Illinois: 1980, 1990, 1995 and 2000

Age of mother (years)	Proportion of Nonmarital births			
	1980	1990	1995	2000
15-19	.57	.80	.83	.85
20-24	.25	.45	.51	.56
25-29	.11	.19	.22	.25
30-34	.08	.13	.13	.13
35-39	.09	.13	.14	.14
40 and over	.15	.16	.16	.17

Table 10.
Number and Percent Distribution of Resident Live Births by
Educational Attainment and Race of Mother
Illinois: 2000

Race	Total	Years of school completed by mother					
		0-8 years	9-11 years	12 years	13-15 years	16 years or more	Not stated
		Number of births					
All races	185,003	12,930	27,168	52,461	40,210	50,642	1,592
White	142,313	11,987	17,542	38,734	30,656	42,240	1,154
All other races	42,690	943	9,626	13,727	9,554	8,402	438
Black ⁽¹⁾	(34,268)	(759)	(9,280)	(12,269)	(8,036)	(3,597)	(327)
		Percent distribution ⁽²⁾					
All races	100.0	7.0	14.8	28.6	21.9	27.6	
White	100.0	8.5	12.4	27.4	21.7	29.9	
All other races	100.0	2.2	22.8	32.5	22.6	19.9	
Black ⁽¹⁾	100.0	2.2	27.3	36.1	23.7	10.6	

⁽¹⁾ Included in "All other races"
⁽²⁾ Excludes births with unknown education of mother

The difference in the proportions of nonmarital births between black and white mothers varied by age, but remained substantial among almost all age groups. In 2000, for mothers age 25-29 years the percentage of nonmarital births was 18.4 percent for white mothers and 64.5 percent for black mothers, a difference of over 46 percentage points and the largest among the five-year age groups. The age group with the lowest proportion of nonmarital births for black mothers (with the exception of births to mothers under the age of 15 years) was age group 35-39 years with 50.1 percent, and the lowest to white mothers was age 30-34 years with 9.0 percent.

Nonmarital births also varied by residence. In 2000, the number of nonmarital births in Chicago (26,589) accounted for about 42 percent of the total nonmarital births in Illinois, despite the fact that about 23 percent of the State's population resided in Chicago. More than half (52.3%) of the total births in Chicago were nonmarital births compared to 27.8 percent Downstate.

Prenatal care

The proportion of mothers who began pre-natal care during the first trimester of pregnancy declined for

the second consecutive year. The 82.4 percent recorded for 2000 was below both the 1999 value of 82.5 and the 82.7 percent in 1998. The proportion of mothers initiating care in the third trimester or receiving no care at all was 3.9 percent in 2000, less than in 1999 (4.1%) and the same as in 1998.

There was a difference by race in the timely receipt of prenatal care. In 2000, the proportions of white mothers and mothers of all other races who began care in the first trimester were 84.9 percent and 73.7 percent, respectively (Table 11). Also, 3.0 percent of white mothers and 7.2 percent of mothers of all other races received only third trimester care or no care at all.

Initiation of early prenatal care also varied by age of mother (Table 11). In 2000, only 38.1 percent of mothers under 15 years of age and 66.3 percent of those age 15-19 years began care in the first trimester compared with 89.9 percent for mothers age 30-34 years and 88.8 percent for mothers age 35-39 years. Two age groups, mothers 15-19 and 20-24 years of age, showed slight increases in the proportion of mothers receiving first trimester prenatal care over 1999 values. All other age groups were slightly below their 1999 values. However, with the exception of mothers under 15, all age groups were above comparable 1990 values.

Table 11.
Prenatal Care Initiated in the First Trimester of Pregnancy,
As Percent of Resident Live Births by Race, Age, and Marital Status of Mother
Illinois: 2000

Age of mother (years)	Percent initiated in first trimester ⁽¹⁾								
	All races			White			All other races		
	Total	Married	Unmarried	Total	Married	Unmarried	Total	Married	Unmarried
All ages	82.4	89.0	69.7	84.9	89.6	71.6	73.7	85.1	67.1
Under 15	38.1	*	38.1	41.1	*	40.8	36.7	-0-	36.8
15-19	66.3	72.0	65.3	68.8	71.9	67.9	62.1	72.8	61.8
20-24	75.7	81.8	70.9	77.9	82.4	72.5	70.2	77.2	68.7
25-29	85.4	89.4	73.2	87.0	90.1	73.4	79.1	84.9	72.9
30-34	89.9	92.5	72.7	91.4	93.0	74.8	82.5	88.6	69.8
35-39	88.8	91.6	70.9	90.6	92.2	74.4	79.8	87.1	66.3
40 and over . . .	84.7	88.4	66.5	87.3	89.2	72.1	74.0	83.3	59.9

⁽¹⁾ Excludes births with unknown trimester of pregnancy when prenatal care began: percentages based on resident live births by age and race of mother


* Ratio does not meet standards of reliability or precision; numerator less than ten or denominator less than 100

Table 12.
Percent of Resident Live Births of Low Birthweight
by Marital Status and Race of Mother
Illinois, 2000

Age of Mother (Years)	Total			Married			Unmarried		
	All Races ¹	White	Black	All Races ¹	White	Black	All Races ¹	White	Black
All Ages	8.0	6.5	14.1	6.6	6.1	12.1	10.5	7.6	14.7
Under 20	9.8	7.5	13.5	6.9	6.7	8.7	10.3	7.7	13.6
Under 18	(10.9)	(8.2)	(14.2)	(7.5)	(6.6)	(12.9)	(11.1)	(8.4)	(14.2)
18-19	(9.2)	(7.2)	(13.0)	(6.8)	(6.7)	(7.8)	(9.7)	(7.3)	(13.1)
20-24	8.0	6.3	12.6	6.2	5.7	10.6	9.4	6.9	12.9
25-29	7.2	5.9	13.9	6.3	5.7	12.0	10.0	6.8	14.9
30-34	7.5	6.3	16.3	6.5	5.9	12.7	13.7	9.6	19.7
35 and over	8.8	7.5	18.1	7.6	7.1	12.8	16.3	11.3	23.3
35-39	(8.5)	(7.3)	(16.9)	(7.4)	(6.9)	(12.0)	(15.5)	(11.1)	(21.8)
40 and over	(10.6)	(8.4)	(23.3)	(8.8)	(7.9)	(16.5)	(19.5)	(12.3)	(29.6)

¹ Includes races in addition to black and white

Figure 4
 Percent of Resident Live Births with Low Birthweight
 by Age and Marital Status of Mother
 Illinois, 2000



Timely receipt of prenatal care also varied by marital status of the mother. With the possible exception of mothers under 15 years of age, married mothers of all races were more likely to initiate care during the first trimester than were unmarried mothers for each age group. In 2000, 89.0 percent of all married mothers began prenatal care during the first trimester of pregnancy, compared to 69.7 percent of unmarried mothers.

births were low birthweight births, and 7.9 percent for 1997. The incidence of low birthweight also varied by race. Among black infants, the incidence of low birthweight was 14.1 percent in 2000, lower than in 1999 (14.3%) or 1998 (14.2%); for white infants, the incidence of low birthweight was 6.5 percent, the same as in 1999 but slightly higher than the 6.4 percent of 1998 and 1997.

Infant Health

The proportion of infants who were born in hospitals was about the same in 2000 as in the previous 16 years, 99.4 percent. At birth, babies weighing less than 2,500 grams (low birthweight) totaled 14,747 in 2000, or 8.0 percent of all live births. The proportion of low birthweight births has been relatively steady around 8.0 percent for the past 8 years. For 1999 and 1998, 8.0 percent of all

The risk of low birthweight varied with the mother's age (Table 12 and Figure 4). The risk was highest for infants of any race born to mothers under 18 years of age (10.9%) decreasing to 7.2 percent (the lowest level) for mothers 25-29 years of age, and then rising to 10.6 percent for births to mothers 40 years of age and older. This generalized U-shaped distribution of the probability of low birthweight by age was evident among infants born to white women, but among infants born to black women, the trough is for mothers 20-24 years of age (12.6%).

Table 13.
Number and Percent Distribution of Live Births
by Race and Hispanic Origin of Mother
Illinois: 2000

All origins	Hispanic				Non-Hispanic	
	Total	Mexican	Puerto Rican	Other and unknown		
Number of births						
All races	185,003	39,285	33,186	2,891	3,208	145,718
White	142,313	38,946	33,092	2,831	3,023	103,367
Black	34,268	228	71	55	102	34,040
Other	8,422	111	23	5	83	8,311
Percent distribution						
All races	100.0	100.0	100.0	100.0	100.0	100.0
White	76.9	99.1	99.7	97.9	94.2	70.9
Black	18.5	0.6	0.2	1.9	3.2	23.4
Other	4.6	0.3	0.1	*	2.6	5.7

The risk of low birthweight also varied by marital status (Table 12 and Figure 4). The 2000 incidence of low birthweight was over 59 percent higher for infants born to unmarried mothers (10.5%) as for infants born to married mothers (6.6%). The difference in percentages was more than double for mothers aged 30 years and older. Likewise, when black women were examined separately, the differences in the incidence of low birthweight between infants born to unmarried mothers and those born to married mothers was evident. For both whites and blacks, the difference in the risk of low birthweight was higher for infants born to unmarried mothers than for those born to married mothers, especially for mothers in age groups 30 years and older.

Infants born to mothers living in Chicago tended to have a higher prevalence of low birthweight than did infants born to mothers who resided Downstate. Of all infants born to Chicago mothers in 2000, 9.7 percent were of low birthweight (Table 18), compared to 7.3 percent among Downstate infants. (Table 19). There were some differences by race between Chicago and Downstate. For infants born to Chicago black mothers, 14.7 percent were of low birthweight versus 13.2 percent of those born to Downstate black mothers. For whites, 6.5 percent of births to Chicago and Downstate mothers were of low birthweight.

Another indicator of the health condition of infants is the Apgar score. The Apgar score is a composite evaluation that, on a scale of 0 to 10, measures the newborn's physical condition based on the heart rate, respiratory effort, muscle tone, reflex response, and color at one and five minutes after birth. A score of 10 is optimum. In 2000, high Apgar scores of 9 or 10 were reported for 48.0 percent of all babies for whom Apgar scores were reported at one minute after birth, and 91.2 percent at five minutes

after birth. During 2000, low scores of 0 to 6 (indicating severe to moderate asphyxia) were assigned to 7.9 percent of babies at one minute and to 1.4 percent at five minutes.

Apgar scores varied by race. In 2000 higher proportions of black infants than white infants had low five-minute Apgar scores. For Illinois residents during 2000, 2.6 percent of black babies and 1.2 percent of white babies had five-minute Apgar scores of less than seven.

Hispanic Births

The number of births to Hispanic women totaled 39,285 in 2000, an increase of 6.4 percent over the number in 1999 (36,929). On the other hand, the number of births to non-Hispanic mothers increased 0.4 percent, from 145,098 in 1999 to 145,718 in 2000. As a result, the proportion of total live births to Hispanic mothers in Illinois increased from 20.3 percent in 1999 to 21.2 percent in 2000.

Of all Hispanic births in 2000, 84.5 percent (33,186) were to mothers of Mexican origin, an increase from 84.3 percent in 1999. While the number of Hispanic births to Puerto Rican mothers increased from 2,794 births in 1999 to 2,891 in 2000, the proportion of Hispanic births that were to Puerto Rican mothers decreased from 7.6 percent in 1999 to 7.4 percent in 2000. During 2000, as in previous years, nearly all Hispanic births, regardless of whether they were to Mexican or Puerto Rican mothers, were reported as white births (Table 13).

Hispanic mothers continue to be highly concentrated within a few counties. In 2000, over 88 percent of all Hispanic births occurred to

Table 14.
Live Births by Selected Counties of Residence and Hispanic Origin of
Mother and by Race of Non-Hispanic Mothers
Illinois, 2000

	All Origins	Hispanic				Non-Hispanic			
		Total	Mexican	Puerto Rican	Other and Unknown	Total	White	Black	All Other Races
State of Illinois	185,003	39,285	33,186	2,891	3,208	145,718	103,367	34,040	8,311
Cook	85,503	26,575	21,817	2,407	2,351	58,928	28,817	25,323	4,788
DuPage	13,528	2,243	1,952	94	197	11,285	9,329	509	1,447
Kane	7,844	3,165	2,988	106	71	4,679	3,954	500	225
Lake	10,562	2,713	2,287	124	302	7,849	6,513	793	543
McHenry	4,056	648	605	21	22	3,408	3,294	20	94
Rock Island	1,921	298	287	4	7	1,623	1,363	222	38
Will	8,213	1,072	973	41	58	7,141	5,989	888	264
Winnebago	4,021	573	522	14	37	3,448	2,700	618	130
All Other Counties	49,355	1,998	1,755	80	163	47,357	41,408	5,167	782

Table 15.
Live Births by Age and Hispanic Origin of Mother
and By Race of Non-Hispanic Mothers
Illinois, 2000

Age of Mother (Years)	All Origins	Hispanic				Non-Hispanic			
		Total	Mexican	Puerto Rican	Other and Unknown	Total	White	Black	All Other Races
All ages	185,003	39,285	33,186	2,891	3,208	145,718	103,367	34,040	8,311
Under 15	392	78	61	8	9	314	51	262	1
15-19	20,716	5,825	4,857	578	390	14,891	7,082	7,584	225
15-17	(7,156)	(2,018)	(1,672)	(200)	(146)	(5,138)	(2,035)	(3,039)	(64)
18-19	(13,560)	(3,807)	(3,185)	(378)	(244)	(9,753)	(5,047)	(4,545)	(161)
20-24	43,054	12,313	10,494	1,000	819	30,741	18,787	10,952	1,002
25-29	49,617	10,986	9,476	651	859	38,631	28,401	7,428	2,802
30-34	45,287	6,664	5,542	426	696	38,623	30,965	4,767	2,891
35-39	21,627	2,808	2,276	180	352	18,819	15,201	2,445	1,173
40-44	4,112	573	451	43	79	3,539	2,747	584	208
45 and over	179	32	23	5	4	147	125	14	8
Age unstated	19	6	6	--	--	13	8	4	1

Table 16.
Percent of Live Births with Selected Characteristics
by Hispanic Origin of Mother and Race of Non-Hispanic Mothers
Illinois, 2000

	All Origins	Hispanic				Non-Hispanic			
		Total	Mexican	Puerto Rican	Other or Unknown	Total	White	Black	Other
1st live births	39.5	38.1	37.7	37.8	42.5	39.8	40.7	35.1	48.2
4th and higher order live births	11.2	12.7	12.9	12.8	9.5	10.8	8.6	19.2	4.8
Births to unmarried women	34.5	42.3	41.1	58.9	39.3	32.4	19.8	76.5	8.5
Years of school completed by mother									
0-8 years	7.0	27.4	30.6	5.1	14.7	1.6	1.3	2.2	2.1
12 or more	78.1	47.4	43.7	65.6	68.1	86.4	91.0	70.4	93.9
Prenatal care beginning in									
1st trimester	82.4	72.6	72.3	75.0	73.9	85.0	89.5	71.3	83.8
3rd trimester or no care	3.9	5.6	5.6	6.2	5.0	3.5	2.0	8.2	3.2
Births of low birthweight	8.0	6.2	5.8	9.8	6.6	8.5	6.6	14.1	8.6
1-minute Apgar score less than 7	7.9	6.1	6.0	7.8	6.4	8.4	7.8	10.9	5.9
5-minute Apgar score less than 7	1.4	1.1	1.1	1.7	1.1	1.5	1.2	2.6	1.0

residents of four counties (Cook, DuPage, Kane, and Lake). Cook County alone accounted for 67.6 percent of all Hispanic births in the state, including 83.3 percent of all Puerto Rican births (Table 14).

Hispanic women differed from non-Hispanic women not only in reproductivity, but also in the likelihood of being a teenage mother (Table 15). The proportion of teenage mothers among Hispanics mothers (15.0%) was greater than among white non-Hispanic mothers (6.9%), but smaller than that among black non-Hispanic mothers (23.0%). The corresponding proportion among Puerto Rican mothers (20.3%) was higher than among Mexican mothers (14.8%), and "other and unknown" Hispanic mothers (12.4%).

Hispanic mothers also differed from non-Hispanic mothers with respect to marital status (Table 16). In 2000, the percentage of childbearing by unmarried

mothers was larger for Hispanic women (42.3%) than for non-Hispanic women (32.4%). However, for non-Hispanic white women, the percentage was 19.8 while for non-Hispanic black women it was

76.5. Among Hispanic women, the proportion of infants born to unmarried women was higher for Puerto Rican women (58.9%) than for Mexican women (41.1%). In 2000, Hispanic women, both Mexican and Puerto Rican, tended toward a larger number of births throughout their lifetimes than non-Hispanic women. For example, 12.7 percent of all Hispanic births were to women who already had at least three live births compared with 8.6 percent of non-Hispanic white births (Table 16).

Differences and similarities in completed education of the mother, timing of prenatal care, birthweight and Apgar scores between Hispanic and non-Hispanic births are also shown in Table 16.

Table 17
Resident Live Births by Birthweight, Sex and Race
Illinois, 2000

	Low Birthweight Births					
	Total Low Birthweight Births	Very Low Birthweight			1,500-1,999 Grams	2,000-2,499 Grams
		Under 750 Grams	750-1,249 Grams	1,250-1,499 Grams		
Total	14,747	1,099	1,199	769	2,917	8,763
White	9,195	610	684	476	1,861	5,564
Black and all other races	5,552	489	515	293	1,056	3,199
Black ¹	(4,832)	(455)	(474)	(268)	(939)	(2,696)
Male	7,013	557	607	408	1,434	4,007
White	4,405	330	354	248	915	2,558
Black and all other races	2,608	227	253	160	519	1,449
Black ¹	(2,244)	(201)	(235)	(149)	(456)	(1,203)
Female	7,734	542	592	361	1,483	4,756
White	4,790	280	330	228	946	3,006
Black and all other races	2,944	262	262	133	537	1,750
Black ¹	(2,588)	(254)	(239)	(119)	(483)	(1,493)
	Births of Other Birthweights					Total Live Births ²
	2,500-2,999 Grams	3,000-3,499 Grams	3,500-3,999 Grams	4,000- 4,499 Grams	4,500 Grams and Over	
Total	30,472	68,232	53,138	15,537	2,826	185,003
White	20,498	51,781	44,544	13,718	2,536	142,313
Black and all other races	9,974	16,451	8,594	1,819	290	42,690
Black ¹	(8,164)	(12,957)	(6,651)	(1,424)	(232)	(34,268)
Male	13,462	32,977	29,140	9,725	1,948	94,287
White	9,034	24,674	24,283	8,600	1,747	72,762
Black and all other races	4,428	8,303	4,857	1,125	201	21,525
Black ¹	(3,586)	(6,525)	(3,769)	(881)	(161)	(17,168)
Female	17,010	35,255	23,998	5,812	878	90,716
White	11,464	27,107	20,261	5,118	789	69,551
Black and all other races	5,546	8,148	3,737	694	89	21,165
Black ¹	(4,578)	(6,432)	(2,882)	(543)	(71)	(17,100)

¹ Included in "Black and all other races"

² Includes births of unknown birthweight

Table 18.
Resident Live Births by Birthweight, Sex and Race
City of Chicago, 2000

Low Birthweight Births						
	Total Low Birthweight Births	Very Low Birthweight			1,500-1,999 Grams	2,000-2,499 Grams
		Under 750 Grams	750-1,249 Grams	1,250-1499 Grams		
Total	4,957	384	411	254	1,012	2,896
White	1,885	139	123	91	387	1,145
Black and all other races	3,072	245	288	163	625	1,751
Black ¹	(2,884)	(242)	(281)	(154)	(597)	(1,610)
Male	2,331	191	211	121	487	1,321
White	907	77	65	38	190	537
Black and all other races	1,424	114	146	83	297	784
Black ¹	(1,329)	(111)	(141)	(79)	(283)	(715)
Female	2,626	193	200	133	525	1,575
White	978	62	58	53	197	608
Black and all other races	1,648	131	142	80	328	967
Black ¹	(1,555)	(131)	(140)	(75)	(314)	(895)

	Births of Other Birthweights					Total Live Births ²
	2,500-2,999 Grams	3,000-3499 Grams	3,500-3,999 Grams	4,000- 4499 Grams	4,500 Grams and Over	
Total	9,754	19,451	12,859	3,260	590	50,885
White	4,535	11,242	8,660	2,330	443	29,105
Black and all other races	5,219	8,209	4,199	930	147	21,780
Black ¹	(4,722)	(7,318)	(3,680)	(825)	(124)	(19,557)
Male	4,341	9,581	7,090	2,040	417	25,803
White	1,990	5,400	4,735	1,464	314	14,812
Black and all other races	2,351	4,181	2,355	576	103	10,991
Black ¹	(2,108)	(3,732)	(2,077)	(507)	(87)	(9,841)
Female	5,413	9,870	5,769	1,220	173	25,082
White	2,545	5,842	3,925	866	129	14,293
Black and all other races	2,868	4,028	1,844	354	44	10,789
Black ¹	(2,614)	(3,586)	(1,603)	(318)	(37)	(9,716)

¹ Included in "Black and all other races"

² Includes births of unknown birthweight

**Table 19.
Resident Live Births by Birthweight, Sex and Race
Downstate, 2000**

	Low Birthweight Births					
	Total Low Birthweight Births	Very Low Birthweight			1,500-1,999 Grams	2,000-2,499 Grams
		Under 750 Grams	750-1,249 Grams	1,250-1,499 Grams		
Total	9,790	715	788	515	1,905	5,867
White	7,310	471	561	385	1,474	4,419
Black and all other races	2,480	244	227	130	431	1,448
Black ¹	(1,948)	(213)	(193)	(114)	(342)	(1,086)
Male	4,682	366	396	287	947	2,686
White	3,498	253	289	210	725	2,021
Black and all other races	1,184	113	107	77	222	665
Black ¹	(915)	(90)	(94)	(70)	(173)	(488)
Female	5,108	349	392	228	958	3,181
White	3,812	218	272	175	749	2,398
Black and all other races	1,296	131	120	53	209	783
Black ¹	(1,033)	(123)	(99)	(44)	(169)	(598)

	Births of Other Birthweights					Total Live Births ²
	2,500-2,999 Grams	3,000-3,499 Grams	3,500-3,999 Grams	4,000- 4,499 Grams	4,500 Grams and Over	
Total	20,718	48,781	40,279	12,277	2,236	134,118
White	15,963	40,539	35,884	11,388	2,093	113,208
Black and all other races	4,755	8,242	4,395	889	143	20,910
Black ¹	(3,442)	(5,639)	(2,971)	(599)	(108)	(14,711)
Male	9,121	23,396	22,050	7,685	1,531	68,484
White	7,044	19,274	19,548	7,136	1,433	57,950
Black and all other races	2,077	4,122	2,502	549	98	10,534
Black ¹	(1,478)	(2,793)	(1,692)	(374)	(74)	(7,327)
Female	11,597	25,385	18,229	4,592	705	65,634
White	8,919	21,265	16,336	4,252	660	55,258
Black and all other races	2,678	4,120	1,893	340	45	10,376
Black ¹	(1,964)	(2,846)	(1,279)	(225)	(34)	(7,384)

¹ Included in "Black and all other races"

² Includes births of unknown birthweight

TABLE 20.
RESIDENT LIVE BIRTHS BY SEX, PLACE OF BIRTH, ATTENDANT AND MARITAL STATUS OF MOTHER
ILLINOIS, CHICAGO AND DOWNSTATE, 2000

	Illinois				Chicago				Downstate			
	Total	White	Black	Other	Total	White	Black	Other	Total	White	Black	Other
Total births	185,003	142,313	34,268	8,422	50,885	29,105	19,557	2,223	134,118	113,208	14,711	6,199
Sex												
Male	94,287	72,762	17,168	4,357	25,803	14,812	9,841	1,150	68,484	57,950	7,327	3,207
Female	90,716	69,551	17,100	4,065	25,082	14,293	9,716	1,073	65,634	55,258	7,384	2,992
Marital status												
Married	121,180	105,421	8,086	7,673	24,296	18,725	3,624	1,947	96,884	86,696	4,462	5,726
Unmarried	63,823	36,892	26,182	749	26,589	10,380	15,933	276	37,234	26,512	10,249	473
Place of birth												
Hospital	183,961	141,485	34,075	8,401	50,597	28,949	19,430	2,218	133,364	112,536	14,645	6,183
Non-hospital	1,042	828	193	21	288	156	127	5	754	672	66	16
Non-Hospital Attendant												
Physician	444	321	111	12	137	46	89	2	307	275	22	10
Certified nurse-midwife . .	242	229	9	4	87	80	5	2	155	149	4	2
Midwife	27	27	--	--	8	8	--	--	19	19	--	--
Other	329	251	73	5	56	22	33	1	273	229	40	4
Age of mother (years)												
All marital statuses												
10 - 14	392	128	263	1	204	51	153	--	188	77	110	1
15 - 19	20,716	12,838	7,638	240	7,958	3,318	4,563	77	12,758	9,520	3,075	163
20 - 24	43,054	30,989	11,021	1,044	13,846	7,236	6,268	342	29,208	23,753	4,753	702
25 - 29	49,617	39,310	7,478	2,829	12,666	7,712	4,224	730	36,951	31,598	3,254	2,099
30 - 34	45,287	37,581	4,803	2,903	10,171	6,771	2,681	719	35,116	30,810	2,122	2,184
35 - 39	21,627	17,985	2,459	1,183	4,891	3,274	1,326	291	16,736	14,711	1,133	892
40 - 44	4,112	3,311	588	213	1,095	703	330	62	3,017	2,608	258	151
45 and over	179	157	14	8	45	35	8	2	134	122	6	6
Unknown	19	14	4	1	9	5	4	--	10	9	--	1
Married												
10 - 14	6	5	1	--	3	3	--	--	3	2	1	--
15 - 19	3,031	2,781	171	79	857	761	73	23	2,174	2,020	98	56
20 - 24	19,136	16,956	1,371	809	4,436	3,572	599	265	14,700	13,384	772	544
25 - 29	37,353	32,066	2,654	2,633	7,281	5,403	1,223	655	30,072	26,663	1,431	1,978
30 - 34	39,380	34,200	2,369	2,811	7,408	5,653	1,077	678	31,972	28,547	1,292	2,133
35 - 39	18,690	16,325	1,228	1,137	3,522	2,732	518	272	15,168	13,593	710	865
40 - 44	3,422	2,943	283	196	751	570	129	52	2,671	2,373	154	144
45 and over	150	135	8	7	33	27	4	2	117	108	4	5
Unknown	12	10	1	1	5	4	1	--	7	6	--	1

TABLE 21.
RESIDENT TOTAL LIVE BIRTHS WITH NUMBERS
AND RATIOS OF BIRTHS TO UNMARRIED WOMEN
ILLINOIS: 1950, 1955, 1960, 1965, 1970, 1975, 1980-2000
(Ratios per 1,000 live births)

Year	Total live births	Unmarried women	
		Number	Ratio
1950	189,640	6,836	36.0
1955	220,514	10,625	48.2
1960	238,760	14,385	60.2
1965	208,063	18,216	87.6
1970	205,203	24,655	134.8
1975	169,248	31,503	186.1
1980	189,941	42,749	225.1
1981	184,897	42,352	229.1
1982	183,564	42,638	232.3
1983	178,820	42,893	239.9
1984	179,216	44,796	250.0
1985	180,657	46,453	257.1
1986	176,567	47,817	270.8
1987	180,441	50,611	280.5
1988	184,708	54,381	294.4
1989	190,247	58,866	309.4
1990	195,499	62,052	317.4
1991	194,066	63,172	325.4
1992	190,923	63,863	334.5
1993	190,709	65,086	341.3
1994	189,182	64,887	343.0
1995	185,801	62,825	338.1
1996	183,079	61,706	337.0
1997	180,649	60,401	334.4
1998	182,503	62,163	340.6
1999	182,027	62,045	340.9
2000	185,003	63,823	345.0

M
O
R
T
A
L
I
T
Y

General Mortality

In calendar year 2000, there were 106,287 deaths to Illinois residents. 4,405 of those deaths occurred outside of Illinois. There were 1,914 deaths that occurred in Illinois to non-Illinois residents. The total number of deaths that occurred in Illinois (residents and non-residents) was 103,796.

Table 22.
Age-specific Death Rates
Illinois: 1980, 1990 and 2000

(Rates per 100,000 population in specified age group)

Age (Years)	1980	1990	2000
All Ages	894	897	855*
Under 1	1,515	1,140	883*
1-4	64	46	30*
5-14	31	21	16*
15-24	109	98	83*
25-44	170	174	148*
45-64	960	836	643*
65-84	4,350	3,981	3,825*
85 and older	16,356	15,577	15,454

* 2000 rate statistically significantly different ($p < 0.05$) from 1990 rate

The 2000 crude death rate for Illinois residents was 855 deaths per 100,000 population. This was down from 1999 when the rate was 892 and below the 1990 rate of 897 (Table 22). Figure 2 shows that the Illinois crude death rate had been between 8.6 and 9.2 per 1,000 population since 1975 (also, see Table A). In general, the number of deaths in Illinois has been increasing as the population both increases in size and ages (e.g., increasing median age). Counteracting this, death rates have been decreasing, especially for ages below 65 years. Compared to 1990, each age-specific death rate for 2000 shown in Table 22 was statistically significantly lower for age groups under 85 years ($p < 0.05$). These lower death rates, despite the changes in the Illinois population, have resulted in only modest changes in the total number of deaths.

The age-specific death rates by sex and race in Table 23 show additional contrasts within the Illinois population. For example, the values of the age-specific death rates for white males are roughly half or less compared to those for males of all other races for age groups less than 65 years. However,

the crude sex and race specific death rates were reversed in magnitude and not as far apart (858 for white males versus 774 for males of all other races) due to the relatively younger population (where mortality is lower) of all other races. This also was the case for the rates for females, where nearly each age-specific rate was higher for all other races compared to the white race category, but the crude (all ages) rate for females of all other races was lower than the white female rate. Within the white and all other races categories, females have lower age-specific death rates for all age groups when compared to their male counterparts by race. (Again, the higher crude death rate for white females vs. white males is due to the larger number of females in the older age groups, where there is greater mortality.)

Perinatal and Infant Mortality

For the purposes of this publication, perinatal mortality is defined as fetal deaths of at least 20 weeks estimated gestation and infant deaths occurring before the seventh day of life. There were 2,198 perinatal deaths to Illinois resident mothers, consisting of 1,352 fetal deaths and 846 infant deaths less than 1 week old (Table 24). This is 97 more perinatal deaths than in 1999. The Illinois perinatal ratio was 11.8 perinatal losses per 1,000 live births and fetal deaths. As is often the case, male perinatal losses were greater than those for females, as reflected in the perinatal ratio: 12.4 for

Table 23.
Age-specific Death Rates By Race and Sex
Illinois: 2000

(Rates per 100,000 population* in specified age group)

Age (Years)	White			All Other Races		
	Total	Male	Female	Total	Male	Female
All Ages	892	858	925	707	774	646
Under 1	691	762	617	1,522	1,555	1,489
1-4	26	26	25	46	56	36
5-14	13	16	10	25	30	20
15-24	70	100	37	130	211	50
25-44	119	161	76	265	340	198
45-64	576	710	446	981	1,283	734
65-84	3,788	4,578	3,210	4,083	5,022	3,453
85 and older	15,748	18,098	14,856	13,739	15,868	12,894

* based on bridged-race population estimates for April 1, 2000; see Appendix I

Table 24.
Resident Perinatal Losses and Perinatal Mortality Ratio by Race and Sex
Illinois, Chicago, and Downstate, 2000

(This table includes 8 fetal deaths of less than 20 weeks gestation)


	Illinois				Chicago				Downstate			
	Total	White	Black	All other	Total	White	Black	All other	Total	White	Black	All
Both Sexes												
Fetal deaths	1,352	863	447	42	485	209	263	13	867	654	184	29
Deaths < 7 days	846	548	272	26	269	119	142	8	577	429	130	18
Total perinatal losses	2,198	1,411	719	68	754	328	405	21	1,444	1,083	314	47
Live births and fetal deaths . .	186,355	143,176	34,715	8,464	51,370	29,314	19,820	2,236	134,985	113,862	14,895	6,228
Perinatal ratio ¹	11.8	9.9	20.7	8.0	14.7	11.2	20.4	9.4	10.7	9.5	21.1	7.5
Males												
Fetal deaths	698	426	248	24	258	107	141	10	440	319	107	14
Deaths < 7 days	479	319	144	16	148	66	78	4	331	253	66	12
Total perinatal losses	1,177	745	392	40	406	173	219	14	771	572	173	26
Live births and fetal deaths . .	94,800	73,188	17,416	4,196	26,015	14,919	9,982	1,114	68,785	58,269	7,434	3,082
Perinatal ratio ¹	12.4	10.2	22.5	9.5	15.6	11.6	21.9	12.6	11.2	9.8	23.3	8.4
Females												
Fetal deaths	654	437	199	18	227	102	122	3	427	335	77	15
Deaths < 7 days	367	229	128	10	121	53	64	4	246	176	64	6
Total perinatal losses	1,021	666	327	28	348	155	186	7	673	511	141	21
Live births and fetal deaths . .	91,555	69,988	17,299	4,268	25,355	14,395	9,838	1,122	66,200	55,593	7,461	3,146
Perinatal ratio ¹	11.2	9.5	18.9	6.6	13.7	10.8	18.9	*	10.2	9.2	18.9	6.7

$$^1 \text{ Perinatal ratio} = \frac{\text{total perinatal losses}}{\text{live births and fetal deaths}} \times 1,000$$

Table 25.
Number of Deaths and Rates for Infants by Race for Neonatal and Postneonatal Periods
Illinois, Chicago and Downstate: 1990, 1999 and 2000

	All Races			Black			White		
	2000	1999	1990	2000	1999	1990	2000	1999	1990
Number of Deaths									
ILLINOIS									
Infant deaths	1,528	1,504	2,090	560	594	952	924	868	1,116
Neonatal	1,033	1,037	1,368	343	395	578	658	613	776
Postneonatal	495	467	722	217	199	374	266	255	340
CHICAGO									
Infant deaths	532	579	938	311	351	668	208	214	260
Neonatal	347	391	609	188	228	410	149	157	191
Postneonatal	185	188	329	123	123	258	59	57	69
DOWNSTATE									
Infant deaths	996	925	1,152	249	243	284	716	654	856
Neonatal	686	646	759	155	167	168	509	456	585
Postneonatal	310	279	393	94	76	116	207	198	271
Rate per 1,000 Live Births									
ILLINOIS									
Infant deaths	8.3	8.3	10.7	16.3	17.4	22.1	6.5	6.2	7.6
Neonatal	5.6	5.7	7.0	10.0	11.5	13.4	4.6	4.4	5.3
Postneonatal	2.7	2.6	3.7	6.3	5.8	8.7	1.9	1.8	2.3
CHICAGO									
Infant deaths	10.5	11.5	15.6	15.9	17.5	23.1	7.1	7.5	8.9
Neonatal	6.8	7.7	10.1	9.6	11.4	14.2	5.1	5.5	6.5
Postneonatal	3.6	3.7	5.5	6.3	6.1	8.9	2.0	2.0	2.4
DOWNSTATE									
Infant deaths	7.4	7.0	8.5	16.9	17.2	20.0	6.3	5.8	7.3
Neonatal	5.1	4.9	5.6	10.5	11.8	11.8	4.5	4.1	5.0
Postneonatal	2.3	2.1	2.9	6.4	5.4	8.2	1.8	1.8	2.3

Figure 5.
Cumulative Infant Deaths by Period
Illinois, 1970-2000



males vs. 11.2 for females. The Illinois perinatal ratio for the black race category (20.7) was roughly twice that of the white race category (9.9). This also held, separately, for Chicago and Downstate. As a byproduct of this difference, a third of the Illinois total perinatal losses were to the black race category (33%), while only 19 percent of the total births were to the mothers of that race category.

There were 1,528 infant deaths to Illinois residents in 2000, 24 more infant deaths than in 1999. Most Illinois infant deaths occurred in the first week of life (846), with about 42 percent (637) of all infant deaths occurring before completion of the first day of life (see Figure 5 for relative distribution of infant deaths by period; also see Table 25 for infant mortality rates by period). About 32 percent (495) of all infant deaths occurred during the postneonatal period (1 through 11 months).

The Illinois infant mortality rate for 2000 was 8.3 infant deaths per 1,000 live births, the same as in 1999 (Table 25). The neonatal mortality rate was 5.6 deaths before the first month of life per 1,000 live births (5.7 in 1999) and the postneonatal mortality rate was 2.7 deaths per 1,000 live births (2.6 in 1999). In general, the Illinois infant mortality rate has been declining steadily, with an apparent leveling-off in the last few years (Figure 6).

Although infant mortality is not subject to sampling variation in a true sense, it is appropriate to think of

infant mortality rates as subject to random, year-to-year variation, especially as the number of events becomes smaller. From this perspective, confidence intervals can be calculated for infant mortality rates. Figure 6 shows 95 percent confidence intervals for Illinois infant mortality rates from 1980 to 2000. The confidence interval means there is a 95 percent chance, taking into account random fluctuations in numbers of events, the "true" infant mortality rate is within the specified range. The smaller the number of events, the wider the confidence intervals become (also see Table CS-2, with such confidence intervals for each Illinois county). Large overlap in confidence intervals means the rates for the years in comparison are not statistically significantly different. Such would be the case for the infant mortality rates for 1996 through 2000, shown in Figure 6.

The black and white race category infant mortality rates roughly have followed the same pattern as the state as a whole, albeit at different magnitudes (Figure 7). The 2000 black infant mortality rate for Illinois was 16.3, compared to 6.5 for the white race category (Table 25). The difference between these two race categories is somewhat more pronounced for postneonatal mortality rates, and this is the case for Chicago and Downstate as well. For Hispanic ethnicity, the Illinois infant mortality rate was 7.4 (4.9 - neonatal, 2.5 - postneonatal). The Chicago

Figure 6.
 Infant Mortality Rate with 95 Percent Confidence Intervals
 Illinois: 1980-2000





Figure 7
 Infant Mortality Rate by Race
 Illinois: 1960-2000



* Infant mortality by specific race not readily available prior to 1980.

Table 26.
Leading Causes of Infant Deaths¹ by Age
Illinois, 2000
(Refers only to resident deaths; Excludes fetal deaths)

Rank	Cause	ICD-10 Code ²	Infant	Neonatal		Postneonatal	
			Under 1 Year	Total	Under 7 days	7-27 days	28-364 days
	All causes		1,528	1,033	846	187	495
1.	Disorders related to short gestation and low birthweight, NEC	P07	324	321	314	7	3
2.	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99	256	186	141	45	70
3.	Sudden infant death syndrome	R95	108	4	--	4	104
4.	Newborns affected by maternal complications of pregnancy	P01	86	86	85	1	--
5.	Accidents	V01-X59, Y85-Y86	61	7	4	3	54
6.	Diseases of circulatory system	I00-I99	47	14	9	5	33
7.	Newborn affected by complications of placenta, cord and membranes	P02	46	46	45	1	--
8.	Respiratory distress of newborn	P22	45	43	36	7	2
9.	Neonatal hemorrhage	P50-P52, P54	44	43	35	8	1
10.	Bacterial sepsis of newborn	P36	38	36	15	21	2
	All other causes		473	247	162	85	226

¹ Leading causes are based on "List of 130 Selected Causes of Infant Death" from the National Center for Health Statistics.

² Codes are from the 10th revision of the International Classification of Diseases.

infant mortality rate for Hispanic ethnicity was 8.1 (5.4 - neonatal, 2.7 - postneonatal) and, for Downstate, it was 6.8 (4.4 - neonatal, 2.4 - postneonatal).

Table 26 lists the leading causes of Illinois infant deaths for the neonatal and postneonatal periods. For all infant deaths, disorders related to short gestation and low birthweight, not elsewhere classified, was the leading cause with 324 or 21 percent of all infant deaths. The second leading cause was congenital malformations, deformations and chromosomal abnormalities (256 deaths, 17%), followed by sudden infant death syndrome, or SIDS (108 deaths, 7%). These first two causes, disorders related to short gestation, and congenital malformations were also the first two leading causes of death for the neonatal period, with 31 percent and 18 percent of all neonatal deaths, respectively. The third leading cause was newborn affected by maternal complications of pregnancy, with 86 deaths or approximately 8 percent of all neonatal deaths. SIDS was the leading cause of postneonatal deaths (21% of all postneonatal deaths), followed by congenital malformations, (14%) and accidents (11%). (Note: The leading causes of death for

infants are derived from a separate list than those for all [other] ages.)

Leading Causes of Death

Nearly 30 percent of all deaths to Illinois residents during 2000 have been ascribed to diseases of heart, constituting the leading cause of death for the State of Illinois, City of Chicago and Downstate (Tables 37, 39 and 41). Of the 31,772 diseases of heart deaths in Illinois, about 83 percent (26,347 deaths) were to persons age 65 years and older. For both men and women, diseases of the heart was the leading cause of death for the age groups 75-84 and 85 years and older, as well as for males age 45-54 years (Table 27). Among the sub-causes of diseases of heart, 24,166 deaths (76%) were due to coronary heart disease (Table 28). Coronary heart disease is comprised of hypertensive heart disease (1,202 deaths) and ischemic heart disease (22,964 deaths). The overall and age-specific death rates for Illinois, Chicago and Downstate are found in Tables 38, 40 and 42.

Table 27.
Leading Causes of Death by Age and Sex
Illinois, 2000

Age Group (in years)	Both Sexes		Females		Males	
	Cause	Number	Cause	Number	Cause	Number
1-4	Accidents	74	Accidents	29	Accidents	45
5-14	Accidents	99	Accidents	38	Accidents	61
15-24	Accidents	553	Accidents	131	Accidents	422
25-34	Accidents	522	Accidents	116	Accidents	406
35-44	Malignant neoplasms	713	Malignant neoplasms	411	Accidents	520
45-54	Malignant neoplasms	2,181	Malignant neoplasms	1,128	Diseases of heart	1,245
55-64	Malignant neoplasms	4,071	Malignant neoplasms	1,885	Malignant neoplasms	2,186
65-74	Malignant neoplasms	6,929	Malignant neoplasms	3,172	Malignant neoplasms	3,757
75-84	Diseases of heart	9,675	Diseases of heart	4,880	Diseases of heart	4,795
85 and over	Diseases of heart	11,372	Diseases of heart	7,902	Diseases of heart	3,470

Table 28.
Components of Resident Heart Disease by Age
Illinois, 2000

ICD-10 Code	Total Diseases of Heart	Chronic Rheumatic	Coronary Heart Disease		Pulmonary	All Other Forms
	100-109, I11, I13, I20-I51	I05-I09	Hypertensive I11	Ischemic I20-I25	I26-I28	I00-I02, I13, I30-I51
All Ages	31,772	160	1,202	22,964	652	6,794
0	33	2	--	1	10	20
1-4	9	--	--	1	3	5
5-14	13	--	--	1	4	8
15-24	65	1	8	5	10	41
25-34	169	3	16	44	21	85
35-44	653	2	72	354	45	180
45-54	1,693	9	131	1,204	59	290
55-64	2,790	15	156	2,100	68	451
65-74	5,300	39	196	3,995	112	958
75-84	9,675	53	283	7,269	183	1,887
85 and over	11,372	36	340	7,990	137	2,869

The 25,316 malignant neoplasms or cancer deaths to Illinois residents in 2000 represented 24 percent of all deaths and was the second leading cause of death for Illinois, Chicago and Downstate (Tables 39, 41 and 43). Malignant neoplasms was the leading cause of death for age groups 35-44, 45-54, 55-64 and 65-74 years (Table 27). It was the leading cause of death for these same age groups for females and for age groups 55-64 and 65-74 years for males. Among the malignant neoplasms sites, bronchus and lung was the site with the most

deaths – 6,816 or about 27 percent of all malignant neoplasms deaths (Table 29). Next was colon and rectum with 2,780 deaths and then female breast with 2,041 deaths. The overall and age-specific malignant neoplasms death rates for Illinois, Chicago and Downstate are found in Tables 38, 40, 42 and

Cerebrovascular diseases was the third leading cause of death for the State of Illinois, Chicago and Downstate (Tables 39, 41 and 43). There were

Table 29.
Resident Cancer Deaths by Site and Age
Illinois, 2000

ICD-10 Code	Total All Sites	Lip, Oral Cavity and Pharynx	Digestive Organs		Respiratory and Intrathoracic Organs		Melanoma and Skin	Female Breast
			Colon and Rectum	Other Digestive Organs	Bronchus and Lung	Other Respiratory and Intrathoracic		
			C00-C97	C00-C14	C18-C20	C15-C17, C21-C26		
All Ages	25,316	328	2,780	3,437	6,816	215	367	2,041
Under 1	3	--	--	--	--	--	--	--
1-4	18	--	--	1	--	--	--	--
5-14	37	1	--	1	--	--	--	--
15-24	72	1	2	3	1	1	2	1
25-34	180	2	11	14	11	--	8	21
35-44	713	12	51	81	104	6	23	128
45-54	2,181	54	193	316	554	25	47	293
55-64	4,071	69	392	583	1,294	47	51	341
65-74	6,929	89	694	937	2,295	76	87	452
75-84	7,507	65	861	1,008	2,016	48	99	467
85 and over	3,605	35	576	493	541	12	50	338

Table 29. (continued).

ICD-10 Code	Female Genital Organs				Male Genital Organs			Non-Hodgkin's Lymphoma	Leukemia	All Other Sites
	Uterus	Cervix	Ovary	Other Female Genital	Prostate	Testes	Other Male Genital			
	C54-C55	C53	C56	C51-C52, C57-C58	C61	C62	C60,C63			
All Ages	333	214	633	81	1,407	16	11	1,003	983	4,651
Under 1	--	--	--	--	--	--	--	--	--	3
1-4	--	--	--	--	--	--	--	--	9	8
5-14	--	--	--	--	--	--	--	1	17	17
15-24	1	--	2	--	--	1	1	10	18	28
25-34	--	7	8	1	--	4	--	13	17	63
35-44	3	46	25	5	--	7	2	29	47	144
45-54	21	48	78	2	11	2	--	84	56	397
55-64	63	41	98	11	89	--	2	141	117	732
65-74	101	32	163	20	308	1	3	261	230	1,180
75-84	96	27	177	26	565	1	2	329	310	1,410
85 and over	48	13	82	16	434	--	1	135	162	669

Table 30.
Components of Resident Chronic Lower Respiratory Diseases Deaths by Age
Illinois, 2000

ICD-10 Code	Total Chronic Lower Respiratory Diseases	Bronchitis, not Specified as Acute or Chronic	Chronic Bronchitis	Emphysema	Other Chronic Obstructive Pulmonary Disease	Asthma	Bronchiectasis
	J40-J47	J40	J41-J42	J43	J44	J45-J46	J47
All Ages	4,756	26	26	673	3,750	246	35
Under 1	--	--	--	--	--	--	--
1-4	3	--	--	--	--	3	--
5-14	17	--	--	--	--	17	--
15-24	19	--	--	--	--	19	--
25-34	28	--	1	1	1	25	--
35-44	54	--	--	2	11	41	--
45-54	109	1	1	12	69	26	--
55-64	392	--	1	64	302	23	2
65-74	1,166	5	7	215	898	34	7
75-84	1,846	3	7	255	1,536	36	9
85 and over	1,122	17	9	124	933	22	17

7,415 deaths due to cerebrovascular diseases to Illinois residents, or roughly 7 percent of all 2000 deaths. Of these cerebrovascular diseases deaths, 88 percent were to those age 65 years and older.

Approximately 62 percent of all 2000 cerebrovascular diseases deaths were to females, partially because there are more women than men in the older age groups. The Chicago rate of 48.2 deaths per 100,000 population was below the rates for Downstate (63.1) and the state of Illinois (59.6). In both instances the difference in rates was statistically significant ($p < .05$).

In 2000, there were 4,756 deaths (4% of all deaths) to Illinois residents due to chronic lower respiratory diseases (CLRD). CLRD ranked as the fourth leading cause of death for Illinois and Downstate, and ranked fifth for Chicago residents (Tables 39, 41 and 43). The components of CLRD are shown in Table 30, where the sub-cause "other chronic obstructive pulmonary disease" contains the majority of these deaths (3,750). Emphysema accounted for 673 of the CLRD deaths and asthma 246 deaths. Most CLRD deaths (87%) occurred to those age 65 years and older. Among CLRD sub-causes, asthma has a more even distribution of deaths among the adult age groups – only 37 percent of the deaths occurred to those Illinois residents age 65 years and older.

Accidents was the fifth leading cause for both Illinois and Downstate residents (fourth in the City of Chicago), with 3,989 deaths to Illinois residents (less than 4% of all deaths). Among accidents, 1,643 deaths (41 percent) were due to transport accidents, with 1,503 of these specifically due to motor vehicle accidents (Table 34). Among the non-transport accident sub-causes, the largest numbers of deaths were for poisonings (779), followed by falls (484), obstructed respiratory tract (177) and fires (159). Poisonings includes accidental deaths due to drugs (722). For all accidents, although the higher age-specific death rates occurred in the older age groups, the highest numbers of deaths occurred in the young and middle adult age groups of 15-24 (553 deaths), 25-34 (522), 35-44 (696) and 45-54 years (514). The 553 accidents deaths for age 15-24 years were primarily due to involvement of motor vehicles – 364 deaths or 66 percent.

Diabetes mellitus, statewide, was the sixth leading cause of death during 2000 with 2,985 deaths. Diabetes mellitus was also the sixth leading cause of death for residents of the City of Chicago. For Downstate residents, diabetes mellitus was the seventh leading cause of death, behind influenza and pneumonia. Statewide, 58 percent of all diabetes mellitus deaths occurred within the 65-84 year old age group.

Table 31.
Components of Resident Influenza
and Pneumonia Deaths by Age
Illinois, 2000

ICD-10 Code	Total Influenza and Pneumonia	Influenza	Viral Pneumonia, Not Elsewhere Classified	Bacterial Pneumonia	Pneumonia due to other infectious organisms and organisms unspecified
	J10-J18	J10-J11	J12	J13-J15	J16-J18
All Ages	2,909	83	18	105	2,703
Under 1	15	--	1	1	13
1-4	2	--	1	1	--
5-14	5	--	--	1	4
15-24	8	--	1	2	5
25-34	18	--	--	--	18
35-44	63	2	--	5	56
45-54	82	2	1	7	72
55-64	113	4	2	8	99
65-74	309	12	4	14	279
75-84	835	25	4	34	772
85 and over	1,459	38	4	32	1,385

There were 2,909 influenza and pneumonia deaths (3% of all deaths) to Illinois residents in 2000, making it the seventh leading cause. As in most years, there were many more pneumonia deaths (2,826) than influenza deaths (83). Roughly half of these deaths (1,459) occurred to those age 85 years and older (Table 31). Downstate, influenza and pneumonia ranked sixth, behind accidents but before diabetes mellitus. Influenza and pneumonia was the ninth leading cause of death for Chicago residents, behind diabetes mellitus, septicemia, and

assault (homicide).

For Illinois residents, the eight through 12th leading causes of death were Alzheimer's disease (2,150 deaths), nephritis, nephrotic syndrome and nephrosis (2,120), septicemia (1,867), chronic liver disease and cirrhosis (1,056), and suicide (1,000). The 12 leading causes accounted for more than 82 percent of all deaths. The numbers of deaths and rates by age and race for the 12 leading causes for Illinois, Chicago and Downstate are in Tables 37-42.

Table 32.
Death Due to Drugs by Age and Circumstance
Number and Rate¹, Illinois, 2000

Age Group	Psychoactive Drug Use		Accidental Poisoning		Suicide		Homicide		Unknown Intent		All Causes	
	Number	Rate ¹	Number	Rate ¹	Number	Rate ¹	Number	Rate ¹	Number	Rate ¹	Number	Rate ¹
All Ages	41	0.3	722	5.8	109	0.9	2	*	25	0.2	899	7.2
Under 20	--	-0-	28	0.8	5	*	1	*	1	*	35	1.0
20-29	2	*	123	7.1	8	*	--	-0-	3	*	136	7.8
30-39	9	*	223	11.6	20	1.0	1	*	7	*	260	13.6
40-49	14	0.7	255	13.6	36	1.9	--	-0-	9	*	314	16.8
50-59	5	*	69	5.2	25	1.9	--	-0-	2	*	101	7.5
60 and older	11	0.6	24	1.2	15	0.8	--	-0-	3	*	53	2.7

¹ Rate per 100,000 population in age group

For Illinois, other leading causes of death include assault (987 deaths), pneumonitis due to solids and liquids (854 deaths), certain conditions originating in the perinatal period (820), primary hypertension and hypertensive renal disease (730), aortic aneurism and dissection (723), Parkinson’s disease (711), in situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (641), atherosclerosis (601), human immunodeficiency virus disease (477), and congenital malformations, deformations and chromosomal abnormalities (460). Many of the leading causes of death listed above are shown for Illinois counties starting on page II-24 as part of a two-page summary of key vital statistics for each county.

Deaths Due to Drugs

There were 899 deaths due to drugs, with 722 (80%) of these due to accidental poisoning (Table 32). The major portion of accidental poisonings were those involving narcotics and psychodysleptics (hallucinogens), such as cannabis, cocaine and methadone, among others, with 606 deaths, or 67 percent of all deaths due to drug-related causes. Suicide was the second largest drug-related cause with 109 deaths (12%). The highest numbers and rates were for age 40-49 years, both overall and practically for each drug-related cause. Nearly 35

percent of all deaths due to drugs occurred to those age 40-49 years. Similarly, the second highest numbers and rates were for age 30-39 years. (*Nota bene*: the category of drug-related deaths, as used here, excludes alcohol.)

Deaths Due to Firearms

In 2000, there were 1,126 deaths due to firearms to Illinois residents, representing about 1 percent of all deaths. Age 15-24 years was the age group with the highest number of deaths – 417 or about 37 percent of all firearms deaths (Table 33). Age 25-34 years had 245 deaths or roughly 22 percent of all firearms deaths. Firearm suicide rates were highest for age groups over 55 years. Nearly the opposite was true for firearms homicide rates, where age 15-24 years had the highest rate (19.8 firearms homicide deaths per 100,000 population). For this age group, homicides due to firearms comprised over 88 percent of all homicides, and firearms were involved in about 71 percent of all homicides in the age group 25-34 years. For suicides among those age 65 years and older, firearms were involved with 56 percent of these deaths. The 12 accidental deaths due to firearms represent less than 1 percent of all non-transport accidents.

Table 33.
Death Due to Firearms by Age and Cause
Number and Rate¹, Illinois, 2000

Age Group	Accidental		Suicide		Homicide		Legal Intervention		Unknown Intent		All Causes	
	Number	Rate ¹	Number	Rate ¹	Number	Rate ¹	Number	Rate ¹	Number	Rate ¹	Number	Rate ¹
All Ages . . .	12	0.1	430	3.5	671	5.4	4	*	9	*	1,126	9.1
Under 15 . .	1	*	2	*	12	0.4	--	-0-	--	-0-	15	0.6
15-24	4	*	62	3.6	346	19.8	2	*	3	*	417	23.9
25-34	2	*	74	4.1	166	9.2	--	-0-	3	*	245	13.6
35-44	1	*	82	4.1	88	4.4	2	*	2	*	175	8.8
45-54	3	*	63	3.8	36	2.2	--	-0-	--	-0-	102	6.2
55-64	1	*	46	4.4	12	1.2	--	-0-	1	*	60	5.8
65 and older	--	-0-	101	6.7	11	0.7	--	-0-	--	-0-	112	7.5

¹ Rate per 100,000 population in age group

Table 34.
Deaths and Death Rates from the Principal Diseases Affecting the Respiratory System
Illinois: 1980, 1985, 1990, 1995 and 2000

Cause of Death	ICD-10 ¹	ICD-9 ²	Number of Deaths					Death Rates per 100,000 Population				
			2000	1995	1990	1985	1980	2000	1995	1990	1985	1980
Respiratory tuberculosis	A16	010-012	32	47	61	49	97	0.3	0.4	0.5	0.4	0.8
Cancer of respiratory system	C30-C34	160-165	7,014	7,250	6,767	6,318	5,570	56.4	61.3	59.2	55.4	48.7
Bronchus, trachea and lung	C33-C34	162	6,821	7,018	6,525	6,074	5,337	54.8	59.3	57.1	53.3	46.7
Influenza	J10-J11	487	83	34	93	75	104	0.7	0.3	0.8	0.7	0.9
Pneumonia	J12-J18	480-486	2,826	3,853	3,854	3,201	2,445	22.7	32.6	33.7	28.1	21.4
Other acute lower respiratory infections	J20-J22	466	7					*				
Acute Bronchitis and bronchiolitis	J20-J21	466	5	18	25	24	17	*	0.2	0.2	0.2	0.1
Chronic lower respiratory diseases	J40-J47	490-494, 496	4,756	4,480	3,814	3,341	2,581	38.2	37.9	33.4	29.3	22.6
Bronchitis, chronic and unspecified	J40-J42	490-491	52	130	161	184	209	0.4	1.1	1.4	1.6	1.8
Emphysema	J43	492	673	882	808	691	760	5.4	7.5	7.1	6.1	6.7
Asthma	J45-J46	493	246	308	248	177	149	2.0	2.6	2.2	1.6	1.3
Pneumoconioses and chemical effects	J60-J66, J68	500-506	33	23	30	40	30	0.3	0.2	0.3	0.4	0.3
Pneumonitis due to solids and liquids	J69	507	854	542	500	369	159	6.9	4.6	4.4	3.2	1.4
Other diseases of the respiratory system	J00-J06, J30-J39, J67, J70-J98	034.0, 460-465, 470-478, 495, 508-519	1,022	768	739	690	545	8.2	6.5	6.5	6.1	4.8

¹ Underlying cause-of-death codes for the 10th revision of the International Classification of Diseases covers 2000 deaths.

² Underlying cause-of-death codes for the ninth revision of the International Classification of Diseases covers 1980, 1985, 1990 and 1995 deaths.

Table 35.
Accidental Deaths Among Residents by Type of Accident and Age of Decedent
Illinois, 2000

Cause	Numbers												
	All Ages	Age in Years											
		< 1	1-4	5-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
ALL ACCIDENTAL DEATHS	3,989	61	74	99	236	317	522	696	514	271	308	449	442
Transport accidents	1,643	9	26	55	176	221	282	273	205	122	112	111	51
Motor vehicle	1,503	8	26	46	158	206	255	250	194	111	100	102	47
Pedestrian	228	--	13	18	13	7	29	40	36	20	25	18	9
Pedal cyclist	10	--	1	1	1	1	2	3	--	--	--	1	--
Motorcycle rider	125	--	--	2	5	19	41	35	13	5	5	--	--
Car, truck or bus	676	8	5	10	88	116	109	90	80	49	45	50	26
Railway train	17	--	--	--	1	--	5	2	4	--	3	2	--
Other/unspecified	447	--	7	15	50	63	69	80	61	37	22	31	12
Other transport	140	1	--	9	18	15	27	23	11	11	12	9	4
Railway	39	--	--	2	8	6	8	7	3	3	--	1	1
Water transport	18	--	--	--	--	4	4	4	3	--	2	1	--
Air/space transport	10	1	--	--	--	1	1	1	3	2	1	--	--
Other vehicle/unspecified	73	--	--	7	10	4	14	11	2	6	9	7	3
Non-transport accidents	2,346	52	48	44	60	96	240	423	309	149	196	338	391
Falls	484	--	2	1	3	6	14	35	41	56	69	136	121
Discharge of firearms	12	--	--	1	4	--	2	1	3	1	--	--	--
Drowning and submersion	110	3	16	14	11	8	8	11	15	5	10	5	4
Suffocation and strangulation	84	39	3	7	4	5	4	9	3	5	--	4	1
Food/objects causing obstruction of respiratory tract	177	4	6	--	3	1	6	6	13	6	32	42	58
Smoke, fire and flames	159	2	12	14	3	7	20	17	18	14	16	20	16
Poisoning/noxious substances	779	--	1	4	27	58	165	294	172	25	12	10	11
Other/unspec. acc. and sequelae	541	4	8	3	5	11	21	50	44	37	57	121	180
		Rates per 100,000 estimated population in age group											
ALL ACCIDENTAL DEATHS	32.1	35.3	10.5	5.4	26.4	37.3	28.9	35.0	31.4	26.0	39.9	83.5	228.5
Transport accidents	13.2	*	3.7	3.0	19.7	26.0	15.6	13.7	12.5	11.7	14.5	20.6	26.4
Motor vehicle	12.1	*	3.7	2.5	17.7	24.2	14.1	12.6	11.8	10.7	13.0	19.0	24.3
Pedestrian	1.8	-0-	1.8	1.0	1.5	*	1.6	2.0	2.2	1.9	3.2	3.3	*
Pedal cyclist	0.1	-0-	*	*	*	*	*	*	-0-	-0-	-0-	*	-0-
Motorcycle rider	1.0	-0-	-0-	*	*	2.2	2.3	1.8	0.8	*	*	-0-	-0-
Car, truck or bus	5.4	*	*	0.5	9.8	13.7	6.0	4.5	4.9	4.7	5.8	9.3	13.4
Railway train	0.1	-0-	-0-	-0-	*	-0-	*	*	*	-0-	*	*	-0-
Other/unspecified	3.6	-0-	*	0.8	5.6	7.4	3.8	4.0	3.7	3.6	2.9	5.8	6.2
Other transport	1.1	*	-0-	*	2.0	1.8	1.5	1.2	0.7	1.1	1.6	*	*
Railway	0.3	-0-	-0-	*	*	*	*	*	*	*	-0-	*	*
Water transport	0.1	-0-	-0-	-0-	-0-	*	*	*	*	-0-	*	*	-0-
Air/space transport	0.1	*	-0-	-0-	-0-	*	*	*	*	*	*	-0-	-0-
Other vehicle/unspecified	0.6	-0-	-0-	*	1.1	*	0.8	0.6	*	*	*	*	*
Non-transport accidents	18.9	30.1	6.8	2.4	6.7	11.3	13.3	21.3	18.9	14.3	25.4	62.9	202.2
Falls	3.9	-0-	*	*	*	*	0.8	1.8	2.5	5.4	8.9	25.3	62.6
Discharge of firearms	0.1	-0-	-0-	*	*	-0-	*	*	*	*	-0-	-0-	-0-
Drowning and submersion	0.9	*	2.3	0.8	1.2	*	*	0.6	0.9	*	1.3	*	*
Suffocation and strangulation	0.7	22.5	*	*	*	*	*	*	*	*	-0-	*	*
Food/objects causing obstruction of respiratory tract	1.4	*	*	-0-	*	*	*	*	0.8	*	4.2	7.8	30.0
Smoke, fire and flames	1.3	*	1.7	0.8	*	*	1.1	0.9	1.1	1.3	2.1	3.7	8.3
Poisoning/noxious substances	6.3	-0-	*	*	3.0	6.8	9.1	14.8	10.5	2.4	1.6	1.9	5.7
Other/unspec. acc. and sequelae	4.4	*	*	*	*	1.3	1.2	2.5	2.7	3.6	7.4	22.5	93.1

Table 36.
Ten Leading Causes of Death Among White and All Other Races
Illinois Residents, 2000

White ¹					All Other Races ¹				
Rank	Cause	Number	Rates ²	Percent	Rank	Cause	Number	Rate ²	Percent
ALL CAUSES		89,059	892.2	100.0	ALL CAUSES		17,228	706.7	100.0
1	Diseases of heart	27,059	271.1	30.4	1	Diseases of heart	4,713	193.3	27.4
2	Malignant neoplasms	21,249	212.9	23.9	2	Malignant neoplasms	4,067	166.8	23.6
3	Cerebrovascular diseases	6,389	64.0	7.2	3	Cerebrovascular diseases	1,026	42.1	6.0
4	Chronic lower respiratory diseases	4,295	43.0	4.8	4	Accidents	838	34.4	4.9
5	Accidents	3,151	31.6	3.5	5	Homicide	628	25.8	3.6
6	Influenza and pneumonia	2,544	25.5	2.9	6	Diabetes mellitus	568	23.3	3.3
7	Diabetes mellitus	2,417	24.2	2.7	7	Septicemia	525	21.5	3.0
8	Alzheimer's disease	1,999	20.0	2.2	8	Nephritis, nephrotic syndrome and nephrosis	462	19.0	2.7
9	Nephritis, nephrotic syndrome and nephrosis	1,658	16.6	1.9	9	Chronic lower respiratory diseases	461	18.9	2.7
10	Septicemia	1,342	13.4	1.5	10	Influenza and pneumonia	365	15.0	2.1

¹ Race categories based on April 1, 2000 bridged-race estimates; see Appendix I

² Rates per 100,000 population by race category

Mortality

Table 37.
The Twelve Leading Causes of Death by Age and Race Among Residents
Illinois, 2000

Rank	Cause of Death	All Ages	Age of Decedent						
			0 - 4 Years	5 - 14 Years	15 - 24 Years	25 - 44 Years	45 - 64 Years	65 - 84 Years	85 and Older
	All Causes	106,287	1,742	293	1,451	5,620	17,244	50,049	29,888
	White	89,059	1,061	184	946	3,626	12,702	43,063	27,477
	All other races	17,228	681	109	505	1,994	4,542	6,986	2,411
1	Diseases of heart	31,772	42	13	65	822	4,483	14,975	11,372
	White	27,059	25	6	37	516	3,206	12,819	10,450
	All other races	4,713	17	7	28	306	1,277	2,156	922
	A. Ischaemic heart diseases	22,964	2	1	62	539	2,018	5,279	4,036
	White	19,785	1	1	3	283	2,465	9,696	7,336
	All other races	3,179	1	--	2	115	839	1,568	654
	B. Other	8,808	40	12	60	424	1,179	3,711	3,382
	White	7,274	24	5	34	233	741	3,123	3,114
	All other races	1,534	16	7	26	191	438	588	268
2	Malignant neoplasms	25,316	21	37	72	893	6,252	14,436	3,605
	White	21,249	17	27	57	642	4,882	12,390	3,234
	All other races	4,067	4	10	15	251	1,370	2,046	371
3	Cerebrovascular diseases	7,415	14	6	12	145	706	3,408	3,124
	White	6,389	9	6	9	81	447	2,924	2,913
	All other races	1,026	5	--	3	64	259	484	211
4	Chronic lower respiratory diseases	4,756	3	17	19	82	501	3,012	1,122
	White	4,295	--	5	7	34	402	2,786	1,061
	All other races	461	3	12	12	48	99	226	61
5	Accidents	3,989	135	99	553	1,218	785	757	442
	White	3,151	81	65	450	883	579	672	421
	All other races	838	54	34	103	335	206	85	21
	A. Motor vehicle	1,503	34	46	364	505	305	202	47
	White	1,226	25	35	289	398	255	178	46
	All other races	277	9	11	75	107	50	24	1
	B. Other	2,486	101	53	189	713	480	555	395
	White	1,925	56	30	161	485	324	494	375
	All other races	561	45	23	28	228	156	61	20
6	Diabetes mellitus	2,985	--	1	3	104	565	1,736	576
	White	2,417	--	1	3	65	399	1,433	516
	All other races	568	--	--	--	39	166	303	60
7	Influenza and pneumonia	2,909	17	5	8	81	195	1,144	1,459
	White	2,544	7	3	3	58	140	986	1,347
	All other races	365	10	2	5	23	55	158	112
8	Alzheimer's disease	2,150	--	--	--	--	22	872	1,256
	White	1,999	--	--	--	--	19	800	1,180
	All other races	151	--	--	--	--	3	72	76
9	Nephritis, nephrotic syndrome and nephrosis	2,120	14	--	2	52	272	1,098	682
	White	1,658	8	--	1	22	148	873	606
	All other races	462	6	--	1	30	124	225	76
10	Septicemia	1,867	24	3	5	80	280	950	525
	White	1,342	14	3	3	40	159	683	440
	All other races	525	10	--	2	40	121	267	85
11	Chronic liver disease and cirrhosis	1,056	--	--	2	181	452	377	44
	White	885	--	--	1	143	358	342	41
	All other races	171	--	--	1	38	94	35	3
12	Intentional self-harm (suicide)	1,000	--	9	145	393	274	150	29
	White	887	--	8	125	340	248	138	28
	All other races	113	--	1	20	53	26	12	1

Table 38.
Rates¹ For The Twelve Leading Causes of Death by Age and Race Among Residents
Illinois: 2000

Rank	Cause of Death	All Ages	Age of Decedent						
			0 - 4 Years	5 - 14 Years	15 - 24 Years	25 - 44 Years	45 - 64 Years	65 - 84 Years	85 and Older
	All Causes	854.7	198.9	15.9	83.2	148.1	643.3	3,824.6	15,454.0
	White	892.2	158.4	13.2	69.7	119.2	576.2	3,787.8	15,747.8
	All other races	706.1	329.5	24.9	130.3	264.5	981.4	4,035.5	13,738.7
1	Diseases of heart	255.5	4.8	0.7	3.7	21.7	167.2	1,144.4	5,880.0
	White	271.1	3.7	*	2.7	17.0	145.4	1,127.6	5,989.2
	All other races	193.2	8.2	*	7.2	40.6	275.9	1,245.4	5,253.9
	A. Ischaemic heart diseases	184.7	*	*	3.6	14.2	75.3	403.4	2,086.9
	White	198.2	*	*	*	9.3	111.8	852.9	4,204.4
	All other races	130.3	*	-0-	*	15.3	181.3	905.8	3,726.7
	B. Other	70.8	4.6	0.7	3.4	11.2	44.0	283.6	1,748.7
	White	72.9	3.6	*	2.5	7.7	33.6	274.7	1,784.7
	All other races	62.9	7.7	*	6.7	25.3	94.6	339.7	1,527.2
2	Malignant neoplasms	203.6	2.4	2.0	4.1	23.5	233.2	1,103.2	1,864.0
	White	212.9	2.5	1.9	4.2	21.1	221.5	1,089.8	1,853.5
	All other races	166.7	*	2.3	3.9	33.3	296.0	1,181.9	2,114.1
3	Cerebrovascular diseases	59.6	1.6	*	0.7	3.8	26.3	260.4	1,615.3
	White	64.0	*	*	*	2.7	20.3	257.2	1,669.5
	All other races	42.1	*	-0-	*	8.5	56.0	279.6	1,202.3
4	Chronic lower respiratory diseases	38.2	*	0.9	1.1	2.2	18.7	230.2	580.1
	White	43.0	-0-	*	*	1.1	18.2	245.1	608.1
	All other races	18.9	*	2.7	3.1	6.4	21.4	130.5	347.6
5	Accidents	32.1	15.4	5.4	31.7	32.1	29.3	57.8	228.5
	White	31.6	12.1	4.7	33.2	29.0	26.3	59.1	241.3
	All other races	34.3	26.1	7.8	26.6	44.4	44.5	49.1	119.7
	A. Motor vehicle	12.1	3.9	2.5	20.9	13.3	11.4	15.4	24.3
	White	12.3	3.7	2.5	21.3	13.1	11.6	15.7	26.4
	All other races	11.4	*	2.5	19.4	14.2	10.8	13.9	*
	B. Other	20.0	11.5	2.9	10.8	18.8	17.9	42.4	204.2
	White	19.3	8.4	2.1	11.9	15.9	14.7	43.5	214.9
	All other races	23.0	21.8	5.2	7.2	30.2	33.7	35.2	114.0
6	Diabetes mellitus	24.0	-0-	*	*	2.7	21.1	132.7	297.8
	White	24.2	-0-	*	*	2.1	18.1	126.0	295.7
	All other races	23.3	-0-	-0-	-0-	5.2	35.9	175.0	341.9
7	Influenza and pneumonia	23.4	1.9	*	*	2.1	7.3	87.4	754.4
	White	25.5	*	*	*	1.9	6.4	86.7	772.0
	All other races	15.0	4.8	*	*	3.1	11.9	91.3	638.2
8	Alzheimer's disease	17.3	-0-	-0-	-0-	-0-	0.8	66.6	649.4
	White	20.0	-0-	-0-	-0-	-0-	0.9	70.4	676.3
	All other races	6.2	-0-	-0-	-0-	-0-	*	41.6	433.1
9	Nephritis, nephrotic syndrome and nephrosis	17.0	1.6	-0-	*	1.4	10.1	83.9	352.6
	White	16.6	*	-0-	*	0.7	6.7	76.8	347.3
	All other races	18.9	*	-0-	*	4.0	26.8	130.0	433.1
10	Septicemia	15.0	2.7	*	*	2.1	10.4	72.6	271.5
	White	13.4	2.1	*	*	1.3	7.2	60.1	252.2
	All other races	21.5	4.8	-0-	*	5.3	26.1	154.2	484.4
11	Chronic liver disease and cirrhosis	8.5	-0-	-0-	*	4.8	16.9	28.8	22.8
	White	8.9	-0-	-0-	*	4.7	16.2	30.1	23.5
	All other races	7.0	-0-	-0-	*	5.0	20.3	20.2	*
12	Intentional self-harm (suicide)	8.0	-0-	*	8.3	10.4	10.2	11.5	15.0
	White	8.9	-0-	*	9.2	11.2	11.2	12.1	16.0
	All other races	4.6	-0-	*	5.2	7.0	5.6	6.9	*

¹ Race categories based on April 1, 2000 bridged-race estimates; see Appendix I

Table 39.
The Twelve Leading Causes of Death by Age and Race Among Residents
Chicago, 2000

Rank	Cause of Death	All Ages	Age of Decedent						
			0 - 4 Years	5 - 14 Years	15 - 24 Years	25 - 44 Years	45 - 64 Years	65 - 84 Years	85 and Older
	All Causes	23,914	605	102	536	2,123	4,988	10,572	4,988
	White	12,650	238	32	208	771	2,049	5,916	3,436
	All other races	11,264	367	70	328	1,352	2,939	4,656	1,552
1	Diseases of heart	7,206	13	7	22	311	1,453	3,409	1,991
	White	4,047	4	2	5	96	596	1,950	1,394
	All other races	3,159	9	5	17	215	857	1,459	597
	A. Ischaemic heart diseases	5,316	1	--	1	123	1,048	2,635	1,508
	White	3,166	--	--	--	46	479	1,566	1,075
	All other races	2,150	1	--	1	77	569	1,069	433
	B. Other	1,890	12	7	21	188	405	774	483
	White	881	4	2	5	50	117	384	319
	All other races	1,009	8	5	16	138	288	390	164
2	Malignant neoplasms	5,438	7	13	19	256	1,485	2,953	705
	White	2,797	4	5	9	110	630	1,590	449
	All other races	2,641	3	8	10	146	855	1,363	256
3	Cerebrovascular diseases	1,397	4	--	4	62	227	657	443
	White	762	2	--	3	17	65	352	323
	All other races	635	2	--	1	45	162	305	120
4	Accidents	1,086	45	24	130	437	263	143	44
	White	533	15	9	79	193	118	86	33
	All other races	553	30	15	51	244	145	57	11
	A. Motor vehicle	335	10	10	81	123	69	35	7
	White	182	5	4	44	63	40	19	7
	All other races	153	5	6	37	60	29	16	--
	B. Other	751	35	14	49	314	194	108	37
	White	351	10	5	35	130	78	67	26
	All other races	400	25	9	14	184	116	41	11
5	Chronic lower respiratory diseases	814	2	9	14	48	100	467	174
	White	504	--	3	4	12	40	309	136
	All other races	310	2	6	10	36	60	158	38
6	Diabetes mellitus	701	--	--	3	33	151	424	90
	White	374	--	--	3	6	65	244	56
	All other races	327	--	--	--	27	86	180	34
7	Septicemia	648	12	--	1	43	114	344	134
	White	272	5	--	1	14	30	150	72
	All other races	376	7	--	--	29	84	194	62
8	Assault	633	17	11	266	256	68	13	2
	White	151	3	3	67	53	18	6	1
	All other races	482	14	8	199	203	50	7	1
9	Influenza and pneumonia	627	9	2	2	29	70	242	273
	White	372	2	--	--	13	32	138	187
	All other races	255	7	2	2	16	38	104	86
10	Nephritis, nephrotic syndrome and nephrosis	556	4	--	2	25	102	297	126
	White	264	1	--	1	6	29	149	78
	All other races	292	3	--	1	19	73	148	48
11	Human immunodeficiency disease	304	2	2	2	170	114	14	--
	White	97	--	1	--	51	40	5	--
	All other races	207	2	1	2	119	74	9	--
12	Chronic liver disease and cirrhosis	295	--	--	--	60	148	80	7
	White	177	--	--	--	35	87	51	4
	All other races	118	--	--	--	25	61	29	3

Table 40.
Rates For The Twelve Leading Causes of Death by Age and Race Among Residents
Chicago, 2000

Rank	Cause of Death	All Ages	Age of Decedent						
			0 - 4 Years	5 - 14 Years	15 - 24 Years	25 - 44 Years	45 - 64 Years	65 - 84 Years	85 and Older
	All Causes	825.9	277.4	24.0	122.0	219.7	909.4	4,027.4	14,130.3
1	Diseases of heart	248.9	6.0	*	5.0	32.2	264.9	1,298.7	5,640.2
	A. Ischaemic heart diseases	183.6	*	-0-	*	12.7	191.1	1,003.8	4,272.0
	B. Other	65.3	5.5	*	4.8	19.5	73.8	294.9	1,368.3
2	Malignant neoplasms	187.8	*	3.1	4.3	26.5	270.7	1,125.0	1,997.2
3	Cerebrovascular diseases	48.2	*	-0-	*	6.4	41.4	250.3	1,255.0
4	Accidents	37.5	20.6	5.6	29.6	45.2	47.9	54.5	124.6
	A. Motor vehicle	11.6	4.6	2.4	18.4	12.7	12.6	13.3	*
	B. Other	25.9	16.0	3.3	11.1	32.5	35.4	41.1	104.8
5	Chronic lower respiratory diseases	28.1	*	*	3.2	5.0	18.2	177.9	492.9
6	Diabetes mellitus	24.2	-0-	-0-	*	3.4	27.5	161.5	255.0
7	Septicemia	22.4	5.5	-0-	*	4.4	20.8	131.0	379.6
8	Assault (homicide)	21.9	7.8	2.6	60.5	26.5	12.4	5.0	*
9	Influenza and pneumonia	21.7	*	*	*	3.0	12.8	92.2	773.4
10	Nephritis, nephrotic syndrome and nephrosis	19.2	*	-0-	*	2.6	18.6	113.1	356.9
11	Human immunodeficiency disease	10.5	*	*	*	17.6	20.8	5.3	-0-
12	Chronic liver disease and cirrhosis	10.2	-0-	-0-	-0-	6.2	27.0	30.5	*

Table 41.
The Twelve Leading Causes of Death by Age and Race Among Residents
Downstate Illinois, 2000

Rank	Cause of Death	All Ages	Age of Decedent						
			0 - 4 Years	5 - 14 Years	15 - 24 Years	25 - 44 Years	45 - 64 Years	65 - 84 Years	85 and Older
	All Causes	82,373	1,137	191	915	3,497	12,256	39,477	24,900
	White	76,409	823	152	738	2,855	10,653	37,147	24,041
	All other races	5,964	314	39	177	642	1,603	2,330	859
1	Diseases of heart	24,566	29	6	43	511	3,030	11,566	9,381
	White	23,012	21	4	32	420	2,610	10,869	9,056
	All other races	1,554	8	2	11	91	420	697	325
	A. Ischaemic heart diseases	17,648	1	1	4	275	2,256	8,629	6,482
	White	16,619	1	1	3	237	1,986	8,130	6,261
	All other races	1,029	--	--	1	38	270	499	221
	B. Other	6,918	28	5	39	236	774	2,937	2,899
	White	6,393	20	3	29	183	624	2,739	2,795
	All other races	525	8	2	10	53	150	198	104
2	Malignant neoplasms	19,878	14	24	53	637	4,767	11,483	2,900
	White	18,452	13	22	48	532	4,252	10,800	2,785
	All other races	1,426	1	2	5	105	515	683	115
3	Cerebrovascular diseases	6,018	10	6	8	83	479	2,751	2,681
	White	5,627	7	6	6	64	382	2,572	2,590
	All other races	391	3	--	2	19	97	179	91
4	Chronic lower respiratory diseases	3,942	1	8	5	34	401	2,545	948
	White	3,791	--	2	3	22	362	2,477	925
	All other races	151	1	6	2	12	39	68	23
5	Accidents	2,903	90	75	423	781	522	614	398
	White	2,618	66	56	371	690	461	586	388
	All other races	285	24	19	52	91	61	28	10
	A. Motor vehicle	1,168	24	36	283	382	236	167	40
	White	1,044	20	31	245	335	215	159	39
	All other races	124	4	5	38	47	21	8	1
	B. Other	1,735	66	39	140	399	286	447	358
	White	1,574	46	25	126	355	246	427	349
	All other races	161	20	14	14	44	40	20	9
6	Influenza and pneumonia	2,284	--	1	--	71	414	1,312	486
	White	2,043	--	1	--	59	334	1,189	460
	All other races	241	--	--	--	12	80	123	26
7	Diabetes mellitus	2,282	8	3	6	52	125	902	1,186
	White	2,172	5	3	3	45	108	848	1,160
	All other races	110	3	--	3	7	17	54	26
8	Alzheimer's disease	1,881	--	--	--	--	21	754	1,106
	White	1,816	--	--	--	--	19	725	1,072
	All other races	65	--	--	--	--	2	29	34
9	Nephritis, nephrotic syndrome and nephrosis	1,564	10	--	--	27	170	801	556
	White	1,394	7	--	--	16	119	724	528
	All other races	170	3	--	--	11	51	77	28
10	Septicemia	1,219	12	3	4	37	166	606	391
	White	1,070	9	3	2	26	129	533	368
	All other races	149	3	--	2	11	37	73	23
11	Intentional self-harm (suicide)	798	--	6	115	311	216	127	23
	White	753	--	6	105	285	212	123	22
	All other races	45	--	--	10	26	4	4	1
12	Chronic liver disease and cirrhosis	761	--	--	2	121	304	297	37
	White	708	--	--	1	108	271	291	37
	All other races	53	--	--	1	13	33	6	--

Table 42.
Rates For The Twelve Leading Causes of Death by Age and Race Among Residents
Downstate Illinois, 2000

Rank	Cause of Death	All Ages	Age of Decedent						
			0 - 4 Years	5 - 14 Years	15 - 24 Years	25 - 44 Years	45 - 64 Years	65 - 84 Years	85 and Older
	All Causes	863.4	172.8	13.5	70.1	123.6	574.8	3,773.7	15,749.5
1	Diseases of heart	257.5	4.4	*	3.3	18.1	142.1	1,105.6	5,933.6
	A. Ischaemic heart diseases	185.0	*	*	*	9.7	105.8	824.9	4,099.9
	B. Other	72.5	4.3	*	3.0	8.3	36.3	280.8	1,833.7
2	Malignant neoplasms	208.4	2.1	1.7	4.1	22.5	223.6	1,097.7	1,834.3
3	Cerebrovascular diseases	63.1	1.5	*	*	2.9	22.5	263.0	1,695.8
4	Chronic lower respiratory diseases	41.3	*	*	*	1.2	18.8	243.3	599.6
5	Accidents	30.4	13.7	5.3	32.4	27.6	24.5	58.7	251.7
	A. Motor vehicle	12.2	3.6	2.5	21.7	13.5	11.1	16.0	25.3
	B. Other	18.2	10.0	2.8	10.7	14.1	13.4	42.7	226.4
6	Influenza and pneumonia	23.9	-0-	*	-0-	2.5	19.4	125.4	307.4
7	Diabetes mellitus	23.9	*	*	*	1.8	5.9	86.2	750.2
8	Alzheimer's disease	19.7	-0-	-0-	-0-	-0-	1.0	72.1	699.6
9	Nephritis, nephrotic syndrome and nephrosis	16.4	1.5	-0-	-0-	1.0	8.0	76.6	351.7
10	Septicemia	12.8	1.8	*	*	1.3	7.8	57.9	247.3
11	Intentional self-harm (suicide)	8.4	-0-	*	8.8	11.0	10.1	12.1	14.5
12	Chronic liver disease and cirrhosis	8.0	-0-	-0-	*	4.3	14.3	28.4	23.4

Table 43.
Leading Causes of Death by Selected Age Groups
Illinois Residents, 2000
(For ages under 1 year, see Table 26)

Age 1-4 Years			
R a n k	Cause	10 th Revision Code	Number
	ALL CAUSES		214
1.	Accidents	V01-X59, Y85-Y86	74
	Motor vehicle accidents	(See Appendix 3.)	(26)
	All other accidents	(See Appendix 3.)	(48)
2.	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99	30
3.	Malignant neoplasms	C00-C97	18
4.	Assault (homicide)	X85-Y09, Y87.1	11
5.	Diseases of heart	I00-I09, I11, I13, I20-I51	9
6.	Septicemia	J10-J18	6
7.	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48	4
8.	Chronic lower respiratory diseases	A39	3
8.	Meningitis	G00,G03	3
Age 5-14 Years			
R a n k	Cause	10 th Revision Code	Number
	ALL CAUSES		293
1.	Accidents	V01-X59, Y85-Y86	99
	Motor vehicle accidents	(See Appendix 3.)	(46)
	All other accidents	(See Appendix 3.)	(53)
2.	Malignant neoplasms	C00-C97	46
3.	Chronic lower respiratory diseases	J40-J47	17
3.	Assault (homicide)	X85-Y09, Y87.1	17
5.	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99	16
6.	Diseases of heart	I00-I09, I11, I13, I20-I51	13
7.	Intentional self-harm (suicide)	X60-X84, Y87.0	9
8.	Cerebrovascular diseases	I60-I69	6
9.	In situ neoplasm, benign neoplasms and neoplasms of uncertain or unknown behaviour	D00-D48	5
9.	Influenza and pneumonia	J10-J18	5
Age 15-24 Years			
R a n k	Cause	10 th Revision Code	Number
	ALL CAUSES		1,451
1.	Accidents	V01-X59, Y85-Y86	553
	Motor vehicle accidents	(See Appendix 3.)	(364)
	All other accidents	(See Appendix 3.)	(189)
2.	Assault (homicide)	X85-Y09, Y87.1	391
3.	Intentional self-harm (suicide)	X60-X84, Y87.0	145
4.	Malignant neoplasms	C00-C97	72
5.	Diseases of heart	I00-I09, I11, I13, I20-I51	65
6.	Chronic lower respiratory diseases	J40-J47	19
6.	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99	19
8.	Cerebrovascular diseases	I60-I69	12
9.	Influenza and pneumonia	J10-J18	8
10.	Anemias	D50-D64	7

Table 43 (continued)
 Leading Causes of Death by Selected Age Groups
 Illinois Residents, 2000
 (For ages under 1 year, see Table 26.)

Age 25-44 Years			
R a n k	Cause	10 th Revision Code	Number
	ALL CAUSES		5,620
1.	Accidents	V01-X59, Y85-Y86	1,218
	Motor vehicle accidents	(See Appendix 3.)	(505)
	All other accidents	(See Appendix 3.)	(713)
2.	Malignant neoplasms	C00-C97	893
3.	Diseases of heart	I00-I09, I11, I13, I20-I51	822
4.	Assault (homicide)	X85-Y09, Y87.1	397
5.	Intentional self-harm (suicide)	X60-X84, Y87.0	393
6.	Human immunodeficiency virus (HIV) disease	B20-B24	287
7.	Chronic liver disease and cirrhosis	K70, K73-K74	181
8.	Cerebrovascular diseases	I60-I69	145
9.	Diabetes mellitus	E10-E14	104
10.	Chronic lower respiratory diseases	J40-J47	82
Age 45-64 Years			
R a n k	Cause	10 th Revision Code	Number
	ALL CAUSES		17,244
1.	Malignant neoplasms	C00-C97	6,252
2.	Diseases of heart	I00-I09, I11, I13, I20-I51	4,483
3.	Accidents	V01-X59, Y85-Y86	785
	Motor vehicle accidents	(See Appendix 3.)	(305)
	All other accidents	(See Appendix 3.)	(480)
4.	Cerebrovascular diseases	I60-I69	706
5.	Diabetes mellitus	E10-E14	565
6.	Chronic lower respiratory diseases	J40-J47	501
7.	Chronic liver disease and cirrhosis	K70, K73-K74	452
8.	Septicemia	A40-A41	280
9.	Intentional self-harm (suicide)	X60-X84, Y87.0	274
10.	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27	272
Age 65 Years and Older			
R a n k	Cause	10 th Revision Code	Number
	ALL CAUSES		79,937
1.	Diseases of heart	I00-I09, I11, I13, I20-I51	26,347
2.	Malignant neoplasms	C00-C97	18,041
3.	Cerebrovascular diseases	I60-I69	6,532
4.	Chronic lower respiratory diseases	K70, K73-K74	4,134
5.	Influenza and pneumonia	J10-J18	2,603
6.	Diabetes mellitus	E10-E14	2,312
7.	Alzheimer's disease	G30	2,128
8.	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27	1,780
9.	Septicemia	A40-A41	1,475
10.	Accidents	V01-X59, Y85-Y86	1,199
	Motor vehicle accidents	(See Appendix 3.)	(249)
	All other accidents	(See Appendix 3.)	(950)

VITAL STATISTICS SPECIAL REPORTS

In past years, the Illinois Department of Public Health has issued a number of special reports dealing with a wide array of topics. For a complete listing of those reports, see volumes of Vital Statistics Illinois prior to the 1994 issue.

VITAL STATISTICS BASIC RESEARCH SERIES

In October, 1996, the Illinois Department of Public Health began publication of the *Vital Statistics Basic Research Series (VSBRS)*. *VSBRS* contains topics of special interest focusing on vital statistics research and measurement. Also published in each *VSBRS* is the latest selected vital statistics for the state of Illinois, the city of Chicago, and Illinois' 102 counties.

Volume 1 No. 1 (October, 1996)

"Years of Potential Life Lost (YPLL) by Age and Sex for Illinois, Chicago and Downstate"
Selected Vital Statistics for 1993 and 1994.

Volume 1 No. 2 (January, 1997)

"A Public Health Perspective on the Utility of 'Experimental' Post-censal County Population Estimates by Age, Sex, and Race from the U.S. Bureau of the Census"
Selected Vital Statistics for 1994 and 1995.

Volume 1 No. 3 (April, 1997)

"Heat Related Mortality in Illinois, Chicago and Downstate During 1995: Direct and Indirect Impacts"
Selected Vital Statistics for 1994 and 1995.

Volume 1 No. 4 (July, 1997)

"Post-censal Estimation of Life Expectancy at Birth for Illinois and Selected Substate Areas"
Selected Vital Statistics for 1994 and 1995.

Volume 2 No. 1 (October, 1997)

"The Pros and Cons of Standardized Rates"
Selected Vital Statistics for 1995 and 1996.

Volume 2 No. 2 (January, 1998)

"Regional Fertility Characteristics in Illinois for 1979-1981, 1984-1986, 1989-1991, and 1994-1996"
Selected Vital Statistics for 1995 and 1996.

Volume 2 No. 3 (April, 1998)

"Recent Mortality Trends Among Selected Infectious Diseases in Illinois"
Selected Vital Statistics for 1995 and 1996.

Volume 2 No. 4 (July, 1998)

"The Interpretation and Practical Limitations of Mortality Measures"
Selected Vital Statistics for 1996.

Volume 3 No. 1 (October, 1998)

"Mortality Effects Due to External Causes"
Selected Vital Statistics for 1996 and 1997.

Volume 3 No. 2 (January, 1999)

"Creation of Vital Statistics in Illinois"
Selected Vital Statistics for 1996 and 1997.

Volume 3 No. 3 (April, 1999)

"Frequency of Autopsy In Illinois"
Selected Vital Statistics for 1996 and 1997.

Volume 3 No. 4 (April, 2000)

"Characteristics of Plural Births in Illinois"
Selected Vital Statistics for 1998.

Volume 4 No. 1 (July, 2000)

"FAQs about Vital Statistics"
Selected Vital Statistics for 1998.

Volume 4 No. 2 (July, 2001)

"The Effects of Changing the Standard Population in Calculating Age-adjusted Death Rates"
Selected Vital Statistics for 1999

Volume 4 No. 3 (July, 2002)

"The Implementation of ICD-10 and Its Impact on Measuring Cause of Death Trends"
Population Counts for Illinois Counties and Chicago by Age from the Decennial Census for April, 2000;
Selected Vital Statistics for 2000.

To receive a copy of any *Vital Statistics Basic Research Series (VSBRS)* issue or a Vital Statistics special report, or to be placed on a mailing list to receive future *VSBRS* issues, contact the Illinois Department of Public Health, Office of Epidemiology and Health Systems Development, Illinois Center for Health Statistics, 525 W. Jefferson St., Springfield, IL 62761; or phone 217-785-1064; TTY (for hearing impaired use only) 800-547-0466. To order publications, please specify the title of the special report of the title, volume and number of the *VSBRS*.

VITAL STATISTICS DATA ON THE INTERNET

Illinois vital statistics and data are now available as part of the Illinois Department of Public Health's Web sight. Vital statistics data on the Web site are updated regularly as new data become available. The Illinois Department of Public Health's Web site can be accessed through the Departments URL at <<http://www.idph.state.il.us>>.

Part II
Illinois County Summaries and Detailed Tables




Table CS-1.
Natality Summary by County
Illinois: 2000

County	All Births			Births to Teen Age Women				Births of Low Birthweight		Births to Unmarried Women	
	Number of Births	Crude Birth Rate ¹	General Fertility Rate ²	Number			Percent	Number	Percent	Number	Percent
				10-14 Years	15-17 Years	18-19 Years	10-19 Years				
ILLINOIS	185,003	14.9	67.4	392	7,156	13,560	11.4	14,747	8.0	63,823	34.5
Adams	825	12.1	60.7	--	19	57	9.2	47	5.7	270	32.7
Alexander	132	13.8	74.7	--	9	21	22.7	18	13.6	74	56.1
Bond	184	10.5	55.5	--	7	18	13.6	14	7.6	60	32.6
Boone	587	13.9	67.2	--	19	42	10.4	38	6.5	161	27.4
Brown	63	9.1	67.0	--	1	7	*	5	*	19	*
Bureau	434	12.2	64.4	1	13	38	12.0	28	6.5	128	29.5
Calhoun	51	10.0	55.7	--	--	7	*	1	*	12	*
Carroll	170	10.2	56.1	--	4	21	14.7	12	7.1	56	32.9
Cass	181	13.2	67.1	--	13	21	18.8	10	5.5	74	40.9
Champaign	2,260	12.6	47.9	5	55	152	9.4	164	7.3	650	28.8
Christian	404	11.4	61.5	--	18	40	14.4	36	8.9	114	28.2
Clark	189	11.1	58.4	--	8	18	13.8	4	*	59	31.2
Clay	187	12.9	67.3	--	10	23	17.6	10	5.3	48	25.7
Clinton	439	12.4	63.1	--	17	26	9.8	28	6.4	112	25.5
Coles	615	11.6	43.9	--	21	72	15.1	52	8.5	199	32.4
Cook	85,503	15.9	69.5	239	4,061	6,722	12.9	7,644	8.9	35,816	41.9
Crawford	240	11.8	64.7	--	7	28	14.6	16	6.7	61	25.4
Cumberland	120	10.6	53.2	--	7	10	14.2	6	*	25	20.8
DeKalb	1,118	12.5	47.5	1	22	66	8.0	87	7.8	277	24.8
DeWitt	206	12.3	62.5	--	6	28	16.5	18	8.7	78	37.9
Douglas	287	14.4	72.9	--	8	19	9.4	28	9.8	57	19.9
DuPage	13,528	14.9	67.1	4	174	435	4.5	873	6.5	1,884	13.9
Edgar	199	10.1	53.9	--	7	26	16.6	20	10.1	79	39.7
Edwards	95	13.6	72.6	--	4	5	*	4	*	17	*
Effingham	440	12.8	62.9	1	19	39	13.4	29	6.6	127	28.9
Fayette	268	12.3	68.0	1	12	35	17.9	19	7.1	95	35.4
Ford	191	13.5	70.0	--	10	13	12.0	10	5.2	46	24.1
Franklin	495	12.7	66.4	--	26	55	16.4	33	6.7	171	34.5
Fulton	431	11.3	63.3	1	8	36	10.4	26	6.0	131	30.4
Gallatin	75	11.7	61.6	1	8	7	*	1	*	28	*
Greene	170	11.6	60.5	--	6	18	14.1	6	*	51	30.0
Grundy	493	13.1	61.8	--	12	22	6.9	30	6.1	123	24.9
Hamilton	100	11.6	62.5	--	7	8	15.0	5	*	26	26.0
Hancock	259	12.9	68.7	--	8	20	10.8	16	6.2	71	27.4
Hardin	37	7.7	43.5	--	4	6	*	4	*	4	*
Henderson	77	9.4	50.0	--	6	5	*	4	*	26	*
Henry	601	11.8	61.1	2	16	55	12.1	41	6.8	191	31.8
Iroquois	367	11.7	63.1	--	14	20	9.3	23	6.3	97	26.4
Jackson	667	11.2	43.5	3	17	56	11.4	65	9.7	269	40.3
Jasper	110	10.9	55.9	--	4	8	10.9	7	*	20	18.2
Jefferson	476	11.9	63.9	2	28	54	17.6	37	7.8	191	40.1
Jersey	211	9.7	45.8	--	6	17	10.9	12	5.7	50	23.7
Jo Daviess	246	11.0	62.6	--	7	16	9.3	10	4.1	63	25.6
Johnson	162	12.6	82.9	--	9	10	11.7	8	*	33	20.4
Kane	7,844	19.3	87.8	10	262	507	9.9	516	6.6	2,324	29.6
Kankakee	1,561	15.0	70.2	9	70	160	15.3	117	7.5	658	42.2
Kendall	879	15.9	72.0	--	12	30	4.8	51	5.8	146	16.6
Knox	626	11.2	59.2	1	19	57	12.3	42	6.7	265	42.3
Lake	10,562	16.3	75.0	8	259	541	7.7	765	7.2	2,368	22.4
LaSalle	1,488	13.0	67.4	--	56	117	11.6	102	6.9	485	32.6

¹ rate per 1,000 total population

² rate per 1,000 women 15-44 years of age April 1, 2000

Table CS-1. (Continued)

County	All Births			Births to Teen Age Women				Births of Low Birthweight		Births to Unmarried Women	
	Number of Births	Crude Birth Rate ¹	General Fertility Rate ²	Number			Percent	Number	Percent	Number	Percent
				10-14 Years	15-17 Years	18-19 Years	10-19 Years				
Lawrence	143	9.3	48.6	--	5	18	16.1	12	8.4	37	25.9
Lee	409	11.4	57.8	1	13	37	12.5	19	4.6	130	31.8
Livingston	524	13.2	64.4	1	16	59	14.5	36	6.9	183	34.9
Logan	349	11.2	52.8	--	12	25	10.6	29	8.3	102	29.2
McDonough	327	9.9	38.3	--	9	22	9.5	23	7.0	95	29.1
McHenry	4,056	15.5	69.9	2	66	172	5.9	224	5.5	679	16.7
McLean	1,990	13.2	50.0	3	39	98	7.0	126	6.3	482	24.2
Macon	1,445	12.6	60.7	5	72	174	17.4	134	9.3	659	45.6
Macoupin	520	10.6	53.2	1	23	36	11.5	38	7.3	171	32.9
Madison	3,376	13.0	60.0	6	145	283	12.9	258	7.6	1,161	34.4
Marion	534	12.8	64.9	2	30	57	16.7	41	7.7	242	45.3
Marshall	131	9.9	55.2	--	5	8	9.9	1	*	41	31.3
Mason	166	10.4	54.1	--	6	21	16.3	16	9.6	61	36.7
Massac	177	11.7	58.9	--	16	16	18.1	15	8.5	60	33.9
Menard	150	12.0	58.5	--	6	10	10.7	10	6.7	50	33.3
Mercer	178	10.5	54.5	--	2	9	6.2	11	6.2	35	19.7
Monroe	350	12.6	59.0	--	4	16	5.7	34	9.7	52	14.9
Montgomery	363	11.9	65.1	2	18	35	15.2	16	4.4	120	33.1
Morgan	430	11.7	57.8	--	14	41	12.8	49	11.4	147	34.2
Moultrie	204	14.3	73.5	--	--	21	10.3	5	*	46	22.5
Ogle	600	11.7	58.3	2	15	41	9.7	53	8.8	160	26.7
Peoria	2,688	14.7	68.4	13	126	232	13.8	214	8.0	1,134	42.2
Perry	242	10.5	59.4	--	14	21	14.5	18	7.4	95	39.3
Piatt	191	11.6	59.1	--	2	15	8.9	9	*	35	18.3
Pike	194	11.2	62.8	1	7	23	16.0	9	*	56	28.9
Pope	29	6.6	36.0	--	--	5	*	2	*	8	*
Pulaski	104	14.2	72.8	--	6	19	24.0	10	9.6	56	53.8
Putnam	60	9.8	51.2	--	--	6	*	3	*	12	*
Randolph	387	11.4	65.9	--	14	36	12.9	23	5.9	133	34.4
Richland	199	12.4	62.1	--	8	15	11.6	9	*	53	26.6
Rock Island	1,921	12.9	62.2	2	84	201	14.9	142	7.4	811	42.2
St. Clair	3,734	14.6	66.3	17	219	333	15.2	383	10.3	1,788	47.9
Saline	297	11.1	59.5	--	16	38	18.2	28	9.4	110	37.0
Sangamon	2,646	14.0	64.9	8	100	223	12.5	226	8.5	978	37.0
Schuyler	79	11.0	60.3	1	2	2	*	3	*	10	*
Scott	72	13.1	64.2	--	3	9	*	2	*	24	*
Shelby	244	10.7	56.8	--	14	16	12.3	19	7.8	63	25.8
Stark	75	11.9	65.8	--	2	10	*	4	*	22	*
Stephenson	594	12.1	61.3	2	24	47	12.3	39	6.6	237	39.9
Tazewell	1,585	12.3	60.9	2	48	130	11.4	91	5.7	442	27.9
Union	202	11.0	57.4	1	6	16	11.4	12	5.9	41	20.3
Vermilion	1,207	14.4	74.5	6	64	143	17.6	97	8.0	564	46.7
Wabash	132	10.2	51.4	--	4	14	13.6	9	*	35	26.5
Warren	214	11.4	55.0	2	13	20	16.4	11	5.1	73	34.1
Washington	179	11.8	60.3	--	6	15	11.7	10	5.6	44	24.6
Wayne	183	10.7	57.1	--	6	22	15.3	15	8.2	49	26.8
White	158	10.3	54.9	1	4	19	15.2	20	12.7	50	31.6
Whiteside	771	12.7	65.1	--	40	86	16.3	51	6.6	298	38.7
Will	8,213	16.2	72.7	6	181	397	7.1	590	7.2	1,683	20.5
Williamson	674	11.0	55.2	1	30	74	15.6	43	6.4	232	34.4
Winnebago	4,021	14.4	68.3	15	179	341	13.3	332	8.3	1,506	37.5
Woodford	433	12.2	61.4	--	3	19	5.1	31	7.2	79	18.2
Unknown	--	N.A.	N.A.	--	--	--	-0-	--	-0-	--	-0-

¹ rate per 1,000 total population² rate per 1,000 women 15-44 years of age April 1, 2000

Table CS-2.
Mortality Summary of Rates and Selected Causes by County
Illinois: 2000

County	Crude Death Rate			Premature Mortality			Number of Deaths by Cause				
	All Deaths	Rate ¹	95 % Confidence Interval ²	Age 0-64	Rate ³	95 % Confidence Interval ²	Diseases	Malignant Neoplasms	Cerebro-vascular Diseases	CLRD ⁴	Accidents
ILLINOIS	106,287	8.5	8.5, 8.6	26,350	241.0	238.1, 243.9	31,772	25,316	7,415	4,756	3,989
Adams	845	12.4	11.6, 13.2	127	226.2	186.8, 265.5	224	201	57	45	32
Alexander	124	12.9	10.6, 15.2	29	363.4	243.4, 521.9	38	26	8	10	7
Bond	167	9.5	8.0, 10.9	30	199.9	134.8, 285.3	51	26	14	7	5
Boone	308	7.3	6.5, 8.1	67	178.2	138.1, 226.3	109	66	17	12	13
Brown	59	8.6	6.5, 11.0	5	83.1	--	21	16	8	2	3
Bureau	425	12.0	10.8, 13.1	68	232.8	180.8, 295.1	128	111	24	19	15
Calhoun	58	11.4	8.6, 14.7	6	145.6	--	32	15	--	1	--
Carroll	192	11.6	9.9, 13.2	37	276.5	194.7, 381.2	70	48	15	8	5
Cass	161	11.8	9.9, 13.6	24	207.8	133.1, 309.2	64	36	4	9	3
Champaign	1,107	6.2	5.8, 6.5	273	168.3	148.3, 188.3	271	282	71	58	38
Christian	447	12.6	11.5, 13.8	78	266.1	210.4, 332.1	136	114	33	16	17
Clark	192	11.3	9.7, 12.9	34	243.7	168.8, 340.6	58	46	17	9	5
Clay	170	11.7	10.0, 13.5	32	273.3	186.9, 385.8	64	37	21	7	5
Clinton	321	9.0	8.1, 10.0	75	247.1	194.4, 309.8	103	78	19	18	17
Coles	552	10.4	9.5, 11.3	104	226.3	182.8, 269.8	176	113	64	34	14
Cook	46,056	8.6	8.5, 8.6	13,207	278.3	273.5, 283.0	14,021	10,826	2,888	1,719	1,746
Crawford	231	11.3	9.9, 12.8	46	270.6	198.1, 360.9	79	48	22	9	12
Cumberland	114	10.1	8.2, 11.9	15	157.6	88.2, 259.9	44	18	10	5	2
DeKalb	633	7.1	6.5, 7.6	139	172.5	143.9, 201.2	156	165	34	30	22
DeWitt	195	11.6	10.0, 13.2	31	219.2	149.0, 311.2	61	53	13	17	6
Douglas	196	9.8	8.5, 11.2	42	251.2	181.0, 339.5	68	41	15	12	6
DuPage	5,580	6.2	6.0, 6.3	1,228	150.3	141.9, 158.7	1,645	1,379	480	239	161
Edgar	231	11.7	10.2, 13.2	39	240.4	171.0, 328.7	64	48	26	17	12
Edwards	104	14.9	12.0, 17.7	21	367.1	227.3, 561.2	34	25	4	3	4
Effingham	317	9.2	8.2, 10.3	57	193.0	146.2, 250.1	92	69	32	11	19
Fayette	258	11.8	10.4, 13.3	54	294.4	221.2, 384.2	82	60	16	9	8
Ford	221	15.6	13.5, 17.6	25	218.3	141.3, 322.3	68	43	20	12	6
Franklin	592	15.2	14.0, 16.4	110	346.6	281.8, 411.3	169	149	30	41	24
Fulton	493	12.9	11.8, 14.0	76	243.6	191.9, 304.9	142	110	43	25	17
Gallatin	91	14.2	11.4, 17.5	23	440.6	279.3, 661.1	30	16	6	5	6
Greene	196	13.3	11.5, 15.2	35	288.5	201.0, 401.3	76	51	8	11	3
Grundy	320	8.5	7.6, 9.4	60	181.4	138.4, 233.5	92	82	17	18	20
Hamilton	107	12.4	10.1, 14.8	24	345.3	221.3, 513.8	44	26	5	5	4
Hancock	258	12.8	11.3, 14.4	46	280.0	205.0, 373.4	72	63	25	16	9
Hardin	71	14.8	11.6, 18.7	10	255.8	122.6, 470.3	30	14	3	5	4
Henderson	88	10.7	8.6, 13.2	16	234.3	133.9, 380.4	31	22	7	3	3
Henry	530	10.4	9.5, 11.3	103	241.0	194.5, 287.5	138	125	50	19	21
Iroquois	371	11.9	10.6, 13.1	70	273.0	212.8, 344.9	124	80	31	23	19
Jackson	503	8.5	7.7, 9.2	108	204.1	165.6, 242.6	133	108	36	24	18
Jasper	117	11.6	9.5, 13.7	21	248.8	154.0, 380.3	44	27	5	7	4
Jefferson	424	10.6	9.6, 11.6	84	248.0	197.8, 307.0	126	109	34	23	20
Jersey	215	9.9	8.6, 11.2	55	296.2	223.1, 385.5	75	46	12	11	8
Jo Daviess	232	10.4	9.1, 11.7	37	202.2	142.4, 278.7	64	64	26	10	12
Johnson	133	10.3	8.6, 12.1	34	304.9	211.2, 426.1	39	38	7	3	5
Kane	2,501	6.1	5.9, 6.4	682	182.8	169.1, 196.5	655	573	153	124	96
Kankakee	1,117	10.8	10.1, 11.4	264	292.4	257.1, 327.7	303	288	72	55	52
Kendall	349	6.3	5.7, 7.0	93	184.2	148.6, 225.6	98	89	21	28	15
Knox	701	12.6	11.6, 13.5	119	258.6	212.1, 305.0	201	150	66	47	24
Lake	3,660	5.6	5.5, 5.8	992	167.4	156.9, 177.8	987	952	298	184	156
LaSalle	1,203	10.8	10.2, 11.4	236	253.4	221.1, 285.8	358	326	78	48	52

¹ rate per 1,000 total population

² "true" rate has a 19 in 20 chance of being within the specified range

³ rate per 100,000 population age 0-64 years; not shown for counties with less than 10 deaths

⁴ chronic lower respiratory diseases

Table CS-2. (Continued)

County	All Deaths	Crude Death Rate		Premature Mortality			Number of Deaths by Cause				
		Rate ¹	95 % Confidence Interval ²		Age 0-64	Rate ³	95 % Confidence Interval ²		Diseases of Heart	Malignant Neoplasms	Cerebro-vascular Diseases
Lawrence	259	16.8	14.8, 18.9	45	365.9	266.9, 489.5	50	51	33	15	11
Lee	407	11.3	10.2, 12.4	103	335.4	270.6, 400.2	139	92	20	18	11
Livingston	411	10.4	9.4, 11.4	80	238.5	189.1, 296.8	149	89	30	18	19
Logan	329	10.5	9.4, 11.7	61	230.0	175.9, 295.5	73	84	27	16	19
McDonough	314	9.5	8.5, 10.6	39	138.1	98.2, 188.7	95	73	44	20	9
McHenry	1,509	5.8	5.5, 6.1	367	152.7	137.0, 168.3	443	393	104	73	79
McLean	969	6.4	6.0, 6.8	198	145.4	125.2, 165.7	298	226	83	57	34
Macon	1,152	10.1	9.5, 10.6	263	271.0	238.2, 303.7	344	268	109	52	46
Macoupin	584	11.9	11.0, 12.9	104	257.2	207.7, 306.6	196	123	45	14	29
Madison	2,680	10.3	10.0, 10.7	585	263.3	242.0, 284.7	891	622	171	154	97
Marion	496	11.9	10.8, 12.9	99	284.8	231.5, 346.7	149	106	39	46	18
Marshall	167	12.7	10.7, 14.6	23	214.2	135.8, 321.3	50	51	9	11	4
Mason	189	11.8	10.1, 13.5	30	226.6	152.9, 323.5	51	41	12	14	8
Massac	231	15.3	13.3, 17.3	47	378.7	278.3, 503.6	71	48	18	23	7
Menard	129	10.3	8.5, 12.1	27	248.8	164.0, 362.1	40	28	9	7	7
Mercer	210	12.4	10.7, 14.0	38	265.7	188.0, 364.7	64	46	20	12	7
Monroe	247	8.9	7.8, 10.0	45	187.0	136.4, 250.2	73	56	21	14	5
Montgomery	388	12.7	11.4, 13.9	79	311.1	246.3, 387.8	109	98	31	22	13
Morgan	413	11.3	10.2, 12.4	86	278.3	222.6, 343.7	129	106	23	26	10
Moultrie	190	13.3	11.4, 15.2	27	229.2	151.0, 333.5	56	38	13	8	7
Ogle	451	8.8	8.0, 9.6	75	169.2	133.1, 212.1	136	99	39	18	17
Peoria	1,736	9.5	9.0, 9.9	380	241.7	217.4, 266.0	431	416	169	89	59
Perry	246	10.6	9.3, 12.0	43	221.5	160.3, 298.4	74	59	15	19	10
Piatt	149	9.1	7.6, 10.5	28	202.0	134.2, 292.0	36	38	14	4	10
Pike	228	13.2	11.5, 14.9	27	193.3	127.4, 281.2	46	53	23	17	7
Pope	65	14.8	11.4, 18.8	9	248.6	--	19	13	6	5	1
Pulaski	105	14.4	11.6, 17.1	22	364.8	228.6, 552.4	33	27	8	9	3
Putnam	52	8.5	6.4, 11.2	14	272.9	149.2, 457.9	13	20	2	2	1
Randolph	366	10.8	9.7, 11.9	65	227.2	175.3, 289.6	115	90	22	17	19
Richland	191	11.9	10.2, 13.5	38	286.8	203.0, 393.6	65	29	12	5	10
Rock Island	1,531	10.3	9.8, 10.8	297	234.7	208.0, 261.4	488	348	126	81	49
St. Clair	2,546	9.9	9.6, 10.3	666	299.3	276.6, 322.0	710	635	163	143	104
Saline	418	15.7	14.2, 17.2	101	466.5	375.5, 557.5	140	88	27	18	16
Sangamon	1,785	9.4	9.0, 9.9	397	242.9	219.0, 266.8	502	434	127	85	65
Schuyler	92	12.8	10.3, 15.7	16	275.4	157.4, 447.2	36	21	8	1	3
Scott	68	12.4	9.6, 15.7	13	283.8	151.1, 485.4	24	12	--	5	--
Shelby	247	10.8	9.5, 12.2	55	293.8	221.3, 382.4	77	63	18	11	13
Stark	86	13.7	10.9, 16.9	18	354.3	210.0, 560.0	26	22	10	2	4
Stephenson	507	10.4	9.5, 11.3	86	210.5	168.4, 260.0	158	100	35	43	20
Tazewell	1,289	10.0	9.5, 10.6	231	211.2	184.0, 238.4	336	332	106	58	39
Union	263	14.4	12.6, 16.1	64	423.8	326.4, 541.2	86	50	16	14	13
Vermilion	934	11.1	10.4, 11.9	218	309.8	268.7, 350.9	259	235	70	63	24
Wabash	148	11.5	9.6, 13.3	29	270.5	181.2, 388.5	40	35	12	4	6
Warren	220	11.8	10.2, 13.3	45	287.5	209.7, 384.8	76	52	23	8	2
Washington	172	11.3	9.6, 13.0	39	308.1	219.1, 421.1	52	41	18	8	7
Wayne	187	10.9	9.4, 12.5	36	259.4	181.7, 359.1	56	45	15	7	7
White	256	16.6	14.6, 18.7	34	278.5	192.8, 389.1	102	48	16	9	7
Whiteside	597	9.8	9.0, 10.6	119	233.7	191.7, 275.6	219	143	45	24	19
Will	2,999	5.9	5.7, 6.1	836	179.4	167.3, 191.6	926	774	187	123	107
Williamson	734	12.0	11.1, 12.8	150	293.3	246.3, 340.2	213	171	45	51	22
Winnebago	2,470	8.9	8.5, 9.2	613	252.0	232.1, 272.0	716	612	173	110	102
Woodford	332	9.4	8.3, 10.4	44	145.6	105.8, 195.4	99	73	39	10	8
Unknown	7	N.A.	N.A.	5	N.A.	N.A.	1	--	--	--	--

¹ rate per 1,000 total population² "true" rate has a 19 in 20 chance of being within the specified range³ rate per 100,000 population age 0-64 years; not shown for counties with less than 10 deaths⁴ chronic lower respiratory diseases

Table CS-3.
Mortality Summary by Age by County
Illinois: 2000

County	All Deaths	Infant Mortality			Number of Deaths by Age					
		Number	Rate ¹	95 % Confidence Interval ²	1-14 Years	15-24 Years	25-44 Years	45-64 Years	65-84 Years	85+ Years
ILLINOIS	106,287	1,528	8.3	7.8, 8.7	507	1,451	5,620	17,244	50,049	29,888
Adams	845	6	*	--	3	8	24	86	408	310
Alexander	124	2	*	--	--	2	5	20	63	32
Bond	167	2	*	--	--	2	8	18	65	72
Boone	308	3	*	--	1	4	7	52	144	97
Brown	59	0	--	--	--	--	--	5	34	20
Bureau	425	4	*	--	2	5	10	47	200	157
Calhoun	58	0	--	--	1	--	--	5	28	24
Carroll	192	3	*	--	1	1	7	25	94	61
Cass	161	1	*	--	--	3	1	19	75	62
Champaign	1,107	23	10.2	5.9,14.4	3	21	56	170	537	297
Christian	447	7	*	--	--	4	17	50	197	172
Clark	192	0	--	--	1	1	7	25	87	71
Clay	170	0	--	--	--	--	3	29	88	50
Clinton	321	1	*	--	3	4	15	52	154	92
Coles	552	5	*	--	1	4	22	72	271	177
Cook	46,056	819	9.6	8.9,10.2	258	795	3,046	8,289	21,268	11,581
Crawford	231	1	*	--	--	3	8	34	107	78
Cumberland	114	0	--	--	--	1	1	13	56	43
DeKalb	633	8	*	--	3	5	24	99	296	198
DeWitt	195	1	*	--	--	1	7	22	95	69
Douglas	196	3	*	--	--	1	8	30	83	71
DuPage	5,580	84	6.2	4.9, 7.6	17	56	251	820	2,616	1,736
Edgar	231	3	*	--	1	4	6	25	115	77
Edwards	104	0	--	--	--	1	4	16	52	31
Effingham	317	5	*	--	2	4	11	35	154	106
Fayette	258	2	*	--	2	3	9	38	111	93
Ford	221	2	*	--	--	1	3	19	119	77
Franklin	592	3	*	--	--	4	30	73	311	171
Fulton	493	1	*	--	2	2	12	59	269	148
Gallatin	91	1	*	--	1	1	4	16	41	27
Greene	196	1	*	--	--	--	8	26	99	62
Grundy	320	4	*	--	1	3	12	40	146	114
Hamilton	107	1	*	--	--	--	3	20	52	31
Hancock	258	1	*	--	--	--	7	38	123	89
Hardin	71	0	--	--	--	--	2	8	41	20
Henderson	88	0	--	--	--	1	5	10	47	25
Henry	530	7	*	--	3	7	17	69	247	180
Iroquois	371	2	*	--	4	4	9	51	190	111
Jackson	503	8	*	--	1	5	27	67	247	148
Jasper	117	3	*	--	--	--	6	12	50	46
Jefferson	424	3	*	--	1	3	17	60	197	143
Jersey	215	0	--	--	--	3	10	42	104	56
Jo Daviess	232	2	*	--	--	4	3	28	116	79
Johnson	133	1	*	--	3	1	4	25	69	30
Kane	2,501	56	7.1	5.2, 9.0	12	45	144	425	1,120	699
Kankakee	1,117	21	13.5	7.6,19.3	10	9	49	175	582	271
Kendall	349	7	*	--	1	4	17	64	158	98
Knox	701	4	*	--	4	8	17	86	330	252
Lake	3,660	48	4.5	3.2, 5.9	23	50	209	662	1,715	953
LaSalle	1,203	8	*	--	4	13	39	172	567	400

¹ rate per 1,000 births; not shown for counties with less than 10 infant deaths
² "true" infant mortality rate has a 19 in 20 chance of being within the specified range

Table CS-3. (Continued)

County	Infant Mortality				Number of Deaths by Age					
	All Deaths	Number	Rate ¹	95 %	1-14 Years	15-24 Years	25-44 Years	45-64 Years	65-84 Years	85+ Years
				Confidence Interval ²						
Lawrence	259	1	*	--	1	2	10	31	110	104
Lee	407	4	*	--	2	6	22	69	179	125
Livingston	411	3	*	--	2	6	16	53	193	138
Logan	329	2	*	--	1	2	14	42	145	123
McDonough	314	0	--	--	1	3	8	27	161	114
McHenry	1,509	22	5.4	3.1, 7.7	8	22	68	247	746	396
McLean	969	6	*	--	7	11	39	135	452	319
Macon	1,152	10	6.9	2.5, 11.3	6	14	50	183	562	327
Macoupin	584	1	*	--	2	9	20	72	262	218
Madison	2,680	27	8.0	4.9, 11.1	20	28	120	390	1,376	719
Marion	496	3	*	--	1	6	16	73	236	161
Marshall	167	0	--	--	--	--	4	19	80	64
Mason	189	0	--	--	--	--	6	24	87	72
Massac	231	1	*	--	2	1	13	30	106	78
Menard	129	0	--	--	--	2	6	19	59	43
Mercer	210	0	--	--	2	1	7	28	109	63
Monroe	247	3	*	--	1	3	6	32	120	82
Montgomery	388	0	--	--	1	--	16	62	176	133
Morgan	413	5	*	--	3	5	13	60	203	124
Moultrie	190	1	*	--	1	--	3	22	73	90
Ogle	451	6	*	--	2	2	13	52	219	157
Peoria	1,736	22	8.2	4.7, 11.7	8	17	78	255	830	526
Perry	246	0	--	--	--	2	13	28	118	85
Piatt	149	4	*	--	1	2	5	16	76	45
Pike	228	1	*	--	3	1	5	17	122	79
Pope	65	0	--	--	--	--	2	7	36	20
Pulaski	105	1	*	--	1	1	4	15	44	39
Putnam	52	0	--	--	--	1	2	11	25	13
Randolph	366	4	*	--	--	1	16	44	165	136
Richland	191	1	*	--	--	--	11	26	85	68
Rock Island	1,531	22	11.5	6.6, 16.3	6	9	47	213	755	479
St. Clair	2,546	38	10.2	6.9, 13.5	6	39	141	442	1,236	644
Saline	418	6	*	--	3	1	16	75	178	139
Sangamon	1,785	18	6.8	3.6, 10.0	5	16	87	271	833	555
Schuyler	92	1	*	--	--	1	1	13	42	34
Scott	68	1	*	--	--	3	1	8	23	32
Shelby	247	2	*	--	2	5	5	41	118	74
Stark	86	0	--	--	--	2	4	12	38	30
Stephenson	507	2	*	--	2	1	16	65	245	176
Tazewell	1,289	20	12.6	7.0, 18.3	4	13	52	142	653	405
Union	263	0	--	--	1	2	10	51	123	76
Vermilion	934	11	9.1	3.6, 14.6	4	11	33	159	476	240
Wabash	148	0	--	--	--	1	4	24	64	55
Warren	220	1	*	--	--	3	10	31	101	74
Washington	172	2	*	--	1	3	9	24	79	54
Wayne	187	2	*	--	1	1	5	27	88	63
White	256	0	--	--	--	--	8	26	120	102
Whiteside	597	2	*	--	1	9	21	86	279	199
Will	2,999	56	6.8	5.0, 8.6	16	44	149	571	1,420	743
Williamson	734	5	*	--	1	3	30	111	365	219
Winnebago	2,470	40	9.9	6.8, 13.1	9	31	145	388	1,158	699
Woodford	332	3	*	--	--	3	7	31	160	128
Unknown	7	1	*	--	--	1	2	1	2	--

¹ rate per 1,000 births; not shown for counties with less than 10 infant deaths

² "true" infant mortality rate has a 19 in 20 chance of being within the specified range

Table CS-4
Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
Illinois, City of Chicago and Counties: 2000

	2000 Numbers				2000 Rates				1996-2000 Rates			
	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹
STATE OF ILLINOIS												
Neonatal	1,033	343	658	191	5.6	10.0	4.6	4.9	5.5	10.5	4.4	4.4
Postneonatal	495	217	266	99	2.7	6.3	1.9	2.5	2.8	6.4	1.9	2.4
Infant	1,528	560	924	290	8.3	16.3	6.5	7.4	8.3	16.9	6.3	6.8
Fetal	1,352	447	863	226	7.3	12.9	6.0	5.7	6.9	11.3	5.9	5.9
Perinatal	2,198	719	1411	383	11.8	20.7	9.9	9.7	11.4	19.6	9.5	9.5
CITY OF CHICAGO												
Neonatal	347	188	149	100	6.8	9.6	5.1	5.4	6.8	9.9	4.8	4.4
Postneonatal	185	123	59	50	3.6	6.3	2.0	2.7	4.0	6.8	2.2	2.6
Infant	532	311	208	150	10.5	15.9	7.1	8.1	10.9	16.7	7.0	7.0
Fetal	485	263	209	108	9.4	13.3	7.1	5.8	8.7	11.5	6.8	5.8
Perinatal	754	405	328	185	14.7	20.4	11.2	9.9	14.0	19.1	10.6	9.2
ADAMS												
Neonatal	5	--	5	--	*	-0-	*	-0-	4.6	*	4.3	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	*	*	-0-
Infant	6	--	6	--	*	-0-	*	-0-	6.0	*	5.6	-0-
Fetal	9	1	8	--	*	*	*	-0-	6.9	*	7.0	-0-
Perinatal	14	1	13	--	16.8	*	16.4	-0-	10.5	*	10.6	-0-
ALEXANDER												
Neonatal	1	1	--	--	*	*	-0-	-0-	*	*	-0-	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	*	*	-0-
Infant	2	1	1	--	*	*	*	-0-	15.0	*	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	14.7	*	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	22.1	*	*	-0-
BOND												
Neonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
BOONE												
Neonatal	2	--	2	--	*	-0-	*	-0-	5.0	*	4.8	*
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	3	--	3	--	*	-0-	*	-0-	7.5	*	7.3	*
Fetal	5	--	5	--	*	-0-	*	-0-	7.1	*	6.9	*
Perinatal	7	--	7	--	*	-0-	*	-0-	11.0	*	10.6	*
BROWN												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
BUREAU												
Neonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	2	--	2	--	*	-0-	*	-0-	5.4	-0-	5.4	-0-
Infant	4	--	4	--	*	-0-	*	-0-	8.8	-0-	8.9	-0-
Fetal	2	--	2	1	*	-0-	*	*	*	-0-	*	*
Perinatal	4	--	4	1	*	-0-	*	*	6.3	-0-	6.4	*
CALHOUN												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
CARROLL												
Neonatal	3	--	3	--	*	-0-	*	-0-	11.3	-0-	11.5	*
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	3	--	3	--	*	-0-	*	-0-	12.4	-0-	12.6	*
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	3	--	3	--	*	-0-	*	-0-	12.4	-0-	12.6	*
CASS												
Neonatal	1	--	1	1	*	-0-	*	*	*	-0-	*	*
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	*
Infant	1	--	1	1	*	-0-	*	*	*	-0-	*	*
Fetal	4	--	4	--	*	-0-	*	-0-	11.0	-0-	11.2	*
Perinatal	5	--	5	1	*	-0-	*	*	12.2	-0-	12.3	*

¹ Hispanic may be of any race.

Table CS-4 (Continued)
 Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
 Illinois, City of Chicago and Counties: 2000

	2000 Numbers				2000 Rates				1996-2000 Rates			
	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹
CHAMPAIGN												
Neonatal	13	5	6	--	5.8	*	*	-0-	4.5	9.6	3.6	*
Postneonatal	10	6	2	1	4.4	*	*	*	2.9	8.5	1.6	*
Infant	23	11	8	1	10.2	27.8	*	*	7.4	18.1	5.2	*
Fetal	14	3	10	--	6.2	*	5.9	-0-	5.3	7.4	5.2	*
Perinatal	25	7	15	--	11.0	*	8.9	-0-	9.2	14.8	8.4	*
CHRISTIAN												
Neonatal	4	--	4	--	*	-0-	*	-0-	5.3	-0-	5.4	-0-
Postneonatal	3	--	3	--	*	-0-	*	-0-	*	*	*	-0-
Infant	7	--	7	--	*	-0-	*	-0-	8.7	*	8.3	-0-
Fetal	3	--	3	--	*	-0-	*	-0-	6.3	-0-	6.3	-0-
Perinatal	7	--	7	--	*	-0-	*	-0-	11.6	-0-	11.6	-0-
CLARK												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
CLAY												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
CLINTON												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	2	--	2	1	*	-0-	*	*	8.2	*	7.4	*
Perinatal	2	--	2	1	*	-0-	*	*	8.7	*	7.9	*
COLES												
Neonatal	2	--	2	--	*	-0-	*	-0-	4.7	*	4.1	-0-
Postneonatal	3	--	3	--	*	-0-	*	-0-	3.3	-0-	3.5	-0-
Infant	5	--	5	--	*	-0-	*	-0-	8.0	*	7.6	-0-
Fetal	5	--	5	1	*	-0-	*	*	5.0	-0-	5.2	*
Perinatal	7	--	7	1	*	-0-	*	*	9.0	*	8.6	*
COOK												
Neonatal	558	253	290	146	6.5	9.9	5.3	5.5	6.4	10.3	4.7	4.6
Postneonatal	261	159	96	67	3.1	6.2	1.7	2.5	3.3	6.4	2.0	2.5
Infant	819	412	386	213	9.6	16.2	7.0	8.0	9.7	16.7	6.7	7.1
Fetal	757	338	390	158	8.8	13.1	7.0	5.9	8.0	11.5	6.5	5.9
Perinatal	1,201	531	630	276	13.9	20.6	11.3	10.3	13.1	19.6	10.3	9.5
CRAWFORD												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	*
Perinatal	2	--	2	--	*	-0-	*	-0-	8.9	-0-	9.0	*
CUMBERLAND												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
DEKALB												
Neonatal	6	1	5	--	*	*	*	-0-	4.5	*	4.3	-0-
Postneonatal	2	1	1	--	*	*	*	-0-	*	*	*	*
Infant	8	2	6	--	*	*	*	-0-	5.8	*	5.3	*
Fetal	6	--	6	1	*	-0-	*	*	5.6	*	5.9	*
Perinatal	12	1	11	1	10.7	*	10.7	*	9.5	*	9.5	*
DEWITT												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-

¹ Hispanic may be of any race.

Table CS-4 (Continued)
 Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
 Illinois, City of Chicago and Counties: 2000

	2000 Numbers				2000 Rates				1996-2000 Rates			
	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹
DOUGLAS												
Neonatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	*
Perinatal	4	--	4	--	*	-0-	*	-0-	9.0	-0-	9.0	*
DUPAGE												
Neonatal	67	5	52	4	5.0	*	4.5	*	4.7	8.5	4.6	3.9
Postneonatal	17	1	15	5	1.3	*	1.3	*	1.4	*	1.3	2.0
Infant	84	6	67	9	6.2	*	5.8	*	6.1	11.5	5.9	5.9
Fetal	61	9	46	10	4.5	*	4.0	4.4	5.6	14.3	5.4	6.6
Perinatal	119	14	90	13	8.8	26.4	7.8	5.8	9.4	21.4	9.0	9.9
EDGAR												
Neonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	3	--	3	--	*	-0-	*	-0-	10.9	-0-	11.0	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	*	*	-0-
Perinatal	3	--	3	--	*	-0-	*	-0-	*	*	*	-0-
EDWARDS												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
EFFINGHAM												
Neonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	5	--	5	--	*	-0-	*	-0-	6.8	-0-	6.9	-0-
Fetal	5	--	5	--	*	-0-	*	-0-	6.8	-0-	6.8	-0-
Perinatal	7	--	7	--	*	-0-	*	-0-	10.1	-0-	10.2	-0-
FAYETTE												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	2	--	2	--	*	-0-	*	-0-	9.1	-0-	9.2	-0-
Fetal	2	--	2	1	*	-0-	*	*	*	-0-	*	*
Perinatal	3	--	3	1	*	-0-	*	*	11.3	-0-	11.4	*
FORD												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
Postneonatal	2	1	1	--	*	*	*	-0-	*	*	*	-0-
Infant	2	1	1	--	*	*	*	-0-	*	*	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
FRANKLIN												
Neonatal	1	--	1	--	*	-0-	*	-0-	4.3	-0-	4.4	-0-
Postneonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	3	--	3	--	*	-0-	*	-0-	7.4	-0-	7.4	-0-
Fetal	3	--	3	--	*	-0-	*	-0-	5.2	-0-	5.2	-0-
Perinatal	4	--	4	--	*	-0-	*	-0-	8.6	-0-	8.7	-0-
FULTON												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	*
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	*
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	6.7	-0-	6.8	*
GALLATIN												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
GREENE												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	2	--	2	--	*	-0-	*	-0-	11.9	-0-	12.0	-0-
Perinatal	3	--	3	--	*	-0-	*	-0-	15.2	-0-	15.3	-0-

¹ Hispanic may be of any race.

Table CS-4 (Continued)
 Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
 Illinois, City of Chicago and Counties: 2000

	2000 Numbers				2000 Rates				1996-2000 Rates			
	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹
GRUNDY												
Neonatal	1	--	1	--	*	-0-	*	-0-	4.2	-0-	4.2	*
Postneonatal	3	--	3	1	*	-0-	*	*	*	-0-	*	*
Infant	4	--	4	1	*	-0-	*	*	7.1	-0-	7.1	*
Fetal	2	--	2	--	*	-0-	*	-0-	5.0	-0-	5.0	-0-
Perinatal	2	--	2	--	*	-0-	*	-0-	8.3	-0-	8.3	*
HAMILTON												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
HANCOCK												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
HARDIN												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
HENDERSON												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
HENRY												
Neonatal	5	1	4	1	*	*	*	*	4.8	*	4.3	*
Postneonatal	2	--	2	--	*	-0-	*	-0-	*	*	*	*
Infant	7	1	6	1	*	*	*	*	7.6	*	6.4	*
Fetal	4	--	4	--	*	-0-	*	-0-	8.2	*	8.1	*
Perinatal	7	--	7	1	*	-0-	*	*	10.9	*	10.9	*
IROQUOIS												
Neonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	*
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	2	--	2	--	*	-0-	*	-0-	6.1	-0-	6.2	*
Fetal	6	--	6	1	*	-0-	*	*	5.5	-0-	5.6	*
Perinatal	8	--	8	1	*	-0-	*	*	8.3	-0-	8.5	*
JACKSON												
Neonatal	7	3	4	--	*	*	*	-0-	6.5	*	5.1	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	3.6	*	*	-0-
Infant	8	3	5	--	*	*	*	-0-	10.1	16.8	8.7	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	5.9	*	5.1	*
Perinatal	5	3	2	--	*	*	*	-0-	10.9	20.8	8.2	*
JASPER												
Neonatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	4	--	4	--	*	-0-	*	-0-	*	-0-	*	-0-
JEFFERSON												
Neonatal	2	--	2	--	*	-0-	*	-0-	4.4	-0-	5.0	-0-
Postneonatal	1	1	--	--	*	*	-0-	-0-	*	*	*	-0-
Infant	3	1	2	--	*	*	*	-0-	6.1	*	6.0	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	7.0	*	7.4	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	9.6	*	10.4	-0-
JERSEY												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	8.3	*	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	9.9	*	9.1	-0-

¹ Hispanic may be of any race.

Table CS-4 (Continued)
 Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
 Illinois, City of Chicago and Counties: 2000

	2000 Numbers				2000 Rates				1996-2000 Rates			
	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹
JO DAVIESS												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
JOHNSON												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	15.6	-0-	15.7	-0-
KANE												
Neonatal	39	9	30	16	5.0	*	4.2	5.1	5.3	17.7	4.5	4.8
Postneonatal	17	2	14	7	2.2	*	2.0	*	2.0	4.9	1.8	2.2
Infant	56	11	44	23	7.1	21.8	6.2	7.3	7.3	22.6	6.3	7.0
Fetal	42	6	36	17	5.3	*	5.0	5.3	6.0	12.2	5.6	6.0
Perinatal	78	15	63	31	9.9	29.4	8.8	9.7	10.4	27.6	9.3	9.7
KANKAKEE												
Neonatal	10	2	8	1	6.4	*	*	*	5.0	8.7	3.9	*
Postneonatal	11	8	3	--	7.0	*	*	-0-	3.5	9.3	2.0	-0-
Infant	21	10	11	1	13.5	29.4	9.1	*	8.5	18.0	5.9	*
Fetal	12	4	8	1	7.6	*	*	*	8.2	14.6	6.5	*
Perinatal	21	5	16	2	13.4	*	13.2	*	12.2	20.1	10.1	*
KENDALL												
Neonatal	6	--	5	1	*	-0-	*	*	4.9	*	4.5	*
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	*
Infant	7	--	6	1	*	-0-	*	*	6.7	*	6.4	*
Fetal	6	1	4	--	*	*	*	-0-	4.6	*	4.2	*
Perinatal	12	1	9	1	13.6	*	*	*	9.3	*	8.4	*
KNOX												
Neonatal	4	--	4	--	*	-0-	*	-0-	4.1	*	4.0	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	4	--	4	--	*	-0-	*	-0-	5.9	*	6.0	-0-
Fetal	4	--	4	1	*	-0-	*	*	5.6	-0-	6.0	*
Perinatal	7	--	7	1	*	-0-	*	*	8.1	*	8.3	*
LAKE												
Neonatal	34	6	25	7	3.2	*	2.7	*	3.5	7.4	3.2	3.0
Postneonatal	14	1	11	6	1.3	*	1.2	*	1.7	7.1	1.3	1.5
Infant	48	7	36	13	4.5	*	3.9	4.8	5.2	14.5	4.5	4.6
Fetal	78	20	56	15	7.3	24.2	6.1	5.5	6.5	11.4	6.1	5.6
Perinatal	105	26	75	20	9.9	31.5	8.1	7.3	9.2	17.3	8.6	8.0
LA SALLE												
Neonatal	5	--	5	--	*	-0-	*	-0-	4.0	*	4.0	-0-
Postneonatal	3	--	3	1	*	-0-	*	*	2.2	*	2.1	*
Infant	8	--	8	1	*	-0-	*	*	6.2	*	6.0	*
Fetal	5	--	5	1	*	-0-	*	*	5.2	*	5.1	*
Perinatal	9	--	9	1	*	-0-	*	*	8.0	*	8.0	*
LAWRENCE												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
LEE												
Neonatal	2	--	2	--	*	-0-	*	-0-	6.7	*	5.8	-0-
Postneonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	4	--	4	--	*	-0-	*	-0-	8.7	*	7.9	-0-
Fetal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	3	--	3	--	*	-0-	*	-0-	8.7	*	8.4	-0-
LIVINGSTON												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	3	--	3	--	*	-0-	*	-0-	5.6	-0-	5.7	-0-
Fetal	2	1	1	--	*	*	*	-0-	6.0	*	5.3	*
Perinatal	3	1	2	--	*	*	*	-0-	8.5	*	7.9	*

¹ Hispanic may be of any race.

Table CS-4 (Continued)
 Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
 Illinois, City of Chicago and Counties: 2000

	2000 Numbers				2000 Rates				1996-2000 Rates			
	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹
LOGAN												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	*
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	*	*	-0-
Infant	2	--	2	--	*	-0-	*	-0-	7.7	*	7.3	*
Fetal	1	--	1	--	*	-0-	*	-0-	7.6	-0-	7.9	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	10.0	-0-	10.3	*
MCDONOUGH												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
Fetal	6	--	6	--	*	-0-	*	-0-	8.5	-0-	9.1	-0-
Perinatal	6	--	6	--	*	-0-	*	-0-	11.2	-0-	11.9	-0-
MCHENRY												
Neonatal	14	--	14	4	3.5	-0-	3.6	*	3.6	*	3.6	4.2
Postneonatal	8	--	8	3	*	-0-	*	*	1.8	-0-	1.9	5.1
Infant	22	--	22	7	5.4	-0-	5.6	*	5.4	*	5.5	9.3
Fetal	19	1	18	2	4.7	*	4.5	*	5.1	*	5.1	4.6
Perinatal	31	1	30	6	7.6	*	7.6	*	8.0	*	8.0	8.0
MCLEAN												
Neonatal	3	--	3	--	*	-0-	*	-0-	3.6	*	3.2	-0-
Postneonatal	3	1	2	--	*	*	*	-0-	3.3	*	2.7	-0-
Infant	6	1	5	--	*	*	*	-0-	6.9	18.7	5.8	-0-
Fetal	9	1	8	--	*	*	*	-0-	4.6	*	4.3	-0-
Perinatal	11	1	10	--	5.5	*	5.8	-0-	7.5	11.6	7.0	-0-
MACON												
Neonatal	4	3	1	--	*	*	*	-0-	5.7	13.9	3.3	-0-
Postneonatal	6	5	1	--	*	*	*	-0-	3.3	7.0	2.2	-0-
Infant	10	8	2	--	6.9	*	*	-0-	8.9	20.9	5.5	-0-
Fetal	11	5	6	--	7.6	*	*	-0-	8.5	13.2	7.2	-0-
Perinatal	14	7	7	--	9.6	*	*	-0-	13.2	24.1	10.1	-0-
MACOUPIN												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	3.7	-0-	3.8	-0-
Fetal	5	--	5	--	*	-0-	*	-0-	5.6	-0-	5.7	-0-
Perinatal	6	--	6	--	*	-0-	*	-0-	8.9	-0-	9.0	-0-
MADISON												
Neonatal	21	7	14	--	6.2	*	4.7	-0-	5.3	14.8	4.3	-0-
Postneonatal	6	1	5	1	*	*	*	*	2.4	5.7	2.0	*
Infant	27	8	19	1	8.0	*	6.4	*	7.7	20.5	6.3	*
Fetal	18	4	14	--	5.3	*	4.7	-0-	5.5	9.6	5.1	*
Perinatal	34	10	24	--	10.0	28.8	8.0	-0-	9.8	23.1	8.4	*
MARION												
Neonatal	3	--	3	--	*	-0-	*	-0-	5.9	-0-	6.3	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
Infant	3	--	3	--	*	-0-	*	-0-	8.1	*	7.9	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	4.4	*	4.3	-0-
Perinatal	4	--	4	--	*	-0-	*	-0-	8.8	*	9.0	-0-
MARSHALL												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
MASON												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
MASSAC												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-

¹ Hispanic may be of any race.

Table CS-4 (Continued)
Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
Illinois, City of Chicago and Counties: 2000

	2000 Numbers				2000 Rates				1996-2000 Rates			
	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹
MENARD												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
MERCER												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	2	--	2	1	*	-0-	*	*	*	-0-	*	*
Perinatal	2	--	2	1	*	-0-	*	*	10.9	-0-	11.0	*
MONROE												
Neonatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	2	--	2	1	*	-0-	*	*	6.2	-0-	6.2	*
Perinatal	4	--	4	1	*	-0-	*	*	8.6	-0-	8.7	*
MONTGOMERY												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	3	--	3	--	*	-0-	*	-0-	9.2	-0-	9.3	-0-
Perinatal	3	--	3	--	*	-0-	*	-0-	13.2	-0-	13.3	-0-
MORGAN												
Neonatal	5	--	5	--	*	-0-	*	-0-	4.9	*	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
Infant	5	--	5	--	*	-0-	*	-0-	9.3	*	8.4	-0-
Fetal	3	--	3	--	*	-0-	*	-0-	6.3	*	5.2	-0-
Perinatal	8	--	8	--	*	-0-	*	-0-	10.7	*	8.8	-0-
MOULTRIE												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	4	--	4	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	4	--	4	--	*	-0-	*	-0-	*	-0-	*	-0-
OGLE												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	*	*	-0-
Postneonatal	5	1	4	--	*	*	*	-0-	*	*	*	-0-
Infant	6	1	5	--	*	*	*	-0-	5.3	*	4.7	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	4.3	*	4.0	*
Perinatal	1	--	1	--	*	-0-	*	-0-	6.0	*	5.4	*
PEORIA												
Neonatal	13	5	7	--	4.8	*	*	-0-	6.4	11.5	4.7	*
Postneonatal	9	6	3	--	*	*	*	-0-	2.9	7.3	1.5	*
Infant	22	11	10	--	8.2	15.9	5.2	-0-	9.3	18.8	6.2	*
Fetal	11	6	5	--	4.1	*	*	-0-	4.7	6.3	4.3	*
Perinatal	23	11	11	--	8.5	15.8	5.7	-0-	10.2	15.7	8.5	*
PERRY												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	9.1	-0-	9.4	-0-
PIATT												
Neonatal	3	--	3	--	*	-0-	*	-0-	*	*	*	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	4	--	4	--	*	-0-	*	-0-	*	*	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
PIKE												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-

¹ Hispanic may be of any race.

Table CS-4 (Continued)
 Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
 Illinois, City of Chicago and Counties: 2000

	2000 Numbers				2000 Rates				1996-2000 Rates			
	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹
POPE												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
PULASKI												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	*	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	*	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	*	*	-0-
Perinatal	2	--	2	--	*	-0-	*	-0-	*	*	*	-0-
PUTNAM												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
RANDOLPH												
Neonatal	2	--	2	--	*	-0-	*	-0-	8.5	-0-	9.0	*
Postneonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	4	--	4	--	*	-0-	*	-0-	10.6	-0-	11.3	*
Fetal	2	1	1	--	*	*	*	-0-	7.4	*	6.7	*
Perinatal	4	1	3	--	*	*	*	-0-	14.8	*	14.6	*
RICHLAND												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	5	--	5	--	*	-0-	*	-0-	11.4	-0-	11.5	-0-
Perinatal	5	--	5	--	*	-0-	*	-0-	13.2	-0-	13.4	-0-
ROCK ISLAND												
Neonatal	15	3	12	4	7.8	*	7.3	*	5.9	11.2	5.4	*
Postneonatal	7	3	4	2	*	*	*	*	3.0	*	2.5	*
Infant	22	6	16	6	11.5	*	9.7	*	8.9	18.7	7.9	11.0
Fetal	14	2	12	3	7.2	*	7.2	*	7.3	*	7.2	10.1
Perinatal	27	4	23	7	14.0	*	13.9	*	12.3	17.6	11.8	16.7
ST. CLAIR												
Neonatal	26	17	9	--	7.0	11.6	*	-0-	6.2	9.9	3.8	*
Postneonatal	12	7	5	--	3.2	*	*	-0-	3.8	6.3	2.3	-0-
Infant	38	24	14	--	10.2	16.4	6.3	-0-	10.0	16.2	6.1	*
Fetal	23	18	5	--	6.1	12.1	*	-0-	8.0	13.3	4.4	*
Perinatal	44	31	13	--	11.7	20.9	5.9	-0-	13.1	21.8	7.3	*
SALINE												
Neonatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	6	--	6	--	*	-0-	*	-0-	7.3	-0-	7.8	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	*
Perinatal	1	--	1	--	*	-0-	*	-0-	8.0	-0-	8.5	*
SANGAMON												
Neonatal	14	4	10	--	5.3	*	4.6	-0-	5.6	14.1	4.2	-0-
Postneonatal	4	2	2	--	*	*	*	-0-	2.4	6.3	1.7	-0-
Infant	18	6	12	--	6.8	*	5.5	-0-	8.0	20.4	5.9	-0-
Fetal	18	3	15	--	6.8	*	6.9	-0-	7.0	11.4	6.3	*
Perinatal	29	7	22	--	10.9	*	10.1	-0-	11.4	22.7	9.4	*
SCHUYLER												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
SCOTT												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-

¹ Hispanic may be of any race.

Table CS-4 (Continued)
 Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
 Illinois, City of Chicago and Counties: 2000

	2000 Numbers				2000 Rates				1996-2000 Rates			
	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹
SHELBY												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	7.7	-0-	7.7	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	10.0	-0-	10.0	-0-
STARK												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
STEPHENSON												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	*	*	-0-
Postneonatal	2	2	--	--	*	*	-0-	-0-	*	*	*	*
Infant	2	2	--	--	*	*	-0-	-0-	4.9	*	*	*
Fetal	1	1	--	--	*	*	-0-	-0-	3.9	*	*	*
Perinatal	1	1	--	--	*	*	-0-	-0-	5.8	*	5.3	*
TAZEWELL												
Neonatal	12	1	11	--	7.6	*	7.0	-0-	5.5	*	5.3	*
Postneonatal	8	--	8	--	*	-0-	*	-0-	2.3	-0-	2.3	-0-
Infant	20	1	19	--	12.6	*	12.2	-0-	7.8	*	7.6	*
Fetal	10	--	10	--	6.3	-0-	6.4	-0-	6.3	-0-	6.3	*
Perinatal	21	1	20	--	13.2	*	12.7	-0-	10.9	*	10.7	*
UNION												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	*
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	*
Fetal	3	--	3	--	*	-0-	*	-0-	*	-0-	*	*
Perinatal	3	--	3	--	*	-0-	*	-0-	10.7	-0-	10.7	*
VERMILION												
Neonatal	4	2	2	--	*	*	*	-0-	4.6	*	3.8	*
Postneonatal	7	1	6	--	*	*	*	-0-	3.6	*	3.4	*
Infant	11	3	8	--	9.1	*	*	-0-	8.2	14.6	7.3	*
Fetal	10	2	8	--	8.2	*	*	-0-	5.3	*	5.0	*
Perinatal	14	4	10	--	11.5	*	9.7	-0-	9.2	14.5	8.4	*
WABASH												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Fetal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
WARREN												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	5	--	5	--	*	-0-	*	-0-	9.8	-0-	10.2	-0-
Perinatal	6	--	6	--	*	-0-	*	-0-	11.6	-0-	12.0	-0-
WASHINGTON												
Neonatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Infant	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Fetal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
Perinatal	2	--	2	--	*	-0-	*	-0-	*	-0-	*	-0-
WAYNE												
Neonatal	1	--	1	--	*	-0-	*	-0-	*	*	*	-0-
Postneonatal	1	--	1	--	*	-0-	*	-0-	*	-0-	*	-0-
Infant	2	--	2	--	*	-0-	*	-0-	*	*	*	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	1	--	1	--	*	-0-	*	-0-	11.5	*	10.6	-0-
WHITE												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Postneonatal	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Infant	--	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Fetal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Perinatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-

¹ Hispanic may be of any race.

Table CS-4 (Continued)
 Neonatal, Postneonatal, Infant, Fetal and Perinatal Deaths and Rates
 Illinois, City of Chicago and Counties: 2000

	2000 Numbers				2000 Rates				1996-2000 Rates			
	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹	All Races	Black	White	Hispanic ¹
WHITESIDE												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	3.8	-0-	3.9	*
Postneonatal	2	--	2	1	*	-0-	*	*	*	-0-	*	*
Infant	2	--	2	1	*	-0-	*	*	5.1	-0-	5.2	*
Fetal	6	--	6	--	*	-0-	*	-0-	6.4	-0-	6.5	*
Perinatal	6	--	6	--	*	-0-	*	-0-	9.4	-0-	9.6	*
WILL												
Neonatal	46	7	39	5	5.6	*	5.5	*	5.9	11.5	5.4	6.7
Postneonatal	10	2	8	3	1.2	*	*	*	1.8	4.5	1.4	*
Infant	56	9	47	8	6.8	*	6.7	*	7.7	16.0	6.8	8.9
Fetal	55	13	39	9	6.7	14.3	5.5	*	5.6	9.7	5.1	6.0
Perinatal	95	20	72	13	11.5	22.0	10.2	12.0	10.8	20.6	9.7	11.4
WILLIAMSON												
Neonatal	1	--	1	--	*	-0-	*	-0-	3.7	*	3.6	-0-
Postneonatal	4	--	4	--	*	-0-	*	-0-	4.6	*	4.2	-0-
Infant	5	--	5	--	*	-0-	*	-0-	8.3	*	7.7	-0-
Fetal	10	1	9	--	14.6	*	*	-0-	6.8	*	6.8	-0-
Perinatal	11	1	10	--	16.1	*	15.1	-0-	9.1	*	8.9	-0-
WINNEBAGO												
Neonatal	25	7	18	1	6.2	*	5.5	*	4.4	9.5	3.6	*
Postneonatal	15	6	9	1	3.7	*	*	*	3.9	10.2	2.8	*
Infant	40	13	27	2	9.9	20.8	8.3	*	8.3	19.6	6.4	4.5
Fetal	25	6	19	1	6.2	*	5.8	*	5.8	9.4	5.1	6.7
Perinatal	50	13	37	2	12.4	20.6	11.3	*	9.7	18.8	8.1	8.0
WOODFORD												
Neonatal	--	--	--	--	-0-	-0-	-0-	-0-	*	-0-	*	-0-
Postneonatal	3	--	3	--	*	-0-	*	-0-	4.7	-0-	4.8	-0-
Infant	3	--	3	--	*	-0-	*	-0-	7.6	-0-	7.6	-0-
Fetal	2	--	2	--	*	-0-	*	-0-	5.2	-0-	5.2	-0-
Perinatal	2	--	2	--	*	-0-	*	-0-	8.0	-0-	8.1	-0-

¹ Hispanic may be of any race.

Selected Natality Statistics among Residents of The State of Illinois - 2000

		All Ages	Mother's Age						Race		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and older	White	Black	Hispanic ¹
2000 Numbers											
Live births	Total	185,003	21,108	43,054	49,617	45,287	21,627	4,291	142,313	34,268	39,285
Sex	Male	94,287	10,700	22,025	25,411	23,110	10,889	2,141	72,762	17,168	20,038
	Female	90,716	10,408	21,029	24,206	22,177	10,738	2,150	69,551	17,100	19,247
Race	White	142,313	12,966	30,989	39,310	37,581	17,985	3,468			
	Black	34,268	7,901	11,021	7,478	4,803	2,459	602			
Ethnicity	Hispanic ¹	39,285	5,903	12,313	10,986	6,664	2,808	605			
Multiple births		6,357	327	1,009	1,582	2,138	1,084	215			
Marital status	Married	121,180	3,037	19,136	37,353	39,380	18,690	3,572	105,421	8,086	22,687
	Single	63,823	18,071	23,918	12,264	5,907	2,937	719	36,892	26,182	16,598
Mother not high school graduate		40,098	12,732	12,372	7,907	4,419	2,124	539	29,529	10,039	20,390
Birthweight	Very low (0-1,499 Grams)	3,067	399	676	800	721	372	99	1,770	1,197	481
	Low (0-2,499 Grams)	14,747	2,065	3,427	3,579	3,387	1,830	456	9,195	4,832	2,432
Caesarian section	Primary	24,342	2,680	4,925	6,608	6,240	3,131	752	18,631	4,483	4,406
	Secondary	14,882	345	2,321	3,876	4,715	3,001	623	11,395	2,908	2,971
Trimester prenatal care began	First	149,237	13,595	31,962	41,550	39,848	18,744	3,527	118,665	23,771	27,919
	Third or no care	7,130	1,688	2,363	1,470	939	537	129	4,125	2,748	2,158
First birth		59,595	14,636	16,061	15,081	10,107	3,174	530	46,842	9,331	13,054
2000 Percentages²											
Live births	Total	100.0	11.4	23.3	26.8	24.5	11.7	2.3	76.9	18.5	21.2
Sex	Male	51.0	50.7	51.2	51.2	51.0	50.3	49.9	51.1	50.1	51.0
	Female	49.0	49.3	48.8	48.8	49.0	49.7	50.1	48.9	49.9	49.0
Race	White	76.9	9.1	21.8	27.6	26.4	12.6	2.4			
	Black	18.5	23.1	32.2	21.8	14.0	7.2	1.8			
Ethnicity	Hispanic ¹	21.2	15.0	31.3	28.0	17.0	7.1	1.5			
Multiple births		3.4	1.5	2.3	3.2	4.7	5.0	5.0			
Marital status	Married	65.5	14.4	44.4	75.3	87.0	86.4	83.2	74.1	23.6	57.7
	Single	34.5	85.6	55.6	24.7	13.0	13.6	16.8	25.9	76.4	42.3
Mother not high school graduate		21.9	60.8	29.0	16.1	9.8	9.9	12.7	20.9	29.6	52.6
Birthweight	Very low (0-1,499 Grams)	1.7	1.9	1.6	1.6	1.6	1.7	2.3	1.2	3.5	1.2
	Low (0-2,499 Grams)	8.0	9.8	8.0	7.2	7.5	8.5	10.6	6.5	14.1	6.2
Caesarian section	Primary	13.2	12.7	11.4	13.3	13.8	14.5	17.5	13.1	13.1	11.2
	Secondary	8.0	1.6	5.4	7.8	10.4	13.9	14.5	8.0	8.5	7.6
Trimester prenatal care began	First	82.4	65.7	75.7	85.4	89.9	88.8	84.7	84.9	71.3	72.6
	Third or no care	3.9	8.2	5.6	3.0	2.1	2.5	3.1	3.0	8.2	5.6
First birth		32.2	69.3	37.3	30.4	22.3	14.7	12.4	32.9	27.2	33.2
Percentages² based on 1996-2000 average											
Live births	Total	100.0	12.2	22.7	27.3	24.4	11.3	2.1	76.8	19.2	19.4
Sex	Male	51.1	51.0	51.2	51.0	51.3	50.9	51.1	51.2	50.6	50.9
	Female	48.9	49.0	48.8	49.0	48.7	49.1	48.9	48.8	49.4	49.1
Race	White	76.8	9.5	21.2	28.2	26.6	12.2	2.2			
	Black	19.2	25.0	30.5	21.9	14.1	7.1	1.4			
Ethnicity	Hispanic ¹	19.4	15.7	31.6	27.7	16.7	6.9	1.4			
Multiple births		3.3	1.6	2.2	3.1	4.4	5.0	4.7			
Marital status	Married	66.0	14.9	46.7	76.5	87.0	86.4	84.1	75.6	22.7	59.8
	Single	34.0	85.1	53.3	23.5	13.0	13.6	15.9	24.4	77.3	40.2
Mother not high school graduate		22.0	62.2	29.0	15.3	9.6	9.6	12.5	20.5	31.3	53.8
Birthweight	Very low (0-1,499 Grams)	1.6	2.1	1.5	1.5	1.5	1.8	1.9	1.2	3.3	1.2
	Low (0-2,499 Grams)	8.0	10.1	7.8	7.1	7.5	9.0	10.5	6.4	14.2	6.2
Caesarian section	Primary	12.4	12.0	11.1	12.5	12.8	13.8	17.3	12.4	12.2	10.6
	Secondary	7.6	1.6	5.1	7.4	10.2	12.9	13.7	7.6	7.8	7.0
Trimester prenatal care began	First	82.3	65.0	75.5	85.9	89.9	89.0	85.6	85.3	70.0	72.6
	Third or no care	4.0	8.4	5.7	3.1	2.2	2.5	3.4	2.9	8.5	5.9
First birth		31.9	67.9	36.4	30.2	21.4	14.4	12.4	32.7	27.1	33.1

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of

The State of Illinois - 2000

Population Estimates	
Total	12,436,000
Under 65 Years	10,933,990
65 and Older	1,502,010

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	106,287	1,528	214	293	1,451	1,778	3,842	6,865	10,379	19,287	30,762	29,888
Male	51,217	833	118	183	1,110	1,238	2,445	4,232	6,157	10,621	14,802	9,478
Female	55,070	695	96	110	341	540	1,397	2,633	4,222	8,666	15,960	20,410
Black	16,186	560	74	104	483	635	1,285	1,969	2,320	3,176	3,321	2,259
Male	8,345	283	45	65	391	413	743	1,147	1,357	1,660	1,512	729
Female	7,841	277	29	39	92	222	542	822	963	1,516	1,809	1,530
White	89,059	924	137	184	946	1,112	2,514	4,812	7,890	15,906	27,157	27,477
Male	42,271	522	71	117	703	810	1,672	3,026	4,690	8,842	13,131	8,687
Female	46,788	402	66	67	243	302	842	1,786	3,200	7,064	14,026	18,790
All other races	1,042	44	3	5	22	31	43	84	169	205	284	152
Male	601	28	2	1	16	15	30	59	110	119	159	62
Female	441	16	1	4	6	16	13	25	59	86	125	90
Hispanic ethnicity ¹	3,174	290	37	42	251	217	294	348	391	547	470	287
Male	1,929	151	12	34	204	170	214	234	232	305	262	111
Female	1,245	139	25	8	47	47	80	114	159	242	208	176

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	106,287	16,186	89,059	1,042	3,174	26,350	79,937	854.7	241.0	5,322.1
5-Year Average (1996-2000)	105,317	16,261	88,106	949	2,862	26,547	78,770	881.4	253.8	5,291.5
Infectious and parasitic diseases	2,828	894	1,910	24	144	1,053	1,775	22.7	9.6	118.2
# Septicemia	1,867	509	1,342	16	63	392	1,475	15.0	3.6	98.2
# Viral hepatitis	131	29	99	3	10	75	56	1.1	0.7	3.7
# HIV disease	477	280	196	1	46	460	17	3.8	4.2	1.1
# Malignant neoplasms	25,316	3,752	21,249	315	595	7,275	18,041	203.6	66.5	1,201.1
Lip, oral cavity and pharynx	328	66	257	5	7	139	189	2.6	1.3	12.6
Colorectal	2,794	419	2,343	32	49	654	2,140	22.5	6.0	142.5
Bronchus and lung	6,816	1,031	5,709	76	82	1,964	4,852	54.8	18.0	323.0
Female breast	2,041	336	1,686	19	53	784	1,257	16.4 ³	7.2 ³	83.7 ³
Cervical	214	52	156	6	21	142	72	1.7 ³	1.3 ³	4.8 ³
Prostate	1,407	291	1,106	10	27	100	1,307	11.3 ³	0.9 ³	87.0 ³
# Diabetes mellitus	2,985	537	2,417	31	172	673	2,312	24.0	6.2	153.9
# Alzheimer's disease	2,150	141	1,999	10	28	22	2,128	17.3	0.2	141.7
Major cardiovascular diseases	41,693	5,749	35,576	368	821	6,629	35,064	335.3	60.6	2,334.5
# Diseases of heart	31,772	4,445	27,059	268	630	5,425	26,347	255.5	49.6	1,754.2
Ischemic heart disease	22,964	2,971	19,785	208	464	3,710	19,254	184.7	33.9	1,281.9
# Cerebrovascular diseases	7,415	951	6,389	75	154	883	6,532	59.6	8.1	434.9
# Atherosclerosis	601	43	553	5	8	29	572	4.8	0.3	38.1
# Aortic aneurysm and dissection	723	93	625	5	13	113	610	5.8	1.0	40.6
Respiratory diseases	9,581	990	8,521	70	172	1,218	8,363	77.0	11.1	556.8
# Influenza and pneumonia	2,909	338	2,544	27	60	306	2,603	23.4	2.8	173.3
# Chronic lower respiratory diseases	4,756	438	4,295	23	55	622	4,134	38.2	5.7	275.2
Emphysema	673	54	617	2	3	79	594	5.4	0.7	39.5
Asthma	246	117	129	--	13	154	92	2.0	1.4	6.1
# Chronic liver disease and cirrhosis	1,056	162	885	9	86	635	421	8.5	5.8	28.0
# Nephritis, nephrotic syndrome and nephrosis	2,120	443	1,658	19	88	340	1,780	17.0	3.1	118.5
# Certain perinatal conditions	820	290	510	20	156	820	--	6.6	7.5	-0-
# Congenital malformations	460	90	354	16	74	412	48	3.7	3.8	3.2
SIDS	108	58	48	2	15	108	--	0.9	1.0	-0-
External causes	6,215	1,573	4,580	62	539	4,704	1,511	50.0	43.0	100.6
# Accidents	3,989	794	3,151	44	310	2,790	1,199	32.1	25.5	79.8
Motor vehicle accidents	1,503	247	1,226	30	162	1,254	249	12.1	11.5	16.6
All other accidents	2,486	547	1,925	14	148	1,536	950	20.0	14.0	63.2
# Suicide	1,000	104	887	9	51	821	179	8.0	7.5	11.9
# Homicide	987	621	359	7	163	953	34	7.9	8.7	2.3

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of The City of Chicago - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity Hispanic ¹
					25-29	30-34	35-39	White	Black		
2000 Numbers											
Live births	Total	50,885	8,162	13,846	12,666	10,171	4,891	1,140	29,105	19,557	18,546
Sex	Male	25,803	4,093	7,088	6,478	5,166	2,436	537	14,812	9,841	9,369
	Female	25,082	4,069	6,758	6,188	5,005	2,455	603	14,293	9,716	9,177
Race	White	29,105	3,369	7,236	7,712	6,771	3,274	738			
	Black	19,557	4,716	6,268	4,224	2,681	1,326	338			
Ethnicity	Hispanic ¹	18,546	2,978	5,844	5,075	3,035	1,293	316			
Multiple births		1,553	142	350	355	446	209	51	820	689	342
Marital status	Married	24,296	860	4,436	7,281	7,408	3,522	784	18,725	3,624	9,863
	Single	26,589	7,302	9,410	5,385	2,763	1,369	356	10,380	15,933	8,683
Mother not high school graduate		17,536	5,371	5,168	3,602	2,097	1,029	265	10,664	6,631	9,763
Birthweight	Very low (0-1,499 Grams)	1,049	168	260	258	222	107	34	353	677	216
	Low (0-2,499 Grams)	4,957	902	1,280	1,089	1,003	524	156	1,885	2,884	1,181
Caesarian section	Primary	6,216	964	1,465	1,472	1,377	716	220	3,516	2,410	2,068
	Secondary	3,458	143	705	985	924	568	132	1,882	1,433	1,336
Trimester prenatal care began	First	36,981	4,956	9,584	9,564	8,166	3,861	847	21,982	13,411	13,202
	Third or no care	3,182	777	975	698	429	243	57	1,392	1,670	1,046
First birth		16,478	5,349	4,518	3,104	2,518	838	148	10,287	5,252	6,031
2000 Percentages²											
Live births	Total	100.0	16.0	27.2	24.9	20.0	9.6	2.2	57.2	38.4	36.4
Sex	Male	50.7	50.1	51.2	51.1	50.8	49.8	47.1	50.9	50.3	50.5
	Female	49.3	49.9	48.8	48.9	49.2	50.2	52.9	49.1	49.7	49.5
Race	White	57.2	11.6	24.9	26.5	23.3	11.2	2.5			
	Black	38.4	24.1	32.0	21.6	13.7	6.8	1.7			
Ethnicity	Hispanic ¹	36.4	16.1	31.5	27.4	16.4	7.0	1.7			
Multiple births		3.1	1.7	2.5	2.8	4.4	4.3	4.5	2.8	3.5	1.8
Marital status	Married	47.7	10.5	32.0	57.5	72.8	72.0	68.8	64.3	18.5	53.2
	Single	52.3	89.5	68.0	42.5	27.2	28.0	31.2	35.7	81.5	46.8
Mother not high school graduate		34.9	66.4	37.8	28.8	20.9	21.3	23.6	37.2	34.3	53.4
Birthweight	Very low (0-1,499 Grams)	2.1	2.1	1.9	2.0	2.2	2.2	3.0	1.2	3.5	1.2
	low (0-2,499 Grams)	9.7	11.1	9.2	8.6	9.9	10.7	13.7	6.5	14.7	6.4
Caesarian section	Primary	12.2	11.8	10.6	11.6	13.5	14.6	19.3	12.1	12.3	11.2
	Secondary	6.8	1.8	5.1	7.8	9.1	11.6	11.6	6.5	7.3	7.2
Trimester prenatal care began	First	74.6	62.1	71.0	77.4	82.8	81.6	76.9	77.5	70.4	72.6
	Third or no care	6.4	9.7	7.2	5.6	4.4	5.1	5.2	4.9	8.8	5.8
First birth		32.4	65.5	32.6	24.5	24.8	17.1	13.0	35.3	26.9	32.5
Percentages² based on 1996-2000 average											
Live births	Total	100.0	17.5	26.9	25.1	19.3	9.2	2.0	55.1	40.8	34.6
Sex	Male	50.8	50.5	51.1	50.6	50.8	50.9	50.4	50.9	50.7	50.6
	Female	49.2	49.5	48.9	49.4	49.2	49.1	49.6	49.1	49.3	49.4
Race	White	55.1	12.2	25.1	26.9	22.7	10.6	2.4			
	Black	40.8	26.1	30.5	21.5	13.6	6.9	1.4			
Ethnicity	Hispanic ¹	34.6	16.7	31.8	27.2	16.0	6.8	1.6			
Multiple births		2.9	1.8	2.3	2.9	4.0	4.2	4.5	2.7	3.3	1.9
Marital status	Married	47.0	10.5	33.5	57.7	71.2	70.7	70.4	65.6	17.6	55.6
	Single	53.0	89.5	66.5	42.3	28.8	29.3	29.6	34.4	82.4	44.4
Mother not high school graduate		36.4	68.2	38.8	28.7	21.8	21.7	25.8	38.7	35.7	55.2
Birthweight	Very low (0-1,499 Grams)	2.2	2.3	1.9	2.0	2.2	2.7	2.5	1.3	3.5	1.3
	Low (0-2,499 Grams)	10.3	11.4	9.2	9.4	10.4	12.4	13.3	6.7	15.2	6.6
Caesarian section	Primary	11.5	11.0	9.7	11.0	12.9	14.3	17.9	11.4	11.3	10.5
	Secondary	6.3	1.7	4.8	7.0	8.7	11.0	12.2	6.1	6.5	6.6
Trimester prenatal care began	First	74.8	62.5	71.2	78.4	82.6	81.6	78.4	78.6	69.2	73.7
	Third or no care	6.6	9.5	7.4	5.7	4.9	5.3	6.0	4.8	9.2	5.6
First birth		31.6	63.3	31.1	24.1	22.7	15.9	13.5	34.9	26.3	32.3

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of The City of Chicago - 2000

Population Estimates	
Total	2,895,400
Under 65 Years	2,597,600
65 and Older	297,800

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	23,914	532	73	102	536	706	1,417	2,194	2,794	4,537	6,035	4,988
Male	12,217	282	42	67	444	497	888	1,389	1,663	2,443	2,884	1,618
Female	11,697	250	31	35	92	209	529	805	1,131	2,094	3,151	3,370
Black	10,820	311	42	69	319	438	892	1,294	1,561	2,185	2,245	1,464
Male	5,616	162	27	42	266	287	519	766	926	1,131	1,038	452
Female	5,204	149	15	27	53	151	373	528	635	1,054	1,207	1,012
White	12,650	208	30	32	208	260	511	875	1,174	2,252	3,664	3,436
Male	6,337	112	14	24	170	204	358	607	701	1,247	1,772	1,128
Female	6,313	96	16	8	38	56	153	268	473	1,005	1,892	2,308
All other races	444	13	1	1	9	8	14	25	59	100	126	88
Male	264	8	1	1	8	6	11	16	36	65	74	38
Female	180	5	--	--	1	2	3	9	23	35	52	50
Hispanic ethnicity ¹	1,859	150	20	25	141	118	181	229	239	327	272	157
Male	1,152	79	6	21	121	98	129	157	142	187	160	52
Female	707	71	14	4	20	20	52	72	97	140	112	105

	Deaths by Selected Causes										
	Race					Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	23,914	10,820	12,650	444	1,859	8,354	15,560	825.9	321.6	5,225.0	
5-Year Average (1996-2000)	24,785	11,117	13,220	448	1,731	8,768	16,018	930.8	370.3	5,424.5	
Infectious and parasitic diseases	1,079	643	424	12	89	527	552	37.3	20.3	185.4	
# Septicemia	648	368	272	8	41	170	478	22.4	6.5	160.5	
# Viral hepatitis	37	21	14	2	4	25	12	1.3	1.0	4.0	
# HIV disease	304	207	97	--	33	290	14	10.5	11.2	4.7	
# Malignant neoplasms	5,438	2,529	2,797	112	341	1,780	3,658	187.8	68.5	1,228.3	
Lip, oral cavity and pharynx	92	46	45	1	4	49	43	3.2	1.9	14.4	
Colorectal	609	295	304	10	32	168	441	21.0	6.5	148.1	
Bronchus and lung	1,387	700	652	35	42	459	928	47.9	17.7	311.6	
Female breast	466	228	231	7	28	191	275	16.1 ³	7.4 ³	92.3 ³	
Cervical	72	36	34	2	13	50	22	2.5 ³	1.9 ³	7.4 ³	
Prostate	352	199	150	3	15	31	321	12.2 ³	1.2 ³	107.8 ³	
# Diabetes mellitus	701	309	374	18	110	187	514	24.2	7.2	172.6	
# Alzheimer's disease	269	82	183	4	13	1	268	9.3	0.0	90.0	
Major cardiovascular diseases	9,100	3,859	5,069	172	466	2,210	6,890	314.3	85.1	2,313.6	
# Diseases of heart	7,206	3,041	4,047	118	379	1,806	5,400	248.9	69.5	1,813.3	
Ischemic heart disease	5,316	2,058	3,166	92	289	1,173	4,143	183.6	45.2	1,391.2	
# Cerebrovascular diseases	1,397	597	762	38	71	297	1,100	48.2	11.4	369.4	
# Atherosclerosis	98	28	68	2	4	9	89	3.4	*	29.9	
# Aortic aneurysm and dissection	136	58	76	2	3	32	104	4.7	1.2	34.9	
Respiratory diseases	1,826	669	1,120	37	104	368	1,458	63.1	14.2	489.6	
# Influenza and pneumonia	627	237	372	18	33	112	515	21.7	4.3	172.9	
# Chronic lower respiratory diseases	814	298	504	12	39	173	641	28.1	6.7	215.2	
Emphysema	134	42	90	2	1	17	117	4.6	0.7	39.3	
Asthma	115	80	35	--	12	93	22	4.0	3.6	7.4	
# Chronic liver disease and cirrhosis	295	112	177	6	62	208	87	10.2	8.0	29.2	
# Nephritis, nephrotic syndrome and nephrosis	556	280	264	12	51	133	423	19.2	5.1	142.0	
# Certain perinatal conditions	274	157	113	4	79	274	--	9.5	10.5	-0-	
# Congenital malformations	134	51	75	8	42	125	9	4.6	4.8	*	
SIDS	39	30	9	--	9	39	--	1.3	1.5	-0-	
External causes	1,988	1,113	851	24	328	1,734	254	68.7	66.8	85.3	
# Accidents	1,086	536	533	17	183	899	187	37.5	34.6	62.8	
Motor vehicle accidents	335	142	182	11	90	293	42	11.6	11.3	14.1	
All other accidents	751	394	351	6	93	606	145	25.9	23.3	48.7	
# Suicide	202	65	134	3	29	173	29	7.0	6.7	9.7	
# Homicide	633	480	151	2	109	618	15	21.9	23.8	5.0	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Adams County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	825	76	226	252	169	83	19	786	31	4
Sex	Male	416	32	117	123	95	41	8	396	15	1
	Female	409	44	109	129	74	42	11	390	16	3
Race	White	786	67	213	244	166	78	18			
	Black	31	9	12	6	1	3	--			
Ethnicity	Hispanic ¹	4	--	1	3	--	--	--			
Multiple births		28	--	2	10	12	2	2	28	--	--
Marital status	Married	555	9	108	204	149	70	15	547	4	--
	Single	270	67	118	48	20	13	4	239	27	2
Mother not high school graduate		91	37	30	13	8	2	1	82	9	1
Birthweight	Very low (0-1,499 Grams)	14	2	2	8	--	1	1	14	--	--
	Low (0-2,499 Grams)	47	6	12	17	7	2	3	43	4	--
Caesarian section	Primary	104	14	22	29	26	6	7	98	4	--
	Secondary	59	2	10	16	18	12	1	58	1	--
Trimester prenatal care began	First	684	57	182	221	141	67	16	657	22	3
	Third or no care	18	4	1	5	6	2	--	18	--	--
First birth		247	61	85	62	28	8	3	238	7	3
2000 Percentages²											
Live births	Total	100.0	9.2	27.4	30.5	20.5	10.1	2.3	95.3	3.8	*
Sex	Male	50.4	*	51.8	48.8	56.2	*	*	50.4	*	25.0
	Female	49.6	*	48.2	51.2	43.8	*	*	49.6	*	*
Race	White	95.3	*	27.1	31.0	21.1	*	*			
	Black	3.8	*	38.7	*	*	*	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	-0-	-0-	-0-			
Multiple births		3.4	-0-	*	4.0	7.1	*	*	3.6	-0-	-0-
Marital status	Married	67.3	*	47.8	81.0	88.2	*	*	69.6	*	*
	Single	*	88.2	52.2	19.0	11.8	*	*	30.4	*	*
Mother not high school graduate		11.0	*	13.3	5.2	*	*	*	10.4	*	*
Birthweight	Very low (0-1,499 Grams)	1.7	*	*	*	-0-	*	*	1.8	-0-	-0-
	low (0-2,499 Grams)	5.7	*	5.3	6.7	*	*	*	5.5	*	-0-
Caesarian section	Primary	12.6	*	9.7	11.5	15.4	*	*	12.5	*	-0-
	Secondary	7.2	*	4.4	6.3	10.7	*	*	7.4	*	-0-
Trimester prenatal care began	First	83.0	*	80.9	87.7	83.4	*	*	83.7	*	*
	Third or no care	2.2	*	*	*	*	*	-0-	2.3	-0-	-0-
First birth		29.9	*	37.6	24.6	16.6	*	-0-	30.3	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	12.8	24.8	30.3	21.6	8.9	1.6	94.8	4.4	0.6
Sex	Male	51.9	49.0	49.8	54.3	52.9	51.5	*	52.3	43.4	*
	Female	48.1	51.0	50.2	45.7	47.1	48.5	*	47.7	56.6	*
Race	White	94.8	11.9	24.4	30.9	22.2	9.0	1.6			
	Black	4.4	35.2	35.2	17.0	6.6	5.5	*			
Ethnicity	Hispanic ¹	.6	*	*	*	*	*	-0-			
Multiple births		3.4	*	2.1	4.1	4.2	5.4	*	3.4	*	-0-
Marital status	Married	69.8	18.9	52.8	83.9	91.9	86.8	*	72.1	17.6	*
	Single	30.2	81.1	47.2	16.1	8.1	13.2	*	27.9	82.4	*
Mother not high school graduate		12.6	50.3	13.8	4.9	3.6	3.5	*	11.7	33.5	*
Birthweight	Very low (0-1,499 Grams)	1.3	2.4	1.1	1.5	*	*	*	1.2	*	-0-
	Low (0-2,499 Grams)	6.2	7.7	5.7	6.2	5.2	8.1	*	6.1	8.8	-0-
Caesarian section	Primary	11.4	13.8	11.4	11.7	10.0	9.7	*	11.5	9.9	*
	Secondary	7.2	*	4.9	7.0	11.1	11.1	*	7.1	7.1	*
Trimester prenatal care began	First	80.1	66.4	75.5	85.1	86.2	80.1	*	80.9	63.9	*
	Third or no care	2.0	3.7	1.8	1.1	2.0	*	*	2.0	*	*
First birth		31.6	74.6	39.6	27.1	15.2	6.7	*	31.5	33.0	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Adams County - 2000

Population Estimates	
Total	68,200
Under 65 Years	56,150
65 and Older	12,050

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	845	6	--	3	8	4	20	32	54	142	266	310
Male	414	--	--	1	4	4	13	24	30	91	147	100
Female	431	6	--	2	4	--	7	8	24	51	119	210
Black	17	--	--	--	--	--	1	1	1	3	8	3
Male	8	--	--	--	--	--	--	1	--	2	4	1
Female	9	--	--	--	--	--	1	--	1	1	4	2
White	828	6	--	3	8	4	19	31	53	139	258	307
Male	406	--	--	1	4	4	13	23	30	89	143	99
Female	422	6	--	2	4	--	6	8	23	50	115	208
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	5	--	--	--	--	--	--	--	1	1	1	2
Male	3	--	--	--	--	--	--	--	1	1	1	--
Female	2	--	--	--	--	--	--	--	--	--	--	2

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	845	17	828	--	5	127	718	1,239.0	226.2	5,958.5
5-Year Average (1996-2000)	796	18	777	<1	2	125	671	1181.1	225.0	5,671.3
Infectious and parasitic diseases	19	--	19	--	--	4	15	27.9	*	124.5
# Septicemia	12	--	12	--	--	1	11	17.6	*	91.3
# Viral hepatitis	2	--	2	--	--	1	1	*	*	*
# HIV disease	1	--	1	--	--	1	--	*	*	-0-
# Malignant neoplasms	201	5	196	--	2	36	165	294.7	64.1	1,369.3
Lip, oral cavity and pharynx	6	--	6	--	--	1	5	*	*	*
Colorectal	18	--	18	--	1	5	13	26.4	*	107.9
Bronchus and lung	55	--	55	--	--	9	46	80.6	*	381.7
Female breast	14	--	14	--	--	2	12	20.5 ³	* ³	99.6 ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	11	1	10	--	--	--	11	16.1 ³	-0- ³	91.3 ³
# Diabetes mellitus	25	1	24	--	--	3	22	36.7	*	182.6
# Alzheimer's disease	13	1	12	--	--	--	13	19.1	-0-	107.9
Major cardiovascular diseases	311	6	305	--	3	33	278	456.0	58.8	2,307.1
# Diseases of heart	224	4	220	--	1	28	196	328.4	49.9	1,626.6
Ischemic heart disease	152	3	149	--	1	21	131	222.9	37.4	1,087.1
# Cerebrovascular diseases	57	1	56	--	2	2	55	83.6	*	456.4
# Atherosclerosis	17	--	17	--	--	3	14	24.9	*	116.2
# Aortic aneurysm and dissection	6	--	6	--	--	--	6	*	-0-	*
Respiratory diseases	113	2	111	--	--	4	109	165.7	*	904.6
# Influenza and pneumonia	52	2	50	--	--	2	50	76.2	*	414.9
# Chronic lower respiratory diseases	45	--	45	--	--	2	43	66.0	*	356.8
Emphysema	10	--	10	--	--	1	9	14.7	*	*
Asthma	1	--	1	--	--	--	1	*	-0-	*
# Chronic liver disease and cirrhosis	11	--	11	--	--	6	5	16.1	*	*
# Nephritis, nephrotic syndrome and nephrosis	16	--	16	--	--	1	15	23.5	*	124.5
# Certain perinatal conditions	3	--	3	--	--	3	--	*	*	-0-
# Congenital malformations	5	--	5	--	--	4	1	*	*	*
SIDS	1	--	1	--	--	1	--	*	*	-0-
External causes	41	--	41	--	--	26	15	60.1	46.3	124.5
# Accidents	32	--	32	--	--	18	14	46.9	32.1	116.2
Motor vehicle accidents	8	--	8	--	--	5	3	*	*	*
All other accidents	24	--	24	--	--	13	11	35.2	23.2	91.3
# Suicide	6	--	6	--	--	6	--	*	*	-0-
# Homicide	1	--	1	--	--	1	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Alexander County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	132	30	41	28	24	8	1	57	73	1
Sex	Male	64	11	21	13	14	4	1	30	34	1
	Female	68	19	20	15	10	4	--	27	39	--
Race	White	57	11	13	17	9	6	1			
	Black	73	19	28	10	15	1	--			
Ethnicity	Hispanic ¹	1	--	--	1	--	--	--			
Multiple births		9	2	2	--	5	--	--	--	9	--
Marital status	Married	58	3	12	19	17	6	1	38	18	--
	Single	74	27	29	9	7	2	--	19	55	--
Mother not high school graduate		29	13	6	3	5	2	--	9	20	1
Birthweight	Very low (0-1,499 Grams)	5	--	--	1	4	--	--	1	4	--
	Low (0-2,499 Grams)	18	4	4	4	6	--	--	3	15	--
Caesarian section	Primary	23	6	4	1	7	4	1	11	11	--
	Secondary	15	3	3	4	5	--	--	7	8	--
Trimester prenatal care began	First	92	22	26	19	17	7	1	45	45	--
	Third or no care	5	1	2	1	1	--	--	2	3	--
First birth		44	19	14	8	1	2	--	21	21	1
2000 Percentages²											
Live births	Total	100.0	22.7	31.1	21.2	18.2	*	*	43.2	55.3	*
Sex	Male	48.5	*	*	*	*	*	*	*	*	100.0
	Female	51.5	*	*	*	*	*	-0-	*	*	-0-
Race	White	43.2	*	*	*	*	*	*			
	Black	55.3	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple births		*	*	*	-0-	*	-0-	-0-	-0-	*	-0-
Marital status	Married	43.9	*	*	*	*	*	*	*	*	*
	Single	*	90.0	70.7	*	*	*	-0-	*	*	-0-
Mother not high school graduate		*	*	*	*	*	*	-0-	*	*	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	*	*	-0-	-0-	*	*	-0-
	Low (0-2,499 Grams)	13.6	*	*	*	*	-0-	-0-	*	*	-0-
Caesarian section	Primary	17.4	*	*	*	*	*	*	*	*	-0-
	Secondary	11.4	*	*	*	*	-0-	-0-	*	*	-0-
Trimester prenatal care began	First	73.6	*	*	*	*	*	*	*	*	-0-
	Third or no care	*	*	*	*	*	-0-	-0-	*	*	-0-
First birth		33.3	*	*	*	*	*	-0-	*	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	25.4	35.3	22.8	12.7	3.3	*	45.2	54.3	*
Sex	Male	49.3	45.3	50.4	50.7	*	*	*	50.7	48.5	*
	Female	50.7	54.7	49.6	49.3	*	*	*	49.3	51.5	*
Race	White	45.2	21.5	34.1	27.2	11.9	4.3	*			
	Black	54.3	28.9	36.6	19.0	13.2	*	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	-0-	-0-	-0-			
Multiple births		3.7	*	*	*	*	-0-	-0-	*	4.7	-0-
Marital status	Married	41.8	15.9	38.6	60.5	*	*	*	65.9	21.2	*
	Single	58.2	84.1	61.4	39.5	*	*	*	34.1	78.8	*
Mother not high school graduate		28.1	55.3	22.5	12.7	*	*	*	28.8	27.6	*
Birthweight	Very low (0-1,499 Grams)	2.5	*	*	*	*	-0-	-0-	*	3.0	-0-
	Low (0-2,499 Grams)	12.3	13.5	10.6	10.5	*	*	*	8.3	15.7	-0-
Caesarian section	Primary	14.1	15.3	11.0	17.8	*	*	*	16.2	12.1	-0-
	Secondary	7.2	*	6.8	9.9	*	-0-	-0-	7.3	7.2	-0-
Trimester prenatal care began	First	79.7	80.2	77.5	78.4	*	*	*	86.7	73.6	*
	Third or no care	3.8	4.2	5.3	*	*	-0-	-0-	*	5.5	-0-
First birth		32.8	72.4	26.7	17.8	*	*	-0-	34.4	31.1	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Alexander County - 2000

Population Estimates	
Total	9,600
Under 65 Years	7,980
65 and Older	1,620

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	124	2	--	--	2	2	3	2	18	36	27	32
Male	68	1	--	--	2	2	2	1	10	21	15	14
Female	56	1	--	--	--	--	1	1	8	15	12	18
Black	27	1	--	--	1	1	--	--	6	5	4	9
Male	14	1	--	--	1	1	--	--	4	3	3	1
Female	13	--	--	--	--	--	--	--	2	2	1	8
White	96	1	--	--	1	1	3	2	12	30	23	23
Male	53	--	--	--	1	1	2	1	6	17	12	13
Female	43	1	--	--	--	--	1	1	6	13	11	10
All other races	1	--	--	--	--	--	--	--	--	1	--	--
Male	1	--	--	--	--	--	--	--	--	1	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	124	27	96	1	--	29	95	1,291.7	363.4	5,864.2	
5-Year Average (1996-2000)	126	34	93	<1	<1	30	96	1246.5	356.3	5,781.3	
Infectious and parasitic diseases	3	1	2	--	--	2	1	*	*	*	
# Septicemia	1	--	1	--	--	--	1	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	26	5	21	--	--	8	18	270.8	*	1,111.1	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	4	1	3	--	--	--	4	*	-0-	*	
Bronchus and lung	9	2	7	--	--	2	7	*	*	*	
Female breast	5	--	5	--	--	3	2	* ³	* ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
# Diabetes mellitus	4	2	2	--	--	1	3	*	*	*	
# Alzheimer's disease	2	1	1	--	--	--	2	*	-0-	*	
Major cardiovascular diseases	49	10	38	1	--	6	43	510.4	*	2,654.3	
# Diseases of heart	38	6	31	1	--	6	32	395.8	*	1,975.3	
Ischemic heart disease	28	5	23	--	--	5	23	291.7	*	1,419.8	
# Cerebrovascular diseases	8	3	5	--	--	--	8	*	-0-	*	
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*	
# Aortic aneurysm and dissection	2	1	1	--	--	--	2	*	-0-	*	
Respiratory diseases	13	1	12	--	--	1	12	135.4	*	740.7	
# Influenza and pneumonia	2	--	2	--	--	--	2	*	-0-	*	
# Chronic lower respiratory diseases	10	1	9	--	--	--	10	104.2	-0-	617.3	
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Nephritis, nephrotic syndrome and nephrosis	6	2	4	--	--	2	4	*	*	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	1	1	--	--	--	1	--	*	*	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	8	2	6	--	--	6	2	*	*	*	
# Accidents	7	2	5	--	--	5	2	*	*	*	
Motor vehicle accidents	4	1	3	--	--	3	1	*	*	*	
All other accidents	3	1	2	--	--	2	1	*	*	*	
# Suicide	1	--	1	--	--	1	--	*	*	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Bond County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	184	25	53	44	42	14	6	180	4	3
Sex	Male	102	16	29	19	25	9	4	100	2	1
	Female	82	9	24	25	17	5	2	80	2	2
Race	White	180	24	52	43	41	14	6			
	Black	4	1	1	1	1	--	--			
Ethnicity	Hispanic ¹	3	--	1	1	1	--	--			
Multiple births		4	4	--	--	--	--	--	4	--	--
Marital status	Married	124	7	25	37	37	13	5	124	--	--
	Single	60	18	28	7	5	1	1	56	4	1
Mother not high school graduate		20	13	3	2	1	--	1	19	1	1
Birthweight	Very low (0-1,499 Grams)	2	--	1	--	--	--	1	2	--	--
	Low (0-2,499 Grams)	14	2	4	3	3	1	1	14	--	--
Caesarian section	Primary	24	9	3	5	5	--	2	24	--	--
	Secondary	21	--	6	4	6	3	2	20	1	--
Trimester prenatal care began	First	--	17	41	37	34	13	5	144	3	3
	Third or no care	0	--	0	--	--	--	--	--	--	--
First birth		51	14	19	9	7	2	--	51	--	--
2000 Percentages²											
Live births	Total	100.0	13.6	28.8	23.9	22.8	7.6	*	97.8	*	*
Sex	Male	55.4	*	*	*	*	*	*	55.6	*	33.3
	Female	44.6	*	*	*	*	*	*	44.4	*	*
Race	White	97.8	*	*	*	*	*	*			
	Black	*	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	*	-0-	-0-			
Multiple births		*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
Marital status	Married	67.4	*	*	*	*	*	*	68.9	-0-	*
	Single	*	72.0	52.8	*	*	*	*	31.1	*	*
Mother not high school graduate		*	*	*	*	*	-0-	*	10.6	*	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	-0-	-0-	-0-	*	*	-0-	-0-
	Low (0-2,499 Grams)	7.6	*	*	*	*	*	*	7.8	-0-	-0-
Caesarian section	Primary	13.0	*	*	*	*	-0-	*	13.3	-0-	-0-
	Secondary	11.4	-0-	*	*	*	*	*	11.1	*	-0-
Trimester prenatal care began	First	80.8	*	*	*	*	*	*	80.4	*	*
	Third or no care	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
First birth		27.7	*	*	*	*	*	-0-	28.3	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	12.7	29.3	28.9	19.7	8.1	1.4	96.9	2.8	1.7
Sex	Male	52.0	54.1	52.0	50.9	53.4	*	*	52.6	*	*
	Female	48.0	45.9	48.0	49.1	46.6	*	*	47.4	*	*
Race	White	96.9	12.5	29.1	29.4	19.7	8.0	1.4			
	Black	2.8	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	1.7	-0-	*	*	*	*	-0-			
Multiple births		2.7	*	-0-	3.6	*	*	-0-	2.6	-0-	*
Marital status	Married	74.2	24.6	66.2	87.0	90.5	*	*	75.8	*	*
	Single	25.8	75.4	33.8	13.0	9.5	*	*	24.2	*	*
Mother not high school graduate		13.3	50.4	14.6	4.3	*	*	*	12.9	*	*
Birthweight	Very low (0-1,499 Grams)	1.0	*	*	*	-0-	*	*	1.1	-0-	-0-
	Low (0-2,499 Grams)	7.8	10.7	7.5	7.9	*	*	*	7.6	*	-0-
Caesarian section	Primary	12.1	16.4	11.7	11.6	10.6	*	*	12.0	*	-0-
	Secondary	11.5	*	8.9	10.5	22.2	*	*	11.3	*	*
Trimester prenatal care began	First	84.7	70.5	82.4	90.3	91.0	*	*	85.2	*	*
	Third or no care	1.5	4.9	*	*	*	-0-	-0-	1.3	*	-0-
First birth		31.7	74.6	34.9	27.8	14.8	*	-0-	31.9	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Bond County - 2000

Population Estimates	
Total	17,600
Under 65 Years	15,010
65 and Older	2,590

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	167	2	--	--	2	5	3	6	12	16	49	72
Male	74	1	--	--	1	3	2	5	7	12	22	21
Female	93	1	--	--	1	2	1	1	5	4	27	51
Black	5	--	--	--	--	2	1	--	--	--	--	2
Male	3	--	--	--	--	2	1	--	--	--	--	--
Female	2	--	--	--	--	--	--	--	--	--	--	2
White	162	2	--	--	2	3	2	6	12	16	49	70
Male	71	1	--	--	1	1	1	5	7	12	22	21
Female	91	1	--	--	1	2	1	1	5	4	27	49
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	2	--	--	--	--	--	--	1	--	--	--	1
Male	2	--	--	--	--	--	--	1	--	--	--	1
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	167	5	162	--	2	30	137	948.9	199.9	5,289.6	
5-Year Average (1996-2000)	175	5	170	<1	1	32	143	1024.6	223.9	5,328.8	
Infectious and parasitic diseases	2	--	2	--	--	--	2	*	-0-	*	
# Septicemia	1	--	1	--	--	--	1	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	26	--	26	--	--	4	22	147.7	*	849.4	
Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*	
Colorectal	3	--	3	--	--	--	3	*	-0-	*	
Bronchus and lung	5	--	5	--	--	1	4	*	*	*	
Female breast	2	--	2	--	--	--	2	* ³	-0- ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
# Diabetes mellitus	3	--	3	--	--	--	3	*	-0-	*	
# Alzheimer's disease	17	--	17	--	--	--	17	96.6	-0-	656.4	
Major cardiovascular diseases	67	5	62	--	1	13	54	380.7	86.6	2,084.9	
# Diseases of heart	51	5	46	--	1	11	40	289.8	73.3	1,544.4	
Ischemic heart disease	40	5	35	--	1	9	31	227.3	*	1,196.9	
# Cerebrovascular diseases	14	--	14	--	--	2	12	79.5	*	463.3	
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*	
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-	
Respiratory diseases	19	--	19	--	1	2	17	108.0	*	656.4	
# Influenza and pneumonia	8	--	8	--	1	1	7	*	*	*	
# Chronic lower respiratory diseases	7	--	7	--	--	--	7	*	-0-	*	
Emphysema	1	--	1	--	--	--	1	*	-0-	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	1	--	1	--	--	1	--	*	*	-0-	
# Nephritis, nephrotic syndrome and nephrosis	5	--	5	--	--	--	5	*	-0-	*	
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-	
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	8	--	8	--	--	5	3	*	*	*	
# Accidents	5	--	5	--	--	3	2	*	*	*	
Motor vehicle accidents	3	--	3	--	--	2	1	*	*	*	
All other accidents	2	--	2	--	--	1	1	*	*	*	
# Suicide	3	--	3	--	--	2	1	*	*	*	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Boone County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	587	61	149	185	138	42	12	575	9	175
Sex	Male	290	29	82	90	63	20	6	286	2	91
	Female	297	32	67	95	75	22	6	289	7	84
Race	White	575	58	147	180	137	41	12			
	Black	9	3	1	3	1	1	--			
Ethnicity	Hispanic ¹	175	28	61	46	29	8	3			
Multiple births		26	--	4	12	8	2	--	24	2	4
Marital status	Married	426	17	72	162	128	36	11	419	5	113
	Single	161	44	77	23	10	6	1	156	4	62
Mother not high school graduate		173	39	63	41	22	7	1	168	5	105
Birthweight	Very low (0-1,499 Grams)	4	--	2	--	2	--	--	4	--	--
	Low (0-2,499 Grams)	38	3	7	14	11	3	--	36	2	2
Caesarian section	Primary	64	5	16	15	21	7	--	63	--	15
	Secondary	44	--	7	10	17	9	1	44	--	8
Trimester prenatal care began	First	469	40	110	152	118	40	9	457	9	115
	Third or no care	24	4	15	4	1	--	--	24	--	15
First birth		166	42	62	39	22	1	--	163	3	61
2000 Percentages²											
Live births	Total	100.0	10.4	25.4	31.5	23.5	7.2	2.0	98.0	*	29.8
Sex	Male	49.4	*	55.0	48.6	45.7	*	*	49.7	*	52.0
	Female	50.6	*	45.0	51.4	54.3	*	*	50.3	*	48.0
Race	White	98.0	*	25.6	31.3	23.8	*	*			
	Black	*	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	29.8	*	34.9	26.3	16.6	*	*			
Multiple births		4.4	-0-	*	6.5	*	*	-0-	4.2	*	*
Marital status	Married	72.6	*	48.3	87.6	92.8	*	*	72.9	*	64.6
	Single	*	72.1	51.7	12.4	7.2	*	*	27.1	*	35.4
Mother not high school graduate		29.7	*	42.3	22.3	16.1	*	*	29.4	*	61.4
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	-0-	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.5	*	*	7.6	8.0	*	-0-	6.3	*	*
Caesarian section	Primary	10.9	*	10.7	8.1	15.2	*	-0-	11.0	-0-	8.6
	Secondary	7.5	-0-	*	5.4	12.3	*	*	7.7	-0-	*
Trimester prenatal care began	First	81.3	*	75.9	82.6	85.5	*	*	80.9	*	68.0
	Third or no care	4.2	*	10.3	*	*	-0-	-0-	4.2	-0-	8.9
First birth		28.3	*	41.6	21.1	15.9	*	-0-	28.3	*	34.9
Percentages² based on 1996-2000 average											
Live births	Total	100.0	11.5	24.0	31.2	22.2	9.5	1.5	97.7	1.2	22.2
Sex	Male	50.3	51.4	49.3	52.6	45.5	55.5	*	50.6	*	52.6
	Female	49.7	48.6	50.7	47.4	54.5	44.5	*	49.4	*	47.4
Race	White	97.7	11.5	24.2	31.2	22.2	9.5	1.5			
	Black	1.2	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	22.2	18.2	35.0	25.6	13.9	6.3	*			
Multiple births		2.7	-0-	1.8	2.8	3.2	6.4	*	2.6	*	1.8
Marital status	Married	73.2	19.6	56.1	86.1	92.7	90.6	*	73.4	*	62.9
	Single	26.8	80.4	43.9	13.9	7.3	9.4	*	26.6	*	37.1
Mother not high school graduate		25.4	68.1	35.7	16.5	10.6	14.0	*	25.6	*	65.7
Birthweight	Very low (0-1,499 Grams)	1.0	*	*	*	2.1	*	-0-	1.0	-0-	*
	Low (0-2,499 Grams)	6.0	4.4	5.1	5.2	7.9	9.1	*	6.0	*	5.3
Caesarian section	Primary	11.8	9.7	12.3	10.5	13.1	14.0	*	11.8	*	11.3
	Secondary	9.0	*	6.7	8.5	12.4	17.4	*	9.0	*	6.9
Trimester prenatal care began	First	80.6	65.4	75.5	84.9	85.9	87.2	*	80.8	*	64.7
	Third or no care	3.7	7.8	5.4	2.5	2.3	*	*	3.8	-0-	7.3
First birth		30.2	75.1	36.8	25.2	16.8	11.3	*	30.3	*	36.0

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Boone County - 2000

Population Estimates	
Total	42,100
Under 65 Years	37,600
65 and Older	4,500

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	308	3	--	1	4	4	3	17	35	51	93	97
Male	150	1	--	1	1	3	2	11	20	29	49	33
Female	158	2	--	--	3	1	1	6	15	22	44	64
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	307	3	--	1	4	4	2	17	35	51	93	97
Male	150	1	--	1	1	3	2	11	20	29	49	33
Female	157	2	--	--	3	1	--	6	15	22	44	64
All other races	1	--	--	--	--	--	1	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	1	--	--	--	--	--
Hispanic ethnicity ¹	6	--	--	1	1	--	--	--	--	2	--	2
Male	3	--	--	1	--	--	--	--	--	1	--	1
Female	3	--	--	--	1	--	--	--	--	1	--	1

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	308	--	307	1	6	67	241	731.6	178.2	5,355.6
5-Year Average (1996-2000)	290	<1	289	<1	9	66	224	758.8	193.7	5,400.2
# Infectious and parasitic diseases	5	--	5	--	--	2	3	*	*	*
# Septicemia	3	--	3	--	--	1	2	*	*	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	66	--	66	--	--	16	50	156.8	42.6	1,111.1
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	10	--	10	--	--	--	10	23.8	-0-	222.2
Bronchus and lung	12	--	12	--	--	2	10	28.5	*	222.2
Female breast	9	--	9	--	--	3	6	* ³	* ³	* ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	6	--	6	--	--	1	5	* ³	* ³	* ³
# Diabetes mellitus	10	--	10	--	1	3	7	23.8	*	*
# Alzheimer's disease	15	--	15	--	1	--	15	35.6	-0-	333.3
Major cardiovascular diseases	132	--	132	--	2	26	106	313.5	69.1	2,355.6
# Diseases of heart	109	--	109	--	2	25	84	258.9	66.5	1,866.7
Ischemic heart disease	73	--	73	--	2	17	56	173.4	45.2	1,244.4
# Cerebrovascular diseases	17	--	17	--	--	1	16	40.4	*	355.6
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-
Respiratory diseases	24	--	24	--	--	1	23	57.0	*	511.1
# Influenza and pneumonia	7	--	7	--	--	1	6	*	*	*
# Chronic lower respiratory diseases	12	--	12	--	--	--	12	28.5	-0-	266.7
Emphysema	2	--	2	--	--	--	2	*	-0-	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	2	--	2	--	--	1	1	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	7	--	7	--	--	--	7	*	-0-	*
# Certain perinatal conditions	2	--	2	--	--	2	--	*	*	-0-
# Congenital malformations	1	--	1	--	1	1	--	*	*	-0-
# SIDS	1	--	1	--	--	1	--	*	*	-0-
External causes	15	--	14	1	1	11	4	35.6	29.3	*
# Accidents	13	--	13	--	1	9	4	30.9	*	*
Motor vehicle accidents	8	--	8	--	1	7	1	*	*	*
All other accidents	5	--	5	--	--	2	3	*	*	*
# Suicide	1	--	1	--	--	1	--	*	*	-0-
# Homicide	1	--	--	1	--	1	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Brown County - 2000

		All Ages	Mother's Age						Race		Ethnicity Hispanic ¹
			Under 20	20-24	25-29	30-34	35-39	40 and older	White	Black	
2000 Numbers											
Live births	Total	63	8	20	15	17	3	--	62	--	--
Sex	Male	31	5	11	6	7	2	--	30	--	--
	Female	32	3	9	9	10	1	--	32	--	--
Race	White	62	8	20	15	16	3	--			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple births		4	--	2	2	--	--	--	4	--	--
Marital status	Married	44	--	11	14	16	3	--	43	--	--
	Single	19	8	9	1	1	--	--	19	--	--
Mother not high school graduate		7	4	3	--	--	--	--	7	--	--
Birthweight	Very low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	5	1	2	2	--	--	--	5	--	--
Caesarian section	Primary	11	2	2	2	5	--	--	10	--	--
	Secondary	2	--	--	1	--	1	--	2	--	--
Trimester prenatal care began	First	50	7	15	13	13	2	--	49	--	--
	Third or no care	1	--	0	--	1	--	--	1	--	--
First birth		18	6	8	2	2	--	--	18	--	--
2000 Percentages²											
Live births	Total	*	*	*	*	*	*	-0-	*	-0-	-0-
Sex	Male	*	*	*	*	*	*	-0-	*	-0-	.
	Female	*	*	*	*	*	*	-0-	*	-0-	-0-
Race	White	*	*	*	*	*	*	-0-			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
Marital status	Married	*	*	*	*	*	*	-0-	*	-0-	-0-
	Single	*	100.0	45.0	*	*	-0-	-0-	*	-0-	-0-
Mother not high school graduate		*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
Caesarian section	Primary	*	*	*	*	*	-0-	-0-	*	-0-	-0-
	Secondary	*	-0-	-0-	*	-0-	*	-0-	*	-0-	-0-
Trimester prenatal care began	First	*	*	*	*	*	*	-0-	*	-0-	-0-
	Third or no care	*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
First birth		*	*	*	*	*	-0-	-0-	*	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	10.1	30.7	30.7	20.9	7.6	-0-	99.3	-0-	*
Sex	Male	48.7	*	*	*	*	*	-0-	48.7	-0-	*
	Female	51.3	*	*	*	*	*	-0-	51.3	-0-	*
Race	White	99.3	10.2	30.9	30.5	20.7	7.6	-0-			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	*	-0-	-0-			
Multiple births		4.7	-0-	*	*	*	-0-	-0-	4.7	-0-	-0-
Marital status	Married	75.1	*	*	*	*	*	-0-	75.3	-0-	*
	Single	24.9	*	*	*	*	*	-0-	24.7	-0-	-0-
Mother not high school graduate		15.2	*	*	*	*	*	-0-	15.3	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	*	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.6	*	*	*	*	*	-0-	7.6	-0-	-0-
Caesarian section	Primary	15.9	*	*	*	*	*	-0-	15.6	-0-	-0-
	Secondary	5.8	-0-	*	*	*	*	-0-	5.8	-0-	-0-
Trimester prenatal care began	First	72.7	*	*	*	*	*	-0-	72.5	-0-	*
	Third or no care	*	3.6	-0-	*	*	*	-0-	*	-0-	-0-
First birth		30.7	60.7	*	*	*	*	-0-	30.9	-0-	-0-

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Brown County - 2000

Population Estimates	
Total	6,900
Under 65 Years	6,020
65 and Older	880

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over	
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84		
All races	59	--	--	--	--	--	--	--	1	4	12	22	20
Male	19	--	--	--	--	--	--	--	--	1	5	10	3
Female	40	--	--	--	--	--	--	1	3	7	12	17	17
Black	--	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--	--
White	59	--	--	--	--	--	--	1	4	12	22	20	20
Male	19	--	--	--	--	--	--	--	1	5	10	3	3
Female	40	--	--	--	--	--	--	1	3	7	12	17	17
All other races	--	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	59	--	59	--	--	5	54	855.1	*	6,136.4	
5-Year Average (1996-2000)	57	<1	57	--	--	7	51	869.3	*	5,536.1	
Infectious and parasitic diseases	1	--	1	--	--	--	1	*	-0-	*	
# Septicemia	1	--	1	--	--	--	1	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	16	--	16	--	--	3	13	231.9	*	1,477.3	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	2	--	2	--	--	--	2	*	-0-	*	
Bronchus and lung	5	--	5	--	--	2	3	*	*	*	
Female breast	2	--	2	--	--	--	2	* ³	-0- ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	2	--	2	--	--	--	2	* ³	-0- ³	* ³	
# Diabetes mellitus	0	--	--	--	--	--	--	-0-	-0-	-0-	
# Alzheimer's disease	0	--	--	--	--	--	--	-0-	-0-	-0-	
Major cardiovascular diseases	29	--	29	--	--	--	29	420.3	-0-	3,295.5	
# Diseases of heart	21	--	21	--	--	--	21	304.3	-0-	2,386.4	
Ischemic heart disease	15	--	15	--	--	--	15	217.4	-0-	1,704.5	
# Cerebrovascular diseases	8	--	8	--	--	--	8	*	-0-	*	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-	
Respiratory diseases	5	--	5	--	--	1	4	*	*	*	
# Influenza and pneumonia	3	--	3	--	--	--	3	*	-0-	*	
# Chronic lower respiratory diseases	2	--	2	--	--	1	1	*	*	*	
Emphysema	1	--	1	--	--	1	--	*	*	-0-	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Nephritis, nephrotic syndrome and nephrosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	3	--	3	--	--	1	2	*	*	*	
# Accidents	3	--	3	--	--	1	2	*	*	*	
Motor vehicle accidents	--	--	--	--	--	--	--	-0-	-0-	-0-	
All other accidents	3	--	3	--	--	1	2	*	*	*	
# Suicide	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Bureau County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	434	52	115	127	93	36	11	426	4	44
Sex	Male	219	28	46	65	54	18	8	214	3	24
	Female	215	24	69	62	39	18	3	212	1	20
Race	White	426	50	112	125	92	36	11			
	Black	4	1	2	--	1	--	--			
Ethnicity	Hispanic ¹	44	9	14	9	10	1	1			
Multiple births		16	--	2	6	4	4	--	16	--	--
Marital status	Married	306	10	63	106	82	34	11	303	1	--
	Single	128	42	52	21	11	2	--	123	3	19
Mother not high school graduate		74	31	17	14	10	2	--	72	1	23
Birthweight	Very low (0-1,499 Grams)	8	2	1	4	--	1	--	8	--	1
	Low (0-2,499 Grams)	28	5	8	9	2	3	1	28	--	1
Caesarian section	Primary	64	7	16	21	16	3	1	63	--	7
	Secondary	47	1	7	15	12	8	4	44	2	5
Trimester prenatal care began	First	391	43	100	121	83	34	10	383	4	32
	Third or no care	11	3	6	1	1	--	--	11	--	4
First birth		141	36	51	31	18	4	1	139	1	17
2000 Percentages²											
Live births	Total	100.0	12.0	26.5	29.3	21.4	8.3	2.5	98.2	*	10.1
Sex	Male	50.5	*	40.0	51.2	*	*	*	50.2	*	54.5
	Female	49.5	*	60.0	48.8	*	*	*	49.8	*	*
Race	White	98.2	*	26.3	29.3	*	*	*			
	Black	*	*	*	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	10.1	*	31.8	*	*	*	*			
Multiple births		3.7	-0-	*	*	*	*	-0-	3.8	-0-	-0-
Marital status	Married	70.5	*	54.8	83.5	*	*	*	71.1	*	*
	Single	*	80.8	45.2	16.5	*	*	-0-	28.9	*	*
Mother not high school graduate		17.1	*	14.8	11.0	*	*	-0-	16.9	*	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	*	-0-	*	-0-	*	-0-	*
	Low (0-2,499 Grams)	6.5	*	*	*	*	*	*	6.6	-0-	*
Caesarian section	Primary	14.7	*	13.9	16.5	*	*	*	14.8	-0-	*
	Secondary	10.8	*	*	11.8	*	*	*	10.3	*	*
Trimester prenatal care began	First	91.4	*	87.7	96.8	*	*	*	91.2	*	*
	Third or no care	2.6	*	*	*	*	-0-	-0-	2.6	-0-	*
First birth		32.5	*	44.3	24.4	*	*	-0-	32.6	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	12.5	26.3	29.6	20.9	9.2	1.5	98.7	0.5	10.1
Sex	Male	51.6	53.7	48.4	52.6	54.7	46.8	*	51.5	*	55.8
	Female	48.4	46.3	51.6	47.4	45.3	53.2	*	48.5	*	44.2
Race	White	98.7	12.4	26.2	29.7	21.0	9.2	1.5			
	Black	.5	*	*	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	10.1	17.8	30.8	27.4	14.4	7.2	*			
Multiple births		2.7	*	1.9	3.0	4.2	*	-0-	2.8	-0-	-0-
Marital status	Married	72.9	22.6	62.5	85.2	89.8	90.4	*	73.1	*	69.2
	Single	27.1	77.4	37.5	14.8	10.2	9.6	*	26.9	*	30.8
Mother not high school graduate		16.4	53.5	16.9	8.9	7.7	10.6	*	16.3	*	52.7
Birthweight	Very low (0-1,499 Grams)	1.1	*	*	*	*	*	-0-	1.1	-0-	*
	Low (0-2,499 Grams)	5.4	6.6	5.6	4.3	4.7	8.0	*	5.3	-0-	*
Caesarian section	Primary	14.4	13.2	16.1	13.3	14.7	12.8	*	14.4	*	12.0
	Secondary	10.5	*	6.1	11.2	14.7	20.2	*	10.4	*	9.1
Trimester prenatal care began	First	88.4	78.3	84.7	92.0	92.3	92.0	*	88.4	*	76.3
	Third or no care	3.0	7.5	4.1	1.7	*	*	*	3.1	-0-	7.7
First birth		33.4	71.6	42.1	27.8	18.8	11.2	*	33.4	*	34.6

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Bureau County - 2000

Population Estimates	
Total	35,500
Under 65 Years	29,210
65 and Older	6,290

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	425	4	--	2	5	2	8	14	33	70	130	157
Male	204	3	--	1	3	2	3	6	20	36	76	54
Female	221	1	--	1	2	--	5	8	13	34	54	103
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	423	4	--	2	5	2	8	14	33	69	130	156
Male	204	3	--	1	3	2	3	6	20	36	76	54
Female	219	1	--	1	2	--	5	8	13	33	54	102
All other races	2	--	--	--	--	--	--	--	--	1	--	1
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	2	--	--	--	--	--	--	--	--	1	--	1
Hispanic ethnicity ¹	6	--	--	--	1	--	--	--	--	3	2	--
Male	2	--	--	--	1	--	--	--	--	--	1	--
Female	4	--	--	--	--	--	--	--	--	3	1	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	425	--	423	2	6	68	357	1,197.2	232.8	5,675.7
5-Year Average (1996-2000)	402	<1	401	<1	6	65	336	1,135.7	226.5	5,188.3
# Infectious and parasitic diseases	6	--	6	--	--	--	6	*	-0-	*
# Septicemia	5	--	5	--	--	--	5	*	-0-	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	111	--	111	--	2	25	86	312.7	85.6	1,367.2
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	-0-
Colorectal	9	--	9	--	--	1	8	*	*	*
Bronchus and lung	30	--	30	--	--	8	22	84.5	*	349.8
Female breast	11	--	11	--	--	3	8	31.0 ³	* ³	* ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	7	--	7	--	--	--	7	* ³	-0- ³	* ³
# Diabetes mellitus	16	--	16	--	--	2	14	45.1	*	222.6
# Alzheimer's disease	7	--	7	--	--	--	7	*	-0-	*
Major cardiovascular diseases	168	--	166	2	3	15	153	473.2	51.4	2,432.4
# Diseases of heart	128	--	126	2	2	13	115	360.6	44.5	1,828.3
Ischemic heart disease	89	--	87	2	2	8	81	250.7	*	1,287.8
# Cerebrovascular diseases	24	--	24	--	--	2	22	67.6	*	349.8
# Atherosclerosis	9	--	9	--	--	--	9	*	-0-	*
# Aortic aneurysm and dissection	5	--	5	--	--	--	5	*	-0-	*
Respiratory diseases	32	--	32	--	--	4	28	90.1	*	445.2
# Influenza and pneumonia	10	--	10	--	--	--	10	28.2	-0-	159.0
# Chronic lower respiratory diseases	19	--	19	--	--	3	16	53.5	*	254.4
Emphysema	1	--	1	--	--	--	1	*	-0-	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	5	--	5	--	1	1	4	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	7	--	7	--	--	1	6	*	*	*
# Certain perinatal conditions	3	--	3	--	--	3	--	*	*	-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	20	--	20	--	--	13	7	56.3	44.5	*
# Accidents	15	--	15	--	--	11	4	42.3	37.7	*
Motor vehicle accidents	9	--	9	--	--	9	--	*	*	-0-
All other accidents	6	--	6	--	--	2	4	*	*	*
# Suicide	5	--	5	--	--	2	3	*	*	*
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Calhoun County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	51	7	12	18	11	3	--	51	--	1
Sex	Male	25	5	3	8	6	3	--	25	--	--
	Female	26	2	9	10	5	--	--	26	--	1
Race	White	51	7	12	18	11	3	--			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	1	--	--	--			
Multiple births		2	--	--	2	--	--	--			
Marital status	Married	39	1	11	16	10	1	--	39	--	--
	Single	12	6	1	2	1	2	--	12	--	--
Mother not high school graduate		7	4	3	--	--	--	--	7	--	--
Birthweight	Very low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	1	--	--	1	--	--	--	1	--	--
Caesarian section	Primary	10	1	3	4	1	1	--	10	--	--
	Secondary	5	--	3	1	1	--	--	5	--	--
Trimester prenatal care began	First	48	7	12	16	11	2	--	48	--	--
	Third or no care	1	--	0	--	--	1	--	1	--	--
First birth		18	6	5	4	2	1	--	18	--	--
2000 Percentages²											
Live births	Total	*	*	*	*	*	*	-0-	*	-0-	*
Sex	Male	*	*	*	*	*	*	-0-	*	*	.0
	Female	*	*	*	*	*	-0-	-0-	*	-0-	*
Race	White	*	*	*	*	*	*	-0-			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	*	-0-	-0-	-0-			
Marital status	Married	*	*	*	*	*	*	-0-	*	-0-	*
	Single	*	85.7	8.3	*	*	*	-0-	*	-0-	-0-
Mother not high school graduate		*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	low (0-2,499 Grams)	*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
Caesarian section	Primary	*	*	*	*	*	*	-0-	*	-0-	-0-
	Secondary	*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
Trimester prenatal care began	First	*	*	*	*	*	*	-0-	*	-0-	-0-
	Third or no care	*	-0-	-0-	-0-	-0-	*	-0-	*	-0-	-0-
First birth		*	*	*	*	*	*	-0-	*	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	8.7	23.2	39.4	18.3	9.5	*	100.0	-0-	*
Sex	Male	50.6	*	*	*	*	*	*	50.6	-0-	-0-
	Female	49.4	*	*	*	*	*	*	49.4	-0-	*
Race	White	100	8.7	23.2	39.4	18.3	9.5	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple births		*	-0-	*	*	-0-	-0-	-0-			
Marital status	Married	81.7	*	*	*	*	*	*	81.7	-0-	*
	Single	18.3	*	*	*	*	*	-0-	18.3	-0-	-0-
Mother not high school graduate		8.7	*	*	*	-0-	*	-0-	8.7	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	-0-	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	4.6	*	*	*	*	*	-0-	4.6	-0-	-0-
Caesarian section	Primary	16.6	*	*	*	*	*	-0-	16.6	-0-	-0-
	Secondary	10.8	-0-	*	*	*	*	-0-	10.8	-0-	-0-
Trimester prenatal care began	First	92.5	*	*	*	*	*	*	92.5	-0-	-0-
	Third or no care	*	4.8	-0-	-0-	-0-	*	-0-	*	-0-	-0-
First birth		30.7	76.2	*	*	*	*	-0-	30.7	-0-	-0-

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Calhoun County - 2000

Population Estimates	
Total	5,100
Under 65 Years	4,120
65 and Older	980

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	58	--	1	--	--	--	--	--	5	10	18	24
Male	18	--	1	--	--	--	--	--	3	5	5	4
Female	40	--	--	--	--	--	--	--	2	5	13	20
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	58	--	1	--	--	--	--	--	5	10	18	24
Male	18	--	1	--	--	--	--	--	3	5	5	4
Female	40	--	--	--	--	--	--	--	2	5	13	20
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	58	--	58	--	--	6	52	1,137.3	*	5,306.1	
5-Year Average (1996-2000)	65	--	65	--	--	10	56	1341.6	*	5,505.0	
Infectious and parasitic diseases	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Septicemia	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	15	--	15	--	--	2	13	294.1	*	1,326.5	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	2	--	2	--	--	--	2	*	-0-	*	
Bronchus and lung	5	--	5	--	--	--	5	-0-	-0-	*	
Female breast	--	--	--	--	--	--	--	* ³	-0- ³	-0- ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
# Diabetes mellitus	2	--	2	--	--	--	2	*	-0-	*	
# Alzheimer's disease	0	--	--	--	--	--	--	-0-	-0-	-0-	
Major cardiovascular diseases	34	--	34	--	--	3	31	666.7	*	3,163.3	
# Diseases of heart	32	--	32	--	--	3	29	627.5	*	2,959.2	
Ischemic heart disease	25	--	25	--	--	3	22	490.2	*	2,244.9	
# Cerebrovascular diseases	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*	
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-	
Respiratory diseases	3	--	3	--	--	--	3	*	-0-	*	
# Influenza and pneumonia	1	--	1	--	--	--	1	*	-0-	*	
# Chronic lower respiratory diseases	1	--	1	--	--	--	1	*	-0-	*	
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Nephritis, nephrotic syndrome and nephrosis	2	--	2	--	--	--	2	*	-0-	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Accidents	--	--	--	--	--	--	--	-0-	-0-	-0-	
Motor vehicle accidents	--	--	--	--	--	--	--	-0-	-0-	-0-	
All other accidents	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Suicide	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Carroll County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	170	25	38	53	32	18	4	168	1	4
Sex	Male	93	12	17	33	16	12	3	93	--	3
	Female	77	13	21	20	16	6	1	75	1	1
Race	White	168	24	38	53	32	17	4			
	Black	1	1	--	--	--	--	--			
Ethnicity	Hispanic ¹	4	1	2	--	1	--	--			
Multiple births		14	--	--	4	8	2	--	14	--	--
Marital status	Married	114	3	23	44	24	16	4	113	--	--
	Single	56	22	15	9	8	2	--	55	1	3
Mother not high school graduate		19	11	4	2	1	1	--	18	1	1
Birthweight	Very low (0-1,499 Grams)	6	1	--	1	2	2	--	6	--	--
	Low (0-2,499 Grams)	12	3	--	1	6	2	--	12	--	--
Caesarian section	Primary	31	1	5	10	9	6	--	31	--	--
	Secondary	12	--	--	5	4	2	1	12	--	--
Trimester prenatal care began	First	148	16	33	48	30	17	4	147	--	2
	Third or no care	2	1	1	--	--	--	--	2	--	--
First birth		50	16	12	14	4	4	--	50	--	1
2000 Percentages²											
Live births	Total	100.0	14.7	22.4	31.2	18.8	10.6	*	98.8	*	*
Sex	Male	54.7	*	*	*	*	*	*	55.4	*	75.0
	Female	45.3	*	*	*	*	*	*	44.6	*	*
Race	White	98.8	*	*	*	*	*	*			
	Black	*	*	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	*	-0-	-0-			
Multiple births		8.2	-0-	-0-	*	*	*	-0-	8.3	-0-	-0-
Marital status	Married	67.1	*	*	*	*	*	*	67.3	-0-	*
	Single	*	88.0	39.5	*	*	*	-0-	32.7	*	*
Mother not high school graduate		11.2	*	*	*	*	*	-0-	10.7	*	*
Birthweight	Very low (0-1,499 Grams)	*	*	-0-	*	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.1	*	-0-	*	*	*	-0-	7.1	-0-	-0-
Caesarian section	Primary	18.2	*	*	*	*	*	-0-	18.5	-0-	-0-
	Secondary	7.1	-0-	-0-	*	*	*	*	7.1	-0-	-0-
Trimester prenatal care began	First	87.1	*	*	*	*	*	*	87.5	-0-	*
	Third or no care	*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First birth		29.4	*	*	*	*	*	-0-	29.8	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	12.4	24.0	29.8	21.7	10.6	1.5	98.2	*	2.1
Sex	Male	52.6	55.5	50.7	52.7	50.5	*	*	52.6	*	*
	Female	47.4	44.5	49.3	47.3	49.5	*	*	47.4	*	*
Race	White	98.2	12.4	24.0	29.8	21.6	10.7	1.5			
	Black	*	*	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	2.1	*	*	*	*	-0-	-0-			
Multiple births		3.3	-0-	*	*	6.3	*	-0-	3.3	-0-	-0-
Marital status	Married	72.7	19.1	62.4	86.4	87.5	*	*	72.8	-0-	*
	Single	27.3	80.9	37.6	13.6	12.5	*	-0-	27.2	*	*
Mother not high school graduate		12.9	50.9	15.0	3.8	5.3	*	-0-	12.7	*	*
Birthweight	Very low (0-1,499 Grams)	2.3	*	*	*	*	*	-0-	2.3	-0-	*
	Low (0-2,499 Grams)	7.3	12.7	4.7	6.1	7.8	*	-0-	7.2	-0-	*
Caesarian section	Primary	14.9	13.6	11.7	15.2	17.2	*	-0-	14.9	-0-	-0-
	Secondary	8.4	*	*	10.2	10.4	*	*	8.4	-0-	*
Trimester prenatal care began	First	89.1	79.1	84.0	91.3	94.2	*	*	89.1	*	*
	Third or no care	2.2	3.6	*	*	*	-0-	-0-	2.2	-0-	*
First birth		30.7	73.6	37.6	28.8	13.5	*	-0-	30.8	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Carroll County - 2000

Population Estimates	
Total	16,600
Under 65 Years	13,380
65 and Older	3,220

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	192	3	1	--	1	2	5	5	20	30	64	61
Male	90	--	1	--	--	1	3	3	14	20	24	24
Female	102	3	--	--	1	1	2	2	6	10	40	37
Black	1	--	--	--	--	--	--	--	--	--	1	--
Male	1	--	--	--	--	--	--	--	--	--	1	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	190	3	1	--	1	2	5	5	20	30	62	61
Male	89	--	1	--	--	1	3	3	14	20	23	24
Female	101	3	--	--	1	1	2	2	6	10	39	37
All other races	1	--	--	--	--	--	--	--	--	--	1	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	1	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	192	1	190	1	--	37	155	1,156.6	276.5	4,813.7	
5-Year Average (1996-2000)	205	<1	203	<1	1	40	164	1216.4	297.7	5,055.4	
# Infectious and parasitic diseases	1	--	1	--	--	--	1	*	-0-	*	
# Septicemia	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	48	--	48	--	--	14	34	289.2	104.6	1,055.9	
# Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*	
# Colorectal	5	--	5	--	--	2	3	*	*	*	
# Bronchus and lung	12	--	12	--	--	4	8	72.3	*	*	
# Female breast	3	--	3	--	--	--	3	* ³	-0- ³	* ³	
# Cervical	1	--	1	--	--	1	--	* ³	* ³	-0- ³	
# Prostate	3	--	3	--	--	--	3	* ³	-0- ³	* ³	
# Diabetes mellitus	6	--	6	--	--	2	4	*	*	*	
# Alzheimer's disease	3	--	3	--	--	--	3	*	-0-	*	
Major cardiovascular diseases	90	1	88	1	--	10	80	542.2	74.7	2,484.5	
# Diseases of heart	70	1	68	1	--	7	63	421.7	*	1,956.5	
# Ischemic heart disease	53	1	52	--	--	4	49	319.3	*	1,521.7	
# Cerebrovascular diseases	15	--	15	--	--	1	14	90.4	*	434.8	
# Atherosclerosis	2	--	2	--	--	1	1	*	*	*	
# Aortic aneurysm and dissection	2	--	2	--	--	1	1	*	*	*	
Respiratory diseases	18	--	18	--	--	3	15	108.4	*	465.8	
# Influenza and pneumonia	9	--	9	--	--	1	8	*	*	*	
# Chronic lower respiratory diseases	8	--	8	--	--	2	6	*	*	*	
# Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	2	--	2	--	--	1	1	*	*	*	
# Nephritis, nephrotic syndrome and nephrosis	3	--	3	--	--	--	3	*	-0-	*	
# Certain perinatal conditions	2	--	2	--	--	2	--	*	*	-0-	
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-	
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	5	--	5	--	--	4	1	*	*	*	
# Accidents	5	--	5	--	--	4	1	*	*	*	
# Motor vehicle accidents	2	--	2	--	--	2	--	*	*	-0-	
# All other accidents	3	--	3	--	--	2	1	*	*	*	
# Suicide	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Cass County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	181	34	54	50	24	16	3	178	--	32
Sex	Male	82	14	22	25	14	7	--	81	--	17
	Female	99	20	32	25	10	9	3	97	--	15
Race	White	178	34	53	49	23	16	3			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	32	4	10	9	5	3	1			
Multiple births		1	--	--	1	--	--	--	1	--	--
Marital status	Married	107	2	23	44	23	12	3	104	--	--
	Single	74	32	31	6	1	4	--	74	--	12
Mother not high school graduate		48	22	12	7	2	4	1	47	--	22
Birthweight	Very low (0-1,499 Grams)	1	--	--	--	1	--	--	1	--	--
	Low (0-2,499 Grams)	10	1	4	2	1	2	--	10	--	--
Caesarian section	Primary	22	3	6	6	5	1	1	21	--	5
	Secondary	17	1	4	6	3	2	1	17	--	7
Trimester prenatal care began	First	142	18	41	45	22	13	3	139	--	23
	Third or no care	9	2	3	2	1	1	--	9	--	2
First birth		62	27	18	13	2	2	--	61	--	10
2000 Percentages²											
Live births	Total	100.0	18.8	29.8	27.6	13.3	8.8	*	98.3	-0-	17.7
Sex	Male	45.3	*	*	*	*	*	-0-	45.5	*	53.1
	Female	54.7	*	*	*	*	*	*	54.5	-0-	*
Race	White	98.3	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	17.7	*	*	*	*	*	*			
Multiple births		*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
Marital status	Married	59.1	*	*	*	*	*	*	58.4	-0-	*
	Single	*	94.1	57.4	*	*	*	-0-	41.6	-0-	*
Mother not high school graduate		*	*	*	*	*	*	*	26.4	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.5	*	*	*	*	*	-0-	5.6	-0-	-0-
Caesarian section	Primary	12.2	*	*	*	*	*	*	11.8	-0-	*
	Secondary	9.4	*	*	*	*	*	*	9.6	-0-	*
Trimester prenatal care began	First	78.9	*	*	*	*	*	*	78.5	-0-	*
	Third or no care	*	*	*	*	*	*	-0-	*	-0-	*
First birth		34.3	*	*	*	*	*	-0-	34.3	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	16.5	33.9	26.9	15.8	6.1	*	98.8	*	12.8
Sex	Male	49.4	50.0	50.5	46.9	52.5	*	*	49.5	*	53.0
	Female	50.6	50.0	49.5	53.1	47.5	*	*	50.5	*	47.0
Race	White	98.8	16.6	33.9	27.0	15.4	6.2	*			
	Black	*	*	*	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	12.8	13.0	44.3	25.2	12.2	*	*			
Multiple births		2.6	*	*	*	*	*	-0-	2.6	-0-	-0-
Marital status	Married	66.6	18.9	65.0	82.2	85.1	*	*	66.4	*	55.7
	Single	33.4	81.1	35.0	17.8	14.9	*	-0-	33.6	*	44.3
Mother not high school graduate		25.7	66.9	26.7	12.4	9.2	*	*	25.7	*	62.6
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	*	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.5	*	7.6	6.2	*	*	-0-	6.6	-0-	*
Caesarian section	Primary	14.4	14.9	12.2	13.7	18.4	*	*	14.4	-0-	13.0
	Secondary	8.3	*	6.9	11.2	10.6	*	*	8.4	-0-	10.4
Trimester prenatal care began	First	75.4	58.5	70.1	82.5	88.5	*	*	75.3	*	51.3
	Third or no care	4.4	5.4	6.0	*	*	*	-0-	4.5	-0-	12.2
First birth		35.9	80.4	38.0	27.0	10.6	*	*	35.9	*	35.7

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Cass County - 2000

Population Estimates	
Total	13,700
Under 65 Years	11,550
65 and Older	2,150

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	161	1	--	--	3	--	1	8	11	28	47	62
Male	85	1	--	--	2	--	1	4	8	19	30	20
Female	76	--	--	--	1	--	--	4	3	9	17	42
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	161	1	--	--	3	--	1	8	11	28	47	62
Male	85	1	--	--	2	--	1	4	8	19	30	20
Female	76	--	--	--	1	--	--	4	3	9	17	42
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	3	1	--	--	1	--	--	--	--	--	--	1
Male	3	1	--	--	1	--	--	--	--	--	--	1
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	161	--	161	--	3	24	137	1,175.2	207.8	6,372.1
5-Year Average (1996-2000)	163	--	163	--	1	28	135	1230.8	252.5	6,017.8
Infectious and parasitic diseases	3	--	3	--	--	--	3	*	-0-	*
# Septicemia	1	--	1	--	--	--	1	*	-0-	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	36	--	36	--	1	7	29	262.8	*	1,348.8
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	5	--	5	--	--	--	5	*	-0-	*
Bronchus and lung	9	--	9	--	--	1	8	*	*	*
Female breast	3	--	3	--	--	1	2	* ³	* ³	* ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
# Diabetes mellitus	3	--	3	--	--	1	2	*	*	*
# Alzheimer's disease	8	--	8	--	--	--	8	*	-0-	*
Major cardiovascular diseases	69	--	69	--	--	7	62	503.6	*	2,883.7
# Diseases of heart	64	--	64	--	--	7	57	467.2	*	2,651.2
Ischemic heart disease	48	--	48	--	--	6	42	350.4	*	1,953.5
# Cerebrovascular diseases	4	--	4	--	--	--	4	*	-0-	*
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	-0-	*
Respiratory diseases	18	--	18	--	1	2	16	131.4	*	744.2
# Influenza and pneumonia	6	--	6	--	1	--	6	*	-0-	*
# Chronic lower respiratory diseases	9	--	9	--	--	1	8	*	*	*
Emphysema	3	--	3	--	--	1	2	*	*	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--	--	1	*	-0-	*
# Nephritis, nephrotic syndrome and nephrosis	3	--	3	--	--	--	3	*	-0-	*
# Certain perinatal conditions	1	--	1	--	1	1	--	*	*	-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	4	--	4	--	--	3	1	*	*	*
# Accidents	3	--	3	--	--	2	1	*	*	*
Motor vehicle accidents	1	--	1	--	--	1	--	*	*	-0-
All other accidents	2	--	2	--	--	1	1	*	*	*
# Suicide	1	--	1	--	--	1	--	*	*	-0-
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Champaign County - 2000

		All Ages	Mother's Age						Race		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and older	White	Black	Hispanic ¹
2000 Numbers											
Live births	Total	2,260	212	512	691	547	250	46	1,675	395	108
Sex	Male	1,102	98	231	346	282	117	26	811	191	54
	Female	1,158	114	281	345	265	133	20	864	204	54
Race	White	1,675	105	347	531	450	203	38			
	Black	395	100	145	91	41	16	2			
Ethnicity	Hispanic ¹	108	16	26	28	29	8	1			
Multiple births		85	4	10	28	26	16	1	63	18	--
Marital status	Married	1,610	24	239	582	497	226	40	1,330	107	--
	Single	650	188	273	109	50	24	6	345	288	38
Mother not high school graduate		224	94	79	32	14	4	1	129	91	34
Birthweight	Very low (0-1,499 Grams)	34	6	7	12	7	1	1	17	12	1
	Low (0-2,499 Grams)	164	33	34	48	30	14	5	95	57	6
Caesarian section	Primary	308	26	58	103	78	31	11	226	56	15
	Secondary	168	3	29	38	57	38	3	120	38	9
Trimester prenatal care began	First	1,896	145	403	600	494	217	35	1,466	275	76
	Third or no care	58	15	21	8	8	4	2	33	21	5
First birth		749	134	199	236	126	44	9	553	102	45
2000 Percentages²											
Live births	Total	100.0	9.4	22.7	30.6	24.2	11.1	2.0	74.1	17.5	4.8
Sex	Male	48.8	46.2	45.1	50.1	51.6	46.8	*	48.4	48.4	50.0
	Female	51.2	53.8	54.9	49.9	48.4	53.2	*	51.6	51.6	50.0
Race	White	74.1	6.3	20.7	31.7	26.9	12.1	*			
	Black	17.5	25.3	36.7	23.0	10.4	4.1	*			
Ethnicity	Hispanic ¹	4.8	14.8	24.1	25.9	26.9	*	*			
Multiple births		3.8	*	2.0	4.1	4.8	6.4	*	3.8	4.6	-0-
Marital status	Married	71.2	11.3	46.7	84.2	90.9	90.4	*	79.4	27.1	64.8
	Single	28.8	88.7	53.3	15.8	9.1	9.6	*	20.6	72.9	35.2
Mother not high school graduate		10.0	45.9	15.5	4.6	2.6	*	*	7.7	23.3	32.4
Birthweight	Very low (0-1,499 Grams)	1.5	*	*	1.7	*	*	*	1.0	3.0	*
	Low (0-2,499 Grams)	7.3	15.6	6.6	6.9	5.5	5.6	*	5.7	14.5	*
Caesarian section	Primary	13.6	12.3	11.3	14.9	14.3	12.4	*	13.5	14.2	13.9
	Secondary	7.4	*	5.7	5.5	10.4	15.2	*	7.2	9.6	*
Trimester prenatal care began	First	88.4	72.1	84.3	92.2	92.9	91.2	*	91.2	76.6	77.6
	Third or no care	2.7	7.5	4.4	*	*	*	*	2.1	5.8	*
First birth		33.1	63.2	38.9	34.2	23.0	17.6	*	33.0	25.8	41.7
Percentages² based on 1996-2000 average											
Live births	Total	100.0	9.9	23.3	30.3	23.7	10.5	2.2	75.1	17.0	3.3
Sex	Male	50.5	50.8	49.5	50.5	50.8	51.0	53.7	50.4	50.6	51.9
	Female	49.5	49.2	50.5	49.5	49.2	49.0	46.3	49.6	49.4	48.1
Race	White	75.1	7.7	21.6	31.1	25.4	11.6	2.5			
	Black	17.0	23.3	36.3	23.3	11.1	5.1	1.0			
Ethnicity	Hispanic ¹	3.3	11.9	27.1	30.4	21.0	8.6	*			
Multiple births		3.3	.9	2.0	2.9	4.7	6.0	5.3	3.5	3.0	*
Marital status	Married	70.8	13.5	49.4	82.9	90.5	89.2	90.2	78.5	26.6	65.7
	Single	29.2	86.5	50.6	17.1	9.5	10.8	9.8	21.5	73.4	34.3
Mother not high school graduate		10.4	49.2	13.9	4.7	2.6	2.2	*	8.2	23.7	25.0
Birthweight	Very low (0-1,499 Grams)	1.6	2.6	1.9	1.5	.9	1.6	*	1.2	3.4	*
	Low (0-2,499 Grams)	7.4	10.2	7.8	6.8	5.7	8.7	10.2	6.3	13.5	6.6
Caesarian section	Primary	12.7	11.9	11.4	12.1	12.5	16.1	24.0	12.7	13.3	11.9
	Secondary	6.9	1.5	4.8	6.4	9.0	12.4	10.6	6.4	10.4	7.2
Trimester prenatal care began	First	88.7	75.6	84.1	91.5	93.9	91.1	87.5	91.6	76.5	79.9
	Third or no care	2.4	5.8	3.9	1.4	1.1	1.5	*	1.5	5.8	3.8
First birth		32.5	67.6	36.6	33.9	20.9	16.0	13.0	32.8	26.3	41.2

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Champaign County - 2000

Population Estimates	
Total	179,800
Under 65 Years	162,220
65 and Older	17,580

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	1,107	23	2	1	21	19	37	67	103	205	332	297
Male	535	14	1	1	15	11	20	45	57	117	154	100
Female	572	9	1	--	6	8	17	22	46	88	178	197
Black	131	11	1	--	6	4	11	12	17	22	28	19
Male	73	6	1	--	5	3	5	10	7	15	15	6
Female	58	5	--	--	1	1	6	2	10	7	13	13
White	966	8	1	1	14	15	26	54	86	179	304	278
Male	455	6	--	1	9	8	15	34	50	99	139	94
Female	511	2	1	--	5	7	11	20	36	80	165	184
All other races	10	4	--	--	1	--	--	1	--	4	--	--
Male	7	2	--	--	1	--	--	1	--	3	--	--
Female	3	2	--	--	--	--	--	--	--	1	--	--
Hispanic ethnicity ¹	4	1	--	--	1	--	1	--	--	1	--	--
Male	3	1	--	--	1	--	1	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	1	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	1,107	131	966	10	4	273	834	615.7	168.3	4,744.0
5-Year Average (1996-2000)	1,067	111	947	9	2	261	806	635.0	172.4	4,825.7
Infectious and parasitic diseases	22	5	17	--	--	10	12	12.2	6.2	68.3
# Septicemia	14	4	10	--	--	4	10	7.8	*	56.9
# Viral hepatitis	1	--	1	--	--	--	1	*	-0-	*
# HIV disease	4	1	3	--	--	4	--	*	-0-	-0-
# Malignant neoplasms	282	33	248	1	2	68	214	156.8	41.9	1,217.3
Lip, oral cavity and pharynx	3	--	3	--	--	1	2	*	*	*
Colorectal	29	3	26	--	--	6	23	16.1	*	130.8
Bronchus and lung	74	5	69	--	--	13	61	41.2	8.0	347.0
Female breast	19	3	16	--	--	9	10	10.6 ³	* ³	56.9 ³
Cervical	4	1	3	--	--	4	--	* ³	* ³	-0. ³
Prostate	19	4	15	--	--	--	19	10.6 ³	-0. ³	108.1 ³
# Diabetes mellitus	32	7	25	--	--	7	25	17.8	*	142.2
# Alzheimer's disease	40	1	39	--	--	--	40	22.2	-0-	227.5
Major cardiovascular diseases	376	42	330	4	1	72	304	209.1	44.4	1,729.2
# Diseases of heart	271	29	239	3	1	54	217	150.7	33.3	1,234.4
Ischemic heart disease	158	19	137	2	--	37	121	87.9	22.8	688.3
# Cerebrovascular diseases	71	8	63	--	--	14	57	39.5	8.6	324.2
# Atherosclerosis	8	1	7	--	--	--	8	*	-0-	*
# Aortic aneurysm and dissection	6	--	5	1	--	--	6	*	-0-	*
Respiratory diseases	104	3	101	--	--	14	90	57.8	8.6	511.9
# Influenza and pneumonia	15	1	14	--	--	1	14	8.3	*	79.6
# Chronic lower respiratory diseases	58	1	57	--	--	6	52	32.3	*	295.8
Emphysema	9	--	9	--	--	3	6	*	*	*
Asthma	3	--	3	--	--	--	3	*	-0-	*
# Chronic liver disease and cirrhosis	13	1	12	--	--	4	9	7.2	*	*
# Nephritis, nephrotic syndrome and nephrosis	26	5	21	--	--	5	21	14.5	*	119.5
# Certain perinatal conditions	10	3	5	2	--	10	--	5.6	6.2	-0-
# Congenital malformations	8	3	4	1	--	8	--	*	*	-0-
SIDS	3	2	1	--	--	3	--	*	*	-0-
External causes	61	9	51	1	1	38	23	33.9	23.4	130.8
# Accidents	38	4	33	1	1	22	16	21.1	13.6	91.0
Motor vehicle accidents	16	2	13	1	1	14	2	8.9	8.6	*
All other accidents	22	2	20	--	--	8	14	12.2	*	79.6
# Suicide	17	2	15	--	--	13	4	9.5	8.0	*
# Homicide	4	2	2	--	--	3	1	*	*	*

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Christian County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	404	58	109	127	69	34	7	402	--	4
Sex	Male	201	29	60	60	33	15	4	201	--	1
	Female	203	29	49	67	36	19	3	201	--	3
Race	White	402	58	109	127	67	34	7			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	4	--	--	--	2	1	1			
Multiple births		17	3	2	4	4	4	--	17	--	--
Marital status	Married	290	14	64	110	63	33	6	289	--	--
	Single	114	44	45	17	6	1	1	113	--	--
Mother not high school graduate		77	39	24	11	2	1	--	77	--	1
Birthweight	Very low (0-1,499 Grams)	9	1	4	--	1	3	--	9	--	--
	Low (0-2,499 Grams)	36	9	8	7	7	5	--	36	--	--
Caesarian section	Primary	60	17	13	16	8	6	--	60	--	--
	Secondary	43	2	8	16	10	5	2	43	--	1
Trimester prenatal care began	First	353	52	89	115	62	30	5	352	--	3
	Third or no care	10	1	6	3	--	--	--	10	--	--
First birth		111	37	36	28	8	2	--	111	--	2
2000 Percentages²											
Live births	Total	100.0	14.4	27.0	31.4	17.1	8.4	*	99.5	-0-	*
Sex	Male	49.8	*	55.0	47.2	*	*	*	50.0	*	25.0
	Female	50.2	*	45.0	52.8	*	*	*	50.0	-0-	*
Race	White	99.5	*	27.1	31.6	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	-0-	*	*	*			
Multiple births		4.2	*	*	*	*	*	-0-	4.2	-0-	-0-
Marital status	Married	71.8	*	58.7	86.6	*	*	*	71.9	-0-	*
	Single	*	75.9	41.3	13.4	*	*	*	28.1	-0-	-0-
Mother not high school graduate		19.1	*	22.0	8.7	*	*	-0-	19.2	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	-0-	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	8.9	*	*	*	*	*	-0-	9.0	-0-	-0-
Caesarian section	Primary	14.9	*	11.9	12.6	*	*	-0-	14.9	-0-	-0-
	Secondary	10.6	*	*	12.6	*	*	*	10.7	-0-	*
Trimester prenatal care began	First	87.6	*	81.7	90.6	*	*	*	87.8	-0-	*
	Third or no care	2.5	*	*	*	-0-	-0-	-0-	2.5	-0-	-0-
First birth		27.5	*	33.0	22.0	*	*	-0-	27.6	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.8	30.9	29.9	16.1	7.9	1.4	99.4	*	0.9
Sex	Male	52.7	52.5	52.1	54.6	52.0	49.1	*	52.7	*	*
	Female	47.3	47.5	47.9	45.4	48.0	50.9	*	47.3	*	*
Race	White	99.4	13.8	31.0	29.9	16.0	7.9	1.4			
	Black	*	*	-0-	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	.9	*	*	*	*	*	*			
Multiple births		2.9	*	2.5	2.6	3.0	9.2	-0-	2.9	-0-	-0-
Marital status	Married	71.7	26.8	64.1	84.0	91.3	92.0	*	71.8	-0-	*
	Single	28.3	73.2	35.9	16.0	8.7	8.0	*	28.2	*	*
Mother not high school graduate		17.2	57.7	18.9	8.0	4.2	*	-0-	17.1	*	*
Birthweight	Very low (0-1,499 Grams)	1.6	*	1.6	*	*	6.1	-0-	1.7	-0-	-0-
	Low (0-2,499 Grams)	7.6	11.6	6.8	5.0	6.0	16.6	*	7.6	-0-	-0-
Caesarian section	Primary	14.5	19.0	12.6	12.6	15.3	19.6	*	14.4	*	*
	Secondary	9.8	*	7.5	11.5	14.1	15.3	*	9.8	*	*
Trimester prenatal care began	First	85.3	78.9	80.8	89.3	91.0	89.5	*	85.3	*	*
	Third or no care	2.6	4.3	3.9	*	*	*	*	2.6	-0-	*
First birth		29.7	71.8	33.8	21.4	13.5	9.2	*	29.8	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Christian County - 2000

Population Estimates	
Total	35,400
Under 65 Years	29,310
65 and Older	6,090

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	447	7	--	--	4	8	9	15	35	77	120	172
Male	190	3	--	--	3	6	7	9	22	39	50	51
Female	257	4	--	--	1	2	2	6	13	38	70	121
Black	1	--	--	--	--	--	1	--	--	--	--	--
Male	1	--	--	--	--	--	1	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	446	7	--	--	4	8	8	15	35	77	120	172
Male	189	3	--	--	3	6	6	9	22	39	50	51
Female	257	4	--	--	1	2	2	6	13	38	70	121
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	3	--	--	--	--	1	--	--	--	1	--	1
Male	1	--	--	--	--	1	--	--	--	--	--	--
Female	2	--	--	--	--	--	--	--	--	1	--	1

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	447	1	446	--	3	78	369	1,262.7	266.1	6,059.1
5-Year Average (1996-2000)	420	2	418	--	1	85	335	1186.3	291.8	5,385.9
Infectious and parasitic diseases	7	--	7	--	--	1	6	*	*	*
# Septicemia	5	--	5	--	--	--	5	*	-0-	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	1	--	1	--	--	1	--	*	-0-	-0-
# Malignant neoplasms	114	1	113	--	1	33	81	322.0	112.6	1,330.0
Lip, oral cavity and pharynx	2	--	2	--	--	--	2	*	-0-	*
Colorectal	11	--	11	--	--	3	8	31.1	*	*
Bronchus and lung	40	1	39	--	--	10	30	113.0	34.1	492.6
Female breast	8	--	8	--	--	2	6	* ³	* ³	* ³
Cervical	1	--	1	--	--	1	--	* ³	* ³	-0- ³
Prostate	1	--	1	--	--	--	1	* ³	-0- ³	* ³
# Diabetes mellitus	9	--	9	--	--	2	7	*	*	*
# Alzheimer's disease	14	--	14	--	--	--	14	39.5	-0-	229.9
Major cardiovascular diseases	178	--	178	--	1	14	164	502.8	47.8	2,692.9
# Diseases of heart	136	--	136	--	1	9	127	384.2	*	2,085.4
Ischemic heart disease	97	--	97	--	1	5	92	274.0	*	1,510.7
# Cerebrovascular diseases	33	--	33	--	--	4	29	93.2	*	476.2
# Atherosclerosis	3	--	3	--	--	--	3	*	-0-	*
# Aortic aneurysm and dissection	2	--	2	--	--	--	2	*	-0-	*
Respiratory diseases	45	--	45	--	--	5	40	127.1	*	656.8
# Influenza and pneumonia	24	--	24	--	--	2	22	67.8	*	361.2
# Chronic lower respiratory diseases	16	--	16	--	--	2	14	45.2	*	229.9
Emphysema	3	--	3	--	--	1	2	*	*	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	2	--	2	--	--	1	1	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	5	--	5	--	--	--	5	*	-0-	*
# Certain perinatal conditions	4	--	4	--	--	4	--	*	*	-0-
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-
SIDS	1	--	1	--	--	1	--	*	*	-0-
External causes	24	--	24	--	1	12	12	67.8	40.9	197.0
# Accidents	17	--	17	--	--	7	10	48.0	*	164.2
Motor vehicle accidents	5	--	5	--	--	5	--	*	*	-0-
All other accidents	12	--	12	--	--	2	10	33.9	*	164.2
# Suicide	5	--	5	--	1	3	2	*	*	*
# Homicide	1	--	1	--	--	1	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Clark County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	189	26	58	71	24	9	1	188	--	1
Sex	Male	90	14	29	32	12	3	--	89	--	--
	Female	99	12	29	39	12	6	1	99	--	1
Race	White	188	26	58	71	23	9	1			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	1	--	--	--			
Multiple births		--	--	--	--	--	--	--			
Marital status	Married	130	4	36	60	22	7	1	129	--	--
	Single	59	22	22	11	2	2	--	59	--	1
Mother not high school graduate		32	21	4	4	3	--	--	32	--	--
Birthweight	Very low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	4	1	1	1	1	--	--	4	--	--
Caesarian section	Primary	17	5	3	7	2	--	--	17	--	--
	Secondary	17	--	3	10	4	--	--	17	--	--
Trimester prenatal care began	First	161	22	47	62	22	7	1	160	--	1
	Third or no care	4	--	0	2	--	1	--	4	--	--
First birth		63	17	25	17	3	1	--	63	--	--
2000 Percentages²											
Live births	Total	100.0	13.8	30.7	37.6	12.7	*	*	99.5	-0-	*
Sex	Male	47.6	*	*	*	*	*	-0-	47.3	-0-	.0
	Female	52.4	*	*	*	*	*	*	52.7	-0-	*
Race	White	99.5	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple births		-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Marital status	Married	68.8	*	*	*	*	*	*	68.6	-0-	-0-
	Single	*	84.6	37.9	*	*	*	-0-	31.4	-0-	*
Mother not high school graduate		-0-	*	*	*	*	-0-	-0-	17.0	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	*	-0-	-0-	*	-0-	-0-
Caesarian section	Primary	9.0	*	*	*	*	-0-	-0-	9.0	-0-	-0-
	Secondary	9.0	-0-	*	*	*	-0-	-0-	9.0	-0-	-0-
Trimester prenatal care began	First	85.2	*	*	*	*	*	*	85.1	-0-	*
	Third or no care	*	*	-0-	*	-0-	*	-0-	*	-0-	-0-
First birth		33.3	*	*	*	*	*	-0-	33.5	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.5	31.4	33.6	15.6	5.0	*	99.3	*	*
Sex	Male	47.2	51.2	46.3	48.3	44.3	*	*	47.3	-0-	*
	Female	52.8	48.8	53.7	51.7	55.7	*	*	52.7	*	*
Race	White	99.3	13.6	31.7	33.5	15.5	5.0	*			
	Black	*	-0-	-0-	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple births		2.1	-0-	*	*	*	*	*			
Marital status	Married	71.4	27.1	64.3	85.4	86.6	*	*	71.3	-0-	*
	Single	28.6	72.9	35.7	14.6	13.4	*	-0-	28.7	*	*
Mother not high school graduate		16.1	50.4	15.4	8.7	8.1	*	-0-	16.1	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	*	*	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.2	*	5.0	5.9	8.7	*	*	6.2	-0-	-0-
Caesarian section	Primary	12.1	14.0	10.0	11.2	14.8	*	*	12.1	-0-	-0-
	Secondary	8.9	*	5.3	10.0	18.1	*	-0-	9.0	-0-	-0-
Trimester prenatal care began	First	85.0	77.8	80.0	88.8	91.3	*	*	85.1	*	*
	Third or no care	3.2	4.8	4.0	*	*	*	-0-	3.1	-0-	*
First birth		33.9	68.2	42.0	27.1	12.8	*	-0-	34.1	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Clark County - 2000

Population Estimates	
Total	17,000
Under 65 Years	13,950
65 and Older	3,050

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	192	--	--	1	1	--	7	9	16	39	48	71
Male	90	--	--	1	1	--	2	6	11	23	23	23
Female	102	--	--	--	--	--	5	3	5	16	25	48
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	191	--	--	1	1	--	6	9	16	39	48	71
Male	89	--	--	1	1	--	1	6	11	23	23	23
Female	102	--	--	--	--	--	5	3	5	16	25	48
All other races	1	--	--	--	--	--	1	--	--	--	--	--
Male	1	--	--	--	--	--	1	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	2	--	--	--	--	--	1	--	1	--	--	--
Male	2	--	--	--	--	--	1	--	1	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race			Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	192	--	191	1	2	34	158	1,129.4	243.7	5,180.3
5-Year Average (1996-2000)	207	--	206	<1	<1	35	171	1269.0	266.4	5,718.1
# Infectious and parasitic diseases	7	--	7	--	1	2	5	*	*	*
# Septicemia	4	--	4	--	--	--	4	*	-0-	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	1	--	1	--	--	1	--	*	-0-	-0-
# Malignant neoplasms	46	--	45	1	1	12	34	270.6	86.0	1,114.8
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	7	--	7	--	--	--	7	*	-0-	*
Bronchus and lung	10	--	9	1	1	5	5	58.8	*	*
Female breast	2	--	2	--	--	--	2	* ³	-0- ³	* ³
Cervical	1	--	1	--	--	1	--	* ³	* ³	-0- ³
Prostate	2	--	2	--	--	--	2	* ³	-0- ³	* ³
# Diabetes mellitus	6	--	6	--	--	1	5	*	*	*
# Alzheimer's disease	3	--	3	--	--	--	3	*	-0-	*
Major cardiovascular diseases	79	--	79	--	--	4	75	464.7	*	2,459.0
# Diseases of heart	58	--	58	--	--	3	55	341.2	*	1,803.3
Ischemic heart disease	42	--	42	--	--	2	40	247.1	*	1,311.5
# Cerebrovascular diseases	17	--	17	--	--	1	16	100.0	*	524.6
# Atherosclerosis	3	--	3	--	--	--	3	*	-0-	*
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	-0-	*
Respiratory diseases	13	--	13	--	--	3	10	76.5	*	327.9
# Influenza and pneumonia	3	--	3	--	--	--	3	*	-0-	*
# Chronic lower respiratory diseases	9	--	9	--	--	2	7	*	*	*
Emphysema	2	--	2	--	--	--	2	*	-0-	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--	1	--	*	*	-0-
# Nephritis, nephrotic syndrome and nephrosis	1	--	1	--	--	--	1	*	-0-	*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	8	--	8	--	--	4	4	*	*	*
# Accidents	5	--	5	--	--	2	3	*	*	*
Motor vehicle accidents	2	--	2	--	--	2	--	*	*	-0-
All other accidents	3	--	3	--	--	--	3	*	-0-	*
# Suicide	2	--	2	--	--	1	1	*	*	*
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Clay County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	187	33	48	62	36	7	1	187	--	1
Sex	Male	110	20	28	31	26	4	1	110	--	--
	Female	77	13	20	31	10	3	--	77	--	1
Race	White	187	33	48	62	36	7	1			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	1	--	--	--			
Multiple births		4	--	--	2	2	--	--			
Marital status	Married	139	9	33	57	34	6	--	139	--	--
	Single	48	24	15	5	2	1	1	48	--	--
Mother not high school graduate		36	25	6	5	--	--	--	36	--	--
Birthweight	Very low (0-1,499 Grams)	1	1	--	--	--	--	--	1	--	--
	Low (0-2,499 Grams)	10	2	3	3	1	1	--	10	--	--
Caesarian section	Primary	25	5	3	10	6	1	--	25	--	--
	Secondary	16	1	1	8	4	1	1	16	--	1
Trimester prenatal care began	First	165	24	42	57	34	7	1	165	--	1
	Third or no care	5	1	2	2	--	--	--	5	--	--
First birth		62	21	14	19	7	1	--	62	--	--
2000 Percentages²											
Live births	Total	100.0	17.6	25.7	33.2	19.3	*	*	100.0	-0-	*
Sex	Male	58.8	*	*	*	*	*	*	58.8	*	.0
	Female	41.2	*	*	*	*	*	-0-	41.2	-0-	*
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	*	*	-0-	-0-			
Marital status	Married	74.3	*	*	*	*	*	-0-	74.3	-0-	*
	Single	*	72.7	31.3	*	*	*	*	25.7	-0-	-0-
Mother not high school graduate		*	*	*	*	-0-	-0-	-0-	19.4	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.3	*	*	*	*	*	-0-	5.3	-0-	-0-
Caesarian section	Primary	13.4	*	*	*	*	*	-0-	13.4	-0-	-0-
	Secondary	8.6	*	*	*	*	*	*	8.6	-0-	*
Trimester prenatal care began	First	88.2	*	*	*	*	*	*	88.2	-0-	*
	Third or no care	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
First birth		33.2	*	*	*	*	*	-0-	33.2	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	15.7	30.9	30.6	16.3	5.8	*	98.8	-0-	*
Sex	Male	51.9	56.5	49.3	53.3	52.8	*	*	51.7	-0-	*
	Female	48.1	43.5	50.7	46.7	47.2	*	*	48.3	-0-	*
Race	White	98.8	15.6	31.0	30.7	16.2	5.7	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	*	-0-	-0-			
Multiple births		2.0	-0-	*	*	*	-0-	-0-			
Marital status	Married	75.3	37.0	73.2	85.9	91.0	*	*	75.4	-0-	*
	Single	24.7	63.0	26.8	14.1	9.0	*	*	24.6	-0-	*
Mother not high school graduate		18.8	65.2	20.2	6.7	*	-0-	-0-	18.8	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	*	-0-	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.4	10.9	7.0	6.3	6.9	*	-0-	7.2	-0-	-0-
Caesarian section	Primary	14.1	10.1	15.4	14.1	18.1	*	-0-	14.1	-0-	*
	Secondary	9.8	*	6.3	13.0	11.8	*	*	9.7	-0-	*
Trimester prenatal care began	First	87.5	76.8	83.8	93.7	91.6	*	*	87.3	-0-	*
	Third or no care	1.7	2.9	*	*	*	*	-0-	1.7	-0-	-0-
First birth		30.8	65.9	32.0	25.2	14.6	*	-0-	30.8	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Clay County - 2000

Population Estimates	
Total	14,500
Under 65 Years	11,710
65 and Older	2,790

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	170	--	--	--	--	1	2	8	21	31	57	50
Male	86	--	--	--	--	1	1	4	11	17	30	22
Female	84	--	--	--	--	--	1	4	10	14	27	28
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	170	--	--	--	--	1	2	8	21	31	57	50
Male	86	--	--	--	--	1	1	4	11	17	30	22
Female	84	--	--	--	--	--	1	4	10	14	27	28
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	--	1	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	1	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	170	--	170	--	1	32	138	1,172.4	273.3	4,946.2	
5-Year Average (1996-2000)	192	<1	191	<1	<1	36	156	1345.0	311.3	5,778.9	
Infectious and parasitic diseases	5	--	5	--	--	--	5	*	-0-	*	
# Septicemia	3	--	3	--	--	--	3	*	-0-	*	
# Viral hepatitis	1	--	1	--	--	--	1	*	-0-	*	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	37	--	37	--	--	13	24	255.2	111.0	860.2	
Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*	
Colorectal	4	--	4	--	--	1	3	*	*	*	
Bronchus and lung	10	--	10	--	--	5	5	69.0	*	*	
Female breast	2	--	2	--	--	--	2	* ³	-0- ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	2	--	2	--	--	--	2	* ³	-0- ³	* ³	
# Diabetes mellitus	1	--	1	--	--	--	1	*	-0-	*	
# Alzheimer's disease	2	--	2	--	--	--	2	*	-0-	*	
Major cardiovascular diseases	91	--	91	--	1	10	81	627.6	85.4	2,903.2	
# Diseases of heart	64	--	64	--	1	10	54	441.4	85.4	1,935.5	
Ischemic heart disease	44	--	44	--	1	6	38	303.4	*	1,362.0	
# Cerebrovascular diseases	21	--	21	--	--	--	21	144.8	-0-	752.7	
# Atherosclerosis	5	--	5	--	--	--	5	*	-0-	*	
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-	
Respiratory diseases	14	--	14	--	--	3	11	96.6	*	394.3	
# Influenza and pneumonia	4	--	4	--	--	1	3	*	*	*	
# Chronic lower respiratory diseases	7	--	7	--	--	2	5	*	*	*	
Emphysema	2	--	2	--	--	1	1	*	*	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	1	--	1	--	--	--	1	*	-0-	*	
# Nephritis, nephrotic syndrome and nephrosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	8	--	8	--	--	4	4	*	*	*	
# Accidents	5	--	5	--	--	1	4	*	*	*	
Motor vehicle accidents	1	--	1	--	--	--	1	*	-0-	*	
All other accidents	4	--	4	--	--	1	3	*	*	*	
# Suicide	2	--	2	--	--	2	--	*	*	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Clinton County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	439	43	106	133	108	41	8	433	4	12
Sex	Male	219	21	58	64	53	20	3	216	1	7
	Female	220	22	48	69	55	21	5	217	3	5
Race	White	433	42	103	131	108	41	8			
	Black	4	1	3	--	--	--	--			
Ethnicity	Hispanic ¹	12	3	3	3	3	--	--			
Multiple births		17	--	4	6	5	2	--	17	--	--
Marital status	Married	327	4	58	118	101	39	7	325	--	--
	Single	112	39	48	15	7	2	1	108	4	8
Mother not high school graduate		46	25	14	5	1	1	--	45	1	4
Birthweight	Very low (0-1,499 Grams)	5	--	3	1	1	--	--	5	--	--
	Low (0-2,499 Grams)	28	2	9	7	8	2	--	28	--	--
Caesarian section	Primary	54	3	14	16	14	6	1	51	2	--
	Secondary	32	--	2	10	14	5	1	32	--	1
Trimester prenatal care began	First	394	33	88	128	100	39	6	389	3	9
	Third or no care	6	3	2	--	1	--	--	5	1	1
First birth		159	35	50	52	18	3	1	157	2	4
2000 Percentages²											
Live births	Total	100.0	9.8	24.1	30.3	24.6	9.3	*	98.6	*	2.7
Sex	Male	49.9	*	54.7	48.1	49.1	*	*	49.9	*	58.3
	Female	50.1	*	45.3	51.9	50.9	*	*	50.1	*	*
Race	White	98.6	*	23.8	30.3	24.9	*	*			
	Black	*	*	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	2.7	*	*	*	*	-0-	-0-			
Multiple births		3.9	-0-	*	*	*	*	-0-	3.9	-0-	-0-
Marital status	Married	74.5	*	54.7	88.7	93.5	*	*	75.1	-0-	*
	Single	*	90.7	45.3	11.3	*	*	*	24.9	*	*
Mother not high school graduate		10.5	*	13.2	*	*	*	-0-	10.4	*	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.4	*	*	*	*	*	-0-	6.5	-0-	-0-
Caesarian section	Primary	12.3	*	13.2	12.0	13.0	*	*	11.8	*	-0-
	Secondary	7.3	-0-	*	7.5	13.0	*	*	7.4	-0-	*
Trimester prenatal care began	First	90.2	*	83.8	96.2	93.5	*	*	90.3	*	*
	Third or no care	*	*	*	-0-	*	-0-	-0-	*	*	*
First birth		36.2	*	47.2	39.1	16.7	*	-0-	36.3	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	10.4	22.0	33.0	24.2	9.3	1.1	98.2	1.0	1.5
Sex	Male	51.6	46.9	50.1	54.7	51.3	51.6	*	51.7	*	*
	Female	48.4	53.1	49.9	45.3	48.7	48.4	*	48.3	*	*
Race	White	98.2	10.2	21.7	33.1	24.5	9.3	1.1			
	Black	1.0	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	1.5	*	*	*	*	-0-	*			
Multiple births		3.9	*	2.7	4.3	5.7	*	-0-	3.8	-0-	-0-
Marital status	Married	76.7	19.2	58.1	88.6	94.3	95.8	*	77.3	*	*
	Single	23.3	80.8	41.9	11.4	5.7	*	*	22.7	*	*
Mother not high school graduate		10.8	57.3	12.9	3.7	*	*	*	10.6	*	*
Birthweight	Very low (0-1,499 Grams)	.9	*	*	*	*	-0-	-0-	.8	*	-0-
	Low (0-2,499 Grams)	5.4	4.7	6.0	5.0	6.1	*	*	5.4	*	-0-
Caesarian section	Primary	11.5	7.5	13.3	11.8	10.3	12.1	*	11.3	*	*
	Secondary	7.7	*	2.9	7.4	12.7	13.7	*	7.7	*	*
Trimester prenatal care began	First	88.5	72.3	83.1	92.8	92.9	92.6	*	88.8	*	*
	Third or no care	1.4	2.8	*	*	*	*	-0-	1.2	*	*
First birth		32.4	75.1	44.3	30.5	15.4	10.5	*	32.4	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Clinton County - 2000

Population Estimates	
Total	35,500
Under 65 Years	30,350
65 and Older	5,150

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	321	1	1	2	4	8	7	20	32	59	95	92
Male	166	1	1	1	4	6	4	17	22	39	47	24
Female	155	--	--	1	--	2	3	3	10	20	48	68
Black	4	--	--	--	--	1	1	1	1	--	--	--
Male	4	--	--	--	--	1	1	1	1	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	316	1	1	2	4	6	6	19	31	59	95	92
Male	161	1	1	1	4	4	3	16	21	39	47	24
Female	155	--	--	1	--	2	3	3	10	20	48	68
All other races	1	--	--	--	--	1	--	--	--	--	--	--
Male	1	--	--	--	--	1	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	321	4	316	1	--	75	246	904.2	247.1	4,776.7
5-Year Average (1996-2000)	316	4	311	<1	--	72	244	891.1	236.6	4,780.7
# Infectious and parasitic diseases	10	1	9	--	--	2	8	28.2	*	*
# Septicemia	9	--	9	--	--	1	8	*	*	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	1	1	--	--	--	1	--	*	-0-	-0-
# Malignant neoplasms	78	1	77	--	--	24	54	219.7	79.1	1,048.5
# Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	-0-
# Colorectal	8	--	8	--	--	1	7	*	*	*
# Bronchus and lung	18	1	17	--	--	8	10	50.7	*	194.2
# Female breast	4	--	4	--	--	--	4	* ³	-0- ³	* ³
# Cervical	1	--	1	--	--	--	1	* ³	-0- ³	* ³
# Prostate	3	--	3	--	--	--	3	* ³	-0- ³	* ³
# Diabetes mellitus	5	--	5	--	--	--	5	*	-0-	*
# Alzheimer's disease	6	--	6	--	--	--	6	*	-0-	*
# Major cardiovascular diseases	123	--	123	--	--	16	107	346.5	52.7	2,077.7
# Diseases of heart	103	--	103	--	--	16	87	290.1	52.7	1,689.3
# Ischemic heart disease	82	--	82	--	--	12	70	231.0	39.5	1,359.2
# Cerebrovascular diseases	19	--	19	--	--	--	19	53.5	-0-	368.9
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	-0-	*
# Respiratory diseases	43	--	43	--	--	4	39	121.1	*	757.3
# Influenza and pneumonia	16	--	16	--	--	1	15	45.1	*	291.3
# Chronic lower respiratory diseases	18	--	18	--	--	2	16	50.7	*	310.7
# Emphysema	1	--	1	--	--	--	1	*	-0-	*
# Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	3	--	3	--	--	3	--	*	*	-0-
# Nephritis, nephrotic syndrome and nephrosis	3	--	3	--	--	1	2	*	*	*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
# External causes	25	1	23	1	--	19	6	70.4	62.6	*
# Accidents	17	1	15	1	--	11	6	47.9	36.2	*
# Motor vehicle accidents	13	1	11	1	--	10	3	36.6	32.9	*
# All other accidents	4	--	4	--	--	1	3	*	*	*
# Suicide	7	--	7	--	--	7	--	*	*	-0-
# Homicide	1	--	1	--	--	1	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Coles County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	615	93	190	173	102	47	10	591	19	12
Sex	Male	322	50	95	94	49	25	9	307	13	6
	Female	293	43	95	79	53	22	1	284	6	6
Race	White	591	89	181	168	99	44	10			
	Black	19	4	9	4	2	--	--			
Ethnicity	Hispanic ¹	12	4	5	2	1	--	--			
Multiple births		24	2	10	2	5	3	2	21	--	--
Marital status	Married	416	22	104	143	92	45	10	404	7	--
	Single	199	71	86	30	10	2	--	187	12	5
Mother not high school graduate		99	46	32	16	4	1	--	98	1	1
Birthweight	Very low (0-1,499 Grams)	8	2	3	1	2	--	--	8	--	--
	Low (0-2,499 Grams)	52	9	22	7	6	6	2	49	1	1
Caesarian section	Primary	99	14	34	20	17	7	7	94	5	2
	Secondary	50	--	9	14	17	10	--	46	1	1
Trimester prenatal care began	First	529	78	154	154	94	40	9	513	15	10
	Third or no care	12	3	5	1	3	--	--	11	--	1
First birth		198	64	72	34	17	7	4	187	10	7
2000 Percentages²											
Live births	Total	100.0	15.1	30.9	28.1	16.6	7.6	1.6	96.1	3.1	2.0
Sex	Male	52.4	*	50.0	54.3	48.0	*	*	51.9	*	50.0
	Female	47.6	*	50.0	45.7	52.0	*	*	48.1	*	*
Race	White	96.1	*	30.6	28.4	16.8	*	*			
	Black	3.1	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	2.0	*	*	*	*	-0-	-0-			
Multiple births		3.9	*	5.3	*	*	*	*	3.6	-0-	-0-
Marital status	Married	67.6	*	54.7	82.7	90.2	*	*	68.4	*	*
	Single	*	76.3	45.3	17.3	9.8	*	-0-	31.6	*	*
Mother not high school graduate		16.1	*	16.8	9.2	*	*	-0-	16.6	*	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	8.5	*	11.6	*	*	*	*	8.3	*	*
Caesarian section	Primary	16.1	*	17.9	11.6	16.7	*	*	15.9	*	*
	Secondary	8.1	-0-	*	8.1	16.7	*	-0-	7.8	*	*
Trimester prenatal care began	First	86.6	*	81.9	89.0	92.2	*	*	87.2	*	*
	Third or no care	2.0	*	*	*	*	-0-	-0-	1.9	-0-	*
First birth		32.2	*	37.9	19.7	16.7	*	-0-	31.6	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	14.9	31.2	29.3	17.0	6.4	1.2	96.9	2.3	1.5
Sex	Male	50.5	51.4	48.0	51.7	50.5	52.1	*	50.6	*	*
	Female	49.5	48.6	52.0	48.3	49.5	47.9	*	49.4	*	*
Race	White	96.9	14.8	30.9	29.5	17.2	6.4	1.2			
	Black	2.3	*	*	*	*	-0-	*			
Ethnicity	Hispanic ¹	1.5	*	*	*	*	*	-0-			
Multiple births		3.0	2.3	2.4	2.6	3.9	*	*	3.0	-0-	*
Marital status	Married	69.6	23.4	62.0	85.1	88.4	91.1	*	70.5	*	*
	Single	30.4	76.6	38.0	14.9	11.6	8.9	*	29.5	*	*
Mother not high school graduate		16.8	54.2	17.3	7.9	4.1	5.2	*	16.9	*	*
Birthweight	Very low (0-1,499 Grams)	1.5	2.3	1.3	1.5	*	-0-	*	1.5	*	*
	Low (0-2,499 Grams)	7.6	10.6	7.5	7.4	5.1	6.8	*	7.6	*	*
Caesarian section	Primary	15.7	11.5	16.5	15.2	15.1	18.8	*	15.6	*	*
	Secondary	8.4	*	5.4	9.7	14.9	16.7	*	8.5	*	*
Trimester prenatal care began	First	84.1	71.9	81.4	88.1	91.5	86.4	*	84.7	*	*
	Third or no care	2.3	5.7	1.8	1.7	*	*	*	2.3	*	*
First birth		33.6	66.9	40.6	24.8	14.9	14.6	*	33.6	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Coles County - 2000

Population Estimates	
Total	53,000
Under 65 Years	45,950
65 and Older	7,050

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	552	5	--	1	4	12	10	32	40	96	175	177
Male	231	4	--	1	2	9	4	16	18	45	84	48
Female	321	1	--	--	2	3	6	16	22	51	91	129
Black	2	--	--	--	--	--	--	1	--	--	--	1
Male	1	--	--	--	--	--	--	1	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	--	1
White	550	5	--	1	4	12	10	31	40	96	175	176
Male	230	4	--	1	2	9	4	15	18	45	84	48
Female	320	1	--	--	2	3	6	16	22	51	91	128
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	3	--	--	--	--	1	--	--	--	--	--	2
Male	2	--	--	--	--	1	--	--	--	--	--	1
Female	1	--	--	--	--	--	--	--	--	--	--	1

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	552	2	550	--	3	104	448	1,041.5	226.3	6,354.6
5-Year Average (1996-2000)	505	3	501	<1	2	97	408	987.1	220.5	5,643.2
Infectious and parasitic diseases	5	--	5	--	--	3	2	*	*	*
# Septicemia	2	--	2	--	--	2	--	*	*	-0-
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	1	--	1	--	--	1	--	*	-0-	-0-
# Malignant neoplasms	113	--	113	--	--	31	82	213.2	67.5	1,163.1
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	16	--	16	--	--	1	15	30.2	*	212.8
Bronchus and lung	23	--	23	--	--	9	14	43.4	*	198.6
Female breast	7	--	7	--	--	2	5	* ³	* ³	* ³
Cervical	2	--	2	--	--	2	--	* ³	* ³	-0- ³
Prostate	6	--	6	--	--	--	6	* ³	-0- ³	* ³
# Diabetes mellitus	17	--	17	--	--	7	10	32.1	*	141.8
# Alzheimer's disease	12	--	12	--	--	--	12	22.6	-0-	170.2
Major cardiovascular diseases	257	2	255	--	--	23	234	484.9	50.1	3,319.1
# Diseases of heart	176	2	174	--	--	19	157	332.1	41.3	2,227.0
Ischemic heart disease	120	1	119	--	--	12	108	226.4	26.1	1,531.9
# Cerebrovascular diseases	64	--	64	--	--	2	62	120.8	*	879.4
# Atherosclerosis	3	--	3	--	--	--	3	*	-0-	*
# Aortic aneurysm and dissection	4	--	4	--	--	1	3	*	*	*
Respiratory diseases	56	--	56	--	--	10	46	105.7	21.8	652.5
# Influenza and pneumonia	10	--	10	--	--	1	9	18.9	*	*
# Chronic lower respiratory diseases	34	--	34	--	--	6	28	64.2	*	397.2
Emphysema	1	--	1	--	--	--	1	*	-0-	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	4	--	4	--	1	--	4	*	-0-	*
# Nephritis, nephrotic syndrome and nephrosis	7	--	7	--	--	--	7	*	-0-	*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	3	--	3	--	--	3	--	*	*	-0-
SIDS	1	--	1	--	--	1	--	*	*	-0-
External causes	21	--	21	--	1	13	8	39.6	28.3	*
# Accidents	14	--	14	--	1	8	6	26.4	*	*
Motor vehicle accidents	5	--	5	--	1	3	2	*	*	*
All other accidents	9	--	9	--	--	5	4	*	*	*
# Suicide	6	--	6	--	--	4	2	*	*	*
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Cook County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	85,503	11,022	20,239	21,853	20,082	10,082	2,214	55,179	25,482	26,575
Sex	Male	43,400	5,550	10,356	11,183	10,205	5,009	1,091	28,125	12,780	13,526
	Female	42,103	5,472	9,883	10,670	9,877	5,073	1,123	27,054	12,702	13,049
Race	White	55,179	5,107	11,722	14,542	14,687	7,505	1,609			
	Black	25,482	5,794	7,891	5,634	3,756	1,925	478			
Ethnicity	Hispanic ¹	26,575	4,049	8,234	7,432	4,488	1,936	431			
Multiple births		2,868	187	497	649	925	498	112	1,864	890	553
Marital status	Married	49,687	1,292	7,547	14,529	16,362	8,223	1,728	39,492	5,785	14,975
	Single	35,816	9,730	12,692	7,324	3,720	1,859	486	15,687	19,697	11,600
Mother not high school graduate		23,203	6,896	6,808	4,896	2,830	1,414	355	15,371	7,525	13,539
Birthweight	Very low (0-1,499 Grams)	1,646	231	374	405	376	201	59	705	897	336
	Low (0-2,499 Grams)	7,644	1,190	1,775	1,741	1,719	959	257	3,572	3,652	1,684
Caesarian section	Primary	10,865	1,304	2,224	2,728	2,768	1,444	395	6,943	3,253	2,968
	Secondary	6,064	172	964	1,583	1,822	1,241	281	3,840	1,930	1,921
Trimester prenatal care began	First	65,792	6,821	14,423	17,358	16,984	8,433	1,770	44,183	17,849	19,305
	Third or no care	4,147	986	1,278	902	577	329	71	1,962	1,996	1,342
First birth		27,943	7,429	7,284	6,293	4,998	1,630	305	18,908	6,930	8,779
2000 Percentages²											
Live births	Total	100.0	12.9	23.7	25.6	23.5	11.8	2.6	64.5	29.8	31.1
Sex	Male	50.8	50.4	51.2	51.2	50.8	49.7	49.3	51.0	50.2	50.9
	Female	49.2	49.6	48.8	48.8	49.2	50.3	50.7	49.0	49.8	49.1
Race	White	64.5	9.3	21.2	26.4	26.6	13.6	2.9			
	Black	29.8	22.7	31.0	22.1	14.7	7.6	1.9			
Ethnicity	Hispanic ¹	31.1	15.2	31.0	28.0	16.9	7.3	1.6			
Multiple births		3.4	1.7	2.5	3.0	4.6	4.9	5.1	3.4	3.5	2.1
Marital status	Married	58.1	11.7	37.3	66.5	81.5	81.6	78.0	71.6	22.7	56.3
	Single	41.9	88.3	62.7	33.5	18.5	18.4	22.0	28.4	77.3	43.7
Mother not high school graduate		27.5	63.2	34.1	22.7	14.3	14.3	16.3	28.3	29.9	51.8
Birthweight	Very low (0-1,499 Grams)	1.9	2.1	1.8	1.9	1.9	2.0	2.7	1.3	3.5	1.3
	Low (0-2,499 Grams)	8.9	10.8	8.8	8.0	8.6	9.5	11.6	6.5	14.3	6.3
Caesarian section	Primary	12.7	11.8	11.0	12.5	13.8	14.3	17.8	12.6	12.8	11.2
	Secondary	7.1	1.6	4.8	7.2	9.1	12.3	12.7	7.0	7.6	7.2
Trimester prenatal care began	First	79.2	63.6	73.3	81.6	87.2	86.3	82.9	82.3	72.1	74.4
	Third or no care	5.0	9.2	6.5	4.2	3.0	3.4	3.3	3.7	8.1	5.2
First birth		32.7	67.4	36.0	28.8	24.9	16.2	13.8	34.3	27.2	33.0
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.8	23.2	25.9	23.3	11.5	2.3	64.0	31.0	29.0
Sex	Male	51.0	50.7	51.3	50.8	51.1	50.8	50.8	51.1	50.6	50.8
	Female	49.0	49.3	48.7	49.2	48.9	49.2	49.2	48.9	49.4	49.2
Race	White	64.0	9.5	20.9	26.9	26.8	13.3	2.6			
	Black	31.0	24.6	29.5	22.2	14.6	7.5	1.6			
Ethnicity	Hispanic ¹	29.0	15.8	31.3	27.6	16.7	7.0	1.5			
Multiple births		3.2	1.7	2.2	3.0	4.4	4.8	4.7	3.2	3.3	2.0
Marital status	Married	58.2	11.8	39.0	67.5	81.1	81.3	79.2	73.4	21.7	58.6
	Single	41.8	88.2	61.0	32.5	18.9	18.7	20.8	26.6	78.3	41.4
Mother not high school graduate		28.3	65.2	35.1	22.2	14.5	13.8	17.3	28.3	31.7	53.8
Birthweight	Very low (0-1,499 Grams)	1.9	2.3	1.7	1.8	1.9	2.2	2.1	1.2	3.4	1.2
	Low (0-2,499 Grams)	9.1	11.0	8.5	8.3	8.8	10.3	11.3	6.5	14.7	6.4
Caesarian section	Primary	11.9	11.0	9.9	11.7	12.8	13.9	17.6	11.8	11.8	10.4
	Secondary	6.6	1.6	4.5	6.6	8.9	11.4	12.9	6.6	6.8	6.7
Trimester prenatal care began	First	79.5	63.5	73.2	82.6	87.6	87.2	84.3	83.4	70.8	74.8
	Third or no care	5.1	9.1	6.7	4.3	3.1	3.3	4.1	3.6	8.5	5.3
First birth		31.9	65.2	34.5	28.5	23.3	15.5	13.7	33.7	26.8	32.8

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Cook County - 2000

Population Estimates	
Total	5,375,600
Under 65 Years	4,746,070
65 and Older	629,530

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	46,056	819	108	150	795	984	2,062	3,517	4,772	8,498	12,770	11,581
Male	22,552	429	59	95	629	693	1,302	2,211	2,827	4,553	6,044	3,710
Female	23,504	390	49	55	166	291	760	1,306	1,945	3,945	6,726	7,871
Black	13,181	412	52	82	395	527	1,068	1,595	1,908	2,632	2,721	1,789
Male	6,786	211	33	47	323	342	621	937	1,119	1,357	1,227	569
Female	6,395	201	19	35	72	185	447	658	789	1,275	1,494	1,220
White	32,171	386	54	66	385	441	972	1,870	2,755	5,721	9,848	9,673
Male	15,350	204	25	47	295	342	666	1,239	1,640	3,104	4,701	3,087
Female	16,821	182	29	19	90	99	306	631	1,115	2,617	5,147	6,586
All other races	704	21	2	2	15	16	22	52	109	145	201	119
Male	416	14	1	1	11	9	15	35	68	92	116	54
Female	288	7	1	1	4	7	7	17	41	53	85	65
Hispanic ethnicity ¹	2,431	213	28	33	182	154	225	280	299	431	369	217
Male	1,499	113	9	26	152	126	160	188	175	243	222	85
Female	932	100	19	7	30	28	65	92	124	188	147	132

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	46,056	13,181	32,171	704	2,431	13,207	32,849	856.8	278.3	5,218.3
5-Year Average (1996-2000)	46,436	13,275	32,480	681	2,213	13,587	32,849	904.7	301.6	5,231.0
Infectious and parasitic diseases	1,702	774	912	16	121	731	971	31.7	15.4	154.2
# Septicemia	1,083	443	628	12	56	258	825	20.1	5.4	131.1
# Viral hepatitis	73	26	45	2	9	41	32	1.4	0.9	5.1
# HIV disease	378	248	130	--	38	362	16	7.0	7.6	2.5
# Malignant neoplasms	10,826	3,079	7,539	208	447	3,247	7,579	201.4	68.4	1,204.0
Lip, oral cavity and pharynx	161	56	102	3	4	77	84	3.0	1.6	13.3
Colorectal	1,230	353	854	23	38	311	919	22.9	6.6	146.0
Bronchus and lung	2,756	847	1,854	55	60	823	1,933	51.3	17.3	307.1
Female breast	930	276	645	9	41	360	570	17.3 ³	7.6 ³	90.5 ³
Cervical	116	43	68	5	18	72	44	2.2 ³	1.5 ³	7.0 ³
Prostate	627	239	382	6	23	49	578	11.7 ³	1.0 ³	91.8 ³
# Diabetes mellitus	1,332	414	888	30	139	337	995	24.8	7.1	158.1
# Alzheimer's disease	707	105	594	8	21	8	699	13.2	*	111.0
Major cardiovascular diseases	17,869	4,676	12,935	258	613	3,405	14,464	332.4	71.7	2,297.7
# Diseases of heart	14,021	3,653	10,180	188	492	2,802	11,219	260.8	59.0	1,782.2
Ischemic heart disease	10,436	2,483	7,805	148	371	1,862	8,574	194.1	39.2	1,362.0
# Cerebrovascular diseases	2,888	744	2,092	52	99	443	2,445	53.7	9.3	388.4
# Atherosclerosis	192	36	152	4	4	15	177	3.6	0.3	28.1
# Aortic aneurysm and dissection	274	72	200	2	7	50	224	5.1	1.1	35.6
Respiratory diseases	3,757	799	2,906	52	141	553	3,204	69.9	11.7	509.0
# Influenza and pneumonia	1,230	271	936	23	48	158	1,072	22.9	3.3	170.3
# Chronic lower respiratory diseases	1,719	355	1,346	18	48	260	1,459	32.0	5.5	231.8
Emphysema	270	47	221	2	2	27	243	5.0	0.6	38.6
Asthma	158	95	63	--	13	120	38	2.9	2.5	6.0
# Chronic liver disease and cirrhosis	532	140	384	8	68	344	188	9.9	7.2	29.9
# Nephritis, nephrotic syndrome and nephrosis	1,015	359	641	15	68	189	826	18.9	4.0	131.2
# Certain perinatal conditions	443	212	224	7	117	443	--	8.2	9.3	-0-
# Congenital malformations	220	70	141	9	53	200	20	4.1	4.2	3.2
SIDS	48	35	13	--	11	48	--	0.9	1.0	-0-
External causes	3,006	1,307	1,667	32	412	2,472	534	55.9	52.1	84.8
# Accidents	1,746	634	1,091	21	230	1,331	415	32.5	28.0	65.9
Motor vehicle accidents	573	183	376	14	112	473	100	10.7	10.0	15.9
All other accidents	1,173	451	715	7	118	858	315	21.8	18.1	50.0
# Suicide	379	82	292	5	37	315	64	7.1	6.6	10.2
# Homicide	769	553	212	4	135	752	17	14.3	15.8	2.7

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Crawford County - 2000

		All Ages	Mother's Age						Race		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and older	White	Black	Hispanic ¹
2000 Numbers											
Live births	Total	240	35	73	78	36	16	--	237	2	6
Sex	Male	126	15	41	42	20	6	--	125	1	5
	Female	114	20	32	36	16	10	--	112	1	1
Race	White	237	35	73	76	35	16	--			
	Black	2	--	--	2	--	--	--			
Ethnicity	Hispanic ¹	6	1	2	--	3	--	--			
Multiple births		10	2	--	4	--	2	--			
Marital status	Married	179	14	45	68	36	14	--	176	2	--
	Single	61	21	28	10	--	2	--	61	--	3
Mother not high school graduate		45	15	18	8	2	2	--	45	--	3
Birthweight	Very low (0-1,499 Grams)	3	--	--	1	2	--	--	3	--	--
	Low (0-2,499 Grams)	16	2	6	2	2	4	--	16	--	1
Caesarian section	Primary	32	7	7	10	5	1	--	32	--	1
	Secondary	25	--	7	7	6	5	--	25	--	--
Trimester prenatal care began	First	211	30	56	74	35	14	--	208	2	4
	Third or no care	4	2	2	--	--	--	--	4	--	1
First birth		79	26	26	20	5	2	--	79	--	2
2000 Percentages²											
Live births	Total	100.0	14.7	30.7	32.8	15.1	6.7	-0-	98.8	*	*
Sex	Male	52.5	*	*	*	*	*	-0-	52.7	*	83.3
	Female	47.5	*	*	*	*	*	-0-	47.3	*	*
Race	White	98.8	*	*	*	*	*	-0-			
	Black	*	-0-	-0-	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	*	-0-	-0-			
Multiple births		4.2	*	-0-	*	-0-	*	-0-			
Marital status	Married	74.6	*	*	*	*	*	-0-	74.3	*	*
	Single	*	60.0	38.4	*	-0-	*	-0-	25.7	-0-	*
Mother not high school graduate		18.8	*	*	*	*	*	-0-	19.0	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.7	*	*	*	*	*	-0-	6.8	-0-	*
Caesarian section	Primary	13.3	*	*	*	*	*	-0-	13.5	-0-	*
	Secondary	10.4	-0-	*	*	*	*	-0-	10.5	-0-	-0-
Trimester prenatal care began	First	88.3	*	*	*	*	*	-0-	88.1	*	*
	Third or no care	*	*	*	-0-	-0-	-0-	-0-	*	-0-	*
First birth		32.9	*	*	*	*	*	-0-	33.3	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	15.5	32.6	28.0	16.2	6.8	*	98.9	*	1.4
Sex	Male	53.0	51.4	52.2	51.6	56.9	*	*	53.0	*	*
	Female	47.0	48.6	47.8	48.4	43.1	*	*	47.0	*	*
Race	White	98.9	15.6	32.9	28.0	16.0	6.6	*			
	Black	*	*	-0-	*	*	*	-0-			
Ethnicity	Hispanic ¹	1.4	*	*	*	*	-0-	-0-			
Multiple births		2.8	*	*	*	*	*	*			
Marital status	Married	72.5	31.2	68.1	85.3	89.5	*	*	72.4	*	*
	Single	27.5	68.8	31.9	14.7	10.5	*	*	27.6	*	*
Mother not high school graduate		18.2	48.6	20.3	9.3	*	*	-0-	18.2	*	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	*	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.2	6.4	6.3	7.1	5.5	*	*	7.2	-0-	*
Caesarian section	Primary	10.5	12.7	9.3	9.9	9.4	*	*	10.2	*	*
	Secondary	9.0	*	8.0	10.9	12.2	*	-0-	8.9	*	*
Trimester prenatal care began	First	86.2	77.9	83.0	91.0	89.4	*	*	86.4	*	*
	Third or no care	2.6	5.2	3.0	*	*	*	-0-	2.6	-0-	*
First birth		35.8	78.0	37.6	29.2	13.8	*	*	35.8	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Crawford County - 2000

Population Estimates	
Total	20,400
Under 65 Years	17,000
65 and Older	3,400

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	231	1	--	--	3	--	8	14	20	37	70	78
Male	120	1	--	--	2	--	6	8	12	16	42	33
Female	111	--	--	--	1	--	2	6	8	21	28	45
Black	1	--	--	--	1	--	--	--	--	--	--	--
Male	1	--	--	--	1	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	230	1	--	--	2	--	8	14	20	37	70	78
Male	119	1	--	--	1	--	6	8	12	16	42	33
Female	111	--	--	--	1	--	2	6	8	21	28	45
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	231	1	230	--	--	46	185	1,132.4	270.6	5,441.2
5-Year Average (1996-2000)	242	<1	241	<1	2	43	199	1152.7	243.9	5,695.5
# Infectious and parasitic diseases	4	--	4	--	--	1	3	*	*	*
# Septicemia	3	--	3	--	--	--	3	*	-0-	*
# Viral hepatitis	1	--	1	--	--	1	--	*	*	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-
# Malignant neoplasms	48	--	48	--	--	16	32	235.3	94.1	941.2
# Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*
# Colorectal	7	--	7	--	--	2	5	*	*	*
# Bronchus and lung	8	--	8	--	--	1	7	*	*	*
# Female breast	5	--	5	--	--	4	1	* ³	* ³	* ³
# Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
# Prostate	5	--	5	--	--	1	4	* ³	* ³	* ³
# Diabetes mellitus	3	--	3	--	--	1	2	*	*	*
# Alzheimer's disease	7	--	7	--	--	--	7	*	-0-	*
Major cardiovascular diseases	102	--	102	--	--	15	87	500.0	88.2	2,558.8
# Diseases of heart	79	--	79	--	--	14	65	387.3	82.4	1,911.8
# Ischemic heart disease	57	--	57	--	--	13	44	279.4	76.5	1,294.1
# Cerebrovascular diseases	22	--	22	--	--	1	21	107.8	*	617.6
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-
Respiratory diseases	17	--	17	--	--	--	17	83.3	-0-	500.0
# Influenza and pneumonia	3	--	3	--	--	--	3	*	-0-	*
# Chronic lower respiratory diseases	9	--	9	--	--	--	9	*	-0-	*
# Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-
# Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--	--	1	*	-0-	*
# Nephritis, nephrotic syndrome and nephrosis	6	--	6	--	--	--	6	*	-0-	*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	2	--	2	--	--	2	--	*	*	-0-
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	13	1	12	--	--	8	5	63.7	*	*
# Accidents	12	1	11	--	--	8	4	58.8	*	*
# Motor vehicle accidents	6	1	5	--	--	5	1	*	*	*
# All other accidents	6	--	6	--	--	3	3	*	*	*
# Suicide	1	--	1	--	--	--	1	*	-0-	*
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Cumberland County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	120	17	32	40	18	11	2	120	--	1
Sex	Male	64	9	20	21	8	5	1	64	--	--
	Female	56	8	12	19	10	6	1	56	--	1
Race	White	120	17	32	40	18	11	2			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	--	--	1	--			
Multiple births		--	--	--	--	--	--	--			
Marital status	Married	95	4	26	36	18	10	1	95	--	--
	Single	25	13	6	4	--	1	1	25	--	--
Mother not high school graduate		17	11	2	3	--	1	--	17	--	1
Birthweight	Very low (0-1,499 Grams)	1	1	--	--	--	--	--	1	--	--
	Low (0-2,499 Grams)	6	1	1	3	1	--	--	6	--	--
Caesarian section	Primary	10	--	2	7	--	--	1	10	--	--
	Secondary	7	--	--	1	4	2	--	7	--	1
Trimester prenatal care began	First	112	15	30	37	18	11	1	112	--	1
	Third or no care	2	--	0	1	--	--	1	2	--	--
First birth		44	16	14	10	1	2	1	44	--	--
2000 Percentages²											
Live births	Total	100.0	14.2	26.7	33.3	15.0	9.2	*	100.0	-0-	*
Sex	Male	53.3	*	*	*	*	*	*	53.3	*	.0
	Female	46.7	*	*	*	*	*	*	46.7	-0-	*
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	-0-	-0-	*	-0-			
Multiple births		-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Marital status	Married	79.2	*	*	*	*	*	*	79.2	-0-	*
	Single	*	76.5	18.8	*	-0-	*	*	20.8	-0-	-0-
Mother not high school graduate		-0-	*	*	*	-0-	*	-0-	14.2	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	*	-0-	-0-	*	-0-	-0-
Caesarian section	Primary	8.3	-0-	*	*	-0-	-0-	*	8.3	-0-	-0-
	Secondary	*	-0-	-0-	*	*	*	-0-	*	-0-	*
Trimester prenatal care began	First	93.3	*	*	*	*	*	*	93.3	-0-	*
	Third or no care	*	-0-	-0-	*	-0-	-0-	*	*	-0-	-0-
First birth		36.7	*	*	*	*	*	*	36.7	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.0	27.8	33.3	17.1	7.6	*	99.2	*	*
Sex	Male	49.2	*	48.4	47.7	51.8	*	*	49.4	-0-	*
	Female	50.8	*	51.6	52.3	48.2	*	*	50.6	*	*
Race	White	99.2	12.9	27.8	33.1	17.2	7.7	*			
	Black	*	*	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	-0-	*	*	-0-			
Multiple births		3.4	*	*	4.6	*	*	-0-			
Marital status	Married	77.7	*	72.5	91.3	87.5	*	*	77.7	*	*
	Single	22.3	*	27.5	8.7	12.5	*	*	22.3	*	*
Mother not high school graduate		11.0	*	6.6	4.6	*	*	-0-	10.9	*	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.8	*	6.0	7.8	*	*	-0-	7.8	-0-	-0-
Caesarian section	Primary	13.6	*	11.5	19.3	13.4	*	*	13.4	-0-	-0-
	Secondary	7.0	*	*	5.5	16.1	*	*	7.1	-0-	*
Trimester prenatal care began	First	88.8	*	90.6	89.9	90.1	*	*	88.7	*	*
	Third or no care	*	2.4	*	*	-0-	-0-	*	*	-0-	-0-
First birth		34.0	74.1	45.6	26.6	11.6	*	*	34.2	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Cumberland County - 2000

Population Estimates	
Total	11,300
Under 65 Years	9,520
65 and Older	1,780

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	114	--	--	--	1	--	1	7	6	20	36	43
Male	46	--	--	--	--	--	1	5	4	9	17	10
Female	68	--	--	--	1	--	--	2	2	11	19	33
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	114	--	--	--	1	--	1	7	6	20	36	43
Male	46	--	--	--	--	--	1	5	4	9	17	10
Female	68	--	--	--	1	--	--	2	2	11	19	33
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	114	--	114	--	--	15	99	1,008.8	157.6	5,561.8	
5-Year Average (1996-2000)	119	--	119	--	<1	19	99	1066.4	207.0	5,622.2	
Infectious and parasitic diseases	1	--	1	--	--	1	--	*	*	-0-	
# Septicemia	1	--	1	--	--	1	--	*	*	-0-	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	18	--	18	--	--	6	12	159.3	*	674.2	
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	-0-	
Colorectal	1	--	1	--	--	--	1	*	-0-	*	
Bronchus and lung	4	--	4	--	--	--	4	*	-0-	*	
Female breast	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
Cervical	1	--	1	--	--	1	--	* ³	* ³	-0- ³	
Prostate	2	--	2	--	--	--	2	* ³	-0- ³	* ³	
# Diabetes mellitus	3	--	3	--	--	--	3	*	-0-	*	
# Alzheimer's disease	1	--	1	--	--	--	1	*	-0-	*	
Major cardiovascular diseases	59	--	59	--	--	4	55	522.1	*	3,089.9	
# Diseases of heart	44	--	44	--	--	4	40	389.4	*	2,247.2	
Ischemic heart disease	24	--	24	--	--	2	22	212.4	*	1,236.0	
# Cerebrovascular diseases	10	--	10	--	--	--	10	88.5	-0-	561.8	
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*	
# Aortic aneurysm and dissection	3	--	3	--	--	--	3	*	-0-	*	
Respiratory diseases	11	--	11	--	--	--	11	97.3	-0-	618.0	
# Influenza and pneumonia	3	--	3	--	--	--	3	*	-0-	*	
# Chronic lower respiratory diseases	5	--	5	--	--	--	5	*	-0-	*	
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Nephritis, nephrotic syndrome and nephrosis	3	--	3	--	--	1	2	*	*	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	3	--	3	--	--	1	2	*	*	*	
# Accidents	2	--	2	--	--	--	2	*	-0-	*	
Motor vehicle accidents	1	--	1	--	--	--	1	*	-0-	*	
All other accidents	1	--	1	--	--	--	1	*	-0-	*	
# Suicide	1	--	1	--	--	1	--	*	*	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of DeKalb County - 2000

		All Ages	Mother's Age						Race		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and older	White	Black	Hispanic ¹
2000 Numbers											
Live births	Total	1,118	89	284	332	262	125	26	1,021	72	144
Sex	Male	573	45	131	171	145	65	16	529	29	82
	Female	545	44	153	161	117	60	10	492	43	62
Race	White	1,021	80	243	304	247	122	25			
	Black	72	8	35	20	6	3	--			
Ethnicity	Hispanic ¹	144	19	46	45	20	11	3			
Multiple births		56	--	14	16	16	10	--	52	4	2
Marital status	Married	841	18	167	278	243	110	25	797	27	96
	Single	277	71	117	54	19	15	1	224	45	48
Mother not high school graduate		137	46	48	26	9	5	3	128	6	70
Birthweight	Very low (0-1,499 Grams)	19	2	6	4	2	4	1	17	1	2
	Low (0-2,499 Grams)	87	6	27	23	17	13	1	78	8	7
Caesarian section	Primary	190	13	39	56	52	25	5	173	13	30
	Secondary	116	2	18	26	43	23	4	109	6	19
Trimester prenatal care began	First	927	53	218	286	235	113	22	856	55	99
	Third or no care	25	8	8	4	1	3	1	20	4	6
First birth		366	64	131	106	44	17	4	331	28	55
2000 Percentages²											
Live births	Total	100.0	8.0	25.4	29.7	23.4	11.2	2.3	91.3	6.4	12.9
Sex	Male	51.3	*	46.1	51.5	55.3	52.0	*	51.8	*	56.9
	Female	48.7	*	53.9	48.5	44.7	48.0	*	48.2	*	43.1
Race	White	91.3	*	23.8	29.8	24.2	11.9	*			
	Black	6.4	*	48.6	27.8	*	*	-0-			
Ethnicity	Hispanic ¹	12.9	*	31.9	31.3	13.9	7.6	*			
Multiple births		5.0	-0-	4.9	4.8	6.1	8.0	-0-	5.1	*	*
Marital status	Married	75.2	*	58.8	83.7	92.7	88.0	*	78.1	*	66.7
	Single	*	79.8	41.2	16.3	7.3	12.0	*	21.9	*	33.3
Mother not high school graduate		12.3	*	16.9	7.9	*	*	*	12.6	*	49.0
Birthweight	Very low (0-1,499 Grams)	1.7	*	*	*	*	*	*	1.7	*	*
	low (0-2,499 Grams)	7.8	*	9.5	6.9	6.5	10.4	*	7.6	*	*
Caesarian section	Primary	17.0	*	13.7	16.9	19.8	20.0	*	16.9	*	20.8
	Secondary	10.4	*	6.3	7.8	16.4	18.4	*	10.7	*	13.2
Trimester prenatal care began	First	83.3	*	77.6	86.1	90.4	90.4	*	84.2	*	68.8
	Third or no care	2.2	*	*	*	*	*	*	2.0	*	*
First birth		32.7	*	46.1	31.9	16.8	13.6	*	32.4	*	38.2
Percentages² based on 1996-2000 average											
Live births	Total	100.0	9.5	23.1	31.9	23.8	10.1	1.6	92.0	5.6	10.7
Sex	Male	51.1	52.8	50.8	49.2	53.6	49.6	*	51.3	49.7	49.9
	Female	48.9	47.2	49.2	50.8	46.4	50.4	*	48.7	50.3	50.1
Race	White	92.0	9.2	22.2	32.5	24.2	10.4	1.6			
	Black	5.6	17.4	41.3	22.8	11.7	6.0	*			
Ethnicity	Hispanic ¹	10.7	17.7	32.7	28.5	13.0	7.0	*			
Multiple births		3.3	*	2.4	3.3	4.6	3.7	-0-	3.2	3.4	*
Marital status	Married	75.3	22.2	57.1	85.8	92.8	90.8	*	77.6	33.2	63.4
	Single	24.7	77.8	42.9	14.2	7.2	9.2	*	22.4	66.8	36.6
Mother not high school graduate		12.1	49.5	15.6	7.4	3.6	5.0	*	12.5	9.1	48.9
Birthweight	Very low (0-1,499 Grams)	1.3	*	1.1	1.3	1.2	*	*	1.2	*	*
	Low (0-2,499 Grams)	6.7	7.9	7.3	6.1	6.1	7.2	*	6.5	11.4	6.3
Caesarian section	Primary	14.3	14.9	14.7	14.5	13.5	13.5	*	14.0	19.1	14.9
	Secondary	8.7	*	5.0	7.7	12.6	17.7	*	8.8	7.0	9.8
Trimester prenatal care began	First	84.5	65.2	80.4	88.3	89.8	88.0	*	85.4	73.6	69.1
	Third or no care	2.4	5.7	2.6	2.2	1.4	*	*	2.1	5.1	4.0
First birth		33.0	71.5	43.6	32.1	18.1	14.4	*	33.0	31.9	37.7

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of DeKalb County - 2000

Population Estimates	
Total	89,300
Under 65 Years	80,560
65 and Older	8,740

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	633	8	--	3	5	7	17	35	64	90	206	198
Male	277	4	--	1	4	5	6	20	37	49	96	55
Female	356	4	--	2	1	2	11	15	27	41	110	143
Black	10	2	--	--	--	--	--	3	1	--	2	2
Male	6	1	--	--	--	--	--	2	1	--	1	1
Female	4	1	--	--	--	--	--	1	--	--	1	1
White	623	6	--	3	5	7	17	32	63	90	204	196
Male	271	3	--	1	4	5	6	18	36	49	95	54
Female	352	3	--	2	1	2	11	14	27	41	109	142
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	5	--	--	--	--	--	1	1	1	1	1	--
Male	1	--	--	--	--	--	--	--	1	--	--	--
Female	4	--	--	--	--	--	1	1	--	1	1	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	633	10	623	--	5	139	494	708.8	172.5	5,652.2
5-Year Average (1996-2000)	585	8	576	1	5	120	465	698.9	160.7	5,227.2
Infectious and parasitic diseases	10	--	10	--	--	2	8	11.2	*	*
# Septicemia	5	--	5	--	--	--	5	*	-0-	*
# Viral hepatitis	1	--	1	--	--	--	1	*	-0-	*
# HIV disease	2	--	2	--	--	2	--	*	-0-	-0-
# Malignant neoplasms	165	1	164	--	1	50	115	184.8	62.1	1,315.8
Lip, oral cavity and pharynx	2	--	2	--	--	1	1	*	*	*
Colorectal	16	--	16	--	--	5	11	17.9	*	125.9
Bronchus and lung	45	--	45	--	--	11	34	50.4	13.7	389.0
Female breast	18	--	18	--	1	7	11	20.2 ³	* ³	125.9 ³
Cervical	2	--	2	--	--	1	1	* ³	* ³	* ³
Prostate	11	1	10	--	--	1	10	12.3 ³	* ³	114.4 ³
# Diabetes mellitus	24	--	24	--	1	4	20	26.9	*	228.8
# Alzheimer's disease	14	--	14	--	--	--	14	15.7	-0-	160.2
Major cardiovascular diseases	211	2	209	--	1	28	183	236.3	34.8	2,093.8
# Diseases of heart	156	2	154	--	--	19	137	174.7	23.6	1,567.5
Ischemic heart disease	107	1	106	--	--	13	94	119.8	16.1	1,075.5
# Cerebrovascular diseases	34	--	34	--	1	7	27	38.1	*	308.9
# Atherosclerosis	7	--	7	--	--	--	7	*	-0-	*
# Aortic aneurysm and dissection	4	--	4	--	--	--	4	*	-0-	*
Respiratory diseases	49	2	47	--	1	9	40	54.9	*	457.7
# Influenza and pneumonia	13	1	12	--	1	4	9	14.6	*	*
# Chronic lower respiratory diseases	30	1	29	--	--	4	26	33.6	*	297.5
Emphysema	2	--	2	--	--	--	2	*	-0-	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	4	--	4	--	1	3	1	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	14	1	13	--	--	1	13	15.7	*	148.7
# Certain perinatal conditions	4	1	3	--	--	4	--	*	*	-0-
# Congenital malformations	6	--	6	--	--	4	2	*	*	*
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	31	--	31	--	--	21	10	34.7	26.1	114.4
# Accidents	22	--	22	--	--	15	7	24.6	18.6	*
Motor vehicle accidents	10	--	10	--	--	7	3	11.2	*	*
All other accidents	12	--	12	--	--	8	4	13.4	*	*
# Suicide	4	--	4	--	--	4	--	*	*	-0-
# Homicide	3	--	3	--	--	2	1	*	*	*

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of DeWitt County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	206	34	49	68	39	16	--	205	--	5
Sex	Male	98	13	20	32	22	11	--	98	--	2
	Female	108	21	29	36	17	5	--	107	--	3
Race	White	205	34	49	67	39	16	--			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	5	3	1	1	--	--	--			
Multiple births		6	2	2	--	2	--	--	6	--	--
Marital status	Married	128	5	28	48	33	14	--	127	--	--
	Single	78	29	21	20	6	2	--	78	--	4
Mother not high school graduate		31	15	13	3	--	--	--	31	--	1
Birthweight	Very low (0-1,499 Grams)	2	--	--	--	2	--	--	2	--	--
	Low (0-2,499 Grams)	18	4	6	4	4	--	--	18	--	1
Caesarian section	Primary	24	8	6	8	2	--	--	24	--	3
	Secondary	19	1	2	8	5	3	--	19	--	--
Trimester prenatal care began	First	170	26	41	57	33	13	--	169	--	4
	Third or no care	5	2	1	2	--	--	--	5	--	1
First birth		68	27	18	20	3	--	--	68	--	3
2000 Percentages²											
Live births	Total	100.0	16.5	23.8	33.0	18.9	7.8	-0-	99.5	-0-	*
Sex	Male	47.6	*	*	*	*	*	-0-	47.8	*	40.0
	Female	52.4	*	*	*	*	*	-0-	52.2	-0-	*
Race	White	99.5	*	*	*	*	*	-0-			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	-0-	-0-	-0-			
Multiple births		*	*	*	-0-	*	-0-	-0-	*	-0-	-0-
Marital status	Married	62.1	*	*	*	*	*	-0-	62.0	-0-	*
	Single	*	85.3	42.9	*	*	*	-0-	38.0	-0-	*
Mother not high school graduate		*	*	*	*	-0-	-0-	-0-	15.2	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	8.7	*	*	*	*	-0-	-0-	8.8	-0-	*
Caesarian section	Primary	11.7	*	*	*	*	-0-	-0-	11.7	-0-	*
	Secondary	9.2	*	*	*	*	*	-0-	9.3	-0-	-0-
Trimester prenatal care began	First	86.3	*	*	*	*	*	-0-	86.2	-0-	*
	Third or no care	*	*	*	*	-0-	-0-	-0-	*	-0-	*
First birth		33.0	*	*	*	*	-0-	-0-	33.2	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	15.2	29.0	28.8	18.7	6.9	1.3	99.3	*	1.9
Sex	Male	47.4	47.0	45.7	46.0	51.6	*	*	47.4	*	*
	Female	52.6	53.0	54.3	54.0	48.4	*	*	52.6	*	*
Race	White	99.3	15.3	29.0	28.6	18.7	7.0	1.3			
	Black	*	-0-	*	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	1.9	*	*	*	*	*	*			
Multiple births		3.3	*	*	*	5.4	*	-0-	3.3	-0-	-0-
Marital status	Married	68.2	17.2	63.7	79.8	89.2	*	*	68.0	*	*
	Single	31.8	82.8	36.3	20.2	10.8	*	*	32.0	-0-	*
Mother not high school graduate		18.2	54.3	22.8	7.0	*	*	*	18.4	-0-	*
Birthweight	Very low (0-1,499 Grams)	1.2	*	*	*	*	-0-	-0-	1.2	-0-	-0-
	Low (0-2,499 Grams)	8.0	9.3	8.7	5.6	7.5	*	*	8.0	*	*
Caesarian section	Primary	14.1	15.9	14.2	15.7	8.6	*	*	14.2	-0-	*
	Secondary	8.8	*	8.7	10.1	12.4	*	*	8.8	*	*
Trimester prenatal care began	First	86.6	76.4	85.6	87.5	91.3	*	*	86.6	*	*
	Third or no care	1.6	4.7	*	*	*	-0-	*	1.6	-0-	*
First birth		33.5	78.1	35.3	26.5	15.1	*	*	33.7	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of DeWitt County - 2000

Population Estimates	
Total	16,800
Under 65 Years	14,140
65 and Older	2,660

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	195	1	--	--	1	5	2	6	16	36	59	69
Male	88	1	--	--	1	5	2	3	10	20	27	19
Female	107	--	--	--	--	--	--	3	6	16	32	50
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	195	1	--	--	1	5	2	6	16	36	59	69
Male	88	1	--	--	1	5	2	3	10	20	27	19
Female	107	--	--	--	--	--	--	3	6	16	32	50
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	--	--	1
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	--	1

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	195	--	195	--	1	31	164	1,160.7	219.2	6,165.4	
5-Year Average (1996-2000)	182	<1	182	<1	<1	29	153	1087.0	206.9	5,549.9	
Infectious and parasitic diseases	2	--	2	--	--	--	2	*	-0-	*	
# Septicemia	2	--	2	--	--	--	2	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	53	--	53	--	--	12	41	315.5	84.9	1,541.4	
Lip, oral cavity and pharynx	2	--	2	--	--	1	1	*	*	*	
Colorectal	7	--	7	--	--	2	5	*	*	*	
Bronchus and lung	17	--	17	--	--	3	14	101.2	*	526.3	
Female breast	3	--	3	--	--	--	3	* ³	-0- ³	* ³	
Cervical	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
Prostate	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
# Diabetes mellitus	3	--	3	--	--	1	2	*	*	*	
# Alzheimer's disease	3	--	3	--	1	--	3	*	-0-	*	
Major cardiovascular diseases	79	--	79	--	--	10	69	470.2	70.7	2,594.0	
# Diseases of heart	61	--	61	--	--	8	53	363.1	*	1,992.5	
Ischemic heart disease	46	--	46	--	--	8	38	273.8	*	1,428.6	
# Cerebrovascular diseases	13	--	13	--	--	1	12	77.4	*	451.1	
# Atherosclerosis	2	--	2	--	--	1	1	*	*	*	
# Aortic aneurysm and dissection	2	--	2	--	--	--	2	*	-0-	*	
Respiratory diseases	21	--	21	--	--	1	20	125.0	*	751.9	
# Influenza and pneumonia	3	--	3	--	--	--	3	*	-0-	*	
# Chronic lower respiratory diseases	17	--	17	--	--	1	16	101.2	*	601.5	
Emphysema	1	--	1	--	--	1	--	*	*	-0-	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	2	--	2	--	--	--	2	*	-0-	*	
# Nephritis, nephrotic syndrome and nephrosis	5	--	5	--	--	--	5	*	-0-	*	
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	7	--	7	--	--	4	3	*	*	*	
# Accidents	6	--	6	--	--	3	3	*	*	*	
Motor vehicle accidents	4	--	4	--	--	2	2	*	*	*	
All other accidents	2	--	2	--	--	1	1	*	*	*	
# Suicide	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Homicide	1	--	1	--	--	1	--	*	*	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Douglas County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	287	27	87	92	54	22	5	286	--	16
Sex	Male	151	16	47	44	28	13	3	151	--	5
	Female	136	11	40	48	26	9	2	135	--	11
Race	White	286	27	87	92	54	21	5			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	16	2	3	10	1	--	--			
Multiple births		18	--	10	6	2	--	--			
Marital status	Married	230	6	64	84	52	19	5	229	--	--
	Single	57	21	23	8	2	3	--	57	--	3
Mother not high school graduate		111	16	36	27	22	8	2	110	--	7
Birthweight	Very low (0-1,499 Grams)	4	1	2	1	--	--	--	4	--	--
	Low (0-2,499 Grams)	28	1	10	11	4	1	1	28	--	1
Caesarian section	Primary	33	3	10	9	8	2	1	33	--	3
	Secondary	27	--	4	13	7	3	--	26	--	2
Trimester prenatal care began	First	185	15	55	64	34	13	4	184	--	10
	Third or no care	12	--	3	3	4	1	1	12	--	1
First birth		99	22	44	25	5	2	1	99	--	6
2000 Percentages²											
Live births	Total	100.0	9.4	30.3	32.1	18.8	7.7	*	99.7	-0-	5.6
Sex	Male	52.6	*	*	*	*	*	*	52.8	*	31.3
	Female	47.4	*	*	*	*	*	*	47.2	-0-	*
Race	White	99.7	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	5.6	*	*	*	*	-0-	-0-			
Multiple births		6.3	-0-	*	*	*	-0-	-0-			
Marital status	Married	80.1	*	*	*	*	*	*	80.1	-0-	*
	Single	*	77.8	26.4	*	*	*	-0-	19.9	-0-	*
Mother not high school graduate		39.2	*	*	*	*	*	*	39.0	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	9.8	*	*	*	*	*	*	9.8	-0-	*
Caesarian section	Primary	11.5	*	*	*	*	*	*	11.5	-0-	*
	Secondary	9.4	-0-	*	*	*	*	-0-	9.1	-0-	*
Trimester prenatal care began	First	69.3	*	*	*	*	*	*	69.2	-0-	*
	Third or no care	4.5	-0-	*	*	*	*	*	4.5	-0-	*
First birth		34.5	*	*	*	*	*	*	34.6	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	9.1	29.4	31.2	20.3	7.7	2.3	99.2	*	6.0
Sex	Male	50.2	52.7	51.1	48.9	52.6	42.3	*	50.2	*	*
	Female	49.8	47.3	48.9	51.1	47.4	57.7	*	49.8	-0-	*
Race	White	99.2	9.0	29.6	31.0	20.5	7.6	2.2			
	Black	*	*	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	6.0	*	*	*	*	*	-0-			
Multiple births		4.9	*	4.3	3.8	6.5	9.0	*			
Marital status	Married	81.9	30.5	74.2	91.8	94.9	91.9	*	81.9	*	*
	Single	18.1	69.5	25.8	8.2	5.1	*	-0-	18.1	*	*
Mother not high school graduate		36.8	59.7	40.0	29.1	31.8	37.8	*	37.0	-0-	*
Birthweight	Very low (0-1,499 Grams)	1.1	*	*	*	*	*	-0-	.9	-0-	*
	Low (0-2,499 Grams)	6.7	*	6.4	6.0	8.9	*	*	6.5	-0-	*
Caesarian section	Primary	11.2	13.7	9.7	9.3	14.7	11.7	*	11.0	-0-	*
	Secondary	7.9	*	3.3	9.6	14.0	11.7	*	7.9	-0-	*
Trimester prenatal care began	First	69.6	66.1	68.7	73.3	71.2	62.6	*	69.5	*	*
	Third or no care	5.8	7.1	4.9	4.1	6.3	9.3	*	5.8	-0-	*
First birth		30.9	76.3	44.0	24.4	13.3	*	*	30.8	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Douglas County - 2000

Population Estimates	
Total	19,900
Under 65 Years	16,720
65 and Older	3,180

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	196	3	--	--	1	1	7	8	22	28	55	71
Male	97	3	--	--	1	1	3	4	9	14	37	25
Female	99	--	--	--	--	--	4	4	13	14	18	46
Black	1	--	--	--	--	--	1	--	--	--	--	--
Male	1	--	--	--	--	--	1	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	195	3	--	--	1	1	6	8	22	28	55	71
Male	96	3	--	--	1	1	2	4	9	14	37	25
Female	99	--	--	--	--	--	4	4	13	14	18	46
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	196	1	195	--	--	42	154	984.9	251.2	4,842.8	
5-Year Average (1996-2000)	197	1	196	--	<1	41	156	986.0	244.6	4,993.6	
Infectious and parasitic diseases	7	--	7	--	--	1	6	*	*	*	
# Septicemia	4	--	4	--	--	--	4	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	41	--	41	--	--	14	27	206.0	83.7	849.1	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	6	--	6	--	--	1	5	*	*	*	
Bronchus and lung	13	--	13	--	--	6	7	65.3	*	*	
Female breast	4	--	4	--	--	2	2	* ³	* ³	* ³	
Cervical	1	--	1	--	--	1	--	* ³	* ³	-0- ³	
Prostate	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
# Diabetes mellitus	3	--	3	--	--	2	1	*	*	*	
# Alzheimer's disease	5	--	5	--	--	--	5	*	-0-	*	
Major cardiovascular diseases	86	--	86	--	--	12	74	432.2	71.8	2,327.0	
# Diseases of heart	68	--	68	--	--	11	57	341.7	65.8	1,792.5	
Ischemic heart disease	48	--	48	--	--	9	39	241.2	*	1,226.4	
# Cerebrovascular diseases	15	--	15	--	--	1	14	75.4	*	440.3	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	2	--	2	--	--	--	2	*	-0-	*	
Respiratory diseases	22	1	21	--	--	4	18	110.6	*	566.0	
# Influenza and pneumonia	6	--	6	--	--	--	6	*	-0-	*	
# Chronic lower respiratory diseases	12	1	11	--	--	2	10	60.3	*	314.5	
Emphysema	1	--	1	--	--	--	1	*	-0-	*	
Asthma	2	1	1	--	--	2	--	*	*	-0-	
# Chronic liver disease and cirrhosis	1	--	1	--	--	1	--	*	*	-0-	
# Nephritis, nephrotic syndrome and nephrosis	4	--	4	--	--	--	4	*	-0-	*	
# Certain perinatal conditions	2	--	2	--	--	2	--	*	*	-0-	
# Congenital malformations	2	--	2	--	--	1	1	*	*	*	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	7	--	7	--	--	2	5	*	*	*	
# Accidents	6	--	6	--	--	2	4	*	*	*	
Motor vehicle accidents	1	--	1	--	--	1	--	*	*	-0-	
All other accidents	5	--	5	--	--	1	4	*	*	*	
# Suicide	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of DuPage County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	13,528	613	1,748	3,548	4,749	2,446	423	11,548	521	2,243
Sex	Male	6,895	315	929	1,785	2,448	1,214	204	5,871	256	1,155
	Female	6,633	298	819	1,763	2,301	1,232	219	5,677	265	1,088
Race	White	11,548	522	1,480	2,931	4,099	2,152	363			
	Black	521	68	115	142	120	60	16			
Ethnicity	Hispanic ¹	2,243	278	697	623	436	180	28			
Multiple births		528	6	28	89	233	154	18	464	20	44
Marital status	Married	11,644	170	1,041	3,145	4,553	2,340	395	9,958	284	1,493
	Single	1,884	443	707	403	196	106	28	1,590	237	750
Mother not high school graduate		1,451	325	466	333	210	96	20	1,351	43	1,048
Birthweight	Very low (0-1,499 Grams)	172	11	19	38	60	35	9	124	22	30
	Low (0-2,499 Grams)	873	44	106	211	305	169	38	684	57	124
Caesarian section	Primary	1,847	55	197	512	649	365	69	1,510	78	236
	Secondary	1,067	10	56	176	433	323	69	906	53	171
Trimester prenatal care began	First	11,741	372	1,293	3,109	4,372	2,224	370	10,084	413	1,533
	Third or no care	262	51	83	48	47	25	8	216	20	118
First birth		4,478	466	867	1,556	1,169	362	57	3,761	166	826
2000 Percentages²											
Live births	Total	100.0	4.5	12.9	26.2	35.1	18.1	3.1	85.4	3.9	16.6
Sex	Male	51.0	51.4	53.1	50.3	51.5	49.6	48.2	50.8	49.1	51.5
	Female	49.0	48.6	46.9	49.7	48.5	50.4	51.8	49.2	50.9	48.5
Race	White	85.4	4.5	12.8	25.4	35.5	18.6	3.1			
	Black	3.9	13.1	22.1	27.3	23.0	11.5	3.1			
Ethnicity	Hispanic ¹	16.6	12.4	31.1	27.8	19.4	8.0	1.2			
Multiple births		3.9	*	1.6	2.5	4.9	6.3	4.3	4.0	3.8	2.0
Marital status	Married	86.1	27.7	59.6	88.6	95.9	95.7	93.4	86.2	54.5	66.6
	Single	13.9	72.3	40.4	11.4	4.1	4.3	6.6	13.8	45.5	33.4
Mother not high school graduate		10.8	53.4	26.8	9.4	4.4	3.9	4.8	11.8	8.3	47.2
Birthweight	Very low (0-1,499 Grams)	1.3	1.8	1.1	1.1	1.3	1.4	*	1.1	4.3	1.3
	Low (0-2,499 Grams)	6.5	7.2	6.1	5.9	6.4	6.9	9.0	5.9	10.9	5.5
Caesarian section	Primary	13.7	9.0	11.3	14.4	13.7	14.9	16.3	13.1	15.0	10.5
	Secondary	7.9	1.6	3.2	5.0	9.1	13.2	16.3	7.8	10.2	7.6
Trimester prenatal care began	First	89.1	63.4	76.1	89.9	94.3	93.2	89.2	89.5	82.1	71.0
	Third or no care	2.0	8.7	4.9	1.4	1.0	1.0	*	1.9	4.0	5.5
First birth		33.1	76.0	49.6	43.9	24.6	14.8	*	32.6	31.9	36.8
Percentages² based on 1996-2000 average											
Live births	Total	100.0	4.3	11.9	27.7	35.9	17.3	2.9	87.5	3.5	13.8
Sex	Male	51.0	50.7	51.4	51.2	51.0	50.3	51.1	51.0	50.3	50.6
	Female	49.0	49.3	48.6	48.8	49.0	49.7	48.9	49.0	49.7	49.4
Race	White	87.5	4.2	11.6	27.0	36.5	17.8	2.9			
	Black	3.5	12.4	20.9	28.6	24.5	11.6	2.0			
Ethnicity	Hispanic ¹	13.8	12.1	30.1	28.8	19.8	7.8	1.4			
Multiple births		3.9	1.2	1.8	3.2	4.3	6.1	4.7	4.0	3.7	2.2
Marital status	Married	87.3	24.5	62.8	90.2	96.3	95.6	93.7	87.8	55.5	68.4
	Single	12.7	75.5	37.2	9.8	3.7	4.4	6.3	12.2	44.5	31.6
Mother not high school graduate		9.6	54.6	24.8	8.1	3.7	3.3	4.5	10.1	9.5	47.9
Birthweight	Very low (0-1,499 Grams)	1.2	1.7	1.1	1.1	1.1	1.5	1.7	1.1	2.9	1.1
	Low (0-2,499 Grams)	6.2	7.6	6.0	5.7	5.8	7.5	8.8	5.8	11.1	5.4
Caesarian section	Primary	12.7	11.0	10.7	13.1	12.6	13.5	15.2	12.5	14.5	10.2
	Secondary	7.4	1.0	3.1	4.8	9.0	11.8	14.5	7.4	9.2	6.9
Trimester prenatal care began	First	89.6	64.5	76.7	90.4	94.0	94.0	91.4	90.2	80.2	70.8
	Third or no care	1.9	8.6	5.0	1.6	.9	.9	1.4	1.8	5.2	5.9
First birth		32.7	76.3	49.8	42.0	24.7	15.3	13.0	32.3	29.7	35.8

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of DuPage County - 2000

Population Estimates	
Total	906,600
Under 65 Years	817,240
65 and Older	89,360

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	5,580	84	6	11	56	80	171	317	503	888	1,728	1,736
Male	2,514	50	3	5	42	54	110	172	291	502	791	494
Female	3,066	34	3	6	14	26	61	145	212	386	937	1,242
Black	101	6	--	1	2	6	13	19	16	13	12	13
Male	57	4	--	1	2	4	11	4	12	8	6	5
Female	44	2	--	--	--	2	2	15	4	5	6	8
White	5,327	67	5	7	51	69	150	285	461	854	1,671	1,707
Male	2,367	38	2	4	38	47	94	157	262	483	757	485
Female	2,960	29	3	3	13	22	56	128	199	371	914	1,222
All other races	152	11	1	3	3	5	8	13	26	21	45	16
Male	90	8	1	--	2	3	5	11	17	11	28	4
Female	62	3	--	3	1	2	3	2	9	10	17	12
Hispanic ethnicity ¹	92	9	3	--	5	11	5	8	9	16	20	6
Male	61	4	1	--	3	7	5	7	7	14	9	4
Female	31	5	2	--	2	4	--	1	2	2	11	2

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	5,580	101	5,327	152	92	1,228	4,352	615.5	150.3	4,870.2
5-Year Average (1996-2000)	5,338	86	5,132	121	91	1,195	4,144	607.4	149.8	5,082.6
Infectious and parasitic diseases	125	7	112	6	4	40	85	13.8	4.9	95.1
# Septicemia	89	2	84	3	3	21	68	9.8	2.6	76.1
# Viral hepatitis	10	--	9	1	--	4	6	1.1	*	*
# HIV disease	10	3	6	1	--	9	1	1.1	*	*
# Malignant neoplasms	1,379	24	1,313	42	23	421	958	152.1	51.5	1,072.1
Lip, oral cavity and pharynx	15	--	13	2	--	6	9	1.7	*	*
Colorectal	159	4	152	3	4	39	120	17.5	4.8	134.3
Bronchus and lung	317	5	305	7	2	90	227	35.0	11.0	254.0
Female breast	133	3	126	4	--	62	71	14.7 ³	7.6 ³	79.5 ³
Cervical	6	--	6	--	1	3	3	* ³	* ³	* ³
Prostate	82	--	81	1	2	2	80	9.0 ³	* ³	89.5 ³
# Diabetes mellitus	101	--	101	--	1	14	87	11.1	1.7	97.4
# Alzheimer's disease	100	2	97	1	--	1	99	11.0	*	110.8
Major cardiovascular diseases	2,266	31	2,186	49	28	289	1,977	249.9	35.4	2,212.4
# Diseases of heart	1,645	24	1,583	38	20	239	1,406	181.4	29.2	1,573.4
Ischemic heart disease	1,178	17	1,133	28	10	178	1,000	129.9	21.8	1,119.1
# Cerebrovascular diseases	480	7	464	9	6	42	438	52.9	5.1	490.2
# Atherosclerosis	61	--	61	--	1	--	61	6.7	-0-	68.3
# Aortic aneurysm and dissection	34	--	34	--	1	3	31	3.8	*	34.7
Respiratory diseases	501	7	485	9	4	44	457	55.3	5.4	511.4
# Influenza and pneumonia	151	2	147	2	2	16	135	16.7	2.0	151.1
# Chronic lower respiratory diseases	239	1	236	2	--	12	227	26.4	1.5	254.0
Emphysema	30	--	30	--	--	1	29	3.3	*	32.5
Asthma	7	1	6	--	--	4	3	*	*	*
# Chronic liver disease and cirrhosis	56	--	56	--	--	33	23	6.2	4.0	25.7
# Nephritis, nephrotic syndrome and nephrosis	113	6	105	2	1	15	98	12.5	1.8	109.7
# Certain perinatal conditions	50	4	39	7	4	50	--	5.5	6.1	-0-
# Congenital malformations	37	1	34	2	3	35	2	4.1	4.3	*
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	221	9	199	13	13	167	54	24.4	20.4	60.4
# Accidents	161	6	144	11	10	113	48	17.8	13.8	53.7
Motor vehicle accidents	50	2	42	6	8	41	9	5.5	5.0	*
All other accidents	111	4	102	5	2	72	39	12.2	8.8	43.6
# Suicide	50	2	46	2	1	46	4	5.5	5.6	*
# Homicide	6	1	5	--	1	5	1	*	*	*

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Edgar County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	199	33	65	52	31	17	1	197	1	2
Sex	Male	100	16	26	28	18	12	--	100	--	--
	Female	99	17	39	24	13	5	1	97	1	2
Race	White	197	33	65	51	31	16	1			
	Black	1	--	--	--	--	1	--			
Ethnicity	Hispanic ¹	2	1	--	1	--	--	--			
Multiple births		4	--	2	--	2	--	--	4	--	--
Marital status	Married	120	4	38	42	24	12	--	120	--	--
	Single	79	29	27	10	7	5	1	77	1	2
Mother not high school graduate		45	23	13	5	1	3	--	44	--	2
Birthweight	Very low (0-1,499 Grams)	6	2	2	--	1	1	--	6	--	--
	Low (0-2,499 Grams)	20	5	9	--	4	2	--	20	--	--
Caesarian section	Primary	23	4	10	4	3	2	--	23	--	--
	Secondary	27	1	5	7	9	4	1	26	1	--
Trimester prenatal care began	First	168	26	53	46	28	14	1	166	1	--
	Third or no care	1	--	1	--	--	--	--	1	--	--
First birth		64	23	23	14	3	1	--	64	--	1
2000 Percentages²											
Live births	Total	100.0	16.6	32.7	26.1	15.6	8.5	*	99.0	*	*
Sex	Male	50.3	*	*	*	*	*	-0-	50.8	-0-	.0
	Female	49.7	*	*	*	*	*	*	49.2	*	*
Race	White	99.0	*	*	*	*	*	*			
	Black	*	-0-	-0-	-0-	-0-	*	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	*	-0-	-0-	-0-			
Multiple births		*	-0-	*	-0-	*	-0-	-0-	*	-0-	-0-
Marital status	Married	60.3	*	*	*	*	*	-0-	60.9	-0-	-0-
	Single	*	87.9	41.5	*	*	*	*	39.1	*	*
Mother not high school graduate		*	*	*	*	*	*	-0-	22.3	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	-0-	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	10.1	*	*	-0-	*	*	-0-	10.2	-0-	-0-
Caesarian section	Primary	11.6	*	*	*	*	*	-0-	11.7	-0-	-0-
	Secondary	13.6	*	*	*	*	*	*	13.2	*	-0-
Trimester prenatal care began	First	85.3	*	*	*	*	*	*	85.1	*	-0-
	Third or no care	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First birth		32.2	*	*	*	*	*	-0-	32.5	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	17.3	32.0	27.0	15.4	7.3	.9	99.4	*	1.1
Sex	Male	50.5	47.4	50.7	47.0	54.4	*	*	50.6	*	*
	Female	49.5	52.6	49.3	53.0	45.6	*	*	49.4	*	*
Race	White	99.4	17.4	32.0	27.1	15.3	7.2	.9			
	Black	*	-0-	*	-0-	*	*	-0-			
Ethnicity	Hispanic ¹	1.1	*	*	*	*	*	-0-			
Multiple births		3.5	*	4.0	*	7.1	-0-	-0-	3.5	-0-	-0-
Marital status	Married	66.1	24.2	62.1	83.1	85.2	*	*	66.1	*	*
	Single	33.9	75.8	37.9	16.9	14.8	*	*	33.9	*	*
Mother not high school graduate		21.3	62.1	17.4	9.8	8.9	*	*	21.3	-0-	*
Birthweight	Very low (0-1,499 Grams)	1.8	*	*	*	*	*	-0-	1.7	-0-	*
	Low (0-2,499 Grams)	9.1	7.4	11.7	6.1	10.7	*	*	9.1	-0-	*
Caesarian section	Primary	15.5	18.9	15.7	13.9	14.8	*	*	15.6	-0-	*
	Secondary	10.8	*	9.7	12.8	17.8	*	*	10.7	*	*
Trimester prenatal care began	First	82.5	75.1	78.0	89.9	89.9	*	*	82.5	*	*
	Third or no care	2.4	3.2	3.4	*	*	*	-0-	2.4	-0-	*
First birth		34.7	74.7	33.3	30.4	13.0	*	-0-	34.8	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Edgar County - 2000

Population Estimates	
Total	19,700
Under 65 Years	16,220
65 and Older	3,480

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	231	3	--	1	4	1	5	11	14	35	80	77
Male	107	2	--	1	2	1	4	7	10	20	33	27
Female	124	1	--	--	2	--	1	4	4	15	47	50
Black	1	--	--	--	--	--	--	--	--	--	--	1
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	--	1
White	230	3	--	1	4	1	5	11	14	35	80	76
Male	107	2	--	1	2	1	4	7	10	20	33	27
Female	123	1	--	--	2	--	1	4	4	15	47	49
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	2	--	--	--	1	--	--	--	--	--	1	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	2	--	--	--	1	--	--	--	--	--	1	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	231	1	230	--	2	39	192	1,172.6	240.4	5,517.2
5-Year Average (1996-2000)	249	<1	249	<1	<1	43	206	1267.3	269.7	5,738.2
# Infectious and parasitic diseases	9	--	9	--	--	1	8	*	*	*
# Septicemia	5	--	5	--	--	--	5	*	-0-	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	1	--	1	--	--	1	--	*	-0-	-0-
# Malignant neoplasms	48	--	48	--	--	8	40	243.7	*	1,149.4
# Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*
# Colorectal	9	--	9	--	--	1	8	*	*	*
# Bronchus and lung	20	--	20	--	--	4	16	101.5	*	459.8
# Female breast	5	--	5	--	--	--	5	* ³	-0- ³	* ³
# Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
# Prostate	3	--	3	--	--	--	3	* ³	-0- ³	* ³
# Diabetes mellitus	4	--	4	--	--	--	4	*	-0-	*
# Alzheimer's disease	2	--	2	--	--	--	2	*	-0-	*
# Major cardiovascular diseases	98	1	97	--	1	8	90	497.5	*	2,586.2
# Diseases of heart	64	1	63	--	1	7	57	324.9	*	1,637.9
# Ischemic heart disease	42	1	41	--	1	5	37	213.2	*	1,063.2
# Cerebrovascular diseases	26	--	26	--	--	1	25	132.0	*	718.4
# Atherosclerosis	2	--	2	--	--	--	2	*	-0-	*
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	-0-	*
# Respiratory diseases	29	--	29	--	--	3	26	147.2	*	747.1
# Influenza and pneumonia	9	--	9	--	--	--	9	*	-0-	*
# Chronic lower respiratory diseases	17	--	17	--	--	2	15	86.3	*	431.0
# Emphysema	1	--	1	--	--	--	1	*	-0-	*
# Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--	1	--	*	*	-0-
# Nephritis, nephrotic syndrome and nephrosis	6	--	6	--	--	--	6	*	-0-	*
# Certain perinatal conditions	2	--	2	--	--	2	--	*	*	-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
# External causes	14	--	14	--	--	12	2	71.1	74.0	*
# Accidents	12	--	12	--	--	10	2	60.9	61.7	*
# Motor vehicle accidents	9	--	9	--	--	8	1	*	*	*
# All other accidents	3	--	3	--	--	2	1	*	*	*
# Suicide	2	--	2	--	--	2	--	*	*	-0-
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Edwards County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	95	9	31	31	19	5	--	93	--	1
Sex	Male	37	3	12	11	8	3	--	35	--	1
	Female	58	6	19	20	11	2	--	58	--	--
Race	White	93	9	30	31	18	5	--			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	1	--	--	--	--			
Multiple births		--	--	--	--	--	--	--			
Marital status	Married	78	3	24	30	18	3	--	76	--	--
	Single	17	6	7	1	1	2	--	17	--	--
Mother not high school graduate		14	6	5	2	1	--	--	14	--	--
Birthweight	Very low (0-1,499 Grams)	1	--	--	1	--	--	--	1	--	--
	Low (0-2,499 Grams)	4	--	1	1	1	1	--	4	--	--
Caesarian section	Primary	15	1	3	6	4	1	--	15	--	--
	Secondary	14	--	5	6	3	--	--	13	--	1
Trimester prenatal care began	First	86	8	28	28	18	4	--	84	--	1
	Third or no care	1	--	0	1	--	--	--	1	--	--
First birth		34	8	10	11	3	2	--	33	--	--
2000 Percentages²											
Live births	Total	*	*	*	*	*	*	-0-	*	-0-	*
Sex	Male	*	*	*	*	*	*	-0-	*	*	100.0
	Female	*	*	*	*	*	*	-0-	*	-0-	-0-
Race	White	*	*	*	*	*	*	-0-			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	-0-	-0-	-0-			
Multiple births		-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Marital status	Married	*	*	*	*	*	*	-0-	*	-0-	*
	Single	*	66.7	22.6	*	*	*	-0-	*	-0-	-0-
Mother not high school graduate		-0-	*	*	*	*	-0-	-0-	*	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	-0-	*	*	*	*	-0-	*	-0-	-0-
Caesarian section	Primary	*	*	*	*	*	*	-0-	*	-0-	-0-
	Secondary	*	-0-	*	*	*	-0-	-0-	*	-0-	*
Trimester prenatal care began	First	*	*	*	*	*	*	-0-	*	-0-	*
	Third or no care	*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
First birth		*	*	*	*	*	*	-0-	*	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.7	33.4	29.9	17.3	5.4	*	99.5	-0-	*
Sex	Male	48.0	*	45.2	40.5	*	*	*	47.7	-0-	*
	Female	52.0	*	54.8	59.5	*	*	-0-	52.3	-0-	-0-
Race	White	99.5	13.8	33.3	30.1	17.1	5.4	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	*	-0-	*	-0-			
Marital status	Married	74.4	*	72.6	87.4	*	*	*	74.3	-0-	*
	Single	25.6	*	27.4	12.6	*	*	-0-	25.7	-0-	-0-
Mother not high school graduate		14.0	*	14.5	*	*	*	-0-	14.1	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.5	*	*	*	*	*	-0-	6.5	-0-	-0-
Caesarian section	Primary	12.4	*	8.1	11.7	*	*	*	12.5	-0-	-0-
	Secondary	10.0	*	8.1	11.7	*	*	-0-	9.8	-0-	*
Trimester prenatal care began	First	88.6	*	87.1	89.2	*	*	*	88.6	-0-	*
	Third or no care	*	6.0	*	*	-0-	-0-	-0-	*	-0-	-0-
First birth		38.8	86.3	45.2	28.8	*	*	-0-	38.8	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Edwards County - 2000

Population Estimates	
Total	7,000
Under 65 Years	5,720
65 and Older	1,280

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	104	--	--	--	1	--	4	5	11	24	28	31
Male	54	--	--	--	--	--	3	3	9	11	13	15
Female	50	--	--	--	1	--	1	2	2	13	15	16
Black	1	--	--	--	--	--	--	--	--	--	1	--
Male	1	--	--	--	--	--	--	--	--	--	1	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	103	--	--	--	1	--	4	5	11	24	27	31
Male	53	--	--	--	--	--	3	3	9	11	12	15
Female	50	--	--	--	1	--	1	2	2	13	15	16
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	104	1	103	--	--	21	83	1,485.7	367.1	6,484.4	
5-Year Average (1996-2000)	92	<1	92	--	<1	18	74	1328.5	325.5	5,262.4	
Infectious and parasitic diseases	4	--	4	--	--	--	4	*	-0-	*	
# Septicemia	4	--	4	--	--	--	4	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	25	1	24	--	--	5	20	357.1	*	1,562.5	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	6	--	6	--	--	1	5	*	*	*	
Bronchus and lung	7	1	6	--	--	2	5	-0-	*	*	
Female breast	--	--	--	--	--	--	--	* ³	-0- ³	-0- ³	
Cervical	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
Prostate	2	--	2	--	--	--	2	* ³	-0- ³	* ³	
# Diabetes mellitus	6	--	6	--	--	1	5	*	*	*	
# Alzheimer's disease	0	--	--	--	--	--	--	-0-	-0-	-0-	
Major cardiovascular diseases	38	--	38	--	--	3	35	542.9	*	2,734.4	
# Diseases of heart	34	--	34	--	--	2	32	485.7	*	2,500.0	
Ischemic heart disease	30	--	30	--	--	2	28	428.6	*	2,187.5	
# Cerebrovascular diseases	4	--	4	--	--	1	3	*	*	*	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-	
Respiratory diseases	13	--	13	--	--	2	11	185.7	*	859.4	
# Influenza and pneumonia	3	--	3	--	--	--	3	*	-0-	*	
# Chronic lower respiratory diseases	3	--	3	--	--	1	2	*	*	*	
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Nephritis, nephrotic syndrome and nephrosis	3	--	3	--	--	1	2	*	*	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	5	--	5	--	--	4	1	*	*	*	
# Accidents	4	--	4	--	--	3	1	*	*	*	
Motor vehicle accidents	1	--	1	--	--	1	--	*	*	-0-	
All other accidents	3	--	3	--	--	2	1	*	*	*	
# Suicide	1	--	1	--	--	1	--	*	*	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Effingham County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	440	59	118	144	80	31	8	438	--	1
Sex	Male	233	29	64	79	41	17	3	231	--	1
	Female	207	30	54	65	39	14	5	207	--	--
Race	White	438	59	118	143	79	31	8			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	1	--	--	--			
Multiple births		14	--	4	6	4	--	--	14	--	--
Marital status	Married	313	13	64	127	75	28	6	311	--	--
	Single	127	46	54	17	5	3	2	127	--	--
Mother not high school graduate		58	30	20	6	1	1	--	58	--	--
Birthweight	Very low (0-1,499 Grams)	3	--	--	1	--	2	--	3	--	--
	Low (0-2,499 Grams)	29	5	7	9	5	3	--	29	--	--
Caesarian section	Primary	53	9	15	16	8	4	1	53	--	--
	Secondary	36	--	2	16	14	4	--	36	--	--
Trimester prenatal care began	First	394	47	95	138	78	28	8	393	--	1
	Third or no care	9	3	4	1	--	1	--	9	--	--
First birth		144	49	46	34	14	1	--	144	--	--
2000 Percentages²											
Live births	Total	100.0	13.4	26.8	32.7	18.2	7.0	*	99.5	-0-	*
Sex	Male	53.0	*	54.2	54.9	*	*	*	52.7	*	100.0
	Female	47.0	*	45.8	45.1	*	*	*	47.3	-0-	-0-
Race	White	99.5	*	26.9	32.6	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple births		3.2	-0-	*	*	*	-0-	-0-	3.2	-0-	-0-
Marital status	Married	71.1	*	54.2	88.2	*	*	*	71.0	-0-	*
	Single	*	78.0	45.8	11.8	*	*	*	29.0	-0-	-0-
Mother not high school graduate		13.2	*	16.9	*	*	*	-0-	13.2	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	*	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.6	*	*	*	*	*	-0-	6.6	-0-	-0-
Caesarian section	Primary	12.0	*	12.7	11.1	*	*	*	12.1	-0-	-0-
	Secondary	8.2	-0-	*	11.1	*	*	-0-	8.2	-0-	-0-
Trimester prenatal care began	First	89.5	*	80.5	95.8	*	*	*	89.7	-0-	*
	Third or no care	*	*	*	*	-0-	*	-0-	*	-0-	-0-
First birth		32.7	*	39.0	23.6	*	*	-0-	32.9	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	11.9	25.3	31.0	20.5	9.4	1.9	98.9	*	0.6
Sex	Male	54.1	56.4	52.9	55.5	52.9	51.8	*	54.2	-0-	*
	Female	45.9	43.6	47.1	44.5	47.1	48.2	*	45.8	*	*
Race	White	98.9	12.0	25.4	30.9	20.4	9.4	1.9			
	Black	*	-0-	-0-	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	.6	*	*	*	*	*	-0-			
Multiple births		3.9	*	*	4.2	6.0	5.9	*	3.8	-0-	-0-
Marital status	Married	75.9	24.6	62.9	90.1	92.1	91.0	*	75.7	*	*
	Single	24.1	75.4	37.1	9.9	7.9	9.0	*	24.3	-0-	*
Mother not high school graduate		12.2	51.8	15.3	4.7	2.9	*	-0-	12.2	-0-	*
Birthweight	Very low (0-1,499 Grams)	1.2	*	*	1.4	*	*	-0-	1.2	-0-	-0-
	Low (0-2,499 Grams)	7.1	8.6	6.4	5.8	8.1	9.5	*	7.0	-0-	-0-
Caesarian section	Primary	12.9	17.9	12.9	12.7	11.2	11.3	*	12.9	-0-	*
	Secondary	9.6	*	4.7	10.4	14.9	19.8	*	9.7	-0-	*
Trimester prenatal care began	First	89.6	72.1	85.7	95.7	94.8	91.9	*	89.6	*	*
	Third or no care	1.6	3.9	2.2	*	*	*	-0-	1.6	-0-	-0-
First birth		31.8	79.3	41.8	27.4	12.7	6.3	*	31.8	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Effingham County - 2000

Population Estimates	
Total	34,300
Under 65 Years	29,530
65 and Older	4,770

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	317	5	--	2	4	3	8	10	25	44	110	106
Male	160	3	--	2	1	2	5	5	15	27	67	33
Female	157	2	--	--	3	1	3	5	10	17	43	73
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	317	5	--	2	4	3	8	10	25	44	110	106
Male	160	3	--	2	1	2	5	5	15	27	67	33
Female	157	2	--	--	3	1	3	5	10	17	43	73
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	317	--	317	--	--	57	260	924.2	193.0	5,450.7	
5-Year Average (1996-2000)	314	<1	314	--	<1	60	254	940.8	211.2	5,261.0	
Infectious and parasitic diseases	3	--	3	--	--	--	3	*	-0-	*	
# Septicemia	2	--	2	--	--	--	2	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	69	--	69	--	--	15	54	201.2	50.8	1,132.1	
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	-0-	
Colorectal	8	--	8	--	--	2	6	*	*	*	
Bronchus and lung	21	--	21	--	--	5	16	61.2	*	335.4	
Female breast	4	--	4	--	--	2	2	* ³	* ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	4	--	4	--	--	--	4	* ³	-0- ³	* ³	
# Diabetes mellitus	4	--	4	--	--	--	4	*	-0-	*	
# Alzheimer's disease	7	--	7	--	--	--	7	*	-0-	*	
Major cardiovascular diseases	129	--	129	--	--	7	122	376.1	*	2,557.7	
# Diseases of heart	92	--	92	--	--	5	87	268.2	*	1,823.9	
Ischemic heart disease	48	--	48	--	--	4	44	139.9	*	922.4	
# Cerebrovascular diseases	32	--	32	--	--	--	32	93.3	-0-	670.9	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	4	--	4	--	--	2	2	*	*	*	
Respiratory diseases	30	--	30	--	--	4	26	87.5	*	545.1	
# Influenza and pneumonia	8	--	8	--	--	--	8	*	-0-	*	
# Chronic lower respiratory diseases	11	--	11	--	--	3	8	32.1	*	*	
Emphysema	1	--	1	--	--	1	--	*	*	-0-	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Nephritis, nephrotic syndrome and nephrosis	8	--	8	--	--	--	8	*	-0-	*	
# Certain perinatal conditions	2	--	2	--	--	2	--	*	*	-0-	
# Congenital malformations	3	--	3	--	--	2	1	*	*	*	
SIDS	1	--	1	--	--	1	--	*	*	-0-	
External causes	27	--	27	--	--	18	9	78.7	61.0	*	
# Accidents	19	--	19	--	--	11	8	55.4	37.3	*	
Motor vehicle accidents	11	--	11	--	--	9	2	32.1	*	*	
All other accidents	8	--	8	--	--	2	6	*	*	*	
# Suicide	4	--	4	--	--	4	--	*	*	-0-	
# Homicide	3	--	3	--	--	3	--	*	*	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Fayette County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	268	48	92	64	39	22	3	264	1	--
Sex	Male	133	18	51	31	22	9	2	132	1	--
	Female	135	30	41	33	17	13	1	132	--	--
Race	White	264	47	91	64	38	21	3			
	Black	1	1	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple births		13	2	4	3	2	2	--	13	--	--
Marital status	Married	173	10	59	50	35	17	2	170	--	--
	Single	95	38	33	14	4	5	1	94	1	--
Mother not high school graduate		59	22	19	12	2	3	1	59	--	--
Birthweight	Very low (0-1,499 Grams)	5	--	--	4	1	--	--	5	--	--
	Low (0-2,499 Grams)	19	3	1	8	2	5	--	19	--	--
Caesarian section	Primary	32	9	9	7	5	2	--	30	1	--
	Secondary	30	2	10	4	8	4	2	29	--	--
Trimester prenatal care began	First	226	36	73	58	36	20	3	224	--	--
	Third or no care	9	5	3	--	1	--	--	9	--	--
First birth		82	37	28	10	7	--	--	81	1	--
2000 Percentages²											
Live births	Total	100.0	17.9	34.3	23.9	14.6	8.2	*	98.5	*	-0-
Sex	Male	49.6	*	*	*	*	*	*	50.0	-0-	.
	Female	50.4	*	*	*	*	*	*	50.0	-0-	-0-
Race	White	98.5	*	*	*	*	*	*			
	Black	*	*	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple births		4.9	*	*	*	*	*	-0-	4.9	-0-	-0-
Marital status	Married	64.6	*	*	*	*	*	*	64.4	-0-	-0-
	Single	*	79.2	35.9	*	*	*	*	35.6	*	-0-
Mother not high school graduate		22.0	*	*	*	*	*	*	22.3	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.1	*	*	*	*	*	-0-	7.2	-0-	-0-
Caesarian section	Primary	11.9	*	*	*	*	*	-0-	11.4	*	-0-
	Secondary	11.2	*	*	*	*	*	*	11.0	-0-	-0-
Trimester prenatal care began	First	85.3	*	*	*	*	*	*	85.8	-0-	-0-
	Third or no care	*	*	*	-0-	*	-0-	-0-	*	-0-	-0-
First birth		30.6	*	*	*	*	-0-	-0-	30.7	*	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	18.3	33.5	24.8	15.9	6.4	1.1	99.2	*	*
Sex	Male	51.1	49.6	52.5	51.4	51.4	*	*	51.0	*	*
	Female	48.9	50.4	47.5	48.6	48.6	*	*	49.0	-0-	*
Race	White	99.2	18.2	33.6	24.8	16.0	6.3	1.1			
	Black	*	*	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	-0-	*	-0-			
Multiple births		3.9	*	3.8	3.4	5.2	*	-0-	3.9	-0-	-0-
Marital status	Married	67.7	24.0	68.8	82.0	89.0	*	*	67.9	*	*
	Single	32.3	76.0	31.2	18.0	11.0	*	*	32.1	*	-0-
Mother not high school graduate		21.1	56.2	17.6	9.8	8.6	*	*	21.1	*	*
Birthweight	Very low (0-1,499 Grams)	1.9	*	*	*	*	*	*	1.9	-0-	-0-
	Low (0-2,499 Grams)	7.2	9.5	3.4	7.3	8.6	*	*	7.3	-0-	-0-
Caesarian section	Primary	13.0	17.8	10.2	11.6	12.9	*	*	12.8	*	-0-
	Secondary	10.5	*	8.8	11.3	17.6	*	*	10.4	-0-	*
Trimester prenatal care began	First	83.7	75.2	82.7	89.4	87.1	*	*	84.0	*	*
	Third or no care	3.1	7.0	3.0	*	*	*	*	3.1	*	*
First birth		32.7	74.8	32.8	21.1	11.9	*	*	32.5	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Fayette County - 2000

Population Estimates	
Total	21,800
Under 65 Years	18,340
65 and Older	3,460

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	258	2	--	2	3	2	7	12	26	40	71	93
Male	126	--	--	1	3	2	5	7	21	24	40	23
Female	132	2	--	1	--	--	2	5	5	16	31	70
Black	1	--	--	--	--	--	1	--	--	--	--	--
Male	1	--	--	--	--	--	1	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	257	2	--	2	3	2	6	12	26	40	71	93
Male	125	--	--	1	3	2	4	7	21	24	40	23
Female	132	2	--	1	--	--	2	5	5	16	31	70
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	258	1	257	--	--	54	204	1,183.5	294.4	5,896.0	
5-Year Average (1996-2000)	244	1	243	<1	<1	45	199	1135.9	248.1	5,697.1	
Infectious and parasitic diseases	7	--	7	--	--	1	6	*	*	*	
# Septicemia	6	--	6	--	--	--	6	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	60	--	60	--	--	15	45	275.2	81.8	1,300.6	
Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*	
Colorectal	5	--	5	--	--	1	4	*	*	*	
Bronchus and lung	16	--	16	--	--	3	13	73.4	*	375.7	
Female breast	5	--	5	--	--	2	3	* ³	* ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	4	--	4	--	--	2	2	* ³	* ³	* ³	
# Diabetes mellitus	2	--	2	--	--	1	1	*	*	*	
# Alzheimer's disease	4	--	4	--	--	--	4	*	-0-	*	
Major cardiovascular diseases	105	--	105	--	--	18	87	481.7	98.1	2,514.5	
# Diseases of heart	82	--	82	--	--	16	66	376.1	87.2	1,907.5	
Ischemic heart disease	65	--	65	--	--	12	53	298.2	65.4	1,531.8	
# Cerebrovascular diseases	16	--	16	--	--	2	14	73.4	*	404.6	
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*	
# Aortic aneurysm and dissection	3	--	3	--	--	--	3	*	-0-	*	
Respiratory diseases	33	--	33	--	--	3	30	151.4	*	867.1	
# Influenza and pneumonia	11	--	11	--	--	1	10	50.5	*	289.0	
# Chronic lower respiratory diseases	9	--	9	--	--	2	7	*	*	*	
Emphysema	1	--	1	--	--	--	1	*	-0-	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	2	--	2	--	--	2	--	*	*	-0-	
# Nephritis, nephrotic syndrome and nephrosis	10	--	10	--	--	2	8	45.9	*	*	
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	11	1	10	--	--	9	2	50.5	*	*	
# Accidents	8	1	7	--	--	6	2	*	*	*	
Motor vehicle accidents	4	--	4	--	--	4	--	*	*	-0-	
All other accidents	4	1	3	--	--	2	2	*	*	*	
# Suicide	3	--	3	--	--	3	--	*	*	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Ford County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	191	23	57	56	34	18	3	191	--	7
Sex	Male	105	13	33	26	20	11	2	105	--	3
	Female	86	10	24	30	14	7	1	86	--	4
Race	White	191	23	57	56	34	18	3			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	7	4	2	1	--	--	--			
Multiple births		8	--	--	4	2	2	--			
Marital status	Married	145	5	41	50	30	16	3	145	--	--
	Single	46	18	16	6	4	2	--	46	--	2
Mother not high school graduate		33	16	11	2	3	1	--	33	--	5
Birthweight	Very low (0-1,499 Grams)	1	--	--	--	--	1	--	1	--	--
	Low (0-2,499 Grams)	10	--	2	2	4	1	1	10	--	--
Caesarian section	Primary	24	3	7	9	2	3	--	24	--	3
	Secondary	26	--	7	6	5	6	2	26	--	--
Trimester prenatal care began	First	167	19	47	54	32	12	3	167	--	4
	Third or no care	3	--	2	--	--	1	--	3	--	1
First birth		68	18	27	16	5	2	--	68	--	4
2000 Percentages²											
Live births	Total	100.0	12.0	29.8	29.3	17.8	9.4	*	100.0	-0-	*
Sex	Male	55.0	*	*	*	*	*	*	55.0	*	42.9
	Female	45.0	*	*	*	*	*	*	45.0	-0-	*
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	*	*	*	-0-			
Marital status	Married	75.9	*	*	*	*	*	*	75.9	-0-	*
	Single	*	78.3	28.1	*	*	*	-0-	24.1	-0-	*
Mother not high school graduate		*	*	*	*	*	*	-0-	17.3	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	-0-	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.2	-0-	*	*	*	*	*	5.2	-0-	-0-
Caesarian section	Primary	12.6	*	*	*	*	*	-0-	12.6	-0-	*
	Secondary	13.6	-0-	*	*	*	*	*	13.6	-0-	-0-
Trimester prenatal care began	First	90.3	*	*	*	*	*	*	90.3	-0-	*
	Third or no care	*	-0-	*	-0-	-0-	*	-0-	*	-0-	*
First birth		35.6	*	*	*	*	*	-0-	35.6	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	11.6	26.0	29.4	22.3	9.1	1.7	99.0	*	2.1
Sex	Male	53.5	51.9	53.0	51.3	58.8	*	*	53.6	-0-	*
	Female	46.5	48.1	47.0	48.7	41.2	*	*	46.4	*	*
Race	White	99.0	11.6	26.1	29.2	22.3	9.2	1.7			
	Black	*	*	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	2.1	*	*	*	-0-	-0-	-0-			
Multiple births		3.4	*	*	5.3	*	*	-0-			
Marital status	Married	74.4	16.3	66.4	88.6	92.0	*	*	74.4	*	*
	Single	25.6	83.7	33.6	11.4	8.0	*	*	25.6	*	*
Mother not high school graduate		12.6	56.7	12.1	5.3	*	*	-0-	12.5	*	*
Birthweight	Very low (0-1,499 Grams)	1.6	*	*	*	*	*	-0-	1.6	-0-	-0-
	Low (0-2,499 Grams)	7.3	9.6	8.2	6.8	5.5	*	*	7.3	-0-	-0-
Caesarian section	Primary	14.0	21.2	14.2	15.2	9.5	*	*	14.0	-0-	*
	Secondary	9.5	*	6.0	8.7	14.1	*	*	9.6	-0-	*
Trimester prenatal care began	First	90.7	84.3	88.4	93.2	97.0	*	*	90.7	*	*
	Third or no care	1.9	2.0	*	*	*	*	*	1.8	*	*
First birth		31.0	75.0	40.9	25.5	12.6	*	-0-	31.0	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Ford County - 2000

Population Estimates	
Total	14,200
Under 65 Years	11,450
65 and Older	2,750

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	221	2	--	--	1	--	3	8	11	50	69	77
Male	105	1	--	--	1	--	2	7	2	26	40	26
Female	116	1	--	--	--	--	1	1	9	24	29	51
Black	1	1	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	1	--	--	--	--	--	--	--	--	--	--
White	220	1	--	--	1	--	3	8	11	50	69	77
Male	105	1	--	--	1	--	2	7	2	26	40	26
Female	115	--	--	--	--	--	1	1	9	24	29	51
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	1	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	1	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	221	1	220	--	1	25	196	1,556.3	218.3	7,127.3
5-Year Average (1996-2000)	200	1	198	<1	<1	26	174	1428.6	232.9	6,315.4
Infectious and parasitic diseases	3	--	3	--	--	--	3	*	-0-	*
# Septicemia	3	--	3	--	--	--	3	*	-0-	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	43	--	43	--	--	7	36	302.8	*	1,309.1
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	4	--	4	--	--	1	3	*	*	*
Bronchus and lung	16	--	16	--	--	--	16	112.7	-0-	581.8
Female breast	2	--	2	--	--	2	--	* ³	* ³	-0- ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
# Diabetes mellitus	5	--	5	--	--	1	4	*	*	*
# Alzheimer's disease	7	--	7	--	--	--	7	*	-0-	*
Major cardiovascular diseases	100	--	100	--	--	3	97	704.2	*	3,527.3
# Diseases of heart	68	--	68	--	--	2	66	478.9	*	2,400.0
Ischemic heart disease	41	--	41	--	--	1	40	288.7	*	1,454.5
# Cerebrovascular diseases	20	--	20	--	--	1	19	140.8	*	690.9
# Atherosclerosis	8	--	8	--	--	--	8	*	-0-	*
# Aortic aneurysm and dissection	2	--	2	--	--	--	2	*	-0-	*
Respiratory diseases	22	--	22	--	1	3	19	154.9	*	690.9
# Influenza and pneumonia	4	--	4	--	--	1	3	*	*	*
# Chronic lower respiratory diseases	12	--	12	--	--	1	11	84.5	*	400.0
Emphysema	1	--	1	--	--	--	1	*	-0-	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Nephritis, nephrotic syndrome and nephrosis	3	--	3	--	--	--	3	*	-0-	*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-
SIDS	1	1	--	--	--	1	--	*	*	-0-
External causes	9	--	9	--	--	4	5	*	*	*
# Accidents	6	--	6	--	--	2	4	*	*	*
Motor vehicle accidents	1	--	1	--	--	1	--	*	*	-0-
All other accidents	5	--	5	--	--	1	4	*	*	*
# Suicide	1	--	1	--	--	1	--	*	*	-0-
# Homicide	2	--	2	--	--	1	1	*	*	*

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Franklin County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	495	81	169	139	69	33	4	494	--	3
Sex	Male	265	40	87	87	39	11	1	264	--	3
	Female	230	41	82	52	30	22	3	230	--	--
Race	White	494	81	168	139	69	33	4			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	3	--	2	--	1	--	--			
Multiple births		12	2	2	6	2	--	--	12	--	--
Marital status	Married	324	14	103	117	60	26	4	324	--	--
	Single	171	67	66	22	9	7	--	170	--	2
Mother not high school graduate		113	43	43	13	6	8	--	113	--	2
Birthweight	Very low (0-1,499 Grams)	5	--	2	--	2	1	--	5	--	--
	Low (0-2,499 Grams)	33	6	14	4	5	4	--	33	--	--
Caesarian section	Primary	59	8	11	25	8	7	--	59	--	--
	Secondary	41	1	8	16	9	6	1	41	--	--
Trimester prenatal care began	First	392	53	132	119	58	28	2	391	--	1
	Third or no care	15	7	3	2	2	1	--	15	--	1
First birth		182	64	65	37	13	3	--	182	--	--
2000 Percentages²											
Live births	Total	100.0	16.4	34.1	28.1	13.9	6.7	*	99.8	-0-	*
Sex	Male	53.5	*	51.5	62.6	*	*	*	53.4	*	100.0
	Female	46.5	*	48.5	37.4	*	*	*	46.6	-0-	-0-
Race	White	99.8	*	34.0	28.1	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	*	-0-	-0-			
Multiple births		2.4	*	*	*	*	-0-	-0-	2.4	-0-	-0-
Marital status	Married	65.5	*	60.9	84.2	*	*	*	65.6	-0-	*
	Single	*	82.7	39.1	15.8	*	*	-0-	34.4	-0-	*
Mother not high school graduate		22.9	*	25.4	9.4	*	*	-0-	22.9	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	-0-	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.7	*	8.3	*	*	*	-0-	6.7	-0-	-0-
Caesarian section	Primary	11.9	*	6.5	18.0	*	*	-0-	11.9	-0-	-0-
	Secondary	8.3	*	*	11.5	*	*	*	8.3	-0-	-0-
Trimester prenatal care began	First	81.0	*	80.0	86.2	*	*	*	81.0	-0-	*
	Third or no care	3.1	*	*	*	*	*	-0-	3.1	-0-	*
First birth		36.8	*	38.5	26.6	*	*	-0-	36.8	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	16.9	31.8	29.8	14.6	5.9	1.0	99.6	*	0.7
Sex	Male	48.9	49.2	48.0	49.3	50.9	47.8	*	49.0	*	*
	Female	51.1	50.8	52.0	50.7	49.1	52.2	*	51.0	-0-	*
Race	White	99.6	16.9	31.7	29.9	14.6	5.9	1.0			
	Black	*	-0-	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	.7	*	*	*	*	-0-	-0-			
Multiple births		2.5	*	2.3	2.6	3.0	*	-0-	2.5	-0-	*
Marital status	Married	67.8	29.6	63.4	81.2	88.4	78.7	*	67.8	-0-	*
	Single	32.2	70.4	36.6	18.8	11.6	21.3	*	32.2	*	*
Mother not high school graduate		22.5	62.3	22.1	9.0	10.1	11.8	*	22.5	-0-	*
Birthweight	Very low (0-1,499 Grams)	1.7	2.8	1.4	*	*	*	*	1.7	-0-	-0-
	Low (0-2,499 Grams)	8.3	10.6	8.0	5.1	8.9	16.9	*	8.3	-0-	*
Caesarian section	Primary	12.1	7.5	11.6	13.1	14.0	19.1	*	12.0	*	-0-
	Secondary	6.6	*	3.4	9.5	11.0	14.7	*	6.6	-0-	*
Trimester prenatal care began	First	83.8	75.0	84.8	86.2	86.8	85.7	*	83.9	-0-	*
	Third or no care	2.1	3.4	1.6	1.8	*	*	-0-	2.0	*	*
First birth		36.5	74.7	39.4	25.8	19.0	11.0	*	36.4	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Franklin County - 2000

Population Estimates	
Total	39,000
Under 65 Years	31,740
65 and Older	7,260

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	592	3	--	--	4	8	22	34	39	101	210	171
Male	275	1	--	--	3	6	14	16	25	56	97	57
Female	317	2	--	--	1	2	8	18	14	45	113	114
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	592	3	--	--	4	8	22	34	39	101	210	171
Male	275	1	--	--	3	6	14	16	25	56	97	57
Female	317	2	--	--	1	2	8	18	14	45	113	114
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	592	--	592	--	--	110	482	1,517.9	346.6	6,639.1
5-Year Average (1996-2000)	568	<1	568	--	<1	114	454	1418.8	353.6	5,871.1
Infectious and parasitic diseases	10	--	10	--	--	2	8	25.6	*	*
# Septicemia	9	--	9	--	--	1	8	*	*	*
# Viral hepatitis	1	--	1	--	--	1	--	*	*	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-
# Malignant neoplasms	149	--	149	--	--	31	118	382.1	97.7	1,625.3
Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*
Colorectal	17	--	17	--	--	3	14	43.6	*	192.8
Bronchus and lung	46	--	46	--	--	11	35	117.9	34.7	482.1
Female breast	11	--	11	--	--	2	9	28.2 ³	* ³	* ³
Cervical	1	--	1	--	--	1	--	* ³	* ³	-0. ³
Prostate	12	--	12	--	--	--	12	30.8 ³	-0. ³	165.3 ³
# Diabetes mellitus	25	--	25	--	--	7	18	64.1	*	247.9
# Alzheimer's disease	22	--	22	--	--	1	21	56.4	*	289.3
Major cardiovascular diseases	204	--	204	--	--	25	179	523.1	78.8	2,465.6
# Diseases of heart	169	--	169	--	--	21	148	433.3	66.2	2,038.6
Ischemic heart disease	115	--	115	--	--	14	101	294.9	44.1	1,391.2
# Cerebrovascular diseases	30	--	30	--	--	4	26	76.9	*	358.1
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	-0-	*
Respiratory diseases	74	--	74	--	--	7	67	189.7	*	922.9
# Influenza and pneumonia	18	--	18	--	--	3	15	46.2	*	206.6
# Chronic lower respiratory diseases	41	--	41	--	--	3	38	105.1	*	523.4
Emphysema	8	--	8	--	--	--	8	*	-0-	*
Asthma	1	--	1	--	--	--	1	*	-0-	*
# Chronic liver disease and cirrhosis	4	--	4	--	--	1	3	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	16	--	16	--	--	2	14	41.0	*	192.8
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	2	--	2	--	--	2	--	*	*	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	29	--	29	--	--	20	9	74.4	63.0	*
# Accidents	24	--	24	--	--	15	9	61.5	47.3	*
Motor vehicle accidents	18	--	18	--	--	12	6	46.2	37.8	*
All other accidents	6	--	6	--	--	3	3	*	*	*
# Suicide	4	--	4	--	--	4	--	*	*	-0-
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Fulton County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	431	45	150	128	64	35	9	426	3	2
Sex	Male	223	20	79	63	40	16	5	219	3	1
	Female	208	25	71	65	24	19	4	207	--	1
Race	White	426	45	148	125	64	35	9			
	Black	3	--	2	1	--	--	--			
Ethnicity	Hispanic ¹	2	--	1	--	--	1	--			
Multiple births		13	2	2	7	2	--	--	13	--	--
Marital status	Married	300	9	89	106	58	30	8	298	1	--
	Single	131	36	61	22	6	5	1	128	2	--
Mother not high school graduate		61	22	28	7	2	2	--	60	1	1
Birthweight	Very low (0-1,499 Grams)	6	2	2	2	--	--	--	6	--	--
	Low (0-2,499 Grams)	26	4	7	9	4	1	1	25	1	--
Caesarian section	Primary	77	11	26	22	13	1	4	77	--	--
	Secondary	51	--	15	13	12	11	--	50	1	1
Trimester prenatal care began	First	380	35	134	111	59	33	8	375	3	1
	Third or no care	14	3	5	5	1	--	--	14	--	1
First birth		141	34	57	33	15	1	1	139	1	--
2000 Percentages²											
Live births	Total	100.0	10.4	34.8	29.7	14.8	8.1	*	98.8	*	*
Sex	Male	51.7	*	52.7	49.2	*	*	*	51.4	*	50.0
	Female	48.3	*	47.3	50.8	*	*	*	48.6	-0-	*
Race	White	98.8	*	34.7	29.3	*	*	*			
	Black	*	-0-	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	-0-	*	-0-			
Multiple births		3.0	*	*	*	*	-0-	-0-	3.1	-0-	-0-
Marital status	Married	69.6	*	59.3	82.8	*	*	*	70.0	*	*
	Single	*	80.0	40.7	17.2	*	*	*	30.0	*	-0-
Mother not high school graduate		14.2	*	18.7	*	*	*	-0-	14.1	*	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.0	*	*	*	*	*	*	5.9	*	-0-
Caesarian section	Primary	17.9	*	17.3	17.2	*	*	*	18.1	-0-	-0-
	Secondary	11.8	-0-	10.0	10.2	*	*	-0-	11.7	*	*
Trimester prenatal care began	First	88.2	*	89.3	86.7	*	*	*	88.0	*	*
	Third or no care	3.2	*	*	*	*	-0-	-0-	3.3	-0-	*
First birth		32.7	*	38.0	25.8	*	*	-0-	32.6	*	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	14.5	34.2	27.8	16.1	6.5	.9	99.6	*	0.7
Sex	Male	52.1	54.8	51.4	50.4	54.7	48.1	*	52.1	*	*
	Female	47.9	45.2	48.6	49.6	45.3	51.9	*	47.9	*	*
Race	White	99.6	14.5	34.3	27.7	16.1	6.5	.9			
	Black	*	*	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	.7	*	*	*	*	*	-0-			
Multiple births		2.4	*	1.7	2.6	3.6	*	-0-	2.4	-0-	-0-
Marital status	Married	67.7	21.6	59.4	83.5	89.8	90.4	*	67.9	*	*
	Single	32.3	78.4	40.6	16.5	10.2	9.6	*	32.1	*	*
Mother not high school graduate		15.6	51.2	16.9	5.7	3.0	*	*	15.5	*	*
Birthweight	Very low (0-1,499 Grams)	1.3	*	*	*	*	*	-0-	1.2	*	*
	Low (0-2,499 Grams)	6.7	7.6	7.0	5.5	6.6	7.4	*	6.6	*	*
Caesarian section	Primary	17.6	17.6	17.9	16.6	18.0	16.3	*	17.6	*	*
	Secondary	12.0	*	9.6	14.7	16.2	26.7	*	12.0	*	*
Trimester prenatal care began	First	87.4	77.1	86.9	89.9	93.1	89.6	*	87.4	*	*
	Third or no care	1.9	4.3	1.5	*	*	*	-0-	1.9	-0-	*
First birth		34.3	74.8	38.6	23.2	18.9	10.4	*	34.1	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Fulton County - 2000

Population Estimates	
Total	38,200
Under 65 Years	31,200
65 and Older	7,000

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	493	1	--	2	2	4	8	18	41	104	165	148
Male	255	1	--	2	--	2	5	9	22	60	93	61
Female	238	--	--	2	2	3	3	9	19	44	72	87
Black	1	--	--	--	--	--	--	--	--	--	1	--
Male	1	--	--	--	--	--	--	--	--	--	1	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	492	1	--	2	2	4	8	18	41	104	164	148
Male	254	1	--	2	--	2	5	9	22	60	92	61
Female	238	--	--	--	2	2	3	9	19	44	72	87
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	3	--	--	1	--	--	--	--	--	1	1	--
Male	2	--	--	1	--	--	--	--	--	1	--	--
Female	1	--	--	--	--	--	--	--	--	--	1	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	493	1	492	--	3	76	417	1,290.6	243.6	5,957.1	
5-Year Average (1996-2000)	473	3	470	<1	1	81	392	1226.5	258.1	5,508.7	
# Infectious and parasitic diseases	4	--	4	--	--	--	4	*	-0-	*	
# Septicemia	3	--	3	--	--	--	3	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	110	1	109	--	--	23	87	288.0	73.7	1,242.9	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	13	--	13	--	--	2	11	34.0	*	157.1	
Bronchus and lung	28	--	28	--	--	9	19	73.3	*	271.4	
Female breast	7	--	7	--	--	2	5	* ³	* ³	* ³	
Cervical	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
Prostate	8	--	8	--	--	--	8	* ³	-0- ³	* ³	
# Diabetes mellitus	27	--	27	--	1	7	20	70.7	*	285.7	
# Alzheimer's disease	14	--	14	--	--	--	14	36.6	-0-	200.0	
Major cardiovascular diseases	192	--	192	--	1	19	173	502.6	60.9	2,471.4	
# Diseases of heart	142	--	142	--	--	16	126	371.7	51.3	1,800.0	
Ischemic heart disease	110	--	110	--	--	12	98	288.0	38.5	1,400.0	
# Cerebrovascular diseases	43	--	43	--	1	3	40	112.6	*	571.4	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	2	--	2	--	--	--	2	*	-0-	*	
Respiratory diseases	51	--	51	--	1	6	45	133.5	*	642.9	
# Influenza and pneumonia	15	--	15	--	1	2	13	39.3	*	185.7	
# Chronic lower respiratory diseases	25	--	25	--	--	3	22	65.4	*	314.3	
Emphysema	2	--	2	--	--	--	2	*	-0-	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	5	--	5	--	--	1	4	*	*	*	
# Nephritis, nephrotic syndrome and nephrosis	10	--	10	--	--	1	9	26.2	*	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	22	--	22	--	--	11	11	57.6	35.3	157.1	
# Accidents	17	--	17	--	--	7	10	44.5	*	142.9	
Motor vehicle accidents	8	--	8	--	--	4	4	*	*	*	
All other accidents	9	--	9	--	--	3	6	*	*	*	
# Suicide	3	--	3	--	--	3	--	*	*	-0-	
# Homicide	1	--	1	--	--	1	--	*	*	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Gallatin County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	75	16	18	23	8	7	2	75	--	--
Sex	Male	45	9	12	16	6	2	--	45	--	--
	Female	30	7	6	7	2	5	2	30	--	--
Race	White	75	16	18	23	8	7	2			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple births		--	--	--	--	--	--	--	--	--	--
Marital status	Married	47	4	12	20	3	6	1	47	--	--
	Single	28	12	6	3	5	1	1	28	--	--
Mother not high school graduate		23	11	7	1	2	2	--	23	--	--
Birthweight	Very low (0-1,499 Grams)	1	--	--	--	1	--	--	1	--	--
	Low (0-2,499 Grams)	1	--	--	--	1	--	--	1	--	--
Caesarian section	Primary	12	2	2	6	1	--	--	12	--	--
	Secondary	4	1	--	1	--	1	1	4	--	--
Trimester prenatal care began	First	58	10	15	19	6	6	1	58	--	--
	Third or no care	7	2	1	1	1	1	1	7	--	--
First birth		32	14	6	9	3	--	--	32	--	--
2000 Percentages²											
Live births	Total	*	*	*	*	*	*	*	*	-0-	-0-
Sex	Male	*	*	*	*	*	*	-0-	*	-0-	.
	Female	*	*	*	*	*	*	*	*	-0-	-0-
Race	White	*	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple births		-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Marital status	Married	*	*	*	*	*	*	*	*	-0-	-0-
	Single	*	75.0	33.3	*	*	*	*	*	-0-	-0-
Mother not high school graduate		-0-	*	*	*	*	*	-0-	*	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
Caesarian section	Primary	*	*	*	*	*	-0-	-0-	*	-0-	-0-
	Secondary	*	*	-0-	*	-0-	*	*	*	-0-	-0-
Trimester prenatal care began	First	*	*	*	*	*	*	*	*	-0-	-0-
	Third or no care	*	*	*	*	*	*	*	*	-0-	-0-
First birth		*	*	*	*	*	-0-	*	*	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	15.7	35.7	28.3	12.9	5.8	*	99.4	*	*
Sex	Male	56.3	*	53.4	*	*	*	-0-	56.3	*	*
	Female	43.7	*	46.6	*	*	*	*	43.7	-0-	*
Race	White	99.4	15.8	35.6	28.2	13.0	5.9	*			
	Black	*	-0-	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	*	*	-0-	-0-	*	-0-	-0-
Marital status	Married	70.2	*	69.0	*	*	*	*	70.0	*	*
	Single	29.8	*	31.0	*	*	*	*	30.0	-0-	*
Mother not high school graduate		23.8	*	25.0	*	*	*	-0-	23.9	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	-0-	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	4.3	*	*	*	*	-0-	-0-	4.3	-0-	-0-
Caesarian section	Primary	14.2	*	14.7	*	*	*	-0-	14.2	-0-	*
	Secondary	6.2	*	*	*	*	*	*	6.2	-0-	-0-
Trimester prenatal care began	First	80.3	*	81.9	*	*	*	*	80.2	*	*
	Third or no care	5.5	11.8	*	*	*	*	*	5.6	-0-	-0-
First birth		35.7	74.5	35.3	*	*	*	*	35.6	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Gallatin County - 2000

Population Estimates	
Total	6,400
Under 65 Years	5,220
65 and Older	1,180

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	91	1	--	1	1	2	2	6	10	18	23	27
Male	49	1	--	1	1	2	2	5	7	13	8	9
Female	42	--	--	--	--	--	--	1	3	5	15	18
Black	1	--	--	--	--	--	--	--	--	--	1	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	1	--
White	90	1	--	1	1	2	2	6	10	18	22	27
Male	49	1	--	1	1	2	2	5	7	13	8	9
Female	41	--	--	--	--	--	--	1	3	5	14	18
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	91	1	90	--	--	23	68	1,421.9	440.6	5,762.7	
5-Year Average (1996-2000)	87	1	86	--	<1	19	68	1330.3	354.0	5,544.7	
Infectious and parasitic diseases	2	1	1	--	--	1	1	*	*	*	
# Septicemia	1	1	--	--	--	--	1	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	16	--	16	--	--	3	13	250.0	*	1,101.7	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	1	--	1	--	--	--	1	*	-0-	*	
Bronchus and lung	6	--	6	--	--	--	6	*	-0-	*	
Female breast	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
# Diabetes mellitus	3	--	3	--	--	--	3	*	-0-	*	
# Alzheimer's disease	1	--	1	--	--	--	1	*	-0-	*	
Major cardiovascular diseases	39	--	39	--	--	7	32	609.4	*	2,711.9	
# Diseases of heart	30	--	30	--	--	7	23	468.8	*	1,949.2	
Ischemic heart disease	19	--	19	--	--	5	14	296.9	*	1,186.4	
# Cerebrovascular diseases	6	--	6	--	--	--	6	*	-0-	*	
# Atherosclerosis	2	--	2	--	--	--	2	*	-0-	*	
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-	
Respiratory diseases	10	--	10	--	--	1	9	156.3	*	*	
# Influenza and pneumonia	3	--	3	--	--	--	3	*	-0-	*	
# Chronic lower respiratory diseases	5	--	5	--	--	--	5	*	-0-	*	
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Nephritis, nephrotic syndrome and nephrosis	3	--	3	--	--	--	3	*	-0-	*	
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	7	--	7	--	--	7	--	*	*	-0-	
# Accidents	6	--	6	--	--	6	--	*	*	-0-	
Motor vehicle accidents	3	--	3	--	--	3	--	*	*	-0-	
All other accidents	3	--	3	--	--	3	--	*	*	-0-	
# Suicide	1	--	1	--	--	1	--	*	*	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Greene County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	170	24	66	35	33	11	1	168	--	--
Sex	Male	88	14	35	19	14	6	--	88	--	--
	Female	82	10	31	16	19	5	1	80	--	--
Race	White	168	24	65	35	33	10	1			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple births		--	--	--	--	--	--	--	--	--	--
Marital status	Married	119	7	40	33	30	8	1	118	--	--
	Single	51	17	26	2	3	3	--	50	--	--
Mother not high school graduate		24	13	8	2	1	--	--	24	--	--
Birthweight	Very low (0-1,499 Grams)	1	--	1	--	--	--	--	1	--	--
	Low (0-2,499 Grams)	6	3	1	1	1	--	--	6	--	--
Caesarian section	Primary	29	4	13	4	6	2	--	28	--	--
	Secondary	20	1	6	5	4	4	--	20	--	--
Trimester prenatal care began	First	--	19	61	32	31	10	1	152	--	--
	Third or no care	0	--	0	--	--	--	--	--	--	--
First birth		69	16	34	10	8	1	--	68	--	--
2000 Percentages²											
Live births	Total	100.0	14.1	38.8	20.6	19.4	6.5	*	98.8	-0-	-0-
Sex	Male	51.8	*	*	*	*	*	-0-	52.4	-0-	.
	Female	48.2	*	*	*	*	*	*	47.6	-0-	-0-
Race	White	98.8	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple births		-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Marital status	Married	70.0	*	*	*	*	*	*	70.2	-0-	-0-
	Single	*	70.8	39.4	*	*	*	-0-	29.8	-0-	-0-
Mother not high school graduate		-0-	*	*	*	*	-0-	-0-	14.3	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
	low (0-2,499 Grams)	*	*	*	*	*	-0-	-0-	*	-0-	-0-
Caesarian section	Primary	17.1	*	*	*	*	*	-0-	16.7	-0-	-0-
	Secondary	11.8	*	*	*	*	*	-0-	11.9	-0-	-0-
Trimester prenatal care began	First	90.6	*	*	*	*	*	*	90.5	-0-	-0-
	Third or no care	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
First birth		40.6	*	*	*	*	*	-0-	40.5	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	14.1	36.2	24.9	17.8	5.9	1.1	99.3	*	*
Sex	Male	49.0	55.0	49.4	47.6	41.4	*	*	49.2	*	*
	Female	51.0	45.0	50.6	52.4	58.6	*	*	50.8	*	*
Race	White	99.3	14.1	36.1	25.1	17.8	5.8	1.1			
	Black	*	*	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	*	*	-0-			
Multiple births		2.6	-0-	3.0	*	*	*	-0-	2.6	-0-	-0-
Marital status	Married	71.5	28.7	66.1	87.2	89.5	*	*	71.7	-0-	*
	Single	28.5	71.3	33.9	12.8	10.5	*	*	28.3	*	*
Mother not high school graduate		17.1	57.4	17.3	4.4	6.8	*	*	17.0	*	*
Birthweight	Very low (0-1,499 Grams)	1.1	-0-	*	*	*	*	-0-	1.1	-0-	-0-
	Low (0-2,499 Grams)	6.0	*	5.8	5.7	9.3	*	*	6.0	-0-	*
Caesarian section	Primary	14.9	17.8	15.2	11.0	17.3	*	-0-	14.8	-0-	*
	Secondary	9.3	*	6.1	14.1	11.1	*	-0-	9.3	*	-0-
Trimester prenatal care began	First	87.8	77.5	87.9	90.7	92.0	*	*	87.9	*	*
	Third or no care	1.9	3.9	*	*	*	*	*	1.8	*	-0-
First birth		34.3	75.2	42.1	22.0	14.2	*	*	34.3	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Greene County - 2000

Population Estimates	
Total	14,700
Under 65 Years	12,130
65 and Older	2,570

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	196	1	--	--	--	1	7	11	15	35	64	62
Male	97	1	--	--	--	--	5	7	10	23	30	21
Female	99	--	--	--	--	1	2	4	5	12	34	41
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	196	1	--	--	--	1	7	11	15	35	64	62
Male	97	1	--	--	--	--	5	7	10	23	30	21
Female	99	--	--	--	--	1	2	4	5	12	34	41
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	196	--	196	--	--	35	161	1,333.3	288.5	6,264.6	
5-Year Average (1996-2000)	190	<1	190	--	<1	36	154	1237.3	287.1	5,492.9	
# Infectious and parasitic diseases	1	--	1	--	--	--	1	*	-0-	*	
# Septicemia	1	--	1	--	--	--	1	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	51	--	51	--	--	8	43	346.9	*	1,673.2	
# Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Colorectal	5	--	5	--	--	1	4	*	*	*	
# Bronchus and lung	10	--	10	--	--	1	9	68.0	*	*	
# Female breast	3	--	3	--	--	--	3	* ³	-0- ³	* ³	
# Cervical	1	--	1	--	--	1	--	* ³	* ³	-0- ³	
# Prostate	4	--	4	--	--	--	4	* ³	-0- ³	* ³	
# Diabetes mellitus	5	--	5	--	--	--	5	*	-0-	*	
# Alzheimer's disease	0	--	--	--	--	--	--	-0-	-0-	-0-	
# Major cardiovascular diseases	90	--	90	--	--	15	75	612.2	123.7	2,918.3	
# Diseases of heart	76	--	76	--	--	14	62	517.0	115.4	2,412.5	
# Ischemic heart disease	58	--	58	--	--	10	48	394.6	82.4	1,867.7	
# Cerebrovascular diseases	8	--	8	--	--	--	8	*	-0-	*	
# Atherosclerosis	2	--	2	--	--	--	2	*	-0-	*	
# Aortic aneurysm and dissection	2	--	2	--	--	--	2	*	-0-	*	
# Respiratory diseases	21	--	21	--	--	2	19	142.9	*	739.3	
# Influenza and pneumonia	6	--	6	--	--	--	6	*	-0-	*	
# Chronic lower respiratory diseases	11	--	11	--	--	--	11	74.8	-0-	428.0	
# Emphysema	1	--	1	--	--	--	1	*	-0-	*	
# Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Nephritis, nephrotic syndrome and nephrosis	2	--	2	--	--	--	2	*	-0-	*	
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-	
# Congenital malformations	1	--	1	--	--	--	1	*	-0-	*	
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
# External causes	7	--	7	--	--	4	3	*	*	*	
# Accidents	3	--	3	--	--	3	--	*	*	-0-	
# Motor vehicle accidents	3	--	3	--	--	3	--	*	*	-0-	
# All other accidents	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Suicide	4	--	4	--	--	1	3	*	*	*	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Grundy County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	493	34	134	140	122	51	12	492	--	32
Sex	Male	264	17	77	74	64	23	9	263	--	20
	Female	229	17	57	66	58	28	3	229	--	12
Race	White	492	34	133	140	122	51	12			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	32	4	10	8	7	3	--			
Multiple births		8	--	--	--	4	4	--	8	--	2
Marital status	Married	370	7	88	117	104	43	11	370	--	24
	Single	123	27	46	23	18	8	1	122	--	8
Mother not high school graduate		59	18	20	10	6	4	1	59	--	13
Birthweight	Very low (0-1,499 Grams)	7	--	2	--	4	1	--	7	--	1
	Low (0-2,499 Grams)	30	--	7	5	12	5	1	30	--	4
Caesarian section	Primary	78	4	22	18	27	5	2	78	--	4
	Secondary	52	1	8	9	19	14	1	52	--	4
Trimester prenatal care began	First	448	24	123	129	113	47	12	447	--	26
	Third or no care	13	3	2	4	2	2	--	13	--	1
First birth		144	23	59	35	24	3	--	144	--	9
2000 Percentages²											
Live births	Total	100.0	6.9	27.2	28.4	24.7	10.3	2.4	99.8	-0-	6.5
Sex	Male	53.5	*	57.5	52.9	52.5	*	*	53.5	*	62.5
	Female	46.5	*	42.5	47.1	47.5	*	*	46.5	-0-	*
Race	White	99.8	*	27.0	28.5	24.8	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	6.5	*	31.3	*	*	*	-0-			
Multiple births		*	-0-	-0-	-0-	*	*	-0-	*	-0-	*
Marital status	Married	75.1	*	65.7	83.6	85.2	*	*	75.2	-0-	*
	Single	*	79.4	34.3	16.4	14.8	*	*	24.8	-0-	*
Mother not high school graduate		*	*	14.9	7.1	*	*	*	12.0	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	-0-	*	*	-0-	*	-0-	*
	Low (0-2,499 Grams)	6.1	-0-	*	*	9.8	*	*	6.1	-0-	*
Caesarian section	Primary	15.8	*	16.4	12.9	22.1	*	*	15.9	-0-	*
	Secondary	10.5	*	*	*	15.6	*	*	10.6	-0-	*
Trimester prenatal care began	First	91.2	*	92.5	92.8	92.6	*	*	91.2	-0-	*
	Third or no care	2.6	*	*	*	*	*	-0-	2.7	-0-	*
First birth		29.2	*	44.0	25.0	19.7	*	-0-	29.3	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	9.6	23.8	32.5	23.0	9.8	1.4	99.1	*	6.2
Sex	Male	51.4	53.0	54.5	51.4	47.7	50.2	*	51.6	*	50.0
	Female	48.6	47.0	45.5	48.6	52.3	49.8	*	48.4	*	50.0
Race	White	99.1	9.6	23.8	32.5	23.0	9.8	1.4			
	Black	*	*	*	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	6.2	20.0	25.3	32.7	14.7	6.7	*			
Multiple births		3.1	-0-	2.1	1.3	7.8	*	-0-	3.1	-0-	*
Marital status	Married	76.8	27.4	64.6	85.9	90.4	91.1	*	76.9	*	70.7
	Single	23.2	72.6	35.4	14.1	9.6	8.9	*	23.1	*	29.3
Mother not high school graduate		11.6	47.8	13.1	6.8	4.7	5.5	*	11.5	*	44.7
Birthweight	Very low (0-1,499 Grams)	1.2	*	*	*	*	*	-0-	1.1	*	*
	Low (0-2,499 Grams)	6.1	5.2	6.3	4.1	9.0	6.4	*	6.1	*	6.7
Caesarian section	Primary	14.3	14.3	14.0	14.1	17.2	9.4	*	14.2	*	11.3
	Secondary	9.5	*	5.9	8.4	14.6	17.9	*	9.5	*	9.3
Trimester prenatal care began	First	89.3	70.4	87.9	93.1	92.0	91.9	*	89.5	*	78.5
	Third or no care	2.2	5.2	2.4	1.4	*	*	-0-	2.1	*	*
First birth		31.4	74.8	42.6	28.9	15.7	11.1	*	31.3	*	32.0

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Grundy County - 2000

Population Estimates	
Total	37,700
Under 65 Years	33,080
65 and Older	4,620

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	320	4	1	--	3	3	9	14	26	49	97	114
Male	167	3	--	--	3	2	8	7	15	30	47	52
Female	153	1	1	--	--	1	1	7	11	19	50	62
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	320	4	1	--	3	3	9	14	26	49	97	114
Male	167	3	--	--	3	2	8	7	15	30	47	52
Female	153	1	1	--	--	1	1	7	11	19	50	62
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	1	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	1	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	320	--	320	--	1	60	260	848.8	181.4	5,627.7
5-Year Average (1996-2000)	312	<1	311	<1	2	69	242	862.3	220.2	5,226.4
# Infectious and parasitic diseases	11	--	11	--	--	4	7	29.2	*	*
# Septicemia	7	--	7	--	--	1	6	*	*	*
# Viral hepatitis	1	--	1	--	--	1	--	*	*	-0-
# HIV disease	1	--	1	--	--	1	--	*	*	-0-
# Malignant neoplasms	82	--	82	--	--	15	67	217.5	45.3	1,450.2
# Lip, oral cavity and pharynx	2	--	2	--	--	1	1	*	*	*
# Colorectal	9	--	9	--	--	1	8	*	*	*
# Bronchus and lung	23	--	23	--	--	5	18	61.0	*	389.6
# Female breast	4	--	4	--	--	1	3	* ³	* ³	* ³
# Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
# Prostate	8	--	8	--	--	--	8	* ³	-0- ³	* ³
# Diabetes mellitus	8	--	8	--	--	1	7	*	*	*
# Alzheimer's disease	9	--	9	--	--	1	8	*	*	*
# Major cardiovascular diseases	117	--	117	--	--	16	101	310.3	48.4	2,186.1
# Diseases of heart	92	--	92	--	--	13	79	244.0	39.3	1,710.0
# Ischemic heart disease	64	--	64	--	--	10	54	169.8	30.2	1,168.8
# Cerebrovascular diseases	17	--	17	--	--	3	14	45.1	*	303.0
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*
# Aortic aneurysm and dissection	3	--	3	--	--	--	3	*	-0-	*
# Respiratory diseases	35	--	35	--	--	5	30	92.8	*	649.4
# Influenza and pneumonia	11	--	11	--	--	2	9	29.2	*	*
# Chronic lower respiratory diseases	18	--	18	--	--	2	16	47.7	*	346.3
# Emphysema	1	--	1	--	--	1	--	*	*	-0-
# Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Nephritis, nephrotic syndrome and nephrosis	7	--	7	--	--	--	7	*	-0-	*
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
# External causes	24	--	24	--	1	13	11	63.7	39.3	238.1
# Accidents	20	--	20	--	1	9	11	53.1	*	238.1
# Motor vehicle accidents	6	--	6	--	1	4	2	*	*	*
# All other accidents	14	--	14	--	--	5	9	37.1	*	*
# Suicide	2	--	2	--	--	2	--	*	*	-0-
# Homicide	2	--	2	--	--	2	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Hamilton County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	100	15	34	32	10	8	1	100	--	1
Sex	Male	52	7	14	20	5	5	1	52	--	1
	Female	48	8	20	12	5	3	--	48	--	--
Race	White	100	15	34	32	10	8	1			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	--	--	1	--			
Multiple births		2	--	2	--	--	--	--	2	--	--
Marital status	Married	74	3	25	28	9	8	1	74	--	--
	Single	26	12	9	4	1	--	--	26	--	--
Mother not high school graduate		21	10	5	3	1	2	--	21	--	1
Birthweight	Very low (0-1,499 Grams)	2	--	2	--	--	--	--	2	--	--
	Low (0-2,499 Grams)	5	1	2	--	1	1	--	5	--	1
Caesarian section	Primary	13	2	5	2	4	--	--	13	--	--
	Secondary	8	--	2	3	2	1	--	8	--	1
Trimester prenatal care began	First	86	13	32	26	7	7	1	86	--	--
	Third or no care	4	1	1	2	--	--	--	4	--	--
First birth		40	13	15	8	3	1	--	40	--	--
2000 Percentages²											
Live births	Total	100.0	15.0	34.0	32.0	10.0	*	*	100.0	-0-	*
Sex	Male	52.0	*	*	*	*	*	*	52.0	*	100.0
	Female	48.0	*	*	*	*	*	-0-	48.0	-0-	-0-
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	-0-	-0-	*	-0-			
Multiple births		*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
Marital status	Married	74.0	*	*	*	*	*	*	74.0	-0-	*
	Single	*	80.0	26.5	*	*	-0-	-0-	26.0	-0-	-0-
Mother not high school graduate		*	*	*	*	*	-0-	21.0	-0-	*	
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
	low (0-2,499 Grams)	*	*	*	-0-	*	*	-0-	*	-0-	*
Caesarian section	Primary	13.0	*	*	*	*	-0-	-0-	13.0	-0-	-0-
	Secondary	*	-0-	*	*	*	*	-0-	*	-0-	*
Trimester prenatal care began	First	86.9	*	*	*	*	*	*	86.9	-0-	-0-
	Third or no care	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
First birth		40.0	*	*	*	*	-0-	40.0	-0-	-0-	
Percentages² based on 1996-2000 average											
Live births	Total	100.0	12.7	33.8	31.3	15.4	6.3	*	100.0	-0-	*
Sex	Male	54.6	*	53.0	56.5	*	*	*	54.6	-0-	*
	Female	45.4	*	47.0	43.5	*	*	*	45.4	-0-	*
Race	White	100	12.7	33.8	31.3	15.4	6.3	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	-0-	*	*	-0-			
Multiple births		3.2	-0-	*	*	*	-0-	-0-	3.2	-0-	-0-
Marital status	Married	78.2	*	73.8	85.5	*	*	*	78.2	-0-	*
	Single	21.8	*	26.2	14.5	*	-0-	-0-	21.8	-0-	*
Mother not high school graduate		15.9	*	16.1	*	*	*	-0-	15.9	-0-	*
Birthweight	Very low (0-1,499 Grams)	2.3	*	*	*	-0-	*	-0-	2.3	-0-	-0-
	Low (0-2,499 Grams)	8.2	*	7.4	*	*	*	*	8.2	-0-	*
Caesarian section	Primary	14.1	*	11.4	12.3	*	*	-0-	14.1	-0-	*
	Secondary	7.0	*	*	8.0	*	*	-0-	7.0	-0-	*
Trimester prenatal care began	First	86.0	*	89.8	83.9	*	*	*	86.0	-0-	*
	Third or no care	3.0	5.4	*	*	*	*	-0-	3.0	-0-	-0-
First birth		36.1	78.6	42.3	24.6	*	*	-0-	36.1	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Hamilton County - 2000

Population Estimates	
Total	8,600
Under 65 Years	6,950
65 and Older	1,650

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	107	1	--	--	--	1	2	11	9	18	34	31
Male	53	--	--	--	--	--	2	6	7	13	18	7
Female	54	1	--	--	--	1	--	5	2	5	16	24
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	107	1	--	--	--	1	2	11	9	18	34	31
Male	53	--	--	--	--	--	2	6	7	13	18	7
Female	54	1	--	--	--	1	--	5	2	5	16	24
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	107	--	107	--	--	24	83	1,244.2	345.3	5,030.3	
5-Year Average (1996-2000)	113	<1	113	--	--	20	93	1325.5	300.9	5,272.7	
Infectious and parasitic diseases		1	--	1	--	--	1	*	-0-	*	
# Septicemia		1	--	1	--	--	1	*	-0-	*	
# Viral hepatitis		--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease		--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms		26	--	26	--	9	17	302.3	*	1,030.3	
Lip, oral cavity and pharynx		1	--	1	--	1	--	*	*	-0-	
Colorectal		6	--	6	--	1	5	*	*	*	
Bronchus and lung		8	--	8	--	2	6	-0-	*	*	
Female breast		--	--	--	--	--	--	* ³	-0- ³	-0- ³	
Cervical		--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate		--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
# Diabetes mellitus		0	--	--	--	--	--	-0-	-0-	-0-	
# Alzheimer's disease		0	--	--	--	--	--	-0-	-0-	-0-	
Major cardiovascular diseases		53	--	53	--	8	45	616.3	*	2,727.3	
# Diseases of heart		44	--	44	--	8	36	511.6	*	2,181.8	
Ischemic heart disease		24	--	24	--	5	19	279.1	*	1,151.5	
# Cerebrovascular diseases		5	--	5	--	--	5	*	-0-	*	
# Atherosclerosis		1	--	1	--	--	1	*	-0-	*	
# Aortic aneurysm and dissection		1	--	1	--	--	1	*	-0-	*	
Respiratory diseases		9	--	9	--	--	9	*	-0-	*	
# Influenza and pneumonia		2	--	2	--	--	2	*	-0-	*	
# Chronic lower respiratory diseases		5	--	5	--	--	5	*	-0-	*	
Emphysema		2	--	2	--	--	2	*	-0-	*	
Asthma		--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis		1	--	1	--	--	1	*	-0-	*	
# Nephritis, nephrotic syndrome and nephrosis		2	--	2	--	--	2	*	-0-	*	
# Certain perinatal conditions		1	--	1	--	--	--	*	*	-0-	
# Congenital malformations		--	--	--	--	--	--	-0-	-0-	-0-	
SIDS		--	--	--	--	--	--	-0-	-0-	-0-	
External causes		5	--	5	--	4	1	*	*	*	
# Accidents		4	--	4	--	3	1	*	*	*	
Motor vehicle accidents		3	--	3	--	3	--	*	*	-0-	
All other accidents		1	--	1	--	--	1	*	-0-	*	
# Suicide		--	--	--	--	--	--	-0-	-0-	-0-	
# Homicide		1	--	1	--	1	--	*	*	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Hancock County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	259	28	82	76	54	16	3	259	--	2
Sex	Male	126	14	41	33	31	6	1	126	--	--
	Female	133	14	41	43	23	10	2	133	--	2
Race	White	259	28	82	76	54	16	3			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	2	1	--	--	--	1	--			
Multiple births		8	--	4	2	2	--	--	8	--	--
Marital status	Married	188	3	49	66	52	15	3	188	--	--
	Single	71	25	33	10	2	1	--	71	--	1
Mother not high school graduate		22	12	6	3	1	--	--	22	--	--
Birthweight	Very low (0-1,499 Grams)	2	1	1	--	--	--	--	2	--	--
	Low (0-2,499 Grams)	16	3	7	4	2	--	--	16	--	--
Caesarian section	Primary	38	4	15	13	4	2	--	38	--	1
	Secondary	26	--	5	9	9	1	2	26	--	--
Trimester prenatal care began	First	212	22	60	64	48	15	3	212	--	2
	Third or no care	6	1	4	--	--	1	--	6	--	--
First birth		87	21	41	19	4	2	--	87	--	2
2000 Percentages²											
Live births	Total	100.0	10.8	31.7	29.3	20.8	6.2	*	100.0	-0-	*
Sex	Male	48.6	*	*	*	*	*	*	48.6	*	.0
	Female	51.4	*	*	*	*	*	*	51.4	-0-	*
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	-0-	-0-	*	-0-			
Multiple births		*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
Marital status	Married	72.6	*	*	*	*	*	*	72.6	-0-	*
	Single	*	89.3	40.2	*	*	*	-0-	27.4	-0-	*
Mother not high school graduate		*	*	*	*	*	-0-	-0-	8.5	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.2	*	*	*	*	-0-	-0-	6.2	-0-	-0-
Caesarian section	Primary	14.7	*	*	*	*	*	-0-	14.7	-0-	*
	Secondary	10.0	-0-	*	*	*	*	*	10.0	-0-	-0-
Trimester prenatal care began	First	82.2	*	*	*	*	*	*	82.2	-0-	*
	Third or no care	*	*	*	-0-	-0-	*	-0-	*	-0-	-0-
First birth		33.6	*	*	*	*	*	-0-	33.6	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	10.9	28.8	31.1	20.2	7.3	1.7	99.3	*	*
Sex	Male	49.6	49.2	48.3	48.9	50.9	*	*	49.6	-0-	*
	Female	50.4	50.8	51.7	51.1	49.1	*	*	50.4	*	*
Race	White	99.3	10.8	28.9	31.0	20.3	7.3	1.7			
	Black	*	*	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	*	*	-0-			
Multiple births		2.4	-0-	5.0	*	*	-0-	-0-	2.4	-0-	-0-
Marital status	Married	77.9	26.2	69.3	89.1	94.7	*	*	77.9	*	*
	Single	22.1	73.8	30.7	10.9	5.3	*	*	22.1	*	*
Mother not high school graduate		7.7	36.1	6.0	4.9	*	-0-	-0-	7.6	*	*
Birthweight	Very low (0-1,499 Grams)	1.0	*	*	*	*	*	-0-	1.0	-0-	-0-
	Low (0-2,499 Grams)	5.9	9.0	7.7	2.9	4.9	*	*	5.9	-0-	-0-
Caesarian section	Primary	13.6	18.0	17.0	12.1	9.3	*	*	13.4	*	*
	Secondary	9.6	*	5.3	12.9	13.3	*	*	9.6	-0-	*
Trimester prenatal care began	First	84.8	74.6	79.8	89.1	89.8	*	*	84.7	*	*
	Third or no care	1.3	2.5	*	*	-0-	*	*	1.4	-0-	-0-
First birth		31.8	78.7	42.7	25.9	9.7	*	-0-	31.7	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Hancock County - 2000

Population Estimates	
Total	20,100
Under 65 Years	16,430
65 and Older	3,670

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	258	1	--	--	--	2	5	15	23	40	83	89
Male	125	--	--	--	--	2	4	12	20	23	35	29
Female	133	1	--	--	--	--	1	3	3	17	48	60
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	258	1	--	--	--	2	5	15	23	40	83	89
Male	125	--	--	--	--	2	4	12	20	23	35	29
Female	133	1	--	--	--	--	1	3	3	17	48	60
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	258	--	258	--	--	46	212	1,283.6	280.0	5,776.6
5-Year Average (1996-2000)	238	--	237	<1	<1	44	193	1133.5	259.6	4,989.7
Infectious and parasitic diseases	4	--	4	--	--	1	3	*	*	*
# Septicemia	2	--	2	--	--	1	1	*	*	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	63	--	63	--	--	16	47	313.4	97.4	1,280.7
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	12	--	12	--	--	2	10	59.7	*	272.5
Bronchus and lung	21	--	21	--	--	5	16	104.5	*	436.0
Female breast	4	--	4	--	--	--	4	* ³	-0- ³	* ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	1	--	1	--	--	1	--	* ³	* ³	-0- ³
# Diabetes mellitus	2	--	2	--	--	--	2	*	-0-	*
# Alzheimer's disease	3	--	3	--	--	--	3	*	-0-	*
Major cardiovascular diseases	104	--	104	--	--	7	97	517.4	*	2,643.1
# Diseases of heart	72	--	72	--	--	6	66	358.2	*	1,798.4
Ischemic heart disease	59	--	59	--	--	5	54	293.5	*	1,471.4
# Cerebrovascular diseases	25	--	25	--	--	--	25	124.4	-0-	681.2
# Atherosclerosis	3	--	3	--	--	--	3	*	-0-	*
# Aortic aneurysm and dissection	3	--	3	--	--	1	2	*	*	*
Respiratory diseases	36	--	36	--	--	5	31	179.1	*	844.7
# Influenza and pneumonia	14	--	14	--	--	--	14	69.7	-0-	381.5
# Chronic lower respiratory diseases	16	--	16	--	--	4	12	79.6	*	327.0
Emphysema	4	--	4	--	--	--	4	*	-0-	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--	1	--	*	*	-0-
# Nephritis, nephrotic syndrome and nephrosis	4	--	4	--	--	1	3	*	*	*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	15	--	15	--	--	9	6	74.6	*	*
# Accidents	9	--	9	--	--	3	6	*	*	*
Motor vehicle accidents	4	--	4	--	--	3	1	*	*	*
All other accidents	5	--	5	--	--	--	5	*	-0-	*
# Suicide	6	--	6	--	--	6	--	*	*	-0-
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Hardin County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	37	10	11	8	4	3	1	37	--	--
Sex	Male	24	8	6	4	2	3	1	24	--	--
	Female	13	2	5	4	2	--	--	13	--	--
Race	White	37	10	11	8	4	3	1			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple births		--	--	--	--	--	--	--			
Marital status	Married	33	7	11	7	4	3	1	33	--	--
	Single	4	3	--	1	--	--	--	4	--	--
Mother not high school graduate		6	5	1	--	--	--	--	6	--	--
Birthweight	Very low (0-1,499 Grams)	1	1	--	--	--	--	--	1	--	--
	Low (0-2,499 Grams)	4	1	1	2	--	--	--	4	--	--
Caesarian section	Primary	5	2	1	1	--	1	--	5	--	--
	Secondary	6	--	3	1	2	--	--	6	--	--
Trimester prenatal care began	First	--	10	10	7	4	3	1	35	--	--
	Third or no care	0	--	0	--	--	--	--	--	--	--
First birth		14	7	5	1	--	1	--	14	--	--
2000 Percentages²											
Live births	Total	*	*	*	*	*	*	*	*	-0-	-0-
Sex	Male	*	*	*	*	*	*	*	*	-0-	.
	Female	*	*	*	*	*	-0-	-0-	*	-0-	-0-
Race	White	*	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple births		-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Marital status	Married	*	*	*	*	*	*	*	*	-0-	-0-
	Single	*	30.0	.0	*	-0-	-0-	-0-	*	-0-	-0-
Mother not high school graduate		-0-	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
Caesarian section	Primary	*	*	*	*	-0-	*	-0-	*	-0-	-0-
	Secondary	*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
Trimester prenatal care began	First	*	*	*	*	*	*	*	*	-0-	-0-
	Third or no care	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
First birth		*	*	*	*	-0-	*	-0-	*	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	21.3	38.3	23.0	11.3	5.7	*	99.1	-0-	-0-
Sex	Male	48.3	*	*	*	*	*	*	48.2	-0-	-0-
	Female	51.7	*	*	*	*	*	-0-	51.8	-0-	-0-
Race	White	99.1	21.5	38.6	22.4	11.4	5.7	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	*	-0-	-0-	-0-	-0-			
Marital status	Married	75.2	*	*	*	*	*	*	75.0	-0-	-0-
	Single	24.8	*	*	*	*	-0-	-0-	25.0	-0-	-0-
Mother not high school graduate		21.8	*	*	*	*	-0-	-0-	22.0	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.2	*	*	*	*	*	-0-	5.3	-0-	-0-
Caesarian section	Primary	16.5	*	*	*	*	*	-0-	16.2	-0-	-0-
	Secondary	8.3	-0-	*	*	*	*	-0-	8.3	-0-	-0-
Trimester prenatal care began	First	87.3	*	*	*	*	*	*	88.1	-0-	-0-
	Third or no care	*	2.1	*	-0-	*	-0-	-0-	*	-0-	-0-
First birth		41.3	65.3	*	*	*	*	-0-	40.8	-0-	-0-

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Hardin County - 2000

Population Estimates	
Total	4,800
Under 65 Years	3,910
65 and Older	890

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	71	--	--	--	--	2	--	2	6	13	28	20
Male	35	--	--	--	--	2	--	1	2	9	13	8
Female	36	--	--	--	--	--	--	1	4	4	15	12
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	69	--	--	--	--	2	--	2	5	13	28	19
Male	34	--	--	--	--	2	--	1	1	9	13	8
Female	35	--	--	--	--	--	--	1	4	4	15	11
All other races	2	--	--	--	--	--	--	--	1	--	--	1
Male	1	--	--	--	--	--	--	--	1	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	--	1
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	71	--	69	2	--	10	61	1,479.2	255.8	6,853.9	
5-Year Average (1996-2000)	71	<1	70	<1	--	15	56	1435.5	374.4	6,222.2	
Infectious and parasitic diseases	2	--	2	--	--	--	2	*	-0-	*	
# Septicemia	2	--	2	--	--	--	2	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	14	--	14	--	--	3	11	291.7	*	1,236.0	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	--	--	--	--	--	--	--	-0-	-0-	-0-	
Bronchus and lung	8	--	8	--	--	3	5	*	*	*	
Female breast	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
Cervical	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
Prostate	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
# Diabetes mellitus	2	--	2	--	--	--	2	*	-0-	*	
# Alzheimer's disease	0	--	--	--	--	--	--	-0-	-0-	-0-	
Major cardiovascular diseases	36	--	35	1	--	3	33	750.0	*	3,707.9	
# Diseases of heart	30	--	29	1	--	2	28	625.0	*	3,146.1	
Ischemic heart disease	21	--	20	1	--	1	20	437.5	*	2,247.2	
# Cerebrovascular diseases	3	--	3	--	--	1	2	*	*	*	
# Atherosclerosis	2	--	2	--	--	--	2	*	-0-	*	
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-	
Respiratory diseases	7	--	6	1	--	2	5	*	*	*	
# Influenza and pneumonia	2	--	2	--	--	--	2	*	-0-	*	
# Chronic lower respiratory diseases	5	--	4	1	--	2	3	*	*	*	
Emphysema	3	--	3	--	--	--	3	*	-0-	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Nephritis, nephrotic syndrome and nephrosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	5	--	5	--	--	2	3	*	*	*	
# Accidents	4	--	4	--	--	2	2	*	*	*	
Motor vehicle accidents	2	--	2	--	--	2	--	*	*	-0-	
All other accidents	2	--	2	--	--	--	2	*	-0-	*	
# Suicide	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Henderson County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	77	11	25	16	15	8	2	76	--	2
Sex	Male	38	6	12	9	5	4	2	37	--	2
	Female	39	5	13	7	10	4	--	39	--	--
Race	White	76	10	25	16	15	8	2			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	2	1	--	1	--	--	--			
Multiple births		2	--	--	--	--	--	2			
Marital status	Married	51	2	17	12	13	7	--	50	--	--
	Single	26	9	8	4	2	1	2	26	--	--
Mother not high school graduate		9	7	2	--	--	--	--	9	--	--
Birthweight	Very low (0-1,499 Grams)	1	--	--	1	--	--	--	1	--	--
	Low (0-2,499 Grams)	4	1	--	2	1	--	--	4	--	1
Caesarian section	Primary	13	1	3	4	2	1	2	13	--	--
	Secondary	6	--	2	2	1	1	--	6	--	--
Trimester prenatal care began	First	64	6	22	16	11	7	2	63	--	2
	Third or no care	2	--	1	--	1	--	--	2	--	--
First birth		23	9	10	1	3	--	--	22	--	--
2000 Percentages²											
Live births	Total	*	*	*	*	*	*	*	*	-0-	*
Sex	Male	*	*	*	*	*	*	*	*	*	100.0
	Female	*	*	*	*	*	*	-0-	*	-0-	-0-
Race	White	*	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	*	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	-0-	-0-	-0-	*			
Marital status	Married	*	*	*	*	*	*	-0-	*	-0-	*
	Single	*	81.8	32.0	*	*	*	*	*	-0-	-0-
Mother not high school graduate		*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
	low (0-2,499 Grams)	*	*	-0-	*	*	-0-	-0-	*	-0-	*
Caesarian section	Primary	*	*	*	*	*	*	*	*	-0-	-0-
	Secondary	*	-0-	*	*	*	*	-0-	*	-0-	-0-
Trimester prenatal care began	First	*	*	*	*	*	*	*	*	-0-	*
	Third or no care	*	-0-	*	-0-	*	-0-	-0-	*	-0-	-0-
First birth		*	*	*	*	*	-0-	-0-	*	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	15.7	29.4	26.9	18.9	7.7	*	99.0	*	*
Sex	Male	47.5	*	46.6	46.3	*	*	*	47.5	-0-	*
	Female	52.5	*	53.4	53.7	*	*	*	52.5	*	-0-
Race	White	99.0	15.3	29.4	26.9	19.1	7.8	*			
	Black	*	*	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	-0-	-0-	-0-			
Multiple births		*	*	-0-	-0-	*	-0-	*			
Marital status	Married	71.4	*	68.6	82.4	*	*	*	71.6	-0-	*
	Single	28.6	*	31.4	17.6	*	*	*	28.4	*	*
Mother not high school graduate		14.2	*	11.1	*	*	*	-0-	14.4	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	*	*	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.0	*	*	*	*	*	-0-	5.8	*	*
Caesarian section	Primary	14.2	*	14.4	13.9	*	*	*	14.3	-0-	-0-
	Secondary	9.2	*	*	12.0	*	*	-0-	9.0	-0-	-0-
Trimester prenatal care began	First	86.0	*	82.8	90.7	*	*	*	86.1	*	*
	Third or no care	2.8	3.2	*	*	*	-0-	-0-	2.8	-0-	-0-
First birth		33.6	73.0	40.7	22.2	*	*	-0-	33.4	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Henderson County - 2000

Population Estimates	
Total	8,200
Under 65 Years	6,830
65 and Older	1,370

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	88	--	--	--	1	1	4	2	8	20	27	25
Male	53	--	--	--	1	1	4	1	8	11	14	13
Female	35	--	--	--	--	--	--	1	--	9	13	12
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	88	--	--	--	1	1	4	2	8	20	27	25
Male	53	--	--	--	1	1	4	1	8	11	14	13
Female	35	--	--	--	--	--	--	1	--	9	13	12
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	88	--	88	--	--	16	72	1,073.2	234.3	5,255.5	
5-Year Average (1996-2000)	86	<1	86	<1	<1	17	69	1004.7	238.2	5,134.3	
Infectious and parasitic diseases	1	--	1	--	--	--	1	*	-0-	*	
# Septicemia	1	--	1	--	--	--	1	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	22	--	22	--	--	3	19	268.3	*	1,386.9	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	2	--	2	--	--	--	2	*	-0-	*	
Bronchus and lung	9	--	9	--	--	2	7	-0-	*	*	
Female breast	--	--	--	--	--	--	--	* ³	-0- ³	-0- ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	3	--	3	--	--	--	3	* ³	-0- ³	* ³	
# Diabetes mellitus	2	--	2	--	--	--	2	*	-0-	*	
# Alzheimer's disease	1	--	1	--	--	--	1	*	-0-	*	
Major cardiovascular diseases	39	--	39	--	--	8	31	475.6	*	2,262.8	
# Diseases of heart	31	--	31	--	--	8	23	378.0	*	1,678.8	
Ischemic heart disease	24	--	24	--	--	7	17	292.7	*	1,240.9	
# Cerebrovascular diseases	7	--	7	--	--	--	7	*	-0-	*	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-	
Respiratory diseases	6	--	6	--	--	--	6	*	-0-	*	
# Influenza and pneumonia	3	--	3	--	--	--	3	*	-0-	*	
# Chronic lower respiratory diseases	3	--	3	--	--	--	3	*	-0-	*	
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Nephritis, nephrotic syndrome and nephrosis	2	--	2	--	--	--	2	*	-0-	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	6	--	6	--	--	3	3	*	*	*	
# Accidents	3	--	3	--	--	1	2	*	*	*	
Motor vehicle accidents	2	--	2	--	--	1	1	*	*	*	
All other accidents	1	--	1	--	--	--	1	*	-0-	*	
# Suicide	3	--	3	--	--	2	1	*	*	*	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Henry County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	601	73	158	180	127	56	7	585	13	23
Sex	Male	313	39	80	89	72	29	4	305	7	10
	Female	288	34	78	91	55	27	3	280	6	13
Race	White	585	72	147	177	126	56	7			
	Black	13	1	10	2	--	--	--			
Ethnicity	Hispanic ¹	23	5	8	5	5	--	--			
Multiple births		20	2	5	4	2	5	2			
Marital status	Married	410	8	84	146	117	49	6	408	1	--
	Single	191	65	74	34	10	7	1	177	12	10
Mother not high school graduate		86	39	26	7	7	6	1	79	7	12
Birthweight	Very low (0-1,499 Grams)	5	1	4	--	--	--	--	2	3	1
	Low (0-2,499 Grams)	41	5	14	11	4	7	--	36	5	2
Caesarian section	Primary	83	14	26	19	12	10	2	79	4	3
	Secondary	62	1	11	24	17	9	--	60	1	5
Trimester prenatal care began	First	515	54	130	166	112	47	6	504	8	19
	Third or no care	13	2	6	3	2	--	--	12	1	1
First birth		199	55	70	44	20	8	2	197	2	9
2000 Percentages²											
Live births	Total	100.0	12.1	26.3	30.0	21.1	9.3	*	97.3	2.2	3.8
Sex	Male	52.1	*	50.6	49.4	56.7	*	*	52.1	*	43.5
	Female	47.9	*	49.4	50.6	43.3	*	*	47.9	*	*
Race	White	97.3	*	25.1	30.3	21.5	*	*			
	Black	2.2	*	76.9	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	3.8	*	*	*	*	-0-	-0-			
Multiple births		3.3	*	*	*	*	*	*			
Marital status	Married	68.2	*	53.2	81.1	92.1	*	*	69.7	*	*
	Single	*	89.0	46.8	18.9	7.9	*	*	30.3	*	*
Mother not high school graduate		14.4	*	16.6	*	*	*	*	13.6	*	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	-0-	-0-	-0-	-0-	*	*	*
	Low (0-2,499 Grams)	6.8	*	8.9	6.1	*	*	-0-	6.2	*	*
Caesarian section	Primary	13.8	*	16.5	10.6	9.4	*	*	13.5	*	*
	Secondary	10.3	*	7.0	13.3	13.4	*	-0-	10.3	*	*
Trimester prenatal care began	First	85.7	*	82.3	92.2	88.2	*	*	86.2	*	*
	Third or no care	2.2	*	*	*	*	-0-	-0-	2.1	*	*
First birth		33.1	*	44.3	24.4	15.7	*	-0-	33.7	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	11.3	27.5	31.1	20.2	8.6	1.3	97.0	2.3	4.3
Sex	Male	51.9	53.2	50.7	50.7	53.2	53.6	*	51.9	*	41.3
	Female	48.1	46.8	49.3	49.3	46.8	46.4	*	48.1	*	58.7
Race	White	97.0	11.2	27.0	31.3	20.6	8.6	1.3			
	Black	2.3	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	4.3	15.9	38.9	27.8	14.3	*	*			
Multiple births		3.0	*	2.6	2.7	4.6	*	*			
Marital status	Married	71.7	15.5	58.8	85.3	91.3	88.8	*	73.0	*	56.3
	Single	28.3	84.5	41.2	14.7	8.7	11.2	*	27.0	*	43.7
Mother not high school graduate		13.9	54.1	17.3	6.1	2.7	5.2	*	13.2	*	43.7
Birthweight	Very low (0-1,499 Grams)	1.0	*	*	*	*	*	*	.9	*	*
	Low (0-2,499 Grams)	6.5	10.6	6.4	5.3	5.3	7.2	*	6.2	*	*
Caesarian section	Primary	13.4	15.8	13.6	11.8	13.1	14.4	*	13.5	*	14.3
	Secondary	9.8	*	5.8	10.4	14.3	18.8	*	9.8	*	16.7
Trimester prenatal care began	First	85.3	68.1	81.1	90.6	92.2	86.3	*	85.6	*	66.7
	Third or no care	1.6	4.6	1.9	1.2	*	*	*	1.6	*	*
First birth		31.4	75.4	40.5	24.2	14.2	14.4	*	31.5	*	31.7

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Henry County - 2000

Population Estimates	
Total	51,100
Under 65 Years	42,740
65 and Older	8,360

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	530	7	2	1	7	8	9	20	49	80	167	180
Male	236	3	1	1	5	6	8	8	34	35	73	62
Female	294	4	1	--	2	2	1	12	15	45	94	118
Black	4	1	--	--	--	--	--	--	1	--	1	1
Male	2	--	--	--	--	--	--	--	1	--	--	1
Female	2	1	--	--	--	--	--	--	--	--	1	--
White	526	6	2	1	7	8	9	20	48	80	166	179
Male	234	3	1	1	5	6	8	8	33	35	73	61
Female	292	3	1	--	2	2	1	12	15	45	93	118
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	3	1	--	--	--	--	--	1	--	1	--	--
Male	2	--	--	--	--	--	--	1	--	1	--	--
Female	1	1	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	530	4	526	--	3	103	427	1,037.2	241.0	5,107.7
5-Year Average (1996-2000)	531	7	524	--	2	98	433	1032.7	228.5	5,082.2
# Infectious and parasitic diseases	11	--	11	--	1	2	9	21.5	*	*
# Septicemia	9	--	9	--	--	2	7	*	*	*
# Viral hepatitis	1	--	1	--	--	--	1	*	-0-	*
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	125	1	124	--	--	26	99	244.6	60.8	1,184.2
# Lip, oral cavity and pharynx	2	--	2	--	--	1	1	*	*	*
# Colorectal	16	--	16	--	--	2	14	31.3	*	167.5
# Bronchus and lung	35	--	35	--	--	8	27	68.5	*	323.0
# Female breast	9	--	9	--	--	3	6	* ³	* ³	* ³
# Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
# Prostate	5	--	5	--	--	--	5	* ³	-0- ³	* ³
# Diabetes mellitus	14	--	14	--	--	1	13	27.4	*	155.5
# Alzheimer's disease	8	--	8	--	--	--	8	*	-0-	*
# Major cardiovascular diseases	214	2	212	--	1	24	190	418.8	56.2	2,272.7
# Diseases of heart	138	1	137	--	--	17	121	270.1	39.8	1,447.4
# Ischemic heart disease	90	1	89	--	--	11	79	176.1	25.7	945.0
# Cerebrovascular diseases	50	--	50	--	1	5	45	97.8	*	538.3
# Atherosclerosis	10	--	10	--	--	--	10	19.6	-0-	119.6
# Aortic aneurysm and dissection	7	1	6	--	--	2	5	*	*	*
# Respiratory diseases	43	--	43	--	--	6	37	84.1	*	442.6
# Influenza and pneumonia	15	--	15	--	--	--	15	29.4	-0-	179.4
# Chronic lower respiratory diseases	19	--	19	--	--	5	14	37.2	*	167.5
# Emphysema	7	--	7	--	--	4	3	*	*	*
# Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	3	--	3	--	--	1	2	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	16	1	15	--	--	3	13	31.3	*	155.5
# Certain perinatal conditions	1	--	1	--	1	1	--	*	*	-0-
# Congenital malformations	4	--	4	--	--	4	--	*	*	-0-
# SIDS	1	--	1	--	--	1	--	*	*	-0-
# External causes	31	--	31	--	--	25	6	60.7	58.5	*
# Accidents	21	--	21	--	--	18	3	41.1	42.1	*
# Motor vehicle accidents	14	--	14	--	--	12	2	27.4	28.1	*
# All other accidents	7	--	7	--	--	6	1	*	*	*
# Suicide	9	--	9	--	--	6	3	*	*	*
# Homicide	1	--	1	--	--	1	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Iroquois County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	367	34	119	108	72	29	5	361	4	38
Sex	Male	179	15	59	50	38	15	2	174	3	23
	Female	188	19	60	58	34	14	3	187	1	15
Race	White	361	34	118	106	72	26	5			
	Black	4	--	1	1	--	2	--			
Ethnicity	Hispanic ¹	38	4	18	7	6	3	--			
Multiple births		11	--	2	7	2	--	--	11	--	--
Marital status	Married	270	5	77	92	66	25	5	266	3	--
	Single	97	29	42	16	6	4	--	95	1	11
Mother not high school graduate		66	20	24	7	10	4	1	66	--	24
Birthweight	Very low (0-1,499 Grams)	2	1	--	--	1	--	--	2	--	--
	Low (0-2,499 Grams)	23	2	7	10	3	--	1	23	--	2
Caesarian section	Primary	66	7	14	25	13	6	1	64	2	4
	Secondary	35	--	7	14	8	4	2	34	--	6
Trimester prenatal care began	First	323	29	105	93	67	24	5	319	3	30
	Third or no care	5	2	2	--	1	--	--	5	--	--
First birth		115	28	45	25	14	2	1	115	--	11
2000 Percentages²											
Live births	Total	100.0	9.3	32.4	29.4	19.6	7.9	*	98.4	*	10.4
Sex	Male	48.8	*	49.6	46.3	*	*	*	48.2	*	60.5
	Female	51.2	*	50.4	53.7	*	*	*	51.8	*	*
Race	White	98.4	*	32.7	29.4	*	*	*			
	Black	*	-0-	*	*	-0-	*	-0-			
Ethnicity	Hispanic ¹	10.4	*	47.4	*	*	*	-0-			
Multiple births		3.0	-0-	*	*	*	-0-	-0-	3.0	-0-	-0-
Marital status	Married	73.6	*	64.7	85.2	*	*	*	73.7	*	*
	Single	*	85.3	35.3	14.8	*	*	-0-	26.3	*	*
Mother not high school graduate		18.0	*	20.2	*	*	*	*	18.3	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	*	-0-	-0-	*	-0-	-0-	*	-0-	-0-
	low (0-2,499 Grams)	6.3	*	*	9.3	*	-0-	*	6.4	-0-	*
Caesarian section	Primary	18.0	*	11.8	23.1	*	*	*	17.7	*	*
	Secondary	9.5	-0-	*	13.0	*	*	*	9.4	-0-	*
Trimester prenatal care began	First	88.7	*	88.2	86.9	*	*	*	89.1	*	*
	Third or no care	*	*	*	-0-	*	-0-	-0-	*	-0-	-0-
First birth		31.3	*	37.8	23.1	*	*	-0-	31.9	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.0	26.2	31.8	20.0	7.1	1.8	98.3	0.9	7.1
Sex	Male	51.4	50.4	49.5	52.7	54.0	45.7	*	51.2	*	52.0
	Female	48.6	49.6	50.5	47.3	46.0	54.3	*	48.8	*	48.0
Race	White	98.3	12.9	26.5	32.0	19.9	6.9	1.9			
	Black	.9	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	7.1	21.3	32.3	22.0	14.2	8.7	*			
Multiple births		3.7	*	2.1	5.4	4.2	*	-0-	3.6	-0-	*
Marital status	Married	71.8	17.1	62.8	87.2	88.0	86.6	*	72.2	*	64.6
	Single	28.2	82.9	37.2	12.8	12.0	13.4	*	27.8	*	35.4
Mother not high school graduate		18.8	62.0	21.0	8.2	8.9	9.4	*	18.8	*	66.1
Birthweight	Very low (0-1,499 Grams)	.7	*	*	*	*	-0-	-0-	.7	-0-	-0-
	Low (0-2,499 Grams)	6.5	6.4	6.4	7.7	5.0	*	*	6.5	-0-	*
Caesarian section	Primary	15.3	19.2	13.0	16.6	13.9	12.6	*	15.1	*	10.2
	Secondary	9.6	*	8.3	9.6	12.5	20.5	*	9.5	*	13.4
Trimester prenatal care began	First	84.1	69.1	83.3	88.4	89.0	81.7	*	84.3	*	75.2
	Third or no care	3.1	9.4	3.4	*	*	*	*	3.0	*	*
First birth		31.1	74.8	37.2	25.0	14.2	8.7	*	31.3	*	32.3

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Iroquois County - 2000

Population Estimates	
Total	31,300
Under 65 Years	25,640
65 and Older	5,660

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	371	2	2	2	4	6	3	10	41	62	128	111
Male	188	--	--	1	1	4	3	5	28	39	68	39
Female	183	2	2	1	3	2	--	5	13	23	60	72
Black	2	--	--	--	--	--	--	--	1	--	1	--
Male	1	--	--	--	--	--	--	--	1	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	1	--
White	369	2	2	2	4	6	3	10	40	62	127	111
Male	187	--	--	1	1	4	3	5	27	39	68	39
Female	182	2	2	1	3	2	--	5	13	23	59	72
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	5	--	--	--	--	1	--	--	--	1	3	--
Male	2	--	--	--	--	1	--	--	--	--	1	--
Female	3	--	--	--	--	--	--	--	--	1	2	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	371	2	369	--	5	70	301	1,185.3	273.0	5,318.0	
5-Year Average (1996-2000)	383	3	379	--	3	69	314	1220.8	270.3	5,333.1	
Infectious and parasitic diseases	7	--	7	--	--	1	6	*	*	*	
# Septicemia	5	--	5	--	--	--	5	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	1	--	1	--	--	1	--	*	-0-	-0-	
# Malignant neoplasms	80	--	80	--	1	20	60	255.6	78.0	1,060.1	
Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*	
Colorectal	10	--	10	--	--	1	9	31.9	*	*	
Bronchus and lung	24	--	24	--	--	7	17	76.7	*	300.4	
Female breast	8	--	8	--	1	3	5	* ³	* ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	2	--	2	--	--	--	2	* ³	-0- ³	* ³	
# Diabetes mellitus	14	--	14	--	--	--	14	44.7	-0-	247.3	
# Alzheimer's disease	4	--	4	--	--	--	4	*	-0-	*	
Major cardiovascular diseases	163	1	162	--	2	18	145	520.8	70.2	2,561.8	
# Diseases of heart	124	1	123	--	2	13	111	396.2	50.7	1,961.1	
Ischemic heart disease	101	1	100	--	1	10	91	322.7	39.0	1,607.8	
# Cerebrovascular diseases	31	--	31	--	--	3	28	99.0	*	494.7	
# Atherosclerosis	2	--	2	--	--	--	2	*	-0-	*	
# Aortic aneurysm and dissection	3	--	3	--	--	1	2	*	*	*	
Respiratory diseases	31	1	30	--	--	7	24	99.0	*	424.0	
# Influenza and pneumonia	2	--	2	--	--	--	2	*	-0-	*	
# Chronic lower respiratory diseases	23	1	22	--	--	5	18	73.5	*	318.0	
Emphysema	1	--	1	--	--	--	1	*	-0-	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	5	--	5	--	1	1	4	*	*	*	
# Nephritis, nephrotic syndrome and nephrosis	6	--	6	--	--	2	4	*	*	*	
# Certain perinatal conditions	2	--	2	--	--	2	--	*	*	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	22	--	22	--	--	13	9	70.3	50.7	*	
# Accidents	19	--	19	--	--	11	8	60.7	42.9	*	
Motor vehicle accidents	8	--	8	--	--	7	1	*	*	*	
All other accidents	11	--	11	--	--	4	7	35.1	*	*	
# Suicide	1	--	1	--	--	1	--	*	*	-0-	
# Homicide	1	--	1	--	--	1	--	*	*	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Jackson County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	667	76	225	190	126	37	13	501	145	18
Sex	Male	336	40	123	91	59	17	6	253	73	8
	Female	331	36	102	99	67	20	7	248	72	10
Race	White	501	46	158	149	105	32	11			
	Black	145	30	65	31	13	4	2			
Ethnicity	Hispanic ¹	18	1	7	5	4	--	1			
Multiple births		16	--	4	8	4	--	--	14	2	--
Marital status	Married	398	10	106	141	101	29	11	344	33	--
	Single	269	66	119	49	25	8	2	157	112	6
Mother not high school graduate		96	29	36	12	14	4	1	71	24	10
Birthweight	Very low (0-1,499 Grams)	15	4	5	4	1	1	--	9	6	1
	Low (0-2,499 Grams)	65	12	24	18	9	2	--	36	26	1
Caesarian section	Primary	83	9	31	22	14	5	2	62	18	4
	Secondary	37	--	4	16	12	3	2	28	9	--
Trimester prenatal care began	First	523	49	175	155	101	33	10	400	106	11
	Third or no care	24	2	9	5	7	1	--	19	4	3
First birth		235	54	91	60	26	4	--	175	49	5
2000 Percentages²											
Live births	Total	100.0	11.4	33.7	28.5	18.9	5.5	1.9	75.1	21.7	2.7
Sex	Male	50.4	*	54.7	47.9	46.8	*	*	50.5	*	44.4
	Female	49.6	*	45.3	52.1	53.2	*	*	49.5	49.7	*
Race	White	75.1	*	31.5	29.7	21.0	*	*			
	Black	21.7	*	44.8	21.4	9.0	*	*			
Ethnicity	Hispanic ¹	2.7	*	*	*	*	-0-	*			
Multiple births		2.4	-0-	*	*	*	-0-	-0-	2.8	*	-0-
Marital status	Married	59.7	*	47.1	74.2	80.2	*	*	68.7	22.8	*
	Single	*	86.8	52.9	25.8	19.8	*	*	31.3	77.2	*
Mother not high school graduate		14.4	*	16.1	6.3	11.1	*	*	14.2	16.6	*
Birthweight	Very low (0-1,499 Grams)	2.2	*	*	*	*	*	-0-	*	*	*
	Low (0-2,499 Grams)	9.7	*	10.7	9.5	*	*	-0-	7.2	17.9	*
Caesarian section	Primary	12.4	*	13.8	11.6	11.1	*	*	12.4	12.4	*
	Secondary	5.5	-0-	*	8.4	9.5	*	*	5.6	*	-0-
Trimester prenatal care began	First	81.1	*	79.5	84.7	83.5	*	*	81.3	78.5	*
	Third or no care	3.7	*	*	*	*	*	-0-	3.9	*	*
First birth		35.2	*	40.4	31.6	20.6	*	-0-	34.9	33.8	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.4	31.0	28.7	18.4	7.2	1.4	75.1	21.2	2.7
Sex	Male	51.0	49.2	52.8	51.3	50.9	47.9	*	51.0	51.3	*
	Female	49.0	50.8	47.2	48.7	49.1	52.1	*	49.0	48.7	*
Race	White	75.1	11.0	28.7	30.2	20.5	8.0	1.5			
	Black	21.2	23.9	42.0	20.0	9.0	3.9	*			
Ethnicity	Hispanic ¹	2.7	*	*	*	*	*	*			
Multiple births		2.9	*	1.9	3.3	5.3	*	*	3.0	2.8	*
Marital status	Married	62.6	19.9	49.7	75.0	85.3	85.5	*	71.8	23.6	*
	Single	37.4	80.1	50.3	25.0	14.7	14.5	*	28.2	76.4	*
Mother not high school graduate		15.1	49.4	14.2	8.3	6.4	5.0	*	14.7	19.0	*
Birthweight	Very low (0-1,499 Grams)	1.6	2.6	1.3	1.3	1.6	*	-0-	1.2	3.2	*
	Low (0-2,499 Grams)	8.6	9.9	8.8	8.0	9.0	6.6	*	6.9	15.0	*
Caesarian section	Primary	12.8	11.5	12.6	12.8	12.7	17.4	*	13.2	12.3	*
	Secondary	6.5	*	3.7	7.2	11.0	12.4	*	6.3	7.4	*
Trimester prenatal care began	First	84.3	76.1	82.3	87.4	87.5	88.3	*	86.5	76.3	*
	Third or no care	2.6	3.8	3.5	1.6	2.4	*	*	1.9	5.1	*
First birth		36.4	69.3	42.3	33.0	18.2	16.5	*	37.0	32.0	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Jackson County - 2000

Population Estimates	
Total	59,500
Under 65 Years	52,920
65 and Older	6,580

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	503	8	1	--	5	8	19	28	39	80	167	148
Male	250	2	--	--	2	3	13	14	29	56	82	49
Female	253	6	1	--	3	5	6	14	10	24	85	99
Black	55	3	1	--	2	2	2	7	4	8	14	12
Male	27	--	--	--	2	1	1	2	4	6	9	2
Female	28	3	1	--	--	1	1	5	--	2	5	10
White	446	5	--	--	3	6	17	21	35	71	152	136
Male	222	2	--	--	--	2	12	12	25	50	72	47
Female	224	3	--	--	3	4	5	9	10	21	80	89
All other races	2	--	--	--	--	--	--	--	--	1	1	--
Male	1	--	--	--	--	--	--	--	--	--	1	--
Female	1	--	--	--	--	--	--	--	--	1	--	--
Hispanic ethnicity ¹	4	--	--	--	1	--	--	--	--	1	1	1
Male	2	--	--	--	--	--	--	--	--	1	1	--
Female	2	--	--	--	1	--	--	--	--	--	--	1

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	503	55	446	2	4	108	395	845.4	204.1	6,003.0	
5-Year Average (1996-2000)	483	47	434	2	2	115	368	800.6	214.6	5,565.6	
Infectious and parasitic diseases	13	1	12	--	--	--	13	21.8	-0-	197.6	
# Septicemia	10	1	9	--	--	--	10	16.8	-0-	152.0	
# Viral hepatitis	1	--	1	--	--	--	1	*	-0-	*	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	108	11	96	1	--	28	80	181.5	52.9	1,215.8	
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	-0-	
Colorectal	10	2	8	--	--	4	6	16.8	*	*	
Bronchus and lung	30	2	27	1	--	9	21	50.4	*	319.1	
Female breast	10	1	9	--	--	2	8	16.8 ³	* ³	* ³	
Cervical	2	--	2	--	--	2	--	* ³	* ³	-0. ³	
Prostate	7	2	5	--	--	--	7	* ³	-0. ³	* ³	
# Diabetes mellitus	15	1	14	--	--	1	14	25.2	*	212.8	
# Alzheimer's disease	20	1	19	--	--	--	20	33.6	-0-	304.0	
Major cardiovascular diseases	196	22	174	--	2	23	173	329.4	43.5	2,629.2	
# Diseases of heart	133	15	118	--	2	18	115	223.5	34.0	1,747.7	
Ischemic heart disease	95	8	87	--	2	14	81	159.7	26.5	1,231.0	
# Cerebrovascular diseases	36	5	31	--	--	5	31	60.5	*	471.1	
# Atherosclerosis	19	--	19	--	--	--	19	31.9	-0-	288.8	
# Aortic aneurysm and dissection	3	--	3	--	--	--	3	*	-0-	*	
Respiratory diseases	46	5	41	--	--	6	40	77.3	*	607.9	
# Influenza and pneumonia	12	2	10	--	--	--	12	20.2	-0-	182.4	
# Chronic lower respiratory diseases	24	2	22	--	--	4	20	40.3	*	304.0	
Emphysema	2	--	2	--	--	--	2	*	-0-	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	2	--	2	--	--	2	--	*	*	-0-	
# Nephritis, nephrotic syndrome and nephrosis	8	--	8	--	1	--	8	*	-0-	*	
# Certain perinatal conditions	6	3	3	--	--	6	--	*	*	-0-	
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	26	1	25	--	1	23	3	43.7	43.5	*	
# Accidents	18	1	17	--	1	16	2	30.3	30.2	*	
Motor vehicle accidents	10	1	9	--	1	9	1	16.8	*	*	
All other accidents	8	--	8	--	--	7	1	*	*	*	
# Suicide	6	--	6	--	--	5	1	*	*	*	
# Homicide	2	--	2	--	--	2	--	*	*	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Jasper County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	110	12	36	28	22	7	5	110	--	1
Sex	Male	55	7	15	17	10	3	3	55	--	--
	Female	55	5	21	11	12	4	2	55	--	1
Race	White	110	12	36	28	22	7	5			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	1	--	--	--	--			
Multiple births		4	--	2	2	--	--	--			
Marital status	Married	90	4	30	27	20	5	4	90	--	--
	Single	20	8	6	1	2	2	1	20	--	--
Mother not high school graduate		17	8	8	--	--	1	--	17	--	--
Birthweight	Very low (0-1,499 Grams)	3	--	--	2	1	--	--	3	--	--
	Low (0-2,499 Grams)	7	1	3	2	1	--	--	7	--	--
Caesarian section	Primary	14	1	5	5	2	1	--	14	--	--
	Secondary	7	--	3	--	2	2	--	7	--	--
Trimester prenatal care began	First	96	11	30	26	21	5	3	96	--	1
	Third or no care	1	--	0	--	1	--	--	1	--	--
First birth		39	11	12	13	1	1	1	39	--	--
2000 Percentages²											
Live births	Total	100.0	10.9	32.7	25.5	20.0	*	*	100.0	-0-	*
Sex	Male	50.0	*	*	*	*	*	*	50.0	*	.0
	Female	50.0	*	*	*	*	*	*	50.0	-0-	*
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	*	*	-0-	-0-	-0-			
Marital status	Married	81.8	*	*	*	*	*	*	81.8	-0-	*
	Single	*	66.7	16.7	*	*	*	*	18.2	-0-	-0-
Mother not high school graduate		*	*	*	-0-	-0-	*	-0-	15.5	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	*	*	-0-	-0-	*	-0-	-0-
	low (0-2,499 Grams)	*	*	*	*	*	-0-	-0-	*	-0-	-0-
Caesarian section	Primary	12.7	*	*	*	*	*	-0-	12.7	-0-	-0-
	Secondary	*	-0-	*	-0-	*	*	-0-	*	-0-	-0-
Trimester prenatal care began	First	87.3	*	*	*	*	*	*	87.3	-0-	*
	Third or no care	*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
First birth		35.5	*	*	*	*	*	-0-	35.5	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	10.5	31.1	28.7	18.0	10.0	1.7	100.0	-0-	*
Sex	Male	50.7	*	50.3	46.7	59.0	*	*	50.7	-0-	*
	Female	49.3	*	49.7	53.3	41.0	*	*	49.3	-0-	*
Race	White	100	10.5	31.1	28.7	18.0	10.0	1.7			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	*	-0-	-0-			
Multiple births		3.8	-0-	*	*	*	*	-0-			
Marital status	Married	79.9	*	76.8	88.6	95.2	*	*	79.9	-0-	*
	Single	20.1	*	23.2	11.4	*	*	*	20.1	-0-	*
Mother not high school graduate		14.5	*	18.8	*	*	*	*	14.5	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	*	-0-	*	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.9	*	*	*	*	*	-0-	6.9	-0-	-0-
Caesarian section	Primary	11.7	*	11.0	16.2	*	*	*	11.7	-0-	-0-
	Secondary	10.1	*	9.4	10.8	12.4	*	-0-	10.1	-0-	*
Trimester prenatal care began	First	89.1	*	87.8	92.8	94.3	*	*	89.1	-0-	*
	Third or no care	*	4.9	*	*	*	*	-0-	*	-0-	-0-
First birth		33.7	77.0	44.2	31.7	12.4	*	*	33.7	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Jasper County - 2000

Population Estimates	
Total	10,100
Under 65 Years	8,440
65 and Older	1,660

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	117	3	--	--	--	3	3	4	8	13	37	46
Male	59	2	--	--	--	2	3	1	6	8	20	17
Female	58	1	--	--	--	1	--	3	2	5	17	29
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	117	3	--	--	--	3	3	4	8	13	37	46
Male	59	2	--	--	--	2	3	1	6	8	20	17
Female	58	1	--	--	--	1	--	3	2	5	17	29
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	117	--	117	--	--	21	96	1,158.4	248.8	5,783.1
5-Year Average (1996-2000)	106	<1	106	--	--	21	86	1015.3	237.4	4,982.5
Infectious and parasitic diseases	1	--	1	--	--	--	1	*	-0-	*
# Septicemia	1	--	1	--	--	--	1	*	-0-	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	27	--	27	--	--	7	20	267.3	*	1,204.8
Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*
Colorectal	3	--	3	--	--	--	3	*	-0-	*
Bronchus and lung	6	--	6	--	--	1	5	*	*	*
Female breast	2	--	2	--	--	2	--	* ³	* ³	-0- ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
# Diabetes mellitus	1	--	1	--	--	--	1	*	-0-	*
# Alzheimer's disease	0	--	--	--	--	--	--	-0-	-0-	-0-
Major cardiovascular diseases	50	--	50	--	--	7	43	495.0	*	2,590.4
# Diseases of heart	44	--	44	--	--	7	37	435.6	*	2,228.9
Ischemic heart disease	35	--	35	--	--	5	30	346.5	*	1,807.2
# Cerebrovascular diseases	5	--	5	--	--	--	5	*	-0-	*
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-
Respiratory diseases	14	--	14	--	--	--	14	138.6	-0-	843.4
# Influenza and pneumonia	3	--	3	--	--	--	3	*	-0-	*
# Chronic lower respiratory diseases	7	--	7	--	--	--	7	*	-0-	*
Emphysema	2	--	2	--	--	--	2	*	-0-	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--	1	--	*	*	-0-
# Nephritis, nephrotic syndrome and nephrosis	2	--	2	--	--	--	2	*	-0-	*
# Certain perinatal conditions	3	--	3	--	--	3	--	*	*	-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	4	--	4	--	--	2	2	*	*	*
# Accidents	4	--	4	--	--	2	2	*	*	*
Motor vehicle accidents	1	--	1	--	--	1	--	*	*	-0-
All other accidents	3	--	3	--	--	1	2	*	*	*
# Suicide	--	--	--	--	--	--	--	-0-	-0-	-0-
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Jefferson County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	476	84	146	121	81	40	4	419	49	7
Sex	Male	242	45	68	63	46	19	1	211	25	4
	Female	234	39	78	58	35	21	3	208	24	3
Race	White	419	66	130	110	70	39	4			
	Black	49	17	16	9	6	1	--			
Ethnicity	Hispanic ¹	7	6	1	--	--	--	--			
Multiple births		16	--	4	--	8	4	--	14	--	--
Marital status	Married	285	14	70	92	68	37	4	271	8	--
	Single	191	70	76	29	13	3	--	148	41	5
Mother not high school graduate		103	55	24	9	9	6	--	80	20	3
Birthweight	Very low (0-1,499 Grams)	4	1	1	--	2	--	--	3	1	--
	Low (0-2,499 Grams)	37	3	12	2	13	7	--	32	3	--
Caesarian section	Primary	71	8	12	26	15	10	--	64	6	2
	Secondary	46	2	12	10	14	8	--	38	7	--
Trimester prenatal care began	First	404	63	119	109	72	38	3	369	28	7
	Third or no care	17	6	8	1	2	--	--	9	7	--
First birth		185	67	67	32	15	4	--	167	17	6
2000 Percentages²											
Live births	Total	100.0	17.6	30.7	25.4	17.0	8.4	*	88.0	10.3	*
Sex	Male	50.8	*	46.6	52.1	*	*	*	50.4	*	57.1
	Female	49.2	*	53.4	47.9	*	*	*	49.6	*	*
Race	White	88.0	*	31.0	26.3	*	*	*			
	Black	10.3	*	32.7	*	*	*	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	-0-	-0-	-0-			
Multiple births		3.4	-0-	*	-0-	*	*	-0-	3.3	-0-	-0-
Marital status	Married	59.9	*	47.9	76.0	*	*	*	64.7	*	*
	Single	*	83.3	52.1	24.0	*	*	-0-	35.3	*	*
Mother not high school graduate		21.6	*	16.4	*	*	*	-0-	19.1	*	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	-0-	*	-0-	-0-	*	*	-0-
	Low (0-2,499 Grams)	7.8	*	8.2	*	*	*	-0-	7.6	*	-0-
Caesarian section	Primary	14.9	*	8.2	21.5	*	*	-0-	15.3	*	*
	Secondary	9.7	*	8.2	8.3	*	*	-0-	9.1	*	-0-
Trimester prenatal care began	First	85.2	*	82.6	90.1	*	*	*	88.5	*	*
	Third or no care	3.6	*	*	*	*	-0-	-0-	*	*	-0-
First birth		38.9	*	45.9	26.4	*	*	-0-	39.9	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	16.1	29.8	29.5	16.9	6.7	1.1	88.0	10.8	1.4
Sex	Male	51.7	52.3	51.5	50.7	55.3	47.4	*	51.6	52.6	*
	Female	48.3	47.7	48.5	49.3	44.7	52.6	*	48.4	47.4	*
Race	White	88.0	14.1	29.4	30.5	17.5	7.4	1.1			
	Black	10.8	32.4	34.4	21.9	9.7	*	*			
Ethnicity	Hispanic ¹	1.4	*	*	*	*	*	*			
Multiple births		2.8	*	1.9	2.5	5.2	7.8	-0-	2.9	*	*
Marital status	Married	65.5	22.9	54.6	81.3	86.0	90.9	*	71.2	18.6	*
	Single	34.5	77.1	45.4	18.7	14.0	9.1	*	28.8	81.4	*
Mother not high school graduate		22.4	61.7	23.2	10.6	9.9	10.4	*	20.2	41.1	*
Birthweight	Very low (0-1,499 Grams)	1.0	*	*	*	*	*	-0-	.7	*	-0-
	Low (0-2,499 Grams)	6.5	9.3	5.7	4.3	7.5	11.0	-0-	6.2	8.1	-0-
Caesarian section	Primary	12.4	11.7	8.7	14.3	13.5	20.8	*	12.6	10.5	*
	Secondary	8.4	*	5.1	8.5	15.1	18.8	*	8.3	10.1	*
Trimester prenatal care began	First	81.3	72.3	77.7	87.4	84.1	87.7	*	84.2	58.6	*
	Third or no care	4.0	7.7	4.3	2.4	4.4	-0-	*	3.1	11.1	*
First birth		32.6	72.2	34.7	26.0	14.0	9.1	*	33.2	28.7	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Jefferson County - 2000

Population Estimates	
Total	40,000
Under 65 Years	33,870
65 and Older	6,130

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	424	3	1	--	3	2	15	24	36	76	121	143
Male	183	1	--	--	3	1	11	17	16	42	52	40
Female	241	2	1	--	--	1	4	7	20	34	69	103
Black	17	1	--	--	--	1	1	1	4	6	2	1
Male	11	--	--	--	--	1	1	--	3	6	--	--
Female	6	1	--	--	--	--	--	1	1	--	2	1
White	407	2	1	--	3	1	14	23	32	70	119	142
Male	172	1	--	--	3	--	10	17	13	36	52	40
Female	235	1	1	--	--	1	4	6	19	34	67	102
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	424	17	407	--	--	84	340	1,060.0	248.0	5,546.5
5-Year Average (1996-2000)	424	19	405	<1	<1	82	341	1095.1	252.7	5,619.2
# Infectious and parasitic diseases	10	2	8	--	--	4	6	25.0	*	*
# Septicemia	7	1	6	--	--	1	6	*	*	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	2	1	1	--	--	2	--	*	-0-	-0-
# Malignant neoplasms	109	4	105	--	--	22	87	272.5	65.0	1,419.2
# Lip, oral cavity and pharynx	2	--	2	--	--	2	--	*	*	-0-
# Colorectal	22	1	21	--	--	--	22	55.0	-0-	358.9
# Bronchus and lung	27	2	25	--	--	10	17	67.5	29.5	277.3
# Female breast	11	--	11	--	--	6	5	27.5 ³	* ³	* ³
# Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
# Prostate	6	--	6	--	--	--	6	* ³	-0- ³	* ³
# Diabetes mellitus	6	--	6	--	--	2	4	*	*	*
# Alzheimer's disease	10	--	10	--	--	--	10	25.0	-0-	163.1
Major cardiovascular diseases	162	7	155	--	--	22	140	405.0	65.0	2,283.8
# Diseases of heart	126	5	121	--	--	19	107	315.0	56.1	1,745.5
# Ischemic heart disease	91	4	87	--	--	17	74	227.5	50.2	1,207.2
# Cerebrovascular diseases	34	1	33	--	--	3	31	85.0	*	505.7
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	-0-	*
Respiratory diseases	69	1	68	--	--	4	65	172.5	*	1,060.4
# Influenza and pneumonia	40	1	39	--	--	2	38	100.0	*	619.9
# Chronic lower respiratory diseases	23	--	23	--	--	2	21	57.5	*	342.6
# Emphysema	6	--	6	--	--	1	5	*	*	*
# Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	3	--	3	--	--	2	1	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	5	--	5	--	--	3	2	*	*	*
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-
# Congenital malformations	4	1	3	--	--	3	1	*	*	*
# SIDS	1	1	--	--	--	1	--	*	*	-0-
External causes	25	1	24	--	--	14	11	62.5	41.3	179.4
# Accidents	20	1	19	--	--	10	10	50.0	29.5	163.1
# Motor vehicle accidents	5	--	5	--	--	2	3	*	*	*
# All other accidents	15	1	14	--	--	8	7	37.5	*	*
# Suicide	1	--	1	--	--	1	--	*	*	-0-
# Homicide	2	--	2	--	--	2	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Jersey County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	211	23	61	63	48	13	3	209	1	3
Sex	Male	107	8	38	30	22	6	3	106	--	--
	Female	104	15	23	33	26	7	--	103	1	3
Race	White	209	23	61	62	48	12	3			
	Black	1	--	--	--	--	1	--			
Ethnicity	Hispanic ¹	3	--	2	--	1	--	--			
Multiple births		8	--	8	--	--	--	--	8	--	2
Marital status	Married	161	9	38	54	45	12	3	160	1	3
	Single	50	14	23	9	3	1	--	49	--	--
Mother not high school graduate		27	12	9	3	2	1	--	27	--	--
Birthweight	Very low (0-1,499 Grams)	3	--	2	--	1	--	--	3	--	--
	Low (0-2,499 Grams)	12	1	5	2	2	2	--	12	--	2
Caesarian section	Primary	26	4	2	11	6	3	--	25	1	--
	Secondary	20	--	4	5	8	3	--	20	--	--
Trimester prenatal care began	First	182	18	53	56	41	11	3	182	--	3
	Third or no care	2	--	0	1	1	--	--	1	--	--
First birth		63	16	25	14	6	2	--	63	--	2
2000 Percentages²											
Live births	Total	100.0	10.9	28.9	29.9	22.7	6.2	*	99.1	*	*
Sex	Male	50.7	*	*	*	*	*	*	50.7	*	.0
	Female	49.3	*	*	*	*	*	-0-	49.3	*	*
Race	White	99.1	*	*	*	*	*	*			
	Black	*	-0-	-0-	-0-	-0-	*	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	*	-0-	-0-			
Multiple births		*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	*
Marital status	Married	76.3	*	*	*	*	*	*	76.6	*	*
	Single	*	60.9	37.7	*	*	*	-0-	23.4	-0-	-0-
Mother not high school graduate		*	*	*	*	*	*	-0-	12.9	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	-0-	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.7	*	*	*	*	*	-0-	5.7	-0-	*
Caesarian section	Primary	12.3	*	*	*	*	*	-0-	12.0	*	-0-
	Secondary	9.5	-0-	*	*	*	*	-0-	9.6	-0-	-0-
Trimester prenatal care began	First	86.3	*	*	*	*	*	*	87.1	-0-	*
	Third or no care	*	-0-	-0-	*	*	-0-	-0-	*	-0-	-0-
First birth		29.9	*	*	*	*	*	-0-	30.1	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	10.2	27.1	32.7	19.8	8.8	1.3	99.4	*	*
Sex	Male	50.8	53.7	53.4	51.1	49.6	37.7	*	50.7	*	*
	Female	49.2	46.3	46.6	48.9	50.4	62.3	*	49.3	*	*
Race	White	99.4	10.2	27.1	32.7	19.8	8.8	1.3			
	Black	*	*	*	-0-	-0-	*	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	*	-0-	-0-			
Multiple births		2.7	-0-	4.3	*	*	*	-0-	2.8	-0-	*
Marital status	Married	75.9	23.6	65.3	85.5	95.4	86.8	*	76.1	*	*
	Single	24.1	76.4	34.7	14.5	4.6	13.2	*	23.9	*	*
Mother not high school graduate		10.7	45.5	14.4	4.1	*	*	-0-	10.8	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	*	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.6	*	7.4	3.6	5.5	11.3	*	5.5	-0-	*
Caesarian section	Primary	11.5	13.0	12.9	10.2	9.7	16.0	-0-	11.5	*	-0-
	Secondary	11.3	*	5.5	12.0	18.9	21.7	*	11.4	-0-	-0-
Trimester prenatal care began	First	90.0	80.5	86.2	92.9	94.1	92.4	*	90.2	*	*
	Third or no care	1.3	3.3	*	*	*	-0-	-0-	1.3	-0-	-0-
First birth		31.9	74.0	43.6	27.0	13.9	11.3	-0-	31.9	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Jersey County - 2000

Population Estimates	
Total	21,700
Under 65 Years	18,570
65 and Older	3,130

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	215	--	--	--	3	3	7	18	24	38	66	56
Male	107	--	--	--	2	2	5	12	14	25	31	16
Female	108	--	--	--	1	1	2	6	10	13	35	40
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	214	--	--	--	3	3	7	18	24	38	65	56
Male	106	--	--	--	2	2	5	12	14	25	30	16
Female	108	--	--	--	1	1	2	6	10	13	35	40
All other races	1	--	--	--	--	--	--	--	--	--	1	--
Male	1	--	--	--	--	--	--	--	--	--	1	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	--	1	--
Male	1	--	--	--	--	--	--	--	--	--	1	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	215	--	214	1	1	55	160	990.8	296.2	5,111.8	
5-Year Average (1996-2000)	228	<1	227	<1	<1	48	180	1055.6	255.8	6,033.4	
Infectious and parasitic diseases	1	--	1	--	--	--	1	*	-0-	*	
# Septicemia	1	--	1	--	--	--	1	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	46	--	46	--	--	15	31	212.0	80.8	990.4	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	7	--	7	--	--	5	2	*	*	*	
Bronchus and lung	11	--	11	--	--	1	10	50.7	*	319.5	
Female breast	4	--	4	--	--	3	1	* ³	* ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
# Diabetes mellitus	7	--	7	--	--	3	4	*	*	*	
# Alzheimer's disease	7	--	7	--	--	--	7	*	-0-	*	
Major cardiovascular diseases	94	--	94	--	--	20	74	433.2	107.7	2,364.2	
# Diseases of heart	75	--	75	--	--	19	56	345.6	102.3	1,789.1	
Ischemic heart disease	61	--	61	--	--	14	47	281.1	75.4	1,501.6	
# Cerebrovascular diseases	12	--	12	--	--	1	11	55.3	*	351.4	
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*	
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-	
Respiratory diseases	20	--	20	--	--	--	20	92.2	-0-	639.0	
# Influenza and pneumonia	7	--	7	--	--	--	7	*	-0-	*	
# Chronic lower respiratory diseases	11	--	11	--	--	--	11	50.7	-0-	351.4	
Emphysema	1	--	1	--	--	--	1	*	-0-	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	1	--	1	--	--	--	1	*	-0-	*	
# Nephritis, nephrotic syndrome and nephrosis	3	--	3	--	--	--	3	*	-0-	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	13	--	13	--	--	12	1	59.9	64.6	*	
# Accidents	8	--	8	--	--	7	1	*	*	*	
Motor vehicle accidents	3	--	3	--	--	3	--	*	*	-0-	
All other accidents	5	--	5	--	--	4	1	*	*	*	
# Suicide	3	--	3	--	--	3	--	*	*	-0-	
# Homicide	2	--	2	--	--	2	--	*	*	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Jo Daviess County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	246	23	58	81	59	23	2	243	1	12
Sex	Male	140	10	32	50	31	15	2	138	1	6
	Female	106	13	26	31	28	8	--	105	--	6
Race	White	243	23	56	81	58	23	2			
	Black	1	--	1	--	--	--	--			
Ethnicity	Hispanic ¹	12	2	3	3	3	1	--			
Multiple births		6	--	4	2	--	--	--	6	--	--
Marital status	Married	183	2	34	70	52	23	2	181	--	--
	Single	63	21	24	11	7	--	--	62	1	7
Mother not high school graduate		28	15	7	3	3	--	--	27	--	6
Birthweight	Very low (0-1,499 Grams)	2	--	--	1	--	1	--	2	--	--
	Low (0-2,499 Grams)	10	1	3	4	1	1	--	10	--	--
Caesarian section	Primary	34	1	7	14	8	4	--	34	--	--
	Secondary	15	--	1	7	4	3	--	15	--	1
Trimester prenatal care began	First	206	18	44	68	52	22	2	204	1	9
	Third or no care	3	1	1	1	--	--	--	3	--	--
First birth		77	18	24	20	14	1	--	76	1	4
2000 Percentages²											
Live births	Total	100.0	9.3	23.6	32.9	24.0	9.3	*	98.8	*	4.9
Sex	Male	56.9	*	*	*	*	*	*	56.8	*	50.0
	Female	43.1	*	*	*	*	*	-0-	43.2	-0-	*
Race	White	98.8	*	*	*	*	*	*			
	Black	*	-0-	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	4.9	*	*	*	*	*	-0-			
Multiple births		*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
Marital status	Married	74.4	*	*	*	*	*	*	74.5	-0-	*
	Single	*	91.3	41.4	*	*	-0-	-0-	25.5	*	*
Mother not high school graduate		*	*	*	*	*	-0-	-0-	11.2	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	*	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	4.1	*	*	*	*	*	-0-	4.1	-0-	-0-
Caesarian section	Primary	13.8	*	*	*	*	*	-0-	14.0	-0-	-0-
	Secondary	6.1	-0-	*	*	*	*	-0-	6.2	-0-	*
Trimester prenatal care began	First	85.1	*	*	*	*	*	*	85.0	*	*
	Third or no care	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
First birth		31.3	*	*	*	*	*	-0-	31.3	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	8.7	23.4	33.4	22.7	10.4	1.4	99.2	*	2.2
Sex	Male	52.4	46.2	51.8	51.4	54.1	59.7	*	52.3	*	*
	Female	47.6	53.8	48.2	48.6	45.9	40.3	*	47.7	*	*
Race	White	99.2	8.8	23.3	33.3	22.8	10.4	1.4			
	Black	*	-0-	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	2.2	*	*	*	*	*	-0-			
Multiple births		3.0	*	*	2.5	4.4	*	-0-	3.0	-0-	-0-
Marital status	Married	76.5	16.3	62.6	86.6	90.7	91.1	*	76.7	-0-	*
	Single	23.5	83.7	37.4	13.4	9.3	8.9	-0-	23.3	*	*
Mother not high school graduate		9.1	51.5	9.6	4.6	*	*	-0-	9.0	-0-	*
Birthweight	Very low (0-1,499 Grams)	1.0	*	*	*	-0-	*	-0-	1.0	-0-	-0-
	Low (0-2,499 Grams)	4.9	9.6	5.8	4.8	*	*	*	4.9	-0-	*
Caesarian section	Primary	12.1	*	15.5	12.8	10.0	14.5	*	12.2	-0-	*
	Secondary	6.4	-0-	*	7.1	8.5	12.1	*	6.4	-0-	*
Trimester prenatal care began	First	86.3	71.8	82.5	89.2	90.5	88.7	*	86.3	*	*
	Third or no care	2.7	5.8	*	*	*	*	*	2.7	-0-	*
First birth		32.6	76.9	45.0	30.2	18.5	8.9	*	32.7	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Jo Daviess County - 2000

Population Estimates	
Total	22,300
Under 65 Years	18,300
65 and Older	4,000

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	232	2	--	--	4	1	2	12	16	54	62	79
Male	118	1	--	--	1	--	1	9	10	37	35	24
Female	114	1	--	--	3	1	1	3	6	17	27	55
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	232	2	--	--	4	1	2	12	16	54	62	79
Male	118	1	--	--	1	--	1	9	10	37	35	24
Female	114	1	--	--	3	1	1	3	6	17	27	55
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	--	--	--	1	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	1	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	232	--	232	--	1	37	195	1,040.4	202.2	4,875.0
5-Year Average (1996-2000)	218	--	218	<1	<1	40	178	997.3	222.6	4,457.8
Infectious and parasitic diseases	3	--	3	--	--	--	3	*	-0-	*
# Septicemia	2	--	2	--	--	--	2	*	-0-	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	64	--	64	--	--	15	49	287.0	82.0	1,225.0
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	5	--	5	--	--	1	4	*	*	*
Bronchus and lung	21	--	21	--	--	8	13	94.2	*	325.0
Female breast	3	--	3	--	--	--	3	* ³	-0- ³	* ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	5	--	5	--	--	--	5	* ³	-0- ³	* ³
# Diabetes mellitus	2	--	2	--	--	--	2	*	-0-	*
# Alzheimer's disease	3	--	3	--	--	--	3	*	-0-	*
Major cardiovascular diseases	99	--	99	--	--	7	92	443.9	*	2,300.0
# Diseases of heart	64	--	64	--	--	5	59	287.0	*	1,475.0
Ischemic heart disease	35	--	35	--	--	4	31	157.0	*	775.0
# Cerebrovascular diseases	26	--	26	--	--	1	25	116.6	*	625.0
# Atherosclerosis	4	--	4	--	--	1	3	*	*	*
# Aortic aneurysm and dissection	4	--	4	--	--	--	4	*	-0-	*
Respiratory diseases	21	--	21	--	--	1	20	94.2	*	500.0
# Influenza and pneumonia	6	--	6	--	--	--	6	*	-0-	*
# Chronic lower respiratory diseases	10	--	10	--	--	1	9	44.8	*	*
Emphysema	1	--	1	--	--	--	1	*	-0-	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	2	--	2	--	--	1	1	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	1	--	1	--	--	--	1	*	-0-	*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	14	--	14	--	1	10	4	62.8	54.6	*
# Accidents	12	--	12	--	1	8	4	53.8	*	*
Motor vehicle accidents	7	--	7	--	1	7	--	*	*	-0-
All other accidents	5	--	5	--	--	1	4	*	*	*
# Suicide	1	--	1	--	--	1	--	*	*	-0-
# Homicide	1	--	1	--	--	1	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Johnson County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	162	19	55	49	29	7	3	162	--	1
Sex	Male	86	11	22	29	17	6	1	86	--	--
	Female	76	8	33	20	12	1	2	76	--	1
Race	White	162	19	55	49	29	7	3			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	--	--	1	--			
Multiple births		2	--	2	--	--	--	--			
Marital status	Married	129	6	44	44	27	5	3	129	--	--
	Single	33	13	11	5	2	2	--	33	--	--
Mother not high school graduate		18	10	5	3	--	--	--	18	--	--
Birthweight	Very low (0-1,499 Grams)	3	1	--	2	--	--	--	3	--	--
	Low (0-2,499 Grams)	8	2	2	4	--	--	--	8	--	--
Caesarian section	Primary	21	3	7	5	4	1	1	21	--	--
	Secondary	11	--	5	3	--	2	1	11	--	--
Trimester prenatal care began	First	145	12	50	47	27	7	2	145	--	1
	Third or no care	1	--	1	--	--	--	--	1	--	--
First birth		55	14	25	12	2	2	--	55	--	--
2000 Percentages²											
Live births	Total	100.0	11.7	34.0	30.2	17.9	*	*	100.0	-0-	*
Sex	Male	53.1	*	*	*	*	*	*	53.1	*	.0
	Female	46.9	*	*	*	*	*	*	46.9	-0-	*
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	-0-	-0-	*	-0-			
Multiple births		*	-0-	*	-0-	-0-	-0-	-0-			
Marital status	Married	79.6	*	*	*	*	*	*	79.6	-0-	*
	Single	*	68.4	20.0	*	*	*	-0-	20.4	-0-	-0-
Mother not high school graduate		*	*	*	*	-0-	-0-	-0-	11.1	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	*	-0-	*	-0-	-0-	-0-	*	-0-	-0-
	low (0-2,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
Caesarian section	Primary	13.0	*	*	*	*	*	*	13.0	-0-	-0-
	Secondary	6.8	-0-	*	*	-0-	*	*	6.8	-0-	-0-
Trimester prenatal care began	First	90.1	*	*	*	*	*	*	90.1	-0-	*
	Third or no care	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First birth		34.0	*	*	*	*	*	-0-	34.0	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	12.5	29.8	32.2	16.9	5.7	3.0	99.5	-0-	*
Sex	Male	51.6	*	48.1	56.9	52.3	*	*	51.5	-0-	*
	Female	48.4	*	51.9	43.1	47.7	*	*	48.5	-0-	*
Race	White	99.5	12.5	29.8	32.3	16.8	5.5	3.0			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	*	*	-0-			
Multiple births		3.6	*	*	*	*	*	*			
Marital status	Married	80.1	*	76.7	89.7	92.5	*	*	80.2	-0-	*
	Single	19.9	*	23.3	10.3	*	*	*	19.8	-0-	*
Mother not high school graduate		13.7	*	18.0	5.9	*	*	-0-	13.7	-0-	*
Birthweight	Very low (0-1,499 Grams)	2.2	*	*	*	-0-	*	-0-	2.2	-0-	-0-
	Low (0-2,499 Grams)	6.8	*	*	6.9	*	*	*	6.8	-0-	-0-
Caesarian section	Primary	17.5	*	16.4	16.7	17.8	*	*	17.6	-0-	-0-
	Secondary	6.9	*	*	9.3	9.3	*	*	7.0	-0-	*
Trimester prenatal care began	First	87.4	*	85.4	94.6	91.6	*	*	87.4	-0-	*
	Third or no care	1.9	3.8	*	*	*	*	-0-	1.9	-0-	*
First birth		34.4	77.2	44.4	25.5	15.9	*	-0-	34.2	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Johnson County - 2000

Population Estimates	
Total	12,900
Under 65 Years	11,150
65 and Older	1,750

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	133	1	1	2	1	1	3	10	15	30	39	30
Male	75	1	1	2	1	1	3	10	11	17	17	11
Female	58	--	--	--	--	--	--	--	4	13	22	19
Black	2	--	--	--	--	--	--	--	1	--	--	1
Male	2	--	--	--	--	--	--	--	1	--	--	1
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	131	1	1	2	1	1	3	10	14	30	39	29
Male	73	1	1	2	1	1	3	10	10	17	17	10
Female	58	--	--	--	--	--	--	--	4	13	22	19
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	133	2	131	--	--	34	99	1,031.0	304.9	5,657.1	
5-Year Average (1996-2000)	121	3	118	--	<1	30	91	915.3	265.1	5,171.2	
Infectious and parasitic diseases	2	--	2	--	--	--	2	*	-0-	*	
# Septicemia	1	--	1	--	--	--	1	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	38	--	38	--	--	9	29	294.6	*	1,657.1	
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	-0-	
Colorectal	5	--	5	--	--	--	5	*	-0-	*	
Bronchus and lung	11	--	11	--	--	5	6	85.3	*	*	
Female breast	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
Cervical	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
Prostate	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
# Diabetes mellitus	4	--	4	--	--	2	2	*	*	*	
# Alzheimer's disease	4	--	4	--	--	--	4	*	-0-	*	
Major cardiovascular diseases	49	--	49	--	--	12	37	379.8	107.6	2,114.3	
# Diseases of heart	39	--	39	--	--	9	30	302.3	*	1,714.3	
Ischemic heart disease	21	--	21	--	--	7	14	162.8	*	800.0	
# Cerebrovascular diseases	7	--	7	--	--	1	6	*	*	*	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	1	--	1	--	--	1	--	*	*	-0-	
Respiratory diseases	7	--	7	--	--	--	7	*	-0-	*	
# Influenza and pneumonia	1	--	1	--	--	--	1	*	-0-	*	
# Chronic lower respiratory diseases	3	--	3	--	--	--	3	*	-0-	*	
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Nephritis, nephrotic syndrome and nephrosis	1	--	1	--	--	--	1	*	-0-	*	
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	7	--	7	--	--	6	1	*	*	*	
# Accidents	5	--	5	--	--	5	--	*	*	-0-	
Motor vehicle accidents	3	--	3	--	--	3	--	*	*	-0-	
All other accidents	2	--	2	--	--	2	--	*	*	-0-	
# Suicide	2	--	2	--	--	1	1	*	*	*	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Kane County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	7,844	779	1,808	2,128	2,028	931	170	7,114	504	3,165
Sex	Male	4,008	390	926	1,096	1,032	473	91	3,630	257	1,599
	Female	3,836	389	882	1,032	996	458	79	3,484	247	1,566
Race	White	7,114	654	1,587	1,968	1,893	854	158			
	Black	504	116	192	95	54	41	6			
Ethnicity	Hispanic ¹	3,165	461	1,055	889	554	157	49			
Multiple births		242	6	36	67	89	28	16	212	22	69
Marital status	Married	5,520	158	885	1,675	1,815	831	156	5,196	122	1,866
	Single	2,324	621	923	453	213	100	14	1,918	382	1,299
Mother not high school graduate		2,428	531	811	599	342	105	40	2,264	142	2,034
Birthweight	Very low (0-1,499 Grams)	113	10	23	35	27	12	6	95	14	40
	Low (0-2,499 Grams)	516	63	113	129	127	61	23	432	61	196
Caesarian section	Primary	977	76	206	256	272	138	29	885	66	332
	Secondary	554	9	72	141	179	125	28	503	34	200
Trimester prenatal care began	First	6,052	458	1,205	1,683	1,769	801	136	5,540	322	2,082
	Third or no care	375	77	135	85	53	20	5	315	55	237
First birth		2,420	539	707	636	398	122	18	2,195	142	1,009
2000 Percentages²											
Live births	Total	100.0	9.9	23.0	27.1	25.9	11.9	2.2	90.7	6.4	40.3
Sex	Male	51.1	50.1	51.2	51.5	50.9	50.8	53.5	51.0	51.0	50.5
	Female	48.9	49.9	48.8	48.5	49.1	49.2	46.5	49.0	49.0	49.5
Race	White	90.7	9.2	22.3	27.7	26.6	12.0	2.2			
	Black	6.4	23.0	38.1	18.8	10.7	8.1	*			
Ethnicity	Hispanic ¹	40.3	14.6	33.3	28.1	17.5	5.0	1.5			
Multiple births		3.1	*	2.0	3.1	4.4	3.0	9.4	3.0	4.4	2.2
Marital status	Married	70.4	20.3	48.9	78.7	89.5	89.3	91.8	73.0	24.2	59.0
	Single	29.6	79.7	51.1	21.3	10.5	10.7	8.2	27.0	75.8	41.0
Mother not high school graduate		31.0	68.3	44.9	28.2	16.9	11.3	23.7	31.9	28.3	64.3
Birthweight	Very low (0-1,499 Grams)	1.4	1.3	1.3	1.6	1.3	1.3	*	1.3	2.8	1.3
	low (0-2,499 Grams)	6.6	8.1	6.3	6.1	6.3	6.6	13.5	6.1	12.1	6.2
Caesarian section	Primary	12.5	9.8	11.4	12.0	13.4	14.8	17.1	12.4	13.1	10.5
	Secondary	7.1	*	4.0	6.6	8.8	13.4	16.5	7.1	6.7	6.3
Trimester prenatal care began	First	78.0	59.6	67.2	80.0	88.1	87.2	82.4	78.7	64.8	66.2
	Third or no care	4.8	10.0	7.5	4.0	2.6	2.2	*	4.5	11.1	7.5
First birth		30.9	69.2	39.1	29.9	19.6	13.1	*	30.9	28.2	31.9
Percentages² based on 1996-2000 average											
Live births	Total	100.0	10.9	22.3	28.1	25.6	11.3	1.9	90.8	6.7	36.1
Sex	Male	51.4	51.0	51.5	51.4	51.4	51.5	50.1	51.3	51.9	50.6
	Female	48.6	49.0	48.5	48.6	48.6	48.5	49.9	48.7	48.1	49.4
Race	White	90.8	10.0	21.5	28.5	26.4	11.7	1.9			
	Black	6.7	25.0	35.7	20.3	12.6	5.5	.8			
Ethnicity	Hispanic ¹	36.1	16.4	33.4	27.8	15.6	5.6	1.2			
Multiple births		3.0	1.3	1.8	3.0	3.9	4.4	7.0	2.9	3.9	1.7
Marital status	Married	71.1	19.1	51.0	80.3	90.3	91.3	88.1	74.3	22.9	59.7
	Single	28.9	80.9	49.0	19.7	9.7	8.7	11.9	25.7	77.1	40.3
Mother not high school graduate		29.4	68.7	43.5	24.7	14.2	12.3	17.2	29.8	32.0	63.7
Birthweight	Very low (0-1,499 Grams)	1.3	1.9	1.2	1.2	1.1	1.4	2.8	1.2	3.2	1.3
	Low (0-2,499 Grams)	6.5	8.4	6.3	6.0	5.8	6.9	12.1	6.0	12.1	6.1
Caesarian section	Primary	11.8	11.2	10.3	11.9	12.6	12.9	17.1	11.7	12.6	9.9
	Secondary	6.7	1.2	4.0	5.8	9.0	12.7	15.0	6.6	7.6	5.7
Trimester prenatal care began	First	75.0	50.5	62.3	79.3	86.5	85.6	83.3	76.2	56.9	59.9
	Third or no care	6.7	16.0	10.5	4.8	3.2	3.5	3.8	6.1	15.6	10.9
First birth		31.3	69.1	37.4	30.6	20.7	12.1	10.7	31.4	27.5	32.6

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Kane County - 2000

Population Estimates	
Total	407,400
Under 65 Years	373,120
65 and Older	34,280

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	2,501	56	8	4	45	48	96	158	267	435	685	699
Male	1,177	33	5	2	34	31	52	95	162	223	328	212
Female	1,324	23	3	2	11	17	44	63	105	212	357	487
Black	129	11	--	--	6	5	7	13	22	27	19	19
Male	61	7	--	--	4	4	3	4	12	14	6	7
Female	68	4	--	--	2	1	4	9	10	13	13	12
White	2,351	44	8	4	39	43	85	143	239	404	663	679
Male	1,102	26	5	2	30	27	45	89	145	207	321	205
Female	1,249	18	3	2	9	16	40	54	94	197	342	474
All other races	21	1	--	--	--	--	4	2	6	4	3	1
Male	14	--	--	--	--	--	4	2	5	2	1	--
Female	7	1	--	--	--	--	--	--	1	2	2	1
Hispanic ethnicity ¹	164	23	3	--	22	19	16	17	25	21	14	4
Male	91	11	1	--	17	14	10	10	11	8	8	1
Female	73	12	2	--	5	5	6	7	14	13	6	3

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	2,501	129	2,351	21	164	682	1,819	613.9	182.8	5,306.3
5-Year Average (1996-2000)	2,412	127	2,269	15	136	664	1,747	631.1	190.1	5,351.0
Infectious and parasitic diseases	73	8	64	1	9	34	39	17.9	9.1	113.8
# Septicemia	45	5	39	1	1	11	34	11.0	2.9	99.2
# Viral hepatitis	5	--	5	--	--	4	1	*	*	*
# HIV disease	12	2	10	--	6	12	--	2.9	*	-0-
# Malignant neoplasms	573	25	543	5	36	194	379	140.6	52.0	1,105.6
Lip, oral cavity and pharynx	6	--	6	--	1	1	5	*	*	*
Colorectal	50	2	47	1	1	16	34	12.3	4.3	99.2
Bronchus and lung	138	4	134	--	4	39	99	33.9	10.5	288.8
Female breast	53	2	51	--	3	22	31	13.0 ³	5.9 ³	90.4 ³
Cervical	3	--	3	--	--	2	1	* ³	* ³	* ³
Prostate	35	2	33	--	--	1	34	8.6 ³	* ³	99.2 ³
# Diabetes mellitus	86	8	78	--	12	23	63	21.1	6.2	183.8
# Alzheimer's disease	54	--	54	--	--	1	53	13.3	*	154.6
Major cardiovascular diseases	865	39	815	11	28	139	726	212.3	37.3	2,117.9
# Diseases of heart	655	30	616	9	20	112	543	160.8	30.0	1,584.0
Ischemic heart disease	475	17	449	9	14	81	394	116.6	21.7	1,149.4
# Cerebrovascular diseases	153	6	145	2	7	19	134	37.6	5.1	390.9
# Atherosclerosis	10	--	10	--	--	--	10	2.5	-0-	29.2
# Aortic aneurysm and dissection	20	1	19	--	1	3	17	4.9	*	49.6
Respiratory diseases	264	11	253	--	2	26	238	64.8	7.0	694.3
# Influenza and pneumonia	84	6	78	--	--	8	76	20.6	*	221.7
# Chronic lower respiratory diseases	124	2	122	--	1	10	114	30.4	2.7	332.6
Emphysema	26	--	26	--	--	2	24	6.4	*	70.0
Asthma	4	1	3	--	--	1	3	*	*	*
# Chronic liver disease and cirrhosis	33	1	32	--	3	21	12	8.1	5.6	35.0
# Nephritis, nephrotic syndrome and nephrosis	49	5	44	--	8	16	33	12.0	4.3	96.3
# Certain perinatal conditions	34	9	25	--	14	34	--	8.3	9.1	-0-
# Congenital malformations	12	--	12	--	5	10	2	2.9	2.7	*
SIDS	5	1	3	1	1	5	--	*	*	-0-
External causes	146	12	133	1	33	109	37	35.8	29.2	107.9
# Accidents	96	6	89	1	19	65	31	23.6	17.4	90.4
Motor vehicle accidents	42	3	38	1	7	33	9	10.3	8.8	*
All other accidents	54	3	51	--	12	32	22	13.3	8.6	64.2
# Suicide	27	1	26	--	5	23	4	6.6	6.2	*
# Homicide	19	5	14	--	9	19	--	4.7	5.1	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Kankakee County - 2000

		All Ages	Mother's Age						Race		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and older	White	Black	Hispanic ¹
2000 Numbers											
Live births	Total	1,561	239	484	416	270	116	36	1,206	340	156
Sex	Male	788	130	234	206	148	53	17	610	170	82
	Female	773	109	250	210	122	63	19	596	170	74
Race	White	1,206	145	344	351	237	101	28			
	Black	340	94	140	56	29	13	8			
Ethnicity	Hispanic ¹	156	35	50	33	22	14	2			
Multiple births		37	4	14	9	6	2	2	33	4	6
Marital status	Married	903	37	209	299	233	98	27	818	71	86
	Single	658	202	275	117	37	18	9	388	269	70
Mother not high school graduate		332	141	97	52	23	15	4	231	99	96
Birthweight	Very low (0-1,499 Grams)	25	4	7	8	2	2	2	15	10	2
	Low (0-2,499 Grams)	117	15	40	28	21	7	6	77	40	11
Caesarian section	Primary	185	34	57	49	27	12	6	145	40	19
	Secondary	114	4	27	30	34	17	2	86	26	16
Trimester prenatal care began	First	1,162	128	346	336	231	99	22	966	183	102
	Third or no care	101	31	33	18	11	4	4	54	47	19
First birth		466	164	163	85	35	14	5	366	95	52
2000 Percentages²											
Live births	Total	100.0	15.3	31.0	26.6	17.3	7.4	2.3	77.3	21.8	10.0
Sex	Male	50.5	54.4	48.3	49.5	54.8	45.7	*	50.6	50.0	52.6
	Female	49.5	45.6	51.7	50.5	45.2	54.3	*	49.4	50.0	47.4
Race	White	77.3	12.0	28.5	29.1	19.7	8.4	*			
	Black	21.8	27.6	41.2	16.5	8.5	3.8	*			
Ethnicity	Hispanic ¹	10.0	22.4	32.1	21.2	14.1	9.0	*			
Multiple births		2.4	*	2.9	*	*	*	*	2.7	*	*
Marital status	Married	57.8	15.5	43.2	71.9	86.3	84.5	*	67.8	20.9	55.1
	Single	42.2	84.5	56.8	28.1	13.7	15.5	*	32.2	79.1	44.9
Mother not high school graduate		21.3	59.2	20.0	12.5	8.5	12.9	*	19.2	29.1	61.5
Birthweight	Very low (0-1,499 Grams)	1.6	*	*	*	*	*	*	1.2	2.9	*
	Low (0-2,499 Grams)	7.5	6.3	8.3	6.7	7.8	*	*	6.4	11.8	7.1
Caesarian section	Primary	11.9	14.2	11.8	11.8	10.0	10.3	*	12.0	11.8	12.2
	Secondary	7.3	*	5.6	7.2	12.6	14.7	*	7.1	7.6	10.3
Trimester prenatal care began	First	74.7	53.6	71.8	81.0	86.2	85.3	*	80.4	54.1	65.4
	Third or no care	6.5	13.0	6.8	4.3	4.1	*	*	4.5	13.9	12.2
First birth		29.9	68.6	33.7	20.4	13.0	12.1	*	30.3	27.9	33.3
Percentages² based on 1996-2000 average											
Live births	Total	100.0	15.7	28.4	28.8	18.4	7.3	1.3	77.7	21.2	7.1
Sex	Male	51.1	55.2	50.4	49.6	51.3	50.7	*	50.8	52.6	50.7
	Female	48.9	44.8	49.6	50.4	48.7	49.3	*	49.2	47.4	49.3
Race	White	77.7	11.8	26.8	31.1	20.7	8.2	1.4			
	Black	21.2	30.6	35.2	19.9	9.6	3.7	1.0			
Ethnicity	Hispanic ¹	7.1	19.3	35.2	24.8	13.9	6.1	*			
Multiple births		2.6	1.8	1.9	2.5	3.6	4.7	*	2.6	2.6	*
Marital status	Married	60.4	13.7	47.4	76.0	84.9	84.6	*	71.1	19.6	59.4
	Single	39.6	86.3	52.6	24.0	15.1	15.4	*	28.9	80.4	40.6
Mother not high school graduate		20.4	59.8	20.7	10.2	7.2	9.7	*	17.2	32.2	62.6
Birthweight	Very low (0-1,499 Grams)	1.8	2.6	1.7	1.1	1.7	3.0	*	1.4	3.2	*
	Low (0-2,499 Grams)	7.4	9.4	7.3	5.9	6.8	9.5	*	6.0	12.6	4.8
Caesarian section	Primary	11.2	12.9	10.2	10.9	11.1	12.2	*	11.0	11.9	9.1
	Secondary	6.6	1.0	4.2	7.3	11.5	12.7	*	6.7	6.3	7.4
Trimester prenatal care began	First	74.5	54.2	69.5	81.7	86.1	81.5	*	80.3	53.1	63.9
	Third or no care	5.7	12.6	6.4	3.7	2.8	2.9	*	3.9	12.2	8.2
First birth		30.4	67.3	33.8	23.0	14.7	9.9	*	31.1	27.6	33.3

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Kankakee County - 2000

Population Estimates	
Total	103,900
Under 65 Years	90,280
65 and Older	13,620

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	1,117	21	3	7	9	16	33	61	114	215	367	271
Male	584	8	1	4	7	14	22	38	73	136	205	76
Female	533	13	2	3	2	2	11	23	41	79	162	195
Black	153	10	--	4	--	5	7	12	25	28	40	22
Male	83	4	--	3	--	4	5	4	14	19	24	6
Female	70	6	--	1	--	1	2	8	11	9	16	16
White	963	11	3	3	9	11	26	49	88	187	327	249
Male	500	4	1	1	7	10	17	34	58	117	181	70
Female	463	7	2	2	2	1	9	15	30	70	146	179
All other races	1	--	--	--	--	--	--	--	1	--	--	--
Male	1	--	--	--	--	--	--	--	1	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	9	1	--	--	1	2	1	--	1	1	--	2
Male	5	--	--	--	--	2	1	--	1	--	--	1
Female	4	1	--	--	1	--	--	--	--	1	--	1

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	1,117	153	963	1	9	264	853	1,075.1	292.4	6,262.8
5-Year Average (1996-2000)	1,068	147	920	1	7	263	805	1,049.5	299.2	5,860.8
Infectious and parasitic diseases	32	8	24	--	--	11	21	30.8	12.2	154.2
# Septicemia	26	6	20	--	--	6	20	25.0	*	146.8
# Viral hepatitis	1	--	1	--	--	1	--	*	*	-0-
# HIV disease	1	1	--	--	--	1	--	*	*	-0-
# Malignant neoplasms	288	35	253	--	2	68	220	277.2	75.3	1,615.3
Lip, oral cavity and pharynx	6	1	5	--	--	3	3	*	*	*
Colorectal	24	3	21	--	--	8	16	23.1	*	117.5
Bronchus and lung	88	9	79	--	1	21	67	84.7	23.3	491.9
Female breast	18	3	15	--	--	4	14	17.3 ³	* ³	102.8 ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	19	3	16	--	--	2	17	18.3 ³	* ³	124.8 ³
# Diabetes mellitus	19	2	17	--	--	4	15	18.3	*	110.1
# Alzheimer's disease	32	2	30	--	--	--	32	30.8	-0-	234.9
Major cardiovascular diseases	407	59	347	1	1	77	330	391.7	85.3	2,422.9
# Diseases of heart	303	43	259	1	1	58	245	291.6	64.2	1,798.8
Ischemic heart disease	221	27	193	1	1	39	182	212.7	43.2	1,336.3
# Cerebrovascular diseases	72	10	62	--	--	15	57	69.3	16.6	418.5
# Atherosclerosis	8	--	8	--	--	--	8	*	-0-	*
# Aortic aneurysm and dissection	8	2	6	--	--	1	7	*	*	*
Respiratory diseases	89	9	80	--	--	10	79	85.7	11.1	580.0
# Influenza and pneumonia	18	4	14	--	--	3	15	17.3	*	110.1
# Chronic lower respiratory diseases	55	3	52	--	--	6	49	52.9	*	359.8
Emphysema	3	--	3	--	--	--	3	*	-0-	*
Asthma	1	1	--	--	--	--	1	*	-0-	*
# Chronic liver disease and cirrhosis	12	1	11	--	--	7	5	11.5	*	*
# Nephritis, nephrotic syndrome and nephrosis	24	5	19	--	--	3	21	23.1	*	154.2
# Certain perinatal conditions	10	3	7	--	--	10	--	9.6	11.1	-0-
# Congenital malformations	7	1	6	--	1	4	3	*	*	*
SIDS	2	2	--	--	--	2	--	*	*	-0-
External causes	73	13	60	--	4	48	25	70.3	53.2	183.6
# Accidents	52	9	43	--	1	30	22	50.0	33.2	161.5
Motor vehicle accidents	20	2	18	--	1	18	2	19.2	19.9	*
All other accidents	32	7	25	--	--	12	20	30.8	13.3	146.8
# Suicide	10	1	9	--	--	9	1	9.6	*	*
# Homicide	8	3	5	--	2	7	1	*	*	*

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Kendall County - 2000

		All Ages	Mother's Age						Race		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and older	White	Black	Hispanic ¹
2000 Numbers											
Live births	Total	879	42	151	274	283	110	19	864	5	103
Sex	Male	460	23	76	143	143	64	11	454	2	51
	Female	419	19	75	131	140	46	8	410	3	52
Race	White	864	41	147	270	278	109	19			
	Black	5	1	2	--	2	--	--			
Ethnicity	Hispanic ¹	103	7	26	40	24	5	1			
Multiple births		26	--	2	2	14	8	--	26	--	2
Marital status	Married	733	3	87	250	272	105	16	722	2	72
	Single	146	39	64	24	11	5	3	142	3	31
Mother not high school graduate		72	20	24	18	8	2	--	71	--	33
Birthweight	Very low (0-1,499 Grams)	8	--	2	2	3	1	--	7	--	1
	Low (0-2,499 Grams)	51	2	12	10	16	9	2	50	--	3
Caesarian section	Primary	123	8	19	42	39	14	1	123	--	15
	Secondary	77	--	6	16	30	20	5	75	1	7
Trimester prenatal care began	First	777	30	117	249	264	98	19	765	5	78
	Third or no care	19	2	6	3	4	4	--	19	--	3
First birth		256	24	65	100	55	11	1	251	3	35
2000 Percentages²											
Live births	Total	100.0	4.8	17.2	31.2	32.2	12.5	2.2	98.3	*	11.7
Sex	Male	52.3	*	50.3	52.2	50.5	58.2	*	52.5	*	49.5
	Female	47.7	*	49.7	47.8	49.5	41.8	*	47.5	*	50.5
Race	White	98.3	*	17.0	31.3	32.2	12.6	*			
	Black	*	*	*	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	11.7	*	25.2	38.8	23.3	*	*			
Multiple births		3.0	-0-	*	*	4.9	*	-0-	3.0	-0-	*
Marital status	Married	83.4	*	57.6	91.2	96.1	95.5	*	83.6	*	69.9
	Single	*	92.9	42.4	8.8	3.9	*	*	16.4	*	30.1
Mother not high school graduate		8.2	*	15.9	6.6	*	*	-0-	8.2	-0-	32.0
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	*	*	*	-0-	*	-0-	*
	Low (0-2,499 Grams)	5.8	*	7.9	3.6	5.7	*	*	5.8	-0-	*
Caesarian section	Primary	14.0	*	12.6	15.3	13.8	12.7	*	14.2	-0-	14.6
	Secondary	8.8	-0-	*	5.8	10.6	18.2	*	8.7	*	*
Trimester prenatal care began	First	88.8	*	78.0	91.9	93.3	89.1	*	88.9	*	77.2
	Third or no care	2.2	*	*	*	*	*	-0-	2.2	-0-	*
First birth		29.1	*	43.0	36.5	19.4	10.0	-0-	29.1	*	34.0
Percentages² based on 1996-2000 average											
Live births	Total	100.0	6.5	15.8	32.5	30.3	12.4	2.5	97.7	0.8	9.8
Sex	Male	51.7	52.2	51.6	51.3	51.7	52.4	*	51.9	*	48.7
	Female	48.3	47.8	48.4	48.7	48.3	47.6	*	48.1	*	51.3
Race	White	97.7	6.6	15.7	32.5	30.2	12.5	2.4			
	Black	.8	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	9.8	11.1	25.5	33.4	22.6	6.1	*			
Multiple births		3.2	*	*	2.7	4.8	4.4	*	3.2	-0-	*
Marital status	Married	84.2	14.7	64.8	92.3	95.6	95.0	*	84.3	*	72.1
	Single	15.8	85.3	35.2	7.7	4.4	5.0	*	15.7	*	27.9
Mother not high school graduate		9.2	54.6	14.0	5.6	3.3	4.8	*	9.3	*	37.9
Birthweight	Very low (0-1,499 Grams)	1.0	*	*	*	1.2	*	*	.9	-0-	*
	Low (0-2,499 Grams)	5.7	6.4	6.1	4.6	6.0	6.2	*	5.5	*	4.7
Caesarian section	Primary	11.0	11.2	10.7	11.2	10.9	11.4	*	11.0	*	10.5
	Secondary	7.6	*	3.3	6.4	8.6	13.7	*	7.5	*	8.7
Trimester prenatal care began	First	86.7	67.6	77.1	90.5	91.0	88.1	*	86.9	*	72.4
	Third or no care	2.8	9.2	5.1	1.4	2.1	*	*	2.8	*	5.0
First birth		28.9	69.7	42.6	32.9	17.8	11.6	*	29.0	*	32.6

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Kendall County - 2000

Population Estimates	
Total	55,200
Under 65 Years	50,500
65 and Older	4,700

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	349	7	--	1	4	6	11	27	37	54	104	98
Male	164	7	--	--	3	4	7	12	19	27	53	32
Female	185	--	--	1	1	2	4	15	18	27	51	66
Black	1	--	--	--	--	--	--	--	--	--	--	1
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	--	1
White	346	6	--	1	4	6	11	27	37	53	104	97
Male	163	6	--	--	3	4	7	12	19	27	53	32
Female	183	--	--	1	1	2	4	15	18	26	51	65
All other races	2	1	--	--	--	--	--	--	--	1	--	--
Male	1	1	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	1	--	--	--
Hispanic ethnicity ¹	10	1	--	1	--	--	--	--	5	2	1	--
Male	5	1	--	--	--	--	--	--	4	--	--	--
Female	5	--	--	1	--	--	--	--	1	2	1	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	349	1	346	2	10	93	256	632.2	184.2	5,446.8	
5-Year Average (1996-2000)	297	1	295	<1	6	83	215	594.6	180.8	5,073.3	
Infectious and parasitic diseases	6	--	6	--	--	2	4	*	*	*	
# Septicemia	4	--	4	--	--	2	2	*	*	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	89	--	89	--	2	33	56	161.2	65.3	1,191.5	
Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*	
Colorectal	9	--	9	--	--	2	7	*	*	*	
Bronchus and lung	21	--	21	--	--	11	10	38.0	21.8	212.8	
Female breast	8	--	8	--	--	4	4	* ³	* ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	2	--	2	--	--	--	2	* ³	-0- ³	* ³	
# Diabetes mellitus	7	--	7	--	1	2	5	*	*	*	
# Alzheimer's disease	5	--	5	--	--	--	5	*	-0-	*	
Major cardiovascular diseases	137	1	136	--	5	23	114	248.2	45.5	2,425.5	
# Diseases of heart	98	1	97	--	3	17	81	177.5	33.7	1,723.4	
Ischemic heart disease	70	1	69	--	2	9	61	126.8	*	1,297.9	
# Cerebrovascular diseases	21	--	21	--	2	6	15	38.0	*	319.1	
# Atherosclerosis	9	--	9	--	--	--	9	*	-0-	*	
# Aortic aneurysm and dissection	6	--	6	--	--	--	6	*	-0-	*	
Respiratory diseases	35	--	35	--	1	1	34	63.4	*	723.4	
# Influenza and pneumonia	6	--	6	--	--	--	6	*	-0-	*	
# Chronic lower respiratory diseases	28	--	28	--	--	1	27	50.7	*	574.5	
Emphysema	5	--	5	--	--	--	5	*	-0-	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	6	--	6	--	--	5	1	*	*	*	
# Nephritis, nephrotic syndrome and nephrosis	1	--	1	--	--	--	1	*	-0-	*	
# Certain perinatal conditions	3	--	2	1	1	3	--	*	*	-0-	
# Congenital malformations	2	--	2	--	--	2	--	*	*	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	26	--	25	1	--	15	11	47.1	29.7	234.0	
# Accidents	15	--	14	1	--	7	8	27.2	*	*	
Motor vehicle accidents	4	--	4	--	--	4	--	*	*	-0-	
All other accidents	11	--	10	1	--	3	8	19.9	*	*	
# Suicide	6	--	6	--	--	4	2	*	*	*	
# Homicide	3	--	3	--	--	3	--	*	*	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Knox County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	626	77	218	172	109	39	11	582	37	38
Sex	Male	315	40	113	80	53	23	6	291	22	15
	Female	311	37	105	92	56	16	5	291	15	23
Race	White	582	67	200	167	103	35	10			
	Black	37	10	16	4	3	3	1			
Ethnicity	Hispanic ¹	38	6	13	8	8	3	--			
Multiple births		11	3	--	4	2	2	--	8	3	--
Marital status	Married	361	9	89	133	87	32	11	350	5	--
	Single	265	68	129	39	22	7	--	232	32	23
Mother not high school graduate		94	42	34	13	3	2	--	80	14	12
Birthweight	Very low (0-1,499 Grams)	11	--	3	6	2	--	--	10	--	--
	Low (0-2,499 Grams)	42	7	14	13	3	3	2	36	5	3
Caesarian section	Primary	73	9	27	23	8	3	3	64	8	5
	Secondary	43	2	11	12	13	4	1	39	4	2
Trimester prenatal care began	First	532	57	184	149	100	34	8	501	24	32
	Third or no care	17	4	7	1	2	2	1	14	3	1
First birth		201	53	79	52	15	1	1	192	7	12
2000 Percentages²											
Live births	Total	100.0	12.3	34.8	27.5	17.4	6.2	1.8	93.0	5.9	6.1
Sex	Male	50.3	*	51.8	46.5	48.6	*	*	50.0	*	39.5
	Female	49.7	*	48.2	53.5	51.4	*	*	50.0	*	*
Race	White	93.0	*	34.4	28.7	17.7	*	*			
	Black	5.9	*	43.2	*	*	*	*			
Ethnicity	Hispanic ¹	6.1	*	34.2	*	*	*	-0-			
Multiple births		1.8	*	-0-	*	*	*	-0-	*	*	-0-
Marital status	Married	57.7	*	40.8	77.3	79.8	*	*	60.1	*	*
	Single	*	88.3	59.2	22.7	20.2	*	-0-	39.9	*	*
Mother not high school graduate		15.0	*	15.6	7.6	*	*	-0-	13.7	*	*
Birthweight	Very low (0-1,499 Grams)	1.8	-0-	*	*	*	-0-	-0-	1.7	-0-	-0-
	Low (0-2,499 Grams)	6.7	*	6.4	7.6	*	*	*	6.2	*	*
Caesarian section	Primary	11.7	*	12.4	13.4	*	*	*	11.0	*	*
	Secondary	6.9	*	5.0	7.0	11.9	*	*	6.7	*	*
Trimester prenatal care began	First	85.1	*	84.4	86.6	91.7	*	*	86.2	*	*
	Third or no care	2.7	*	*	*	*	*	*	2.4	*	*
First birth		32.1	*	36.2	30.2	13.8	*	*	33.0	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.7	30.7	28.2	18.7	7.2	1.5	93.3	6.1	5.2
Sex	Male	51.5	54.7	51.8	49.7	51.1	49.4	*	51.4	51.8	52.4
	Female	48.5	45.3	48.2	50.3	48.9	50.6	*	48.6	48.2	47.6
Race	White	93.3	12.8	30.5	28.8	19.0	7.4	1.5			
	Black	6.1	28.7	34.4	20.0	12.3	*	*			
Ethnicity	Hispanic ¹	5.2	24.4	33.3	21.4	14.3	*	*			
Multiple births		1.8	2.5	*	1.1	3.7	*	*	1.5	5.6	*
Marital status	Married	60.9	14.6	45.4	77.2	84.3	83.5	*	63.8	13.8	38.1
	Single	39.1	85.4	54.6	22.8	15.7	16.5	*	36.2	86.2	61.9
Mother not high school graduate		16.3	57.0	17.1	6.5	5.7	4.3	*	15.2	33.8	38.1
Birthweight	Very low (0-1,499 Grams)	1.2	*	1.0	1.3	1.7	-0-	*	1.1	*	*
	Low (0-2,499 Grams)	6.6	9.4	5.4	5.9	7.3	5.2	*	6.2	11.8	*
Caesarian section	Primary	11.1	10.3	11.7	9.7	11.4	11.7	*	11.1	11.3	7.7
	Secondary	7.2	*	4.2	8.6	10.9	13.9	*	7.1	8.2	6.5
Trimester prenatal care began	First	84.0	70.0	82.3	87.5	90.2	88.3	*	85.4	63.1	72.0
	Third or no care	2.8	5.9	2.6	1.8	2.0	*	*	2.2	10.3	*
First birth		31.7	70.3	37.0	25.2	14.2	10.0	*	32.2	23.6	28.0

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Knox County - 2000

Population Estimates	
Total	55,800
Under 65 Years	46,020
65 and Older	9,780

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	701	4	1	3	8	5	12	35	51	127	203	252
Male	287	4	--	2	6	4	6	22	23	72	76	72
Female	414	--	1	1	2	1	6	13	28	55	127	180
Black	19	--	--	2	1	--	1	3	1	--	8	3
Male	11	--	--	2	1	--	--	2	1	--	3	2
Female	8	--	--	--	--	--	1	1	--	--	5	1
White	682	4	1	1	7	5	11	32	50	127	195	249
Male	276	4	--	--	5	4	6	20	22	72	73	70
Female	406	--	1	1	2	1	5	12	28	55	122	179
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	6	--	--	--	--	--	1	1	1	2	1	--
Male	2	--	--	--	--	--	1	--	--	1	--	--
Female	4	--	--	--	--	--	--	1	1	1	1	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	701	19	682	--	6	119	582	1,256.3	258.6	5,950.9
5-Year Average (1996-2000)	662	22	639	<1	5	106	555	1190.3	232.9	5,605.6
# Infectious and parasitic diseases	14	--	14	--	--	4	10	25.1	*	102.2
# Septicemia	11	--	11	--	--	2	9	19.7	*	*
# Viral hepatitis	1	--	1	--	--	1	--	*	*	-0-
# HIV disease	1	--	1	--	--	1	--	*	*	-0-
# Malignant neoplasms	150	2	148	--	1	37	113	268.8	80.4	1,155.4
# Lip, oral cavity and pharynx	2	--	2	--	--	--	2	*	-0-	*
# Colorectal	19	1	18	--	--	4	15	34.1	*	153.4
# Bronchus and lung	47	--	47	--	--	12	35	84.2	26.1	357.9
# Female breast	14	--	14	--	--	5	9	25.1 ³	* ³	* ³
# Cervical	1	--	1	--	--	--	1	* ³	-0- ³	* ³
# Prostate	6	--	6	--	--	--	6	* ³	-0- ³	* ³
# Diabetes mellitus	16	--	16	--	--	2	14	28.7	*	143.1
# Alzheimer's disease	19	1	18	--	--	--	19	34.1	-0-	194.3
# Major cardiovascular diseases	283	9	274	--	1	21	262	507.2	45.6	2,678.9
# Diseases of heart	201	7	194	--	1	18	183	360.2	39.1	1,871.2
# Ischemic heart disease	153	5	148	--	1	16	137	274.2	34.8	1,400.8
# Cerebrovascular diseases	66	2	64	--	--	2	64	118.3	*	654.4
# Atherosclerosis	2	--	2	--	--	--	2	*	-0-	*
# Aortic aneurysm and dissection	6	--	6	--	--	1	5	*	*	*
# Respiratory diseases	93	1	92	--	3	11	82	166.7	23.9	838.4
# Influenza and pneumonia	22	--	22	--	--	1	21	39.4	*	214.7
# Chronic lower respiratory diseases	47	1	46	--	1	5	42	84.2	*	429.4
# Emphysema	7	--	7	--	1	1	6	*	*	*
# Asthma	1	--	1	--	--	--	1	*	-0-	*
# Chronic liver disease and cirrhosis	4	--	4	--	--	1	3	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	12	--	12	--	--	--	12	21.5	-0-	122.7
# Certain perinatal conditions	4	--	4	--	--	4	--	*	*	-0-
# Congenital malformations	1	1	--	--	--	1	--	*	*	-0-
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
# External causes	32	3	29	--	--	19	13	57.3	41.3	132.9
# Accidents	24	2	22	--	--	13	11	43.0	28.2	112.5
# Motor vehicle accidents	6	1	5	--	--	5	1	*	*	*
# All other accidents	18	1	17	--	--	8	10	32.3	*	102.2
# Suicide	5	1	4	--	--	5	--	*	*	-0-
# Homicide	1	--	1	--	--	1	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Lake County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	10,562	808	1,833	2,656	3,227	1,740	298	9,200	805	2,713
Sex	Male	5,406	427	935	1,391	1,612	896	145	4,685	417	1,409
	Female	5,156	381	898	1,265	1,615	844	153	4,515	388	1,304
Race	White	9,200	592	1,525	2,335	2,890	1,595	263			
	Black	805	198	263	168	103	55	18			
Ethnicity	Hispanic ¹	2,713	366	888	792	432	199	36			
Multiple births		424	10	32	112	151	103	16	389	19	63
Marital status	Married	8,194	169	940	2,173	3,004	1,633	275	7,423	252	1,617
	Single	2,368	639	893	483	223	107	23	1,777	553	1,096
Mother not high school graduate		2,006	475	637	477	284	106	27	1,789	190	1,529
Birthweight	Very low (0-1,499 Grams)	129	11	18	30	44	23	3	101	21	21
	Low (0-2,499 Grams)	765	66	117	190	234	133	25	617	100	177
Caesarian section	Primary	1,477	137	230	402	431	224	53	1,253	136	329
	Secondary	1,003	12	125	223	356	241	46	854	104	234
Trimester prenatal care began	First	8,272	419	1,163	2,129	2,796	1,526	239	7,295	518	1,621
	Third or no care	426	87	159	93	52	28	7	337	81	210
First birth		3,231	572	737	902	731	253	36	2,818	221	904
2000 Percentages²											
Live births	Total	100.0	7.7	17.4	25.1	30.6	16.5	2.8	87.1	7.6	25.7
Sex	Male	51.2	52.8	51.0	52.4	50.0	51.5	48.7	50.9	51.8	51.9
	Female	48.8	47.2	49.0	47.6	50.0	48.5	51.3	49.1	48.2	48.1
Race	White	87.1	6.4	16.6	25.4	31.4	17.3	2.9			
	Black	7.6	24.6	32.7	20.9	12.8	6.8	2.2			
Ethnicity	Hispanic ¹	25.7	13.5	32.7	29.2	15.9	7.3	1.3			
Multiple births		4.0	1.2	1.7	4.2	4.7	5.9	5.4	4.2	2.4	2.3
Marital status	Married	77.6	20.9	51.3	81.8	93.1	93.9	92.3	80.7	31.3	59.6
	Single	22.4	79.1	48.7	18.2	6.9	6.1	7.7	19.3	68.7	40.4
Mother not high school graduate		19.3	59.9	35.2	18.3	8.9	6.2	9.3	19.8	24.2	57.8
Birthweight	Very low (0-1,499 Grams)	1.2	1.4	1.0	1.1	1.4	1.3	*	1.1	2.6	.8
	Low (0-2,499 Grams)	7.2	8.2	6.4	7.2	7.3	7.6	8.4	6.7	12.4	6.5
Caesarian section	Primary	14.0	17.0	12.5	15.1	13.4	12.9	17.8	13.6	16.9	12.1
	Secondary	9.5	1.5	6.8	8.4	11.0	13.9	15.4	9.3	12.9	8.6
Trimester prenatal care began	First	80.8	53.2	65.3	82.5	89.6	90.8	85.7	81.7	67.5	61.1
	Third or no care	4.2	11.0	8.9	3.6	1.7	1.7	*	3.8	10.6	7.9
First birth		30.6	70.8	40.2	34.0	22.7	14.5	*	30.6	27.5	33.3
Percentages² based on 1996-2000 average											
Live births	Total	100.0	8.0	16.8	25.3	31.7	15.5	2.7	87.7	7.8	22.4
Sex	Male	51.3	51.3	51.4	51.3	51.2	51.4	51.9	51.3	51.0	51.6
	Female	48.7	48.7	48.6	48.7	48.8	48.6	48.1	48.7	49.0	48.4
Race	White	87.7	6.7	15.9	25.6	32.8	16.1	2.8			
	Black	7.8	25.0	31.1	20.6	14.7	7.1	1.5			
Ethnicity	Hispanic ¹	22.4	14.9	32.8	27.4	16.9	6.7	1.3			
Multiple births		4.1	1.2	2.1	3.5	5.0	6.5	7.0	4.3	3.0	2.0
Marital status	Married	79.3	23.8	54.5	84.5	94.1	94.2	91.9	82.8	32.9	63.1
	Single	20.7	76.2	45.5	15.5	5.9	5.8	8.1	17.2	67.1	36.9
Mother not high school graduate		18.0	60.3	34.1	15.7	7.4	6.0	8.0	17.9	26.4	57.3
Birthweight	Very low (0-1,499 Grams)	1.3	1.6	1.0	1.2	1.3	1.5	1.6	1.2	2.8	1.0
	Low (0-2,499 Grams)	6.7	8.2	6.4	6.3	6.2	7.7	9.3	6.3	11.7	6.0
Caesarian section	Primary	12.7	14.3	12.3	13.0	12.0	12.6	16.2	12.4	15.5	11.4
	Secondary	8.7	1.8	6.1	7.9	9.8	13.3	13.6	8.4	12.3	8.8
Trimester prenatal care began	First	83.1	55.9	67.5	84.9	91.6	92.1	90.3	84.3	67.8	63.4
	Third or no care	3.6	10.7	7.8	3.0	1.4	1.4	1.7	3.1	9.9	7.6
First birth		30.1	69.8	38.2	33.7	22.4	13.7	12.4	30.2	27.5	33.6

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Lake County - 2000

Population Estimates	
Total	648,200
Under 65 Years	592,760
65 and Older	55,440

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	3,660	48	14	9	50	63	146	258	404	657	1,058	953
Male	1,757	24	8	7	43	39	104	156	248	363	470	295
Female	1,903	24	6	2	7	24	42	102	156	294	588	658
Black	243	7	1	--	5	7	18	38	51	36	52	28
Male	122	4	--	--	5	5	13	20	28	19	23	5
Female	121	3	1	--	--	2	5	18	23	17	29	23
White	3,366	36	13	9	44	52	126	218	342	611	999	916
Male	1,609	17	8	7	37	34	90	134	211	342	443	286
Female	1,757	19	5	2	7	18	36	84	131	269	556	630
All other races	51	5	--	--	1	4	2	2	11	10	7	9
Male	26	3	--	--	1	--	1	2	9	2	4	4
Female	25	2	--	--	--	4	1	--	2	8	3	5
Hispanic ethnicity ¹	116	13	2	1	14	11	17	11	13	12	14	8
Male	70	6	1	1	13	6	14	6	7	5	8	3
Female	46	7	1	--	1	5	3	5	6	7	6	5

	Deaths by Selected Causes										
	Race					Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	3,660	243	3,366	51	116	992	2,668	564.6	167.4	4,812.4	
5-Year Average (1996-2000)	3,548	237	3,278	34	104	938	2,610	593.2	171.8	4,994.1	
Infectious and parasitic diseases	72	8	64	--	3	28	44	11.1	4.7	79.4	
# Septicemia	49	2	47	--	2	14	35	7.6	2.4	63.1	
# Viral hepatitis	3	1	2	--	--	2	1	*	*	*	
# HIV disease	7	3	4	--	--	7	--	*	*	-0-	
# Malignant neoplasms	952	54	876	22	20	322	630	146.9	54.3	1,136.4	
Lip, oral cavity and pharynx	13	2	11	--	--	6	7	2.0	*	*	
Colorectal	103	6	95	2	1	39	64	15.9	6.6	115.4	
Bronchus and lung	267	18	243	6	3	89	178	41.2	15.0	321.1	
Female breast	70	5	65	--	4	36	34	10.8 ³	6.1 ³	61.3 ³	
Cervical	5	--	5	--	1	4	1	* ³	* ³	* ³	
Prostate	49	3	44	2	--	9	40	7.6 ³	* ³	72.2 ³	
# Diabetes mellitus	104	11	92	1	4	24	80	16.0	4.0	144.3	
# Alzheimer's disease	103	4	99	--	1	--	103	15.9	-0-	185.8	
Major cardiovascular diseases	1,375	106	1,257	12	39	244	1,131	212.1	41.2	2,040.0	
# Diseases of heart	987	77	905	5	25	198	789	152.3	33.4	1,423.2	
Ischemic heart disease	712	47	661	4	19	129	583	109.8	21.8	1,051.6	
# Cerebrovascular diseases	298	22	270	6	11	34	264	46.0	5.7	476.2	
# Atherosclerosis	15	--	14	1	1	--	15	2.3	-0-	27.1	
# Aortic aneurysm and dissection	30	1	29	--	1	6	24	4.6	*	43.3	
Respiratory diseases	339	15	321	3	1	51	288	52.3	8.6	519.5	
# Influenza and pneumonia	91	2	89	--	--	11	80	14.0	1.9	144.3	
# Chronic lower respiratory diseases	184	8	175	1	--	26	158	28.4	4.4	285.0	
Emphysema	27	1	26	--	--	4	23	4.2	*	41.5	
Asthma	4	1	3	--	--	2	2	*	*	*	
# Chronic liver disease and cirrhosis	35	1	34	--	3	27	8	5.4	4.6	*	
# Nephritis, nephrotic syndrome and nephrosis	48	3	44	1	2	5	43	7.4	*	77.6	
# Certain perinatal conditions	32	6	23	3	7	32	--	4.9	5.4	-0-	
# Congenital malformations	15	--	14	1	4	15	--	2.3	2.5	-0-	
SIDS	5	--	4	1	2	5	--	*	*	-0-	
External causes	209	14	191	4	23	160	49	32.2	27.0	88.4	
# Accidents	156	10	143	3	16	112	44	24.1	18.9	79.4	
Motor vehicle accidents	67	3	62	2	14	60	7	10.3	10.1	*	
All other accidents	89	7	81	1	2	52	37	13.7	8.8	66.7	
# Suicide	41	2	38	1	3	37	4	6.3	6.2	*	
# Homicide	7	1	6	--	3	7	--	*	*	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of La Salle County - 2000

		All Ages	Mother's Age						Race		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and older	White	Black	Hispanic ¹
2000 Numbers											
Live births	Total	1,488	173	391	414	348	130	31	1,455	15	132
Sex	Male	728	75	187	202	188	60	15	712	8	69
	Female	760	98	204	212	160	70	16	743	7	63
Race	White	1,455	172	381	401	343	126	31			
	Black	15	1	6	6	1	1	--			
Ethnicity	Hispanic ¹	132	19	49	31	21	8	4			
Multiple births		48	2	8	8	26	4	--	46	2	2
Marital status	Married	1,003	17	203	329	308	121	25	988	1	69
	Single	485	156	188	85	40	9	6	467	14	63
Mother not high school graduate		277	104	89	44	21	13	6	272	3	79
Birthweight	Very low (0-1,499 Grams)	21	3	3	8	3	3	1	19	2	1
	Low (0-2,499 Grams)	102	12	29	26	21	12	2	100	2	6
Caesarian section	Primary	186	16	51	50	50	15	4	182	3	15
	Secondary	179	5	25	44	70	29	6	174	2	8
Trimester prenatal care began	First	1,295	115	335	380	319	120	25	1,273	9	108
	Third or no care	42	15	12	9	2	1	3	39	2	5
First birth		472	126	140	128	62	13	3	464	2	45
2000 Percentages²											
Live births	Total	100.0	11.6	26.3	27.8	23.4	8.7	2.1	97.8	1.0	8.9
Sex	Male	48.9	43.4	47.8	48.8	54.0	46.2	*	48.9	*	52.3
	Female	51.1	56.6	52.2	51.2	46.0	53.8	*	51.1	*	47.7
Race	White	97.8	11.8	26.2	27.6	23.6	8.7	*			
	Black	1.0	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	8.9	14.4	37.1	23.5	15.9	*	*			
Multiple births		3.2	*	*	*	7.5	*	-0-	3.2	*	*
Marital status	Married	67.4	9.8	51.9	79.5	88.5	93.1	*	67.9	*	52.3
	Single	32.6	90.2	48.1	20.5	11.5	*	*	32.1	*	47.7
Mother not high school graduate		18.7	60.5	22.8	10.7	6.0	10.0	*	18.7	*	60.3
Birthweight	Very low (0-1,499 Grams)	1.4	*	*	*	*	*	*	1.3	*	*
	low (0-2,499 Grams)	6.9	6.9	7.4	6.3	6.0	9.2	*	6.9	*	*
Caesarian section	Primary	12.5	9.2	13.0	12.1	14.4	11.5	*	12.5	*	11.4
	Secondary	12.0	*	6.4	10.6	20.1	22.3	*	12.0	*	*
Trimester prenatal care began	First	87.3	66.5	85.7	92.5	91.9	92.3	*	87.7	*	81.8
	Third or no care	2.8	8.7	3.1	*	*	*	*	2.7	*	*
First birth		31.7	72.8	35.8	30.9	17.8	10.0	*	31.9	*	34.1
Percentages² based on 1996-2000 average											
Live births	Total	100.0	12.5	24.8	29.6	22.7	8.7	1.6	98.2	0.9	8.3
Sex	Male	49.9	49.8	50.5	49.3	51.2	49.2	40.7	50.1	*	50.7
	Female	50.1	50.2	49.5	50.7	48.8	50.8	59.3	49.9	*	49.3
Race	White	98.2	12.5	24.7	29.5	22.9	8.8	1.6			
	Black	.9	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	8.3	16.8	32.2	28.2	14.9	6.4	*			
Multiple births		2.6	*	2.0	1.8	4.7	5.4	-0-	2.6	*	2.4
Marital status	Married	68.2	14.9	51.3	81.7	89.9	87.8	83.2	68.5	*	60.7
	Single	31.8	85.1	48.7	18.3	10.1	12.2	16.8	31.5	*	39.3
Mother not high school graduate		18.2	56.9	21.9	10.7	6.8	8.6	9.7	18.1	*	53.1
Birthweight	Very low (0-1,499 Grams)	1.0	1.1	.8	1.3	1.1	*	*	1.0	*	*
	Low (0-2,499 Grams)	6.0	6.4	6.6	4.5	6.0	8.7	*	5.9	*	5.2
Caesarian section	Primary	13.8	12.8	14.3	13.4	13.3	15.1	18.6	13.8	*	11.8
	Secondary	10.2	1.9	5.7	10.7	15.9	17.6	15.0	10.3	*	8.0
Trimester prenatal care began	First	86.7	72.3	82.9	91.8	91.6	89.0	83.2	86.9	*	74.5
	Third or no care	3.0	7.1	4.1	1.6	1.1	3.3	*	3.0	*	6.9
First birth		31.5	74.8	37.1	27.1	16.0	13.0	8.8	31.5	*	33.0

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of La Salle County - 2000

Population Estimates	
Total	111,400
Under 65 Years	93,120
65 and Older	18,280

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	1,203	8	1	3	13	14	25	58	114	215	352	400
Male	566	6	--	2	10	12	14	38	66	118	170	130
Female	637	2	1	1	3	2	11	20	48	97	182	270
Black	5	--	--	--	--	--	1	--	2	1	1	--
Male	5	--	--	--	--	--	1	--	2	1	1	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	1,196	8	1	3	13	14	24	57	112	213	351	400
Male	560	6	--	2	10	12	13	37	64	117	169	130
Female	636	2	1	1	3	2	11	20	48	96	182	270
All other races	2	--	--	--	--	--	--	1	--	1	--	--
Male	1	--	--	--	--	--	--	1	--	--	--	--
Female	1	--	--	--	--	--	--	--	1	--	--	--
Hispanic ethnicity ¹	9	1	--	--	--	2	--	1	--	3	--	2
Male	6	1	--	--	--	1	--	1	--	2	--	1
Female	3	--	--	--	--	1	--	--	1	--	--	1

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	1,203	5	1,196	2	9	236	967	1,079.9	253.4	5,289.9
5-Year Average (1996-2000)	1,209	6	1,201	3	9	230	979	1102.5	252.6	5,221.2
# Infectious and parasitic diseases	20	1	19	--	--	7	13	18.0	*	71.1
# Septicemia	8	--	8	--	--	1	7	*	*	*
# Viral hepatitis	2	--	2	--	--	1	1	*	*	*
# HIV disease	3	1	2	--	--	3	--	*	*	-0-
# Malignant neoplasms	326	1	325	--	2	78	248	292.6	83.8	1,356.7
# Lip, oral cavity and pharynx	3	--	3	--	--	1	2	*	*	*
# Colorectal	39	--	39	--	--	6	33	35.0	*	180.5
# Bronchus and lung	103	1	102	--	--	27	76	92.5	29.0	415.8
# Female breast	25	--	25	--	--	3	22	22.4 ³	* ³	120.4 ³
# Cervical	4	--	4	--	--	4	--	* ³	* ³	-0. ³
# Prostate	18	--	18	--	--	--	18	16.2 ³	-0. ³	98.5 ³
# Diabetes mellitus	28	--	28	--	--	3	25	25.1	*	136.8
# Alzheimer's disease	43	--	43	--	--	--	43	38.6	-0-	235.2
# Major cardiovascular diseases	467	1	465	1	3	56	411	419.2	60.1	2,248.4
# Diseases of heart	358	1	357	--	2	50	308	321.4	53.7	1,684.9
# Ischemic heart disease	274	1	273	--	2	32	242	246.0	34.4	1,323.9
# Cerebrovascular diseases	78	--	77	1	--	3	75	70.0	*	410.3
# Atherosclerosis	8	--	8	--	--	--	8	*	-0-	*
# Aortic aneurysm and dissection	10	--	10	--	1	1	9	9.0	*	*
# Respiratory diseases	87	--	87	--	--	11	76	78.1	11.8	415.8
# Influenza and pneumonia	26	--	26	--	--	4	22	23.3	*	120.4
# Chronic lower respiratory diseases	48	--	48	--	--	7	41	43.1	*	224.3
# Emphysema	3	--	3	--	--	--	3	*	-0-	*
# Asthma	1	--	1	--	--	--	1	*	-0-	*
# Chronic liver disease and cirrhosis	11	--	11	--	--	6	5	9.9	*	*
# Nephritis, nephrotic syndrome and nephrosis	13	--	13	--	1	1	12	11.7	*	65.6
# Certain perinatal conditions	4	--	4	--	--	4	--	*	*	-0-
# Congenital malformations	2	--	2	--	--	2	--	*	*	-0-
# SIDS	1	--	1	--	--	1	--	*	*	-0-
# External causes	64	1	63	--	3	48	16	57.5	51.5	87.5
# Accidents	52	1	51	--	2	37	15	46.7	39.7	82.1
# Motor vehicle accidents	26	--	26	--	--	23	3	23.3	24.7	*
# All other accidents	26	1	25	--	2	14	12	23.3	15.0	65.6
# Suicide	8	--	8	--	--	7	1	*	*	*
# Homicide	3	--	3	--	1	3	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Lawrence County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	143	23	54	40	18	6	2	140	3	2
Sex	Male	75	13	29	25	4	4	--	74	1	1
	Female	68	10	25	15	14	2	2	66	2	1
Race	White	140	23	53	39	17	6	2			
	Black	3	--	1	1	1	--	--			
Ethnicity	Hispanic ¹	2	--	2	--	--	--	--			
Multiple births		2	--	--	--	2	--	--	2	--	--
Marital status	Married	106	7	42	32	17	6	2	104	2	--
	Single	37	16	12	8	1	--	--	36	1	--
Mother not high school graduate		29	15	11	1	--	1	1	29	--	1
Birthweight	Very low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	12	1	4	4	2	--	1	12	--	--
Caesarian section	Primary	21	4	14	3	--	--	--	21	--	1
	Secondary	11	--	4	2	2	1	2	11	--	--
Trimester prenatal care began	First	128	19	48	38	17	6	--	125	3	1
	Third or no care	1	--	0	--	--	--	--	1	--	--
First birth		52	17	19	14	2	--	--	52	--	1
2000 Percentages²											
Live births	Total	100.0	16.1	37.8	28.0	12.6	*	*	97.9	*	*
Sex	Male	52.4	*	*	*	*	*	-0-	52.9	*	50.0
	Female	47.6	*	*	*	*	*	*	47.1	*	*
Race	White	97.9	*	*	*	*	*	*			
	Black	*	-0-	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
Marital status	Married	74.1	*	*	*	*	*	*	74.3	*	*
	Single	*	69.6	22.2	*	*	-0-	-0-	25.7	*	-0-
Mother not high school graduate		*	*	*	*	-0-	*	*	20.7	-0-	*
Birthweight	Very low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	8.4	*	*	*	*	-0-	*	8.6	-0-	-0-
Caesarian section	Primary	14.7	*	*	*	-0-	-0-	-0-	15.0	-0-	*
	Secondary	7.7	-0-	*	*	*	*	*	7.9	-0-	-0-
Trimester prenatal care began	First	89.5	*	*	*	*	*	-0-	89.3	*	*
	Third or no care	*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
First birth		36.4	*	*	*	*	-0-	-0-	37.1	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	18.4	33.1	25.5	16.2	6.0	*	98.4	1.2	*
Sex	Male	52.2	52.7	53.8	55.1	47.7	*	*	52.3	*	*
	Female	47.8	47.3	46.2	44.9	52.3	*	*	47.7	*	*
Race	White	98.4	18.3	33.1	25.7	16.1	5.9	*			
	Black	1.2	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	-0-	*	-0-			
Multiple births		2.2	*	*	*	*	*	-0-	2.3	-0-	-0-
Marital status	Married	70.0	33.1	69.2	83.4	87.7	*	*	70.4	*	*
	Single	30.0	66.9	30.8	16.6	12.3	*	*	29.6	*	*
Mother not high school graduate		19.8	53.4	16.2	11.3	*	*	*	20.0	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	*	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.2	11.5	6.0	4.9	*	*	*	7.2	*	-0-
Caesarian section	Primary	13.7	19.6	16.9	8.8	11.5	*	*	13.8	*	*
	Secondary	8.3	*	6.8	11.7	12.3	*	*	8.5	-0-	-0-
Trimester prenatal care began	First	88.7	80.4	89.8	94.1	89.2	*	*	88.7	*	*
	Third or no care	1.6	3.4	*	*	*	*	-0-	1.5	-0-	-0-
First birth		39.7	81.1	39.8	29.3	20.8	*	-0-	39.8	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Lawrence County - 2000

Population Estimates	
Total	15,400
Under 65 Years	12,300
65 and Older	3,100

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	259	1	1	--	2	7	3	11	20	42	68	104
Male	115	1	1	--	2	4	3	7	13	23	32	29
Female	144	--	--	--	--	3	--	4	7	19	36	75
Black	5	--	--	--	--	--	--	1	--	1	1	2
Male	1	--	--	--	--	--	--	--	--	1	--	--
Female	4	--	--	--	--	--	--	1	--	--	1	2
White	254	1	1	--	2	7	3	10	20	41	67	102
Male	114	1	1	--	2	4	3	7	13	22	32	29
Female	140	--	--	--	--	3	--	3	7	19	35	73
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	259	5	254	--	--	45	214	1,681.8	365.9	6,903.2	
5-Year Average (1996-2000)	252	3	249	--	--	46	207	1641.1	373.8	6,499.1	
Infectious and parasitic diseases	4	--	4	--	--	--	4	*	-0-	*	
# Septicemia	3	--	3	--	--	--	3	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	51	1	50	--	--	13	38	331.2	105.7	1,225.8	
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	-0-	
Colorectal	8	--	8	--	--	1	7	*	*	*	
Bronchus and lung	11	1	10	--	--	3	8	71.4	*	*	
Female breast	4	--	4	--	--	1	3	* ³	* ³	* ³	
Cervical	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
Prostate	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
# Diabetes mellitus	5	--	5	--	--	2	3	*	*	*	
# Alzheimer's disease	15	--	15	--	--	--	15	97.4	-0-	483.9	
Major cardiovascular diseases	91	3	88	--	--	8	83	590.9	*	2,677.4	
# Diseases of heart	50	1	49	--	--	6	44	324.7	*	1,419.4	
Ischemic heart disease	29	1	28	--	--	4	25	188.3	*	806.5	
# Cerebrovascular diseases	33	2	31	--	--	2	31	214.3	*	1,000.0	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	5	--	5	--	--	--	5	*	-0-	*	
Respiratory diseases	26	--	26	--	--	7	19	168.8	*	612.9	
# Influenza and pneumonia	7	--	7	--	--	1	6	*	*	*	
# Chronic lower respiratory diseases	15	--	15	--	--	5	10	97.4	*	322.6	
Emphysema	1	--	1	--	--	--	1	*	-0-	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	2	--	2	--	--	1	1	*	*	*	
# Nephritis, nephrotic syndrome and nephrosis	4	--	4	--	--	--	4	*	-0-	*	
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-	
# Congenital malformations	1	--	1	--	--	--	1	*	-0-	*	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	17	1	16	--	--	10	7	110.4	81.3	*	
# Accidents	11	--	11	--	--	5	6	71.4	*	*	
Motor vehicle accidents	3	--	3	--	--	3	--	*	*	-0-	
All other accidents	8	--	8	--	--	2	6	*	*	*	
# Suicide	3	--	3	--	--	3	--	*	*	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Lee County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	409	51	103	126	79	43	7	398	7	11
Sex	Male	209	28	47	60	43	27	4	205	2	7
	Female	200	23	56	66	36	16	3	193	5	4
Race	White	398	47	102	122	77	43	7			
	Black	7	4	1	1	1	--	--			
Ethnicity	Hispanic ¹	11	5	2	1	1	2	--			
Multiple births		10	--	4	2	2	2	--	10	--	--
Marital status	Married	279	7	46	109	73	38	6	276	--	--
	Single	130	44	57	17	6	5	1	122	7	6
Mother not high school graduate		57	28	20	3	4	2	--	53	4	4
Birthweight	Very low (0-1,499 Grams)	3	--	--	--	--	2	1	3	--	--
	Low (0-2,499 Grams)	19	2	8	4	1	3	1	18	1	1
Caesarian section	Primary	60	12	14	16	12	4	2	58	2	2
	Secondary	47	1	10	13	13	9	1	45	1	1
Trimester prenatal care began	First	346	35	82	114	71	39	5	339	4	7
	Third or no care	7	--	2	2	2	1	--	6	1	1
First birth		141	43	43	39	11	5	--	135	5	7
2000 Percentages²											
Live births	Total	100.0	12.5	25.2	30.8	19.3	10.5	*	97.3	*	2.7
Sex	Male	51.1	*	45.6	47.6	*	*	*	51.5	*	63.6
	Female	48.9	*	54.4	52.4	*	*	*	48.5	*	*
Race	White	97.3	*	25.6	30.7	*	*	*			
	Black	*	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	2.7	*	*	*	*	*	-0-			
Multiple births		2.4	-0-	*	*	*	*	-0-	2.5	-0-	-0-
Marital status	Married	68.2	*	44.7	86.5	*	*	*	69.3	-0-	*
	Single	*	86.3	55.3	13.5	*	*	*	30.7	*	*
Mother not high school graduate		13.9	*	19.4	*	*	*	-0-	13.3	*	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	-0-	-0-	*	*	*	-0-	-0-
	Low (0-2,499 Grams)	4.6	*	*	*	*	*	*	4.5	*	*
Caesarian section	Primary	14.7	*	13.6	12.7	*	*	*	14.6	*	*
	Secondary	11.5	*	9.7	10.3	*	*	*	11.3	*	*
Trimester prenatal care began	First	84.8	*	79.6	90.5	*	*	*	85.4	*	*
	Third or no care	*	-0-	*	*	*	*	-0-	*	*	*
First birth		34.5	*	41.7	31.0	*	*	-0-	33.9	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	12.4	26.0	29.3	22.3	8.3	1.7	97.1	2.0	2.7
Sex	Male	51.1	56.0	50.4	48.7	51.4	53.4	*	51.0	*	*
	Female	48.9	44.0	49.6	51.3	48.6	46.6	*	49.0	*	*
Race	White	97.1	12.2	26.2	29.4	22.1	8.4	1.7			
	Black	2.0	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	2.7	*	*	*	*	*	*			
Multiple births		3.5	-0-	2.8	3.5	5.0	6.8	*	3.3	*	-0-
Marital status	Married	69.9	16.2	54.5	86.0	87.4	90.7	*	70.4	*	*
	Single	30.1	83.8	45.5	14.0	12.6	9.3	*	29.6	*	*
Mother not high school graduate		16.1	59.3	22.2	4.6	5.1	*	*	15.9	*	*
Birthweight	Very low (0-1,499 Grams)	1.5	*	*	*	*	*	*	1.4	*	-0-
	Low (0-2,499 Grams)	6.0	5.8	5.5	4.6	7.8	6.8	*	5.7	*	*
Caesarian section	Primary	14.4	17.4	14.8	11.2	14.2	18.0	*	14.0	*	*
	Secondary	10.3	*	7.3	11.2	13.3	19.3	*	10.2	*	*
Trimester prenatal care began	First	87.9	74.7	86.6	92.3	90.6	90.7	*	88.4	*	*
	Third or no care	1.7	3.7	*	*	*	*	*	1.5	*	*
First birth		32.8	78.8	37.0	30.3	13.8	14.9	*	32.6	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Lee County - 2000

Population Estimates	
Total	36,000
Under 65 Years	30,710
65 and Older	5,290

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	407	4	2	--	6	8	14	31	38	65	114	125
Male	209	3	2	--	5	6	10	23	22	40	61	37
Female	198	1	--	--	1	2	4	8	16	25	53	88
Black	17	--	1	--	1	3	--	1	3	3	2	3
Male	13	--	1	--	1	3	--	1	3	2	1	1
Female	4	--	--	--	--	--	--	--	--	1	1	2
White	390	4	1	--	5	5	14	30	35	62	112	122
Male	196	3	1	--	4	3	10	22	19	38	60	36
Female	194	1	--	--	1	2	4	8	16	24	52	86
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	6	--	--	--	1	--	--	2	1	1	--	1
Male	5	--	--	--	1	--	--	2	--	1	--	1
Female	1	--	--	--	--	--	--	--	1	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	407	17	390	--	6	103	304	1,130.6	335.4	5,746.7
5-Year Average (1996-2000)	383	13	370	<1	5	88	296	1065.0	285.6	5,573.2
Infectious and parasitic diseases	11	3	8	--	--	4	7	30.6	*	*
# Septicemia	6	--	6	--	--	1	5	*	*	*
# Viral hepatitis	1	--	1	--	--	--	1	*	-0-	*
# HIV disease	3	3	--	--	--	3	--	*	-0-	-0-
# Malignant neoplasms	92	4	88	--	--	29	63	255.6	94.4	1,190.9
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	12	1	11	--	--	3	9	33.3	*	*
Bronchus and lung	21	--	21	--	--	6	15	58.3	*	283.6
Female breast	8	--	8	--	--	2	6	* ³	* ³	* ³
Cervical	2	--	2	--	--	2	--	* ³	* ³	-0- ³
Prostate	4	1	3	--	--	1	3	* ³	* ³	* ³
# Diabetes mellitus	16	1	15	--	--	2	14	44.4	*	264.7
# Alzheimer's disease	9	--	9	--	1	1	8	*	*	*
Major cardiovascular diseases	168	6	162	--	3	24	144	466.7	78.2	2,722.1
# Diseases of heart	139	4	135	--	2	21	118	386.1	68.4	2,230.6
Ischemic heart disease	94	3	91	--	2	16	78	261.1	52.1	1,474.5
# Cerebrovascular diseases	20	1	19	--	1	3	17	55.6	*	321.4
# Atherosclerosis	1	1	--	--	--	--	1	*	-0-	*
# Aortic aneurysm and dissection	2	--	2	--	--	--	2	*	-0-	*
Respiratory diseases	29	--	29	--	--	6	23	80.6	*	434.8
# Influenza and pneumonia	7	--	7	--	--	--	7	*	-0-	*
# Chronic lower respiratory diseases	18	--	18	--	--	5	13	50.0	*	245.7
Emphysema	2	--	2	--	--	1	1	*	*	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	4	1	3	--	--	1	3	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	8	--	8	--	--	1	7	*	*	*
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-
# Congenital malformations	3	--	3	--	--	3	--	*	*	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	27	2	25	--	2	20	7	75.0	65.1	*
# Accidents	11	--	11	--	2	8	3	30.6	*	*
Motor vehicle accidents	7	--	7	--	--	6	1	*	*	*
All other accidents	4	--	4	--	2	2	2	*	*	*
# Suicide	11	1	10	--	--	9	2	30.6	*	*
# Homicide	1	--	1	--	--	1	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Livingston County - 2000

		All Ages	Mother's Age						Race		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and older	White	Black	Hispanic ¹
2000 Numbers											
Live births	Total	524	76	131	154	104	49	10	491	27	22
Sex	Male	286	40	74	72	65	29	6	268	14	9
	Female	238	36	57	82	39	20	4	223	13	13
Race	White	491	69	124	150	96	44	8			
	Black	27	5	5	4	6	5	2			
Ethnicity	Hispanic ¹	22	6	3	9	3	1	--			
Multiple births		11	--	2	5	4	--	--	11	--	--
Marital status	Married	341	13	76	123	81	41	7	334	4	--
	Single	183	63	55	31	23	8	3	157	23	14
Mother not high school graduate		90	35	24	14	6	9	2	77	12	13
Birthweight	Very low (0-1,499 Grams)	4	--	2	1	--	1	--	4	--	--
	Low (0-2,499 Grams)	36	7	11	8	6	3	1	31	4	2
Caesarian section	Primary	80	11	17	29	17	5	1	77	3	4
	Secondary	42	--	10	15	8	8	1	39	3	1
Trimester prenatal care began	First	459	60	116	142	87	44	10	434	19	17
	Third or no care	10	2	3	1	3	1	--	7	3	2
First birth		158	48	49	43	15	3	--	149	5	7
2000 Percentages²											
Live births	Total	100.0	14.5	25.0	29.4	19.8	9.4	1.9	93.7	5.2	4.2
Sex	Male	54.6	*	56.5	46.8	62.5	*	*	54.6	*	40.9
	Female	45.4	*	43.5	53.2	37.5	*	*	45.4	*	*
Race	White	93.7	*	25.3	30.5	19.6	*	*			
	Black	5.2	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	4.2	*	*	*	*	*	-0-			
Multiple births		2.1	-0-	*	*	*	-0-	-0-	2.2	-0-	-0-
Marital status	Married	65.1	*	58.0	79.9	77.9	*	*	68.0	*	*
	Single	*	82.9	42.0	20.1	22.1	*	*	32.0	*	*
Mother not high school graduate		17.2	*	18.3	9.1	*	*	*	15.7	*	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	*	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.9	*	8.4	*	*	*	*	6.3	*	*
Caesarian section	Primary	15.3	*	13.0	18.8	16.3	*	*	15.7	*	*
	Secondary	8.0	-0-	7.6	9.7	*	*	*	7.9	*	*
Trimester prenatal care began	First	88.3	*	89.2	92.2	86.1	*	*	89.1	*	*
	Third or no care	1.9	*	*	*	*	*	-0-	*	*	*
First birth		30.2	*	37.4	27.9	14.4	*	-0-	30.3	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.5	26.5	28.7	21.2	8.5	1.5	97.4	1.8	3.0
Sex	Male	52.1	49.8	52.4	51.4	53.2	54.3	*	52.2	*	*
	Female	47.9	50.2	47.6	48.6	46.8	45.7	*	47.8	*	*
Race	White	97.4	13.3	26.5	29.0	21.2	8.5	1.5			
	Black	1.8	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	3.0	*	*	*	*	*	*			
Multiple births		2.1	-0-	*	2.7	4.0	*	-0-	2.2	-0-	-0-
Marital status	Married	70.3	22.5	60.3	85.5	86.2	84.9	*	71.2	*	*
	Single	29.7	77.5	39.7	14.5	13.8	15.1	*	28.8	*	*
Mother not high school graduate		15.6	54.0	17.0	6.4	5.3	9.0	*	15.1	*	*
Birthweight	Very low (0-1,499 Grams)	1.1	*	*	*	*	*	*	1.1	-0-	*
	Low (0-2,499 Grams)	6.4	9.2	7.0	4.2	5.5	8.5	*	6.2	*	*
Caesarian section	Primary	13.2	11.7	13.9	15.0	12.3	9.5	*	13.3	*	*
	Secondary	8.8	*	6.2	9.4	11.5	17.1	*	8.7	*	*
Trimester prenatal care began	First	87.3	79.0	87.3	91.4	88.8	84.4	*	87.6	*	*
	Third or no care	2.1	2.9	2.4	*	2.6	*	-0-	1.9	*	*
First birth		29.9	70.8	36.3	26.5	11.7	6.0	*	30.0	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Livingston County - 2000

Population Estimates	
Total	39,600
Under 65 Years	33,550
65 and Older	6,050

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	411	3	1	1	6	3	13	20	33	73	120	138
Male	208	3	1	1	6	1	9	12	18	41	68	48
Female	203	--	--	--	--	2	4	8	15	32	52	90
Black	3	--	--	--	--	--	1	2	--	--	--	--
Male	3	--	--	--	--	--	1	2	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	406	3	1	1	6	3	12	18	32	72	120	138
Male	205	3	1	1	6	1	8	10	18	41	68	48
Female	201	--	--	--	--	2	4	8	14	31	52	90
All other races	2	--	--	--	--	--	--	--	1	1	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	2	--	--	--	--	--	--	--	1	1	--	--
Hispanic ethnicity ¹	3	--	--	--	--	--	1	1	--	1	--	--
Male	3	--	--	--	--	--	1	1	--	1	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	411	3	406	2	3	80	331	1,037.9	238.5	5,471.1
5-Year Average (1996-2000)	421	5	415	<1	2	80	340	1065.3	241.3	5,506.3
# Infectious and parasitic diseases	10	--	10	--	1	4	6	25.3	*	*
# Septicemia	7	--	7	--	--	2	5	*	*	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	2	--	2	--	1	2	--	*	-0-	-0-
# Malignant neoplasms	89	1	87	1	--	20	69	224.7	59.6	1,140.5
# Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*
# Colorectal	8	--	8	--	--	1	7	*	*	*
# Bronchus and lung	19	--	19	--	--	3	16	48.0	*	264.5
# Female breast	5	--	4	1	--	2	3	* ³	* ³	* ³
# Cervical	1	--	1	--	--	1	--	* ³	* ³	-0- ³
# Prostate	5	--	5	--	--	--	5	* ³	-0- ³	* ³
# Diabetes mellitus	14	--	14	--	--	4	10	35.4	*	165.3
# Alzheimer's disease	9	--	9	--	--	--	9	*	-0-	*
# Major cardiovascular diseases	187	1	186	--	2	20	167	472.2	59.6	2,760.3
# Diseases of heart	149	1	148	--	2	18	131	376.3	53.7	2,165.3
# Ischemic heart disease	91	--	91	--	1	10	81	229.8	29.8	1,338.8
# Cerebrovascular diseases	30	--	30	--	--	2	28	75.8	*	462.8
# Atherosclerosis	3	--	3	--	--	--	3	*	-0-	*
# Aortic aneurysm and dissection	2	--	2	--	--	--	2	*	-0-	*
# Respiratory diseases	33	--	33	--	--	2	31	83.3	*	512.4
# Influenza and pneumonia	10	--	10	--	--	--	10	25.3	-0-	165.3
# Chronic lower respiratory diseases	18	--	18	--	--	1	17	45.5	*	281.0
# Emphysema	3	--	3	--	--	1	2	*	*	*
# Asthma	1	--	1	--	--	--	1	*	-0-	*
# Chronic liver disease and cirrhosis	1	--	1	--	--	1	--	*	*	-0-
# Nephritis, nephrotic syndrome and nephrosis	9	1	8	--	--	1	8	*	*	*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-
# SIDS	1	--	1	--	--	1	--	*	*	-0-
# External causes	25	--	24	1	--	19	6	63.1	56.6	*
# Accidents	19	--	19	--	--	14	5	48.0	41.7	*
# Motor vehicle accidents	11	--	11	--	--	10	1	27.8	29.8	*
# All other accidents	8	--	8	--	--	4	4	*	*	*
# Suicide	2	--	1	1	--	1	1	*	*	*
# Homicide	1	--	1	--	--	1	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Logan County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	349	37	102	100	79	27	4	338	5	4
Sex	Male	182	14	59	56	40	11	2	179	1	1
	Female	167	23	43	44	39	16	2	159	4	3
Race	White	338	35	102	96	76	25	4			
	Black	5	1	--	1	2	1	--			
Ethnicity	Hispanic ¹	4	1	2	--	1	--	--			
Multiple births		16	--	2	10	4	--	--	16	--	--
Marital status	Married	247	9	60	82	71	21	4	239	3	--
	Single	102	28	42	18	8	6	--	99	2	1
Mother not high school graduate		51	22	21	4	3	1	--	51	--	1
Birthweight	Very low (0-1,499 Grams)	7	--	--	5	1	1	--	7	--	--
	Low (0-2,499 Grams)	29	1	5	16	4	2	1	27	--	--
Caesarian section	Primary	44	5	14	13	8	3	1	44	--	1
	Secondary	33	--	5	12	12	4	--	33	--	--
Trimester prenatal care began	First	318	32	86	92	78	26	4	310	3	3
	Third or no care	12	2	7	3	--	--	--	10	1	--
First birth		95	24	30	27	11	2	1	91	1	1
2000 Percentages²											
Live births	Total	100.0	10.6	29.2	28.7	22.6	7.7	*	96.8	*	*
Sex	Male	52.1	*	57.8	56.0	*	*	*	53.0	*	25.0
	Female	47.9	*	42.2	44.0	*	*	*	47.0	*	*
Race	White	96.8	*	30.2	28.4	*	*	*			
	Black	*	*	-0-	*	*	*	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	*	-0-	-0-			
Multiple births		4.6	-0-	*	10.0	*	-0-	-0-	4.7	-0-	-0-
Marital status	Married	70.8	*	58.8	82.0	*	*	*	70.7	*	*
	Single	*	75.7	41.2	18.0	*	*	-0-	29.3	*	*
Mother not high school graduate		14.6	*	20.6	*	*	*	-0-	15.1	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	*	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	8.3	*	*	16.0	*	*	*	8.0	-0-	-0-
Caesarian section	Primary	12.6	*	13.7	13.0	*	*	*	13.0	-0-	*
	Secondary	9.5	-0-	*	12.0	*	*	-0-	9.8	-0-	-0-
Trimester prenatal care began	First	91.4	*	84.3	92.0	*	*	*	92.0	*	*
	Third or no care	3.4	*	*	*	-0-	-0-	-0-	3.0	*	-0-
First birth		27.2	*	29.4	27.0	*	*	-0-	26.9	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.3	30.3	27.8	18.8	8.4	1.4	96.9	1.4	1.3
Sex	Male	51.2	52.2	51.3	54.3	50.6	42.3	*	51.4	*	*
	Female	48.8	47.8	48.7	45.7	49.4	57.7	*	48.6	*	*
Race	White	96.9	13.3	30.6	27.8	18.5	8.3	1.4			
	Black	1.4	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	1.3	*	*	*	*	*	*			
Multiple births		3.4	-0-	*	6.0	4.4	*	*	3.2	*	-0-
Marital status	Married	70.8	21.0	60.9	83.4	93.7	88.7	*	70.8	*	*
	Single	29.2	79.0	39.1	16.6	6.3	11.3	*	29.2	*	*
Mother not high school graduate		14.3	55.8	15.9	4.7	*	*	*	14.4	*	*
Birthweight	Very low (0-1,499 Grams)	1.2	*	*	*	*	*	-0-	1.0	*	-0-
	Low (0-2,499 Grams)	7.2	4.9	4.7	11.1	5.0	9.9	*	7.0	*	*
Caesarian section	Primary	14.0	15.2	11.5	15.5	14.2	13.4	*	13.9	*	*
	Secondary	8.0	*	5.1	8.3	11.9	17.6	*	8.0	*	*
Trimester prenatal care began	First	88.6	83.0	86.2	91.3	93.1	88.7	*	88.8	*	*
	Third or no care	2.3	3.6	4.1	*	*	*	-0-	2.1	*	*
First birth		32.0	72.3	33.9	26.8	17.3	14.8	*	32.0	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Logan County - 2000

Population Estimates	
Total	31,200
Under 65 Years	26,520
65 and Older	4,680

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	329	2	--	1	2	5	9	15	27	48	97	123
Male	141	1	--	1	1	3	5	9	16	27	42	36
Female	188	1	--	--	1	2	4	6	11	21	55	87
Black	2	--	--	--	--	--	--	1	--	1	--	--
Male	1	--	--	--	--	--	--	1	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	1	--	--
White	326	2	--	1	2	5	9	14	27	46	97	123
Male	140	1	--	1	1	3	5	8	16	27	42	36
Female	186	1	--	--	1	2	4	6	11	19	55	87
All other races	1	--	--	--	--	--	--	--	--	1	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	1	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	329	2	326	1	--	61	268	1,054.5	230.0	5,726.5
5-Year Average (1996-2000)	334	4	330	<1	<1	64	270	1071.1	243.7	5,449.4
# Infectious and parasitic diseases	15	--	15	--	--	3	12	48.1	*	256.4
# Septicemia	12	--	12	--	--	--	12	38.5	-0-	256.4
# Viral hepatitis	3	--	3	--	--	3	--	*	*	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-
# Malignant neoplasms	84	1	83	--	--	22	62	269.2	83.0	1,324.8
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	9	--	9	--	--	2	7	*	*	*
Bronchus and lung	19	--	19	--	--	4	15	-0-	*	320.5
Female breast	--	--	--	--	--	--	--	* ³	-0- ³	-0- ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	1	--	1	--	--	--	1	* ³	-0- ³	* ³
# Diabetes mellitus	9	--	9	--	--	1	8	*	*	*
# Alzheimer's disease	7	--	7	--	--	1	6	*	*	*
Major cardiovascular diseases	105	1	104	--	--	7	98	336.5	*	2,094.0
# Diseases of heart	73	1	72	--	--	6	67	234.0	*	1,431.6
Ischemic heart disease	43	--	43	--	--	5	38	137.8	*	812.0
# Cerebrovascular diseases	27	--	27	--	--	1	26	86.5	*	555.6
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	-0-	*
Respiratory diseases	35	--	34	1	--	3	32	112.2	*	683.8
# Influenza and pneumonia	12	--	12	--	--	1	11	38.5	*	235.0
# Chronic lower respiratory diseases	16	--	16	--	--	1	15	51.3	*	320.5
Emphysema	5	--	5	--	--	--	5	*	-0-	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--	--	1	*	-0-	*
# Nephritis, nephrotic syndrome and nephrosis	5	--	5	--	--	1	4	*	*	*
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	22	--	22	--	--	10	12	70.5	37.7	256.4
# Accidents	19	--	19	--	--	7	12	60.9	*	256.4
Motor vehicle accidents	5	--	5	--	--	3	2	*	*	*
All other accidents	14	--	14	--	--	4	10	44.9	*	213.7
# Suicide	2	--	2	--	--	2	--	*	*	-0-
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of McDonough County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	327	31	111	97	57	25	6	308	12	6
Sex	Male	175	24	56	51	26	16	2	162	8	4
	Female	152	7	55	46	31	9	4	146	4	2
Race	White	308	28	106	89	55	24	6			
	Black	12	3	4	5	--	--	--			
Ethnicity	Hispanic ¹	6	--	1	2	1	1	1			
Multiple births		7	--	5	--	2	--	--	7	--	--
Marital status	Married	232	8	63	82	51	22	6	221	4	--
	Single	95	23	48	15	6	3	--	87	8	1
Mother not high school graduate		51	17	16	8	5	5	--	51	--	--
Birthweight	Very low (0-1,499 Grams)	5	1	1	3	--	--	--	3	2	--
	Low (0-2,499 Grams)	23	3	8	7	3	2	--	21	2	2
Caesarian section	Primary	74	13	30	20	6	3	2	68	3	1
	Secondary	42	--	10	13	12	7	--	38	3	2
Trimester prenatal care began	First	269	21	92	84	48	19	5	256	8	6
	Third or no care	17	3	6	2	4	2	--	17	--	--
First birth		112	25	47	25	11	2	2	105	4	3
2000 Percentages²											
Live births	Total	100.0	9.5	33.9	29.7	17.4	7.6	*	94.2	3.7	*
Sex	Male	53.5	*	50.5	*	*	*	*	52.6	*	66.7
	Female	46.5	*	49.5	*	*	*	*	47.4	*	*
Race	White	94.2	*	34.4	*	*	*	*			
	Black	3.7	*	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	*	*	*			
Multiple births		*	-0-	*	-0-	*	-0-	-0-	*	-0-	-0-
Marital status	Married	70.9	*	56.8	*	*	*	*	71.8	*	*
	Single	*	74.2	43.2	*	*	*	-0-	28.2	*	*
Mother not high school graduate		*	*	14.4	*	*	*	-0-	16.6	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	*	-0-
	Low (0-2,499 Grams)	7.0	*	*	*	*	*	-0-	6.8	*	*
Caesarian section	Primary	22.6	*	27.0	*	*	*	*	22.1	*	*
	Secondary	12.8	-0-	9.0	*	*	*	-0-	12.3	*	*
Trimester prenatal care began	First	83.3	*	83.6	*	*	*	*	84.2	*	*
	Third or no care	5.3	*	*	*	*	*	-0-	5.6	-0-	-0-
First birth		34.3	*	42.3	*	*	*	-0-	34.1	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	10.3	31.9	30.2	17.9	8.0	1.7	93.6	3.7	1.3
Sex	Male	49.1	52.9	47.9	47.8	50.4	52.1	*	48.5	*	*
	Female	50.9	47.1	52.1	52.2	49.6	47.9	*	51.5	*	*
Race	White	93.6	10.1	32.3	30.0	17.9	8.0	1.7			
	Black	3.7	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	1.3	-0-	*	*	*	*	*			
Multiple births		2.2	*	2.7	*	*	*	-0-	2.2	*	-0-
Marital status	Married	74.8	34.8	64.1	85.1	92.2	89.3	*	75.4	*	*
	Single	25.2	65.2	35.9	14.9	7.8	10.7	*	24.6	*	*
Mother not high school graduate		14.6	50.3	16.6	7.7	6.3	*	*	15.2	*	*
Birthweight	Very low (0-1,499 Grams)	.9	*	*	*	*	-0-	-0-	.8	*	-0-
	Low (0-2,499 Grams)	6.0	*	7.1	5.7	5.2	*	-0-	5.9	*	*
Caesarian section	Primary	19.3	24.5	22.4	17.1	14.1	18.2	*	18.8	*	*
	Secondary	11.4	*	7.1	12.7	17.4	20.7	*	11.2	*	*
Trimester prenatal care began	First	81.2	69.9	78.4	84.5	86.9	82.5	*	81.6	*	*
	Third or no care	3.5	6.5	3.4	2.9	3.7	*	*	3.6	*	-0-
First birth		34.4	71.0	43.2	29.8	15.2	14.0	*	34.3	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of McDonough County - 2000

Population Estimates	
Total	32,900
Under 65 Years	28,250
65 and Older	4,650

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	314	--	--	1	3	1	7	7	20	60	101	114
Male	138	--	--	--	3	1	3	4	10	30	51	36
Female	176	--	--	1	--	--	4	3	10	30	50	78
Black	3	--	--	--	--	--	--	1	--	2	--	--
Male	2	--	--	--	--	--	--	1	--	1	--	--
Female	1	--	--	--	--	--	--	--	--	1	--	--
White	310	--	--	1	3	1	7	6	20	58	100	114
Male	136	--	--	--	3	1	3	3	10	29	51	36
Female	174	--	--	1	--	--	4	3	10	29	49	78
All other races	1	--	--	--	--	--	--	--	--	--	1	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	1	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	314	3	310	1	--	39	275	954.4	138.1	5,914.0	
5-Year Average (1996-2000)	300	2	298	<1	<1	47	253	890.9	163.5	5,092.4	
# Infectious and parasitic diseases	2	--	2	--	--	--	2	*	-0-	*	
# Septicemia	2	--	2	--	--	--	2	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	73	1	72	--	--	16	57	221.9	56.6	1,225.8	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	7	--	7	--	--	1	6	*	*	*	
Bronchus and lung	29	--	29	--	--	6	23	88.1	*	494.6	
Female breast	5	--	5	--	--	--	5	* ³	-0- ³	* ³	
Cervical	1	--	1	--	--	1	--	* ³	* ³	-0- ³	
Prostate	5	--	5	--	--	--	5	* ³	-0- ³	* ³	
# Diabetes mellitus	5	--	5	--	--	--	5	*	-0-	*	
# Alzheimer's disease	9	--	9	--	--	--	9	*	-0-	*	
Major cardiovascular diseases	146	2	143	1	--	11	135	443.8	38.9	2,903.2	
# Diseases of heart	95	1	94	--	--	9	86	288.8	*	1,849.5	
Ischemic heart disease	84	1	83	--	--	7	77	255.3	*	1,655.9	
# Cerebrovascular diseases	44	1	42	1	--	1	43	133.7	*	924.7	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-	
Respiratory diseases	35	--	35	--	--	2	33	106.4	*	709.7	
# Influenza and pneumonia	12	--	12	--	--	1	11	36.5	*	236.6	
# Chronic lower respiratory diseases	20	--	20	--	--	1	19	60.8	*	408.6	
Emphysema	5	--	5	--	--	--	5	*	-0-	*	
Asthma	3	--	3	--	--	1	2	*	*	*	
# Chronic liver disease and cirrhosis	2	--	2	--	--	2	--	*	*	-0-	
# Nephritis, nephrotic syndrome and nephrosis	2	--	2	--	--	1	1	*	*	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	12	--	12	--	--	7	5	36.5	*	*	
# Accidents	9	--	9	--	--	5	4	*	*	*	
Motor vehicle accidents	4	--	4	--	--	2	2	*	*	*	
All other accidents	5	--	5	--	--	3	2	*	*	*	
# Suicide	1	--	1	--	--	1	--	*	*	-0-	
# Homicide	1	--	1	--	--	1	--	*	*	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of McHenry County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	4,056	240	574	1,104	1,407	603	127	3,939	21	648
Sex	Male	2,069	131	295	545	738	296	64	2,010	13	318
	Female	1,987	109	279	559	669	307	63	1,929	8	330
Race	White	3,939	233	561	1,065	1,363	591	125			
	Black	21	4	4	6	3	3	1			
Ethnicity	Hispanic ¹	648	111	206	180	96	44	11			
Multiple births		145	6	12	24	59	30	14			
Marital status	Married	3,377	55	318	969	1,345	570	119	3,277	11	330
	Single	679	185	256	135	62	33	8	662	10	318
Mother not high school graduate		580	148	194	118	78	35	7	567	2	423
Birthweight	Very low (0-1,499 Grams)	37	4	7	13	6	5	2	35	1	9
	Low (0-2,499 Grams)	224	16	32	66	62	36	12	214	4	34
Caesarian section	Primary	560	30	65	169	183	98	15	543	2	78
	Secondary	379	1	22	87	165	74	30	372	2	48
Trimester prenatal care began	First	3,549	158	424	987	1,315	548	116	3,451	12	407
	Third or no care	90	22	31	15	11	8	3	87	1	49
First birth		1,231	173	271	410	284	84	9	1,192	9	243
2000 Percentages²											
Live births	Total	100.0	5.9	14.2	27.2	34.7	14.9	3.1	97.1	.5	16.0
Sex	Male	51.0	54.6	51.4	49.4	52.5	49.1	50.4	51.0	*	49.1
	Female	49.0	45.4	48.6	50.6	47.5	50.9	49.6	49.0	*	50.9
Race	White	97.1	5.9	14.2	27.0	34.6	15.0	3.2			
	Black	.5	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	16.0	17.1	31.8	27.8	14.8	6.8	1.7			
Multiple births		3.6	*	2.1	2.2	4.2	5.0	11.0			
Marital status	Married	83.3	22.9	55.4	87.8	95.6	94.5	93.7	83.2	*	50.9
	Single	16.7	77.1	44.6	12.2	4.4	5.5	*	16.8	*	49.1
Mother not high school graduate		14.3	61.9	33.9	10.7	5.6	5.8	*	14.4	*	65.8
Birthweight	Very low (0-1,499 Grams)	.9	*	*	1.2	*	*	*	.9	*	*
	Low (0-2,499 Grams)	5.5	6.7	5.6	6.0	4.4	6.0	9.4	5.4	*	5.2
Caesarian section	Primary	13.8	12.5	11.3	15.3	13.0	16.3	11.8	13.8	*	12.0
	Secondary	9.3	*	3.8	7.9	11.7	12.3	23.6	9.4	*	7.4
Trimester prenatal care began	First	88.5	66.4	74.4	90.3	94.4	92.4	93.5	88.6	*	63.2
	Third or no care	2.2	9.2	5.4	1.4	.8	*	*	2.2	*	7.6
First birth		30.4	72.1	47.2	37.1	20.2	13.9	*	30.3	*	37.5
Percentages² based on 1996-2000 average											
Live births	Total	100.0	5.4	13.9	29.2	34.7	14.4	2.4	97.8	0.5	12.1
Sex	Male	51.7	52.4	52.9	50.4	52.4	51.3	50.4	51.7	*	51.2
	Female	48.3	47.6	47.1	49.6	47.6	48.7	49.6	48.3	*	48.8
Race	White	97.8	5.4	13.9	29.2	34.6	14.5	2.4			
	Black	.5	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	12.1	14.8	33.6	28.1	15.3	7.3	1.0			
Multiple births		3.6	1.1	2.5	2.8	4.5	4.7	5.6			
Marital status	Married	85.0	21.8	60.1	90.3	95.7	94.4	95.0	84.9	*	56.6
	Single	15.0	78.2	39.9	9.7	4.3	5.6	5.0	15.1	*	43.4
Mother not high school graduate		11.6	55.7	28.6	8.4	4.1	4.6	5.0	11.7	*	62.6
Birthweight	Very low (0-1,499 Grams)	1.0	1.6	1.0	.9	.9	1.4	*	1.0	*	1.1
	Low (0-2,499 Grams)	5.8	6.9	5.9	5.6	5.4	5.9	9.1	5.7	*	5.6
Caesarian section	Primary	12.5	12.9	10.9	13.4	11.9	13.3	13.4	12.5	*	10.4
	Secondary	8.5	*	4.0	6.6	10.4	13.8	18.5	8.5	*	7.2
Trimester prenatal care began	First	89.0	64.4	75.9	91.6	94.3	92.4	89.8	89.0	*	66.0
	Third or no care	1.9	7.1	4.6	1.2	.6	1.4	*	1.8	*	6.4
First birth		30.3	77.0	46.2	35.9	20.1	14.0	9.7	30.2	*	35.9

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of McHenry County - 2000

Population Estimates	
Total	261,700
Under 65 Years	240,400
65 and Older	21,300

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	1,509	22	3	5	22	22	46	101	146	287	459	396
Male	756	13	2	3	18	17	28	64	86	154	238	133
Female	753	9	1	2	4	5	18	37	60	133	221	263
Black	3	--	--	--	--	--	--	--	1	--	1	1
Male	2	--	--	--	--	--	--	--	1	--	1	--
Female	1	--	--	--	--	--	--	--	--	--	--	1
White	1,500	22	3	5	22	22	46	101	145	283	456	395
Male	751	13	2	3	18	17	28	64	85	152	236	133
Female	749	9	1	2	4	5	18	37	60	131	220	262
All other races	6	--	--	--	--	--	--	--	--	4	2	--
Male	3	--	--	--	--	--	--	--	--	2	1	--
Female	3	--	--	--	--	--	--	--	--	2	1	--
Hispanic ethnicity ¹	21	7	--	1	2	2	--	--	--	2	2	5
Male	12	5	--	1	2	1	--	--	--	1	--	2
Female	9	2	--	--	--	1	--	--	--	1	2	3

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	1,509	3	1,500	6	21	367	1,142	576.6	152.7	5,361.5
5-Year Average (1996-2000)	1,486	2	1,478	6	26	371	1,115	625.6	170.8	5,473.3
# Infectious and parasitic diseases	22	--	22	--	--	7	15	8.4	*	70.4
# Septicemia	14	--	14	--	--	3	11	5.3	*	51.6
# Viral hepatitis	2	--	2	--	--	1	1	*	*	*
# HIV disease	3	--	3	--	--	3	--	*	*	-0-
# Malignant neoplasms	393	2	388	3	--	118	275	150.2	49.1	1,291.1
# Lip, oral cavity and pharynx	2	--	2	--	--	1	1	*	*	*
# Colorectal	37	--	37	--	--	13	24	14.1	5.4	112.7
# Bronchus and lung	109	2	107	--	--	34	75	41.7	14.1	352.1
# Female breast	30	--	30	--	--	13	17	11.5 ³	5.4 ³	79.8 ³
# Cervical	1	--	1	--	--	--	1	* ³	-0- ³	* ³
# Prostate	18	--	17	1	--	1	17	6.9 ³	* ³	79.8 ³
# Diabetes mellitus	36	--	36	--	1	8	28	13.8	*	131.5
# Alzheimer's disease	35	--	35	--	--	--	35	13.4	-0-	164.3
# Major cardiovascular diseases	588	1	584	3	6	81	507	224.7	33.7	2,380.3
# Diseases of heart	443	--	440	3	3	63	380	169.3	26.2	1,784.0
# Ischemic heart disease	339	--	337	2	--	46	293	129.5	19.1	1,375.6
# Cerebrovascular diseases	104	1	103	--	1	11	93	39.7	4.6	436.6
# Atherosclerosis	8	--	8	--	--	1	7	*	*	*
# Aortic aneurysm and dissection	10	--	10	--	--	3	7	3.8	*	*
# Respiratory diseases	127	--	127	--	--	18	109	48.5	7.5	511.7
# Influenza and pneumonia	30	--	30	--	--	4	26	11.5	*	122.1
# Chronic lower respiratory diseases	73	--	73	--	--	12	61	27.9	5.0	286.4
# Emphysema	9	--	9	--	--	3	6	*	*	*
# Asthma	2	--	2	--	--	2	--	*	*	-0-
# Chronic liver disease and cirrhosis	14	--	14	--	--	7	7	5.3	*	*
# Nephritis, nephrotic syndrome and nephrosis	19	--	19	--	--	--	19	7.3	-0-	89.2
# Certain perinatal conditions	8	--	8	--	1	8	--	*	*	-0-
# Congenital malformations	8	--	8	--	2	6	2	*	*	*
# SIDS	1	--	1	--	1	1	--	*	*	-0-
# External causes	108	--	108	--	8	85	23	41.3	35.4	108.0
# Accidents	79	--	79	--	7	63	16	30.2	26.2	75.1
# Motor vehicle accidents	33	--	33	--	4	32	1	12.6	13.3	*
# All other accidents	46	--	46	--	3	31	15	17.6	12.9	70.4
# Suicide	19	--	19	--	1	16	3	7.3	6.7	*
# Homicide	2	--	2	--	--	2	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of McLean County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	1,990	140	418	614	561	214	43	1,725	183	85
Sex	Male	1,022	74	215	315	281	114	23	884	97	40
	Female	968	66	203	299	280	100	20	841	86	45
Race	White	1,725	108	344	536	507	192	38			
	Black	183	29	64	46	29	12	3			
Ethnicity	Hispanic ¹	85	10	31	24	10	10	--			
Multiple births		57	--	6	15	18	10	8	49	8	--
Marital status	Married	1,508	23	211	524	521	189	40	1,362	69	--
	Single	482	117	207	90	40	25	3	363	114	38
Mother not high school graduate		183	72	65	28	8	9	1	151	29	39
Birthweight	Very low (0-1,499 Grams)	15	--	2	7	4	--	2	13	2	--
	Low (0-2,499 Grams)	126	16	32	30	28	13	7	107	14	6
Caesarian section	Primary	271	20	45	84	80	34	8	238	20	12
	Secondary	184	4	25	40	62	46	7	155	19	8
Trimester prenatal care began	First	1,777	111	336	561	529	199	41	1,567	133	54
	Third or no care	59	10	22	10	10	6	1	41	18	10
First birth		647	102	161	234	125	24	1	574	40	26
2000 Percentages²											
Live births	Total	100.0	7.0	21.0	30.9	28.2	10.8	2.2	86.7	9.2	4.3
Sex	Male	51.4	52.9	51.4	51.3	50.1	53.3	*	51.2	*	47.1
	Female	48.6	47.1	48.6	48.7	49.9	46.7	*	48.8	47.0	*
Race	White	86.7	6.3	19.9	31.1	29.4	11.1	*			
	Black	9.2	15.8	35.0	25.1	15.8	6.6	*			
Ethnicity	Hispanic ¹	4.3	11.8	36.5	28.2	11.8	11.8	-0-			
Multiple births		2.9	-0-	*	2.4	3.2	4.7	*	2.8	*	-0-
Marital status	Married	75.8	16.4	50.5	85.3	92.9	88.3	*	79.0	37.7	*
	Single	24.2	83.6	49.5	14.7	7.1	11.7	*	21.0	62.3	*
Mother not high school graduate		9.2	52.2	15.6	4.6	*	*	*	8.8	15.9	*
Birthweight	Very low (0-1,499 Grams)	.8	-0-	*	*	*	-0-	*	.8	*	-0-
	Low (0-2,499 Grams)	6.3	11.4	7.7	4.9	5.0	6.1	*	6.2	7.7	*
Caesarian section	Primary	13.6	14.3	10.8	13.7	14.3	15.9	*	13.8	10.9	*
	Secondary	9.2	*	6.0	6.5	11.1	21.5	*	9.0	10.4	*
Trimester prenatal care began	First	90.5	80.4	82.8	92.0	94.8	94.8	*	91.7	75.6	*
	Third or no care	3.0	7.2	5.4	1.6	1.8	*	*	2.4	10.2	*
First birth		32.5	72.9	38.5	38.1	22.3	11.2	*	33.3	21.9	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	8.6	21.1	31.6	26.9	10.1	1.7	88.3	8.8	3.6
Sex	Male	51.4	51.8	51.0	52.2	50.6	50.3	57.4	51.3	50.2	51.6
	Female	48.6	48.2	49.0	47.8	49.4	49.7	42.6	48.7	49.8	48.4
Race	White	88.3	7.7	20.3	32.4	27.8	10.3	1.7			
	Black	8.8	19.1	31.6	23.8	15.4	8.3	1.8			
Ethnicity	Hispanic ¹	3.6	13.5	31.8	30.9	17.8	6.0	-0-			
Multiple births		3.6	1.2	2.4	3.6	4.7	5.1	7.4	3.7	3.0	3.4
Marital status	Married	75.7	16.1	52.6	86.8	92.7	91.6	91.4	78.6	41.8	64.5
	Single	24.3	83.9	47.4	13.2	7.3	8.4	8.6	21.4	58.2	35.5
Mother not high school graduate		9.6	53.8	13.6	4.4	2.0	2.2	*	9.1	16.3	39.8
Birthweight	Very low (0-1,499 Grams)	1.2	1.2	.7	1.1	1.3	1.9	*	1.1	2.1	-0-
	Low (0-2,499 Grams)	6.7	9.0	6.6	5.7	6.8	6.8	14.2	6.5	9.6	4.3
Caesarian section	Primary	13.8	12.4	13.0	14.6	13.5	13.7	19.8	13.7	14.0	13.2
	Secondary	8.6	2.3	5.2	7.2	11.5	15.9	17.9	8.5	9.9	8.6
Trimester prenatal care began	First	89.4	74.0	81.8	92.4	94.5	94.0	94.4	90.8	75.1	70.5
	Third or no care	2.3	5.1	4.4	1.2	1.2	2.0	*	1.9	6.8	7.8
First birth		32.5	67.8	40.4	36.2	19.9	12.5	8.6	32.9	27.8	32.1

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of McLean County - 2000

Population Estimates	
Total	150,800
Under 65 Years	136,130
65 and Older	14,670

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	969	6	3	4	11	10	29	54	81	167	285	319
Male	428	3	3	2	6	6	24	32	40	90	125	97
Female	541	3	--	2	5	4	5	22	41	77	160	222
Black	26	1	1	--	1	1	4	2	4	2	7	3
Male	14	1	1	--	--	1	3	1	1	2	4	--
Female	12	--	--	--	1	--	1	1	3	--	3	3
White	940	5	2	4	10	7	25	51	77	165	278	316
Male	412	2	2	2	6	4	21	30	39	88	121	97
Female	528	3	--	2	4	3	4	21	38	77	157	219
All other races	3	--	--	--	--	2	--	1	--	--	--	--
Male	2	--	--	--	--	1	--	1	--	--	--	--
Female	1	--	--	--	--	1	--	--	--	--	--	--
Hispanic ethnicity ¹	5	--	--	--	--	--	1	--	1	1	1	1
Male	3	--	--	--	--	--	1	--	1	--	--	--
Female	2	--	--	--	--	--	--	--	--	--	1	1

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	969	26	940	3	5	198	771	642.6	145.4	5,255.6
5-Year Average (1996-2000)	960	29	929	2	3	194	765	676.7	152.8	5,247.6
Infectious and parasitic diseases	20	1	18	1	--	5	15	13.3	*	102.2
# Septicemia	15	1	14	--	--	2	13	9.9	*	88.6
# Viral hepatitis	1	--	1	--	--	1	--	*	*	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-
# Malignant neoplasms	226	4	222	--	1	75	151	149.9	55.1	1,029.3
Lip, oral cavity and pharynx	3	--	3	--	--	1	2	*	*	*
Colorectal	26	1	25	--	1	8	18	17.2	*	122.7
Bronchus and lung	55	1	54	--	--	18	37	36.5	13.2	252.2
Female breast	20	--	20	--	--	8	12	13.3 ³	* ³	81.8 ³
Cervical	1	--	1	--	--	1	--	* ³	* ³	-0. ³
Prostate	10	--	10	--	--	--	10	6.6 ³	-0. ³	68.2 ³
# Diabetes mellitus	18	--	18	--	--	2	16	11.9	*	109.1
# Alzheimer's disease	32	1	31	--	--	--	32	21.2	-0-	218.1
Major cardiovascular diseases	408	12	396	--	2	42	366	270.6	30.9	2,494.9
# Diseases of heart	298	9	289	--	1	34	264	197.6	25.0	1,799.6
Ischemic heart disease	206	5	201	--	--	22	184	136.6	16.2	1,254.3
# Cerebrovascular diseases	83	3	80	--	1	5	78	55.0	*	531.7
# Atherosclerosis	2	--	2	--	--	1	1	*	*	*
# Aortic aneurysm and dissection	9	--	9	--	--	1	8	*	*	*
Respiratory diseases	91	2	88	1	--	7	84	60.3	*	572.6
# Influenza and pneumonia	24	2	21	1	--	4	20	15.9	*	136.3
# Chronic lower respiratory diseases	57	--	57	--	--	3	54	37.8	*	368.1
Emphysema	3	--	3	--	--	--	3	*	-0-	*
Asthma	2	--	2	--	--	1	1	*	*	*
# Chronic liver disease and cirrhosis	11	--	11	--	--	6	5	7.3	*	*
# Nephritis, nephrotic syndrome and nephrosis	5	--	5	--	--	--	5	*	-0-	*
# Certain perinatal conditions	3	--	3	--	--	3	--	*	*	-0-
# Congenital malformations	3	1	2	--	--	3	--	*	*	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	43	1	41	1	--	28	15	28.5	20.6	102.2
# Accidents	34	1	33	--	--	20	14	22.5	14.7	95.4
Motor vehicle accidents	13	1	12	--	--	13	--	8.6	9.5	-0-
All other accidents	21	--	21	--	--	7	14	13.9	*	95.4
# Suicide	7	--	7	--	--	6	1	*	*	*
# Homicide	2	--	1	1	--	2	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Macon County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	1,445	251	487	355	240	89	23	1,084	347	21
Sex	Male	723	126	226	183	132	45	11	539	177	14
	Female	722	125	261	172	108	44	12	545	170	7
Race	White	1,084	144	342	298	209	71	20			
	Black	347	103	142	55	27	17	3			
Ethnicity	Hispanic ¹	21	2	7	6	4	2	--			
Multiple births		70	12	30	10	16	--	2	50	20	--
Marital status	Married	786	30	195	261	206	73	21	716	62	--
	Single	659	221	292	94	34	16	2	368	285	8
Mother not high school graduate		319	150	115	41	8	5	--	179	137	7
Birthweight	Very low (0-1,499 Grams)	26	5	9	4	4	3	1	9	17	--
	Low (0-2,499 Grams)	134	24	54	23	21	10	2	80	54	2
Caesarian section	Primary	213	43	57	49	39	18	7	158	52	3
	Secondary	129	9	32	42	24	19	3	94	34	3
Trimester prenatal care began	First	1,122	164	367	284	215	72	20	894	216	14
	Third or no care	54	9	20	12	6	6	1	25	29	--
First birth		442	170	145	80	35	9	3	334	104	6
2000 Percentages²											
Live births	Total	100.0	17.4	33.7	24.6	16.6	6.2	1.6	75.0	24.0	1.5
Sex	Male	50.0	50.2	46.4	51.5	55.0	*	*	49.7	*	66.7
	Female	50.0	49.8	53.6	48.5	45.0	*	*	50.3	49.0	*
Race	White	75.0	13.3	31.5	27.5	19.3	*	*			
	Black	24.0	29.7	40.9	15.9	7.8	*	*			
Ethnicity	Hispanic ¹	1.5	*	*	*	*	*	-0-			
Multiple births		4.8	4.8	6.2	2.8	6.7	-0-	*	4.6	5.8	-0-
Marital status	Married	54.4	12.0	40.0	73.5	85.8	*	*	66.1	17.9	*
	Single	45.6	88.0	60.0	26.5	14.2	*	*	33.9	82.1	*
Mother not high school graduate		22.1	59.8	23.6	11.5	*	*	-0-	16.5	39.5	*
Birthweight	Very low (0-1,499 Grams)	1.8	*	*	*	*	*	*	*	4.9	-0-
	Low (0-2,499 Grams)	9.3	9.6	11.1	6.5	8.8	*	*	7.4	15.6	*
Caesarian section	Primary	14.7	17.1	11.7	13.8	16.3	*	*	14.6	15.0	*
	Secondary	8.9	*	6.6	11.8	10.0	*	*	8.7	9.8	*
Trimester prenatal care began	First	78.2	66.1	76.0	80.2	89.6	*	*	82.9	63.0	*
	Third or no care	3.8	*	4.1	3.4	*	*	*	2.3	8.5	-0-
First birth		30.6	67.7	29.8	22.5	14.6	*	*	30.8	30.0	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	18.6	31.0	25.7	16.9	6.4	1.4	76.5	22.7	1.3
Sex	Male	49.7	49.8	48.0	50.7	49.6	51.9	54.4	49.4	50.6	*
	Female	50.3	50.2	52.0	49.3	50.4	48.1	45.6	50.6	49.4	*
Race	White	76.5	14.7	29.4	28.2	19.0	7.2	1.5			
	Black	22.7	32.3	36.8	16.9	9.8	3.5	.8			
Ethnicity	Hispanic ¹	1.3	*	*	*	*	*	*			
Multiple births		3.3	2.8	3.7	2.6	3.8	3.7	*	3.1	3.8	-0-
Marital status	Married	55.1	12.4	43.1	74.6	81.9	82.6	87.4	66.3	16.7	*
	Single	44.9	87.6	56.9	25.4	18.1	17.4	12.6	33.7	83.3	*
Mother not high school graduate		21.7	57.4	23.0	9.7	5.9	4.5	*	16.6	39.2	*
Birthweight	Very low (0-1,499 Grams)	1.9	2.5	2.2	1.5	1.3	2.1	*	1.3	3.9	-0-
	Low (0-2,499 Grams)	9.2	11.4	10.3	7.0	7.7	10.1	*	7.8	14.0	*
Caesarian section	Primary	14.7	15.8	13.8	13.6	16.0	15.9	17.5	14.7	14.5	*
	Secondary	8.4	2.0	6.0	9.8	13.5	18.0	13.6	8.2	9.1	*
Trimester prenatal care began	First	76.5	63.8	72.7	81.8	86.8	83.3	77.2	81.7	58.8	*
	Third or no care	4.5	6.2	5.4	3.6	3.0	3.3	*	3.0	9.8	*
First birth		32.6	66.0	32.5	25.3	16.7	11.4	9.7	33.4	29.5	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Macon County - 2000

Population Estimates	
Total	114,500
Under 65 Years	97,050
65 and Older	17,450

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	1,152	10	2	4	14	19	31	71	112	223	339	327
Male	546	8	1	4	10	9	18	50	67	120	155	104
Female	606	2	1	--	4	10	13	21	45	103	184	223
Black	122	8	--	1	1	6	11	17	13	21	24	20
Male	67	6	--	1	1	3	6	11	8	9	13	9
Female	55	2	--	--	--	3	5	6	5	12	11	11
White	1,029	2	2	3	13	13	20	54	98	202	315	307
Male	478	2	1	3	9	6	12	39	58	111	142	95
Female	551	--	1	--	4	7	8	15	40	91	173	212
All other races	1	--	--	--	--	--	--	--	1	--	--	--
Male	1	--	--	--	--	--	--	--	1	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	--	--	1
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	--	1

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	1,152	122	1,029	1	1	263	889	1,006.1	271.0	5,094.6
5-Year Average (1996-2000)	1,196	113	1,082	1	2	258	938	1043.8	266.5	5,292.9
# Infectious and parasitic diseases	19	4	15	--	--	5	14	16.6	*	80.2
# Septicemia	14	3	11	--	--	3	11	12.2	*	63.0
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	2	1	1	--	--	2	--	*	-0-	-0-
# Malignant neoplasms	268	29	239	--	--	76	192	234.1	78.3	1,100.3
Lip, oral cavity and pharynx	1	1	--	--	--	1	--	*	*	-0-
Colorectal	23	1	22	--	--	6	17	20.1	*	97.4
Bronchus and lung	84	10	74	--	--	22	62	73.4	22.7	355.3
Female breast	25	2	23	--	--	5	20	21.8 ³	* ³	114.6 ³
Cervical	2	--	2	--	--	1	1	* ³	* ³	* ³
Prostate	13	3	10	--	--	3	10	11.4 ³	* ³	57.3 ³
# Diabetes mellitus	40	3	37	--	--	8	32	34.9	*	183.4
# Alzheimer's disease	20	--	20	--	--	--	20	17.5	-0-	114.6
Major cardiovascular diseases	485	47	438	--	--	70	415	423.6	72.1	2,378.2
# Diseases of heart	344	26	318	--	--	60	284	300.4	61.8	1,627.5
Ischemic heart disease	183	12	171	--	--	23	160	159.8	23.7	916.9
# Cerebrovascular diseases	109	15	94	--	--	5	104	95.2	*	596.0
# Atherosclerosis	4	1	3	--	--	--	4	*	-0-	*
# Aortic aneurysm and dissection	6	--	6	--	--	1	5	*	*	*
Respiratory diseases	96	6	90	--	1	11	85	83.8	11.3	487.1
# Influenza and pneumonia	28	1	27	--	1	1	27	24.5	*	154.7
# Chronic lower respiratory diseases	52	3	49	--	--	7	45	45.4	*	257.9
Emphysema	5	1	4	--	--	--	5	*	-0-	*
Asthma	3	1	2	--	--	1	2	*	*	*
# Chronic liver disease and cirrhosis	6	2	4	--	--	3	3	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	29	5	24	--	--	4	25	25.3	*	143.3
# Certain perinatal conditions	3	3	--	--	--	3	--	*	*	-0-
# Congenital malformations	5	1	4	--	--	5	--	*	*	-0-
SIDS	4	4	--	--	--	4	--	*	*	-0-
External causes	68	7	61	--	--	46	22	59.4	47.4	126.1
# Accidents	46	3	43	--	--	27	19	40.2	27.8	108.9
Motor vehicle accidents	19	--	19	--	--	17	2	16.6	17.5	*
All other accidents	27	3	24	--	--	10	17	23.6	10.3	97.4
# Suicide	15	1	14	--	--	12	3	13.1	12.4	*
# Homicide	6	2	4	--	--	6	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Macoupin County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	520	60	159	162	94	40	5	513	4	1
Sex	Male	267	35	78	90	45	17	2	264	1	--
	Female	253	25	81	72	49	23	3	249	3	1
Race	White	513	58	158	159	94	39	5			
	Black	4	1	--	3	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	--	--	1	--			
Multiple births		26	2	2	8	8	4	2	26	--	--
Marital status	Married	349	11	81	138	79	35	5	347	1	--
	Single	171	49	78	24	15	5	--	166	3	--
Mother not high school graduate		84	36	31	11	3	1	2	81	2	--
Birthweight	Very low (0-1,499 Grams)	7	2	3	1	1	--	--	7	--	--
	Low (0-2,499 Grams)	38	7	11	7	7	3	3	38	--	--
Caesarian section	Primary	65	4	22	17	16	4	2	65	--	--
	Secondary	53	--	12	18	12	10	1	53	--	1
Trimester prenatal care began	First	454	45	131	149	89	35	5	450	3	1
	Third or no care	11	1	4	3	--	3	--	11	--	--
First birth		171	49	56	47	15	3	1	167	2	--
2000 Percentages²											
Live births	Total	100.0	11.5	30.6	31.2	18.1	7.7	*	98.7	*	*
Sex	Male	51.3	*	49.1	55.6	*	*	*	51.5	*	.0
	Female	48.7	*	50.9	44.4	*	*	*	48.5	*	*
Race	White	98.7	*	30.8	31.0	*	*	*			
	Black	*	*	-0-	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	-0-	-0-	*	-0-			
Multiple births		5.0	*	*	*	*	*	*	5.1	-0-	-0-
Marital status	Married	67.1	*	50.9	85.2	*	*	*	67.6	*	*
	Single	*	81.7	49.1	14.8	*	*	-0-	32.4	*	-0-
Mother not high school graduate		16.2	*	19.5	6.8	*	*	*	15.8	*	-0-
Birthweight	Very low (0-1,499 Grams)	*	*	*	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.3	*	6.9	*	*	*	*	7.4	-0-	-0-
Caesarian section	Primary	12.5	*	13.8	10.5	*	*	*	12.7	-0-	-0-
	Secondary	10.2	-0-	7.5	11.1	*	*	*	10.3	-0-	*
Trimester prenatal care began	First	87.5	*	82.4	92.0	*	*	*	87.9	*	*
	Third or no care	2.1	*	*	*	-0-	*	-0-	2.1	-0-	-0-
First birth		32.9	*	35.2	29.0	*	*	-0-	32.6	*	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	14.4	29.6	30.1	17.6	7.1	1.2	99.0	0.7	0.5
Sex	Male	52.5	52.3	51.3	55.0	51.7	51.3	*	52.3	*	*
	Female	47.5	47.7	48.7	45.0	48.3	48.7	*	47.7	*	*
Race	White	99.0	14.4	29.6	30.0	17.8	7.1	1.2			
	Black	.7	*	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	.5	*	*	*	*	*	-0-			
Multiple births		2.5	*	2.3	1.9	3.6	5.3	*	2.5	-0-	*
Marital status	Married	69.5	23.7	56.7	87.3	89.4	86.8	*	69.7	*	*
	Single	30.5	76.3	43.3	12.7	10.6	13.2	*	30.3	*	*
Mother not high school graduate		16.1	54.8	18.0	5.7	3.4	5.8	*	16.0	*	*
Birthweight	Very low (0-1,499 Grams)	1.0	*	2.0	*	*	*	-0-	1.1	-0-	-0-
	Low (0-2,499 Grams)	7.0	9.4	7.3	4.9	6.2	12.2	*	6.9	*	*
Caesarian section	Primary	12.7	11.5	14.8	10.6	13.6	13.2	*	12.8	*	-0-
	Secondary	10.1	*	7.2	12.6	14.0	19.0	*	10.0	*	*
Trimester prenatal care began	First	86.7	71.3	83.7	92.9	93.4	88.4	*	86.9	*	*
	Third or no care	2.6	4.7	3.4	1.4	*	*	*	2.5	*	-0-
First birth		33.5	74.0	38.4	25.8	14.9	13.2	*	33.5	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Macoupin County - 2000

Population Estimates	
Total	49,000
Under 65 Years	40,440
65 and Older	8,560

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	584	1	2	--	9	8	12	31	41	98	164	218
Male	281	--	2	--	7	4	8	25	21	59	85	70
Female	303	1	--	--	2	4	4	6	20	39	79	148
Black	6	--	--	--	--	--	--	1	--	--	4	1
Male	3	--	--	--	--	--	--	1	--	--	1	1
Female	3	--	--	--	--	--	--	--	--	--	3	--
White	577	1	2	--	8	8	12	30	41	98	160	217
Male	278	--	2	--	7	4	8	24	21	59	84	69
Female	299	1	--	--	1	4	4	6	20	39	76	148
All other races	1	--	--	--	1	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	1	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	584	6	577	1	--	104	480	1,191.8	257.2	5,607.5	
5-Year Average (1996-2000)	600	6	593	1	<1	107	493	1236.0	268.2	5,646.6	
Infectious and parasitic diseases	7	--	7	--	--	--	7	*	-0-	*	
# Septicemia	6	--	6	--	--	--	6	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	123	1	122	--	--	37	86	251.0	91.5	1,004.7	
Lip, oral cavity and pharynx	2	--	2	--	--	1	1	*	*	*	
Colorectal	12	--	12	--	--	2	10	24.5	*	116.8	
Bronchus and lung	50	--	50	--	--	21	29	102.0	51.9	338.8	
Female breast	7	--	7	--	--	5	2	* ³	* ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	4	--	4	--	--	--	4	* ³	-0- ³	* ³	
# Diabetes mellitus	15	--	15	--	--	--	15	30.6	-0-	175.2	
# Alzheimer's disease	14	--	14	--	--	--	14	28.6	-0-	163.6	
Major cardiovascular diseases	253	2	251	--	--	30	223	516.3	74.2	2,605.1	
# Diseases of heart	196	2	194	--	--	23	173	400.0	56.9	2,021.0	
Ischemic heart disease	136	1	135	--	--	19	117	277.6	47.0	1,366.8	
# Cerebrovascular diseases	45	--	45	--	--	6	39	91.8	*	455.6	
# Atherosclerosis	4	--	4	--	--	--	4	*	-0-	*	
# Aortic aneurysm and dissection	3	--	3	--	--	1	2	*	*	*	
Respiratory diseases	42	--	42	--	--	3	39	85.7	*	455.6	
# Influenza and pneumonia	19	--	19	--	--	2	17	38.8	*	198.6	
# Chronic lower respiratory diseases	14	--	14	--	--	1	13	28.6	*	151.9	
Emphysema	4	--	4	--	--	--	4	*	-0-	*	
Asthma	1	--	1	--	--	--	1	*	-0-	*	
# Chronic liver disease and cirrhosis	6	--	6	--	--	3	3	*	*	*	
# Nephritis, nephrotic syndrome and nephrosis	14	--	14	--	--	1	13	28.6	*	151.9	
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-	
# Congenital malformations	2	--	2	--	--	1	1	*	*	*	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	39	2	36	1	--	23	16	79.6	56.9	186.9	
# Accidents	29	2	26	1	--	16	13	59.2	39.6	151.9	
Motor vehicle accidents	15	--	14	1	--	10	5	30.6	24.7	*	
All other accidents	14	2	12	--	--	6	8	28.6	*	*	
# Suicide	6	--	6	--	--	4	2	*	*	*	
# Homicide	4	--	4	--	--	3	1	*	*	*	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Madison County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	3,376	434	937	1,033	640	280	52	2,982	343	65
Sex	Male	1,714	229	507	496	317	140	25	1,512	179	24
	Female	1,662	205	430	537	323	140	27	1,470	164	41
Race	White	2,982	341	802	933	606	254	46			
	Black	343	89	125	79	29	15	6			
Ethnicity	Hispanic ¹	65	12	22	15	12	4	--			
Multiple births		101	6	20	31	22	22	--	83	12	3
Marital status	Married	2,215	69	459	833	562	254	38	2,099	78	39
	Single	1,161	365	478	200	78	26	14	883	265	26
Mother not high school graduate		533	257	194	55	17	5	5	411	112	17
Birthweight	Very low (0-1,499 Grams)	50	5	11	14	15	4	1	34	14	--
	Low (0-2,499 Grams)	258	41	78	64	43	28	4	190	57	6
Caesarian section	Primary	432	54	109	145	63	49	12	376	49	5
	Secondary	334	4	76	92	107	47	8	276	50	12
Trimester prenatal care began	First	2,831	296	735	920	581	255	44	2,559	232	53
	Third or no care	101	28	37	21	10	4	1	70	31	2
First birth		1,164	309	389	307	109	44	6	1,044	100	21
2000 Percentages²											
Live births	Total	100.0	12.9	27.8	30.6	19.0	8.3	1.5	88.3	10.2	1.9
Sex	Male	50.8	52.8	54.1	48.0	49.5	50.0	*	50.7	*	36.9
	Female	49.2	47.2	45.9	52.0	50.5	50.0	*	49.3	47.8	*
Race	White	88.3	11.4	26.9	31.3	20.3	8.5	*			
	Black	10.2	25.9	36.4	23.0	8.5	4.4	*			
Ethnicity	Hispanic ¹	1.9	18.5	33.8	23.1	18.5	*	-0-			
Multiple births		3.0	*	2.1	3.0	3.4	7.9	-0-	2.8	3.5	*
Marital status	Married	65.6	15.9	49.0	80.6	87.8	90.7	*	70.4	22.7	*
	Single	34.4	84.1	51.0	19.4	12.2	9.3	*	29.6	77.3	*
Mother not high school graduate		15.8	59.4	20.7	5.3	2.7	*	*	13.8	32.7	*
Birthweight	Very low (0-1,499 Grams)	1.5	*	1.2	1.4	*	*	*	1.1	4.1	-0-
	Low (0-2,499 Grams)	7.6	9.4	8.3	6.2	6.7	10.0	*	6.4	16.6	*
Caesarian section	Primary	12.8	12.4	11.6	14.0	9.8	17.5	*	12.6	14.3	*
	Secondary	9.9	*	8.1	8.9	16.7	16.8	*	9.3	14.6	*
Trimester prenatal care began	First	84.4	68.5	79.0	89.7	91.1	91.7	*	86.3	68.0	*
	Third or no care	3.0	6.5	4.0	2.0	1.6	*	*	2.4	9.1	*
First birth		34.5	71.2	41.5	29.7	17.0	15.7	*	35.0	29.2	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.5	26.6	29.7	20.6	8.0	1.4	88.2	10.5	1.6
Sex	Male	51.8	53.3	52.3	51.4	51.9	49.5	53.2	51.8	52.2	46.3
	Female	48.2	46.7	47.7	48.6	48.1	50.5	46.8	48.2	47.8	53.7
Race	White	88.2	12.1	25.7	30.5	21.9	8.3	1.4			
	Black	10.5	25.5	34.9	23.0	10.1	5.4	1.1			
Ethnicity	Hispanic ¹	1.6	17.9	32.1	27.6	17.2	4.5	*			
Multiple births		2.9	1.6	2.0	3.1	3.8	4.6	*	2.8	3.5	*
Marital status	Married	66.1	15.8	51.2	80.7	88.0	87.8	79.6	71.2	22.3	62.3
	Single	33.9	84.2	48.8	19.3	12.0	12.2	20.4	28.8	77.7	37.7
Mother not high school graduate		16.5	59.8	20.5	6.5	3.1	3.4	6.4	14.7	31.4	29.5
Birthweight	Very low (0-1,499 Grams)	1.4	2.0	1.1	1.2	1.6	1.4	*	1.1	3.1	*
	Low (0-2,499 Grams)	7.7	10.3	7.0	7.0	7.5	8.4	10.2	6.8	14.8	7.5
Caesarian section	Primary	14.1	15.2	13.5	14.1	12.9	15.7	19.1	13.9	14.6	14.6
	Secondary	10.4	2.1	8.3	10.9	15.3	15.9	13.6	9.8	14.8	13.1
Trimester prenatal care began	First	85.2	69.8	80.8	89.8	92.2	90.9	84.3	87.4	67.6	77.6
	Third or no care	3.0	6.5	3.9	1.9	1.6	1.4	*	2.3	8.2	6.1
First birth		33.9	70.5	38.4	30.0	19.2	13.5	11.9	34.6	27.1	34.7

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Madison County - 2000

Population Estimates	
Total	259,100
Under 65 Years	222,140
65 and Older	36,960

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	2,680	27	9	11	28	26	94	143	247	551	825	719
Male	1,265	14	6	5	17	23	66	84	137	294	397	222
Female	1,415	13	3	6	11	3	28	59	110	257	428	497
Black	153	8	3	1	6	3	12	15	17	30	37	21
Male	80	2	3	1	4	2	8	11	9	13	15	12
Female	73	6	--	--	2	1	4	4	8	17	22	9
White	2,525	19	6	10	22	23	82	128	229	521	787	698
Male	1,184	12	3	4	13	21	58	73	127	281	382	210
Female	1,341	7	3	6	9	2	24	55	102	240	405	488
All other races	2	--	--	--	--	--	--	--	1	--	1	--
Male	1	--	--	--	--	--	--	--	1	--	--	--
Female	1	--	--	--	--	--	--	--	--	1	--	--
Hispanic ethnicity ¹	9	1	--	1	--	2	1	2	--	1	--	1
Male	6	--	--	1	--	2	1	--	--	1	--	1
Female	3	1	--	--	--	--	--	2	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	2,680	153	2,525	2	9	585	2,095	1,034.3	263.3	5,668.3
5-Year Average (1996-2000)	2,651	158	2,488	5	9	604	2,048	1027.6	273.1	5,539.4
Infectious and parasitic diseases	54	6	48	--	1	15	39	20.8	6.8	105.5
# Septicemia	38	3	35	--	--	6	32	14.7	*	86.6
# Viral hepatitis	1	--	1	--	--	1	--	*	*	-0-
# HIV disease	5	2	3	--	--	5	--	*	*	-0-
# Malignant neoplasms	622	30	590	2	--	168	454	240.1	75.6	1,228.4
Lip, oral cavity and pharynx	6	--	6	--	--	2	4	*	*	*
Colorectal	79	5	73	1	--	19	60	30.5	8.6	162.3
Bronchus and lung	196	8	188	--	--	50	146	75.6	22.5	395.0
Female breast	39	1	38	--	--	16	23	15.1 ³	7.2 ³	62.2 ³
Cervical	4	1	3	--	--	4	--	* ³	* ³	-0. ³
Prostate	25	3	22	--	--	1	24	9.6 ³	* ³	64.9 ³
# Diabetes mellitus	75	4	71	--	--	20	55	28.9	9.0	148.8
# Alzheimer's disease	57	4	53	--	--	1	56	22.0	*	151.5
Major cardiovascular diseases	1,115	56	1,059	--	2	152	963	430.3	68.4	2,605.5
# Diseases of heart	891	43	848	--	--	128	763	343.9	57.6	2,064.4
Ischemic heart disease	649	25	624	--	--	100	549	250.5	45.0	1,485.4
# Cerebrovascular diseases	171	11	160	--	1	19	152	66.0	8.6	411.3
# Atherosclerosis	15	--	15	--	--	1	14	5.8	*	37.9
# Aortic aneurysm and dissection	18	--	18	--	1	1	17	6.9	*	46.0
Respiratory diseases	289	15	274	--	1	32	257	111.5	14.4	695.3
# Influenza and pneumonia	82	3	79	--	--	4	78	31.6	*	211.0
# Chronic lower respiratory diseases	154	9	145	--	1	23	131	59.4	10.4	354.4
Emphysema	25	2	23	--	--	5	20	9.6	*	54.1
Asthma	5	1	4	--	--	4	1	*	*	*
# Chronic liver disease and cirrhosis	29	4	25	--	--	15	14	11.2	6.8	37.9
# Nephritis, nephrotic syndrome and nephrosis	41	1	40	--	--	5	36	15.8	*	97.4
# Certain perinatal conditions	18	6	12	--	--	18	--	6.9	8.1	-0-
# Congenital malformations	6	--	6	--	1	5	1	*	*	*
SIDS	1	--	1	--	--	1	--	*	*	-0-
External causes	136	15	121	--	2	99	37	52.5	44.6	100.1
# Accidents	97	11	86	--	2	71	26	37.4	32.0	70.3
Motor vehicle accidents	43	4	39	--	1	40	3	16.6	18.0	*
All other accidents	54	7	47	--	1	31	23	20.8	14.0	62.2
# Suicide	21	1	20	--	--	15	6	8.1	6.8	*
# Homicide	10	3	7	--	--	9	1	3.9	*	*

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Marion County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	534	89	175	153	80	35	2	499	32	5
Sex	Male	282	42	94	82	45	18	1	259	20	3
	Female	252	47	81	71	35	17	1	240	12	2
Race	White	499	85	161	143	76	32	2			
	Black	32	4	14	8	3	3	--			
Ethnicity	Hispanic ¹	5	--	1	3	1	--	--			
Multiple births		16	--	4	4	7	1	--	16	--	--
Marital status	Married	292	15	73	118	62	23	1	286	4	--
	Single	242	74	102	35	18	12	1	213	28	2
Mother not high school graduate		136	52	53	18	5	8	--	125	11	2
Birthweight	Very low (0-1,499 Grams)	9	1	2	4	1	1	--	8	--	--
	Low (0-2,499 Grams)	41	5	10	11	10	4	1	34	5	1
Caesarian section	Primary	74	9	20	22	13	9	1	72	1	1
	Secondary	59	3	10	21	15	10	--	49	9	1
Trimester prenatal care began	First	433	62	139	134	69	28	1	407	23	2
	Third or no care	21	3	10	2	3	3	--	19	2	--
First birth		165	62	51	33	14	5	--	159	6	--
2000 Percentages²											
Live births	Total	100.0	16.7	32.8	28.7	15.0	6.6	*	93.4	6.0	*
Sex	Male	52.8	*	53.7	53.6	*	*	*	51.9	*	60.0
	Female	47.2	*	46.3	46.4	*	*	*	48.1	*	*
Race	White	93.4	*	32.3	28.7	*	*	*			
	Black	6.0	*	43.8	*	*	*	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	*	-0-	-0-			
Multiple births		3.0	-0-	*	*	*	*	-0-	3.2	-0-	-0-
Marital status	Married	54.7	*	41.7	77.1	*	*	*	57.3	*	*
	Single	*	83.1	58.3	22.9	*	*	*	42.7	*	*
Mother not high school graduate		25.5	*	30.3	11.8	*	*	-0-	25.1	*	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	*	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.7	*	5.7	7.2	*	*	*	6.8	*	*
Caesarian section	Primary	13.9	*	11.4	14.4	*	*	*	14.4	*	*
	Secondary	11.0	*	5.7	13.7	*	*	-0-	9.8	*	*
Trimester prenatal care began	First	81.5	*	79.4	88.2	*	*	*	82.1	*	*
	Third or no care	4.0	*	5.7	*	*	*	-0-	3.8	*	-0-
First birth		30.9	*	29.1	21.6	*	*	-0-	31.9	*	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	17.8	34.4	27.1	13.5	6.2	1.0	93.7	5.6	0.6
Sex	Male	50.1	48.0	54.2	51.1	43.4	41.9	*	50.0	51.3	*
	Female	49.9	52.0	45.8	48.9	56.6	58.1	*	50.0	48.7	*
Race	White	93.7	17.5	34.2	27.5	13.4	6.4	1.1			
	Black	5.6	23.0	40.8	21.1	11.8	*	-0-			
Ethnicity	Hispanic ¹	.6	*	*	*	*	-0-	-0-			
Multiple births		2.1	*	1.3	1.9	4.6	*	*	2.2	*	-0-
Marital status	Married	59.0	23.9	52.5	76.0	79.8	74.3	*	61.6	15.8	*
	Single	41.0	76.1	47.5	24.0	20.2	25.7	*	38.4	84.2	*
Mother not high school graduate		25.4	59.6	26.6	12.0	9.3	16.2	*	25.0	32.5	*
Birthweight	Very low (0-1,499 Grams)	1.4	2.5	*	*	*	*	*	1.4	*	-0-
	Low (0-2,499 Grams)	7.1	8.9	5.7	5.2	8.7	12.6	*	6.8	10.5	*
Caesarian section	Primary	12.0	13.3	9.3	10.1	15.0	19.8	*	12.3	7.9	*
	Secondary	8.9	*	6.7	10.7	17.5	18.0	-0-	8.2	19.1	*
Trimester prenatal care began	First	83.0	76.0	81.5	87.9	85.0	83.6	*	83.9	68.2	*
	Third or no care	3.2	4.2	3.9	2.5	*	*	*	2.9	8.6	*
First birth		31.4	71.9	29.6	22.3	12.3	10.2	*	32.0	20.4	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Marion County - 2000

Population Estimates	
Total	41,700
Under 65 Years	34,760
65 and Older	6,940

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	496	3	--	1	6	5	11	29	44	86	150	161
Male	236	2	--	1	3	3	8	19	27	45	81	47
Female	260	1	--	--	3	2	3	10	17	41	69	114
Black	17	--	--	--	2	--	--	1	2	3	6	3
Male	7	--	--	--	--	--	--	1	2	--	2	2
Female	10	--	--	--	2	--	--	--	--	3	4	1
White	479	3	--	1	4	5	11	28	42	83	144	158
Male	229	2	--	1	3	3	8	18	25	45	79	45
Female	250	1	--	--	1	2	3	10	17	38	65	113
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	2	--	--	--	--	1	--	--	--	--	1	--
Male	1	--	--	--	--	--	--	--	--	--	1	--
Female	1	--	--	--	--	1	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	496	17	479	--	2	99	397	1,189.4	284.8	5,720.5
5-Year Average (1996-2000)	510	19	491	<1	<1	106	404	1222.3	304.3	5,797.0
Infectious and parasitic diseases	14	2	12	--	--	6	8	33.6	*	*
# Septicemia	11	2	9	--	--	4	7	26.4	*	*
# Viral hepatitis	1	--	1	--	--	1	--	*	*	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-
# Malignant neoplasms	106	1	105	--	1	21	85	254.2	60.4	1,224.8
Lip, oral cavity and pharynx	2	--	2	--	--	--	2	*	-0-	*
Colorectal	15	--	15	--	--	4	11	36.0	*	158.5
Bronchus and lung	32	1	31	--	--	9	23	76.7	*	331.4
Female breast	5	--	5	--	--	1	4	* ³	* ³	* ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	10	--	10	--	--	--	10	24.0 ³	-0- ³	144.1 ³
# Diabetes mellitus	12	1	11	--	--	3	9	28.8	*	*
# Alzheimer's disease	10	1	9	--	--	--	10	24.0	-0-	144.1
Major cardiovascular diseases	195	9	186	--	--	30	165	467.6	86.3	2,377.5
# Diseases of heart	149	7	142	--	--	26	123	357.3	74.8	1,772.3
Ischemic heart disease	112	6	106	--	--	19	93	268.6	54.7	1,340.1
# Cerebrovascular diseases	39	2	37	--	--	3	36	93.5	*	518.7
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*
# Aortic aneurysm and dissection	2	--	2	--	--	1	1	*	*	*
Respiratory diseases	75	2	73	--	--	9	66	179.9	*	951.0
# Influenza and pneumonia	18	1	17	--	--	1	17	43.2	*	245.0
# Chronic lower respiratory diseases	46	--	46	--	--	6	40	110.3	*	576.4
Emphysema	1	--	1	--	--	--	1	*	-0-	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	4	--	4	--	--	3	1	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	13	--	13	--	--	3	10	31.2	*	144.1
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-
# Congenital malformations	2	--	2	--	--	2	--	*	*	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	25	1	24	--	--	13	12	60.0	37.4	172.9
# Accidents	18	1	17	--	--	8	10	43.2	*	144.1
Motor vehicle accidents	8	--	8	--	--	4	4	*	*	*
All other accidents	10	1	9	--	--	4	6	24.0	*	*
# Suicide	4	--	4	--	--	3	1	*	*	*
# Homicide	2	--	2	--	--	1	1	*	*	*

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Marshall County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	131	13	35	39	34	8	2	131	--	4
Sex	Male	61	2	17	20	18	3	1	61	--	--
	Female	70	11	18	19	16	5	1	70	--	4
Race	White	131	13	35	39	34	8	2			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	4	--	3	--	1	--	--			
Multiple births		2	--	--	--	2	--	--			
Marital status	Married	90	1	20	31	31	6	1	90	--	--
	Single	41	12	15	8	3	2	1	41	--	1
Mother not high school graduate		19	6	5	4	3	1	--	19	--	2
Birthweight	Very low (0-1,499 Grams)	1	--	--	--	--	1	--	1	--	--
	Low (0-2,499 Grams)	1	--	--	--	--	1	--	1	--	--
Caesarian section	Primary	14	2	1	5	4	1	1	14	--	--
	Secondary	12	--	1	3	6	2	--	12	--	--
Trimester prenatal care began	First	117	10	29	35	33	8	2	117	--	2
	Third or no care	3	1	1	1	--	--	--	3	--	--
First birth		54	12	21	11	8	1	1	54	--	2
2000 Percentages²											
Live births	Total	100.0	9.9	26.7	29.8	26.0	*	*	100.0	-0-	*
Sex	Male	46.6	*	*	*	*	*	*	46.6	*	.0
	Female	53.4	*	*	*	*	*	*	53.4	-0-	*
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	*	-0-	-0-			
Multiple births		*	-0-	-0-	-0-	*	-0-	-0-			
Marital status	Married	68.7	*	*	*	*	*	*	68.7	-0-	*
	Single	*	92.3	42.9	*	*	*	*	31.3	-0-	*
Mother not high school graduate		*	*	*	*	*	*	-0-	14.5	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	-0-	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	-0-	-0-	-0-	-0-	*	-0-	*	-0-	-0-
Caesarian section	Primary	10.7	*	*	*	*	*	*	10.7	-0-	-0-
	Secondary	9.2	-0-	*	*	*	*	-0-	9.2	-0-	-0-
Trimester prenatal care began	First	89.3	*	*	*	*	*	*	89.3	-0-	*
	Third or no care	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
First birth		41.2	*	*	*	*	*	-0-	41.2	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	10.4	27.7	28.0	23.8	8.4	1.7	99.1	*	1.8
Sex	Male	51.8	*	47.2	52.3	55.1	*	*	51.8	*	*
	Female	48.2	*	52.8	47.7	44.9	*	*	48.2	*	*
Race	White	99.1	10.3	27.8	28.0	24.0	8.2	1.7			
	Black	*	*	-0-	*	-0-	*	-0-			
Ethnicity	Hispanic ¹	1.8	*	*	*	*	*	*			
Multiple births		4.3	-0-	*	*	7.2	*	-0-			
Marital status	Married	72.4	*	58.5	85.3	93.4	*	*	72.5	*	*
	Single	27.6	*	41.5	14.7	6.6	*	*	27.5	*	*
Mother not high school graduate		12.7	*	15.4	6.6	*	*	-0-	12.5	*	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	*	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.3	*	6.2	*	6.0	*	-0-	5.3	-0-	-0-
Caesarian section	Primary	11.2	*	9.2	10.7	10.2	*	*	11.3	-0-	*
	Secondary	7.8	-0-	*	6.1	15.6	*	*	7.7	-0-	-0-
Trimester prenatal care began	First	88.9	*	84.5	90.9	93.4	*	*	88.9	*	*
	Third or no care	*	1.4	*	*	*	-0-	-0-	*	-0-	-0-
First birth		30.7	83.6	39.5	25.9	12.6	*	*	30.8	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Marshall County - 2000

Population Estimates	
Total	13,200
Under 65 Years	10,740
65 and Older	2,460

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	167	--	--	--	--	2	2	9	10	24	56	64
Male	72	--	--	--	--	1	2	7	6	14	24	18
Female	95	--	--	--	--	1	--	2	4	10	32	46
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	166	--	--	--	--	2	2	9	10	23	56	64
Male	72	--	--	--	--	1	2	7	6	14	24	18
Female	94	--	--	--	--	1	--	2	4	9	32	46
All other races	1	--	--	--	--	--	--	--	--	1	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	1	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	167	--	166	1	--	23	144	1,265.2	214.2	5,853.7	
5-Year Average (1996-2000)	160	--	159	<1	<1	22	137	1260.7	218.3	5,518.1	
Infectious and parasitic diseases	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Septicemia	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	51	--	50	1	--	14	37	386.4	130.4	1,504.1	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	4	--	4	--	--	1	3	*	*	*	
Bronchus and lung	12	--	12	--	--	1	11	90.9	*	447.2	
Female breast	3	--	3	--	--	--	3	* ³	-0- ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	5	--	5	--	--	1	4	* ³	* ³	* ³	
# Diabetes mellitus	7	--	7	--	--	1	6	*	*	*	
# Alzheimer's disease	5	--	5	--	--	--	5	*	-0-	*	
Major cardiovascular diseases	65	--	65	--	--	1	64	492.4	*	2,601.6	
# Diseases of heart	50	--	50	--	--	1	49	378.8	*	1,991.9	
Ischemic heart disease	41	--	41	--	--	1	40	310.6	*	1,626.0	
# Cerebrovascular diseases	9	--	9	--	--	--	9	*	-0-	*	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	2	--	2	--	--	--	2	*	-0-	*	
Respiratory diseases	15	--	15	--	--	1	14	113.6	*	569.1	
# Influenza and pneumonia	2	--	2	--	--	--	2	*	-0-	*	
# Chronic lower respiratory diseases	11	--	11	--	--	1	10	83.3	*	406.5	
Emphysema	2	--	2	--	--	--	2	*	-0-	*	
Asthma	1	--	1	--	--	--	1	*	-0-	*	
# Chronic liver disease and cirrhosis	1	--	1	--	--	--	1	*	-0-	*	
# Nephritis, nephrotic syndrome and nephrosis	5	--	5	--	--	--	5	*	-0-	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	4	--	4	--	--	3	1	*	*	*	
# Accidents	4	--	4	--	--	3	1	*	*	*	
Motor vehicle accidents	--	--	--	--	--	--	--	-0-	-0-	-0-	
All other accidents	4	--	4	--	--	3	1	*	*	*	
# Suicide	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Mason County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	166	27	50	51	28	10	--	166	--	--
Sex	Male	77	12	27	24	11	3	--	77	--	--
	Female	89	15	23	27	17	7	--	89	--	--
Race	White	166	27	50	51	28	10	--			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple births		5	--	--	5	--	--	--	5	--	--
Marital status	Married	105	7	29	38	21	10	--	105	--	--
	Single	61	20	21	13	7	--	--	61	--	--
Mother not high school graduate		24	13	7	3	--	1	--	24	--	--
Birthweight	Very low (0-1,499 Grams)	1	--	--	1	--	--	--	1	--	--
	Low (0-2,499 Grams)	16	2	4	7	1	2	--	16	--	--
Caesarian section	Primary	25	7	6	10	2	--	--	25	--	--
	Secondary	14	--	4	3	6	1	--	14	--	--
Trimester prenatal care began	First	140	20	41	43	27	9	--	140	--	--
	Third or no care	2	--	0	1	--	--	--	2	--	--
First birth		48	19	18	8	2	1	--	48	--	--
2000 Percentages²											
Live births	Total	100.0	16.3	30.1	30.7	16.9	6.0	-0-	100.0	-0-	-0-
Sex	Male	46.4	*	*	*	*	*	-0-	46.4	-0-	.
	Female	53.6	*	*	*	*	*	-0-	53.6	-0-	-0-
Race	White	100.0	*	*	*	*	*	-0-			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
Marital status	Married	63.3	*	*	*	*	*	-0-	63.3	-0-	-0-
	Single	*	74.1	42.0	*	*	-0-	-0-	36.7	-0-	-0-
Mother not high school graduate		*	*	*	*	-0-	*	-0-	14.5	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	9.6	*	*	*	*	*	-0-	9.6	-0-	-0-
Caesarian section	Primary	15.1	*	*	*	*	-0-	-0-	15.1	-0-	-0-
	Secondary	8.4	-0-	*	*	*	*	-0-	8.4	-0-	-0-
Trimester prenatal care began	First	85.9	*	*	*	*	*	-0-	85.9	-0-	-0-
	Third or no care	*	*	-0-	*	-0-	-0-	-0-	*	-0-	-0-
First birth		28.9	*	*	*	*	*	-0-	28.9	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	16.9	30.8	29.1	16.4	6.6	*	100.0	-0-	*
Sex	Male	49.5	49.0	49.6	52.5	44.6	*	-0-	49.5	-0-	*
	Female	50.5	51.0	50.4	47.5	55.4	*	*	50.5	-0-	*
Race	White	100	16.9	30.8	29.1	16.4	6.6	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	*	-0-	-0-	-0-			
Multiple births		2.8	-0-	*	4.2	*	-0-	-0-	2.8	-0-	-0-
Marital status	Married	68.0	26.1	61.5	82.5	89.9	*	-0-	68.0	-0-	*
	Single	32.0	73.9	38.5	17.5	10.1	*	*	32.0	-0-	*
Mother not high school graduate		18.6	56.6	17.6	7.6	*	*	*	18.6	-0-	*
Birthweight	Very low (0-1,499 Grams)	1.4	*	*	*	*	-0-	-0-	1.4	-0-	*
	Low (0-2,499 Grams)	7.8	8.5	7.6	7.6	7.4	*	-0-	7.8	-0-	*
Caesarian section	Primary	13.1	15.7	9.0	13.7	16.2	*	-0-	13.1	-0-	*
	Secondary	7.8	*	5.4	11.8	10.8	*	-0-	7.8	-0-	-0-
Trimester prenatal care began	First	86.0	72.5	86.3	90.4	90.5	*	*	86.0	-0-	*
	Third or no care	1.4	3.3	*	*	*	-0-	-0-	1.4	-0-	-0-
First birth		32.0	68.6	37.4	20.9	11.5	*	-0-	32.0	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Mason County - 2000

Population Estimates	
Total	16,000
Under 65 Years	13,240
65 and Older	2,760

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	189	--	--	--	--	2	4	7	17	23	64	72
Male	98	--	--	--	--	2	1	6	12	12	31	34
Female	91	--	--	--	--	--	3	1	5	11	33	38
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	189	--	--	--	--	2	4	7	17	23	64	72
Male	98	--	--	--	--	2	1	6	12	12	31	34
Female	91	--	--	--	--	--	3	1	5	11	33	38
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	189	--	189	--	--	30	159	1,181.3	226.6	5,760.9	
5-Year Average (1996-2000)	192	--	192	<1	--	38	154	1155.2	276.3	5,248.5	
Infectious and parasitic diseases	2	--	2	--	--	--	2	*	-0-	*	
# Septicemia	1	--	1	--	--	--	1	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	41	--	41	--	--	9	32	256.3	*	1,159.4	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	6	--	6	--	--	2	4	*	*	*	
Bronchus and lung	11	--	11	--	--	2	9	68.8	*	*	
Female breast	3	--	3	--	--	--	3	* ³	-0- ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	4	--	4	--	--	--	4	* ³	-0- ³	* ³	
# Diabetes mellitus	4	--	4	--	--	1	3	*	*	*	
# Alzheimer's disease	4	--	4	--	--	--	4	*	-0-	*	
Major cardiovascular diseases	69	--	69	--	--	10	59	431.3	75.5	2,137.7	
# Diseases of heart	51	--	51	--	--	7	44	318.8	*	1,594.2	
Ischemic heart disease	35	--	35	--	--	7	28	218.8	*	1,014.5	
# Cerebrovascular diseases	12	--	12	--	--	2	10	75.0	*	362.3	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	4	--	4	--	--	--	4	*	-0-	*	
Respiratory diseases	28	--	28	--	--	2	26	175.0	*	942.0	
# Influenza and pneumonia	6	--	6	--	--	1	5	*	*	*	
# Chronic lower respiratory diseases	14	--	14	--	--	1	13	87.5	*	471.0	
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Nephritis, nephrotic syndrome and nephrosis	4	--	4	--	--	1	3	*	*	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	10	--	10	--	--	5	5	62.5	*	*	
# Accidents	8	--	8	--	--	4	4	*	*	*	
Motor vehicle accidents	1	--	1	--	--	1	--	*	*	-0-	
All other accidents	7	--	7	--	--	3	4	*	*	*	
# Suicide	1	--	1	--	--	1	--	*	*	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Massac County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	177	32	62	46	25	10	2	165	11	1
Sex	Male	90	17	34	24	11	3	1	81	8	--
	Female	87	15	28	22	14	7	1	84	3	1
Race	White	165	30	59	42	23	9	2			
	Black	11	1	3	4	2	1	--			
Ethnicity	Hispanic ¹	1	--	1	--	--	--	--			
Multiple births		8	--	2	4	2	--	--	6	2	--
Marital status	Married	117	14	35	35	22	9	2	113	3	--
	Single	60	18	27	11	3	1	--	52	8	1
Mother not high school graduate		44	20	19	3	1	1	--	42	1	1
Birthweight	Very low (0-1,499 Grams)	2	1	1	--	--	--	--	2	--	--
	Low (0-2,499 Grams)	15	2	6	6	1	--	--	13	2	--
Caesarian section	Primary	25	5	11	7	1	1	--	22	3	--
	Secondary	7	--	2	1	4	--	--	6	1	--
Trimester prenatal care began	First	150	26	50	41	22	9	2	142	7	1
	Third or no care	4	1	2	--	1	--	--	4	--	--
First birth		68	25	26	11	4	2	--	66	1	--
2000 Percentages²											
Live births	Total	100.0	18.1	35.0	26.0	14.1	5.6	*	93.2	6.2	*
Sex	Male	50.8	*	*	*	*	*	*	49.1	-0-	.0
	Female	49.2	*	*	*	*	*	*	50.9	*	*
Race	White	93.2	*	*	*	*	*	*			
	Black	6.2	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	*	*	*	-0-	-0-	*	*	-0-
Marital status	Married	66.1	*	*	*	*	*	*	68.5	*	-0-
	Single	*	56.3	43.5	*	*	*	-0-	31.5	*	*
Mother not high school graduate		*	*	*	*	*	*	-0-	25.5	*	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	8.5	*	*	*	*	-0-	-0-	7.9	*	-0-
Caesarian section	Primary	14.1	*	*	*	*	*	-0-	13.3	*	-0-
	Secondary	*	-0-	*	*	*	-0-	-0-	*	*	-0-
Trimester prenatal care began	First	85.7	*	*	*	*	*	*	86.6	*	*
	Third or no care	*	*	*	-0-	*	-0-	-0-	*	-0-	-0-
First birth		38.4	*	*	*	*	*	-0-	40.0	*	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	18.3	35.7	25.3	13.8	5.8	*	92.2	7.5	*
Sex	Male	49.5	50.9	51.1	48.2	46.3	*	*	49.0	*	*
	Female	50.5	49.1	48.9	51.8	53.7	*	*	51.0	*	*
Race	White	92.2	17.7	34.9	26.4	14.2	5.8	*			
	Black	7.5	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	*	*	*	*	-0-	-0-	-0-			
Multiple births		3.0	*	*	5.8	*	-0-	-0-	3.0	*	-0-
Marital status	Married	67.9	35.6	60.5	83.6	90.2	*	*	71.1	*	*
	Single	32.1	64.4	39.5	16.4	9.8	*	-0-	28.9	*	*
Mother not high school graduate		24.0	58.9	25.4	7.5	10.6	*	-0-	24.1	*	*
Birthweight	Very low (0-1,499 Grams)	1.2	*	*	*	-0-	-0-	-0-	1.2	*	-0-
	Low (0-2,499 Grams)	7.3	11.0	7.5	6.6	*	*	*	7.4	*	-0-
Caesarian section	Primary	13.2	11.7	13.8	12.8	10.6	*	*	12.6	*	*
	Secondary	5.7	*	3.8	5.8	15.4	*	-0-	5.8	*	-0-
Trimester prenatal care began	First	88.9	80.9	87.7	93.8	94.3	*	*	89.6	*	*
	Third or no care	2.8	4.9	*	*	*	*	-0-	2.6	*	-0-
First birth		38.4	77.3	37.0	31.9	13.8	*	-0-	38.5	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Massac County - 2000

Population Estimates	
Total	15,100
Under 65 Years	12,410
65 and Older	2,690

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	231	1	1	1	1	4	9	10	20	44	62	78
Male	94	--	1	--	1	2	5	6	13	19	23	24
Female	137	1	--	1	--	2	4	4	7	25	39	54
Black	9	--	--	--	--	1	--	2	--	2	3	1
Male	3	--	--	--	--	1	--	1	--	--	1	--
Female	6	--	--	--	--	--	--	1	--	2	2	1
White	221	1	1	1	1	3	9	8	20	42	59	76
Male	91	--	1	--	1	1	5	5	13	19	22	24
Female	130	1	--	1	--	2	4	3	7	23	37	52
All other races	1	--	--	--	--	--	--	--	--	--	--	1
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	--	1
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	231	9	221	1	--	47	184	1,529.8	378.7	6,840.1	
5-Year Average (1996-2000)	221	14	207	<1	--	44	177	1451.4	353.2	6,364.9	
Infectious and parasitic diseases	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Septicemia	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	48	2	46	--	--	13	35	317.9	104.8	1,301.1	
Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*	
Colorectal	7	--	7	--	--	2	5	*	*	*	
Bronchus and lung	14	1	13	--	--	3	11	92.7	*	408.9	
Female breast	2	--	2	--	--	--	2	* ³	-0- ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	3	--	3	--	--	--	3	* ³	-0- ³	* ³	
# Diabetes mellitus	8	--	8	--	--	1	7	*	*	*	
# Alzheimer's disease	4	--	4	--	--	--	4	*	-0-	*	
Major cardiovascular diseases	93	2	90	1	--	15	78	615.9	120.9	2,899.6	
# Diseases of heart	71	1	69	1	--	13	58	470.2	104.8	2,156.1	
Ischemic heart disease	50	1	49	--	--	11	39	331.1	88.6	1,449.8	
# Cerebrovascular diseases	18	--	18	--	--	2	16	119.2	*	594.8	
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*	
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-	
Respiratory diseases	33	2	31	--	--	3	30	218.5	*	1,115.2	
# Influenza and pneumonia	6	1	5	--	--	--	6	*	-0-	*	
# Chronic lower respiratory diseases	23	1	22	--	--	3	20	152.3	*	743.5	
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	2	--	2	--	--	1	1	*	*	*	
# Nephritis, nephrotic syndrome and nephrosis	5	--	5	--	--	--	5	*	-0-	*	
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	13	1	12	--	--	9	4	86.1	*	*	
# Accidents	7	--	7	--	--	4	3	*	*	*	
Motor vehicle accidents	2	--	2	--	--	2	--	*	*	-0-	
All other accidents	5	--	5	--	--	2	3	*	*	*	
# Suicide	2	--	2	--	--	2	--	*	*	-0-	
# Homicide	4	1	3	--	--	3	1	*	*	*	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Menard County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	150	16	44	35	37	16	2	149	1	1
Sex	Male	74	9	24	16	18	6	1	74	--	1
	Female	76	7	20	19	19	10	1	75	1	--
Race	White	149	16	44	34	37	16	2			
	Black	1	--	--	1	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	--	1	--	--			
Multiple births		2	--	--	2	--	--	--	2	--	--
Marital status	Married	100	2	21	30	31	14	2	100	--	--
	Single	50	14	23	5	6	2	--	49	1	--
Mother not high school graduate		21	8	10	2	1	--	--	21	--	--
Birthweight	Very low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	10	--	2	3	3	2	--	10	--	--
Caesarian section	Primary	21	2	7	7	5	--	--	21	--	--
	Secondary	12	--	3	2	4	3	--	12	--	--
Trimester prenatal care began	First	134	12	38	32	35	15	2	133	1	--
	Third or no care	2	1	1	--	--	--	--	2	--	--
First birth		41	10	15	8	7	1	--	41	--	--
2000 Percentages²											
Live births	Total	100.0	10.7	29.3	23.3	24.7	10.7	*	99.3	*	*
Sex	Male	49.3	*	*	*	*	*	*	49.7	*	100.0
	Female	50.7	*	*	*	*	*	*	50.3	*	-0-
Race	White	99.3	*	*	*	*	*	*			
	Black	*	-0-	-0-	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	-0-	*	-0-	-0-			
Multiple births		*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
Marital status	Married	66.7	*	*	*	*	*	*	67.1	-0-	*
	Single	*	87.5	52.3	*	*	*	-0-	32.9	*	-0-
Mother not high school graduate		*	*	*	*	*	-0-	-0-	14.1	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	6.7	-0-	*	*	*	*	-0-	6.7	-0-	-0-
Caesarian section	Primary	14.0	*	*	*	*	-0-	-0-	14.1	-0-	-0-
	Secondary	8.0	-0-	*	*	*	*	-0-	8.1	-0-	-0-
Trimester prenatal care began	First	89.9	*	*	*	*	*	*	89.9	*	-0-
	Third or no care	*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First birth		27.3	*	*	*	*	*	-0-	27.5	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	10.7	23.9	28.0	24.9	10.2	2.3	99.3	*	*
Sex	Male	52.5	*	52.7	53.5	54.5	*	*	52.4	*	*
	Female	47.5	*	47.3	46.5	45.5	*	*	47.6	*	-0-
Race	White	99.3	10.7	24.1	27.9	25.1	10.0	2.3			
	Black	*	*	-0-	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	-0-	*	-0-	-0-			
Multiple births		3.7	*	-0-	*	*	*	*	3.7	-0-	-0-
Marital status	Married	75.1	*	60.9	88.9	90.9	*	*	75.2	-0-	*
	Single	24.9	*	39.1	11.1	9.1	*	*	24.8	*	-0-
Mother not high school graduate		12.7	*	20.1	*	*	-0-	-0-	12.7	*	-0-
Birthweight	Very low (0-1,499 Grams)	*	*	-0-	*	*	-0-	*	*	*	-0-
	Low (0-2,499 Grams)	6.6	*	*	5.1	8.0	*	*	6.6	*	-0-
Caesarian section	Primary	13.7	*	13.6	17.7	10.8	*	*	13.8	-0-	-0-
	Secondary	6.8	-0-	*	7.1	8.5	*	-0-	6.7	-0-	-0-
Trimester prenatal care began	First	90.1	*	83.3	95.9	97.2	*	*	90.1	*	-0-
	Third or no care	2.0	9.2	*	-0-	*	*	-0-	2.0	-0-	-0-
First birth		30.8	73.7	41.4	28.8	13.6	*	*	30.8	*	-0-

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Menard County - 2000

Population Estimates	
Total	12,500
Under 65 Years	10,850
65 and Older	1,650

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	129	--	--	--	2	2	4	5	14	22	37	43
Male	70	--	--	--	2	2	3	3	11	14	19	16
Female	59	--	--	--	--	--	1	2	3	8	18	27
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	129	--	--	--	2	2	4	5	14	22	37	43
Male	70	--	--	--	2	2	3	3	11	14	19	16
Female	59	--	--	--	--	--	1	2	3	8	18	27
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	129	--	129	--	--	27	102	1,032.0	248.8	6,181.8	
5-Year Average (1996-2000)	115	<1	115	--	--	23	92	924.4	210.3	5,461.0	
Infectious and parasitic diseases	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Septicemia	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	28	--	28	--	--	11	17	224.0	101.4	1,030.3	
Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*	
Colorectal	2	--	2	--	--	1	1	*	*	*	
Bronchus and lung	5	--	5	--	--	2	3	*	*	*	
Female breast	1	--	1	--	--	1	--	* ³	* ³	-0- ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
# Diabetes mellitus	3	--	3	--	--	--	3	*	-0-	*	
# Alzheimer's disease	3	--	3	--	--	--	3	*	-0-	*	
Major cardiovascular diseases	52	--	52	--	--	6	46	416.0	*	2,787.9	
# Diseases of heart	40	--	40	--	--	5	35	320.0	*	2,121.2	
Ischemic heart disease	30	--	30	--	--	4	26	240.0	*	1,575.8	
# Cerebrovascular diseases	9	--	9	--	--	1	8	*	*	*	
# Atherosclerosis	2	--	2	--	--	--	2	*	-0-	*	
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	-0-	*	
Respiratory diseases	13	--	13	--	--	2	11	104.0	*	666.7	
# Influenza and pneumonia	2	--	2	--	--	--	2	*	-0-	*	
# Chronic lower respiratory diseases	7	--	7	--	--	1	6	*	*	*	
Emphysema	2	--	2	--	--	1	1	*	*	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	2	--	2	--	--	2	--	*	*	-0-	
# Nephritis, nephrotic syndrome and nephrosis	3	--	3	--	--	--	3	*	-0-	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	10	--	10	--	--	6	4	80.0	*	*	
# Accidents	7	--	7	--	--	4	3	*	*	*	
Motor vehicle accidents	5	--	5	--	--	3	2	*	*	*	
All other accidents	2	--	2	--	--	1	1	*	*	*	
# Suicide	3	--	3	--	--	2	1	*	*	*	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Mercer County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	178	11	49	59	42	16	1	178	--	1
Sex	Male	76	1	25	27	17	6	--	76	--	--
	Female	102	10	24	32	25	10	1	102	--	1
Race	White	178	11	49	59	42	16	1			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	1	--	--	--	--			
Multiple births		6	--	--	2	2	2	--	6	--	--
Marital status	Married	143	2	37	50	38	15	1	143	--	--
	Single	35	9	12	9	4	1	--	35	--	--
Mother not high school graduate		14	6	4	2	1	1	--	14	--	--
Birthweight	Very low (0-1,499 Grams)	2	--	1	1	--	--	--	2	--	--
	Low (0-2,499 Grams)	11	--	5	5	1	--	--	11	--	--
Caesarian section	Primary	22	--	7	7	4	3	1	22	--	--
	Secondary	18	--	3	6	6	3	--	18	--	--
Trimester prenatal care began	First	161	9	43	54	40	14	1	161	--	1
	Third or no care	5	2	1	1	--	1	--	5	--	--
First birth		59	9	20	18	8	4	--	59	--	1
2000 Percentages²											
Live births	Total	100.0	6.2	27.5	33.1	23.6	9.0	*	100.0	-0-	*
Sex	Male	42.7	*	*	*	*	*	-0-	42.7	*	.0
	Female	57.3	*	*	*	*	*	*	57.3	-0-	*
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	*	*	*	-0-	*	-0-	-0-
Marital status	Married	80.3	*	*	*	*	*	*	80.3	-0-	*
	Single	*	81.8	24.5	*	*	*	-0-	19.7	-0-	-0-
Mother not high school graduate		*	*	*	*	*	-0-	7.9	-0-	-0-	
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.2	-0-	*	*	*	-0-	-0-	6.2	-0-	-0-
Caesarian section	Primary	12.4	-0-	*	*	*	*	*	12.4	-0-	-0-
	Secondary	10.1	-0-	*	*	*	*	-0-	10.1	-0-	-0-
Trimester prenatal care began	First	90.4	*	*	*	*	*	*	90.4	-0-	*
	Third or no care	*	*	*	*	-0-	*	-0-	*	-0-	-0-
First birth		33.1	*	*	*	*	-0-	33.1	-0-	*	
Percentages² based on 1996-2000 average											
Live births	Total	100.0	10.9	26.2	30.5	24.3	6.8	1.2	99.4	-0-	1.8
Sex	Male	51.1	*	52.9	51.3	48.0	*	*	51.3	-0-	*
	Female	48.9	*	47.1	48.7	52.0	*	*	48.7	-0-	*
Race	White	99.4	10.9	26.1	30.6	24.4	6.9	1.2			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	1.8	*	*	*	*	*	-0-			
Multiple births		2.3	-0-	*	*	*	*	-0-	2.3	-0-	-0-
Marital status	Married	76.3	*	69.3	87.7	89.1	*	*	76.6	-0-	*
	Single	23.7	*	30.7	12.3	10.9	*	*	23.4	-0-	*
Mother not high school graduate		9.6	*	9.2	3.6	*	*	*	9.7	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	*	-0-	-0-	-0-	*	-0-	*
	Low (0-2,499 Grams)	5.0	*	7.1	4.7	4.5	*	-0-	5.0	-0-	*
Caesarian section	Primary	13.4	*	12.6	14.1	13.6	*	*	13.5	-0-	*
	Secondary	10.0	*	6.7	10.8	12.2	*	*	10.0	-0-	*
Trimester prenatal care began	First	90.4	*	90.3	92.8	95.9	*	*	90.4	-0-	*
	Third or no care	1.8	3.1	*	*	*	*	*	1.8	-0-	-0-
First birth		31.1	75.8	40.8	26.7	13.1	*	*	30.9	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Mercer County - 2000

Population Estimates	
Total	17,000
Under 65 Years	14,300
65 and Older	2,700

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	210	--	--	2	1	2	5	3	25	34	75	63
Male	110	--	--	--	1	1	4	2	18	20	41	23
Female	100	--	--	2	--	1	1	1	7	14	34	40
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	210	--	--	2	1	2	5	3	25	34	75	63
Male	110	--	--	--	1	1	4	2	18	20	41	23
Female	100	--	--	2	--	1	1	1	7	14	34	40
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	210	--	210	--	--	38	172	1,235.3	265.7	6,370.4	
5-Year Average (1996-2000)	184	--	184	<1	<1	36	148	1046.6	243.2	5,296.6	
Infectious and parasitic diseases	1	--	1	--	--	--	1	*	-0-	*	
# Septicemia	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	46	--	46	--	--	9	37	270.6	*	1,370.4	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	2	--	2	--	--	--	2	*	-0-	*	
Bronchus and lung	8	--	8	--	--	--	8	-0-	-0-	*	
Female breast	--	--	--	--	--	--	--	* ³	-0- ³	-0- ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	6	--	6	--	--	--	6	* ³	-0- ³	* ³	
# Diabetes mellitus	15	--	15	--	--	1	14	88.2	*	518.5	
# Alzheimer's disease	9	--	9	--	--	--	9	*	-0-	*	
Major cardiovascular diseases	91	--	91	--	--	14	77	535.3	97.9	2,851.9	
# Diseases of heart	64	--	64	--	--	10	54	376.5	69.9	2,000.0	
Ischemic heart disease	46	--	46	--	--	9	37	270.6	*	1,370.4	
# Cerebrovascular diseases	20	--	20	--	--	3	17	117.6	*	629.6	
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*	
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	-0-	*	
Respiratory diseases	19	--	19	--	--	3	16	111.8	*	592.6	
# Influenza and pneumonia	4	--	4	--	--	--	4	*	-0-	*	
# Chronic lower respiratory diseases	12	--	12	--	--	2	10	70.6	*	370.4	
Emphysema	3	--	3	--	--	1	2	*	*	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	3	--	3	--	--	1	2	*	*	*	
# Nephritis, nephrotic syndrome and nephrosis	4	--	4	--	--	1	3	*	*	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	1	--	1	--	--	--	1	*	-0-	*	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	7	--	7	--	--	3	4	*	*	*	
# Accidents	7	--	7	--	--	3	4	*	*	*	
Motor vehicle accidents	2	--	2	--	--	2	--	*	*	-0-	
All other accidents	5	--	5	--	--	1	4	*	*	*	
# Suicide	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Monroe County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	350	20	52	114	103	53	8	348	--	1
Sex	Male	182	8	24	68	49	29	4	180	--	1
	Female	168	12	28	46	54	24	4	168	--	--
Race	White	348	20	52	113	102	53	8			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	1	--	--	--	--	--			
Multiple births		19	2	--	7	6	4	--	19	--	--
Marital status	Married	298	5	32	103	100	50	8	296	--	--
	Single	52	15	20	11	3	3	--	52	--	--
Mother not high school graduate		10	6	3	1	--	--	--	10	--	--
Birthweight	Very low (0-1,499 Grams)	8	--	--	4	2	1	1	8	--	--
	Low (0-2,499 Grams)	34	5	1	14	9	4	1	34	--	--
Caesarian section	Primary	57	6	5	17	22	7	--	56	--	--
	Secondary	29	--	2	4	12	9	2	29	--	--
Trimester prenatal care began	First	319	12	42	109	97	51	8	317	--	--
	Third or no care	2	--	1	1	--	--	--	2	--	--
First birth		111	15	24	40	22	10	--	110	--	--
2000 Percentages²											
Live births	Total	100.0	5.7	14.9	32.6	29.4	15.1	*	99.4	-0-	*
Sex	Male	52.0	*	*	59.6	47.6	*	*	51.7	*	100.0
	Female	48.0	*	*	40.4	52.4	*	*	48.3	-0-	-0-
Race	White	99.4	*	*	32.5	29.3	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	-0-	-0-	-0-	-0-			
Multiple births		5.4	*	-0-	*	*	*	-0-	5.5	-0-	-0-
Marital status	Married	85.1	*	*	90.4	97.1	*	*	85.1	-0-	*
	Single	*	75.0	38.5	9.6	*	*	-0-	14.9	-0-	-0-
Mother not high school graduate		2.9	*	*	*	-0-	-0-	-0-	2.9	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	*	*	*	*	*	-0-	-0-
	low (0-2,499 Grams)	9.7	*	*	12.3	*	*	*	9.8	-0-	-0-
Caesarian section	Primary	16.3	*	*	14.9	21.4	*	-0-	16.1	-0-	-0-
	Secondary	8.3	-0-	*	*	11.7	*	*	8.3	-0-	-0-
Trimester prenatal care began	First	94.1	*	*	97.3	98.0	*	*	94.1	-0-	-0-
	Third or no care	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
First birth		31.7	*	*	35.1	21.4	*	-0-	31.6	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	6.1	15.9	31.3	32.0	12.9	1.8	99.4	*	*
Sex	Male	52.0	*	49.6	55.2	52.5	52.4	*	52.0	-0-	*
	Female	48.0	*	50.4	44.8	47.5	47.6	*	48.0	*	-0-
Race	White	99.4	6.2	15.9	31.1	32.1	12.9	1.8			
	Black	*	-0-	-0-	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	*	-0-	-0-			
Multiple births		4.5	*	*	4.2	4.7	8.7	*	4.6	-0-	-0-
Marital status	Married	84.4	*	65.2	91.1	95.2	94.7	*	84.5	-0-	*
	Single	15.6	*	34.8	8.9	4.8	5.3	-0-	15.5	*	*
Mother not high school graduate		3.9	*	6.3	*	*	-0-	-0-	3.9	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	1.2	*	*	*	*	*	*	1.2	-0-	-0-
	Low (0-2,499 Grams)	6.9	*	5.5	5.8	7.6	7.7	*	6.9	-0-	-0-
Caesarian section	Primary	15.1	*	14.5	16.7	14.0	14.4	*	15.0	-0-	-0-
	Secondary	8.6	*	4.3	5.4	11.6	15.4	*	8.7	-0-	-0-
Trimester prenatal care began	First	93.5	*	86.0	96.8	97.6	95.2	*	93.5	*	*
	Third or no care	.9	6.3	*	*	*	-0-	-0-	1.0	-0-	-0-
First birth		32.1	82.8	48.0	36.7	20.0	11.1	*	32.1	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Monroe County - 2000

Population Estimates	
Total	27,800
Under 65 Years	24,070
65 and Older	3,730

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	247	3	1	--	3	4	2	7	25	51	69	82
Male	129	2	1	--	3	2	2	4	17	35	29	34
Female	118	1	--	--	--	2	--	3	8	16	40	48
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	247	3	1	--	3	4	2	7	25	51	69	82
Male	129	2	1	--	3	2	2	4	17	35	29	34
Female	118	1	--	--	--	2	--	3	8	16	40	48
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	--	1	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	1	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	247	--	247	--	1	45	202	888.5	187.0	5,415.5	
5-Year Average (1996-2000)	229	--	229	<1	<1	44	185	880.8	196.1	5,199.6	
Infectious and parasitic diseases	6	--	6	--	--	--	6	*	-0-	*	
# Septicemia	5	--	5	--	--	--	5	*	-0-	*	
# Viral hepatitis	1	--	1	--	--	--	1	*	-0-	*	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	56	--	56	--	1	17	39	201.4	70.6	1,045.6	
Lip, oral cavity and pharynx	2	--	2	--	--	1	1	*	*	*	
Colorectal	11	--	11	--	--	4	7	39.6	*	*	
Bronchus and lung	15	--	15	--	--	3	12	54.0	*	321.7	
Female breast	5	--	5	--	1	2	3	* ³	* ³	* ³	
Cervical	1	--	1	--	--	1	--	* ³	* ³	-0- ³	
Prostate	3	--	3	--	--	--	3	* ³	-0- ³	* ³	
# Diabetes mellitus	7	--	7	--	--	2	5	*	*	*	
# Alzheimer's disease	13	--	13	--	--	--	13	46.8	-0-	348.5	
Major cardiovascular diseases	99	--	99	--	--	11	88	356.1	45.7	2,359.2	
# Diseases of heart	73	--	73	--	--	7	66	262.6	*	1,769.4	
Ischemic heart disease	50	--	50	--	--	7	43	179.9	*	1,152.8	
# Cerebrovascular diseases	21	--	21	--	--	3	18	75.5	*	482.6	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	2	--	2	--	--	1	1	*	*	*	
Respiratory diseases	26	--	26	--	--	1	25	93.5	*	670.2	
# Influenza and pneumonia	10	--	10	--	--	--	10	36.0	-0-	268.1	
# Chronic lower respiratory diseases	14	--	14	--	--	1	13	50.4	*	348.5	
Emphysema	1	--	1	--	--	--	1	*	-0-	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Nephritis, nephrotic syndrome and nephrosis	3	--	3	--	--	--	3	*	-0-	*	
# Certain perinatal conditions	2	--	2	--	--	2	--	*	*	-0-	
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	7	--	7	--	--	7	--	*	*	-0-	
# Accidents	5	--	5	--	--	5	--	*	*	-0-	
Motor vehicle accidents	3	--	3	--	--	3	--	*	*	-0-	
All other accidents	2	--	2	--	--	2	--	*	*	-0-	
# Suicide	2	--	2	--	--	2	--	*	*	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Montgomery County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	363	55	114	107	60	24	3	359	1	3
Sex	Male	189	32	66	51	26	13	1	188	--	2
	Female	174	23	48	56	34	11	2	171	1	1
Race	White	359	55	114	104	59	24	3			
	Black	1	--	--	--	1	--	--			
Ethnicity	Hispanic ¹	3	--	1	1	1	--	--			
Multiple births		6	--	2	2	--	2	--	6	--	--
Marital status	Married	243	14	70	89	53	15	2	239	1	--
	Single	120	41	44	18	7	9	1	120	--	1
Mother not high school graduate		71	33	23	10	3	2	--	70	--	1
Birthweight	Very low (0-1,499 Grams)	3	1	--	--	1	--	1	3	--	--
	Low (0-2,499 Grams)	16	6	6	1	1	1	1	16	--	--
Caesarian section	Primary	48	6	12	16	7	5	2	48	--	--
	Secondary	43	2	11	14	11	4	1	42	1	1
Trimester prenatal care began	First	319	45	92	100	55	24	3	316	1	3
	Third or no care	4	1	2	--	1	--	--	4	--	--
First birth		126	44	42	27	11	1	1	126	--	1
2000 Percentages²											
Live births	Total	100.0	15.2	31.4	29.5	16.5	6.6	*	98.9	*	*
Sex	Male	52.1	*	57.9	47.7	*	*	*	52.4	*	66.7
	Female	47.9	*	42.1	52.3	*	*	*	47.6	*	*
Race	White	98.9	*	31.8	29.0	*	*	*			
	Black	*	-0-	-0-	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	*	-0-	-0-			
Multiple births		*	-0-	*	*	-0-	*	-0-	*	-0-	-0-
Marital status	Married	66.9	*	61.4	83.2	*	*	*	66.6	*	*
	Single	*	74.5	38.6	16.8	*	*	*	33.4	-0-	*
Mother not high school graduate		*	*	20.2	9.3	*	*	-0-	19.6	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	*	-0-	-0-	*	-0-	*	*	-0-	-0-
	Low (0-2,499 Grams)	4.4	*	*	*	*	*	*	4.5	-0-	-0-
Caesarian section	Primary	13.2	*	10.5	15.0	*	*	*	13.4	-0-	-0-
	Secondary	11.8	*	9.6	13.1	*	*	*	11.7	*	*
Trimester prenatal care began	First	87.9	*	80.7	93.5	*	*	*	88.0	*	*
	Third or no care	*	*	*	-0-	*	-0-	-0-	*	-0-	-0-
First birth		34.7	*	36.8	25.2	*	*	-0-	35.1	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	15.8	30.5	27.4	18.3	6.7	1.3	99.2	*	0.8
Sex	Male	52.2	53.3	53.4	52.0	49.5	51.7	*	52.3	*	*
	Female	47.8	46.7	46.6	48.0	50.5	48.3	*	47.7	*	*
Race	White	99.2	15.8	30.7	27.2	18.2	6.8	1.3			
	Black	*	*	-0-	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	.8	*	*	*	*	-0-	-0-			
Multiple births		2.1	*	2.1	2.1	*	*	-0-	2.2	-0-	-0-
Marital status	Married	68.2	23.9	62.0	86.0	86.0	78.4	*	68.0	*	*
	Single	31.8	76.1	38.0	14.0	14.0	21.6	*	32.0	*	*
Mother not high school graduate		18.7	54.8	20.9	7.2	7.3	*	*	18.7	-0-	*
Birthweight	Very low (0-1,499 Grams)	1.2	*	*	*	*	-0-	*	1.2	-0-	-0-
	Low (0-2,499 Grams)	6.7	11.0	6.5	3.8	6.0	9.5	*	6.7	-0-	*
Caesarian section	Primary	13.9	15.8	11.4	13.4	15.2	17.2	*	13.9	*	-0-
	Secondary	10.8	*	9.7	10.6	20.0	13.8	*	10.8	*	*
Trimester prenatal care began	First	86.0	76.3	82.9	91.7	89.8	88.8	*	86.1	*	*
	Third or no care	2.5	5.6	2.7	*	*	*	*	2.5	-0-	*
First birth		33.6	79.8	33.3	25.1	14.9	16.4	*	33.6	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Montgomery County - 2000

Population Estimates	
Total	30,600
Under 65 Years	25,390
65 and Older	5,210

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	388	--	1	--	--	4	12	25	37	73	103	133
Male	193	--	1	--	--	4	10	17	19	44	55	43
Female	195	--	--	--	--	--	2	8	18	29	48	90
Black	7	--	1	--	--	--	1	1	1	--	--	3
Male	4	--	1	--	--	--	1	1	1	--	--	--
Female	3	--	--	--	--	--	--	--	--	--	--	3
White	381	--	--	--	--	4	11	24	36	73	103	130
Male	189	--	--	--	--	4	9	16	18	44	55	43
Female	192	--	--	--	--	--	2	8	18	29	48	87
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	1	--	--	--
Male	1	--	--	--	--	--	--	--	1	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	388	7	381	--	1	79	309	1,268.0	311.1	5,930.9	
5-Year Average (1996-2000)	381	4	378	--	1	69	312	1234.5	272.2	5,643.5	
# Infectious and parasitic diseases	2	--	2	--	--	--	2	*	-0-	*	
# Septicemia	1	--	1	--	--	--	1	*	-0-	*	
# Viral hepatitis	1	--	1	--	--	--	1	*	-0-	*	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	98	2	96	--	1	26	72	320.3	102.4	1,382.0	
# Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*	
# Colorectal	9	--	9	--	--	1	8	*	*	*	
# Bronchus and lung	28	--	28	--	--	8	20	91.5	*	383.9	
# Female breast	4	--	4	--	--	--	4	* ³	-0- ³	* ³	
# Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
# Prostate	5	--	5	--	--	--	5	* ³	-0- ³	* ³	
# Diabetes mellitus	8	--	8	--	--	3	5	*	*	*	
# Alzheimer's disease	14	--	14	--	--	--	14	45.8	-0-	268.7	
Major cardiovascular diseases	148	3	145	--	--	26	122	483.7	102.4	2,341.7	
# Diseases of heart	109	2	107	--	--	23	86	356.2	90.6	1,650.7	
# Ischemic heart disease	52	1	51	--	--	15	37	169.9	59.1	710.2	
# Cerebrovascular diseases	31	1	30	--	--	1	30	101.3	*	575.8	
# Atherosclerosis	4	--	4	--	--	1	3	*	*	*	
# Aortic aneurysm and dissection	2	--	2	--	--	1	1	*	*	*	
Respiratory diseases	49	1	48	--	--	7	42	160.1	*	806.1	
# Influenza and pneumonia	16	--	16	--	--	3	13	52.3	*	249.5	
# Chronic lower respiratory diseases	22	--	22	--	--	3	19	71.9	*	364.7	
# Emphysema	4	--	4	--	--	--	4	*	-0-	*	
# Asthma	1	--	1	--	--	--	1	*	-0-	*	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Nephritis, nephrotic syndrome and nephrosis	3	--	3	--	--	--	3	*	-0-	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	1	--	1	--	--	--	1	*	-0-	*	
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	26	--	26	--	--	12	14	85.0	47.3	268.7	
# Accidents	13	--	13	--	--	3	10	42.5	*	191.9	
# Motor vehicle accidents	1	--	1	--	--	1	--	*	*	-0-	
# All other accidents	12	--	12	--	--	2	10	39.2	*	191.9	
# Suicide	11	--	11	--	--	8	3	35.9	*	*	
# Homicide	1	--	1	--	--	--	1	*	-0-	*	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Morgan County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	430	55	132	123	75	36	9	405	24	5
Sex	Male	214	31	61	64	39	16	3	201	12	4
	Female	216	24	71	59	36	20	6	204	12	1
Race	White	405	51	118	119	74	34	9			
	Black	24	4	14	3	1	2	--			
Ethnicity	Hispanic ¹	5	2	--	2	1	--	--			
Multiple births		19	--	3	11	2	3	--	19	--	--
Marital status	Married	283	9	65	103	66	33	7	277	5	--
	Single	147	46	67	20	9	3	2	128	19	4
Mother not high school graduate		72	32	20	11	3	5	1	63	9	2
Birthweight	Very low (0-1,499 Grams)	13	1	4	7	--	1	--	12	1	--
	Low (0-2,499 Grams)	49	4	11	19	8	7	--	45	4	--
Caesarian section	Primary	62	4	13	15	15	11	4	60	1	2
	Secondary	52	1	15	16	13	5	2	49	3	1
Trimester prenatal care began	First	378	41	116	111	70	33	7	364	14	1
	Third or no care	9	4	2	2	1	--	--	8	1	1
First birth		146	38	46	40	14	8	--	141	5	2
2000 Percentages²											
Live births	Total	100.0	12.8	30.7	28.6	17.4	8.4	*	94.2	5.6	*
Sex	Male	49.8	*	46.2	52.0	*	*	*	49.6	*	80.0
	Female	50.2	*	53.8	48.0	*	*	*	50.4	*	*
Race	White	94.2	*	29.1	29.4	*	*	*			
	Black	5.6	*	58.3	*	*	*	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	*	*	-0-	-0-			
Multiple births		4.4	-0-	*	8.9	*	*	-0-	4.7	-0-	-0-
Marital status	Married	65.8	*	49.2	83.7	*	*	*	68.4	*	*
	Single	*	83.6	50.8	16.3	*	*	*	31.6	*	*
Mother not high school graduate		16.7	*	15.2	8.9	*	*	*	15.6	*	*
Birthweight	Very low (0-1,499 Grams)	3.0	*	*	*	-0-	*	-0-	3.0	*	-0-
	Low (0-2,499 Grams)	11.4	*	8.3	15.4	*	*	-0-	11.1	*	-0-
Caesarian section	Primary	14.4	*	9.8	12.2	*	*	*	14.8	*	*
	Secondary	12.1	*	11.4	13.0	*	*	*	12.1	*	*
Trimester prenatal care began	First	88.1	*	87.9	90.2	*	*	*	89.9	*	*
	Third or no care	*	*	*	*	*	-0-	-0-	*	*	*
First birth		34.0	*	34.8	32.5	*	*	-0-	34.8	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	14.4	27.9	27.9	19.7	8.2	1.9	93.8	5.6	1.4
Sex	Male	51.3	51.5	49.8	52.6	50.7	53.3	*	50.9	56.5	*
	Female	48.7	48.5	50.2	47.4	49.3	46.7	*	49.1	43.5	*
Race	White	93.8	13.6	26.9	29.0	20.4	8.1	1.9			
	Black	5.6	28.7	42.6	10.4	9.6	*	*			
Ethnicity	Hispanic ¹	1.4	*	*	*	*	*	-0-			
Multiple births		2.5	*	*	4.2	2.5	*	-0-	2.6	*	-0-
Marital status	Married	66.6	16.3	56.3	80.9	88.3	87.4	*	68.9	26.1	*
	Single	33.4	83.7	43.7	19.1	11.7	12.6	*	31.1	73.9	*
Mother not high school graduate		18.0	61.4	19.8	7.5	4.7	*	*	16.6	40.9	*
Birthweight	Very low (0-1,499 Grams)	1.7	*	1.9	2.5	*	*	*	1.6	*	-0-
	Low (0-2,499 Grams)	8.6	7.8	8.1	8.1	9.5	10.2	*	8.2	15.7	*
Caesarian section	Primary	15.4	11.5	15.6	14.2	15.7	21.0	*	15.8	8.7	*
	Secondary	9.4	*	5.8	10.9	14.9	14.4	*	9.3	10.4	*
Trimester prenatal care began	First	85.5	69.2	84.3	90.7	90.3	88.6	*	86.7	67.3	*
	Third or no care	2.3	6.1	2.3	*	*	*	-0-	2.1	*	*
First birth		34.7	68.5	37.4	33.7	18.2	15.6	*	35.3	26.1	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Morgan County - 2000

Population Estimates	
Total	36,600
Under 65 Years	30,900
65 and Older	5,700

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	413	5	2	1	5	4	9	20	40	90	113	124
Male	190	4	2	1	4	2	6	12	28	44	53	34
Female	223	1	--	--	1	2	3	8	12	46	60	90
Black	13	--	--	--	1	--	--	1	--	4	4	3
Male	6	--	--	--	1	--	--	1	--	2	2	--
Female	7	--	--	--	--	--	--	--	--	2	2	3
White	400	5	2	1	4	4	9	19	40	86	109	121
Male	184	4	2	1	3	2	6	11	28	42	51	34
Female	216	1	--	--	1	2	3	8	12	44	58	87
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	--	--	1
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	--	1

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	413	13	400	--	1	86	327	1,128.4	278.3	5,736.8
5-Year Average (1996-2000)	399	13	385	<1	1	77	322	1097.4	253.4	5,533.4
# Infectious and parasitic diseases	6	--	6	--	--	1	5	*	*	*
# Septicemia	6	--	6	--	--	1	5	*	*	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	106	3	103	--	--	30	76	289.6	97.1	1,333.3
# Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*
# Colorectal	12	2	10	--	--	5	7	32.8	*	*
# Bronchus and lung	35	--	35	--	--	10	25	95.6	32.4	438.6
# Female breast	5	--	5	--	--	3	2	* ³	* ³	* ³
# Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
# Prostate	8	--	8	--	--	--	8	* ³	-0- ³	* ³
# Diabetes mellitus	8	1	7	--	--	--	8	*	-0-	*
# Alzheimer's disease	4	--	4	--	--	--	4	*	-0-	*
# Major cardiovascular diseases	164	7	157	--	1	18	146	448.1	58.3	2,561.4
# Diseases of heart	129	7	122	--	1	15	114	352.5	48.5	2,000.0
# Ischemic heart disease	98	4	94	--	1	10	88	267.8	32.4	1,543.9
# Cerebrovascular diseases	23	--	23	--	--	3	20	62.8	*	350.9
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*
# Aortic aneurysm and dissection	5	--	5	--	--	--	5	*	-0-	*
# Respiratory diseases	54	1	53	--	--	8	46	147.5	*	807.0
# Influenza and pneumonia	21	1	20	--	--	4	17	57.4	*	298.2
# Chronic lower respiratory diseases	26	--	26	--	--	3	23	71.0	*	403.5
# Emphysema	3	--	3	--	--	1	2	*	*	*
# Asthma	2	--	2	--	--	--	2	*	-0-	*
# Chronic liver disease and cirrhosis	3	--	3	--	--	2	1	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	4	--	4	--	--	--	4	*	-0-	*
# Certain perinatal conditions	3	--	3	--	--	3	--	*	*	-0-
# Congenital malformations	2	--	2	--	--	2	--	*	*	-0-
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
# External causes	15	1	14	--	--	13	2	41.0	42.1	*
# Accidents	10	1	9	--	--	9	1	27.3	*	*
# Motor vehicle accidents	5	1	4	--	--	5	--	*	*	-0-
# All other accidents	5	--	5	--	--	4	1	*	*	*
# Suicide	3	--	3	--	--	2	1	*	*	*
# Homicide	1	--	1	--	--	1	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Moultrie County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	204	21	66	66	36	12	3	202	--	1
Sex	Male	114	8	38	38	20	7	3	113	--	1
	Female	90	13	28	28	16	5	--	89	--	--
Race	White	202	20	66	65	36	12	3			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	1	--	--	--	--	--			
Multiple births		2	--	--	--	2	--	--			
Marital status	Married	158	6	46	58	34	11	3	157	--	--
	Single	46	15	20	8	2	1	--	45	--	--
Mother not high school graduate		57	6	26	13	7	3	2	57	--	1
Birthweight	Very low (0-1,499 Grams)	1	--	--	1	--	--	--	1	--	--
	Low (0-2,499 Grams)	5	1	1	2	1	--	--	5	--	--
Caesarian section	Primary	26	2	5	13	6	--	--	26	--	--
	Secondary	17	--	4	5	6	2	--	17	--	--
Trimester prenatal care began	First	152	14	49	52	28	8	1	151	--	--
	Third or no care	13	1	4	4	2	1	1	12	--	--
First birth		57	18	15	19	5	--	--	56	--	1
2000 Percentages²											
Live births	Total	100.0	10.3	32.4	32.4	17.6	5.9	*	99.0	-0-	*
Sex	Male	55.9	*	*	*	*	*	*	55.9	*	100.0
	Female	44.1	*	*	*	*	*	-0-	44.1	-0-	-0-
Race	White	99.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	-0-	*	-0-	-0-			
Marital status	Married	77.5	*	*	*	*	*	*	77.7	-0-	*
	Single	*	71.4	30.3	*	*	*	-0-	22.3	-0-	-0-
Mother not high school graduate		*	*	*	*	*	*	*	28.2	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	*	-0-	-0-	*	-0-	-0-
Caesarian section	Primary	12.7	*	*	*	*	-0-	-0-	12.9	-0-	-0-
	Secondary	8.3	-0-	*	*	*	*	-0-	8.4	-0-	-0-
Trimester prenatal care began	First	74.9	*	*	*	*	*	*	75.1	-0-	-0-
	Third or no care	6.4	*	*	*	*	*	*	6.0	-0-	-0-
First birth		27.9	*	*	*	*	-0-	*	27.7	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	12.0	30.8	30.8	17.3	8.2	*	99.4	-0-	*
Sex	Male	54.9	49.6	51.7	56.2	58.9	*	*	54.9	-0-	*
	Female	45.1	50.4	48.3	43.8	41.1	*	*	45.1	-0-	-0-
Race	White	99.4	11.9	31.0	30.7	17.3	8.2	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	*	-0-	-0-			
Multiple births		2.2	-0-	*	*	*	*	-0-			
Marital status	Married	79.7	25.7	74.1	93.4	96.3	*	*	79.8	-0-	*
	Single	20.3	74.3	25.9	6.6	*	*	-0-	20.2	-0-	-0-
Mother not high school graduate		29.7	58.4	31.0	23.1	17.8	*	*	29.8	-0-	*
Birthweight	Very low (0-1,499 Grams)	1.4	*	*	*	*	-0-	*	1.4	-0-	-0-
	Low (0-2,499 Grams)	5.8	8.8	6.2	3.8	*	*	*	5.8	-0-	-0-
Caesarian section	Primary	11.7	9.7	11.4	11.7	14.7	*	-0-	11.6	-0-	*
	Secondary	7.9	*	5.2	6.6	17.8	*	*	7.9	-0-	*
Trimester prenatal care began	First	75.2	67.9	73.9	79.4	82.1	*	*	75.3	-0-	*
	Third or no care	4.6	5.4	4.9	4.2	*	*	*	4.5	-0-	-0-
First birth		30.9	82.3	36.9	22.8	14.1	*	-0-	30.8	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Moultrie County - 2000

Population Estimates	
Total	14,300
Under 65 Years	11,780
65 and Older	2,520

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	190	1	--	1	--	2	1	7	15	33	40	90
Male	87	--	--	1	--	2	--	3	10	18	24	29
Female	103	1	--	--	--	--	1	4	5	15	16	61
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	190	1	--	1	--	2	1	7	15	33	40	90
Male	87	--	--	1	--	2	--	3	10	18	24	29
Female	103	1	--	--	--	--	1	4	5	15	16	61
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	190	--	190	--	--	27	163	1,328.7	229.2	6,468.3	
5-Year Average (1996-2000)	206	<1	205	<1	--	25	180	1447.9	218.9	6,706.3	
# Infectious and parasitic diseases		1	--	1	--	--	1	*	-0-	*	
# Septicemia		--	--	--	--	--	--	-0-	-0-	-0-	
# Viral hepatitis		--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease		--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	38	--	38	--	--	11	27	265.7	93.4	1,071.4	
# Lip, oral cavity and pharynx	2	--	2	--	--	1	1	*	*	*	
# Colorectal	2	--	2	--	--	1	1	*	*	*	
# Bronchus and lung	13	--	13	--	--	4	9	90.9	*	*	
# Female breast	4	--	4	--	--	1	3	* ³	* ³	* ³	
# Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
# Prostate	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
# Diabetes mellitus	7	--	7	--	--	1	6	*	*	*	
# Alzheimer's disease	2	--	2	--	--	--	2	*	-0-	*	
# Major cardiovascular diseases	73	--	73	--	--	6	67	510.5	*	2,658.7	
# Diseases of heart	56	--	56	--	--	5	51	391.6	*	2,023.8	
# Ischemic heart disease	31	--	31	--	--	2	29	216.8	*	1,150.8	
# Cerebrovascular diseases	13	--	13	--	--	--	13	90.9	-0-	515.9	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	-0-	*	
# Respiratory diseases	23	--	23	--	--	1	22	160.8	*	873.0	
# Influenza and pneumonia	12	--	12	--	--	--	12	83.9	-0-	476.2	
# Chronic lower respiratory diseases	8	--	8	--	--	--	8	*	-0-	*	
# Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Asthma	1	--	1	--	--	--	1	*	-0-	*	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Nephritis, nephrotic syndrome and nephrosis	4	--	4	--	--	--	4	*	-0-	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-	
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
# External causes	8	--	8	--	--	4	4	*	*	*	
# Accidents	7	--	7	--	--	3	4	*	*	*	
# Motor vehicle accidents	1	--	1	--	--	1	--	*	*	-0-	
# All other accidents	6	--	6	--	--	2	4	*	*	*	
# Suicide	1	--	1	--	--	1	--	*	*	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Ogle County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	600	58	128	212	140	53	9	590	4	73
Sex	Male	295	29	68	97	70	28	3	288	2	39
	Female	305	29	60	115	70	25	6	302	2	34
Race	White	590	58	124	207	140	52	9			
	Black	4	--	2	2	--	--	--			
Ethnicity	Hispanic ¹	73	4	27	23	12	7	--			
Multiple births		20	--	2	8	8	2	--	20	--	--
Marital status	Married	440	14	68	176	127	49	6	435	2	--
	Single	160	44	60	36	13	4	3	155	2	25
Mother not high school graduate		99	28	33	21	8	7	2	96	2	40
Birthweight	Very low (0-1,499 Grams)	14	1	1	5	3	4	--	14	--	--
	Low (0-2,499 Grams)	53	7	9	20	11	5	1	52	--	2
Caesarian section	Primary	89	7	12	40	18	9	3	87	1	9
	Secondary	70	--	11	25	21	13	--	70	--	14
Trimester prenatal care began	First	492	38	96	181	126	44	7	485	3	44
	Third or no care	18	3	5	5	--	5	--	17	--	4
First birth		185	46	44	62	22	10	1	183	--	15
2000 Percentages²											
Live births	Total	100.0	9.7	21.3	35.3	23.3	8.8	*	98.3	*	12.2
Sex	Male	49.2	*	53.1	45.8	50.0	*	*	48.8	*	53.4
	Female	50.8	*	46.9	54.2	50.0	*	*	51.2	*	*
Race	White	98.3	*	21.0	35.1	23.7	*	*			
	Black	*	-0-	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	12.2	*	37.0	31.5	16.4	*	-0-			
Multiple births		3.3	-0-	*	*	*	*	-0-	3.4	-0-	-0-
Marital status	Married	73.3	*	53.1	83.0	90.7	*	*	73.7	*	*
	Single	*	75.9	46.9	17.0	9.3	*	*	26.3	*	*
Mother not high school graduate		16.5	*	25.8	9.9	*	*	*	16.3	*	*
Birthweight	Very low (0-1,499 Grams)	2.3	*	*	*	*	*	-0-	2.4	-0-	-0-
	Low (0-2,499 Grams)	8.8	*	*	9.4	7.9	*	*	8.8	-0-	*
Caesarian section	Primary	14.8	*	9.4	18.9	12.9	*	*	14.7	*	*
	Secondary	11.7	-0-	8.6	11.8	15.0	*	-0-	11.9	-0-	*
Trimester prenatal care began	First	82.3	*	75.0	86.2	90.0	*	*	82.5	*	*
	Third or no care	3.0	*	*	*	-0-	*	-0-	2.9	-0-	*
First birth		30.8	*	34.4	29.2	15.7	*	-0-	31.0	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	10.8	23.9	32.6	22.7	8.7	1.3	99.0	0.5	11.3
Sex	Male	50.6	53.7	49.0	49.8	51.0	55.3	*	50.5	*	50.6
	Female	49.4	46.3	51.0	50.2	49.0	44.7	*	49.5	*	49.4
Race	White	99.0	10.8	23.8	32.4	22.8	8.8	1.3			
	Black	.5	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	11.3	16.2	36.5	26.5	14.1	6.5	*			
Multiple births		3.4	*	*	3.5	4.7	7.6	*	3.5	-0-	-0-
Marital status	Married	73.0	21.3	56.0	84.9	90.3	91.2	*	73.2	*	61.5
	Single	27.0	78.7	44.0	15.1	9.7	8.8	*	26.8	*	38.5
Mother not high school graduate		17.5	57.9	24.5	9.5	5.9	9.6	*	17.4	*	50.1
Birthweight	Very low (0-1,499 Grams)	.9	*	*	*	*	*	-0-	.9	-0-	*
	Low (0-2,499 Grams)	6.4	7.7	5.2	5.6	7.0	9.2	*	6.4	-0-	5.3
Caesarian section	Primary	13.6	17.0	9.9	14.4	13.7	15.6	*	13.6	*	13.5
	Secondary	10.5	*	7.5	10.3	15.6	16.8	*	10.5	*	16.5
Trimester prenatal care began	First	82.7	66.2	77.7	87.1	88.9	84.7	*	82.9	*	66.8
	Third or no care	2.5	5.0	3.2	1.9	*	3.9	*	2.4	*	6.0
First birth		30.1	74.1	36.8	27.8	13.7	12.2	*	30.2	*	26.5

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Ogle County - 2000

Population Estimates	
Total	51,200
Under 65 Years	44,330
65 and Older	6,870

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	451	6	2	--	2	2	11	14	38	87	132	157
Male	223	5	--	--	2	1	5	7	22	50	74	57
Female	228	1	2	--	--	1	6	7	16	37	58	100
Black	2	1	--	--	--	--	1	--	--	--	--	--
Male	1	1	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	1	--	--	--	--	--
White	447	5	2	--	2	2	10	14	38	86	131	157
Male	220	4	--	--	2	1	5	7	22	49	73	57
Female	227	1	2	--	--	1	5	7	16	37	58	100
All other races	2	--	--	--	--	--	--	--	--	1	1	--
Male	2	--	--	--	--	--	--	--	--	1	1	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	4	--	1	--	--	--	--	--	2	--	--	1
Male	1	--	--	--	--	--	--	--	1	--	--	--
Female	3	--	1	--	--	--	--	--	1	--	--	1

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	451	2	447	2	4	75	376	880.9	169.2	5,473.1
5-Year Average (1996-2000)	447	2	444	1	4	83	364	890.4	193.2	5,170.6
Infectious and parasitic diseases	6	--	6	--	--	1	5	*	*	*
# Septicemia	4	--	4	--	--	1	3	*	*	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	99	--	99	--	--	19	80	193.4	42.9	1,164.5
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	16	--	16	--	--	2	14	31.3	*	203.8
Bronchus and lung	19	--	19	--	--	2	17	37.1	*	247.5
Female breast	11	--	11	--	--	4	7	21.5 ³	* ³	* ³
Cervical	2	--	2	--	--	2	--	* ³	* ³	-0. ³
Prostate	1	--	1	--	--	--	1	* ³	-0. ³	* ³
# Diabetes mellitus	14	--	14	--	1	2	12	27.3	*	174.7
# Alzheimer's disease	22	--	21	1	--	--	22	43.0	-0-	320.2
Major cardiovascular diseases	185	1	183	1	2	24	161	361.3	54.1	2,343.5
# Diseases of heart	136	1	134	1	2	21	115	265.6	47.4	1,673.9
Ischemic heart disease	84	1	83	--	1	15	69	164.1	33.8	1,004.4
# Cerebrovascular diseases	39	--	39	--	--	1	38	76.2	*	553.1
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*
# Aortic aneurysm and dissection	4	--	4	--	--	1	3	*	*	*
Respiratory diseases	38	--	38	--	--	2	36	74.2	*	524.0
# Influenza and pneumonia	16	--	16	--	--	--	16	31.3	-0-	232.9
# Chronic lower respiratory diseases	18	--	18	--	--	2	16	35.2	*	232.9
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	4	--	4	--	--	1	3	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	5	--	5	--	--	--	5	*	-0-	*
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-
SIDS	2	1	1	--	--	2	--	*	*	-0-
External causes	26	--	26	--	1	19	7	50.8	42.9	*
# Accidents	17	--	17	--	1	12	5	33.2	27.1	*
Motor vehicle accidents	5	--	5	--	1	5	--	*	*	-0-
All other accidents	12	--	12	--	--	7	5	23.4	*	*
# Suicide	9	--	9	--	--	7	2	*	*	*
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Peoria County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	2,688	371	741	761	567	213	35	1,920	692	85
Sex	Male	1,364	185	356	403	281	127	12	992	336	43
	Female	1,324	186	385	358	286	86	23	928	356	42
Race	White	1,920	168	465	611	475	172	29			
	Black	692	200	266	119	71	31	5			
Ethnicity	Hispanic ¹	85	13	28	27	11	6	--			
Multiple births		68	--	10	22	23	13	--	52	16	4
Marital status	Married	1,554	17	266	579	494	171	27	1,363	122	48
	Single	1,134	354	475	182	73	42	8	557	570	37
Mother not high school graduate		484	239	154	55	27	8	1	232	244	27
Birthweight	Very low (0-1,499 Grams)	37	7	15	10	2	3	--	17	20	--
	Low (0-2,499 Grams)	214	43	58	53	32	26	2	117	90	6
Caesarian section	Primary	284	31	66	85	66	34	2	217	58	9
	Secondary	261	10	44	82	82	38	5	172	85	12
Trimester prenatal care began	First	2,288	258	585	688	531	196	30	1,723	496	67
	Third or no care	76	17	32	9	14	2	2	31	43	3
First birth		826	240	235	225	96	27	3	600	199	19
2000 Percentages²											
Live births	Total	100.0	13.8	27.6	28.3	21.1	7.9	1.3	71.4	25.7	3.2
Sex	Male	50.7	49.9	48.0	53.0	49.6	59.6	*	51.7	*	50.6
	Female	49.3	50.1	52.0	47.0	50.4	40.4	*	48.3	51.4	*
Race	White	71.4	8.8	24.2	31.8	24.7	9.0	*			
	Black	25.7	28.9	38.4	17.2	10.3	4.5	*			
Ethnicity	Hispanic ¹	3.2	15.3	32.9	31.8	12.9	*	-0-			
Multiple births		2.5	-0-	1.3	2.9	4.1	6.1	-0-	2.7	2.3	*
Marital status	Married	57.8	4.6	35.9	76.1	87.1	80.3	*	71.0	17.6	*
	Single	42.2	95.4	64.1	23.9	12.9	19.7	*	29.0	82.4	*
Mother not high school graduate		18.0	64.4	20.8	7.2	4.8	*	*	12.1	35.3	*
Birthweight	Very low (0-1,499 Grams)	1.4	*	2.0	1.3	*	*	-0-	.9	2.9	-0-
	Low (0-2,499 Grams)	8.0	11.6	7.8	7.0	5.6	12.2	*	6.1	13.0	*
Caesarian section	Primary	10.6	8.4	8.9	11.2	11.6	16.0	*	11.3	8.4	*
	Secondary	9.7	2.7	5.9	10.8	14.5	17.8	*	9.0	12.3	*
Trimester prenatal care began	First	85.2	69.7	78.9	90.5	93.8	92.0	*	89.8	71.9	*
	Third or no care	2.8	4.6	4.3	*	2.5	*	*	1.6	6.2	*
First birth		30.7	64.7	31.7	29.6	16.9	12.7	*	31.3	28.8	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	15.5	26.7	28.2	20.1	8.2	1.3	72.4	24.9	2.4
Sex	Male	51.4	50.6	50.6	51.6	52.9	52.5	46.2	51.9	50.0	51.1
	Female	48.6	49.4	49.4	48.4	47.1	47.5	53.8	48.1	50.0	48.9
Race	White	72.4	10.3	24.0	31.7	23.0	9.5	1.5			
	Black	24.9	32.1	35.5	17.1	10.5	4.1	.7			
Ethnicity	Hispanic ¹	2.4	20.7	31.3	26.9	12.4	6.2	*			
Multiple births		2.8	1.6	2.6	3.1	3.6	3.6	*	2.8	3.2	*
Marital status	Married	58.5	8.4	38.2	78.1	84.8	83.6	81.9	71.3	17.8	53.3
	Single	41.5	91.6	61.8	21.9	15.2	16.4	18.1	28.7	82.2	46.7
Mother not high school graduate		19.0	63.5	20.4	7.1	5.5	5.9	7.0	12.8	38.1	35.3
Birthweight	Very low (0-1,499 Grams)	1.8	2.0	2.2	1.7	1.4	1.3	*	1.3	3.2	*
	Low (0-2,499 Grams)	8.2	10.8	9.3	6.7	6.7	7.9	8.2	6.6	12.9	4.6
Caesarian section	Primary	12.3	10.9	11.2	13.1	12.8	14.2	14.0	12.7	10.4	11.8
	Secondary	9.8	3.0	7.6	10.5	14.4	15.5	11.7	9.3	12.0	12.4
Trimester prenatal care began	First	84.3	66.5	80.1	90.2	92.3	92.0	84.2	89.4	69.1	74.0
	Third or no care	3.1	6.6	3.9	1.7	2.0	1.7	*	1.9	6.7	4.6
First birth		32.3	63.3	33.3	30.2	18.2	14.7	12.3	33.0	28.4	29.7

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Peoria County - 2000

Population Estimates	
Total	183,200
Under 65 Years	157,240
65 and Older	25,960

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	1,736	22	1	7	17	23	55	94	161	305	525	526
Male	792	10	1	4	13	16	31	54	87	169	257	150
Female	944	12	--	3	4	7	24	40	74	136	268	376
Black	196	11	1	3	6	9	13	23	25	36	41	28
Male	97	4	1	2	5	6	7	14	14	19	17	8
Female	99	7	--	1	1	3	6	9	11	17	24	20
White	1,533	10	--	4	11	14	42	70	134	268	482	498
Male	691	6	--	2	8	10	24	39	72	149	239	142
Female	842	4	--	2	3	4	18	31	62	119	243	356
All other races	7	1	--	--	--	--	--	1	2	1	2	--
Male	4	--	--	--	--	--	--	1	1	1	1	--
Female	3	1	--	--	--	--	--	--	1	--	1	--
Hispanic ethnicity ¹	8	--	--	1	2	--	1	--	1	2	1	--
Male	5	--	--	1	1	--	1	--	--	2	--	--
Female	3	--	--	--	1	--	--	--	1	--	1	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	1,736	196	1,533	7	8	380	1,356	947.6	241.7	5,223.4
5-Year Average (1996-2000)	1,759	195	1,558	6	6	389	1,370	962.9	248.9	5,191.0
Infectious and parasitic diseases	23	5	18	--	--	7	16	12.6	*	61.6
# Septicemia	16	4	12	--	--	3	13	8.7	*	50.1
# Viral hepatitis	3	--	3	--	--	2	1	*	*	*
# HIV disease	2	1	1	--	--	2	--	*	*	-0-
# Malignant neoplasms	416	41	373	2	2	114	302	227.1	72.5	1,163.3
Lip, oral cavity and pharynx	11	1	10	--	--	3	8	6.0	*	*
Colorectal	60	3	57	--	--	9	51	32.8	*	196.5
Bronchus and lung	112	11	101	--	--	36	76	61.1	22.9	292.8
Female breast	32	3	28	1	--	13	19	17.5 ³	8.3 ³	73.2 ³
Cervical	1	--	1	--	--	--	1	* ³	-0- ³	* ³
Prostate	23	3	20	--	--	1	22	12.6 ³	* ³	84.7 ³
# Diabetes mellitus	47	6	41	--	--	9	38	25.7	*	146.4
# Alzheimer's disease	55	2	53	--	--	1	54	30.0	*	208.0
Major cardiovascular diseases	662	64	596	2	1	76	586	361.4	48.3	2,257.3
# Diseases of heart	431	42	388	1	1	55	376	235.3	35.0	1,448.4
Ischemic heart disease	301	25	276	--	1	41	260	164.3	26.1	1,001.5
# Cerebrovascular diseases	169	16	153	--	--	16	153	92.2	10.2	589.4
# Atherosclerosis	16	1	15	--	--	--	16	8.7	-0-	61.6
# Aortic aneurysm and dissection	19	2	16	1	--	3	16	10.4	*	61.6
Respiratory diseases	157	11	145	1	--	18	139	85.7	11.4	535.4
# Influenza and pneumonia	35	2	33	--	--	2	33	19.1	*	127.1
# Chronic lower respiratory diseases	89	5	83	1	--	13	76	48.6	8.3	292.8
Emphysema	11	1	10	--	--	--	11	6.0	-0-	42.4
Asthma	4	1	3	--	--	2	2	*	*	*
# Chronic liver disease and cirrhosis	13	1	12	--	--	7	6	7.1	*	*
# Nephritis, nephrotic syndrome and nephrosis	31	4	27	--	--	7	24	16.9	*	92.4
# Certain perinatal conditions	7	4	3	--	--	7	--	*	*	-0-
# Congenital malformations	5	1	3	1	--	5	--	*	*	-0-
SIDS	5	4	1	--	--	5	--	*	*	-0-
External causes	93	22	70	1	2	64	29	50.8	40.7	111.7
# Accidents	59	15	44	--	1	36	23	32.2	22.9	88.6
Motor vehicle accidents	20	5	15	--	1	16	4	10.9	10.2	*
All other accidents	39	10	29	--	--	20	19	21.3	12.7	73.2
# Suicide	17	--	17	--	--	14	3	9.3	8.9	*
# Homicide	10	4	5	1	--	10	--	5.5	6.4	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Perry County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	242	35	67	86	35	15	4	235	5	3
Sex	Male	130	13	39	49	22	5	2	128	1	--
	Female	112	22	28	37	13	10	2	107	4	3
Race	White	235	33	66	84	33	15	4			
	Black	5	2	1	1	1	--	--			
Ethnicity	Hispanic ¹	3	3	--	--	--	--	--			
Multiple births		4	--	--	4	--	--	--	4	--	--
Marital status	Married	147	6	29	64	31	14	3	143	2	--
	Single	95	29	38	22	4	1	1	92	3	2
Mother not high school graduate		51	25	16	8	1	1	--	48	3	3
Birthweight	Very low (0-1,499 Grams)	3	--	--	1	1	--	1	3	--	--
	Low (0-2,499 Grams)	18	2	2	10	2	1	1	16	2	--
Caesarian section	Primary	35	5	6	15	6	2	1	32	2	--
	Secondary	29	2	4	11	9	1	2	28	1	1
Trimester prenatal care began	First	213	26	58	78	34	13	4	206	5	3
	Third or no care	2	--	0	--	--	--	--	2	--	--
First birth		86	30	29	19	8	--	--	83	2	2
2000 Percentages²											
Live births	Total	100.0	14.5	27.7	35.5	14.5	6.2	*	97.1	*	*
Sex	Male	53.7	*	*	*	*	*	*	54.5	*	.0
	Female	46.3	*	*	*	*	*	*	45.5	*	*
Race	White	97.1	*	*	*	*	*	*			
	Black	*	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
Marital status	Married	60.7	*	*	*	*	*	*	60.9	*	*
	Single	*	82.9	56.7	*	*	*	*	39.1	*	*
Mother not high school graduate		*	*	*	*	*	*	-0-	20.4	*	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	*	*	-0-	*	*	-0-	-0-
	Low (0-2,499 Grams)	7.4	*	*	*	*	*	*	6.8	*	-0-
Caesarian section	Primary	14.5	*	*	*	*	*	*	13.6	*	-0-
	Secondary	12.0	*	*	*	*	*	*	11.9	*	*
Trimester prenatal care began	First	88.8	*	*	*	*	*	*	88.4	*	*
	Third or no care	*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
First birth		35.5	*	*	*	*	-0-	-0-	35.3	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	14.7	31.2	31.5	15.7	5.5	1.3	96.3	2.7	0.9
Sex	Male	53.3	48.6	56.8	51.9	58.2	*	*	53.5	*	*
	Female	46.7	51.4	43.2	48.1	41.8	*	*	46.5	*	*
Race	White	96.3	14.3	31.5	31.5	15.7	5.6	1.4			
	Black	2.7	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	.9	*	*	*	*	-0-	-0-			
Multiple births		2.7	*	*	3.7	-0-	*	*	2.9	-0-	-0-
Marital status	Married	65.5	20.3	55.7	79.1	88.4	*	*	66.9	*	*
	Single	34.5	79.7	44.3	20.9	11.6	*	*	33.1	*	*
Mother not high school graduate		19.5	65.0	20.3	6.9	5.8	*	*	19.2	*	*
Birthweight	Very low (0-1,499 Grams)	1.0	*	*	*	*	*	*	1.0	*	-0-
	Low (0-2,499 Grams)	7.7	11.3	6.4	6.9	5.3	*	*	7.3	*	-0-
Caesarian section	Primary	14.4	13.6	13.9	15.6	12.2	*	*	14.3	*	*
	Secondary	10.3	*	6.1	13.5	16.4	*	*	10.4	*	*
Trimester prenatal care began	First	87.8	82.3	84.5	91.0	93.1	*	*	88.1	*	*
	Third or no care	1.8	3.4	*	*	*	-0-	-0-	1.7	*	-0-
First birth		34.5	74.6	42.9	24.1	14.3	*	-0-	34.7	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Perry County - 2000

Population Estimates	
Total	23,100
Under 65 Years	19,410
65 and Older	3,690

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	246	--	--	--	2	4	9	10	18	42	76	85
Male	112	--	--	--	2	3	7	8	9	21	41	21
Female	134	--	--	--	--	1	2	2	9	21	35	64
Black	3	--	--	--	--	--	1	--	--	--	2	--
Male	2	--	--	--	--	--	1	--	--	--	1	--
Female	1	--	--	--	--	--	--	--	--	--	1	--
White	243	--	--	--	2	4	8	10	18	42	74	85
Male	110	--	--	--	2	3	6	8	9	21	40	21
Female	133	--	--	--	--	1	2	2	9	21	34	64
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	1	--	--
Male	1	--	--	--	--	--	--	--	--	1	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	246	3	243	--	1	43	203	1,064.9	221.5	5,501.4
5-Year Average (1996-2000)	249	5	244	<1	<1	45	204	1150.5	253.1	5,371.2
Infectious and parasitic diseases	1	--	1	--	--	1	--	*	*	-0-
# Septicemia	1	--	1	--	--	1	--	*	*	-0-
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	59	1	58	--	--	16	43	255.4	82.4	1,165.3
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	4	--	4	--	--	--	4	*	-0-	*
Bronchus and lung	19	1	18	--	--	5	14	82.3	*	379.4
Female breast	3	--	3	--	--	2	1	* ³	* ³	* ³
Cervical	4	--	4	--	--	3	1	* ³	* ³	* ³
Prostate	3	--	3	--	--	--	3	* ³	-0- ³	* ³
# Diabetes mellitus	8	1	7	--	--	2	6	*	*	*
# Alzheimer's disease	3	--	3	--	--	--	3	*	-0-	*
Major cardiovascular diseases	94	1	93	--	--	9	85	406.9	*	2,303.5
# Diseases of heart	74	1	73	--	--	8	66	320.3	*	1,788.6
Ischemic heart disease	59	--	59	--	--	7	52	255.4	*	1,409.2
# Cerebrovascular diseases	15	--	15	--	--	--	15	64.9	-0-	406.5
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*
# Aortic aneurysm and dissection	1	--	1	--	--	1	--	*	*	-0-
Respiratory diseases	28	--	28	--	1	1	27	121.2	*	731.7
# Influenza and pneumonia	6	--	6	--	1	--	6	*	-0-	*
# Chronic lower respiratory diseases	19	--	19	--	--	1	18	82.3	*	487.8
Emphysema	6	--	6	--	--	--	6	*	-0-	*
Asthma	1	--	1	--	--	--	1	*	-0-	*
# Chronic liver disease and cirrhosis	4	--	4	--	--	2	2	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	6	--	6	--	--	2	4	*	*	*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	12	--	12	--	--	9	3	51.9	*	*
# Accidents	10	--	10	--	--	8	2	43.3	*	*
Motor vehicle accidents	8	--	8	--	--	7	1	*	*	*
All other accidents	2	--	2	--	--	1	1	*	*	*
# Suicide	1	--	1	--	--	1	--	*	*	-0-
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Piatt County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	191	17	39	64	47	21	3	189	2	3
Sex	Male	106	9	23	39	24	8	3	105	1	2
	Female	85	8	16	25	23	13	--	84	1	1
Race	White	189	16	38	64	47	21	3			
	Black	2	1	1	--	--	--	--			
Ethnicity	Hispanic ¹	3	1	1	--	1	--	--			
Multiple births		2	--	--	--	--	2	--	2	--	--
Marital status	Married	156	3	29	59	42	20	3	156	--	--
	Single	35	14	10	5	5	1	--	33	2	2
Mother not high school graduate		14	7	5	1	--	1	--	13	1	1
Birthweight	Very low (0-1,499 Grams)	2	--	1	1	--	--	--	2	--	--
	Low (0-2,499 Grams)	9	1	2	4	1	1	--	9	--	--
Caesarian section	Primary	27	2	3	12	7	3	--	27	--	1
	Secondary	15	1	1	2	3	7	1	15	--	1
Trimester prenatal care began	First	170	13	32	61	42	20	2	169	1	2
	Third or no care	4	--	0	--	2	--	1	4	--	--
First birth		65	11	16	26	10	2	--	65	--	--
2000 Percentages²											
Live births	Total	100.0	8.9	20.4	33.5	24.6	11.0	*	99.0	*	*
Sex	Male	55.5	*	*	*	*	*	*	55.6	*	66.7
	Female	44.5	*	*	*	*	*	-0-	44.4	*	*
Race	White	99.0	*	*	*	*	*	*			
	Black	*	*	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	*	-0-	-0-			
Multiple births		*	-0-	-0-	-0-	-0-	*	-0-	*	-0-	-0-
Marital status	Married	81.7	*	*	*	*	*	*	82.5	-0-	*
	Single	*	82.4	25.6	*	*	*	-0-	17.5	*	*
Mother not high school graduate		*	*	*	*	-0-	*	-0-	6.9	*	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	*	*	-0-	*	-0-	-0-
Caesarian section	Primary	14.1	*	*	*	*	*	-0-	14.3	-0-	*
	Secondary	7.9	*	*	*	*	*	*	7.9	-0-	*
Trimester prenatal care began	First	91.9	*	*	*	*	*	*	92.3	*	*
	Third or no care	*	*	-0-	-0-	*	-0-	*	*	-0-	-0-
First birth		34.0	*	*	*	*	*	*	34.4	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	8.8	22.2	29.3	25.7	12.2	1.7	99.3	*	1.4
Sex	Male	50.2	*	49.5	50.9	50.6	46.1	*	50.3	*	*
	Female	49.8	*	50.5	49.1	49.4	53.9	*	49.7	*	*
Race	White	99.3	8.8	22.1	29.5	25.7	12.3	1.7			
	Black	*	*	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	1.4	*	*	*	*	*	-0-			
Multiple births		3.6	-0-	4.8	*	*	11.3	-0-	3.6	-0-	-0-
Marital status	Married	82.4	*	74.8	92.8	91.4	95.7	*	82.6	-0-	*
	Single	17.6	*	25.2	7.2	8.6	*	*	17.4	*	*
Mother not high school graduate		7.7	*	9.0	*	*	*	*	7.6	*	*
Birthweight	Very low (0-1,499 Grams)	1.1	-0-	*	*	*	*	-0-	1.1	-0-	-0-
	Low (0-2,499 Grams)	5.5	*	5.7	4.3	6.2	8.7	*	5.5	-0-	-0-
Caesarian section	Primary	12.5	*	11.4	11.2	13.6	19.1	*	12.5	-0-	*
	Secondary	6.3	*	*	4.3	8.6	13.0	*	6.3	-0-	*
Trimester prenatal care began	First	91.6	*	87.3	95.2	93.3	95.7	*	91.9	*	*
	Third or no care	2.2	5.3	*	*	*	-0-	*	2.2	-0-	-0-
First birth		31.9	80.7	43.3	31.4	18.5	9.6	-0-	31.8	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Piatt County - 2000

Population Estimates	
Total	16,400
Under 65 Years	13,860
65 and Older	2,540

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	149	4	--	1	2	1	4	4	12	27	49	45
Male	77	2	--	1	1	1	4	3	5	17	27	16
Female	72	2	--	--	1	--	--	1	7	10	22	29
Black	1	--	--	--	--	--	--	--	--	--	1	--
Male	1	--	--	--	--	--	--	--	--	--	1	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	148	4	--	1	2	1	4	4	12	27	48	45
Male	76	2	--	1	1	1	4	3	5	17	26	16
Female	72	2	--	--	1	--	--	1	7	10	22	29
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	149	1	148	--	--	28	121	908.5	202.0	4,763.8
5-Year Average (1996-2000)	156	<1	156	--	--	32	124	953.5	231.2	4,769.6
Infectious and parasitic diseases	3	--	3	--	--	1	2	*	*	*
# Septicemia	2	--	2	--	--	--	2	*	-0-	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	38	--	38	--	--	9	29	231.7	*	1,141.7
Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*
Colorectal	4	--	4	--	--	1	3	*	*	*
Bronchus and lung	15	--	15	--	--	2	13	91.5	*	511.8
Female breast	1	--	1	--	--	--	1	* ³	-0- ³	* ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	1	--	1	--	--	--	1	* ³	-0- ³	* ³
# Diabetes mellitus	10	--	10	--	--	1	9	61.0	*	*
# Alzheimer's disease	1	--	1	--	--	--	1	*	-0-	*
Major cardiovascular diseases	56	1	55	--	--	3	53	341.5	*	2,086.6
# Diseases of heart	36	--	36	--	--	2	34	219.5	*	1,338.6
Ischemic heart disease	26	--	26	--	--	2	24	158.5	*	944.9
# Cerebrovascular diseases	14	--	14	--	--	1	13	85.4	*	511.8
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Aortic aneurysm and dissection	2	1	1	--	--	--	2	*	-0-	*
Respiratory diseases	8	--	8	--	--	1	7	*	*	*
# Influenza and pneumonia	2	--	2	--	--	--	2	*	-0-	*
# Chronic lower respiratory diseases	4	--	4	--	--	1	3	*	*	*
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Nephritis, nephrotic syndrome and nephrosis	2	--	2	--	--	--	2	*	-0-	*
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-
# Congenital malformations	2	--	2	--	--	2	--	*	*	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	12	--	12	--	--	7	5	73.2	*	*
# Accidents	10	--	10	--	--	6	4	61.0	*	*
Motor vehicle accidents	4	--	4	--	--	3	1	*	*	*
All other accidents	6	--	6	--	--	3	3	*	*	*
# Suicide	1	--	1	--	--	1	--	*	*	-0-
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Pike County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	194	31	63	51	35	13	1	193	--	--
Sex	Male	104	16	34	24	21	9	--	104	--	--
	Female	90	15	29	27	14	4	1	89	--	--
Race	White	193	31	62	51	35	13	1			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple births		7	--	2	2	--	3	--	7	--	--
Marital status	Married	138	6	40	48	33	10	1	137	--	--
	Single	56	25	23	3	2	3	--	56	--	--
Mother not high school graduate		32	20	7	3	1	1	--	32	--	--
Birthweight	Very low (0-1,499 Grams)	1	1	--	--	--	--	--	1	--	--
	Low (0-2,499 Grams)	9	1	2	2	1	3	--	9	--	--
Caesarian section	Primary	29	3	9	9	5	3	--	29	--	--
	Secondary	14	--	1	7	5	1	--	14	--	--
Trimester prenatal care began	First	166	22	53	46	33	11	1	165	--	--
	Third or no care	4	2	2	--	--	--	--	4	--	--
First birth		65	23	19	17	5	1	--	65	--	--
2000 Percentages²											
Live births	Total	100.0	16.0	32.5	26.3	18.0	6.7	*	99.5	-0-	-0-
Sex	Male	53.6	*	*	*	*	*	-0-	53.9	-0-	.
	Female	46.4	*	*	*	*	*	*	46.1	-0-	-0-
Race	White	99.5	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	*	*	-0-	*	-0-	*	-0-	-0-
Marital status	Married	71.1	*	*	*	*	*	*	71.0	-0-	-0-
	Single	*	80.6	36.5	*	*	*	-0-	29.0	-0-	-0-
Mother not high school graduate		*	*	*	*	*	*	-0-	16.6	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	*	-0-	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	*	*	-0-	*	-0-	-0-
Caesarian section	Primary	14.9	*	*	*	*	*	-0-	15.0	-0-	-0-
	Secondary	7.2	-0-	*	*	*	*	-0-	7.3	-0-	-0-
Trimester prenatal care began	First	86.0	*	*	*	*	*	*	85.9	-0-	-0-
	Third or no care	*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First birth		33.5	*	*	*	*	*	-0-	33.7	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.4	32.0	29.6	16.1	6.9	2.1	99.4	*	*
Sex	Male	53.2	61.1	54.0	51.6	49.7	*	*	53.2	*	*
	Female	46.8	38.9	46.0	48.4	50.3	*	*	46.8	-0-	*
Race	White	99.4	13.5	31.9	29.4	16.2	6.9	2.2			
	Black	*	-0-	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	-0-	-0-	-0-			
Multiple births		3.0	-0-	*	3.5	*	*	*	3.0	-0-	-0-
Marital status	Married	75.9	33.6	69.0	90.7	90.4	*	*	75.9	-0-	*
	Single	24.1	66.4	31.0	9.3	9.6	*	*	24.1	*	*
Mother not high school graduate		16.6	58.0	15.7	5.9	7.0	*	*	16.7	-0-	*
Birthweight	Very low (0-1,499 Grams)	1.6	*	-0-	*	*	*	*	1.6	-0-	-0-
	Low (0-2,499 Grams)	7.1	*	4.2	7.6	7.6	*	*	7.1	-0-	-0-
Caesarian section	Primary	13.8	13.0	12.8	13.8	9.6	*	*	13.7	-0-	*
	Secondary	8.2	-0-	6.4	9.7	12.7	*	*	8.1	-0-	-0-
Trimester prenatal care began	First	84.6	71.0	82.9	88.9	89.7	*	*	84.5	*	*
	Third or no care	2.4	7.6	*	*	*	*	-0-	2.4	-0-	*
First birth		32.4	77.1	38.3	23.2	14.0	*	*	32.6	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Pike County - 2000

Population Estimates	
Total	17,300
Under 65 Years	13,970
65 and Older	3,330

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	228	1	1	2	1	--	5	4	13	43	79	79
Male	105	1	1	--	1	--	3	3	9	20	38	29
Female	123	--	--	2	--	--	2	1	4	23	41	50
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	228	1	1	2	1	--	5	4	13	43	79	79
Male	105	1	1	--	1	--	3	3	9	20	38	29
Female	123	--	--	2	--	--	2	1	4	23	41	50
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	228	--	228	--	--	27	201	1,317.9	193.3	6,036.0
5-Year Average (1996-2000)	224	<1	224	--	--	35	189	1300.8	254.7	5,552.9
Infectious and parasitic diseases	2	--	2	--	--	--	2	*	-0-	*
# Septicemia	2	--	2	--	--	--	2	*	-0-	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	53	--	53	--	--	5	48	306.4	*	1,441.4
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	3	--	3	--	--	1	2	*	*	*
Bronchus and lung	19	--	19	--	--	2	17	109.8	*	510.5
Female breast	5	--	5	--	--	--	5	* ³	-0- ³	* ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	1	--	1	--	--	--	1	* ³	-0- ³	* ³
# Diabetes mellitus	10	--	10	--	--	2	8	57.8	*	*
# Alzheimer's disease	10	--	10	--	--	--	10	57.8	-0-	300.3
Major cardiovascular diseases	73	--	73	--	--	4	69	422.0	*	2,072.1
# Diseases of heart	46	--	46	--	--	3	43	265.9	*	1,291.3
Ischemic heart disease	36	--	36	--	--	3	33	208.1	*	991.0
# Cerebrovascular diseases	23	--	23	--	--	1	22	132.9	*	660.7
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	-0-	*
Respiratory diseases	28	--	28	--	--	3	25	161.8	*	750.8
# Influenza and pneumonia	5	--	5	--	--	1	4	*	*	*
# Chronic lower respiratory diseases	17	--	17	--	--	1	16	98.3	*	480.5
Emphysema	2	--	2	--	--	1	1	*	*	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--	--	1	*	-0-	*
# Nephritis, nephrotic syndrome and nephrosis	3	--	3	--	--	--	3	*	-0-	*
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	11	--	11	--	--	4	7	63.6	*	*
# Accidents	7	--	7	--	--	3	4	*	*	*
Motor vehicle accidents	--	--	--	--	--	--	--	-0-	-0-	-0-
All other accidents	7	--	7	--	--	3	4	*	*	*
# Suicide	3	--	3	--	--	1	2	*	*	*
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Pope County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	29	5	8	5	8	3	--	29	--	--
Sex	Male	9	1	1	1	4	2	--	9	--	--
	Female	20	4	7	4	4	1	--	20	--	--
Race	White	29	5	8	5	8	3	--			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple births		--	--	--	--	--	--	--	--	--	--
Marital status	Married	21	2	6	4	6	3	--	21	--	--
	Single	8	3	2	1	2	--	--	8	--	--
Mother not high school graduate		3	2	1	--	--	--	--	3	--	--
Birthweight	Very low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	2	--	2	--	--	--	--	2	--	--
Caesarian section	Primary	1	--	0	1	--	--	--	1	--	--
	Secondary	1	--	--	--	1	--	--	1	--	--
Trimester prenatal care began	First	--	4	6	5	8	2	--	25	--	--
	Third or no care	0	--	0	--	--	--	--	--	--	--
First birth		11	2	5	2	1	1	--	11	--	--
2000 Percentages²											
Live births	Total	*	*	*	*	*	*	-0-	*	-0-	-0-
Sex	Male	*	*	*	*	*	*	-0-	*	-0-	.
	Female	*	*	*	*	*	*	-0-	*	-0-	-0-
Race	White	*	*	*	*	*	*	-0-			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple births		-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Marital status	Married	*	*	*	*	*	*	-0-	*	-0-	-0-
	Single	*	60.0	25.0	*	*	-0-	-0-	*	-0-	-0-
Mother not high school graduate		-0-	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
Caesarian section	Primary	*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
	Secondary	*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
Trimester prenatal care began	First	*	*	*	*	*	*	-0-	*	-0-	-0-
	Third or no care	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
First birth		*	*	*	*	*	*	-0-	*	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.8	28.6	28.0	19.0	6.3	*	100.0	-0-	*
Sex	Male	*	*	*	*	*	*	*	50.8	-0-	-0-
	Female	49.2	*	*	*	*	*	*	49.2	-0-	*
Race	White	100	13.8	28.6	28.0	19.0	6.3	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	-0-	*	-0-	-0-			
Multiple births		*	-0-	-0-	-0-	-0-	*	-0-	*	-0-	-0-
Marital status	Married	76.2	*	*	*	*	*	*	76.2	-0-	*
	Single	23.8	*	*	*	*	*	-0-	23.8	-0-	-0-
Mother not high school graduate		13.8	*	*	*	*	*	-0-	13.8	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	6.9	-0-	*	*	*	*	-0-	6.9	-0-	-0-
Caesarian section	Primary	11.1	*	*	*	*	*	*	11.1	-0-	-0-
	Secondary	*	-0-	*	*	*	*	-0-	*	-0-	-0-
Trimester prenatal care began	First	87.2	*	*	*	*	*	*	87.2	-0-	*
	Third or no care	*	.0	-0-	-0-	-0-	-0-	*	*	-0-	-0-
First birth		33.3	84.6	*	*	*	*	-0-	33.3	-0-	-0-

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Pope County - 2000

Population Estimates	
Total	4,400
Under 65 Years	3,620
65 and Older	780

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)										
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over	
All races	65	--	--	--	--	--	--	2	2	5	16	20	20
Male	26	--	--	--	--	--	--	1	1	4	8	7	5
Female	39	--	--	--	--	--	--	1	1	1	8	13	15
Black	2	--	--	--	--	--	--	--	--	--	--	--	2
Male	1	--	--	--	--	--	--	--	--	--	--	--	1
Female	1	--	--	--	--	--	--	--	--	--	--	--	1
White	62	--	--	--	--	--	--	2	2	5	15	20	18
Male	25	--	--	--	--	--	--	1	1	4	8	7	4
Female	37	--	--	--	--	--	--	1	1	1	7	13	14
All other races	1	--	--	--	--	--	--	--	--	--	1	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	1	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	65	2	62	1	--	9	56	1,477.3	*	7,179.5
5-Year Average (1996-2000)	48	<1	47	<1	<1	9	39	1030.2	*	4,936.7
Infectious and parasitic diseases	--	--	--	--	--	--	--	-0-	-0-	-0-
# Septicemia	--	--	--	--	--	--	--	-0-	-0-	-0-
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	13	--	13	--	--	3	10	295.5	*	1,282.1
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	2	--	2	--	--	1	1	*	*	*
Bronchus and lung	3	--	3	--	--	--	3	*	-0-	*
Female breast	3	--	3	--	--	1	2	* ³	* ³	* ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	1	--	1	--	--	1	--	* ³	* ³	-0- ³
# Diabetes mellitus	3	--	3	--	--	1	2	*	*	*
# Alzheimer's disease	0	--	--	--	--	--	--	-0-	-0-	-0-
Major cardiovascular diseases	26	--	26	--	--	4	22	590.9	*	2,820.5
# Diseases of heart	19	--	19	--	--	4	15	431.8	*	1,923.1
Ischemic heart disease	17	--	17	--	--	4	13	386.4	*	1,666.7
# Cerebrovascular diseases	6	--	6	--	--	--	6	*	-0-	*
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-
Respiratory diseases	14	1	12	1	--	1	13	318.2	*	1,666.7
# Influenza and pneumonia	7	1	6	--	--	1	6	*	*	*
# Chronic lower respiratory diseases	5	--	5	--	--	--	5	*	-0-	*
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Nephritis, nephrotic syndrome and nephrosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	1	--	1	--	--	--	1	*	-0-	*
# Accidents	1	--	1	--	--	--	1	*	-0-	*
Motor vehicle accidents	--	--	--	--	--	--	--	-0-	-0-	-0-
All other accidents	1	--	1	--	--	--	1	*	-0-	*
# Suicide	--	--	--	--	--	--	--	-0-	-0-	-0-
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Pulaski County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	104	25	38	22	10	7	2	53	51	--
Sex	Male	41	10	19	5	3	4	--	24	17	--
	Female	63	15	19	17	7	3	2	29	34	--
Race	White	53	10	20	15	5	2	1			
	Black	51	15	18	7	5	5	1			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple births		2	--	2	--	--	--	--			
Marital status	Married	48	7	12	16	7	5	1	36	12	--
	Single	56	18	26	6	3	2	1	17	39	--
Mother not high school graduate		25	10	9	2	--	4	--	10	15	--
Birthweight	Very low (0-1,499 Grams)	2	--	2	--	--	--	--	2	--	--
	Low (0-2,499 Grams)	10	2	6	--	1	1	--	3	7	--
Caesarian section	Primary	10	2	5	3	--	--	--	7	3	--
	Secondary	10	1	3	2	4	--	--	5	5	--
Trimester prenatal care began	First	80	21	31	15	7	5	1	41	39	--
	Third or no care	3	--	2	1	--	--	--	2	1	--
First birth		36	18	11	4	3	--	--	19	17	--
2000 Percentages²											
Live births	Total	100.0	24.0	36.5	21.2	9.6	*	*	51.0	49.0	-0-
Sex	Male	39.4	*	*	*	*	*	-0-	*	-0-	.
	Female	60.6	*	*	*	*	*	*	*	*	-0-
Race	White	51.0	*	*	*	*	*	*			
	Black	49.0	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	*	-0-	-0-	-0-	-0-			
Marital status	Married	46.2	*	*	*	*	*	*	*	*	-0-
	Single	*	72.0	68.4	*	*	*	*	*	*	-0-
Mother not high school graduate		*	*	*	*	-0-	*	-0-	*	*	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	9.6	*	*	-0-	*	*	-0-	*	*	-0-
Caesarian section	Primary	9.6	*	*	*	-0-	-0-	-0-	*	*	-0-
	Secondary	9.6	*	*	*	*	-0-	-0-	*	*	-0-
Trimester prenatal care began	First	79.2	*	*	*	*	*	*	*	*	-0-
	Third or no care	*	-0-	*	*	-0-	-0-	-0-	*	*	-0-
First birth		34.6	*	*	*	*	-0-	-0-	*	*	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	24.6	31.2	24.0	11.2	7.0	1.9	57.4	42.1	-0-
Sex	Male	52.1	54.3	51.6	50.0	*	*	*	52.7	50.7	-0-
	Female	47.9	45.7	48.4	50.0	*	*	*	47.3	49.3	-0-
Race	White	57.4	19.9	31.8	29.4	13.2	4.4	*			
	Black	42.1	31.3	30.4	16.6	8.3	10.6	*			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	*	*	*	-0-	-0-			
Marital status	Married	48.4	15.7	45.3	73.4	*	*	*	67.2	22.1	-0-
	Single	51.6	84.3	54.7	26.6	*	*	*	32.8	77.9	-0-
Mother not high school graduate		22.5	50.4	17.4	9.7	*	*	*	23.6	21.2	-0-
Birthweight	Very low (0-1,499 Grams)	3.5	*	*	*	*	*	*	*	*	-0-
	Low (0-2,499 Grams)	11.4	12.6	9.9	*	*	*	*	9.5	13.8	-0-
Caesarian section	Primary	11.6	9.4	13.7	9.7	*	*	*	14.2	8.3	-0-
	Secondary	6.6	*	*	12.9	*	*	*	7.1	6.0	-0-
Trimester prenatal care began	First	83.9	78.4	85.4	87.1	*	*	*	89.1	76.5	-0-
	Third or no care	2.2	3.2	*	*	-0-	*	-0-	*	*	-0-
First birth		36.8	81.9	33.5	15.3	*	*	*	36.1	37.8	-0-

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Pulaski County - 2000

Population Estimates	
Total	7,300
Under 65 Years	6,030
65 and Older	1,270

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	105	1	--	1	1	1	3	7	8	18	26	39
Male	49	1	--	1	1	1	1	3	5	10	17	9
Female	56	--	--	--	--	--	2	4	3	8	9	30
Black	30	--	--	1	1	--	2	2	2	4	6	12
Male	12	--	--	1	1	--	1	--	1	3	3	2
Female	18	--	--	--	--	--	1	2	1	1	3	10
White	75	1	--	--	--	1	1	5	6	14	20	27
Male	37	1	--	--	--	1	--	3	4	7	14	7
Female	38	--	--	--	--	--	1	2	2	7	6	20
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	105	30	75	--	--	22	83	1,438.4	364.8	6,535.4	
5-Year Average (1996-2000)	108	33	75	--	--	23	85	1494.4	389.0	6,568.3	
Infectious and parasitic diseases	2	2	--	--	--	1	1	*	*	*	
# Septicemia	1	1	--	--	--	--	1	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	1	1	--	--	--	1	--	*	-0-	-0-	
# Malignant neoplasms	27	10	17	--	--	7	20	369.9	*	1,574.8	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	4	1	3	--	--	1	3	*	*	*	
Bronchus and lung	4	2	2	--	--	2	2	*	*	*	
Female breast	5	2	3	--	--	1	4	* ³	* ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	1	1	--	--	--	--	1	* ³	-0- ³	* ³	
# Diabetes mellitus	2	--	2	--	--	--	2	*	-0-	*	
# Alzheimer's disease	1	--	1	--	--	--	1	*	-0-	*	
Major cardiovascular diseases	41	10	31	--	--	9	32	561.6	*	2,519.7	
# Diseases of heart	33	9	24	--	--	9	24	452.1	*	1,889.8	
Ischemic heart disease	20	4	16	--	--	7	13	274.0	*	1,023.6	
# Cerebrovascular diseases	8	1	7	--	--	--	8	*	-0-	*	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-	
Respiratory diseases	13	3	10	--	--	1	12	178.1	*	944.9	
# Influenza and pneumonia	2	2	--	--	--	--	2	*	-0-	*	
# Chronic lower respiratory diseases	9	--	9	--	--	1	8	*	*	*	
Emphysema	1	--	1	--	--	--	1	*	-0-	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	1	--	1	--	--	1	--	*	*	-0-	
# Nephritis, nephrotic syndrome and nephrosis	2	1	1	--	--	--	2	*	-0-	*	
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	3	2	1	--	--	2	1	*	*	*	
# Accidents	3	2	1	--	--	2	1	*	*	*	
Motor vehicle accidents	--	--	--	--	--	--	--	-0-	-0-	-0-	
All other accidents	3	2	1	--	--	2	1	*	*	*	
# Suicide	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Putnam County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	60	6	14	21	13	6	--	58	--	2
Sex	Male	32	4	7	9	9	3	--	31	--	1
	Female	28	2	7	12	4	3	--	27	--	1
Race	White	58	6	13	21	12	6	--			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	2	--	1	1	--	--	--			
Multiple births		4	--	--	--	4	--	--	4	--	--
Marital status	Married	48	2	11	19	10	6	--	46	--	--
	Single	12	4	3	2	3	--	--	12	--	--
Mother not high school graduate		6	--	0	3	2	--	--	5	--	1
Birthweight	Very low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	3	1	1	1	--	--	--	3	--	--
Caesarian section	Primary	8	--	1	2	4	1	--	7	--	--
	Secondary	9	1	--	7	--	1	--	9	--	--
Trimester prenatal care began	First	52	3	13	18	12	6	--	51	--	2
	Third or no care	2	--	0	1	--	--	--	2	--	--
First birth		19	4	5	7	1	2	--	17	--	--
2000 Percentages²											
Live births	Total	*	*	*	*	*	*	-0-	*	-0-	*
Sex	Male	*	*	*	*	*	*	-0-	*	*	50.0
	Female	*	*	*	*	*	*	-0-	*	-0-	*
Race	White	*	*	*	*	*	*	-0-			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
Marital status	Married	*	*	*	*	*	*	-0-	*	-0-	*
	Single	*	66.7	21.4	*	*	-0-	-0-	*	-0-	-0-
Mother not high school graduate		*	*	-0-	*	*	-0-	-0-	*	-0-	*
Birthweight	Very low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
Caesarian section	Primary	*	-0-	*	*	*	*	-0-	*	-0-	-0-
	Secondary	*	*	-0-	*	-0-	*	-0-	*	-0-	-0-
Trimester prenatal care began	First	*	*	*	*	*	*	-0-	*	-0-	*
	Third or no care	*	*	-0-	*	-0-	-0-	-0-	*	-0-	-0-
First birth		*	*	*	*	*	-0-	*	-0-	-0-	
Percentages² based on 1996-2000 average											
Live births	Total	100.0	7.5	22.8	30.9	25.9	10.9	*	99.1	-0-	5.0
Sex	Male	52.2	*	*	*	*	*	*	52.4	-0-	*
	Female	47.8	*	*	*	*	*	*	47.6	-0-	*
Race	White	99.1	7.6	22.7	30.9	25.9	11.0	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	5.0	-0-	*	*	*	*	*			
Multiple births		3.4	-0-	*	-0-	*	-0-	-0-	3.5	-0-	-0-
Marital status	Married	75.9	*	*	*	*	*	*	75.7	-0-	*
	Single	24.1	*	*	*	*	-0-	-0-	24.3	-0-	*
Mother not high school graduate		10.3	*	*	*	*	*	10.1	-0-	*	
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	-0-	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.3	*	*	*	*	*	-0-	5.4	-0-	-0-
Caesarian section	Primary	13.4	*	*	*	*	*	*	13.2	-0-	*
	Secondary	11.3	*	*	*	*	-0-	-0-	11.4	-0-	*
Trimester prenatal care began	First	91.6	*	*	*	*	*	*	92.2	-0-	*
	Third or no care	*	4.3	-0-	*	-0-	*	*	*	-0-	-0-
First birth		28.4	83.3	*	*	*	-0-	28.1	-0-	*	

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Putnam County - 2000

Population Estimates	
Total	6,100
Under 65 Years	5,130
65 and Older	970

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	52	--	--	--	1	--	2	4	7	8	17	13
Male	28	--	--	--	1	--	--	3	6	5	10	3
Female	24	--	--	--	--	--	2	1	1	3	7	10
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	52	--	--	--	1	--	2	4	7	8	17	13
Male	28	--	--	--	1	--	--	3	6	5	10	3
Female	24	--	--	--	--	--	2	1	1	3	7	10
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	52	--	52	--	--	14	38	852.5	272.9	3,917.5
5-Year Average (1996-2000)	55	--	55	--	<1	13	43	935.8	258.3	4,419.1
Infectious and parasitic diseases	1	--	1	--	--	1	--	*	*	-0-
# Septicemia	1	--	1	--	--	1	--	*	*	-0-
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	20	--	20	--	--	6	14	327.9	*	1,443.3
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	-0-
Colorectal	4	--	4	--	--	--	4	*	-0-	*
Bronchus and lung	3	--	3	--	--	1	2	*	*	*
Female breast	1	--	1	--	--	--	1	* ³	-0- ³	* ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
# Diabetes mellitus	1	--	1	--	--	--	1	*	-0-	*
# Alzheimer's disease	0	--	--	--	--	--	--	-0-	-0-	-0-
Major cardiovascular diseases	16	--	16	--	--	3	13	262.3	*	1,340.2
# Diseases of heart	13	--	13	--	--	1	12	213.1	*	1,237.1
Ischemic heart disease	10	--	10	--	--	1	9	163.9	*	*
# Cerebrovascular diseases	2	--	2	--	--	1	1	*	*	*
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Aortic aneurysm and dissection	1	--	1	--	--	1	--	*	*	-0-
Respiratory diseases	5	--	5	--	--	1	4	*	*	*
# Influenza and pneumonia	2	--	2	--	--	--	2	*	-0-	*
# Chronic lower respiratory diseases	2	--	2	--	--	--	2	*	-0-	*
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Nephritis, nephrotic syndrome and nephrosis	2	--	2	--	--	--	2	*	-0-	*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	2	--	2	--	--	2	--	*	*	-0-
# Accidents	1	--	1	--	--	1	--	*	*	-0-
Motor vehicle accidents	1	--	1	--	--	1	--	*	*	-0-
All other accidents	--	--	--	--	--	--	--	-0-	-0-	-0-
# Suicide	1	--	1	--	--	1	--	*	*	-0-
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Randolph County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	387	50	129	111	61	31	5	369	16	7
Sex	Male	222	31	76	60	31	21	3	214	6	5
	Female	165	19	53	51	30	10	2	155	10	2
Race	White	369	44	123	108	59	30	5			
	Black	16	5	6	2	2	1	--			
Ethnicity	Hispanic ¹	7	--	4	2	1	--	--			
Multiple births		17	--	4	11	2	--	--			
Marital status	Married	254	14	65	90	55	25	5	246	7	--
	Single	133	36	64	21	6	6	--	123	9	3
Mother not high school graduate		67	26	26	10	4	1	--	62	5	4
Birthweight	Very low (0-1,499 Grams)	6	1	--	4	--	1	--	6	--	--
	Low (0-2,499 Grams)	23	3	7	9	3	1	--	22	1	--
Caesarian section	Primary	50	5	17	14	6	8	--	47	1	1
	Secondary	45	--	11	17	9	6	2	42	3	1
Trimester prenatal care began	First	326	38	106	100	54	25	3	313	11	6
	Third or no care	6	2	1	2	--	1	--	6	--	--
First birth		127	37	48	31	6	5	--	124	1	1
2000 Percentages²											
Live births	Total	100.0	12.9	33.3	28.7	15.8	8.0	*	95.3	4.1	*
Sex	Male	57.4	*	58.9	54.1	*	*	*	58.0	*	71.4
	Female	42.6	*	41.1	45.9	*	*	*	42.0	*	*
Race	White	95.3	*	33.3	29.3	*	*	*			
	Black	4.1	*	*	*	*	*	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	*	-0-	-0-			
Multiple births		4.4	-0-	*	9.9	*	-0-	-0-			
Marital status	Married	65.6	*	50.4	81.1	*	*	*	66.7	*	*
	Single	*	72.0	49.6	18.9	*	*	-0-	33.3	*	*
Mother not high school graduate		17.4	*	20.2	9.0	*	*	-0-	16.8	*	*
Birthweight	Very low (0-1,499 Grams)	*	*	-0-	*	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.9	*	*	*	*	*	-0-	6.0	*	-0-
Caesarian section	Primary	12.9	*	13.2	12.6	*	*	-0-	12.7	*	*
	Secondary	11.6	-0-	8.5	15.3	*	*	*	11.4	*	*
Trimester prenatal care began	First	85.8	*	84.1	90.1	*	*	*	86.5	*	*
	Third or no care	*	*	*	*	-0-	*	-0-	*	-0-	-0-
First birth		32.8	*	37.2	27.9	*	*	-0-	33.6	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.7	29.2	29.9	18.4	7.8	1.0	93.9	5.3	1.0
Sex	Male	53.4	55.4	54.2	53.1	51.2	53.1	*	53.6	*	*
	Female	46.6	44.6	45.8	46.9	48.8	46.9	*	46.4	*	*
Race	White	93.9	12.6	28.8	30.9	18.7	8.0	1.0			
	Black	5.3	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	1.0	*	*	*	*	-0-	*			
Multiple births		3.0	*	2.0	3.0	4.6	*	-0-			
Marital status	Married	68.5	20.9	57.5	83.1	89.0	85.0	*	70.6	*	*
	Single	31.5	79.1	42.5	16.9	11.0	15.0	-0-	29.4	*	*
Mother not high school graduate		18.0	56.4	20.4	9.6	5.8	*	-0-	16.9	*	*
Birthweight	Very low (0-1,499 Grams)	1.2	*	*	*	*	*	-0-	1.3	-0-	*
	Low (0-2,499 Grams)	7.3	11.2	7.3	7.1	4.6	7.5	*	6.9	*	*
Caesarian section	Primary	14.2	13.2	14.2	14.4	14.2	17.0	*	14.1	*	*
	Secondary	11.7	*	8.2	12.6	18.2	22.4	*	11.7	*	*
Trimester prenatal care began	First	87.0	77.4	86.1	90.9	89.5	86.9	*	87.8	*	*
	Third or no care	1.8	3.1	*	*	*	*	-0-	1.7	*	-0-
First birth		32.2	75.6	37.8	25.4	11.6	12.2	*	32.6	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Randolph County - 2000

Population Estimates	
Total	33,900
Under 65 Years	28,610
65 and Older	5,290

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	366	4	--	--	1	7	9	17	27	64	101	136
Male	174	4	--	--	1	4	6	9	17	38	52	43
Female	192	--	--	--	--	3	3	8	10	26	49	93
Black	5	--	--	--	--	1	--	1	1	1	1	--
Male	2	--	--	--	--	1	--	--	--	--	1	--
Female	3	--	--	--	--	--	--	1	1	1	--	--
White	360	4	--	--	1	6	9	16	26	63	100	135
Male	172	4	--	--	1	3	6	9	17	38	51	43
Female	188	--	--	--	--	3	3	7	9	25	49	92
All other races	1	--	--	--	--	--	--	--	--	--	--	1
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	--	1
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	--	--	1
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	--	1

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	366	5	360	1	1	65	301	1,079.6	227.2	5,690.0	
5-Year Average (1996-2000)	369	11	358	<1	1	78	291	1089.1	272.1	5,440.6	
# Infectious and parasitic diseases	7	--	7	--	--	1	6	*	*	*	
# Septicemia	2	--	2	--	--	--	2	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	1	--	1	--	--	1	--	*	-0-	-0-	
# Malignant neoplasms	90	2	88	--	--	21	69	265.5	73.4	1,304.3	
# Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*	
# Colorectal	8	--	8	--	--	1	7	*	*	*	
# Bronchus and lung	22	1	21	--	--	7	15	64.9	*	283.6	
# Female breast	12	1	11	--	--	5	7	35.4 ³	* ³	* ³	
# Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
# Prostate	3	--	3	--	--	--	3	* ³	-0- ³	* ³	
# Diabetes mellitus	12	--	12	--	--	1	11	35.4	*	207.9	
# Alzheimer's disease	13	--	13	--	--	--	13	38.3	-0-	245.7	
# Major cardiovascular diseases	154	1	152	1	--	17	137	454.3	59.4	2,589.8	
# Diseases of heart	115	1	113	1	--	11	104	339.2	38.4	1,966.0	
# Ischemic heart disease	93	1	91	1	--	7	86	274.3	*	1,625.7	
# Cerebrovascular diseases	22	--	22	--	--	5	17	64.9	*	321.4	
# Atherosclerosis	6	--	6	--	--	--	6	*	-0-	*	
# Aortic aneurysm and dissection	4	--	4	--	--	1	3	*	*	*	
# Respiratory diseases	30	--	30	--	--	4	26	88.5	*	491.5	
# Influenza and pneumonia	10	--	10	--	--	1	9	29.5	*	*	
# Chronic lower respiratory diseases	17	--	17	--	--	3	14	50.1	*	264.7	
# Emphysema	1	--	1	--	--	--	1	*	-0-	*	
# Asthma	1	--	1	--	--	--	1	*	-0-	*	
# Chronic liver disease and cirrhosis	1	--	1	--	--	--	1	*	-0-	*	
# Nephritis, nephrotic syndrome and nephrosis	11	1	10	--	--	1	10	32.4	*	189.0	
# Certain perinatal conditions	2	--	2	--	--	2	--	*	*	-0-	
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-	
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
# External causes	23	1	22	--	--	13	10	67.8	45.4	189.0	
# Accidents	19	1	18	--	--	11	8	56.0	38.4	*	
# Motor vehicle accidents	6	--	6	--	--	5	1	*	*	*	
# All other accidents	13	1	12	--	--	6	7	38.3	*	*	
# Suicide	1	--	1	--	--	1	--	*	*	-0-	
# Homicide	1	--	1	--	--	1	--	*	*	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Richland County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	199	23	77	52	31	13	3	196	1	2
Sex	Male	109	13	40	29	17	7	3	106	1	1
	Female	90	10	37	23	14	6	--	90	--	1
Race	White	196	23	76	52	29	13	3			
	Black	1	--	1	--	--	--	--			
Ethnicity	Hispanic ¹	2	1	1	--	--	--	--			
Multiple births		6	--	4	--	2	--	--	6	--	--
Marital status	Married	146	7	48	47	29	13	2	144	--	--
	Single	53	16	29	5	2	--	1	52	1	2
Mother not high school graduate		26	8	16	2	--	--	--	26	--	--
Birthweight	Very low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	9	1	4	2	2	--	--	9	--	--
Caesarian section	Primary	27	3	11	6	4	2	1	27	--	--
	Secondary	15	2	3	4	3	3	--	15	--	--
Trimester prenatal care began	First	--	19	65	50	28	13	3	175	1	1
	Third or no care	0	--	0	--	--	--	--	--	--	--
First birth		75	15	34	19	3	3	1	74	1	--
2000 Percentages²											
Live births	Total	100.0	11.6	38.7	26.1	15.6	6.5	*	98.5	*	*
Sex	Male	54.8	*	*	*	*	*	*	54.1	-0-	50.0
	Female	45.2	*	*	*	*	*	-0-	45.9	-0-	*
Race	White	98.5	*	*	*	*	*	*			
	Black	*	-0-	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	*	-0-	*	-0-	-0-	*	-0-	-0-
Marital status	Married	73.4	*	*	*	*	*	*	73.5	-0-	-0-
	Single	*	69.6	37.7	*	*	-0-	*	26.5	*	*
Mother not high school graduate		*	*	*	*	-0-	-0-	-0-	13.3	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	low (0-2,499 Grams)	*	*	*	*	*	-0-	-0-	*	-0-	-0-
Caesarian section	Primary	13.6	*	*	*	*	*	*	13.8	-0-	-0-
	Secondary	7.5	*	*	*	*	*	-0-	7.7	-0-	-0-
Trimester prenatal care began	First	89.4	*	*	*	*	*	*	89.3	*	*
	Third or no care	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
First birth		37.7	*	*	*	*	*	-0-	37.8	*	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	14.4	31.9	28.8	17.2	6.7	1.0	98.9	*	*
Sex	Male	51.7	43.7	52.3	53.8	53.9	*	*	51.3	*	*
	Female	48.3	56.3	47.7	46.2	46.1	*	*	48.7	*	*
Race	White	98.9	14.5	31.8	28.9	16.9	6.8	1.0			
	Black	*	-0-	*	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	*	*	-0-			
Multiple births		1.9	*	*	-0-	*	*	-0-	1.9	-0-	-0-
Marital status	Married	74.4	33.8	66.4	89.7	91.7	*	*	74.4	*	*
	Single	25.6	66.2	33.6	10.3	8.3	*	*	25.6	*	*
Mother not high school graduate		18.2	59.6	20.4	5.6	*	*	*	18.2	*	*
Birthweight	Very low (0-1,499 Grams)	1.3	-0-	*	*	*	*	-0-	1.4	-0-	*
	Low (0-2,499 Grams)	6.7	9.3	7.2	5.0	6.7	*	-0-	6.8	-0-	*
Caesarian section	Primary	13.1	8.6	12.0	13.3	16.1	*	*	13.3	-0-	*
	Secondary	9.5	*	6.0	8.6	17.8	*	-0-	9.5	*	*
Trimester prenatal care began	First	90.8	89.9	89.5	92.4	92.2	*	*	90.7	*	*
	Third or no care	1.0	2.0	*	*	-0-	*	-0-	1.0	-0-	-0-
First birth		35.2	69.5	38.1	31.2	17.8	*	*	35.1	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Richland County - 2000

Population Estimates	
Total	16,100
Under 65 Years	13,250
65 and Older	2,850

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	191	1	--	--	--	2	9	7	19	31	54	68
Male	90	--	--	--	--	1	7	5	11	17	28	21
Female	101	1	--	--	--	1	2	2	8	14	26	47
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	191	1	--	--	--	2	9	7	19	31	54	68
Male	90	--	--	--	--	1	7	5	11	17	28	21
Female	101	1	--	--	--	1	2	2	8	14	26	47
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	191	--	191	--	--	38	153	1,186.3	286.8	5,368.4	
5-Year Average (1996-2000)	190	--	190	<1	<1	39	151	1140.6	281.4	5,174.5	
Infectious and parasitic diseases	1	--	1	--	--	--	1	*	-0-	*	
# Septicemia	1	--	1	--	--	--	1	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	29	--	29	--	--	12	17	180.1	90.6	596.5	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	5	--	5	--	--	1	4	*	*	*	
Bronchus and lung	7	--	7	--	--	3	4	*	*	*	
Female breast	2	--	2	--	--	2	--	* ³	* ³	-0- ³	
Cervical	1	--	1	--	--	1	--	* ³	* ³	-0- ³	
Prostate	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
# Diabetes mellitus	4	--	4	--	--	--	4	*	-0-	*	
# Alzheimer's disease	3	--	3	--	--	--	3	*	-0-	*	
Major cardiovascular diseases	87	--	87	--	--	16	71	540.4	120.8	2,491.2	
# Diseases of heart	65	--	65	--	--	12	53	403.7	90.6	1,859.6	
Ischemic heart disease	52	--	52	--	--	11	41	323.0	83.0	1,438.6	
# Cerebrovascular diseases	12	--	12	--	--	2	10	74.5	*	350.9	
# Atherosclerosis	6	--	6	--	--	--	6	*	-0-	*	
# Aortic aneurysm and dissection	1	--	1	--	--	1	--	*	*	-0-	
Respiratory diseases	19	--	19	--	--	2	17	118.0	*	596.5	
# Influenza and pneumonia	9	--	9	--	--	1	8	*	*	*	
# Chronic lower respiratory diseases	5	--	5	--	--	1	4	*	*	*	
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	1	--	1	--	--	--	1	*	-0-	*	
# Nephritis, nephrotic syndrome and nephrosis	4	--	4	--	--	1	3	*	*	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	12	--	12	--	--	4	8	74.5	*	*	
# Accidents	10	--	10	--	--	4	6	62.1	*	*	
Motor vehicle accidents	3	--	3	--	--	1	2	*	*	*	
All other accidents	7	--	7	--	--	3	4	*	*	*	
# Suicide	1	--	1	--	--	--	1	*	-0-	*	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Rock Island County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	1,921	287	599	530	358	117	30	1,648	229	298
Sex	Male	1,030	168	321	291	179	55	16	899	114	166
	Female	891	119	278	239	179	62	14	749	115	132
Race	White	1,648	223	495	472	320	112	26			
	Black	229	62	92	44	25	4	2			
Ethnicity	Hispanic ¹	298	69	97	60	49	20	3			
Multiple births		55	4	8	14	25	4	--	44	11	6
Marital status	Married	1,110	35	258	397	303	91	26	1,029	46	144
	Single	811	252	341	133	55	26	4	619	183	154
Mother not high school graduate		434	177	146	55	36	14	6	347	84	142
Birthweight	Very low (0-1,499 Grams)	31	8	9	1	11	1	1	24	7	6
	Low (0-2,499 Grams)	142	27	41	33	31	6	4	106	33	20
Caesarian section	Primary	204	29	60	52	46	12	5	174	25	25
	Secondary	134	3	29	42	36	18	6	119	14	25
Trimester prenatal care began	First	1,558	188	462	461	322	97	28	1,369	148	221
	Third or no care	70	18	30	12	4	5	1	56	14	15
First birth		651	216	198	142	76	14	5	559	73	98
2000 Percentages²											
Live births	Total	100.0	14.9	31.2	27.6	18.6	6.1	1.6	85.8	11.9	15.5
Sex	Male	53.6	58.5	53.6	54.9	50.0	47.0	*	54.6	49.8	55.7
	Female	46.4	41.5	46.4	45.1	50.0	53.0	*	45.4	50.2	44.3
Race	White	85.8	13.5	30.0	28.6	19.4	6.8	*			
	Black	11.9	27.1	40.2	19.2	10.9	*	*			
Ethnicity	Hispanic ¹	15.5	23.2	32.6	20.1	16.4	6.7	*			
Multiple births		2.9	*	*	2.6	7.0	*	-0-	2.7	4.8	*
Marital status	Married	57.8	12.2	43.1	74.9	84.6	77.8	*	62.4	20.1	48.3
	Single	42.2	87.8	56.9	25.1	15.4	22.2	*	37.6	79.9	51.7
Mother not high school graduate		22.8	61.7	24.4	10.5	10.2	12.4	*	21.3	36.8	47.7
Birthweight	Very low (0-1,499 Grams)	1.6	*	*	*	*	*	*	1.5	*	*
	Low (0-2,499 Grams)	7.4	9.4	6.8	6.2	8.7	*	*	6.4	14.4	6.7
Caesarian section	Primary	10.6	10.1	10.0	9.8	12.8	10.3	*	10.6	10.9	8.4
	Secondary	7.0	*	4.8	7.9	10.1	15.4	*	7.2	6.1	8.4
Trimester prenatal care began	First	81.2	65.7	77.3	87.0	89.9	82.9	*	83.2	64.6	74.4
	Third or no care	3.6	6.3	5.0	2.3	*	*	*	3.4	6.1	5.1
First birth		33.9	75.3	33.1	26.8	21.2	12.0	*	33.9	31.9	32.9
Percentages² based on 1996-2000 average											
Live births	Total	100.0	15.2	29.5	28.2	18.0	7.9	1.2	87.0	11.0	14.0
Sex	Male	50.9	52.0	51.9	49.6	50.6	50.1	50.8	51.1	49.1	52.0
	Female	49.1	48.0	48.1	50.4	49.4	49.9	49.2	48.9	50.9	48.0
Race	White	87.0	13.8	28.8	29.0	18.7	8.3	1.3			
	Black	11.0	28.2	35.7	20.2	10.6	4.8	*			
Ethnicity	Hispanic ¹	14.0	20.1	31.8	25.8	16.0	5.8	*			
Multiple births		2.9	1.7	1.8	3.3	4.1	5.2	*	2.9	3.5	2.2
Marital status	Married	59.2	12.3	47.0	75.0	83.6	79.4	82.5	64.0	17.6	55.6
	Single	40.8	87.7	53.0	25.0	16.4	20.6	17.5	36.0	82.4	44.4
Mother not high school graduate		22.0	61.1	24.1	10.8	9.0	10.0	12.7	20.6	34.9	47.5
Birthweight	Very low (0-1,499 Grams)	1.6	2.0	1.7	1.4	1.6	*	*	1.5	3.2	1.5
	Low (0-2,499 Grams)	7.3	9.1	7.2	6.4	6.5	8.5	10.0	6.5	13.3	5.1
Caesarian section	Primary	11.7	11.6	10.5	11.8	12.0	13.6	19.2	11.7	10.8	11.5
	Secondary	7.3	1.5	4.4	7.8	12.1	14.5	19.2	7.2	7.8	7.3
Trimester prenatal care began	First	82.1	67.8	79.0	87.1	89.7	86.3	83.3	83.8	68.4	73.4
	Third or no care	3.6	6.8	4.7	1.9	1.7	3.6	*	3.1	7.6	5.5
First birth		33.4	72.8	34.8	26.8	19.1	11.4	14.2	33.8	28.0	34.7

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Rock Island County - 2000

Population Estimates	
Total	149,100
Under 65 Years	126,560
65 and Older	22,540

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	1,531	22	3	3	9	10	37	83	130	285	470	479
Male	733	15	2	2	9	6	26	59	72	163	228	151
Female	798	7	1	1	--	4	11	24	58	122	242	328
Black	79	6	2	2	3	--	4	10	9	19	16	8
Male	40	3	1	1	3	--	2	9	4	6	7	4
Female	39	3	1	1	--	--	2	1	5	13	9	4
White	1,446	16	1	1	6	10	33	72	120	264	452	471
Male	689	12	1	1	6	6	24	49	67	156	220	147
Female	757	4	--	--	--	4	9	23	53	108	232	324
All other races	6	--	--	--	--	--	--	1	1	2	2	--
Male	4	--	--	--	--	--	--	1	1	1	1	--
Female	2	--	--	--	--	--	--	--	--	1	1	--
Hispanic ethnicity ¹	39	6	--	1	--	--	3	6	6	5	6	6
Male	22	3	--	1	--	--	2	5	4	4	1	2
Female	17	3	--	--	--	--	1	1	2	1	5	4

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	1,531	79	1,446	6	39	297	1,234	1,026.8	234.7	5,474.7
5-Year Average (1996-2000)	1,533	79	1,449	4	29	323	1,209	1029.8	256.8	5,266.5
Infectious and parasitic diseases	24	3	21	--	--	9	15	16.1	*	66.5
# Septicemia	18	1	17	--	--	3	15	12.1	*	66.5
# Viral hepatitis	1	1	--	--	--	1	--	*	*	-0-
# HIV disease	4	1	3	--	--	4	--	*	*	-0-
# Malignant neoplasms	348	24	322	2	7	90	258	233.4	71.1	1,144.6
Lip, oral cavity and pharynx	4	--	4	--	--	2	2	*	*	*
Colorectal	36	4	32	--	--	7	29	24.1	*	128.7
Bronchus and lung	98	4	93	1	1	25	73	65.7	19.8	323.9
Female breast	28	3	25	--	1	11	17	18.8 ³	8.7 ³	75.4 ³
Cervical	6	1	5	--	--	4	2	* ³	* ³	* ³
Prostate	19	1	18	--	1	1	18	12.7 ³	* ³	79.9 ³
# Diabetes mellitus	59	2	57	--	3	10	49	39.6	7.9	217.4
# Alzheimer's disease	26	--	26	--	--	1	25	17.4	*	110.9
Major cardiovascular diseases	638	29	606	3	13	68	570	427.9	53.7	2,528.8
# Diseases of heart	488	22	465	1	9	57	431	327.3	45.0	1,912.2
Ischemic heart disease	314	12	301	1	6	38	276	210.6	30.0	1,224.5
# Cerebrovascular diseases	126	7	119	--	4	11	115	84.5	8.7	510.2
# Atherosclerosis	4	--	4	--	--	--	4	*	-0-	*
# Aortic aneurysm and dissection	14	--	13	1	--	--	14	9.4	-0-	62.1
Respiratory diseases	142	6	136	--	1	21	121	95.2	16.6	536.8
# Influenza and pneumonia	37	1	36	--	--	5	32	24.8	*	142.0
# Chronic lower respiratory diseases	81	3	78	--	1	14	67	54.3	11.1	297.2
Emphysema	20	--	20	--	--	3	17	13.4	*	75.4
Asthma	2	1	1	--	--	2	--	*	*	-0-
# Chronic liver disease and cirrhosis	19	--	19	--	1	10	9	12.7	7.9	*
# Nephritis, nephrotic syndrome and nephrosis	26	--	26	--	--	2	24	17.4	*	106.5
# Certain perinatal conditions	10	1	9	--	4	10	--	6.7	7.9	-0-
# Congenital malformations	8	--	8	--	2	7	1	*	*	*
SIDS	3	2	1	--	--	3	--	*	*	-0-
External causes	67	9	58	--	4	41	26	44.9	32.4	115.4
# Accidents	49	6	43	--	4	27	22	32.9	21.3	97.6
Motor vehicle accidents	17	1	16	--	3	13	4	11.4	10.3	*
All other accidents	32	5	27	--	1	14	18	21.5	11.1	79.9
# Suicide	11	--	11	--	--	9	2	7.4	*	*
# Homicide	3	2	1	--	--	3	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of St. Clair County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	3,734	569	1,120	956	697	336	56	2,205	1,466	111
Sex	Male	1,946	290	585	506	357	177	31	1,183	735	57
	Female	1,788	279	535	450	340	159	25	1,022	731	54
Race	White	2,205	209	550	626	533	247	40			
	Black	1,466	352	558	313	145	84	14			
Ethnicity	Hispanic ¹	111	19	36	23	18	13	2			
Multiple births		148	14	39	52	26	17	--	81	67	4
Marital status	Married	1,946	51	384	648	564	256	43	1,602	295	78
	Single	1,788	518	736	308	133	80	13	603	1,171	33
Mother not high school graduate		765	354	238	101	38	28	6	279	483	53
Birthweight	Very low (0-1,499 Grams)	101	15	29	27	17	12	1	34	66	--
	Low (0-2,499 Grams)	383	69	119	106	55	30	4	164	216	5
Caesarian section	Primary	550	106	152	139	98	46	9	291	251	15
	Secondary	422	29	99	115	99	67	13	205	211	11
Trimester prenatal care began	First	2,894	323	790	805	638	290	48	1,967	871	85
	Third or no care	258	72	108	43	12	20	3	49	208	8
First birth		1,130	388	342	233	119	42	6	733	378	36
2000 Percentages²											
Live births	Total	100.0	15.2	30.0	25.6	18.7	9.0	1.5	59.1	39.3	3.0
Sex	Male	52.1	51.0	52.2	52.9	51.2	52.7	*	53.7	50.1	51.4
	Female	47.9	49.0	47.8	47.1	48.8	47.3	*	46.3	49.9	48.6
Race	White	59.1	9.5	24.9	28.4	24.2	11.2	*			
	Black	39.3	24.0	38.1	21.4	9.9	5.7	*			
Ethnicity	Hispanic ¹	3.0	17.1	32.4	20.7	16.2	11.7	*			
Multiple births		4.0	2.5	3.5	5.4	3.7	5.1	-0-	3.7	4.6	*
Marital status	Married	52.1	9.0	34.3	67.8	80.9	76.2	*	72.7	20.1	70.3
	Single	47.9	91.0	65.7	32.2	19.1	23.8	*	27.3	79.9	29.7
Mother not high school graduate		20.5	62.3	21.3	10.6	5.5	8.4	*	12.7	33.0	47.7
Birthweight	Very low (0-1,499 Grams)	2.7	2.6	2.6	2.8	*	3.6	*	1.5	4.5	-0-
	low (0-2,499 Grams)	10.3	12.1	10.6	11.1	7.9	8.9	*	7.4	14.7	*
Caesarian section	Primary	14.7	18.6	13.6	14.5	14.1	13.7	*	13.2	17.1	13.5
	Secondary	11.3	5.1	8.8	12.0	14.2	19.9	*	9.3	14.4	9.9
Trimester prenatal care began	First	78.0	57.1	70.9	85.1	92.2	86.6	*	89.6	60.1	76.6
	Third or no care	7.0	12.7	9.7	4.5	1.7	6.0	*	2.2	14.4	*
First birth		30.3	68.2	30.5	24.4	17.1	12.5	*	33.2	25.8	32.4
Percentages² based on 1996-2000 average											
Live births	Total	100.0	17.2	28.3	25.8	18.7	8.5	1.5	58.6	39.9	2.6
Sex	Male	50.8	49.0	50.9	51.9	51.1	49.7	54.2	51.5	49.9	52.3
	Female	49.2	51.0	49.1	48.1	48.9	50.3	45.8	48.5	50.1	47.7
Race	White	58.6	10.1	23.8	29.1	24.4	10.9	1.7			
	Black	39.9	28.0	35.2	20.9	10.1	4.8	1.0			
Ethnicity	Hispanic ¹	2.6	15.5	33.3	23.6	17.4	8.7	*			
Multiple births		3.2	2.1	2.8	3.8	3.4	5.1	*	3.3	3.2	*
Marital status	Married	52.9	9.4	36.5	68.6	81.7	79.6	79.5	74.6	19.9	68.4
	Single	47.1	90.6	63.5	31.4	18.3	20.4	20.5	25.4	80.1	31.6
Mother not high school graduate		20.9	63.1	21.2	9.1	5.1	6.9	10.7	12.6	33.5	42.8
Birthweight	Very low (0-1,499 Grams)	2.0	2.1	2.0	2.0	1.8	2.2	*	1.3	3.1	*
	Low (0-2,499 Grams)	9.4	11.4	9.8	8.3	8.0	9.9	11.0	7.0	13.1	6.4
Caesarian section	Primary	14.5	17.0	14.1	13.8	13.3	14.4	17.9	13.7	15.5	13.4
	Secondary	11.6	3.8	9.4	13.2	15.6	19.0	20.5	9.7	14.4	8.9
Trimester prenatal care began	First	77.6	56.1	71.7	85.4	90.7	87.2	82.2	89.0	60.3	76.3
	Third or no care	6.0	11.8	7.6	3.7	2.5	3.5	5.9	2.3	11.7	6.3
First birth		30.7	64.8	29.9	25.1	17.8	13.2	10.3	32.8	27.5	31.4

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of St. Clair County - 2000

Population Estimates	
Total	256,200
Under 65 Years	222,510
65 and Older	33,690

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	2,546	38	5	1	39	43	98	190	252	508	728	644
Male	1,192	22	1	1	28	27	52	108	135	287	343	188
Female	1,354	16	4	--	11	16	46	82	117	221	385	456
Black	649	24	5	1	21	25	49	92	82	126	120	104
Male	318	13	1	1	18	12	21	51	47	65	55	34
Female	331	11	4	--	3	13	28	41	35	61	65	70
White	1,887	14	--	--	17	18	49	95	169	381	605	539
Male	872	9	--	--	9	15	31	57	88	221	288	154
Female	1,015	5	--	--	8	3	18	38	81	160	317	385
All other races	10	--	--	--	1	--	--	3	1	1	3	1
Male	2	--	--	--	1	--	--	--	--	1	--	--
Female	8	--	--	--	--	--	--	3	1	--	3	1
Hispanic ethnicity ¹	11	--	--	--	1	1	--	3	--	1	3	2
Male	6	--	--	--	--	1	--	3	--	1	--	1
Female	5	--	--	--	1	--	--	--	--	--	3	1

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	2,546	649	1,887	10	11	666	1,880	993.8	299.3	5,580.3
5-Year Average (1996-2000)	2,558	681	1,870	8	14	667	1,892	968.1	290.0	5,505.2
Infectious and parasitic diseases	68	28	40	--	--	17	51	26.5	7.6	151.4
# Septicemia	51	17	34	--	--	7	44	19.9	*	130.6
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	7	5	2	--	--	7	--	*	-0-	-0-
# Malignant neoplasms	635	140	491	4	1	179	456	247.9	80.4	1,353.5
Lip, oral cavity and pharynx	6	2	4	--	--	1	5	*	*	*
Colorectal	57	10	47	--	1	7	50	22.2	*	148.4
Bronchus and lung	203	42	160	1	--	55	148	79.2	24.7	439.3
Female breast	54	15	38	1	--	25	29	21.1 ³	11.2 ³	86.1 ³
Cervical	7	5	2	--	--	7	--	* ³	* ³	-0. ³
Prostate	34	9	25	--	--	2	32	13.3 ³	* ³	95.0 ³
# Diabetes mellitus	98	43	55	--	--	32	66	38.3	14.4	195.9
# Alzheimer's disease	44	8	36	--	--	2	42	17.2	*	124.7
Major cardiovascular diseases	935	230	701	4	6	158	777	364.9	71.0	2,306.3
# Diseases of heart	710	170	537	3	4	125	585	277.1	56.2	1,736.4
Ischemic heart disease	494	104	388	2	2	78	416	192.8	35.1	1,234.8
# Cerebrovascular diseases	163	46	116	1	1	23	140	63.6	10.3	415.6
# Atherosclerosis	7	2	5	--	--	--	7	*	-0-	*
# Aortic aneurysm and dissection	16	4	12	--	--	1	15	6.2	*	44.5
Respiratory diseases	264	40	224	--	1	30	234	103.0	13.5	694.6
# Influenza and pneumonia	85	16	69	--	--	4	81	33.2	*	240.4
# Chronic lower respiratory diseases	143	22	121	--	1	22	121	55.8	9.9	359.2
Emphysema	11	2	9	--	--	1	10	4.3	*	29.7
Asthma	6	4	2	--	--	3	3	*	*	*
# Chronic liver disease and cirrhosis	18	4	14	--	--	14	4	7.0	6.3	*
# Nephritis, nephrotic syndrome and nephrosis	56	19	37	--	1	11	45	21.9	4.9	133.6
# Certain perinatal conditions	23	15	8	--	--	23	--	9.0	10.3	-0-
# Congenital malformations	6	1	4	1	--	6	--	*	*	-0-
SIDS	2	2	--	--	--	2	--	*	*	-0-
External causes	155	62	93	--	2	123	32	60.5	55.3	95.0
# Accidents	104	34	70	--	1	78	26	40.6	35.1	77.2
Motor vehicle accidents	47	19	28	--	1	41	6	18.3	18.4	*
All other accidents	57	15	42	--	--	37	20	22.2	16.6	59.4
# Suicide	18	3	15	--	--	14	4	7.0	6.3	*
# Homicide	30	24	6	--	--	29	1	11.7	13.0	*

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Saline County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	297	54	113	71	45	12	2	277	17	1
Sex	Male	147	25	58	37	19	7	1	138	7	1
	Female	150	29	55	34	26	5	1	139	10	--
Race	White	277	47	104	68	45	11	2			
	Black	17	6	8	2	--	1	--			
Ethnicity	Hispanic ¹	1	--	1	--	--	--	--			
Multiple births		10	2	4	4	--	--	--	8	2	--
Marital status	Married	187	16	62	62	39	6	2	182	4	--
	Single	110	38	51	9	6	6	--	95	13	1
Mother not high school graduate		71	30	29	9	2	1	--	60	9	1
Birthweight	Very low (0-1,499 Grams)	4	1	1	2	--	--	--	3	--	--
	Low (0-2,499 Grams)	28	5	10	8	3	2	--	22	5	--
Caesarian section	Primary	28	9	7	9	1	2	--	27	--	--
	Secondary	17	--	3	4	8	2	--	16	1	--
Trimester prenatal care began	First	238	44	84	59	39	10	2	224	12	--
	Third or no care	5	--	4	1	--	--	--	5	--	--
First birth		97	34	40	17	5	1	--	93	2	1
2000 Percentages²											
Live births	Total	100.0	18.2	38.0	23.9	15.2	4.0	*	93.3	5.7	*
Sex	Male	49.5	*	51.3	*	*	*	*	49.8	-0-	100.0
	Female	50.5	*	48.7	*	*	*	*	50.2	*	-0-
Race	White	93.3	*	37.5	*	*	*	*			
	Black	5.7	*	*	*	-0-	*	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	-0-	-0-	-0-			
Multiple births		3.4	*	*	*	-0-	-0-	-0-	*	*	-0-
Marital status	Married	63.0	*	54.9	*	*	*	*	65.7	*	-0-
	Single	*	70.4	45.1	*	*	*	-0-	34.3	*	*
Mother not high school graduate		23.9	*	25.7	*	*	*	-0-	21.7	*	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	9.5	*	8.8	*	*	*	-0-	8.0	*	-0-
Caesarian section	Primary	9.4	*	*	*	*	*	-0-	9.7	-0-	-0-
	Secondary	5.7	-0-	*	*	*	*	-0-	5.8	*	-0-
Trimester prenatal care began	First	82.9	*	76.4	*	*	*	*	83.3	*	-0-
	Third or no care	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
First birth		32.7	*	35.4	*	*	*	-0-	33.6	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	18.2	34.3	26.7	15.1	4.7	.9	94.1	5.0	*
Sex	Male	50.6	51.6	49.7	52.3	48.9	*	*	51.0	*	*
	Female	49.4	48.4	50.3	47.8	51.1	*	*	49.0	*	*
Race	White	94.1	17.2	34.0	27.1	15.9	4.8	.9			
	Black	5.0	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	*	*	*	*	-0-	-0-	-0-			
Multiple births		2.5	*	*	5.0	*	*	-0-	2.6	*	-0-
Marital status	Married	66.3	30.8	60.4	82.8	87.2	*	*	68.8	*	*
	Single	33.7	69.2	39.6	17.3	12.8	*	*	31.2	*	*
Mother not high school graduate		22.7	59.0	21.2	10.5	8.4	*	*	21.7	*	*
Birthweight	Very low (0-1,499 Grams)	1.1	*	*	*	*	*	-0-	1.1	*	-0-
	Low (0-2,499 Grams)	8.6	9.9	7.2	9.5	8.8	*	-0-	8.2	*	-0-
Caesarian section	Primary	11.2	11.7	8.0	15.3	11.5	*	*	11.3	*	-0-
	Secondary	7.3	*	3.7	9.3	15.9	*	*	7.6	*	-0-
Trimester prenatal care began	First	80.6	74.6	77.3	86.3	83.3	*	*	81.5	*	*
	Third or no care	2.7	3.4	3.5	*	*	*	*	2.7	*	-0-
First birth		36.1	72.2	39.4	25.8	13.2	*	*	36.0	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Saline County - 2000

Population Estimates	
Total	26,700
Under 65 Years	21,650
65 and Older	5,050

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	418	6	--	3	1	4	12	28	47	59	119	139
Male	181	2	--	2	1	3	7	14	28	34	46	44
Female	237	4	--	1	--	1	5	14	19	25	73	95
Black	17	--	--	--	--	--	1	1	--	1	5	9
Male	3	--	--	--	--	--	--	--	--	--	1	2
Female	14	--	--	--	--	--	1	1	--	1	4	7
White	400	6	--	3	1	4	11	27	47	58	113	130
Male	178	2	--	2	1	3	7	14	28	34	45	42
Female	222	4	--	1	--	1	4	13	19	24	68	88
All other races	1	--	--	--	--	--	--	--	--	--	1	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	1	--
Hispanic ethnicity ¹	3	--	--	--	--	--	--	--	--	1	--	2
Male	1	--	--	--	--	--	--	--	--	--	--	1
Female	2	--	--	--	--	--	--	--	--	1	--	1

	Deaths by Selected Causes										
	Race					Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	418	17	400	1	3	101	317	1,565.5	466.5	6,277.2	
5-Year Average (1996-2000)	409	12	397	<1	1	85	324	1572.6	408.2	6,349.0	
# Infectious and parasitic diseases	5	1	4	--	--	--	5	*	-0-	*	
# Septicemia	4	1	3	--	--	--	4	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	88	3	85	--	--	25	63	329.6	115.5	1,247.5	
Lip, oral cavity and pharynx	2	--	2	--	--	--	2	*	-0-	*	
Colorectal	12	--	12	--	--	3	9	44.9	*	*	
Bronchus and lung	26	--	26	--	--	8	18	97.4	*	356.4	
Female breast	2	1	1	--	--	--	2	* ³	-0- ³	* ³	
Cervical	1	--	1	--	--	1	--	* ³	* ³	-0- ³	
Prostate	2	--	2	--	--	--	2	* ³	-0- ³	* ³	
# Diabetes mellitus	17	1	16	--	--	3	14	63.7	*	277.2	
# Alzheimer's disease	21	1	20	--	--	--	21	78.7	-0-	415.8	
Major cardiovascular diseases	181	8	172	1	2	34	147	677.9	157.0	2,910.9	
# Diseases of heart	140	6	133	1	--	27	113	524.3	124.7	2,237.6	
Ischemic heart disease	96	5	90	1	--	19	77	359.6	87.8	1,524.8	
# Cerebrovascular diseases	27	1	26	--	1	6	21	101.1	*	415.8	
# Atherosclerosis	11	1	10	--	1	--	11	41.2	-0-	217.8	
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-	
Respiratory diseases	30	--	30	--	--	3	27	112.4	*	534.7	
# Influenza and pneumonia	6	--	6	--	--	--	6	*	-0-	*	
# Chronic lower respiratory diseases	18	--	18	--	--	1	17	67.4	*	336.6	
Emphysema	1	--	1	--	--	--	1	*	-0-	*	
Asthma	1	--	1	--	--	--	1	*	-0-	*	
# Chronic liver disease and cirrhosis	4	--	4	--	--	4	--	*	*	-0-	
# Nephritis, nephrotic syndrome and nephrosis	11	3	8	--	1	--	11	41.2	-0-	217.8	
# Certain perinatal conditions	3	--	3	--	--	3	--	*	*	-0-	
# Congenital malformations	2	--	2	--	--	2	--	*	*	-0-	
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	24	--	24	--	--	19	5	89.9	87.8	*	
# Accidents	16	--	16	--	--	12	4	59.9	55.4	*	
Motor vehicle accidents	5	--	5	--	--	5	--	*	*	-0-	
All other accidents	11	--	11	--	--	7	4	41.2	*	*	
# Suicide	7	--	7	--	--	6	1	*	*	*	
# Homicide	1	--	1	--	--	1	--	*	*	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Sangamon County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	2,646	331	619	749	622	273	52	2,172	431	38
Sex	Male	1,330	181	297	388	292	144	28	1,091	216	15
	Female	1,316	150	322	361	330	129	24	1,081	215	23
Race	White	2,172	211	458	644	567	248	44			
	Black	431	117	156	91	39	21	7			
Ethnicity	Hispanic ¹	38	5	9	13	7	4	--			
Multiple births		119	2	13	37	52	15	--	101	16	--
Marital status	Married	1,668	34	235	580	544	233	42	1,549	83	--
	Single	978	297	384	169	78	40	10	623	348	14
Mother not high school graduate		430	188	158	46	22	9	7	270	155	5
Birthweight	Very low (0-1,499 Grams)	46	4	13	14	11	4	--	22	24	--
	Low (0-2,499 Grams)	226	23	61	61	52	25	4	168	56	3
Caesarian section	Primary	391	55	68	110	98	49	11	329	58	4
	Secondary	170	5	29	50	43	36	7	126	38	4
Trimester prenatal care began	First	2,292	228	497	694	584	246	43	1,965	291	29
	Third or no care	70	22	26	8	7	6	1	46	23	3
First birth		802	220	198	231	114	36	3	693	92	12
2000 Percentages²											
Live births	Total	100.0	12.5	23.4	28.3	23.5	10.3	2.0	82.1	16.3	1.4
Sex	Male	50.3	54.7	48.0	51.8	46.9	52.7	*	50.2	*	39.5
	Female	49.7	45.3	52.0	48.2	53.1	47.3	*	49.8	49.9	*
Race	White	82.1	9.7	21.1	29.7	26.1	11.4	*			
	Black	16.3	27.1	36.2	21.1	9.0	4.9	*			
Ethnicity	Hispanic ¹	1.4	*	*	34.2	*	*	-0-			
Multiple births		4.5	*	2.1	4.9	8.4	5.5	-0-	4.7	3.7	-0-
Marital status	Married	63.0	10.3	38.0	77.4	87.5	85.3	*	71.3	19.3	*
	Single	37.0	89.7	62.0	22.6	12.5	14.7	*	28.7	80.7	*
Mother not high school graduate		16.3	56.8	25.6	6.1	3.5	*	*	12.4	36.0	*
Birthweight	Very low (0-1,499 Grams)	1.7	*	2.1	1.9	*	*	-0-	1.0	5.6	-0-
	Low (0-2,499 Grams)	8.5	7.0	9.9	8.2	8.4	9.2	*	7.7	13.0	*
Caesarian section	Primary	14.8	16.6	11.0	14.7	15.8	17.9	*	15.1	13.5	*
	Secondary	6.4	*	4.7	6.7	6.9	13.2	*	5.8	8.8	*
Trimester prenatal care began	First	87.5	69.9	81.6	93.4	94.3	90.4	*	91.1	69.5	*
	Third or no care	2.7	6.7	4.3	*	*	*	*	2.1	5.5	*
First birth		30.3	66.5	32.0	30.8	18.3	13.2	*	31.9	21.3	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.4	23.3	28.4	23.1	10.0	1.8	83.2	15.2	1.3
Sex	Male	50.8	51.9	50.1	50.6	50.5	51.9	51.1	50.9	49.6	43.8
	Female	49.2	48.1	49.9	49.4	49.5	48.1	48.9	49.1	50.4	56.2
Race	White	83.2	10.5	21.4	29.9	25.2	11.2	1.8			
	Black	15.2	30.5	34.7	19.4	10.7	3.5	1.3			
Ethnicity	Hispanic ¹	1.3	14.2	29.0	23.5	16.0	14.8	*			
Multiple births		3.2	1.4	2.3	3.2	4.7	4.5	*	3.3	3.0	*
Marital status	Married	65.4	11.7	43.3	80.7	88.9	87.4	87.9	72.8	22.3	61.7
	Single	34.6	88.3	56.7	19.3	11.1	12.6	12.1	27.2	77.7	38.3
Mother not high school graduate		16.3	60.3	22.7	6.3	3.0	3.6	7.6	12.3	39.4	24.2
Birthweight	Very low (0-1,499 Grams)	1.7	2.0	2.1	1.5	1.6	1.2	*	1.3	3.9	-0-
	Low (0-2,499 Grams)	8.2	9.5	9.2	7.2	7.3	8.8	12.6	7.4	13.5	7.4
Caesarian section	Primary	13.3	12.6	12.1	13.8	13.3	15.4	16.1	13.4	12.8	11.1
	Secondary	6.4	1.1	4.1	5.7	9.4	13.1	12.1	6.2	7.2	11.7
Trimester prenatal care began	First	86.6	67.6	79.7	92.6	94.2	92.8	89.0	90.0	67.0	79.5
	Third or no care	2.6	6.3	4.0	1.4	1.4	1.1	*	1.8	7.3	*
First birth		32.4	67.7	33.7	33.2	19.1	14.6	10.3	33.2	27.7	28.4

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Sangamon County - 2000

Population Estimates	
Total	189,000
Under 65 Years	163,440
65 and Older	25,560

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	1,785	18	2	3	16	19	68	120	151	319	514	555
Male	877	10	1	2	11	10	48	71	94	187	250	193
Female	908	8	1	1	5	9	20	49	57	132	264	362
Black	118	6	1	2	4	1	14	16	17	20	21	16
Male	60	2	--	2	3	--	8	7	8	13	9	8
Female	58	4	1	--	1	1	6	9	9	7	12	8
White	1,664	12	1	1	12	18	54	104	133	299	492	538
Male	817	8	1	--	8	10	40	64	86	174	241	185
Female	847	4	--	1	4	8	14	40	47	125	251	353
All other races	3	--	--	--	--	--	--	--	1	--	1	1
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	3	--	--	--	--	--	--	--	1	--	1	1
Hispanic ethnicity ¹	8	--	--	--	--	--	1	--	--	1	4	2
Male	2	--	--	--	--	--	1	--	--	--	1	--
Female	6	--	--	--	--	--	--	--	--	1	3	2

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	1,785	118	1,664	3	8	397	1,388	944.4	242.9	5,430.4
5-Year Average (1996-2000)	1,780	136	1,641	4	5	419	1,361	963.4	263.2	5,353.7
# Infectious and parasitic diseases	42	6	36	--	1	15	27	22.2	9.2	105.6
# Septicemia	29	4	25	--	--	7	22	15.3	*	86.1
# Viral hepatitis	1	--	1	--	--	--	1	*	-0-	*
# HIV disease	7	2	5	--	1	7	--	*	-0-	-0-
# Malignant neoplasms	434	33	400	1	2	118	316	229.6	72.2	1,236.3
Lip, oral cavity and pharynx	8	1	7	--	--	6	2	*	*	*
Colorectal	39	5	34	--	--	6	33	20.6	*	129.1
Bronchus and lung	114	9	105	--	1	34	80	60.3	20.8	313.0
Female breast	31	5	26	--	--	14	17	16.4 ³	8.6 ³	66.5 ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	32	3	29	--	--	3	29	16.9 ³	* ³	113.5 ³
# Diabetes mellitus	46	5	41	--	--	5	41	24.3	*	160.4
# Alzheimer's disease	31	--	31	--	--	--	31	16.4	-0-	121.3
# Major cardiovascular diseases	686	38	647	1	3	111	575	363.0	67.9	2,249.6
# Diseases of heart	502	29	472	1	1	87	415	265.6	53.2	1,623.6
Ischemic heart disease	311	15	296	--	1	34	277	164.6	20.8	1,083.7
# Cerebrovascular diseases	127	7	120	--	1	15	112	67.2	9.2	438.2
# Atherosclerosis	6	--	6	--	--	1	5	*	*	*
# Aortic aneurysm and dissection	13	--	13	--	1	1	12	6.9	*	46.9
# Respiratory diseases	197	5	192	--	1	23	174	104.2	14.1	680.8
# Influenza and pneumonia	68	1	67	--	--	5	63	36.0	*	246.5
# Chronic lower respiratory diseases	85	4	81	--	--	11	74	45.0	6.7	289.5
Emphysema	14	--	14	--	--	2	12	7.4	*	46.9
Asthma	6	3	3	--	--	2	4	*	*	*
# Chronic liver disease and cirrhosis	11	1	10	--	--	7	4	5.8	*	*
# Nephritis, nephrotic syndrome and nephrosis	34	4	30	--	1	5	29	18.0	*	113.5
# Certain perinatal conditions	12	5	7	--	--	12	--	6.3	7.3	-0-
# Congenital malformations	7	--	7	--	--	6	1	*	*	*
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
# External causes	97	11	86	--	--	64	33	51.3	39.2	129.1
# Accidents	65	5	60	--	--	41	24	34.4	25.1	93.9
Motor vehicle accidents	21	3	18	--	--	16	5	11.1	9.8	*
All other accidents	44	2	42	--	--	25	19	23.3	15.3	74.3
# Suicide	20	2	18	--	--	14	6	10.6	8.6	*
# Homicide	9	3	6	--	--	7	2	*	*	*

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Schuyler County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	79	5	34	24	12	3	1	79	--	1
Sex	Male	36	--	16	11	6	2	1	36	--	--
	Female	43	5	18	13	6	1	--	43	--	1
Race	White	79	5	34	24	12	3	1			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	1	--	--	--	--			
Multiple births		--	--	--	--	--	--	--	--	--	--
Marital status	Married	69	--	31	22	12	3	1	69	--	--
	Single	10	5	3	2	--	--	--	10	--	--
Mother not high school graduate		8	3	4	1	--	--	--	8	--	--
Birthweight	Very low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	3	1	1	1	--	--	--	3	--	--
Caesarian section	Primary	8	1	5	--	2	--	--	8	--	--
	Secondary	8	--	1	5	--	2	--	8	--	--
Trimester prenatal care began	First	70	4	29	23	12	2	--	70	--	1
	Third or no care	1	--	1	--	--	--	--	1	--	--
First birth		34	5	19	6	4	--	--	34	--	1
2000 Percentages²											
Live births	Total	*	*	*	*	*	*	*	*	-0-	*
Sex	Male	*	-0-	*	*	*	*	*	*	*	.0
	Female	*	*	*	*	*	*	-0-	*	-0-	*
Race	White	*	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	-0-	-0-	-0-			
Multiple births		-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Marital status	Married	*	*	*	*	*	*	*	*	-0-	*
	Single	*	100.0	8.8	*	-0-	-0-	-0-	*	-0-	-0-
Mother not high school graduate		-0-	*	*	*	-0-	-0-	-0-	*	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	low (0-2,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	-0-	-0-
Caesarian section	Primary	*	*	*	-0-	*	-0-	-0-	*	-0-	-0-
	Secondary	*	-0-	*	*	-0-	*	-0-	*	-0-	-0-
Trimester prenatal care began	First	*	*	*	*	*	*	-0-	*	-0-	*
	Third or no care	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
First birth		*	*	*	*	*	-0-	-0-	*	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	11.2	31.8	31.5	15.6	8.4	*	99.3	-0-	*
Sex	Male	53.6	*	50.8	52.8	*	*	*	53.8	-0-	*
	Female	46.4	*	49.2	47.2	*	*	*	46.3	-0-	*
Race	White	99.3	11.3	32.0	31.0	15.8	8.5	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	*	-0-	-0-			
Multiple births		3.2	*	*	*	-0-	*	*	3.3	-0-	-0-
Marital status	Married	80.1	*	75.8	93.7	*	*	*	80.0	-0-	*
	Single	19.9	*	24.2	*	*	*	*	20.0	-0-	*
Mother not high school graduate		12.4	*	13.3	*	*	*	-0-	12.5	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	*	-0-	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.7	*	*	*	*	*	*	6.8	-0-	-0-
Caesarian section	Primary	15.6	*	14.8	14.2	*	*	*	15.8	-0-	-0-
	Secondary	7.7	*	*	*	*	*	-0-	7.8	-0-	-0-
Trimester prenatal care began	First	78.7	*	75.8	85.0	*	*	*	78.8	-0-	*
	Third or no care	2.7	4.4	*	*	-0-	*	-0-	2.8	-0-	*
First birth		33.3	77.8	41.4	24.4	*	*	-0-	33.3	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Schuyler County - 2000

Population Estimates	
Total	7,200
Under 65 Years	5,810
65 and Older	1,390

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	92	1	--	--	1	1	--	5	8	13	29	34
Male	38	--	--	--	1	1	--	4	4	8	12	8
Female	54	1	--	--	--	--	--	1	4	5	17	26
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	92	1	--	--	1	1	--	5	8	13	29	34
Male	38	--	--	--	1	1	--	4	4	8	12	8
Female	54	1	--	--	--	--	--	1	4	5	17	26
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	92	--	92	--	--	16	76	1,277.8	275.4	5,467.6
5-Year Average (1996-2000)	90	--	90	--	--	13	76	1,175.4	215.7	5,350.1
Infectious and parasitic diseases	--	--	--	--	--	--	--	-0-	-0-	-0-
# Septicemia	--	--	--	--	--	--	--	-0-	-0-	-0-
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	21	--	21	--	--	6	15	291.7	*	1,079.1
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	--	--	--	--	--	--	--	-0-	-0-	-0-
Bronchus and lung	7	--	7	--	--	2	5	*	*	*
Female breast	2	--	2	--	--	--	2	* ³	-0- ³	* ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	2	--	2	--	--	--	2	* ³	-0- ³	* ³
# Diabetes mellitus	1	--	1	--	--	--	1	*	-0-	*
# Alzheimer's disease	2	--	2	--	--	--	2	*	-0-	*
Major cardiovascular diseases	47	--	47	--	--	3	44	652.8	*	3,165.5
# Diseases of heart	36	--	36	--	--	1	35	500.0	*	2,518.0
Ischemic heart disease	28	--	28	--	--	1	27	388.9	*	1,942.4
# Cerebrovascular diseases	8	--	8	--	--	--	8	*	-0-	*
# Atherosclerosis	1	--	1	--	--	1	--	*	*	-0-
# Aortic aneurysm and dissection	2	--	2	--	--	1	1	*	*	*
Respiratory diseases	5	--	5	--	--	--	5	*	-0-	*
# Influenza and pneumonia	2	--	2	--	--	--	2	*	-0-	*
# Chronic lower respiratory diseases	1	--	1	--	--	--	1	*	-0-	*
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	1	--	1	--	--	1	--	*	*	-0-
# Nephritis, nephrotic syndrome and nephrosis	1	--	1	--	--	--	1	*	-0-	*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-
SIDS	1	--	1	--	--	1	--	*	*	-0-
External causes	5	--	5	--	--	3	2	*	*	*
# Accidents	3	--	3	--	--	1	2	*	*	*
Motor vehicle accidents	1	--	1	--	--	1	--	*	*	-0-
All other accidents	2	--	2	--	--	--	2	*	-0-	*
# Suicide	2	--	2	--	--	2	--	*	*	-0-
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Scott County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	72	12	13	25	11	7	4	72	--	--
Sex	Male	34	5	7	13	5	2	2	34	--	--
	Female	38	7	6	12	6	5	2	38	--	--
Race	White	72	12	13	25	11	7	4			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple births		2	--	--	2	--	--	--	2	--	--
Marital status	Married	48	1	5	22	10	7	3	48	--	--
	Single	24	11	8	3	1	--	1	24	--	--
Mother not high school graduate		11	5	4	1	1	--	--	11	--	--
Birthweight	Very low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	2	--	--	2	--	--	--	2	--	--
Caesarian section	Primary	11	4	2	3	1	1	--	11	--	--
	Secondary	4	--	--	--	1	3	--	4	--	--
Trimester prenatal care began	First	--	11	11	24	11	6	2	65	--	--
	Third or no care	0	--	0	--	--	--	--	--	--	--
First birth		27	12	5	8	1	1	--	27	--	--
2000 Percentages²											
Live births	Total	*	*	*	*	*	*	*	*	-0-	-0-
Sex	Male	*	*	*	*	*	*	*	*	-0-	.
	Female	*	*	*	*	*	*	*	*	-0-	-0-
Race	White	*	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
Marital status	Married	*	*	*	*	*	*	*	*	-0-	-0-
	Single	*	91.7	61.5	*	*	-0-	*	*	-0-	-0-
Mother not high school graduate		*	*	*	*	*	-0-	-0-	*	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
Caesarian section	Primary	*	*	*	*	*	*	-0-	*	-0-	-0-
	Secondary	*	-0-	-0-	-0-	*	*	-0-	*	-0-	-0-
Trimester prenatal care began	First	*	*	*	*	*	*	*	*	-0-	-0-
	Third or no care	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
First birth		*	*	*	*	*	*	-0-	*	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	11.9	25.7	32.5	17.6	10.7	*	99.7	-0-	*
Sex	Male	50.4	*	*	50.5	*	*	*	50.3	-0-	-0-
	Female	49.6	*	*	49.5	*	*	*	49.7	-0-	*
Race	White	99.7	12.0	25.7	32.6	17.7	10.5	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple births		*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
Marital status	Married	73.4	*	*	83.5	*	*	*	73.4	-0-	-0-
	Single	26.6	*	*	16.5	*	*	*	26.6	-0-	*
Mother not high school graduate		12.5	*	*	*	*	*	-0-	12.6	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	3.9	*	*	*	*	*	-0-	3.9	-0-	-0-
Caesarian section	Primary	15.5	*	*	18.3	*	*	-0-	15.3	-0-	-0-
	Secondary	7.5	-0-	*	10.1	*	*	-0-	7.5	-0-	-0-
Trimester prenatal care began	First	87.4	*	*	89.9	*	*	*	87.4	-0-	*
	Third or no care	*	.0	*	*	-0-	*	-0-	*	-0-	-0-
First birth		37.0	87.5	*	30.3	*	*	-0-	36.8	-0-	-0-

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Scott County - 2000

Population Estimates	
Total	5,500
Under 65 Years	4,580
65 and Older	920

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	68	1	--	--	3	1	--	2	6	4	19	32
Male	37	--	--	--	2	--	--	2	4	1	10	18
Female	31	1	--	--	1	1	--	--	2	3	9	14
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	68	1	--	--	3	1	--	2	6	4	19	32
Male	37	--	--	--	2	--	--	2	4	1	10	18
Female	31	1	--	--	1	1	--	--	2	3	9	14
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	68	--	68	--	--	13	55	1,236.4	283.8	5,978.3
5-Year Average (1996-2000)	62	--	62	<1	--	12	51	1130.4	252.7	5,462.4
Infectious and parasitic diseases	2	--	2	--	--	--	2	*	-0-	*
# Septicemia	2	--	2	--	--	--	2	*	-0-	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	12	--	12	--	--	4	8	218.2	*	*
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	2	--	2	--	--	2	--	*	*	-0-
Bronchus and lung	2	--	2	--	--	--	2	-0-	-0-	*
Female breast	--	--	--	--	--	--	--	* ³	-0- ³	-0- ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
# Diabetes mellitus	3	--	3	--	--	--	3	*	-0-	*
# Alzheimer's disease	3	--	3	--	--	--	3	*	-0-	*
Major cardiovascular diseases	30	--	30	--	--	2	28	545.5	*	3,043.5
# Diseases of heart	24	--	24	--	--	2	22	436.4	*	2,391.3
Ischemic heart disease	20	--	20	--	--	2	18	363.6	*	1,956.5
# Cerebrovascular diseases	--	--	--	--	--	--	--	-0-	-0-	-0-
# Atherosclerosis	3	--	3	--	--	--	3	*	-0-	*
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-
Respiratory diseases	8	--	8	--	--	1	7	*	*	*
# Influenza and pneumonia	2	--	2	--	--	1	1	*	*	*
# Chronic lower respiratory diseases	5	--	5	--	--	--	5	*	-0-	*
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Nephritis, nephrotic syndrome and nephrosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	3	--	3	--	--	2	1	*	*	*
# Accidents	--	--	--	--	--	--	--	-0-	-0-	-0-
Motor vehicle accidents	--	--	--	--	--	--	--	-0-	-0-	-0-
All other accidents	--	--	--	--	--	--	--	-0-	-0-	-0-
# Suicide	3	--	3	--	--	2	1	*	*	*
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Shelby County - 2000

		All Ages	Mother's Age						Race		Ethnicity Hispanic ¹
			Under 20	20-24	25-29	30-34	35-39	40 and older	White	Black	
2000 Numbers											
Live births	Total	244	30	88	68	39	13	6	244	--	1
Sex	Male	119	14	47	38	16	3	1	119	--	--
	Female	125	16	41	30	23	10	5	125	--	1
Race	White	244	30	88	68	39	13	6			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	1	--	--	--	--			
Multiple births		6	--	--	--	--	2	4			
Marital status	Married	181	8	60	59	35	13	6	181	--	--
	Single	63	22	28	9	4	--	--	63	--	--
Mother not high school graduate		34	20	9	4	1	--	--	34	--	--
Birthweight	Very low (0-1,499 Grams)	2	--	1	1	--	--	--	2	--	--
	Low (0-2,499 Grams)	19	1	8	5	2	1	2	19	--	--
Caesarian section	Primary	43	6	13	11	6	3	4	43	--	--
	Secondary	19	--	2	10	4	2	1	19	--	--
Trimester prenatal care began	First	214	21	75	66	34	12	6	214	--	1
	Third or no care	7	1	4	1	1	--	--	7	--	--
First birth		88	23	38	21	4	2	--	88	--	--
2000 Percentages²											
Live births	Total	100.0	12.3	36.1	27.9	16.0	5.3	*	100.0	-0-	*
Sex	Male	48.8	*	*	*	*	*	*	48.8	*	.0
	Female	51.2	*	*	*	*	*	*	51.2	-0-	*
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	-0-	-0-	*	*			
Marital status	Married	74.2	*	*	*	*	*	*	74.2	-0-	*
	Single	*	73.3	31.8	*	*	-0-	-0-	25.8	-0-	-0-
Mother not high school graduate		*	*	*	*	*	-0-	-0-	13.9	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.8	*	*	*	*	*	*	7.8	-0-	-0-
Caesarian section	Primary	17.6	*	*	*	*	*	*	17.6	-0-	-0-
	Secondary	7.8	-0-	*	*	*	*	*	7.8	-0-	-0-
Trimester prenatal care began	First	87.7	*	*	*	*	*	*	87.7	-0-	*
	Third or no care	*	*	*	*	*	-0-	-0-	*	-0-	-0-
First birth		36.1	*	*	*	*	*	-0-	36.1	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.5	30.7	30.5	17.4	6.5	1.4	99.7	*	*
Sex	Male	49.3	47.4	50.4	51.3	48.0	*	*	49.2	*	*
	Female	50.7	52.6	49.6	48.7	52.0	*	*	50.8	-0-	*
Race	White	99.7	13.5	30.8	30.4	17.5	6.4	1.4			
	Black	*	*	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	*	-0-	*	-0-			
Multiple births		2.3	-0-	*	2.5	*	*	*			
Marital status	Married	74.9	29.1	69.5	86.8	91.6	*	*	74.8	*	*
	Single	25.1	70.9	30.5	13.2	8.4	*	-0-	25.2	-0-	*
Mother not high school graduate		14.3	59.4	13.4	4.8	*	*	-0-	14.4	-0-	*
Birthweight	Very low (0-1,499 Grams)	.9	*	*	*	-0-	-0-	-0-	.9	-0-	-0-
	Low (0-2,499 Grams)	6.0	6.3	7.1	6.1	*	*	*	6.0	-0-	-0-
Caesarian section	Primary	11.8	10.9	12.1	11.9	9.3	*	*	11.7	-0-	*
	Secondary	9.1	*	4.8	10.2	15.6	*	*	9.2	-0-	*
Trimester prenatal care began	First	83.9	67.2	82.5	91.1	86.2	*	*	84.0	*	*
	Third or no care	3.2	7.5	3.5	*	*	*	-0-	3.1	-0-	*
First birth		32.8	68.0	43.8	25.6	9.3	*	*	32.7	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Shelby County - 2000

Population Estimates	
Total	22,800
Under 65 Years	18,720
65 and Older	4,080

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	247	2	2	--	5	2	3	13	28	45	73	74
Male	118	1	--	--	4	2	2	6	18	23	40	22
Female	129	1	2	--	1	--	1	7	10	22	33	52
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	247	2	2	--	5	2	3	13	28	45	73	74
Male	118	1	--	--	4	2	2	6	18	23	40	22
Female	129	1	2	--	1	--	1	7	10	22	33	52
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	247	--	247	--	--	55	192	1,083.3	293.8	4,705.9	
5-Year Average (1996-2000)	245	--	245	--	<1	45	200	1089.0	241.3	5,025.1	
Infectious and parasitic diseases	2	--	2	--	--	--	2	*	-0-	*	
# Septicemia	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	63	--	63	--	--	24	39	276.3	128.2	955.9	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	9	--	9	--	--	2	7	*	*	*	
Bronchus and lung	17	--	17	--	--	4	13	74.6	*	318.6	
Female breast	4	--	4	--	--	2	2	* ³	* ³	* ³	
Cervical	1	--	1	--	--	1	--	* ³	* ³	-0- ³	
Prostate	2	--	2	--	--	--	2	* ³	-0- ³	* ³	
# Diabetes mellitus	5	--	5	--	--	1	4	*	*	*	
# Alzheimer's disease	5	--	5	--	--	--	5	*	-0-	*	
Major cardiovascular diseases	100	--	100	--	--	12	88	438.6	64.1	2,156.9	
# Diseases of heart	77	--	77	--	--	11	66	337.7	58.8	1,617.6	
Ischemic heart disease	54	--	54	--	--	6	48	236.8	*	1,176.5	
# Cerebrovascular diseases	18	--	18	--	--	1	17	78.9	*	416.7	
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*	
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-	
Respiratory diseases	23	--	23	--	--	2	21	100.9	*	514.7	
# Influenza and pneumonia	9	--	9	--	--	--	9	*	-0-	*	
# Chronic lower respiratory diseases	11	--	11	--	--	2	9	48.2	*	*	
Emphysema	2	--	2	--	--	--	2	*	-0-	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	1	--	1	--	--	1	--	*	*	-0-	
# Nephritis, nephrotic syndrome and nephrosis	5	--	5	--	--	--	5	*	-0-	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	2	--	2	--	--	2	--	*	*	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	14	--	14	--	--	9	5	61.4	*	*	
# Accidents	13	--	13	--	--	9	4	57.0	*	*	
Motor vehicle accidents	6	--	6	--	--	5	1	*	*	*	
All other accidents	7	--	7	--	--	4	3	*	*	*	
# Suicide	1	--	1	--	--	--	1	*	-0-	*	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Stark County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	75	12	21	20	15	5	2	75	--	1
Sex	Male	35	3	11	7	9	3	2	35	--	1
	Female	40	9	10	13	6	2	--	40	--	--
Race	White	75	12	21	20	15	5	2			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	1	--	--	--			
Multiple births		2	--	--	2	--	--	--			
Marital status	Married	53	2	11	18	15	5	2	53	--	--
	Single	22	10	10	2	--	--	--	22	--	--
Mother not high school graduate		8	4	4	--	--	--	--	8	--	--
Birthweight	Very low (0-1,499 Grams)	--	--	--	--	--	--	--	--	--	--
	Low (0-2,499 Grams)	4	--	1	2	1	--	--	4	--	--
Caesarian section	Primary	7	--	3	3	1	--	--	7	--	--
	Secondary	7	1	2	2	2	--	--	7	--	--
Trimester prenatal care began	First	65	9	15	19	15	5	2	65	--	1
	Third or no care	2	--	1	1	--	--	--	2	--	--
First birth		23	7	11	4	--	1	--	23	--	--
2000 Percentages²											
Live births	Total	*	*	*	*	*	*	*	*	-0-	*
Sex	Male	*	*	*	*	*	*	*	*	*	100.0
	Female	*	*	*	*	*	*	-0-	*	-0-	-0-
Race	White	*	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	*	-0-	-0-	-0-			
Marital status	Married	*	*	*	*	*	*	*	*	-0-	*
	Single	*	83.3	47.6	*	-0-	-0-	-0-	*	-0-	-0-
Mother not high school graduate		*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
	Low (0-2,499 Grams)	*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
Caesarian section	Primary	*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
	Secondary	*	*	*	*	*	-0-	-0-	*	-0-	-0-
Trimester prenatal care began	First	*	*	*	*	*	*	*	*	-0-	*
	Third or no care	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
First birth		*	*	*	*	-0-	*	-0-	*	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	11.7	25.0	33.2	21.9	6.4	*	99.5	*	*
Sex	Male	48.7	*	*	46.2	*	*	*	49.0	-0-	*
	Female	51.3	*	*	53.8	*	*	*	51.0	*	*
Race	White	99.5	11.5	25.1	33.1	22.1	6.4	*			
	Black	*	-0-	-0-	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	*	*	*	-0-			
Marital status	Married	77.0	*	*	89.2	*	*	*	77.2	*	*
	Single	23.0	*	*	10.8	*	-0-	-0-	22.8	-0-	*
Mother not high school graduate		11.7	*	*	*	*	-0-	-0-	11.8	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	-0-	-0-	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	6.4	*	*	*	*	*	-0-	6.4	-0-	*
Caesarian section	Primary	13.8	*	*	16.9	*	*	-0-	13.8	-0-	*
	Secondary	8.4	*	*	13.1	*	*	-0-	8.5	-0-	*
Trimester prenatal care began	First	86.7	*	*	90.8	*	*	*	86.7	*	*
	Third or no care	*	8.7	*	*	-0-	-0-	-0-	*	-0-	-0-
First birth		30.1	76.1	*	23.1	*	*	-0-	30.0	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Stark County - 2000

Population Estimates	
Total	6,300
Under 65 Years	5,080
65 and Older	1,220

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	86	--	--	--	2	1	3	4	8	11	27	30
Male	39	--	--	--	2	--	2	4	5	7	13	6
Female	47	--	--	--	--	1	1	--	3	4	14	24
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	85	--	--	--	2	--	3	4	8	11	27	30
Male	39	--	--	--	2	--	2	4	5	7	13	6
Female	46	--	--	--	--	--	1	--	3	4	14	24
All other races	1	--	--	--	--	1	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	1	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	86	--	85	1	--	18	68	1,365.1	354.3	5,573.8
5-Year Average (1996-2000)	88	<1	88	<1	<1	15	73	1418.0	305.7	5,849.4
Infectious and parasitic diseases	1	--	1	--	--	--	1	*	-0-	*
# Septicemia	1	--	1	--	--	--	1	*	-0-	*
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-
# Malignant neoplasms	22	--	21	1	--	4	18	349.2	*	1,475.4
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	--	--	--	--	--	--	--	-0-	-0-	-0-
Bronchus and lung	11	--	11	--	--	2	9	174.6	*	*
Female breast	2	--	1	1	--	1	1	* ³	* ³	* ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
# Diabetes mellitus	0	--	--	--	--	--	--	-0-	-0-	-0-
# Alzheimer's disease	3	--	3	--	--	--	3	*	-0-	*
Major cardiovascular diseases	36	--	36	--	--	5	31	571.4	*	2,541.0
# Diseases of heart	26	--	26	--	--	4	22	412.7	*	1,803.3
Ischemic heart disease	8	--	8	--	--	3	5	*	*	*
# Cerebrovascular diseases	10	--	10	--	--	1	9	158.7	*	*
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-
Respiratory diseases	8	--	8	--	--	2	6	*	*	*
# Influenza and pneumonia	3	--	3	--	--	1	2	*	*	*
# Chronic lower respiratory diseases	2	--	2	--	--	--	2	*	-0-	*
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Nephritis, nephrotic syndrome and nephrosis	2	--	2	--	--	--	2	*	-0-	*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-
External causes	6	--	6	--	--	5	1	*	*	*
# Accidents	4	--	4	--	--	4	--	*	*	-0-
Motor vehicle accidents	2	--	2	--	--	2	--	*	*	-0-
All other accidents	2	--	2	--	--	2	--	*	*	-0-
# Suicide	2	--	2	--	--	1	1	*	*	*
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Stephenson County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	594	73	156	173	128	51	13	519	69	21
Sex	Male	303	33	86	89	67	22	6	262	37	7
	Female	291	40	70	84	61	29	7	257	32	14
Race	White	519	53	131	161	119	44	11			
	Black	69	20	22	11	8	7	1			
Ethnicity	Hispanic ¹	21	10	3	3	5	--	--			
Multiple births		18	2	4	4	8	--	--	16	2	2
Marital status	Married	357	3	58	135	110	41	10	342	11	6
	Single	237	70	98	38	18	10	3	177	58	15
Mother not high school graduate		82	43	22	9	4	4	--	55	26	11
Birthweight	Very low (0-1,499 Grams)	9	1	4	4	--	--	--	8	1	--
	Low (0-2,499 Grams)	39	6	14	6	7	6	--	32	6	2
Caesarian section	Primary	92	15	16	28	22	9	2	83	9	5
	Secondary	78	2	16	28	20	10	2	63	14	3
Trimester prenatal care began	First	513	52	131	159	120	41	10	463	44	16
	Third or no care	16	5	7	1	1	1	1	8	8	2
First birth		191	49	62	51	22	7	--	172	19	8
2000 Percentages²											
Live births	Total	100.0	12.3	26.3	29.1	21.5	8.6	2.2	87.4	11.6	3.5
Sex	Male	51.0	*	55.1	51.4	52.3	*	*	50.5	*	33.3
	Female	49.0	*	44.9	48.6	47.7	*	*	49.5	*	*
Race	White	87.4	*	25.2	31.0	22.9	*	*			
	Black	11.6	*	31.9	15.9	*	*	*			
Ethnicity	Hispanic ¹	3.5	*	*	*	*	-0-	-0-			
Multiple births		3.0	*	*	*	*	-0-	-0-	3.1	*	*
Marital status	Married	60.1	*	37.2	78.0	85.9	*	*	65.9	*	*
	Single	*	95.9	62.8	22.0	14.1	*	*	34.1	*	*
Mother not high school graduate		13.8	*	14.1	*	*	*	-0-	10.6	*	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	*	-0-	-0-	-0-	*	*	-0-
	Low (0-2,499 Grams)	6.6	*	9.0	*	*	*	-0-	6.2	*	*
Caesarian section	Primary	15.5	*	10.3	16.2	17.2	*	*	16.0	*	*
	Secondary	13.1	*	10.3	16.2	15.6	*	*	12.1	*	*
Trimester prenatal care began	First	86.8	*	84.0	91.9	93.8	*	*	89.6	*	*
	Third or no care	2.7	*	*	*	*	*	*	*	*	*
First birth		32.2	*	39.7	29.5	17.2	*	*	33.1	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.8	26.1	30.3	20.3	8.4	1.1	85.7	13.3	2.1
Sex	Male	49.4	48.5	51.4	48.4	51.7	43.6	*	49.5	48.9	*
	Female	50.6	51.5	48.6	51.6	48.3	56.4	*	50.5	51.1	*
Race	White	85.7	11.1	24.8	32.3	21.9	8.8	1.1			
	Black	13.3	32.3	34.0	17.4	9.8	5.9	*			
Ethnicity	Hispanic ¹	2.1	*	*	*	*	*	-0-			
Multiple births		2.4	*	2.0	2.1	3.5	5.1	-0-	2.5	*	*
Marital status	Married	65.0	12.5	46.8	81.9	89.1	86.4	*	71.7	20.8	*
	Single	35.0	87.5	53.2	18.1	10.9	13.6	*	28.3	79.2	*
Mother not high school graduate		15.7	58.8	16.6	6.7	4.0	4.3	-0-	12.3	37.7	*
Birthweight	Very low (0-1,499 Grams)	1.4	*	1.7	*	*	*	*	1.1	3.4	-0-
	Low (0-2,499 Grams)	7.5	11.1	8.1	6.2	6.3	8.2	*	6.7	13.0	*
Caesarian section	Primary	14.2	14.4	14.0	14.6	13.5	14.8	*	14.2	13.7	*
	Secondary	10.1	3.1	8.2	9.8	14.0	19.1	*	9.8	12.0	*
Trimester prenatal care began	First	87.0	70.4	87.1	90.5	92.6	89.7	*	89.1	73.2	*
	Third or no care	2.5	4.7	2.9	2.0	*	*	*	1.9	6.1	*
First birth		32.1	67.8	37.0	29.3	15.6	10.9	*	32.4	30.1	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Stephenson County - 2000

Population Estimates	
Total	48,900
Under 65 Years	40,850
65 and Older	8,050

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	507	2	1	1	1	5	11	21	44	79	166	176
Male	248	2	1	--	1	4	8	14	27	44	94	53
Female	259	--	--	1	--	1	3	7	17	35	72	123
Black	24	2	--	--	--	1	5	1	3	8	3	1
Male	13	2	--	--	--	--	3	1	1	4	2	--
Female	11	--	--	--	--	1	2	--	2	4	1	1
White	482	--	1	1	1	4	6	19	41	71	163	175
Male	234	--	1	--	1	4	5	12	26	40	92	53
Female	248	--	--	1	--	--	1	7	15	31	71	122
All other races	1	--	--	--	--	--	--	1	--	--	--	--
Male	1	--	--	--	--	--	--	1	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	2	--	--	--	--	--	--	--	1	--	1	--
Male	1	--	--	--	--	--	--	--	1	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	1	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	507	24	482	1	2	86	421	1,036.8	210.5	5,229.8
5-Year Average (1996-2000)	508	28	478	1	2	91	416	1036.8	223.3	5,184.4
Infectious and parasitic diseases	6	--	6	--	--	3	3	*	*	*
# Septicemia	4	--	4	--	--	1	3	*	*	*
# Viral hepatitis	2	--	2	--	--	2	--	*	*	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-
# Malignant neoplasms	100	6	93	1	2	23	77	204.5	56.3	956.5
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	12	--	12	--	--	2	10	24.5	*	124.2
Bronchus and lung	28	1	26	1	1	7	21	57.3	*	260.9
Female breast	10	1	9	--	--	2	8	20.4 ³	* ³	* ³
Cervical	1	1	--	--	--	1	--	* ³	* ³	-0- ³
Prostate	7	--	7	--	--	--	7	* ³	-0- ³	* ³
# Diabetes mellitus	9	--	9	--	--	1	8	*	*	*
# Alzheimer's disease	11	--	11	--	--	--	11	22.5	-0-	136.6
Major cardiovascular diseases	212	5	207	--	--	19	193	433.5	46.5	2,397.5
# Diseases of heart	158	2	156	--	--	14	144	323.1	34.3	1,788.8
Ischemic heart disease	101	1	100	--	--	11	90	206.5	26.9	1,118.0
# Cerebrovascular diseases	35	2	33	--	--	2	33	71.6	*	409.9
# Atherosclerosis	1	--	1	--	--	--	1	*	-0-	*
# Aortic aneurysm and dissection	8	--	8	--	--	2	6	*	*	*
Respiratory diseases	71	3	68	--	--	7	64	145.2	*	795.0
# Influenza and pneumonia	12	--	12	--	--	--	12	24.5	-0-	149.1
# Chronic lower respiratory diseases	43	2	41	--	--	5	38	87.9	*	472.0
Emphysema	6	--	6	--	--	1	5	*	*	*
Asthma	2	1	1	--	--	--	2	*	-0-	*
# Chronic liver disease and cirrhosis	5	1	4	--	--	4	1	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	11	2	9	--	--	3	8	22.5	*	*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	1	--	1	--	--	--	1	*	-0-	*
SIDS	2	2	--	--	--	2	--	*	*	-0-
External causes	26	3	23	--	--	15	11	53.2	36.7	136.6
# Accidents	20	2	18	--	--	10	10	40.9	24.5	124.2
Motor vehicle accidents	9	1	8	--	--	7	2	*	*	*
All other accidents	11	1	10	--	--	3	8	22.5	*	*
# Suicide	4	--	4	--	--	4	--	*	*	-0-
# Homicide	1	--	1	--	--	1	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Tazewell County - 2000

		All Ages	Mother's Age						Race		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and older	White	Black	Hispanic ¹
2000 Numbers											
Live births	Total	1,585	180	428	455	351	142	29	1,563	--	13
Sex	Male	848	86	235	253	185	73	16	836	--	6
	Female	737	94	193	202	166	69	13	727	--	7
Race	White	1,563	180	427	449	338	141	28			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	13	--	1	6	2	4	--			
Multiple births		35	2	8	8	15	2	--	35	--	--
Marital status	Married	1,143	32	250	382	329	125	25	1,124	--	--
	Single	442	148	178	73	22	17	4	439	--	1
Mother not high school graduate		195	98	63	23	7	2	2	194	--	1
Birthweight	Very low (0-1,499 Grams)	28	5	5	5	8	5	--	28	--	1
	Low (0-2,499 Grams)	91	12	29	21	20	8	1	89	--	3
Caesarian section	Primary	196	15	41	65	47	26	2	191	--	3
	Secondary	123	4	22	28	45	18	6	121	--	1
Trimester prenatal care began	First	1,459	145	382	433	335	139	25	1,440	--	12
	Third or no care	22	3	10	5	3	--	1	22	--	--
First birth		559	132	192	141	74	18	2	549	--	6
2000 Percentages²											
Live births	Total	100.0	11.4	27.0	28.7	22.1	9.0	1.8	98.6	-0-	.8
Sex	Male	53.5	47.8	54.9	55.6	52.7	51.4	*	53.5	*	46.2
	Female	46.5	52.2	45.1	44.4	47.3	48.6	*	46.5	-0-	*
Race	White	98.6	11.5	27.3	28.7	21.6	9.0	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	.8	-0-	*	*	*	*	-0-			
Multiple births		2.2	*	*	*	4.3	*	-0-	2.2	-0-	-0-
Marital status	Married	72.1	17.8	58.4	84.0	93.7	88.0	*	71.9	-0-	*
	Single	27.9	82.2	41.6	16.0	6.3	12.0	*	28.1	-0-	*
Mother not high school graduate		12.3	54.4	14.8	5.1	*	*	*	12.4	-0-	*
Birthweight	Very low (0-1,499 Grams)	1.8	*	*	*	*	*	-0-	1.8	-0-	*
	Low (0-2,499 Grams)	5.7	6.7	6.8	4.6	5.7	*	*	5.7	-0-	*
Caesarian section	Primary	12.4	8.3	9.6	14.3	13.4	18.3	*	12.2	-0-	*
	Secondary	7.8	*	5.1	6.2	12.8	12.7	*	7.7	-0-	*
Trimester prenatal care began	First	92.1	80.6	89.3	95.2	95.4	97.9	*	92.1	-0-	*
	Third or no care	1.4	*	2.3	*	*	-0-	*	1.4	-0-	-0-
First birth		35.3	73.3	44.9	31.0	21.1	12.7	*	35.1	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	12.2	25.7	31.3	21.3	8.2	1.3	98.7	0.1	1.0
Sex	Male	51.7	51.0	52.3	51.4	51.5	54.0	44.8	51.7	*	*
	Female	48.3	49.0	47.7	48.6	48.5	46.0	55.2	48.3	*	*
Race	White	98.7	12.2	25.8	31.2	21.2	8.2	1.3			
	Black	.1	*	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	1.0	*	*	*	*	*	*			
Multiple births		2.6	*	1.7	2.7	4.4	2.2	*	2.6	-0-	*
Marital status	Married	73.4	17.9	61.0	86.8	92.1	92.2	93.3	73.4	*	*
	Single	26.6	82.1	39.0	13.2	7.9	7.8	*	26.6	*	*
Mother not high school graduate		13.2	55.2	15.7	4.4	3.2	3.6	*	13.2	*	*
Birthweight	Very low (0-1,499 Grams)	1.3	1.3	1.0	.8	2.2	1.6	-0-	1.2	*	*
	Low (0-2,499 Grams)	6.2	7.7	6.2	4.9	7.0	6.5	*	6.1	*	*
Caesarian section	Primary	11.9	9.0	10.1	13.2	13.2	13.2	12.4	11.8	*	*
	Secondary	8.4	*	4.5	8.4	13.4	16.7	21.0	8.4	-0-	*
Trimester prenatal care began	First	90.8	79.3	87.5	94.2	95.0	94.7	85.7	90.9	*	*
	Third or no care	1.4	3.3	2.1	.6	.8	*	*	1.4	-0-	*
First birth		34.2	74.4	41.1	30.7	18.2	12.6	*	34.2	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Tazewell County - 2000

Population Estimates	
Total	128,500
Under 65 Years	109,380
65 and Older	19,120

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	1,289	20	3	1	13	22	30	51	91	268	385	405
Male	620	13	1	1	10	15	20	30	49	144	185	152
Female	669	7	2	--	3	7	10	21	42	124	200	253
Black	4	1	--	--	--	--	--	1	--	1	1	--
Male	4	1	--	--	--	--	--	1	--	1	1	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	1,285	19	3	1	13	22	30	50	91	267	384	405
Male	616	12	1	1	10	15	20	29	49	143	184	152
Female	669	7	2	--	3	7	10	21	42	124	200	253
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	2	--	--	--	--	--	--	--	--	--	--	2
Male	2	--	--	--	--	--	--	--	--	--	--	2
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	1,289	4	1,285	--	2	231	1,058	1,003.1	211.2	5,533.5
5-Year Average (1996-2000)	1,201	4	1,197	<1	2	228	973	925.4	205.7	5,125.3
# Infectious and parasitic diseases	16	--	16	--	--	5	11	12.5	*	57.5
# Septicemia	10	--	10	--	--	2	8	7.8	*	*
# Viral hepatitis	1	--	1	--	--	--	1	*	-0-	*
# HIV disease	2	--	2	--	--	2	--	*	-0-	-0-
# Malignant neoplasms	332	2	330	--	1	82	250	258.4	75.0	1,307.5
# Lip, oral cavity and pharynx	3	--	3	--	--	--	3	*	-0-	*
# Colorectal	39	--	39	--	--	11	28	30.4	10.1	146.4
# Bronchus and lung	93	1	92	--	--	21	72	72.4	19.2	376.6
# Female breast	29	--	29	--	--	6	23	22.6 ³	* ³	120.3 ³
# Cervical	2	--	2	--	--	1	1	* ³	* ³	* ³
# Prostate	16	--	16	--	--	1	15	12.5 ³	* ³	78.5 ³
# Diabetes mellitus	48	--	48	--	--	8	40	37.4	*	209.2
# Alzheimer's disease	34	--	34	--	--	1	33	26.5	*	172.6
# Major cardiovascular diseases	478	1	477	--	1	53	425	372.0	48.5	2,222.8
# Diseases of heart	336	--	336	--	1	43	293	261.5	39.3	1,532.4
# Ischemic heart disease	225	--	225	--	--	26	199	175.1	23.8	1,040.8
# Cerebrovascular diseases	106	--	106	--	--	5	101	82.5	*	528.2
# Atherosclerosis	8	--	8	--	--	--	8	*	-0-	*
# Aortic aneurysm and dissection	8	1	7	--	--	1	7	*	*	*
# Respiratory diseases	116	--	116	--	--	3	113	90.3	*	591.0
# Influenza and pneumonia	37	--	37	--	--	--	37	28.8	-0-	193.5
# Chronic lower respiratory diseases	58	--	58	--	--	3	55	45.1	*	287.7
# Emphysema	8	--	8	--	--	--	8	*	-0-	*
# Asthma	2	--	2	--	--	--	2	*	-0-	*
# Chronic liver disease and cirrhosis	10	--	10	--	--	1	9	7.8	*	*
# Nephritis, nephrotic syndrome and nephrosis	34	--	34	--	--	5	29	26.5	*	151.7
# Certain perinatal conditions	7	1	6	--	--	7	--	*	*	-0-
# Congenital malformations	7	--	7	--	--	6	1	*	*	*
# SIDS	4	--	4	--	--	4	--	*	*	-0-
# External causes	62	--	62	--	--	45	17	48.2	41.1	88.9
# Accidents	39	--	39	--	--	25	14	30.4	22.9	73.2
# Motor vehicle accidents	13	--	13	--	--	12	1	10.1	11.0	*
# All other accidents	26	--	26	--	--	13	13	20.2	11.9	68.0
# Suicide	17	--	17	--	--	14	3	13.2	12.8	*
# Homicide	5	--	5	--	--	5	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Union County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	202	23	57	66	37	17	2	202	--	20
Sex	Male	106	14	34	31	16	9	2	106	--	9
	Female	96	9	23	35	21	8	--	96	--	11
Race	White	202	23	57	66	37	17	2			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	20	4	7	4	3	1	1			
Multiple births		6	--	--	2	4	--	--			
Marital status	Married	161	11	42	59	34	13	2	161	--	--
	Single	41	12	15	7	3	4	--	41	--	2
Mother not high school graduate		35	11	11	5	4	3	1	35	--	14
Birthweight	Very low (0-1,499 Grams)	1	--	--	--	1	--	--	1	--	1
	Low (0-2,499 Grams)	12	--	3	6	3	--	--	12	--	1
Caesarian section	Primary	33	3	9	8	11	2	--	33	--	3
	Secondary	10	--	1	4	3	2	--	10	--	3
Trimester prenatal care began	First	168	20	46	53	32	15	2	168	--	13
	Third or no care	5	1	2	2	--	--	--	5	--	2
First birth		70	20	28	14	6	1	1	70	--	6
2000 Percentages²											
Live births	Total	100.0	11.4	28.2	32.7	18.3	8.4	*	100.0	-0-	9.9
Sex	Male	52.5	*	*	*	*	*	*	52.5	*	45.0
	Female	47.5	*	*	*	*	*	-0-	47.5	-0-	*
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	9.9	*	*	*	*	*	*			
Multiple births		*	-0-	-0-	*	*	-0-	-0-			
Marital status	Married	79.7	*	*	*	*	*	*	79.7	-0-	*
	Single	*	52.2	26.3	*	*	*	-0-	20.3	-0-	*
Mother not high school graduate		*	*	*	*	*	*	*	17.3	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	*
	Low (0-2,499 Grams)	5.9	-0-	*	*	*	-0-	-0-	5.9	-0-	*
Caesarian section	Primary	16.3	*	*	*	*	*	-0-	16.3	-0-	*
	Secondary	5.0	-0-	*	*	*	*	-0-	5.0	-0-	*
Trimester prenatal care began	First	84.8	*	*	*	*	*	*	84.8	-0-	*
	Third or no care	*	*	*	*	-0-	-0-	-0-	*	-0-	*
First birth		34.7	*	*	*	*	*	-0-	34.7	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.3	30.8	31.2	16.3	6.8	1.6	99.7	*	9.9
Sex	Male	50.8	49.3	53.3	49.8	45.5	*	*	50.8	*	47.5
	Female	49.2	50.7	46.7	50.2	54.5	*	*	49.2	*	52.5
Race	White	99.7	13.3	30.8	31.1	16.4	6.8	1.6			
	Black	*	-0-	*	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	9.9	14.9	39.6	21.8	16.8	*	*			
Multiple births		2.0	-0-	*	*	6.6	-0-	-0-			
Marital status	Married	77.1	45.6	72.7	87.5	86.8	*	*	77.0	*	82.2
	Single	22.9	54.4	27.3	12.5	13.2	*	*	23.0	-0-	17.8
Mother not high school graduate		22.6	58.1	24.0	11.9	16.2	*	*	22.7	-0-	77.8
Birthweight	Very low (0-1,499 Grams)	*	*	*	*	*	-0-	-0-	*	-0-	*
	Low (0-2,499 Grams)	7.2	10.3	6.3	6.9	6.6	*	*	7.3	-0-	10.9
Caesarian section	Primary	11.7	*	11.7	11.6	15.0	*	*	11.8	-0-	13.9
	Secondary	6.1	-0-	3.5	7.8	10.8	*	-0-	6.0	*	*
Trimester prenatal care began	First	87.5	88.1	87.9	88.3	85.5	*	*	87.4	*	70.3
	Third or no care	2.0	.7	*	*	*	*	*	2.0	-0-	*
First birth		34.7	80.1	43.8	24.5	12.6	*	*	34.8	-0-	33.7

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Union County - 2000

Population Estimates	
Total	18,300
Under 65 Years	15,100
65 and Older	3,200

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	263	--	--	1	2	4	6	15	36	37	86	76
Male	116	--	--	--	2	2	5	7	24	18	34	24
Female	147	--	--	1	--	2	1	8	12	19	52	52
Black	3	--	--	--	--	--	--	--	1	--	1	1
Male	1	--	--	--	--	--	--	--	1	--	--	--
Female	2	--	--	--	--	--	--	--	--	--	1	1
White	260	--	--	1	2	4	6	15	35	37	85	75
Male	115	--	--	--	2	2	5	7	23	18	34	24
Female	145	--	--	1	--	2	1	8	12	19	51	51
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	263	3	260	--	--	64	199	1,437.2	423.8	6,218.8	
5-Year Average (1996-2000)	244	2	242	--	<1	52	192	1376.6	360.3	5,997.5	
Infectious and parasitic diseases	2	--	2	--	--	--	2	*	-0-	*	
# Septicemia	1	--	1	--	--	--	1	*	-0-	*	
# Viral hepatitis	1	--	1	--	--	--	1	*	-0-	*	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	50	--	50	--	--	18	32	273.2	119.2	1,000.0	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	2	--	2	--	--	--	2	*	-0-	*	
Bronchus and lung	23	--	23	--	--	10	13	125.7	66.2	406.3	
Female breast	4	--	4	--	--	1	3	* ³	* ³	* ³	
Cervical	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
Prostate	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
# Diabetes mellitus	6	--	6	--	--	2	4	*	*	*	
# Alzheimer's disease	4	--	4	--	--	--	4	*	-0-	*	
Major cardiovascular diseases	107	3	104	--	--	17	90	584.7	112.6	2,812.5	
# Diseases of heart	86	2	84	--	--	15	71	469.9	99.3	2,218.8	
Ischemic heart disease	55	2	53	--	--	10	45	300.5	66.2	1,406.3	
# Cerebrovascular diseases	16	--	16	--	--	1	15	87.4	*	468.8	
# Atherosclerosis	2	--	2	--	--	--	2	*	-0-	*	
# Aortic aneurysm and dissection	2	1	1	--	--	1	1	*	*	*	
Respiratory diseases	40	--	40	--	--	6	34	218.6	*	1,062.5	
# Influenza and pneumonia	18	--	18	--	--	1	17	98.4	*	531.3	
# Chronic lower respiratory diseases	14	--	14	--	--	3	11	76.5	*	343.8	
Emphysema	1	--	1	--	--	--	1	*	-0-	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	1	--	1	--	--	1	--	*	*	-0-	
# Nephritis, nephrotic syndrome and nephrosis	8	--	8	--	--	1	7	*	*	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	18	--	18	--	--	13	5	98.4	86.1	*	
# Accidents	13	--	13	--	--	9	4	71.0	*	*	
Motor vehicle accidents	8	--	8	--	--	8	--	*	*	-0-	
All other accidents	5	--	5	--	--	1	4	*	*	*	
# Suicide	4	--	4	--	--	3	1	*	*	*	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Vermilion County - 2000

		All Ages	Mother's Age					40 and older	Race		Ethnicity
			Under 20	20-24	25-29	30-34	35-39		White	Black	Hispanic ¹
2000 Numbers											
Live births	Total	1,207	213	395	317	192	79	11	1,022	177	66
Sex	Male	616	109	198	152	112	37	8	526	85	36
	Female	591	104	197	165	80	42	3	496	92	30
Race	White	1,022	158	333	272	175	76	8			
	Black	177	53	61	45	14	2	2			
Ethnicity	Hispanic ¹	66	22	20	14	7	2	1			
Multiple births		48	2	16	12	16	2	--	38	8	--
Marital status	Married	643	21	166	226	161	61	8	611	27	--
	Single	564	192	229	91	31	18	3	411	150	42
Mother not high school graduate		291	132	104	35	12	6	2	223	67	32
Birthweight	Very low (0-1,499 Grams)	19	4	5	6	3	1	--	13	6	1
	Low (0-2,499 Grams)	97	15	28	29	17	5	3	72	25	2
Caesarian section	Primary	147	32	41	36	28	8	2	130	16	5
	Secondary	110	1	34	34	25	13	3	85	22	3
Trimester prenatal care began	First	943	152	303	260	155	65	8	810	125	44
	Third or no care	45	8	18	8	9	2	--	29	16	6
First birth		363	147	111	71	26	6	2	315	44	26
2000 Percentages²											
Live births	Total	100.0	17.6	32.7	26.3	15.9	6.5	.9	84.7	14.7	5.5
Sex	Male	51.0	51.2	50.1	47.9	58.3	*	*	51.5	*	54.5
	Female	49.0	48.8	49.9	52.1	41.7	*	*	48.5	52.0	*
Race	White	84.7	15.5	32.6	26.6	17.1	*	*			
	Black	14.7	29.9	34.5	25.4	7.9	*	*			
Ethnicity	Hispanic ¹	5.5	33.3	30.3	21.2	*	*	*			
Multiple births		4.0	*	4.1	3.8	8.3	*	-0-	3.7	*	-0-
Marital status	Married	53.3	9.9	42.0	71.3	83.9	*	*	59.8	15.3	*
	Single	46.7	90.1	58.0	28.7	16.1	*	*	40.2	84.7	*
Mother not high school graduate		24.4	63.2	26.5	11.1	6.3	*	*	22.0	39.0	*
Birthweight	Very low (0-1,499 Grams)	1.6	*	*	*	*	*	-0-	1.3	*	*
	low (0-2,499 Grams)	8.0	7.0	7.1	9.1	8.9	*	*	7.0	14.2	*
Caesarian section	Primary	12.2	15.0	10.4	11.4	14.6	*	*	12.7	9.0	*
	Secondary	9.1	*	8.6	10.7	13.0	*	*	8.3	12.4	*
Trimester prenatal care began	First	80.6	72.4	78.3	85.8	84.7	*	*	82.0	71.8	*
	Third or no care	3.8	*	4.7	*	*	*	-0-	2.9	9.2	*
First birth		30.1	69.0	28.1	22.4	13.5	*	-0-	30.8	24.9	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	18.9	32.3	26.2	15.5	6.2	1.0	84.9	14.1	4.7
Sex	Male	51.7	51.0	51.9	51.0	53.1	51.4	*	51.7	50.9	53.3
	Female	48.3	49.0	48.1	49.0	46.9	48.6	*	48.3	49.1	46.7
Race	White	84.9	17.1	32.0	27.0	16.3	6.7	1.0			
	Black	14.1	30.1	34.5	21.7	9.3	3.3	1.2			
Ethnicity	Hispanic ¹	4.7	29.0	33.3	21.4	11.2	4.3	*			
Multiple births		3.1	1.5	2.8	3.3	4.7	5.8	-0-	3.0	3.7	*
Marital status	Married	54.8	15.6	46.5	69.8	84.1	77.1	*	60.5	19.0	38.8
	Single	45.2	84.4	53.5	30.2	15.9	22.9	*	39.5	81.0	61.2
Mother not high school graduate		23.8	61.6	22.8	11.2	7.3	9.3	*	21.8	35.8	51.3
Birthweight	Very low (0-1,499 Grams)	1.8	2.0	1.8	1.8	1.2	*	-0-	1.6	2.7	*
	Low (0-2,499 Grams)	8.3	8.4	7.9	7.9	7.9	12.2	*	7.7	11.9	7.2
Caesarian section	Primary	12.0	12.7	11.1	10.8	14.3	12.7	*	12.4	10.0	8.3
	Secondary	9.7	1.7	7.8	13.7	14.2	15.7	*	9.0	14.0	7.2
Trimester prenatal care began	First	79.8	69.4	77.5	84.7	86.9	85.8	*	81.9	66.8	66.1
	Third or no care	4.5	5.8	4.9	3.8	3.5	3.9	*	3.8	8.9	10.6
First birth		29.7	66.3	28.5	19.9	14.6	6.4	*	30.2	26.6	29.7

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Vermilion County - 2000

Population Estimates	
Total	83,800
Under 65 Years	70,370
65 and Older	13,430

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	934	11	1	3	11	7	26	55	104	195	281	240
Male	461	5	1	2	7	4	14	31	56	114	161	66
Female	473	6	--	1	4	3	12	24	48	81	120	174
Black	71	3	1	1	3	1	4	9	7	18	13	11
Male	36	2	1	1	2	--	--	6	3	11	4	6
Female	35	1	--	--	1	1	4	3	4	7	9	5
White	862	8	--	2	8	6	22	46	97	177	267	229
Male	424	3	--	1	5	4	14	25	53	103	156	60
Female	438	5	--	1	3	2	8	21	44	74	111	169
All other races	1	--	--	--	--	--	--	--	--	--	1	--
Male	1	--	--	--	--	--	--	--	--	--	1	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	3	--	--	--	1	--	--	--	1	--	1	--
Male	1	--	--	--	--	--	--	--	1	--	--	--
Female	2	--	--	--	1	--	--	--	--	--	1	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	934	71	862	1	3	218	716	1,114.6	309.8	5,331.3
5-Year Average (1996-2000)	967	63	902	2	3	211	757	1136.8	295.9	5,432.9
# Infectious and parasitic diseases	17	1	16	--	--	6	11	20.3	*	81.9
# Septicemia	14	1	13	--	--	3	11	16.7	*	81.9
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-
# HIV disease	1	--	1	--	--	1	--	*	-0-	-0-
# Malignant neoplasms	235	14	220	1	1	73	162	280.4	103.7	1,206.3
Lip, oral cavity and pharynx	2	--	2	--	--	--	2	*	-0-	*
Colorectal	25	1	23	1	--	2	23	29.8	*	171.3
Bronchus and lung	73	4	69	--	--	30	43	87.1	42.6	320.2
Female breast	14	--	14	--	--	9	5	16.7 ³	* ³	* ³
Cervical	1	--	1	--	--	1	--	* ³	* ³	-0. ³
Prostate	15	2	13	--	--	4	11	17.9 ³	* ³	81.9 ³
# Diabetes mellitus	25	3	22	--	--	6	19	29.8	*	141.5
# Alzheimer's disease	18	--	18	--	--	--	18	21.5	-0-	134.0
# Major cardiovascular diseases	352	30	322	--	--	52	300	420.0	73.9	2,233.8
# Diseases of heart	259	21	238	--	--	43	216	309.1	61.1	1,608.3
Ischemic heart disease	186	11	175	--	--	33	153	222.0	46.9	1,139.2
# Cerebrovascular diseases	70	8	62	--	--	7	63	83.5	*	469.1
# Atherosclerosis	3	--	3	--	--	--	3	*	-0-	*
# Aortic aneurysm and dissection	11	1	10	--	--	2	9	13.1	*	*
# Respiratory diseases	103	5	98	--	--	17	86	122.9	24.2	640.4
# Influenza and pneumonia	22	2	20	--	--	2	20	26.3	*	148.9
# Chronic lower respiratory diseases	63	--	63	--	--	10	53	75.2	14.2	394.6
Emphysema	4	--	4	--	--	--	4	*	-0-	*
Asthma	3	--	3	--	--	--	3	*	-0-	*
# Chronic liver disease and cirrhosis	6	--	6	--	1	4	2	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	14	1	13	--	--	3	11	16.7	*	81.9
# Certain perinatal conditions	5	2	3	--	--	5	--	*	*	-0-
# Congenital malformations	2	--	2	--	--	2	--	*	*	-0-
# SIDS	1	--	1	--	--	1	--	*	*	-0-
# External causes	48	9	39	--	--	31	17	57.3	44.1	126.6
# Accidents	24	2	22	--	--	14	10	28.6	19.9	74.5
Motor vehicle accidents	13	1	12	--	--	10	3	15.5	14.2	*
All other accidents	11	1	10	--	--	4	7	13.1	*	*
# Suicide	13	2	11	--	--	11	2	15.5	15.6	*
# Homicide	5	5	--	--	--	5	--	*	*	-0-

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Wabash County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	132	18	44	38	23	4	5	132	--	1
Sex	Male	61	9	19	19	11	2	1	61	--	--
	Female	71	9	25	19	12	2	4	71	--	1
Race	White	132	18	44	38	23	4	5			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	1	--	--	--	--			
Multiple births		2	--	--	--	2	--	--			
Marital status	Married	97	6	31	33	21	3	3	97	--	--
	Single	35	12	13	5	2	1	2	35	--	1
Mother not high school graduate		23	10	7	4	--	1	1	23	--	--
Birthweight	Very low (0-1,499 Grams)	1	--	1	--	--	--	--	1	--	--
	Low (0-2,499 Grams)	9	1	2	2	2	1	1	9	--	--
Caesarian section	Primary	18	2	8	3	4	--	1	18	--	--
	Secondary	8	--	3	2	1	1	1	8	--	--
Trimester prenatal care began	First	113	14	36	34	22	3	4	113	--	1
	Third or no care	3	--	1	1	1	--	--	3	--	--
First birth		44	14	21	8	1	--	--	44	--	1
2000 Percentages²											
Live births	Total	100.0	13.6	33.3	28.8	17.4	*	*	100.0	-0-	*
Sex	Male	46.2	*	*	*	*	*	*	46.2	-0-	.0
	Female	53.8	*	*	*	*	*	*	53.8	-0-	*
Race	White	100.0	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	*	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	-0-	*	-0-	-0-			
Marital status	Married	73.5	*	*	*	*	*	*	73.5	-0-	-0-
	Single	*	66.7	29.5	*	*	*	*	26.5	-0-	*
Mother not high school graduate		*	*	*	*	-0-	*	*	17.4	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	*	*	*	*	*	*	*	*	-0-	-0-
Caesarian section	Primary	13.6	*	*	*	*	-0-	*	13.6	-0-	-0-
	Secondary	*	-0-	*	*	*	*	*	*	-0-	-0-
Trimester prenatal care began	First	86.9	*	*	*	*	*	*	86.9	-0-	*
	Third or no care	*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
First birth		33.3	*	*	*	*	-0-	-0-	33.3	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	14.1	31.3	30.0	17.5	5.3	1.7	99.4	-0-	*
Sex	Male	49.9	*	48.0	50.0	55.4	*	*	49.8	-0-	*
	Female	50.1	*	52.0	50.0	44.6	*	*	50.2	-0-	*
Race	White	99.4	14.2	31.3	30.2	17.5	5.0	1.7			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	-0-	*	-0-			
Multiple births		3.6	-0-	*	5.2	*	*	-0-			
Marital status	Married	73.7	*	71.5	87.0	86.6	*	*	73.5	-0-	*
	Single	26.3	*	28.5	13.0	13.4	*	*	26.5	-0-	*
Mother not high school graduate		19.4	*	21.5	8.3	*	*	*	19.6	-0-	*
Birthweight	Very low (0-1,499 Grams)	2.0	*	*	*	*	*	-0-	2.0	-0-	-0-
	Low (0-2,499 Grams)	8.0	*	7.0	7.8	*	*	*	8.0	-0-	-0-
Caesarian section	Primary	13.1	*	11.0	13.0	17.9	*	*	13.2	-0-	-0-
	Secondary	7.7	-0-	6.5	9.9	8.9	*	*	7.7	-0-	-0-
Trimester prenatal care began	First	89.0	*	87.4	93.8	88.4	*	*	89.2	-0-	*
	Third or no care	1.7	1.1	*	*	*	-0-	-0-	1.7	-0-	-0-
First birth		35.2	83.3	43.0	24.0	12.5	*	-0-	35.3	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Wabash County - 2000

Population Estimates	
Total	12,900
Under 65 Years	10,720
65 and Older	2,180

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	148	--	--	--	1	2	2	8	16	19	45	55
Male	77	--	--	--	--	2	1	6	9	14	26	19
Female	71	--	--	--	1	--	1	2	7	5	19	36
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	148	--	--	--	1	2	2	8	16	19	45	55
Male	77	--	--	--	--	2	1	6	9	14	26	19
Female	71	--	--	--	1	--	1	2	7	5	19	36
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	148	--	148	--	--	29	119	1,147.3	270.5	5,458.7	
5-Year Average (1996-2000)	143	--	143	<1	<1	26	117	1128.0	244.5	5,356.5	
Infectious and parasitic diseases	4	--	4	--	--	--	4	*	-0-	*	
# Septicemia	4	--	4	--	--	--	4	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	35	--	35	--	--	10	25	271.3	93.3	1,146.8	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	2	--	2	--	--	--	2	*	-0-	*	
Bronchus and lung	13	--	13	--	--	5	8	100.8	*	*	
Female breast	1	--	1	--	--	1	--	* ³	* ³	-0- ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	3	--	3	--	--	1	2	* ³	* ³	* ³	
# Diabetes mellitus	6	--	6	--	--	2	4	*	*	*	
# Alzheimer's disease	4	--	4	--	--	--	4	*	-0-	*	
Major cardiovascular diseases	59	--	59	--	--	8	51	457.4	*	2,339.4	
# Diseases of heart	40	--	40	--	--	6	34	310.1	*	1,559.6	
Ischemic heart disease	29	--	29	--	--	4	25	224.8	*	1,146.8	
# Cerebrovascular diseases	12	--	12	--	--	2	10	93.0	*	458.7	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	2	--	2	--	--	--	2	*	-0-	*	
Respiratory diseases	12	--	12	--	--	1	11	93.0	*	504.6	
# Influenza and pneumonia	4	--	4	--	--	1	3	*	*	*	
# Chronic lower respiratory diseases	4	--	4	--	--	--	4	*	-0-	*	
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	4	--	4	--	--	3	1	*	*	*	
# Nephritis, nephrotic syndrome and nephrosis	4	--	4	--	--	--	4	*	-0-	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	8	--	8	--	--	5	3	*	*	*	
# Accidents	6	--	6	--	--	4	2	*	*	*	
Motor vehicle accidents	3	--	3	--	--	2	1	*	*	*	
All other accidents	3	--	3	--	--	2	1	*	*	*	
# Suicide	1	--	1	--	--	1	--	*	*	-0-	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Warren County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	214	35	66	53	33	22	5	207	5	18
Sex	Male	106	19	29	28	18	9	3	102	3	10
	Female	108	16	37	25	15	13	2	105	2	8
Race	White	207	31	64	53	32	22	5			
	Black	5	3	2	--	--	--	--			
Ethnicity	Hispanic ¹	18	3	6	3	2	3	1			
Multiple births		8	--	4	4	--	--	--	8	--	--
Marital status	Married	141	6	39	46	28	19	3	140	--	--
	Single	73	29	27	7	5	3	2	67	5	6
Mother not high school graduate		41	22	11	5	--	3	--	36	4	7
Birthweight	Very low (0-1,499 Grams)	3	2	1	--	--	--	--	3	--	--
	Low (0-2,499 Grams)	11	4	4	2	--	--	1	11	--	1
Caesarian section	Primary	27	1	14	6	3	2	1	27	--	1
	Secondary	19	--	3	5	6	5	--	19	--	3
Trimester prenatal care began	First	180	26	51	49	29	20	5	174	4	12
	Third or no care	3	--	0	1	1	1	--	3	--	1
First birth		67	26	22	9	6	3	1	65	2	5
2000 Percentages²											
Live births	Total	100.0	16.4	30.8	24.8	15.4	10.3	*	96.7	*	8.4
Sex	Male	49.5	*	*	*	*	*	*	49.3	*	55.6
	Female	50.5	*	*	*	*	*	*	50.7	*	*
Race	White	96.7	*	*	*	*	*	*			
	Black	*	*	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	8.4	*	*	*	*	*	*			
Multiple births		*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
Marital status	Married	65.9	*	*	*	*	*	*	67.6	-0-	*
	Single	*	82.9	40.9	*	*	*	*	32.4	*	*
Mother not high school graduate		*	*	*	*	-0-	*	-0-	17.4	*	*
Birthweight	Very low (0-1,499 Grams)	*	*	*	-0-	-0-	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.1	*	*	*	-0-	-0-	*	5.3	-0-	*
Caesarian section	Primary	12.6	*	*	*	*	*	*	13.0	-0-	*
	Secondary	8.9	-0-	*	*	*	*	-0-	9.2	-0-	*
Trimester prenatal care began	First	84.5	*	*	*	*	*	*	84.5	*	*
	Third or no care	*	-0-	-0-	*	*	*	-0-	*	-0-	*
First birth		31.3	*	*	*	*	*	-0-	31.4	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	15.7	32.9	26.5	16.8	6.9	1.2	96.4	2.9	5.5
Sex	Male	50.6	52.9	49.6	50.3	50.0	*	*	50.5	*	*
	Female	49.4	47.1	50.4	49.7	50.0	*	*	49.5	*	*
Race	White	96.4	14.8	33.2	27.1	16.7	7.0	1.2			
	Black	2.9	*	*	*	*	-0-	-0-			
Ethnicity	Hispanic ¹	5.5	*	*	*	*	*	*			
Multiple births		3.2	-0-	3.8	4.1	*	-0-	*	3.2	*	-0-
Marital status	Married	64.7	13.8	59.5	83.0	82.3	*	*	66.2	*	*
	Single	35.3	86.2	40.5	17.0	17.7	*	*	33.8	*	*
Mother not high school graduate		18.9	56.3	18.4	7.5	9.1	*	*	18.0	*	*
Birthweight	Very low (0-1,499 Grams)	1.3	*	*	*	*	*	-0-	1.2	-0-	-0-
	Low (0-2,499 Grams)	7.2	6.9	8.8	6.1	*	*	*	7.1	*	*
Caesarian section	Primary	11.0	12.1	11.0	9.9	9.1	*	*	11.0	*	*
	Secondary	10.6	*	8.8	10.5	18.8	*	*	10.5	*	*
Trimester prenatal care began	First	84.2	74.1	79.6	89.8	89.8	*	*	84.4	*	*
	Third or no care	2.4	5.7	*	*	*	*	-0-	2.3	*	*
First birth		31.3	72.4	33.7	19.4	17.2	*	*	31.5	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Warren County - 2000

Population Estimates	
Total	18,700
Under 65 Years	15,650
65 and Older	3,050

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	220	1	--	--	3	1	9	11	20	43	58	74
Male	102	1	--	--	3	--	4	7	13	23	26	25
Female	118	--	--	--	--	1	5	4	7	20	32	49
Black	2	--	--	--	--	--	--	--	--	1	--	1
Male	2	--	--	--	--	--	--	--	--	1	--	1
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	218	1	--	--	3	1	9	11	20	42	58	73
Male	100	1	--	--	3	--	4	7	13	22	26	24
Female	118	--	--	--	--	1	5	4	7	20	32	49
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	2	--	--	--	--	--	--	--	1	--	1	--
Male	1	--	--	--	--	--	--	--	1	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	1	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	220	2	218	--	2	45	175	1,176.5	287.5	5,737.7	
5-Year Average (1996-2000)	213	4	210	--	1	34	179	1136.3	217.9	5,652.2	
Infectious and parasitic diseases	3	--	3	--	--	2	1	*	*	*	
# Septicemia	1	--	1	--	--	--	1	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	1	--	1	--	--	1	--	*	-0-	-0-	
# Malignant neoplasms	52	--	52	--	1	9	43	278.1	*	1,409.8	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	8	--	8	--	--	1	7	*	*	*	
Bronchus and lung	16	--	16	--	--	4	12	85.6	*	393.4	
Female breast	3	--	3	--	--	--	3	* ³	-0- ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	1	--	1	--	--	--	1	* ³	-0- ³	* ³	
# Diabetes mellitus	6	--	6	--	--	3	3	*	*	*	
# Alzheimer's disease	2	--	2	--	--	--	2	*	-0-	*	
Major cardiovascular diseases	106	2	104	--	--	15	91	566.8	95.8	2,983.6	
# Diseases of heart	76	--	76	--	--	11	65	406.4	70.3	2,131.1	
Ischemic heart disease	61	--	61	--	--	8	53	326.2	*	1,737.7	
# Cerebrovascular diseases	23	1	22	--	--	4	19	123.0	*	623.0	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	4	1	3	--	--	--	4	*	-0-	*	
Respiratory diseases	13	--	13	--	--	3	10	69.5	*	327.9	
# Influenza and pneumonia	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic lower respiratory diseases	8	--	8	--	--	1	7	*	*	*	
Emphysema	1	--	1	--	--	--	1	*	-0-	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	4	--	4	--	--	3	1	*	*	*	
# Nephritis, nephrotic syndrome and nephrosis	6	--	6	--	--	1	5	*	*	*	
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	7	--	7	--	--	5	2	*	*	*	
# Accidents	2	--	2	--	--	1	1	*	*	*	
Motor vehicle accidents	1	--	1	--	--	1	--	*	*	-0-	
All other accidents	1	--	1	--	--	--	1	*	-0-	*	
# Suicide	5	--	5	--	--	4	1	*	*	*	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Washington County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	179	21	48	58	30	15	7	178	--	1
Sex	Male	84	9	25	24	14	8	4	84	--	--
	Female	95	12	23	34	16	7	3	94	--	1
Race	White	178	20	48	58	30	15	7			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	1	--	--	--			
Multiple births		4	--	--	--	4	--	--	4	--	--
Marital status	Married	135	4	32	52	28	12	7	135	--	--
	Single	44	17	16	6	2	3	--	43	--	--
Mother not high school graduate		15	10	3	1	1	--	--	15	--	--
Birthweight	Very low (0-1,499 Grams)	5	--	1	--	4	--	--	5	--	--
	Low (0-2,499 Grams)	10	1	3	1	4	1	--	10	--	--
Caesarian section	Primary	21	1	7	7	2	3	1	21	--	1
	Secondary	21	--	5	4	6	3	3	21	--	--
Trimester prenatal care began	First	161	15	44	53	29	13	7	160	--	1
	Third or no care	4	1	1	1	--	1	--	4	--	--
First birth		60	14	21	17	5	3	--	59	--	--
2000 Percentages²											
Live births	Total	100.0	11.7	26.8	32.4	16.8	8.4	*	99.4	-0-	*
Sex	Male	46.9	*	*	*	*	*	*	47.2	*	.0
	Female	53.1	*	*	*	*	*	*	52.8	-0-	*
Race	White	99.4	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
Marital status	Married	75.4	*	*	*	*	*	*	75.8	-0-	*
	Single	*	81.0	33.3	*	*	*	-0-	24.2	-0-	-0-
Mother not high school graduate		*	*	*	*	*	-0-	-0-	8.5	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	-0-	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	5.6	*	*	*	*	*	-0-	5.6	-0-	-0-
Caesarian section	Primary	11.7	*	*	*	*	*	*	11.8	-0-	*
	Secondary	11.7	-0-	*	*	*	*	*	11.8	-0-	-0-
Trimester prenatal care began	First	91.0	*	*	*	*	*	*	90.9	-0-	*
	Third or no care	*	*	*	*	-0-	*	-0-	*	-0-	-0-
First birth		33.5	*	*	*	*	*	-0-	33.1	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	11.1	26.1	33.7	20.6	7.1	1.5	99.4	*	*
Sex	Male	50.7	*	46.4	53.3	52.7	*	*	50.9	-0-	-0-
	Female	49.3	*	53.6	46.7	47.3	*	*	49.1	*	*
Race	White	99.4	10.9	26.1	33.8	20.7	7.0	1.5			
	Black	*	-0-	*	-0-	-0-	*	-0-			
Ethnicity	Hispanic ¹	*	*	*	*	-0-	-0-	-0-			
Multiple births		3.4	-0-	*	4.1	7.3	-0-	-0-	3.4	-0-	-0-
Marital status	Married	78.3	*	64.6	93.0	93.3	*	*	78.8	-0-	*
	Single	21.7	*	35.4	7.0	6.7	*	-0-	21.2	*	*
Mother not high school graduate		10.0	*	11.0	*	*	*	-0-	9.9	-0-	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	-0-	*	*	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	4.6	*	5.3	*	6.7	*	-0-	4.6	-0-	-0-
Caesarian section	Primary	14.1	*	13.9	14.4	13.9	*	*	14.2	-0-	*
	Secondary	8.7	-0-	6.2	7.4	13.9	*	*	8.8	-0-	-0-
Trimester prenatal care began	First	89.7	*	87.6	94.0	94.5	*	*	90.2	-0-	*
	Third or no care	1.9	4.6	*	*	-0-	*	-0-	1.6	*	-0-
First birth		34.7	71.9	44.0	27.4	20.6	*	*	34.6	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Washington County - 2000

Population Estimates	
Total	15,200
Under 65 Years	12,660
65 and Older	2,540

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	172	2	--	1	3	2	7	5	19	31	48	54
Male	95	2	--	1	2	2	5	2	14	17	27	23
Female	77	--	--	--	1	--	2	3	5	14	21	31
Black	1	--	--	--	--	--	--	--	--	--	--	1
Male	1	--	--	--	--	--	--	--	--	--	--	1
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	170	2	--	1	3	2	7	5	19	31	47	53
Male	94	2	--	1	2	2	5	2	14	17	27	22
Female	76	--	--	--	1	--	2	3	5	14	20	31
All other races	1	--	--	--	--	--	--	--	--	--	1	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	1	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	172	1	170	1	--	39	133	1,131.6	308.1	5,236.2	
5-Year Average (1996-2000)	168	<1	167	<1	<1	29	139	1117.0	236.1	5,043.5	
# Infectious and parasitic diseases	3	--	3	--	--	--	3	*	-0-	*	
# Septicemia	3	--	3	--	--	--	3	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	41	1	40	--	--	12	29	269.7	94.8	1,141.7	
# Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Colorectal	2	--	2	--	--	--	2	*	-0-	*	
# Bronchus and lung	10	--	10	--	--	5	5	65.8	*	*	
# Female breast	5	--	5	--	--	1	4	* ³	* ³	* ³	
# Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
# Prostate	5	1	4	--	--	--	5	* ³	-0- ³	* ³	
# Diabetes mellitus	3	--	3	--	--	1	2	*	*	*	
# Alzheimer's disease	5	--	5	--	--	--	5	*	-0-	*	
# Major cardiovascular diseases	75	--	74	1	--	8	67	493.4	*	2,637.8	
# Diseases of heart	52	--	52	--	--	7	45	342.1	*	1,771.7	
# Ischemic heart disease	40	--	40	--	--	7	33	263.2	*	1,299.2	
# Cerebrovascular diseases	18	--	17	1	--	1	17	118.4	*	669.3	
# Atherosclerosis	3	--	3	--	--	--	3	*	-0-	*	
# Aortic aneurysm and dissection	1	--	1	--	--	--	1	*	-0-	*	
# Respiratory diseases	18	--	18	--	--	2	16	118.4	*	629.9	
# Influenza and pneumonia	7	--	7	--	--	--	7	*	-0-	*	
# Chronic lower respiratory diseases	8	--	8	--	--	2	6	*	*	*	
# Emphysema	1	--	1	--	--	--	1	*	-0-	*	
# Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Nephritis, nephrotic syndrome and nephrosis	3	--	3	--	--	--	3	*	-0-	*	
# Certain perinatal conditions	2	--	2	--	--	2	--	*	*	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
# SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
# External causes	11	--	11	--	--	10	1	72.4	79.0	*	
# Accidents	7	--	7	--	--	6	1	*	*	*	
# Motor vehicle accidents	5	--	5	--	--	4	1	*	*	*	
# All other accidents	2	--	2	--	--	2	--	*	*	-0-	
# Suicide	3	--	3	--	--	3	--	*	*	-0-	
# Homicide	1	--	1	--	--	1	--	*	*	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Wayne County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	183	28	57	57	26	10	5	177	--	--
Sex	Male	85	13	25	29	13	3	2	81	--	--
	Female	98	15	32	28	13	7	3	96	--	--
Race	White	177	28	56	54	25	9	5			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	--	--	--	--	--	--	--			
Multiple births		3	--	--	--	3	--	--	3	--	--
Marital status	Married	134	10	40	50	22	8	4	129	--	--
	Single	49	18	17	7	4	2	1	48	--	--
Mother not high school graduate		24	12	5	2	3	2	--	24	--	--
Birthweight	Very low (0-1,499 Grams)	2	1	--	--	1	--	--	2	--	--
	Low (0-2,499 Grams)	15	5	5	2	1	2	--	15	--	--
Caesarian section	Primary	32	6	7	6	9	2	2	31	--	--
	Secondary	13	--	4	3	4	1	1	13	--	--
Trimester prenatal care began	First	160	22	50	54	21	8	5	155	--	--
	Third or no care	6	2	2	--	1	1	--	5	--	--
First birth		52	20	18	11	2	--	1	52	--	--
2000 Percentages²											
Live births	Total	100.0	15.3	31.1	31.1	14.2	5.5	*	96.7	-0-	-0-
Sex	Male	46.4	*	*	*	*	*	*	45.8	-0-	.
	Female	53.6	*	*	*	*	*	*	54.2	-0-	-0-
Race	White	96.7	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	-0-	*	-0-	-0-	*	-0-	-0-
Marital status	Married	73.2	*	*	*	*	*	*	72.9	-0-	-0-
	Single	*	64.3	29.8	*	*	*	*	27.1	-0-	-0-
Mother not high school graduate		*	*	*	*	*	*	-0-	13.6	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	*	-0-	-0-	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	8.2	*	*	*	*	*	-0-	8.5	-0-	-0-
Caesarian section	Primary	17.5	*	*	*	*	*	*	17.5	-0-	-0-
	Secondary	7.1	-0-	*	*	*	*	*	7.3	-0-	-0-
Trimester prenatal care began	First	87.9	*	*	*	*	*	*	88.1	-0-	-0-
	Third or no care	*	*	*	-0-	*	*	-0-	*	-0-	-0-
First birth		28.4	*	*	*	*	-0-	-0-	29.4	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	14.9	30.3	30.6	15.6	6.8	1.8	98.6	*	*
Sex	Male	49.0	51.4	49.5	48.3	48.3	*	*	48.8	-0-	*
	Female	51.0	48.6	50.5	51.7	51.7	*	*	51.2	*	*
Race	White	98.6	15.0	30.5	30.6	15.3	6.8	1.8			
	Black	*	-0-	-0-	-0-	*	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	*	-0-	*			
Multiple births		1.8	*	-0-	*	*	*	-0-	1.8	-0-	-0-
Marital status	Married	76.0	40.8	73.4	86.0	90.6	*	*	75.9	*	*
	Single	24.0	59.2	26.6	14.0	9.4	*	*	24.1	-0-	*
Mother not high school graduate		14.4	44.4	10.0	8.9	8.1	*	*	14.5	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	1.8	*	*	*	*	*	-0-	1.8	-0-	-0-
	Low (0-2,499 Grams)	7.9	9.9	6.6	6.2	6.7	*	*	8.0	-0-	*
Caesarian section	Primary	13.0	15.5	12.5	9.9	15.4	*	*	13.1	-0-	-0-
	Secondary	6.9	*	5.5	7.2	11.4	*	*	7.0	-0-	-0-
Trimester prenatal care began	First	88.3	76.8	88.5	91.8	91.9	*	*	88.5	*	*
	Third or no care	2.3	2.8	*	*	*	*	*	2.2	-0-	-0-
First birth		35.5	78.2	42.2	25.7	14.8	*	*	35.7	-0-	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Wayne County - 2000

Population Estimates	
Total	17,100
Under 65 Years	13,880
65 and Older	3,220

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	187	2	1	--	1	2	3	9	18	35	53	63
Male	97	1	--	--	1	2	2	7	12	22	27	23
Female	90	1	1	--	--	--	1	2	6	13	26	40
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	186	2	1	--	1	2	3	9	18	34	53	63
Male	96	1	--	--	1	2	2	7	12	21	27	23
Female	90	1	1	--	--	--	1	2	6	13	26	40
All other races	1	--	--	--	--	--	--	--	--	1	--	--
Male	1	--	--	--	--	--	--	--	--	1	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	1	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	1	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	187	--	186	1	1	36	151	1,093.6	259.4	4,689.4	
5-Year Average (1996-2000)	211	<1	210	<1	<1	38	172	1246.2	280.7	5,240.1	
# Infectious and parasitic diseases	6	--	6	--	--	2	4	*	*	*	
# Septicemia	4	--	4	--	--	--	4	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	45	--	45	--	--	10	35	263.2	72.0	1,087.0	
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-	
Colorectal	4	--	4	--	--	1	3	*	*	*	
Bronchus and lung	22	--	22	--	--	5	17	128.7	*	528.0	
Female breast	3	--	3	--	--	1	2	* ³	* ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	4	--	4	--	--	1	3	* ³	* ³	* ³	
# Diabetes mellitus	2	--	2	--	--	--	2	*	-0-	*	
# Alzheimer's disease	4	--	4	--	--	--	4	*	-0-	*	
Major cardiovascular diseases	77	--	77	--	--	9	68	450.3	*	2,111.8	
# Diseases of heart	56	--	56	--	--	7	49	327.5	*	1,521.7	
Ischemic heart disease	39	--	39	--	--	4	35	228.1	*	1,087.0	
# Cerebrovascular diseases	15	--	15	--	--	1	14	87.7	*	434.8	
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Aortic aneurysm and dissection	2	--	2	--	--	--	2	*	-0-	*	
Respiratory diseases	21	--	21	--	--	3	18	122.8	*	559.0	
# Influenza and pneumonia	5	--	5	--	--	2	3	*	*	*	
# Chronic lower respiratory diseases	7	--	7	--	--	1	6	*	*	*	
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	1	--	1	--	--	--	1	*	-0-	*	
# Nephritis, nephrotic syndrome and nephrosis	2	--	1	1	--	1	1	*	*	*	
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-	
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-	
SIDS	1	--	1	--	--	1	--	*	*	-0-	
External causes	13	--	13	--	--	5	8	76.0	*	*	
# Accidents	7	--	7	--	--	2	5	*	*	*	
Motor vehicle accidents	2	--	2	--	--	1	1	*	*	*	
All other accidents	5	--	5	--	--	1	4	*	*	*	
# Suicide	4	--	4	--	--	2	2	*	*	*	
# Homicide	1	--	1	--	--	1	--	*	*	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of White County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	158	24	44	51	23	11	5	155	--	1
Sex	Male	78	11	23	24	13	5	2	78	--	1
	Female	80	13	21	27	10	6	3	77	--	--
Race	White	155	24	44	51	23	9	4			
	Black	--	--	--	--	--	--	--			
Ethnicity	Hispanic ¹	1	--	--	1	--	--	--			
Multiple births		4	--	--	2	--	2	--	2	--	--
Marital status	Married	108	9	27	41	20	8	3	107	--	--
	Single	50	15	17	10	3	3	2	48	--	--
Mother not high school graduate		26	12	8	4	1	--	1	26	--	--
Birthweight	Very low (0-1,499 Grams)	6	--	1	2	1	1	1	4	--	--
	Low (0-2,499 Grams)	20	3	3	8	3	1	2	18	--	--
Caesarian section	Primary	24	5	5	5	5	3	1	22	--	--
	Secondary	15	1	--	8	3	1	2	14	--	--
Trimester prenatal care began	First	132	18	33	44	22	10	5	129	--	1
	Third or no care	4	--	3	1	--	--	--	4	--	--
First birth		50	19	17	8	4	2	--	49	--	--
2000 Percentages²											
Live births	Total	100.0	15.2	27.8	32.3	14.6	7.0	*	98.1	-0-	*
Sex	Male	49.4	*	*	*	*	*	*	50.3	*	100.0
	Female	50.6	*	*	*	*	*	*	49.7	-0-	-0-
Race	White	98.1	*	*	*	*	*	*			
	Black	-0-	-0-	-0-	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	-0-	-0-	*	-0-	-0-	-0-			
Multiple births		*	-0-	-0-	*	-0-	*	-0-	*	-0-	-0-
Marital status	Married	68.4	*	*	*	*	*	*	69.0	-0-	*
	Single	*	62.5	38.6	*	*	*	*	31.0	-0-	-0-
Mother not high school graduate		*	*	*	*	*	-0-	*	16.8	-0-	-0-
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	*	*	*	*	*	-0-	-0-
	Low (0-2,499 Grams)	12.7	*	*	*	*	*	*	11.6	-0-	-0-
Caesarian section	Primary	15.2	*	*	*	*	*	*	14.2	-0-	-0-
	Secondary	9.5	*	-0-	*	*	*	*	9.0	-0-	-0-
Trimester prenatal care began	First	83.5	*	*	*	*	*	*	83.2	-0-	*
	Third or no care	*	-0-	*	*	-0-	-0-	-0-	*	-0-	-0-
First birth		31.6	*	*	*	*	*	-0-	31.6	-0-	-0-
Percentages² based on 1996-2000 average											
Live births	Total	100.0	17.4	32.0	29.9	13.2	6.2	1.4	98.8	*	*
Sex	Male	50.2	48.9	52.1	47.5	54.2	*	*	50.2	*	*
	Female	49.8	51.1	47.9	52.5	45.8	*	*	49.8	-0-	*
Race	White	98.8	17.6	31.9	30.1	13.1	6.0	1.3			
	Black	*	-0-	*	-0-	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	-0-	*	-0-	*	-0-			
Multiple births		3.5	*	*	5.0	*	*	-0-	3.3	-0-	-0-
Marital status	Married	71.9	37.6	66.4	88.0	89.7	*	*	71.8	*	*
	Single	28.1	62.4	33.6	12.0	10.3	*	*	28.2	-0-	*
Mother not high school graduate		19.6	52.5	22.8	5.0	*	*	*	19.8	-0-	*
Birthweight	Very low (0-1,499 Grams)	2.0	*	*	*	*	*	*	1.8	-0-	-0-
	Low (0-2,499 Grams)	10.6	11.3	11.6	8.3	9.3	*	*	10.4	-0-	-0-
Caesarian section	Primary	14.1	15.6	13.5	12.0	17.8	*	*	13.9	-0-	-0-
	Secondary	10.1	*	7.3	12.0	16.8	*	*	10.0	-0-	-0-
Trimester prenatal care began	First	82.8	73.8	77.2	88.4	92.5	*	*	82.7	*	*
	Third or no care	2.6	2.1	5.0	*	*	-0-	-0-	2.6	-0-	-0-
First birth		38.0	78.0	43.2	26.4	13.1	*	*	38.0	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of White County - 2000

Population Estimates	
Total	15,400
Under 65 Years	12,210
65 and Older	3,190

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	256	--	--	--	--	4	4	7	19	48	72	102
Male	108	--	--	--	--	1	3	5	12	23	33	31
Female	148	--	--	--	--	3	1	2	7	25	39	71
Black	1	--	--	--	--	--	--	--	--	--	1	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	1	--
White	254	--	--	--	--	4	4	7	18	48	71	102
Male	107	--	--	--	--	1	3	5	11	23	33	31
Female	147	--	--	--	--	3	1	2	7	25	38	71
All other races	1	--	--	--	--	--	--	--	1	--	--	--
Male	1	--	--	--	--	--	--	--	1	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	1	--	--
Male	1	--	--	--	--	--	--	--	--	1	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	256	1	254	1	1	34	222	1,662.3	278.5	6,959.2	
5-Year Average (1996-2000)	242	<1	240	<1	<1	36	206	1564.0	297.2	6,268.3	
Infectious and parasitic diseases	5	--	5	--	--	1	4	*	*	*	
# Septicemia	3	--	3	--	--	--	3	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	1	--	1	--	--	1	--	*	-0-	-0-	
# Malignant neoplasms	48	1	46	1	1	10	38	311.7	81.9	1,191.2	
Lip, oral cavity and pharynx	1	--	1	--	--	--	1	*	-0-	*	
Colorectal	5	--	5	--	--	1	4	*	*	*	
Bronchus and lung	12	--	11	1	1	4	8	77.9	*	*	
Female breast	1	1	--	--	--	--	1	* ³	-0- ³	* ³	
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³	
Prostate	4	--	4	--	--	--	4	* ³	-0- ³	* ³	
# Diabetes mellitus	3	--	3	--	--	1	2	*	*	*	
# Alzheimer's disease	4	--	4	--	--	--	4	*	-0-	*	
Major cardiovascular diseases	125	--	125	--	--	11	114	811.7	90.1	3,573.7	
# Diseases of heart	102	--	102	--	--	8	94	662.3	*	2,946.7	
Ischemic heart disease	86	--	86	--	--	8	78	558.4	*	2,445.1	
# Cerebrovascular diseases	16	--	16	--	--	2	14	103.9	*	438.9	
# Atherosclerosis	5	--	5	--	--	--	5	*	-0-	*	
# Aortic aneurysm and dissection	--	--	--	--	--	--	--	-0-	-0-	-0-	
Respiratory diseases	26	--	26	--	--	2	24	168.8	*	752.4	
# Influenza and pneumonia	12	--	12	--	--	--	12	77.9	-0-	376.2	
# Chronic lower respiratory diseases	9	--	9	--	--	--	9	*	-0-	*	
Emphysema	4	--	4	--	--	--	4	*	-0-	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	3	--	3	--	--	2	1	*	*	*	
# Nephritis, nephrotic syndrome and nephrosis	4	--	4	--	--	1	3	*	*	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	--	--	--	--	--	--	--	-0-	-0-	-0-	
SIDS	--	--	--	--	--	--	--	-0-	-0-	-0-	
External causes	9	--	9	--	--	3	6	*	*	*	
# Accidents	7	--	7	--	--	2	5	*	*	*	
Motor vehicle accidents	--	--	--	--	--	--	--	-0-	-0-	-0-	
All other accidents	7	--	7	--	--	2	5	*	*	*	
# Suicide	2	--	2	--	--	1	1	*	*	*	
# Homicide	--	--	--	--	--	--	--	-0-	-0-	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Whiteside County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	771	126	221	226	131	51	16	760	5	112
Sex	Male	411	70	119	111	81	22	8	405	3	59
	Female	360	56	102	115	50	29	8	355	2	53
Race	White	760	123	219	224	130	49	15			
	Black	5	2	2	--	--	--	1			
Ethnicity	Hispanic ¹	112	26	38	22	18	5	3			
Multiple births		27	6	6	13	--	2	--	27	--	2
Marital status	Married	473	20	102	176	120	43	12	469	--	51
	Single	298	106	119	50	11	8	4	291	5	61
Mother not high school graduate		158	75	56	12	9	2	4	154	3	46
Birthweight	Very low (0-1,499 Grams)	6	1	1	1	3	--	--	6	--	2
	Low (0-2,499 Grams)	51	12	17	12	8	2	--	51	--	3
Caesarian section	Primary	118	19	32	37	22	8	--	116	1	15
	Secondary	73	1	14	28	19	8	3	71	1	7
Trimester prenatal care began	First	682	97	193	210	123	45	14	672	4	94
	Third or no care	9	--	0	2	1	1	2	8	1	3
First birth		247	96	68	54	22	6	1	241	3	36
2000 Percentages²											
Live births	Total	100.0	16.3	28.7	29.3	17.0	6.6	2.1	98.6	*	14.5
Sex	Male	53.3	55.6	53.8	49.1	61.8	*	*	53.3	*	52.7
	Female	46.7	44.4	46.2	50.9	38.2	*	*	46.7	*	47.3
Race	White	98.6	16.2	28.8	29.5	17.1	*	*			
	Black	*	*	*	-0-	-0-	-0-	*			
Ethnicity	Hispanic ¹	14.5	23.2	33.9	19.6	16.1	*	*			
Multiple births		3.5	*	*	5.8	-0-	*	-0-	3.6	-0-	*
Marital status	Married	61.3	15.9	46.2	77.9	91.6	*	*	61.7	-0-	45.5
	Single	38.7	84.1	53.8	22.1	8.4	*	*	38.3	*	54.5
Mother not high school graduate		20.5	59.5	25.3	5.3	*	*	*	20.3	*	41.1
Birthweight	Very low (0-1,499 Grams)	*	*	*	*	*	-0-	-0-	*	-0-	*
	Low (0-2,499 Grams)	6.6	9.5	7.7	5.3	*	*	-0-	6.7	-0-	*
Caesarian section	Primary	15.3	15.1	14.5	16.4	16.8	*	-0-	15.3	*	13.4
	Secondary	9.5	*	6.3	12.4	14.5	*	*	9.3	*	*
Trimester prenatal care began	First	88.6	77.0	87.3	93.3	93.9	*	*	88.5	*	83.9
	Third or no care	*	*	-0-	*	*	*	*	*	*	*
First birth		32.0	76.2	30.8	23.9	16.8	*	*	31.7	*	32.1
Percentages² based on 1996-2000 average											
Live births	Total	100.0	15.8	27.9	29.3	18.6	6.8	1.6	98.7	0.8	14.6
Sex	Male	51.8	53.5	51.7	49.8	54.6	49.4	*	51.9	*	50.8
	Female	48.2	46.5	48.3	50.2	45.4	50.6	*	48.1	*	49.2
Race	White	98.7	15.6	28.0	29.5	18.6	6.8	1.6			
	Black	.8	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	14.6	23.7	31.6	23.4	14.1	6.3	*			
Multiple births		2.8	1.6	2.1	3.6	3.3	4.5	-0-	2.8	*	*
Marital status	Married	65.9	14.1	56.6	81.1	91.0	85.7	*	66.2	*	53.8
	Single	34.1	85.9	43.4	18.9	9.0	14.3	*	33.8	*	46.2
Mother not high school graduate		19.6	61.9	21.5	6.6	6.5	8.3	*	19.6	*	39.2
Birthweight	Very low (0-1,499 Grams)	.9	*	*	1.0	*	-0-	*	.9	-0-	*
	Low (0-2,499 Grams)	5.8	7.0	5.7	5.2	6.1	4.9	*	5.7	*	5.3
Caesarian section	Primary	13.4	15.2	12.3	14.1	12.6	12.5	*	13.3	*	12.5
	Secondary	7.5	*	5.1	7.9	13.4	14.7	*	7.5	*	6.5
Trimester prenatal care began	First	87.8	77.0	86.2	91.9	92.4	88.7	*	87.8	*	82.4
	Third or no care	1.8	4.1	1.7	1.1	*	*	*	1.8	*	2.6
First birth		32.5	73.4	35.1	25.4	14.3	12.5	*	32.4	*	32.3

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Whiteside County - 2000

Population Estimates	
Total	60,700
Under 65 Years	50,930
65 and Older	9,770

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	597	2	--	1	9	6	15	32	54	100	179	199
Male	278	--	--	--	5	5	9	22	29	52	96	60
Female	319	2	--	1	4	1	6	10	25	48	83	139
Black	7	--	--	--	--	--	--	1	--	--	2	4
Male	3	--	--	--	--	--	--	1	--	--	1	1
Female	4	--	--	--	--	--	--	--	--	--	1	3
White	590	2	--	1	9	6	15	31	54	100	177	195
Male	275	--	--	--	5	5	9	21	29	52	95	59
Female	315	2	--	1	4	1	6	10	25	48	82	136
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	22	1	--	--	--	--	1	1	3	6	5	5
Male	9	--	--	--	--	--	1	1	1	4	2	--
Female	13	1	--	--	--	--	--	--	2	2	3	5

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	597	7	590	--	22	119	478	983.5	233.7	4,892.5
5-Year Average (1996-2000)	619	3	615	<1	20	123	497	1025.2	242.1	5,090.2
# Infectious and parasitic diseases	6	--	6	--	--	2	4	*	*	*
# Septicemia	4	--	4	--	--	1	3	*	*	*
# Viral hepatitis	1	--	1	--	--	1	--	*	*	-0-
# HIV disease	--	--	--	--	--	--	--	-0-	*	-0-
# Malignant neoplasms	143	1	142	--	6	41	102	235.6	80.5	1,044.0
Lip, oral cavity and pharynx	--	--	--	--	--	--	--	-0-	-0-	-0-
Colorectal	9	--	9	--	--	--	9	*	-0-	*
Bronchus and lung	36	--	36	--	2	10	26	59.3	19.6	266.1
Female breast	12	--	12	--	--	7	5	19.8 ³	* ³	* ³
Cervical	--	--	--	--	--	--	--	-0- ³	-0- ³	-0- ³
Prostate	9	--	9	--	1	--	9	* ³	-0- ³	* ³
# Diabetes mellitus	17	--	17	--	3	2	15	28.0	*	153.5
# Alzheimer's disease	13	--	13	--	1	--	13	21.4	-0-	133.1
Major cardiovascular diseases	271	5	266	--	8	30	241	446.5	58.9	2,466.7
# Diseases of heart	219	5	214	--	5	24	195	360.8	47.1	1,995.9
Ischemic heart disease	169	2	167	--	4	21	148	278.4	41.2	1,514.8
# Cerebrovascular diseases	45	--	45	--	3	5	40	74.1	*	409.4
# Atherosclerosis	--	--	--	--	--	--	--	-0-	-0-	-0-
# Aortic aneurysm and dissection	2	--	2	--	--	1	1	*	*	*
Respiratory diseases	47	--	47	--	2	6	41	77.4	*	419.7
# Influenza and pneumonia	9	--	9	--	1	1	8	*	*	*
# Chronic lower respiratory diseases	24	--	24	--	1	2	22	39.5	*	225.2
Emphysema	2	--	2	--	--	--	2	*	-0-	*
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-
# Chronic liver disease and cirrhosis	5	--	5	--	--	2	3	*	*	*
# Nephritis, nephrotic syndrome and nephrosis	10	1	9	--	--	3	7	16.5	*	*
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-
SIDS	1	--	1	--	--	1	--	*	*	-0-
External causes	27	--	27	--	2	17	10	44.5	33.4	102.4
# Accidents	19	--	19	--	1	11	8	31.3	21.6	*
Motor vehicle accidents	7	--	7	--	--	6	1	*	*	*
All other accidents	12	--	12	--	1	5	7	19.8	*	*
# Suicide	6	--	6	--	1	5	1	*	*	*
# Homicide	1	--	1	--	--	--	1	*	-0-	*

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Will County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	8,213	584	1,368	2,378	2,648	1,093	142	7,050	896	1,072
Sex	Male	4,214	295	679	1,241	1,340	587	72	3,645	443	556
	Female	3,999	289	689	1,137	1,308	506	70	3,405	453	516
Race	White	7,050	408	1,055	2,101	2,388	973	125			
	Black	896	171	276	192	159	84	14			
Ethnicity	Hispanic ¹	1,072	133	313	321	204	88	13			
Multiple births		330	6	33	93	141	50	7			
Marital status	Married	6,530	93	716	2,082	2,477	1,031	131	5,935	348	729
	Single	1,683	491	652	296	171	62	11	1,115	548	343
Mother not high school graduate		937	303	306	175	102	46	5	749	178	441
Birthweight	Very low (0-1,499 Grams)	131	9	21	44	41	15	1	108	21	19
	Low (0-2,499 Grams)	590	48	101	153	192	79	17	468	106	59
Caesarian section	Primary	1,060	63	141	350	338	146	22	912	115	106
	Secondary	754	5	90	177	285	175	22	632	98	104
Trimester prenatal care began	First	7,459	437	1,134	2,209	2,519	1,031	129	6,492	719	899
	Third or no care	129	31	50	18	14	14	2	84	44	31
First birth		2,443	417	506	804	556	144	16	2,120	245	329
2000 Percentages²											
Live births	Total	100.0	7.1	16.7	29.0	32.2	13.3	1.7	85.8	10.9	13.1
Sex	Male	51.3	50.5	49.6	52.2	50.6	53.7	50.7	51.7	49.4	51.9
	Female	48.7	49.5	50.4	47.8	49.4	46.3	49.3	48.3	50.6	48.1
Race	White	85.8	5.8	15.0	29.8	33.9	13.8	1.8			
	Black	10.9	19.1	30.8	21.4	17.7	9.4	1.6			
Ethnicity	Hispanic ¹	13.1	12.4	29.2	29.9	19.0	8.2	1.2			
Multiple births		4.0	*	2.4	3.9	5.3	4.6	*			
Marital status	Married	79.5	15.9	52.3	87.6	93.5	94.3	92.3	84.2	38.8	68.0
	Single	20.5	84.1	47.7	12.4	6.5	5.7	7.7	15.8	61.2	32.0
Mother not high school graduate		11.4	51.9	22.4	7.4	3.9	4.2	*	10.6	19.9	41.3
Birthweight	Very low (0-1,499 Grams)	1.6	*	1.5	1.9	1.5	1.4	*	1.5	2.3	1.8
	Low (0-2,499 Grams)	7.2	8.2	7.4	6.4	7.3	7.2	12.0	6.6	11.8	5.5
Caesarian section	Primary	12.9	10.8	10.3	14.7	12.8	13.4	15.5	12.9	12.8	9.9
	Secondary	9.2	*	6.6	7.4	10.8	16.0	15.5	9.0	10.9	9.7
Trimester prenatal care began	First	91.4	75.6	83.4	93.8	95.6	94.8	90.8	92.7	81.1	84.9
	Third or no care	1.6	5.4	3.7	.8	.5	1.3	*	1.2	5.0	2.9
First birth		29.7	71.4	37.0	33.8	21.0	13.2	*	30.1	27.3	30.7
Percentages² based on 1996-2000 average											
Live births	Total	100.0	7.9	16.9	29.8	30.7	12.8	1.8	86.1	11.3	11.2
Sex	Male	51.4	51.0	51.9	50.8	51.6	51.9	52.1	51.3	52.1	51.6
	Female	48.6	49.0	48.1	49.2	48.4	48.1	47.9	48.7	47.9	48.4
Race	White	86.1	6.2	15.4	30.7	32.4	13.4	1.9			
	Black	11.3	22.0	29.5	21.8	17.1	8.5	1.2			
Ethnicity	Hispanic ¹	11.2	13.7	30.6	28.7	18.5	7.2	1.2			
Multiple births		3.6	1.4	2.2	3.3	4.9	4.5	3.5			
Marital status	Married	78.7	14.1	53.0	88.1	93.8	92.8	90.4	84.0	35.9	67.7
	Single	21.3	85.9	47.0	11.9	6.2	7.2	9.6	16.0	64.1	32.3
Mother not high school graduate		11.0	51.2	19.4	6.4	3.6	4.1	4.5	9.9	20.1	40.0
Birthweight	Very low (0-1,499 Grams)	1.4	1.7	1.4	1.4	1.4	1.3	1.8	1.2	3.0	1.6
	Low (0-2,499 Grams)	7.0	9.1	7.3	6.3	6.8	6.8	9.0	6.3	12.0	6.3
Caesarian section	Primary	12.7	12.2	11.2	13.6	12.6	13.0	15.9	12.6	13.4	11.1
	Secondary	9.4	1.6	6.5	7.8	11.7	15.2	14.7	9.1	11.3	10.6
Trimester prenatal care began	First	90.2	71.9	82.6	93.3	94.5	93.8	92.3	91.8	78.4	83.4
	Third or no care	1.9	6.5	3.5	1.1	.8	1.3	*	1.4	5.5	2.9
First birth		30.0	71.0	38.6	33.2	19.8	13.0	9.5	30.2	27.7	32.3

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Will County - 2000

Population Estimates	
Total	508,200
Under 65 Years	465,940
65 and Older	42,260

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	2,999	56	4	12	44	43	106	219	352	586	834	743
Male	1,491	33	2	7	34	34	71	134	222	348	390	216
Female	1,508	23	2	5	10	9	35	85	130	238	444	527
Black	233	9	--	3	7	8	11	32	40	48	38	37
Male	125	2	--	2	5	8	6	17	25	29	19	12
Female	108	7	--	1	2	--	5	15	15	19	19	25
White	2,741	47	4	9	37	34	91	181	308	536	789	705
Male	1,355	31	2	5	29	26	62	114	195	318	369	204
Female	1,386	16	2	4	8	8	29	67	113	218	420	501
All other races	25	--	--	--	--	1	4	6	4	2	7	1
Male	11	--	--	--	--	--	3	3	2	1	2	--
Female	14	--	--	--	--	1	1	3	2	1	5	1
Hispanic ethnicity ¹	94	8	--	--	10	3	14	9	15	19	10	6
Male	57	3	--	--	9	2	10	6	12	8	5	2
Female	37	5	--	--	1	1	4	3	3	11	5	4

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	2,999	233	2,741	25	94	836	2,163	590.1	179.4	5,118.3
5-Year Average (1996-2000)	2,779	228	2,535	16	68	781	1,998	621.0	190.8	5,204.2
Infectious and parasitic diseases	52	8	44	--	2	8	44	10.2	*	104.1
# Septicemia	40	4	36	--	1	5	35	7.9	*	82.8
# Viral hepatitis	2	--	2	--	1	1	1	*	*	*
# HIV disease	1	1	--	--	--	1	--	*	*	-0-
# Malignant neoplasms	774	54	707	13	17	258	516	152.3	55.4	1,221.0
Lip, oral cavity and pharynx	8	2	6	--	2	5	3	*	*	*
Colorectal	66	5	60	1	2	17	49	13.0	3.6	115.9
Bronchus and lung	235	22	211	2	5	81	154	46.2	17.4	364.4
Female breast	59	3	54	2	1	25	34	11.6 ³	5.4 ³	80.5 ³
Cervical	7	--	6	1	--	5	2	* ³	* ³	* ³
Prostate	39	2	37	--	--	7	32	7.7 ³	* ³	75.7 ³
# Diabetes mellitus	70	7	63	--	3	20	50	13.8	4.3	118.3
# Alzheimer's disease	47	2	45	--	2	1	46	9.2	*	108.8
Major cardiovascular diseases	1,172	81	1,085	6	26	214	958	230.6	45.9	2,266.9
# Diseases of heart	926	70	852	4	16	175	751	182.2	37.6	1,777.1
Ischemic heart disease	712	52	656	4	11	139	573	140.1	29.8	1,355.9
# Cerebrovascular diseases	187	7	178	2	9	29	158	36.8	6.2	373.9
# Atherosclerosis	13	--	13	--	1	1	12	2.6	*	28.4
# Aortic aneurysm and dissection	22	2	20	--	--	5	17	4.3	*	40.2
Respiratory diseases	230	14	215	1	6	39	191	45.3	8.4	452.0
# Influenza and pneumonia	57	7	49	1	3	10	47	11.2	2.1	111.2
# Chronic lower respiratory diseases	123	5	118	--	1	18	105	24.2	3.9	248.5
Emphysema	21	--	21	--	--	3	18	4.1	*	42.6
Asthma	6	2	4	--	--	3	3	*	*	*
# Chronic liver disease and cirrhosis	45	1	43	1	6	26	19	8.9	5.6	45.0
# Nephritis, nephrotic syndrome and nephrosis	53	5	48	--	4	9	44	10.4	*	104.1
# Certain perinatal conditions	43	7	36	--	5	43	--	8.5	9.2	-0-
# Congenital malformations	14	2	11	1	2	12	2	2.8	2.6	*
SIDS	2	--	2	--	--	2	--	*	*	-0-
External causes	172	20	150	2	15	130	42	33.8	27.9	99.4
# Accidents	107	13	92	2	4	78	29	21.1	16.7	68.6
Motor vehicle accidents	51	6	43	2	1	42	9	10.0	9.0	*
All other accidents	56	7	49	--	3	36	20	11.0	7.7	47.3
# Suicide	42	1	41	--	2	34	8	8.3	7.3	*
# Homicide	17	5	12	--	9	16	1	3.3	3.4	*

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Williamson County - 2000

		All Ages	Under 20	20-24	Mother's Age			40 and older	Race		Ethnicity
					25-29	30-34	35-39	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	674	105	209	187	112	54	7	653	15	15
Sex	Male	352	52	113	100	52	33	2	343	5	11
	Female	322	53	96	87	60	21	5	310	10	4
Race	White	653	103	201	184	107	52	6			
	Black	15	2	7	2	2	1	1			
Ethnicity	Hispanic ¹	15	1	9	2	--	3	--			
Multiple births		13	--	4	5	2	2	--	13	--	--
Marital status	Married	442	25	122	154	90	45	6	431	5	--
	Single	232	80	87	33	22	9	1	222	10	6
Mother not high school graduate		110	62	32	11	1	3	1	108	2	3
Birthweight	Very low (0-1,499 Grams)	9	--	1	4	4	--	--	7	2	--
	Low (0-2,499 Grams)	43	10	10	9	8	6	--	40	2	1
Caesarian section	Primary	76	17	32	15	11	1	--	73	3	1
	Secondary	52	--	8	20	14	9	1	50	1	2
Trimester prenatal care began	First	550	83	167	159	91	45	5	537	9	8
	Third or no care	15	2	8	2	2	1	--	11	4	1
First birth		234	78	82	51	19	4	--	226	5	7
2000 Percentages²											
Live births	Total	100.0	15.6	31.0	27.7	16.6	8.0	*	96.9	2.2	2.2
Sex	Male	52.2	49.5	54.1	53.5	46.4	*	*	52.5	*	73.3
	Female	47.8	50.5	45.9	46.5	53.6	*	*	47.5	*	*
Race	White	96.9	15.8	30.8	28.2	16.4	*	*			
	Black	2.2	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	2.2	*	*	*	-0-	*	-0-			
Multiple births		1.9	-0-	*	*	*	*	-0-	2.0	-0-	-0-
Marital status	Married	65.6	23.8	58.4	82.4	80.4	*	*	66.0	*	*
	Single	34.4	76.2	41.6	17.6	19.6	*	*	34.0	*	*
Mother not high school graduate		16.4	59.6	15.5	5.9	*	*	*	16.6	*	*
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	*	*	-0-	-0-	*	*	-0-
	Low (0-2,499 Grams)	6.4	9.5	4.8	*	*	*	-0-	6.1	*	*
Caesarian section	Primary	11.3	16.2	15.3	8.0	9.8	*	-0-	11.2	*	*
	Secondary	7.7	-0-	*	10.7	12.5	*	*	7.7	*	*
Trimester prenatal care began	First	82.3	81.4	80.7	85.0	81.3	*	*	83.0	*	*
	Third or no care	2.2	*	*	*	*	*	-0-	1.7	*	*
First birth		34.7	74.3	39.2	27.3	17.0	*	-0-	34.6	*	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	14.8	30.4	29.2	17.1	7.3	1.1	96.4	2.7	1.0
Sex	Male	50.8	48.7	51.4	51.4	50.8	51.2	*	50.9	*	*
	Female	49.2	51.3	48.6	48.6	49.2	48.8	*	49.1	*	*
Race	White	96.4	14.9	30.2	29.5	16.9	7.5	1.0			
	Black	2.7	*	*	*	*	*	*			
Ethnicity	Hispanic ¹	1.0	*	*	*	*	*	-0-			
Multiple births		2.4	*	2.0	3.0	2.4	*	-0-	2.3	*	-0-
Marital status	Married	70.3	30.2	63.9	83.6	86.4	84.4	*	71.1	*	*
	Single	29.7	69.8	36.1	16.4	13.6	15.6	*	28.9	*	*
Mother not high school graduate		16.6	53.7	18.4	7.1	4.0	*	*	16.5	*	*
Birthweight	Very low (0-1,499 Grams)	1.0	*	.9	1.1	*	-0-	*	1.0	*	-0-
	Low (0-2,499 Grams)	5.9	8.5	5.9	4.8	5.9	4.3	*	5.7	*	*
Caesarian section	Primary	12.9	12.8	13.3	13.2	12.4	11.7	*	13.0	*	*
	Secondary	7.6	*	4.5	9.3	11.6	18.0	*	7.6	*	*
Trimester prenatal care began	First	83.9	78.0	83.0	86.7	85.5	84.3	*	84.0	*	*
	Third or no care	2.1	4.5	2.7	1.3	*	*	*	1.8	*	*
First birth		35.3	76.6	38.4	28.9	17.0	10.9	*	35.7	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Williamson County - 2000

Population Estimates	
Total	61,300
Under 65 Years	51,150
65 and Older	10,150

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	734	5	--	1	3	10	20	31	80	139	226	219
Male	349	2	--	1	2	9	10	17	49	80	114	65
Female	385	3	--	--	1	1	10	14	31	59	112	154
Black	13	--	--	--	--	--	1	2	3	1	3	3
Male	8	--	--	--	--	--	1	1	3	--	1	2
Female	5	--	--	--	--	--	--	1	--	1	2	1
White	721	5	--	1	3	10	19	29	77	138	223	216
Male	341	2	--	1	2	9	9	16	46	80	113	63
Female	380	3	--	--	1	1	10	13	31	58	110	153
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	1	--	--	--	--	--	--	--	--	--	1	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	1	--	--	--	--	--	--	--	--	--	1	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	734	13	721	--	1	150	584	1,197.4	293.3	5,753.7	
5-Year Average (1996-2000)	713	11	701	<1	2	150	563	1172.4	295.1	5,678.2	
# Infectious and parasitic diseases	4	--	4	--	--	1	3	*	*	*	
# Septicemia	4	--	4	--	--	1	3	*	*	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	171	2	169	--	1	43	128	279.0	84.1	1,261.1	
Lip, oral cavity and pharynx	1	--	1	--	--	1	--	*	*	-0-	
Colorectal	20	--	20	--	--	3	17	32.6	*	167.5	
Bronchus and lung	48	1	47	--	--	11	37	78.3	21.5	364.5	
Female breast	13	--	13	--	--	4	9	21.2 ³	* ³	* ³	
Cervical	2	--	2	--	--	1	1	* ³	* ³	* ³	
Prostate	8	1	7	--	--	--	8	* ³	-0- ³	* ³	
# Diabetes mellitus	23	--	23	--	--	7	16	37.5	*	157.6	
# Alzheimer's disease	19	--	19	--	--	--	19	31.0	-0-	187.2	
Major cardiovascular diseases	280	4	276	--	--	43	237	456.8	84.1	2,335.0	
# Diseases of heart	213	4	209	--	--	33	180	347.5	64.5	1,773.4	
Ischemic heart disease	150	3	147	--	--	25	125	244.7	48.9	1,231.5	
# Cerebrovascular diseases	45	--	45	--	--	5	40	73.4	*	394.1	
# Atherosclerosis	3	--	3	--	--	1	2	*	*	*	
# Aortic aneurysm and dissection	9	--	9	--	--	2	7	*	*	*	
Respiratory diseases	75	--	75	--	--	8	67	122.3	*	660.1	
# Influenza and pneumonia	11	--	11	--	--	2	9	17.9	*	*	
# Chronic lower respiratory diseases	51	--	51	--	--	6	45	83.2	*	443.3	
Emphysema	12	--	12	--	--	3	9	19.6	*	*	
Asthma	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Chronic liver disease and cirrhosis	6	--	6	--	--	1	5	*	*	*	
# Nephritis, nephrotic syndrome and nephrosis	21	1	20	--	--	2	19	34.3	*	187.2	
# Certain perinatal conditions	1	--	1	--	--	1	--	*	*	-0-	
# Congenital malformations	2	--	2	--	--	2	--	*	*	-0-	
SIDS	1	--	1	--	--	1	--	*	*	-0-	
External causes	34	4	30	--	--	23	11	55.5	45.0	108.4	
# Accidents	22	1	21	--	--	13	9	35.9	25.4	*	
Motor vehicle accidents	12	--	12	--	--	9	3	19.6	*	*	
All other accidents	10	1	9	--	--	4	6	16.3	*	*	
# Suicide	7	1	6	--	--	7	--	*	*	-0-	
# Homicide	3	1	2	--	--	2	1	*	*	*	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Winnebago County - 2000

	All Ages	Mother's Age							Race		Ethnicity
		Under 20	20-24	25-29	30-34	35-39	40 and older	White	Black	Hispanic ¹	
2000 Numbers											
Live births	Total	4,021	535	1,062	1,158	807	406	53	3,266	624	573
Sex	Male	2,069	273	541	608	411	211	25	1,692	307	292
	Female	1,952	262	521	550	396	195	28	1,574	317	281
Race	White	3,266	360	833	971	702	358	42			
	Black	624	164	209	143	72	28	8			
Ethnicity	Hispanic ¹	573	97	181	175	74	39	7			
Multiple births		156	14	20	37	57	23	5	122	28	19
Marital status	Married	2,515	77	504	847	691	352	44	2,278	135	342
	Single	1,506	458	558	311	116	54	9	988	489	231
Mother not high school graduate		951	336	305	184	75	39	12	689	235	319
Birthweight	Very low (0-1,499 Grams)	70	14	15	16	16	8	1	49	20	4
	Low (0-2,499 Grams)	332	64	71	88	64	40	5	226	97	33
Caesarian section	Primary	647	93	129	165	160	90	10	529	97	71
	Secondary	369	11	73	117	102	58	8	300	58	64
Trimester prenatal care began	First	3,213	333	809	966	714	352	39	2,708	402	403
	Third or no care	158	56	42	38	14	5	3	96	54	34
First birth		1,290	382	358	319	159	66	6	1,077	155	190
2000 Percentages²											
Live births	Total	100.0	13.3	26.4	28.8	20.1	10.1	1.3	81.2	15.5	14.3
Sex	Male	51.5	51.0	50.9	52.5	50.9	52.0	*	51.8	49.2	51.0
	Female	48.5	49.0	49.1	47.5	49.1	48.0	*	48.2	50.8	49.0
Race	White	81.2	11.0	25.5	29.7	21.5	11.0	*			
	Black	15.5	26.3	33.5	22.9	11.5	4.5	*			
Ethnicity	Hispanic ¹	14.3	16.9	31.6	30.5	12.9	6.8	*			
Multiple births		3.9	2.6	1.9	3.2	7.1	5.7	*	3.7	4.5	3.3
Marital status	Married	62.5	14.4	47.5	73.1	85.6	86.7	*	69.7	21.6	59.7
	Single	37.5	85.6	52.5	26.9	14.4	13.3	*	30.3	78.4	40.3
Mother not high school graduate		23.8	63.0	28.9	16.0	9.4	9.6	*	21.2	37.7	56.8
Birthweight	Very low (0-1,499 Grams)	1.7	2.6	1.4	1.4	*	*	*	1.5	3.2	*
	Low (0-2,499 Grams)	8.3	12.0	6.7	7.6	7.9	9.9	*	6.9	15.5	5.8
Caesarian section	Primary	16.1	17.4	12.1	14.2	19.8	22.2	*	16.2	15.5	12.4
	Secondary	9.2	2.1	6.9	10.1	12.6	14.3	*	9.2	9.3	11.2
Trimester prenatal care began	First	80.9	62.9	77.4	84.5	89.6	87.3	*	83.9	65.6	72.1
	Third or no care	4.0	10.6	4.0	3.3	1.8	*	*	3.0	8.8	6.1
First birth		32.1	71.4	33.7	27.5	19.7	16.3	*	33.0	24.8	33.2
Percentages² based on 1996-2000 average											
Live births	Total	100.0	13.8	25.4	29.3	21.3	9.0	1.2	82.6	15.1	11.4
Sex	Male	51.5	52.6	51.5	50.7	52.3	51.0	51.2	51.7	50.3	52.9
	Female	48.5	47.4	48.5	49.3	47.7	49.0	48.8	48.3	49.7	47.1
Race	White	82.6	11.3	24.2	30.4	23.2	9.6	1.3			
	Black	15.1	28.5	33.3	22.6	10.2	4.8	.6			
Ethnicity	Hispanic ¹	11.4	18.7	34.1	27.4	13.5	5.2	1.0			
Multiple births		3.3	1.7	2.1	3.3	4.7	4.8	5.7	3.3	3.5	2.3
Marital status	Married	62.8	13.0	46.5	75.8	85.7	86.0	83.2	70.1	20.5	58.4
	Single	37.2	87.0	53.5	24.2	14.3	14.0	16.8	29.9	79.5	41.6
Mother not high school graduate		24.1	68.4	29.8	14.4	8.8	9.4	12.4	21.2	40.8	57.3
Birthweight	Very low (0-1,499 Grams)	1.6	2.2	1.4	1.5	1.7	1.9	*	1.4	3.1	1.0
	Low (0-2,499 Grams)	8.2	10.4	7.0	7.9	7.9	9.4	11.1	7.1	14.3	5.7
Caesarian section	Primary	14.0	13.1	11.6	14.3	15.5	16.9	19.3	14.2	13.2	11.0
	Secondary	8.7	1.5	6.3	8.8	12.4	16.9	13.1	8.9	8.3	8.7
Trimester prenatal care began	First	79.2	61.4	74.3	84.5	87.0	84.1	79.5	81.7	65.2	67.1
	Third or no care	3.9	7.9	4.8	2.7	2.6	2.4	*	3.2	7.8	6.2
First birth		32.2	68.6	35.3	28.3	19.1	14.5	12.3	32.7	28.7	35.2

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Winnebago County - 2000

Population Estimates	
Total	278,800
Under 65 Years	243,250
65 and Older	35,550

	Number of Deaths by Age (in Years)											
	All Ages	Under 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 and Over
All races	2,470	40	6	3	31	47	98	152	236	447	711	699
Male	1,222	23	2	3	22	32	63	89	144	257	355	232
Female	1,248	17	4	--	9	15	35	63	92	190	356	467
Black	219	13	3	--	7	14	15	26	27	41	40	33
Male	124	6	1	--	3	8	8	18	14	27	24	15
Female	95	7	2	--	4	6	7	8	13	14	16	18
White	2,245	27	3	3	24	32	82	126	207	406	669	666
Male	1,093	17	1	3	19	23	54	71	128	230	330	217
Female	1,152	10	2	--	5	9	28	55	79	176	339	449
All other races	6	--	--	--	--	1	1	--	2	--	2	--
Male	5	--	--	--	--	1	1	--	2	--	1	--
Female	1	--	--	--	--	--	--	--	--	--	1	--
Hispanic ethnicity ¹	22	2	--	1	3	6	3	3	2	1	1	--
Male	18	2	--	1	3	5	3	2	1	1	--	--
Female	4	--	--	--	--	1	--	1	1	--	1	--

	Deaths by Selected Causes									
	Race				Ethnicity		Age		Rates ²	
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+
All Causes - Current Year	2,470	219	2,245	6	22	613	1,857	885.9	252.0	5,223.6
5-Year Average (1996-2000)	2,408	197	2,204	7	26	602	1,806	901.1	259.5	5,119.6
Infectious and parasitic diseases	40	7	33	--	--	12	28	14.3	4.9	78.8
# Septicemia	24	2	22	--	--	3	21	8.6	*	59.1
# Viral hepatitis	2	1	1	--	--	2	--	*	*	-0-
# HIV disease	6	2	4	--	--	6	--	*	*	-0-
# Malignant neoplasms	612	50	560	2	5	178	434	219.5	73.2	1,220.8
Lip, oral cavity and pharynx	6	--	6	--	--	1	5	*	*	*
Colorectal	59	4	55	--	--	11	48	21.2	4.5	135.0
Bronchus and lung	180	10	170	--	--	57	123	64.6	23.4	346.0
Female breast	42	5	37	--	--	20	22	15.1 ³	8.2 ³	61.9 ³
Cervical	4	--	4	--	1	1	3	* ³	* ³	* ³
Prostate	35	6	29	--	--	2	33	12.6 ³	* ³	92.8 ³
# Diabetes mellitus	78	13	65	--	1	18	60	28.0	7.4	168.8
# Alzheimer's disease	85	4	81	--	--	1	84	30.5	*	236.3
Major cardiovascular diseases	954	60	892	2	5	142	812	342.2	58.4	2,284.1
# Diseases of heart	716	47	667	2	4	115	601	256.8	47.3	1,690.6
Ischemic heart disease	500	25	473	2	2	79	421	179.3	32.5	1,184.2
# Cerebrovascular diseases	173	9	164	--	1	21	152	62.1	8.6	427.6
# Atherosclerosis	20	--	20	--	--	--	20	7.2	-0-	56.3
# Aortic aneurysm and dissection	25	2	23	--	--	3	22	9.0	*	61.9
Respiratory diseases	204	15	189	--	1	32	172	73.2	13.2	483.8
# Influenza and pneumonia	57	5	52	--	--	11	46	20.4	4.5	129.4
# Chronic lower respiratory diseases	110	7	103	--	--	15	95	39.5	6.2	267.2
Emphysema	10	--	10	--	--	1	9	3.6	*	*
Asthma	6	3	3	--	--	4	2	*	*	*
# Chronic liver disease and cirrhosis	21	3	18	--	--	11	10	7.5	4.5	28.1
# Nephritis, nephrotic syndrome and nephrosis	44	7	37	--	--	7	37	15.8	*	104.1
# Certain perinatal conditions	19	4	15	--	1	19	--	6.8	7.8	-0-
# Congenital malformations	12	6	6	--	--	11	1	4.3	4.5	*
SIDS	3	1	2	--	--	3	--	*	*	-0-
External causes	158	24	132	2	6	121	37	56.7	49.7	104.1
# Accidents	102	15	85	2	3	74	28	36.6	30.4	78.8
Motor vehicle accidents	35	5	28	2	2	33	2	12.6	13.6	*
All other accidents	67	10	57	--	1	41	26	24.0	16.9	73.1
# Suicide	31	1	30	--	--	25	6	11.1	10.3	*
# Homicide	16	6	10	--	3	15	1	5.7	6.2	*

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Selected Natality Statistics among Residents of Woodford County - 2000

		All Ages	Mother's Age						Race		Ethnicity
			Under 20	20-24	25-29	30-34	35-39	40 and older	White	Black	Hispanic ¹
2000 Numbers											
Live births	Total	433	22	95	130	114	63	9	429	1	4
Sex	Male	215	13	48	64	56	28	6	215	--	1
	Female	218	9	47	66	58	35	3	214	1	3
Race	White	429	22	95	128	114	61	9			
	Black	1	--	--	1	--	--	--			
Ethnicity	Hispanic ¹	4	1	1	--	--	2	--			
Multiple births		9	--	--	6	3	--	--	9	--	--
Marital status	Married	354	8	52	118	107	60	9	351	--	--
	Single	79	14	43	12	7	3	--	78	1	1
Mother not high school graduate		23	10	9	1	2	1	--	23	--	--
Birthweight	Very low (0-1,499 Grams)	4	--	1	2	1	--	--	4	--	--
	Low (0-2,499 Grams)	31	1	11	7	10	2	--	31	--	--
Caesarian section	Primary	48	2	6	18	14	8	--	48	--	--
	Secondary	47	--	10	9	16	10	2	47	--	--
Trimester prenatal care began	First	401	17	79	126	113	57	9	397	1	3
	Third or no care	3	--	2	--	--	1	--	3	--	--
First birth		136	17	40	49	25	4	1	136	--	1
2000 Percentages²											
Live births	Total	100.0	5.1	21.9	30.0	26.3	14.5	*	99.1	*	*
Sex	Male	49.7	*	*	49.2	49.1	*	*	50.1	*	25.0
	Female	50.3	*	*	50.8	50.9	*	*	49.9	*	*
Race	White	99.1	*	*	29.8	26.6	*	*			
	Black	*	-0-	-0-	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	*	*	*	-0-	-0-	*	-0-			
Multiple births		*	-0-	-0-	*	*	-0-	-0-	*	-0-	-0-
Marital status	Married	81.8	*	*	90.8	93.9	*	*	81.8	-0-	*
	Single	*	63.6	45.3	9.2	*	*	-0-	18.2	*	*
Mother not high school graduate		*	*	*	*	*	-0-	5.4	-0-	-0-	
Birthweight	Very low (0-1,499 Grams)	*	-0-	*	*	*	-0-	-0-	*	-0-	-0-
	Low (0-2,499 Grams)	7.2	*	*	*	8.8	*	-0-	7.2	-0-	-0-
Caesarian section	Primary	11.1	*	*	13.8	12.3	*	-0-	11.2	-0-	-0-
	Secondary	10.9	-0-	*	*	14.0	*	*	11.0	-0-	-0-
Trimester prenatal care began	First	93.3	*	*	97.7	99.1	*	*	93.2	*	*
	Third or no care	*	-0-	*	-0-	-0-	*	-0-	*	-0-	-0-
First birth		31.4	*	*	37.7	21.9	*	-0-	31.7	-0-	*
Percentages² based on 1996-2000 average											
Live births	Total	100.0	7.9	20.9	30.8	26.0	12.0	2.4	99.3	*	0.8
Sex	Male	50.2	53.6	50.5	48.3	52.2	49.0	*	50.3	-0-	*
	Female	49.8	46.4	49.5	51.7	47.8	51.0	*	49.7	*	*
Race	White	99.3	7.9	20.9	30.8	26.1	11.8	2.4			
	Black	*	*	-0-	*	-0-	-0-	-0-			
Ethnicity	Hispanic ¹	.8	*	*	*	*	*	*			
Multiple births		3.7	*	2.3	2.3	6.8	4.3	*	3.8	-0-	-0-
Marital status	Married	81.9	26.5	63.2	92.5	94.3	94.1	*	82.0	-0-	*
	Single	18.1	73.5	36.8	7.5	5.7	5.9	*	18.0	*	*
Mother not high school graduate		8.3	51.8	10.7	3.5	*	*	*	8.2	-0-	*
Birthweight	Very low (0-1,499 Grams)	1.1	*	*	*	*	*	-0-	1.1	-0-	-0-
	Low (0-2,499 Grams)	7.2	10.8	8.0	5.1	8.2	6.7	*	7.2	-0-	*
Caesarian section	Primary	12.1	11.4	12.7	11.1	11.7	13.4	*	12.1	-0-	*
	Secondary	10.3	*	7.0	9.4	13.5	17.4	*	10.3	-0-	-0-
Trimester prenatal care began	First	90.5	72.9	82.0	94.5	97.1	93.7	*	90.5	*	*
	Third or no care	1.6	5.4	*	*	*	*	*	1.6	-0-	-0-
First birth		28.9	72.9	41.1	30.5	14.6	10.3	*	29.0	*	*

¹ Hispanic ethnicity may be of any race. Age by ethnicity percentages are based on total in ethnic grouping.

² Percentages are based on total events in age group except for age groups that are based on total births. Age by race percentages are based on total in racial grouping.

Selected Mortality Statistics among Residents of Woodford County - 2000

Population Estimates	
Total	35,500
Under 65 Years	30,230
65 and Older	5,270

	All Ages	Under 1 Year	Number of Deaths by Age (in Years)									85 and Over
			1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	
All races	332	3	--	--	3	3	4	12	19	54	106	128
Male	164	2	--	--	1	3	3	3	15	31	58	48
Female	168	1	--	--	2	--	1	9	4	23	48	80
Black	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
White	332	3	--	--	3	3	4	12	19	54	106	128
Male	164	2	--	--	1	3	3	3	15	31	58	48
Female	168	1	--	--	2	--	1	9	4	23	48	80
All other races	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--
Hispanic ethnicity ¹	--	--	--	--	--	--	--	--	--	--	--	--
Male	--	--	--	--	--	--	--	--	--	--	--	--
Female	--	--	--	--	--	--	--	--	--	--	--	--

	Deaths by Selected Causes										
	Race				Ethnicity		Age		Rates ²		
	All Races	Black	White	Other	Hispanic ¹	0-64	65+	All Ages	0-64	65+	
All Causes - Current Year	332	--	332	--	--	44	288	935.2	145.6	5,464.9	
5-Year Average (1996-2000)	331	1	330	--	<1	55	276	951.7	183.8	5,580.3	
Infectious and parasitic diseases	3	--	3	--	--	1	2	*	*	*	
# Septicemia	1	--	1	--	--	--	1	*	-0-	*	
# Viral hepatitis	--	--	--	--	--	--	--	-0-	-0-	-0-	
# HIV disease	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Malignant neoplasms	73	--	73	--	--	14	59	205.6	46.3	1,119.5	
Lip, oral cavity and pharynx	3	--	3	--	--	1	2	*	*	*	
Colorectal	7	--	7	--	--	--	7	*	-0-	*	
Bronchus and lung	15	--	15	--	--	2	13	42.3	*	246.7	
Female breast	4	--	4	--	--	2	2	* ³	* ³	* ³	
Cervical	1	--	1	--	--	1	--	* ³	* ³	-0- ³	
Prostate	5	--	5	--	--	--	5	* ³	-0- ³	* ³	
# Diabetes mellitus	11	--	11	--	--	--	11	31.0	-0-	208.7	
# Alzheimer's disease	21	--	21	--	--	--	21	59.2	-0-	398.5	
Major cardiovascular diseases	150	--	150	--	--	11	139	422.5	36.4	2,637.6	
# Diseases of heart	99	--	99	--	--	7	92	278.9	*	1,745.7	
Ischemic heart disease	71	--	71	--	--	5	66	200.0	*	1,252.4	
# Cerebrovascular diseases	39	--	39	--	--	3	36	109.9	*	683.1	
# Atherosclerosis	3	--	3	--	--	--	3	*	-0-	*	
# Aortic aneurysm and dissection	3	--	3	--	--	1	2	*	*	*	
Respiratory diseases	18	--	18	--	--	--	18	50.7	-0-	341.6	
# Influenza and pneumonia	3	--	3	--	--	--	3	*	-0-	*	
# Chronic lower respiratory diseases	10	--	10	--	--	--	10	28.2	-0-	189.8	
Emphysema	--	--	--	--	--	--	--	-0-	-0-	-0-	
Asthma	1	--	1	--	--	--	1	*	-0-	*	
# Chronic liver disease and cirrhosis	1	--	1	--	--	--	1	*	-0-	*	
# Nephritis, nephrotic syndrome and nephrosis	5	--	5	--	--	--	5	*	-0-	*	
# Certain perinatal conditions	--	--	--	--	--	--	--	-0-	-0-	-0-	
# Congenital malformations	1	--	1	--	--	1	--	*	*	-0-	
SIDS	1	--	1	--	--	1	--	*	*	-0-	
External causes	16	--	16	--	--	10	6	45.1	33.1	*	
# Accidents	8	--	8	--	--	6	2	*	*	*	
Motor vehicle accidents	4	--	4	--	--	3	1	*	*	*	
All other accidents	4	--	4	--	--	3	1	*	*	*	
# Suicide	4	--	4	--	--	1	3	*	*	*	
# Homicide	1	--	1	--	--	1	--	*	*	-0-	

¹ Hispanic ethnicity may be of any race.

² Rates are per 100,000 estimated population within age group.

³ Denominators are combined-sex population estimates within age group.

Leading cause of death for ranking purposes

Part III
City Tables

Table 1. Live Births, Infant Deaths, Neonatal Deaths and Fetal Deaths by Race Among Residents of the Larger Cities of Illinois: 2000

City	Live Births			Infant Deaths			Neonatal Deaths			Fetal Deaths		
	Total	White	All other races	Total	White	All other races	Total	White	All other races	Total	White	All other races
Addison	659	576	83	4	3	1	4	3	1	4	2	2
Alton	502	352	150	4	--	4	4	--	4	1	1	--
Arlington Heights	1,114	1,005	109	5	4	1	3	3	--	8	8	--
Aurora	3,520	3,049	471	30	22	8	22	15	7	15	12	3
Bartlett	735	658	77	1	1	--	--	--	--	--	--	--
Belleville	704	513	191	7	5	2	6	4	2	4	1	3
Berwyn	916	866	50	3	3	--	2	2	--	3	3	--
Bloomington	1,054	881	173	3	3	--	1	1	--	5	5	--
Bolingbrook	1,090	783	307	8	8	--	8	8	--	9	4	5
Buffalo Grove	505	435	70	--	--	--	--	--	--	1	1	--
Calumet City	537	183	354	11	3	8	8	2	6	8	3	5
Carbondale	276	143	133	5	2	3	5	2	3	--	--	--
Carol Stream	691	536	155	9	8	1	7	6	1	4	3	1
Champaign	898	590	308	15	6	9	8	4	4	6	3	3
Chicago	50,885	29,105	21,780	532	208	324	347	149	198	485	209	276
Cicero	2,121	2,089	32	8	8	--	7	7	--	12	12	--
Crystal Lake	600	585	15	2	2	--	2	2	--	3	3	--
Danville	703	523	180	8	5	3	4	2	2	9	7	2
De Kalb	481	399	82	2	--	2	1	--	1	3	3	--
Decatur	1,155	798	357	9	1	8	3	--	3	10	5	5
Des Plaines	1,197	873	324	6	5	1	5	4	1	10	8	2
Downers Grove	674	603	71	4	4	--	3	3	--	2	1	1
East St. Louis	677	17	660	15	1	14	12	--	12	6	--	6
Elgin	2,052	1,825	227	10	6	4	7	4	3	10	8	2
Elk Grove Village	423	345	78	1	1	--	--	--	--	2	1	1
Elmhurst	646	602	44	1	1	--	1	1	--	1	1	--
Evanston	1,095	752	343	2	--	2	1	--	1	13	9	4
Freeport	406	331	75	2	--	2	--	--	--	--	--	--
Galesburg	398	358	40	3	3	--	3	3	--	4	4	--
Glenview	553	453	100	3	2	1	1	--	1	2	2	--
Granite City	545	512	33	9	9	--	5	5	--	5	4	1
Hanover Park	718	597	121	5	2	3	5	2	3	7	6	1
Hoffman Estates	719	523	196	6	3	3	4	2	2	6	5	1
Joliet	1,883	1,403	480	13	9	4	11	7	4	17	9	8
Kankakee	620	353	267	14	5	9	5	3	2	4	2	2
Lombard	609	501	108	3	2	1	2	1	1	3	3	--
Moline	586	547	39	4	2	2	1	1	--	4	4	--
Mount Prospect	796	664	132	5	4	1	4	4	--	3	2	1
Naperville	2,013	1,658	355	13	13	--	9	9	--	14	12	2
Normal	454	365	89	2	1	1	1	1	--	1	--	1
North Chicago	351	160	191	5	1	4	3	1	2	2	1	1
Oak Lawn	570	541	29	4	4	--	2	2	--	4	4	--
Oak Park	746	516	230	6	5	1	5	5	--	3	1	2
Orland Park	536	508	28	4	3	1	4	3	1	2	2	--
Palatine	1,141	981	160	8	7	1	5	5	--	9	8	1
Park Ridge	383	363	20	1	1	--	1	1	--	2	2	--
Pekin	492	488	4	4	4	--	2	2	--	5	5	--
Peoria	1,949	1,199	750	17	5	12	9	3	6	9	3	6
Quincy	556	518	38	6	6	--	5	5	--	7	6	1
Rock Island	576	408	168	7	3	4	6	3	3	5	4	1
Rockford	2,837	2,129	708	30	19	11	19	12	7	18	12	6
Schaumburg	1,017	725	292	3	2	1	3	2	1	10	8	2
Skokie	588	362	226	--	--	--	--	--	--	4	3	1
Springfield	1,979	1,515	464	13	7	6	10	6	4	14	11	3
Streamwood	688	570	118	2	2	--	2	2	--	5	4	1
Tinley Park	616	585	31	1	1	--	1	1	--	4	3	1
Urbana	473	296	177	6	1	5	4	1	3	3	2	1
Waukegan	2,076	1,644	432	14	10	4	8	4	4	27	15	12
Wheaton	711	634	77	3	3	--	3	3	--	--	--	--
Wheeling	574	476	98	1	--	1	--	--	--	1	1	--

Table 2. Race Specific Live Birth, Infant Death and Neonatal Rates, And Fetal Death Ratios
Among Residents of the Larger Cities of Illinois: 2000

City	Total Live Births	Infant Deaths			Neonatal Deaths			Fetal Deaths		
		Total	White	All Other Races	Total	White	All Other Races	Total	White	All Other Races
Addison	18.3	*	*	*	*	*	*	*	*	*
Alton	16.5	*	-0-	*	*	-0-	*	*	*	-0-
Arlington Heights	14.7	*	*	*	*	*	-0-	*	*	-0-
Aurora	24.4	8.5	7.2	*	6.3	4.3	*	4.2	3.9	*
Bartlett	20.0	*	*	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Belleville	17.0	*	*	*	*	*	*	*	*	*
Berwyn	16.9	*	*	-0-	*	*	-0-	*	*	-0-
Bloomington	16.2	*	*	-0-	*	*	-0-	*	*	-0-
Bolingbrook	19.2	*	*	-0-	*	*	-0-	*	*	*
Buffalo Grove	11.7	-0-	-0-	-0-	-0-	-0-	-0-	*	*	-0-
Calumet City	13.7	20.5	*	*	*	*	*	*	*	*
Carbondale	11.0	*	*	*	*	*	*	-0-	-0-	-0-
Carol Stream	17.1	*	*	*	*	*	*	*	*	*
Champaign	13.2	16.7	*	*	*	*	*	*	*	*
Chicago	17.6	10.5	7.1	14.9	6.8	2.9	3.9	9.4	7.1	12.5
Cicero	24.7	*	*	-0-	*	*	-0-	5.6	5.7	-0-
Crystal Lake	15.7	*	*	-0-	*	*	-0-	*	*	-0-
Danville	20.7	*	*	*	*	*	*	*	*	*
De Kalb	12.3	*	-0-	*	*	-0-	*	*	*	-0-
Decatur	14.1	*	*	*	*	-0-	*	8.6	*	*
Des Plaines	20.4	*	*	*	*	*	*	8.3	*	*
Downers Grove	13.8	*	*	-0-	*	*	-0-	*	*	*
East St. Louis	21.6	22.2	*	21.2	17.7	-0-	17.7	*	-0-	*
Elgin	21.6	4.9	*	*	*	*	*	4.8	*	*
Elk Grove Village	12.2	*	*	-0-	-0-	-0-	-0-	*	*	*
Elmhurst	15.1	*	*	-0-	*	*	-0-	*	*	-0-
Evanston	14.7	*	-0-	*	*	-0-	*	11.7	*	*
Freeport	15.4	*	-0-	*	-0-	-0-	-0-	-0-	-0-	-0-
Galesburg	11.8	*	*	-0-	*	*	-0-	*	*	-0-
Glenview	13.2	*	*	*	*	-0-	*	*	*	-0-
Granite City	17.4	*	*	-0-	*	*	-0-	*	*	*
Hanover Park	18.7	*	*	*	*	*	*	*	*	*
Hoffman Estates	14.5	*	*	*	*	*	*	*	*	*
Joliet	17.6	6.9	*	*	5.8	*	*	8.9	*	*
Kankakee	22.5	22.6	*	*	*	*	*	*	*	*
Lombard	14.4	*	*	*	*	*	*	*	*	-0-
Moline	13.4	*	*	*	*	*	-0-	*	*	-0-
Mount Prospect	14.2	*	*	*	*	*	-0-	*	*	*
Naperville	15.6	6.5	7.8	-0-	*	*	-0-	6.9	7.2	*
Normal	10.0	*	*	*	*	*	-0-	*	-0-	*
North Chicago	9.7	*	*	*	*	*	*	*	*	*
Oak Lawn	10.3	*	*	-0-	*	*	-0-	*	*	-0-
Oak Park	14.2	*	*	*	*	*	-0-	*	*	*
Orland Park	10.5	*	*	*	*	*	*	*	*	-0-
Palatine	17.4	*	*	*	*	*	-0-	*	*	*
Park Ridge	10.1	*	*	-0-	*	*	-0-	*	*	-0-
Pekin	14.5	*	*	-0-	*	*	-0-	*	*	-0-
Peoria	17.3	8.7	*	16.0	*	*	*	*	*	*
Quincy	13.8	*	*	-0-	*	*	-0-	*	*	*
Rock Island	14.5	*	*	*	*	*	*	*	*	*
Rockford	18.9	10.6	8.9	15.5	6.7	4.2	*	6.3	5.6	*
Schaumburg	13.5	*	*	*	*	*	*	9.7	*	*
Skokie	9.3	-0-	-0-	-0-	-0-	-0-	-0-	*	*	*
Springfield	17.7	6.6	*	*	5.1	*	*	7.0	7.2	*
Streamwood	18.9	*	*	-0-	*	*	-0-	*	*	*
Tinley Park	12.7	*	*	-0-	*	*	-0-	*	*	*
Urbana	12.6	*	*	*	*	*	*	*	*	*
Waukegan	23.5	6.7	6.1	*	*	*	*	12.8	9.0	27.0
Wheaton	12.8	*	*	-0-	*	*	-0-	-0-	-0-	-0-
Wheeling	16.6	*	-0-	*	-0-	-0-	-0-	*	*	-0-

Live birth rates per 1,000 estimated population as of July 1, 1999. All other rates and ratios per 1,000 live births.

Table 3. Live Births with Percentage Rates for Low Birthweight Births and Infant Deaths by Age with Rates Among Residents of the Larger Cities of Illinois: 2000

City	Live Births			Infant Deaths by Age					
	Total	Low Birthweight		Under 7 Days		7 to 27 Days		28 Days to 1 Year	
		Number	Percent	Number	Rate	Number	Rate	Number	Rate
Addison	659	43	6.5	4	*	--	-0-	0	-0-
Alton	502	38	7.6	4	*	--	-0-	0	-0-
Arlington Heights	1,114	71	6.4	3	*	--	-0-	2	*
Aurora	3,520	242	6.9	20	5.7	2	*	8	*
Bartlett	735	45	6.1	--	-0-	--	-0-	1	*
Belleville	704	76	10.8	5	*	1	*	1	*
Berwyn	916	59	6.4	2	*	--	-0-	1	*
Bloomington	1,054	85	8.1	1	*	--	-0-	2	*
Bolingbrook	1,090	82	7.5	7	*	1	*	0	-0-
Buffalo Grove	505	40	7.9	--	-0-	--	-0-	0	-0-
Calumet City	537	68	12.7	6	*	2	*	3	*
Carbondale	276	32	11.6	3	*	2	*	0	-0-
Carol Stream	691	46	6.7	5	*	2	*	2	*
Champaign	898	82	9.1	6	*	2	*	7	*
Chicago	50,885	4,957	9.7	269	5.3	78	1.5	185	3.6
Cicero	2,121	135	6.4	6	*	1	*	1	*
Crystal Lake	600	24	4.0	2	*	--	-0-	0	-0-
Danville	703	64	9.1	4	*	--	-0-	4	*
De Kalb	481	36	7.5	1	*	--	-0-	1	*
Decatur	1,155	112	9.7	2	*	1	*	6	*
Des Plaines	1,197	80	6.7	4	*	1	*	1	*
Downers Grove	674	34	5.0	2	*	1	*	1	*
East St. Louis	677	106	15.7	9	*	3	*	3	*
Elgin	2,052	135	6.6	7	*	--	-0-	3	*
Elk Grove Village	423	29	6.9	--	-0-	--	-0-	1	*
Elmhurst	646	42	6.5	1	*	--	-0-	0	-0-
Evanston	1,095	90	8.2	1	*	--	-0-	1	*
Freeport	406	27	6.7	--	-0-	--	-0-	2	*
Galesburg	398	33	8.3	3	*	--	-0-	0	-0-
Glenview	553	38	6.9	--	-0-	1	*	2	*
Granite City	545	53	9.7	4	*	1	*	4	*
Hanover Park	718	53	7.4	5	*	--	-0-	0	-0-
Hoffman Estates	719	60	8.3	3	*	1	*	2	*
Joliet	1,883	147	7.8	8	*	3	*	2	*
Kankakee	620	65	10.5	4	*	1	*	9	*
Lombard	609	46	7.6	2	*	--	-0-	1	*
Moline	586	41	7.0	1	*	--	-0-	3	*
Mount Prospect	796	54	6.8	3	*	1	*	1	*
Naperville	2,013	108	5.4	9	*	--	-0-	4	*
Normal	454	21	4.6	1	*	--	-0-	1	*
North Chicago	351	43	12.3	3	*	--	-0-	2	*
Oak Lawn	570	34	6.0	2	*	--	-0-	2	*
Oak Park	746	57	7.6	4	*	1	*	1	*
Orland Park	536	39	7.3	3	*	1	*	0	-0-
Palatine	1,141	84	7.4	5	*	--	-0-	3	*
Park Ridge	383	20	5.2	1	*	--	-0-	0	-0-
Pekin	492	31	6.3	1	*	1	*	2	*
Peoria	1,949	165	8.5	8	*	1	*	8	*
Quincy	556	34	6.1	5	*	--	-0-	1	*
Rock Island	576	42	7.3	5	*	1	*	1	*
Rockford	2,837	259	9.1	19	6.7	--	-0-	11	3.9
Schaumburg	1,017	69	6.8	3	*	--	-0-	0	-0-
Skoke	588	45	7.7	--	-0-	--	-0-	0	-0-
Springfield	1,979	173	8.7	9	*	1	*	3	*
Streamwood	688	43	6.3	1	*	1	*	0	-0-
Tinley Park	616	25	4.1	--	-0-	1	*	0	-0-
Urbana	473	30	6.3	4	*	--	-0-	2	*
Waukegan	2,076	158	7.6	6	*	2	*	6	*
Wheaton	711	27	3.8	3	*	--	-0-	0	-0-
Wheeling	574	35	6.1	--	-0-	--	-0-	1	*

Numbers and rates for total infant deaths are given in Tables 1 and 2. Rates are per 1,000 live births.

Table 4. Deaths for Selected Causes
Among Residents of the Larger Cities of Illinois: 2000

City	All Causes	Septicemia	Malignant Neoplasms			Diabetes Mellitus	Alzheimer's Disease	Diseases of the Circulatory System		
			Total	Bronchus and Lung	Colorectal			Total	Diseases of Heart	Cerebrovascular Diseases
Addison	186	3	49	14	9	7	2	75	60	15
Alton	404	5	85	30	8	12	6	181	141	31
Arlington Heights	718	11	146	27	14	12	5	297	215	70
Aurora	806	9	169	30	14	22	13	282	211	44
Bartlett	131	3	32	8	3	4	2	57	44	11
Belleville	572	15	117	37	6	18	12	230	176	33
Berwyn	565	12	130	35	17	17	19	203	153	31
Bloomington	431	6	102	27	12	12	6	179	128	40
Bolingbrook	243	3	59	23	3	7	7	98	75	16
Buffalo Grove	216	2	64	18	9	9	3	87	67	16
Calumet City	375	8	99	25	18	12	2	138	113	19
Carbondale	191	4	34	12	4	4	7	75	51	14
Carol Stream	171	4	36	9	4	4	--	80	53	24
Champaign	398	7	108	21	12	14	12	132	104	17
Chicago	23,914	648	5,438	1,387	609	701	269	9,148	7,206	1,397
Cicero	513	8	101	27	13	18	14	190	148	28
Crystal Lake	288	4	85	17	8	6	8	110	82	20
Danville	470	6	111	38	15	11	9	176	130	34
De Kalb	239	2	59	17	5	9	9	78	58	14
Decatur	904	11	211	67	18	28	16	377	267	82
Des Plaines	723	10	161	49	16	21	17	301	216	65
Downers Grove	421	5	98	22	5	9	10	171	116	37
East St. Louis	365	8	82	28	7	24	5	127	92	29
Elgin	604	13	123	26	14	29	6	215	158	41
Elk Grove Village	249	3	73	23	6	5	10	89	71	14
Elmhurst	393	8	78	21	6	4	13	168	110	46
Evanston	617	7	122	34	6	10	18	264	206	46
Freeport	357	1	61	17	5	6	10	160	117	23
Galesburg	457	6	98	24	12	11	16	188	125	49
Glenview	419	6	123	29	8	3	5	161	124	31
Granite City	384	4	94	30	14	10	10	149	123	18
Hanover Park	131	3	34	10	3	1	--	47	41	5
Hoffman Estates	217	2	57	12	6	4	2	80	59	14
Joliet	950	16	213	65	19	15	14	415	326	66
Kankakee	363	12	80	30	6	6	6	137	96	26
Lombard	391	4	92	26	11	9	5	162	110	46
Moline	424	3	105	27	14	12	10	171	134	27
Mount Prospect	398	4	134	31	26	10	7	141	106	25
Naperville	587	8	144	34	15	10	15	224	150	52
Normal	238	4	44	9	5	4	15	102	68	23
North Chicago	120	--	24	6	2	3	1	51	40	6
Oak Lawn	722	10	168	43	23	24	10	315	239	58
Oak Park	352	11	77	14	12	11	13	140	103	30
Orland Park	454	7	129	31	15	12	12	176	128	33
Palatine	373	4	109	29	8	13	6	146	119	22
Park Ridge	420	6	96	23	7	17	8	184	136	38
Pekin	399	2	96	30	10	24	4	142	111	22
Peoria	1,084	11	260	71	32	29	37	411	279	98
Quincy	627	7	144	42	10	15	10	243	178	44
Rock Island	443	5	100	28	10	21	4	194	147	39
Rockford	1,763	18	380	100	36	58	70	712	528	130
Schaumburg	501	7	117	25	20	12	10	211	159	42
Skokie	630	8	163	25	18	16	22	243	189	41
Springfield	1,244	23	301	82	27	30	23	485	360	86
Streamwood	180	2	39	10	7	8	1	79	64	10
Tinley Park	339	13	95	31	12	8	3	122	93	22
Urbana	294	1	68	21	6	7	16	99	63	27
Waukegan	509	6	118	24	19	13	7	219	150	52
Wheaton	398	6	106	20	8	10	15	148	98	33
Wheeling	228	4	47	14	6	3	6	92	79	9

Table 4 (continued). Deaths for Selected Causes
Among Residents of the Larger Cities of Illinois: 2000

City	Diseases of the Respiratory System			Chronic Liver Disease and Cirrhosis	Nephritis, Nephrotic Syndrome and Nephrosis	Conditions Originating in the Perinatal Period	Accidents			
	Influenza and Pneumonia	Chronic Lower Respiratory Diseases					Total	Motor Vehicle	Suicide	Homicide
Addison	3	8	3	3	4	7	1	--	--	
Alton	17	23	7	6	4	15	4	1	3	
Arlington Heights	25	39	15	19	3	15	5	8	3	
Aurora	28	48	12	13	20	34	15	15	14	
Bartlett	1	2	2	--	--	5	3	4	--	
Belleville	21	35	3	15	4	22	10	3	4	
Berwyn	18	23	9	9	--	18	8	13	5	
Bloomington	10	21	10	1	1	14	4	3	1	
Bolingbrook	8	8	1	2	7	8	6	5	--	
Buffalo Grove	7	8	2	2	--	2	--	1	--	
Calumet City	6	14	5	10	7	14	3	5	5	
Carbondale	6	9	1	3	5	7	3	5	--	
Carol Stream	3	7	1	3	7	3	1	1	--	
Champaign	8	20	4	10	5	12	8	5	2	
Chicago	627	814	295	556	274	1,086	335	202	633	
Cicero	13	25	5	12	5	27	6	5	10	
Crystal Lake	2	16	2	6	--	9	4	3	--	
Danville	15	30	2	7	4	13	6	5	5	
De Kalb	8	7	2	4	1	8	5	2	--	
Decatur	21	45	3	21	3	36	13	11	6	
Des Plaines	18	26	5	13	4	25	9	7	--	
Downers Grove	15	21	5	8	--	11	1	3	--	
East St. Louis	7	13	3	10	12	16	8	2	15	
Elgin	25	29	10	17	7	20	9	2	2	
Elk Grove Village	5	10	--	8	--	14	3	4	--	
Elmhurst	8	19	8	8	--	11	2	5	--	
Evanston	34	34	7	9	--	12	3	4	4	
Freeport	11	26	4	8	--	11	5	3	1	
Galesburg	15	30	3	6	3	14	3	5	1	
Glenview	14	18	5	2	--	11	4	1	--	
Granite City	8	25	4	7	5	16	5	1	--	
Hanover Park	3	7	2	2	1	14	9	2	--	
Hoffman Estates	10	12	2	7	4	1	1	5	--	
Joliet	23	36	12	15	10	29	11	9	10	
Kankakee	5	15	3	7	6	15	3	2	7	
Lombard	9	20	3	6	1	8	1	1	1	
Moline	14	21	2	14	--	17	6	4	--	
Mount Prospect	18	9	1	4	3	13	6	3	1	
Naperville	11	21	2	13	10	15	7	3	1	
Normal	8	18	1	2	1	11	4	--	--	
North Chicago	2	6	1	1	3	5	2	--	1	
Oak Lawn	16	34	8	8	2	20	4	4	1	
Oak Park	8	14	3	4	5	13	3	3	2	
Orland Park	11	13	5	10	3	10	3	2	--	
Palatine	6	16	3	9	5	9	4	3	1	
Park Ridge	18	18	1	7	1	11	5	2	--	
Pekin	18	16	5	8	1	10	3	5	--	
Peoria	18	57	10	25	6	37	9	7	8	
Quincy	41	33	11	10	3	21	5	5	--	
Rock Island	4	21	8	5	4	10	1	2	2	
Rockford	40	81	15	31	14	75	20	15	15	
Schaumburg	12	31	2	10	3	18	9	3	2	
Skokie	28	21	2	14	--	12	5	2	1	
Springfield	43	49	9	28	9	47	16	11	6	
Streamwood	8	12	--	9	2	4	3	2	1	
Tinley Park	9	14	9	5	1	12	3	2	--	
Urbana	3	19	3	7	4	7	1	5	2	
Waukegan	13	27	3	7	9	18	7	2	3	
Wheaton	15	24	3	4	2	9	4	--	--	
Wheeling	11	10	3	3	--	6	--	2	1	

**Table 5. Death Rates for Selected Causes
Among Residents of the Larger Cities of Illinois: 2000**

City	All Causes	Septicemia	Malignant Neoplasms			Diabetes Mellitus	Alzheimer's Disease	Diseases of the Circulatory System		
			Total	Bronchus and Lung	Colorectal			Total	Diseases of Heart	Cerebrovascular Diseases
Addison	515.2	*	135.7	38.8	*	*	*	207.8	166.2	41.6
Alton	1324.6	*	278.7	98.4	*	*	*	593.4	462.3	101.6
Arlington Heights	944.7	14.5	192.1	35.5	18.4	15.8	*	390.8	282.9	92.1
Aurora	558.9	*	117.2	20.8	9.7	15.3	9.0	195.6	146.3	30.5
Bartlett	356.0	*	87.0	*	*	*	*	154.9	119.6	29.9
Belleville	1381.6	36.2	282.6	89.4	*	*	29.0	555.6	425.1	79.7
Berwyn	1042.4	22.1	239.9	64.6	31.4	31.4	35.1	374.5	282.3	57.2
Bloomington	663.1	*	156.9	41.5	18.5	18.5	*	275.4	196.9	61.5
Bolingbrook	427.8	*	103.9	40.5	*	*	*	172.5	132.0	28.2
Buffalo Grove	500.0	*	148.1	41.7	*	*	*	201.4	155.1	37.0
Calumet City	959.1	*	253.2	63.9	46.0	30.7	*	352.9	289.0	48.6
Carbondale	761.0	*	135.5	47.8	*	*	*	298.8	203.2	55.8
Carol Stream	422.2	*	88.9	*	*	*	-0-	197.5	130.9	59.3
Champaign	585.3	*	158.8	30.9	17.6	20.6	17.6	194.1	152.9	25.0
Chicago	825.9	22.4	187.8	47.9	21.0	24.2	9.3	315.9	248.9	48.2
Cicero	598.6	*	117.9	31.5	15.2	21.0	16.3	221.7	172.7	32.7
Crystal Lake	753.9	*	222.5	44.5	*	*	*	288.0	214.7	52.4
Danville	1386.4	*	327.4	112.1	44.2	32.4	*	519.2	383.5	100.3
De Kalb	609.7	*	150.5	43.4	*	*	*	199.0	148.0	35.7
Decatur	1106.5	13.5	258.3	82.0	22.0	34.3	19.6	461.4	326.8	100.4
Des Plaines	1229.6	17.0	273.8	83.3	27.2	35.7	28.9	511.9	367.3	110.5
Downers Grove	862.7	*	200.8	45.1	*	*	20.5	350.4	237.7	75.8
East St. Louis	1162.4	*	261.1	89.2	*	*	*	404.5	293.0	92.4
Elgin	635.8	13.7	129.5	27.4	14.7	30.5	*	226.3	166.3	43.2
Elk Grove Village	717.6	*	210.4	66.3	*	*	28.8	256.5	204.6	40.3
Elmhurst	918.2	*	182.2	49.1	*	*	30.4	392.5	257.0	107.5
Evanston	830.4	*	164.2	45.8	*	*	24.2	355.3	277.3	61.9
Freeport	1352.3	*	231.1	64.4	*	*	37.9	606.1	443.2	87.1
Galesburg	1356.1	*	290.8	71.2	35.6	32.6	47.5	557.9	370.9	145.4
Glenview	1000.0	*	293.6	69.2	*	*	*	384.2	295.9	74.0
Granite City	1226.8	*	300.3	95.8	44.7	31.9	31.9	476.0	393.0	57.5
Hanover Park	342.0	*	88.8	26.1	*	*	-0-	122.7	107.0	*
Hoffman Estates	438.4	*	115.2	24.2	*	*	*	161.6	119.2	28.3
Joliet	886.2	14.9	198.7	60.6	17.7	14.0	13.1	387.1	304.1	61.6
Kankakee	1320.0	43.6	290.9	109.1	*	*	*	498.2	349.1	94.5
Lombard	922.2	*	217.0	61.3	25.9	21.2	*	382.1	259.4	108.5
Moline	970.3	*	240.3	61.8	32.0	27.5	22.9	391.3	306.6	61.8
Mount Prospect	708.2	*	238.4	55.2	46.3	17.8	*	250.9	188.6	44.5
Naperville	455.4	*	111.7	26.4	11.6	7.8	11.6	173.8	116.4	40.3
Normal	523.1	*	96.7	*	*	*	33.0	224.2	149.5	50.5
North Chicago	332.4	-0-	66.5	*	*	*	*	141.3	110.8	*
Oak Lawn	1308.0	18.1	304.3	77.9	41.7	43.5	18.1	570.7	433.0	105.1
Oak Park	670.5	21.0	146.7	26.7	22.9	21.0	24.8	266.7	196.2	57.1
Orland Park	886.7	*	252.0	60.5	29.3	23.4	23.4	343.8	250.0	64.5
Palatine	568.6	*	166.2	44.2	*	*	*	222.6	181.4	33.5
Park Ridge	1111.1	*	254.0	60.8	*	*	*	486.8	359.8	100.5
Pekin	1177.0	*	283.2	88.5	29.5	70.8	*	418.9	327.4	64.9
Peoria	961.0	9.8	230.5	62.9	28.4	25.7	32.8	364.4	247.3	86.9
Quincy	1555.8	*	357.3	104.2	24.8	37.2	24.8	603.0	441.7	109.2
Rock Island	1118.7	*	252.5	70.7	25.3	53.0	*	489.9	371.2	98.5
Rockford	1173.0	12.0	252.8	66.5	24.0	38.6	46.6	473.7	351.3	86.5
Schaumburg	664.5	*	155.2	33.2	26.5	15.9	13.3	279.8	210.9	55.7
Skokie	993.7	*	257.1	39.4	28.4	25.2	34.7	383.3	298.1	64.7
Springfield	1115.7	20.6	270.0	73.5	24.2	26.9	20.6	435.0	322.9	77.1
Streamwood	494.5	*	107.1	27.5	*	*	*	217.0	175.8	27.5
Tinley Park	699.0	26.8	195.9	63.9	24.7	16.5	*	251.5	191.8	45.4
Urbana	786.1	*	181.8	56.1	*	*	42.8	264.7	168.4	72.2
Waukegan	575.8	*	133.5	27.1	21.5	14.7	*	247.7	169.7	58.8
Wheaton	717.1	*	191.0	36.0	*	*	27.0	266.7	176.6	59.5
Wheeling	660.9	*	136.2	40.6	*	*	*	266.7	229.0	*

Rates per 100,000 population estimated as of July 1, 2000

Table 5 (continued). Death Rates for Selected Causes
Among Residents of the Larger Cities of Illinois: 2000

City	Diseases of the Respiratory System		Chronic Liver Disease and Cirrhosis	Nephritis, Nephrotic Syndrome and Nephrosis	Conditions Originating in the Perinatal Period	Accidents			
	Influenza and Pneumonia	Chronic Lower Respiratory Diseases				Total	Motor Vehicle	Suicide	Homicide
Addison	*	*	*	*	*	*	*	-0-	-0-
Alton	55.7	75.4	*	*	*	49.2	*	*	*
Arlington Heights	32.9	51.3	19.7	19.7	*	19.7	*	*	*
Aurora	19.4	33.3	8.3	8.3	13.9	23.6	10.4	10.4	10.4
Bartlett	*	*	*	-0-	-0-	*	*	*	-0-
Belleville	50.7	84.5	*	7.2	*	53.1	24.2	*	*
Berwyn	33.2	42.4	*	*	-0-	33.2	*	24.0	*
Bloomington	15.4	32.3	15.4	*	*	21.5	*	*	*
Bolingbrook	*	*	*	*	*	*	*	*	-0-
Buffalo Grove	*	*	*	*	-0-	*	-0-	*	-0-
Calumet City	*	35.8	*	12.8	*	35.8	*	*	*
Carbondale	*	*	*	*	*	*	*	*	-0-
Carol Stream	*	*	*	*	*	*	*	*	-0-
Champaign	*	29.4	*	5.9	*	17.6	*	*	*
Chicago	21.7	28.1	10.2	10.2	9.5	37.5	11.6	7.0	7.0
Cicero	15.2	29.2	*	5.8	*	31.5	*	*	5.8
Crystal Lake	*	41.9	*	*	-0-	*	*	*	-0-
Danville	44.2	88.5	*	*	*	38.3	*	*	*
De Kalb	*	*	*	*	*	*	*	*	-0-
Decatur	25.7	55.1	*	3.7	*	44.1	15.9	13.5	*
Des Plaines	30.6	44.2	*	8.5	*	42.5	*	*	-0-
Downers Grove	30.7	43.0	*	*	-0-	22.5	*	*	-0-
East St. Louis	*	41.4	*	9.6	38.2	51.0	*	*	6.4
Elgin	26.3	30.5	10.5	10.5	*	21.1	*	*	*
Elk Grove Village	*	28.8	-0-	*	-0-	40.3	*	*	-0-
Elmhurst	*	44.4	*	*	-0-	25.7	*	*	-0-
Evanston	45.8	45.8	*	*	-0-	16.2	*	*	*
Freeport	41.7	98.5	*	*	-0-	41.7	*	*	*
Galesburg	44.5	89.0	*	*	*	41.5	*	*	*
Glenview	33.4	43.0	*	*	-0-	26.3	*	*	-0-
Granite City	*	79.9	*	*	*	51.1	*	*	-0-
Hanover Park	*	*	*	*	*	36.6	*	*	-0-
Hoffman Estates	20.2	24.2	*	*	*	*	*	*	-0-
Joliet	21.5	33.6	11.2	11.2	9.3	27.1	10.3	*	8.4
Kankakee	*	54.5	*	*	*	54.5	*	*	*
Lombard	*	47.2	*	*	*	*	*	*	*
Moline	32.0	48.1	*	4.6	-0-	38.9	*	*	-0-
Mount Prospect	32.0	*	*	*	*	23.1	*	*	*
Naperville	8.5	16.3	*	1.6	7.8	11.6	*	*	*
Normal	*	39.6	*	*	*	24.2	*	-0-	-0-
North Chicago	*	*	*	*	*	*	*	-0-	*
Oak Lawn	29.0	61.6	*	*	*	36.2	*	*	*
Oak Park	*	26.7	*	*	*	24.8	*	*	*
Orland Park	21.5	25.4	*	9.8	*	19.5	*	*	-0-
Palatine	*	24.4	*	*	*	*	*	*	*
Park Ridge	47.6	47.6	*	*	*	29.1	*	*	-0-
Pekin	53.1	47.2	*	*	*	29.5	*	*	-0-
Peoria	16.0	50.5	8.9	8.9	*	32.8	*	*	*
Quincy	101.7	81.9	27.3	27.3	*	52.1	*	*	-0-
Rock Island	*	53.0	*	*	*	25.3	*	*	*
Rockford	26.6	53.9	10.0	10.0	9.3	49.9	13.3	10.0	10.0
Schaumburg	15.9	41.1	*	2.7	*	23.9	*	*	*
Skokie	44.2	33.1	*	3.2	-0-	18.9	*	*	*
Springfield	38.6	43.9	*	8.1	*	42.2	14.3	9.9	*
Streamwood	*	33.0	-0-	*	*	*	*	*	*
Tinley Park	*	28.9	*	*	*	24.7	*	*	-0-
Urbana	*	50.8	*	*	*	*	*	*	*
Waukegan	14.7	30.5	*	*	*	20.4	*	*	*
Wheaton	27.0	43.2	*	*	*	*	*	-0-	-0-
Wheeling	31.9	29.0	*	*	-0-	*	-0-	*	*

Rates per 100,000 population estimated as of July 1, 2000

Part IV
Appendices

APPENDIX 1. DATA SOURCES AND ANALYSIS

VITAL RECORDS SYSTEM

State statute requires that all vital record certificates be filed with the Illinois Department of Public Health. The director of the Department is also the state registrar who, in turn, delegates authority to the deputy state registrar to administer and enforce the Vital Records Act. The requirement to register births and deaths was first included in the legislation that established the State Board of Health in 1877. However, the law did not provide workable enforcement, and the system failed for lack of central legal control over the data collection process. After several attempts, a law incorporating the elements of an efficient system became effective January 1, 1916. Slight modifications were made over the years until January 1, 1962, when the current law, including several significant provisions, became effective.

The original live birth, death and fetal death certificates are collected by local registrars of vital records who are appointed by and are under the direct supervision of the state registrar. Local registrars keep a copy of each certificate for their files and for the files of the county clerk and send the original to the Illinois Department of Public Health. (See Exhibits 1 through 6 for copies of sample certificates.)

Insuring that a certificate of live birth is filed is the responsibility of the hospital administrator when the birth occurs in a hospital. The attending physician verifies or provides the date of birth and required medical information. When births occur outside hospitals, the physician or other attendant prepares and files the certificate.

Funeral directors must file death certificates with the local registrar in the area in which the death occurred in order to obtain legally necessary burial or removal permits. (A fetal death certificate must be prepared if the fetus is determined to be a product of 20 or more completed weeks of gestation and not born alive.) Medical certification, including

a determination of the cause of death, is completed by the physician in charge of the decedent's care unless a coroner's or medical examiner's certificate is filed. A physician may request that a coroner or medical examiner review any death.

The coroner's physician, whose position was established by the Coroner's Act of 1957, is unique in Illinois. When requested, the coroner's physician investigates a death involving a motor vehicle accident, other accidents and forms of violence, suspicious circumstances, or a person found dead. Programs related to boating, recreational gun usage, highway safety, hazardous substance control, drug abuse, law enforcement, suicide prevention, hospital and nursing home construction, home construction, home safety and pesticide control rely heavily on the findings of the coroner, the coroner's physician and, in Cook County, the medical examiner.

The registration system also provides for amendments of birth and death certificates, preparation of new documents for adopted and legitimated children, and the certification of the contents of a record when a citizen needs it.

Central registration of marriages and divorces began on January 1, 1962. Prior to that date, annual counts of marriages and divorces by county were made intermittently. Since 1962, marriage records are filed directly with the Illinois Department of Public Health by county clerks. The application record combines information supplied by applicants for the license and by the marriage officiant. Certificates of divorce or annulment are filed directly with the Department by the clerk of the circuit court. Each certificate contains information supplied by the attorney for the petitioner and from the divorce or annulment decree.

The Division of Vital Records inspects the certificates and requests supplemental information on those that are incomplete, inconsistent or unclear. When a certificate is judged to be acceptable, coded

information from the certificate is entered into a database for statistical purposes and this information is shared with the National Center for Health Statistics.

In 1988, the Illinois Department of Public Health initiated testing of an electronic birth certificate (EBC). EBCs were implemented in April 1991 and, by December 2000, nearly 93 percent of Illinois hospitals were utilizing this method for the filing of birth certificates representing approximately 99 percent of all births occurring in Illinois.

CUTOFF DATES AND INTERSTATE EXCHANGE

There is no cutoff date for the filing of a vital record as a legal document. However, there must be a cutoff date for inclusion of events for statistical purposes. The cutoff date for 2000 events was April 2001.

Copies of vital record certificates pertaining to persons who were born or died outside of the state of residence are exchanged, usually on a monthly basis, with all of the states and the Canadian provinces. The original birth, fetal death or death certificate is never released or received in these transactions. There is no exchange of marriage, divorce or annulment data.

HISPANIC ORIGIN

In 1979, an item was added to the birth and death certificates to identify ethnic origin of a newborn's parents and of a decedent. An open ended format was used to obtain the specific origin or descent (e.g., Italian, Mexican, English). In 1989, the item was changed to a format directed toward the Hispanic population, requesting only the specific Hispanic origin (e.g., Mexican, Puerto Rican).

RACIAL CLASSIFICATION

For statistical purposes, vital events in Illinois are classified by race into white, black, American Indian, Chinese, Hawaiian, Japanese, Filipino, other Asian or Pacific Islander and other. Racial classification for a decedent, bride, groom or for divorcing

spouses is based on race stated on the vital record certificate. Prior to 1989, the racial designation used for a live birth or fetal death was determined through an algorithm based on the race of both parents, as reported on the certificate. Since data year 1989, racial classification of live births and fetal deaths has been based solely on the reported race of the mother.

The tables in this report do not show data for a detailed classification by race. In some tables the divisions are white, black, and all other races. In other tables the classifications are simply white and all other races.

POPULATION BY RACE CATEGORIES

In the 2000 census, race and ethnicity data were collected based on the Office of Management and Budget's (OMB) directive (Federal Register, July 9, 1997), which replaced Statistical Policy Directive No. 15 (1977). Both OMB directives provided a minimum standard for maintaining, collecting, and presenting data on race and ethnicity for all federal reporting purposes. Following the 1997 OMB standards, the 2000 decennial census asked respondents to "mark one or more" races for each individual, resulting in the tabulation of 6 single races and an additional 57 multiple-race categories. Separately, respondents were asked their ethnicity (Hispanic or Latino and Non-Hispanic or Latino). The race categories collected were

1. American Indian or Alaska Native
2. Asian
3. Black or African American
4. Native Hawaiian or Other Pacific Islander
5. White
6. Other

The U.S. Census Bureau produced an additional product for April 1, 2000, called the Modified Race (MR) file. This product redistributed responses that included the "Other" race category to the remaining five categories and their combinations. The MR file contains 5 single race categories and 26 multiple-race categories.

In calendar year 2000, race categories on Illinois vital certificates (as well as those for most other states) were collected based on the 1977 OMB race

and ethnicity directive. Therefore, there would be comparability issues if the decennial census population data by race categories were used as denominators in calculating vital rates. To address these issues, the National Center for Health Statistics (NCHS), in cooperation with the U.S. Census Bureau, has issued "bridged-race" population estimates for April 1, 2000, for the U.S., states and counties. The estimates were based on the Census Bureau's MR file. Among the 5 single race categories, Asian and Native Hawaiian or Other Pacific Islander were combined to create Asian and Pacific Islander (API). The 26 multiple-race categories were decomposed into the remaining four race categories: American Indian or Alaskan Native, API, Black and White. The primary basis for this decomposition was results from the National Health Interview Survey, where race questions were asked separately in both "mark one" and "mark one or more" formats. (For more information about NCHS's bridged-race population estimates, visit the NCHS Web site [www.cdc.gov/nchs] and specifically see their page on the bridged-race population estimates [www.cdc.gov/nchs/about/major/dvs/popbridge/popbridge.htm].)

The state-level vital rates by race category in this book used the bridged-race population estimates from NCHS. Regarding Chicago, NCHS and the Census Bureau did not produce an equivalent bridged-race set of estimates for cities. The Illinois Center for Health Statistics had been working on population estimates for the city of Chicago that approximate the bridged-race population estimates from NCHS for counties. However, these Chicago population estimates were not completed in time to be used in this edition of *Vital Statistics Illinois*. Chicago and Downstate vital rates by race categories for this year will be included in next year's edition.

COMPUTATION OF PERCENTS

Births with unknown age of mother, month of pregnancy in which prenatal care began, educational attainment of mother, method of delivery and Apgar scores were subtracted from the figures for total births that were used as denominators before percentages were computed. Percent distributions for marriages and divorces also

exclude cases for which the pertinent information (e.g., duration of marriage) is not stated.

INTERPRETATION OF VITAL STATISTICS

Qualifying factors to be considered in the interpretation of vital statistics depend on the specific administrative, scientific or planning purposes for which the data are to be used. It is not feasible to discuss all of the pertinent factors in the use of vital statistics, but the following are some of the more important ones that should be taken into account:

1. Incomplete information. There are failures to provide certain types of information requested on the vital records certificates. Also, the classification systems used to prepare information on the certificates for tabulation do not employ categories that are suitable for every purpose.
2. Erroneous information. Despite procedures used to obtain, process and transmit accurate information, the user of vital statistics should not disregard the possibility of errors.
3. Lack of precise populations exposed to risk requires using estimates that may, in some instances, be inaccurate.
4. Crude rates. Most rates in this report are not adjusted to control for differences in the age, race or sex composition of populations in different geographical areas or at different periods of time. Divorce rates are not adjusted for peaks in marriage registrations in earlier years.
5. Some tables are designed to focus attention on selected risk groups. Other risk factors could have been selected.

6. Rate stability. Rates based on a small number of events tend to exhibit considerable variation over time because of chance fluctuations. Excessive variation in rates not only negates their utility as estimators of a probability of an event occurring, but also negates their usefulness for comparative purposes.

In the county summary tables in Part II of this report, 95 percent confidence intervals are shown for selected county rates. In general, vital rates should be thought of and treated as estimations of "true" underlying rates. When the number of events is very large, the calculated rate will approach the value of the underlying rate. However, the opposite happens as the number of events becomes small and thus the rates are subject to greater chance fluctuations. Commonly, 90 or 95 percent confidence intervals or probability ranges can be calculated for rates. A 95 percent interval means that the true rate has a 19 in 20 chance of lying within the specified rate (which is normally distributed, meaning

there is a central tendency within the range). See the Illinois Center for Health Statistics' *Vital Statistics Basic Research Series* articles "The Pros and Cons of Standardized Rates" (Vol.2, No. 1) and "The Interpolation and Practical Limitations of Mortality Measures" (Vol. 2, No. 4) for further discussions of confidence intervals and their calculation.

In Part II of this report, an asterisk is substituted for a printed rate or percentage if it is based on a numerator less than 10 or a denominator less than 100. These criteria have been adopted to avoid printing rates and percentages that are subject to especially large fluctuations.

The numbers "10" and "100" are arbitrary and are not set forth as critical points distinguishing statistically reliable rates from unreliable rates.

To obtain meaningful information for small areas (e.g., counties), rates are presented in Part II that are based on events aggregated over five years. This method of obtaining greater rate stability may obscure major changes that have occurred over time.

Exhibit 2

STATE OF ILLINOIS
CERTIFICATE OF FETAL DEATH

STATE FILE NUMBER

Type or Print in PERMANENT INK
See Hospital and Funeral Directors Handbooks for INSTRUCTIONS

REGISTRATION DISTRICT NO	REGISTERED NUMBER		
FETUS-NAME FIRST MIDDLE LAST		DATE OF DELIVERY (MONTH DAY YEAR)	HOUR
1. SEX	COUNTY OF DELIVERY	2a. HOSPITAL-NAME (IF NOT HOSPITAL, GIVE STREET AND NUMBER)	2b. M
3. MOTHER-MAIDEN NAME FIRST MIDDLE LAST	CITY, TOWN, TWP. OR ROAD DISTRICT NO	DATE OF BIRTH (MONTH DAY YEAR)	BIRTHPLACE (STATE OR FOREIGN COUNTRY)
4a. COUNTY OF DELIVERY	4b. CITY, TOWN, TWP. OR ROAD DISTRICT NO	5b. INSIDE CITY (YES/NO)	5c. STATE ZIP CODE
5a. RESIDENCE (STREET AND NUMBER OR R.F.D.)	6b. CITY, TOWN, TWP. OR ROAD DISTRICT NO	6c. INSIDE CITY (YES/NO)	6d. COUNTY
6a. FATHER-NAME FIRST MIDDLE LAST	DATE OF BIRTH (MONTH DAY YEAR)	7b. FATHER-NAME FIRST MIDDLE LAST	7c. BIRTHPLACE (STATE OR FOREIGN COUNTRY)
7a. INFORMANT'S SIGNATURE	RELATIONSHIP	MAILING ADDRESS (STREET AND NO. OR R.F.D. CITY OR TOWN, STATE AND ZIP)	
8a. 9 PART I FETAL DEATH WAS CAUSED BY: (ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c))	8b. IMMEDIATE CAUSE	8c. SPECIFY FETAL OR MATERNAL	
CAUSE	(a) FETAL OR MATERNAL CONDITION DIRECTLY CAUSING FETAL DEATH	SPECIMEN	
	(b) FETAL AND/OR MATERNAL CONDITIONS, IF ANY, GIVING RISE TO THE IMMEDIATE CAUSE (a), STATING THE UNDERLYING CAUSE, IF ANY		
	(c) PART II OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER CONTRIBUTING TO FETAL DEATH BUT NOT RESULTING IN THE UNDERLYING CAUSE GIVEN IN PART I		
CERTIFIER	CERTIFY THAT THIS FETUS WAS BORN OR DEAD AT THE PLACE AND TIME ON THE DATE STATED ABOVE	DATE SIGNED (MONTH DAY YEAR)	ATTENDANT-M.D., D.D., MIDWIFE, OTHER (SPECIFY)
	SIGNATURE	12b.	12c.
DISPOSITION	CERTIFIER'S COMPLETE MAILING ADDRESS (STREET AND NO. OR R.F.D. CITY OR TOWN, STATE, ZIP)	ILLINOIS LICENSE NUMBER	
	12d. BURIAL, CREMATION OR REMOVAL (SPECIFY)	CEMETERY OR CREMATORY-NAME	LOCATION (CITY OR TOWN, STATE)
	14a. FUNERAL HOME NAME	14b. STREET AND NUMBER OR R.F.D.	14c. CITY OR TOWN STATE
	15a. FUNERAL DIRECTOR'S SIGNATURE	FUNERAL DIRECTOR'S ILLINOIS LICENSE NUMBER	
	15b. LOCAL REGISTRAR'S SIGNATURE	DATE FILED BY LOCAL REGISTRAR (MONTH DAY YEAR)	
	16a.	16b.	
MOTHER	VR-110-(11/89) INFORMATION FOR HEALTH AND STATISTICAL USE ONLY (BASED ON 1989 U.S. STANDARD CERTIFICATE)		
	17. OF HISPANIC ORIGIN? (Specify below: Yes- if Yes, specify Cuban, Mexican, Puerto Rican, etc.)	18. RACE - American Indian, Black, White, etc. (Specify below)	19. EDUCATION (Specify or highest grade completed)
	17a. Specify.	18a.	19a.
FATHER	17b. Specify.	18b.	19b.
	20. OCCUPATION AND BUSINESS/INDUSTRY (Worked during last year)	21. PREGNANCY HISTORY (Complete each section)	
	20a. Occupation	20b. Business/Industry	
	20c.	20d.	
MULTIPLE BIRTHS	21. LIVE BIRTHS	22. MOTHER MARRIED? (At delivery, conception, or at any time between) (Yes or No)	23. DATE LAST NORMAL MENSTRUATION BEGAN (Month, Day, Year)
	21a. NOW LIVING Number	24. MONTH OF PREGNANCY PRENATAL CARE BEGAN (First, Second, Third, Etc. (Specify))	25. PRENATAL VISITS Total Number (if none, so state)
LIVE BIRTH(S)	21b. NOW DEAD Number	26. WEIGHT OF FETUS (Specify in lbs)	27. CLINICAL ESTIMATE OF GESTATION Weeks
FETAL DEATH(S)	21c. DATE OF LAST LIVE BIRTH (Month, Year)	28a. PLURALITY (Single, Twin, Triplet, etc. (Specify))	28b. IF NOT SINGLE BIRTH- Born First, Second, Third, etc. (Specify)
	21d. DATE OF LAST OTHER TERMINATION (Month, Year)	29a. DATE OF MOTHER'S BLOOD TEST FOR SYPHILIS (MONTH, DAY, YEAR)	
	21e.	29b. LABORATORY DOING THE SEROLOGY	
	30a. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)	32. OBSTETRIC PROCEDURES (Check all that apply)	34. CONGENITAL ANOMALIES OF FETUS (Check all that apply)
	Anemia (Hct. < 30/Hgb. < 10) 01 <input type="checkbox"/>	Amniocentesis 01 <input type="checkbox"/>	Anencephalus 01 <input type="checkbox"/>
	Cardiac disease 02 <input type="checkbox"/>	Electronic fetal monitoring 02 <input type="checkbox"/>	Spina bifida/Meningocele 02 <input type="checkbox"/>
	Acute or chronic lung disease 03 <input type="checkbox"/>	Induction of labor 03 <input type="checkbox"/>	Hydrocephalus 03 <input type="checkbox"/>
	Diabetes 04 <input type="checkbox"/>	Stimulation of labor 04 <input type="checkbox"/>	Microcephalus 04 <input type="checkbox"/>
	Genital Herpes 05 <input type="checkbox"/>	Tocolysis 05 <input type="checkbox"/>	Other central nervous system anomalies (Specify) 05 <input type="checkbox"/>
	Hydramnios/Oligohydramnios 06 <input type="checkbox"/>	Ultrasound 06 <input type="checkbox"/>	Heart malformations 06 <input type="checkbox"/>
	Hemoglobinopathy 07 <input type="checkbox"/>	None 07 <input type="checkbox"/>	Other circulatory/respiratory anomalies (Specify) 07 <input type="checkbox"/>
	Hypertension, chronic 08 <input type="checkbox"/>	Other (specify) 07 <input type="checkbox"/>	Rectal atresia/stenosis 08 <input type="checkbox"/>
	Hypertension, pregnancy-associated 09 <input type="checkbox"/>		Tracheo-esophageal fistula/ Esophageal atresia 09 <input type="checkbox"/>
	Eclampsia 10 <input type="checkbox"/>		Omphalocele/Gastroschisis 10 <input type="checkbox"/>
	Incompetent cervix 11 <input type="checkbox"/>	33. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply)	Other gastrointestinal anomalies (Specify) 11 <input type="checkbox"/>
	Previous infant 4000+ grams 12 <input type="checkbox"/>	Febrile (>100°F, or 38°C) 01 <input type="checkbox"/>	Malformed genitalia 12 <input type="checkbox"/>
	Previous preterm or small-for-gestational-age infant 13 <input type="checkbox"/>	Meconium, moderate, heavy 02 <input type="checkbox"/>	Renal agenesis 13 <input type="checkbox"/>
	Renal disease 14 <input type="checkbox"/>	Premature rupture of membrane (>12 hours) 03 <input type="checkbox"/>	Other urogenital anomalies (Specify) 14 <input type="checkbox"/>
	Rh sensitization 15 <input type="checkbox"/>	Abruptio placenta 04 <input type="checkbox"/>	Cleft lip/palate 15 <input type="checkbox"/>
	Uterine bleeding 16 <input type="checkbox"/>	Placenta previa 05 <input type="checkbox"/>	Polydactyly/Syndactyly/Adactyly 16 <input type="checkbox"/>
	None 17 <input type="checkbox"/>	Other excessive bleeding 06 <input type="checkbox"/>	Club foot 17 <input type="checkbox"/>
	Other (specify) 17 <input type="checkbox"/>	Seizures during labor 07 <input type="checkbox"/>	Diaphragmatic hernia 18 <input type="checkbox"/>
	30b. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)	Precipitous labor (<3 hours) 08 <input type="checkbox"/>	Other musculoskeletal/integumental anomalies (Specify) 19 <input type="checkbox"/>
	Tobacco use during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/>	Prolonged labor (>20 hours) 09 <input type="checkbox"/>	Down's syndrome 20 <input type="checkbox"/>
	Average number cigarettes per day _____	Dysfunctional labor 10 <input type="checkbox"/>	Other chromosomal anomalies (Specify) 21 <input type="checkbox"/>
	Alcohol use during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/>	Breech/Malpresentation 11 <input type="checkbox"/>	None 22 <input type="checkbox"/>
	Average number drinks per week _____	Cephalopelvic disproportion 12 <input type="checkbox"/>	
	Weight gained during pregnancy _____ lbs.	Cord prolapse 13 <input type="checkbox"/>	
	31. METHOD OF DELIVERY (Check all that apply)	Anesthetic complications 14 <input type="checkbox"/>	
	Vaginal 01 <input type="checkbox"/>	Fetal Distress 15 <input type="checkbox"/>	
	Vaginal birth after previous C-section 02 <input type="checkbox"/>	Other (specify) 16 <input type="checkbox"/>	
	Primary C-section 03 <input type="checkbox"/>		
	Repeat C-section 04 <input type="checkbox"/>		
	Forceps 05 <input type="checkbox"/>		
	Vacuum 06 <input type="checkbox"/>		
	Hysterotomy/Hysterectomy 07 <input type="checkbox"/>		
		MOTHER SOCIAL SECURITY NUMBER	
		35.	
		FATHER SOCIAL SECURITY NUMBER	
		36.	
		SPECIMEN	

Exhibit 3

DECEDENT'S BIRTH NO.		STATE OF ILLINOIS				STATE FILE NUMBER
REGISTRATION DISTRICT NO.		MEDICAL CERTIFICATE OF DEATH				NUMBER
REGISTERED NUMBER		DECEASED—NAME		FIRST	MIDDLE	LAST
<i>Type or Print in PERMANENT INK See Funeral Directors, Hospital, or Physicians Handbook for INSTRUCTIONS</i>		1. COUNTY OF DEATH		AGE—LAST BIRTHDAY (YRS)		2. SEX
		4. CITY, TOWN, TWP. OR ROAD DISTRICT NUMBER		5a. UNDER 1 YEAR MOS. DAYS		5c. UNDER 1 DAY HOURS MIN.
A DECEASED		6a. BIRTHPLACE (CITY AND STATE OR FOREIGN COUNTRY)		8a. MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (SPECIFY)		9. WAS DECEASED EVER IN U.S. ARMED FORCES? (YES/NO)
		7. SOCIAL SECURITY NUMBER		11a. USUAL OCCUPATION		11b. KIND OF BUSINESS OR INDUSTRY
B C D E		10. RESIDENCE (STREET AND NUMBER)		13b. CITY, TOWN, TWP. OR ROAD DISTRICT NO.		13d. COUNTY
		13a. STATE		13f. ZIP CODE		14a. RACE (WHITE, BLACK, AMERICAN INDIAN, etc.) (SPECIFY)
PARENTS		13e. FATHER—NAME		FIRST	MIDDLE	LAST
		15. INFORMANT'S NAME (TYPE OR PRINT)		17a. RELATIONSHIP		17c. MAILING ADDRESS (STREET AND NO. OR R.F.D., CITY OR TOWN, STATE, ZIP)
CAUSE		18. PART I. Enter the diseases, or complications that caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause on each line.		APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH		SPECIMEN
		Immediate Cause (Final disease or condition resulting in death) → (a) DUE TO, OR AS A CONSEQUENCE OF CONDITIONS, IF ANY WHICH GIVE RISE TO IMMEDIATE CAUSE (a) STATING THE UNDERLYING CAUSE LAST. (b) DUE TO, OR AS A CONSEQUENCE OF (c)				
PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in PART I.		19a. AUTOPSY (YES/NO)		19b. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? (YES/NO)		
CERTIFIER		20a. DATE OF OPERATION, IF ANY		20b. MAJOR FINDINGS OF OPERATION		20c. IF FEMALE, WAS THERE A PREGNANCY IN PAST THREE MONTHS? YES <input type="checkbox"/> NO <input type="checkbox"/>
		21a. I (DID) (DID NOT) ATTEND THE DECEASED AND LAST SAW HIM/HER ALIVE ON (MONTH, DAY, YEAR)		21b. WAS CORONER OR MEDICAL EXAMINER NOTIFIED? (YES/NO)		21c. HOUR OF DEATH
DISPOSITION		22a. SIGNATURE		22b. NAME AND ADDRESS OF CERTIFIER (TYPE OR PRINT)		22d. ILLINOIS LICENSE NUMBER
		22c. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (TYPE OR PRINT)		23. BURIAL, CREMATION, REMOVAL (SPECIFY)		24d. DATE (MONTH, DAY, YEAR)
DISPOSITION		24a. FUNERAL HOME		24b. CEMETERY OR CREMATORY—NAME		24c. LOCATION CITY OR TOWN STATE
		25a. FUNERAL DIRECTOR'S SIGNATURE		25b. LOCAL REGISTRAR'S SIGNATURE		25c. FUNERAL DIRECTOR'S ILLINOIS LICENSE NUMBER
DISPOSITION		26a. DATE FILED BY LOCAL REGISTRAR (MONTH, DAY, YEAR)		26b. DATE FILED BY LOCAL REGISTRAR (MONTH, DAY, YEAR)		

PRINTED BY AUTHORITY OF THE STATE OF ILLINOIS

Exhibit 4

		STATE OF ILLINOIS				STATE FILE NUMBER
<input type="checkbox"/> PERMANENT CERTIFICATE	REGISTRATION DISTRICT NO.	MEDICAL EXAMINER'S - CORONER'S				
<input type="checkbox"/> TEMPORARY CERTIFICATE	REGISTERED NUMBER	CERTIFICATE OF DEATH				
<i>Type, or Print in PERMANENT INK See Coroner's or Funeral Directors Handbook for INSTRUCTIONS</i> A DECEASED B DECEASED C DECEASED D DECEASED E DECEASED	1. DECEASED-NAME FIRST MIDDLE LAST	SEX	DATE OF DEATH (MONTH, DAY, YEAR)			
	2. COUNTY OF DEATH	AGE-LAST BIRTHDAY (YRS) 5a.	UNDER 1 YEAR MOS. 5b.	UNDER 1 DAY HOURS 5c.	MIN 5d.	DATE OF BIRTH (MONTH, DAY, YEAR)
	3. CITY, TOWN, TWP, OR ROAD DISTRICT NUMBER	HOSPITAL OR OTHER INSTITUTION-NAME (IF NOT IN EITHER, GIVE STREET AND NUMBER)				IF HOSP. OR INST. INDICATE D.O.A., OP./EMER. RM. INPATIENT (SPECIFY)
	4. BIRTHPLACE (CITY AND STATE OR FOREIGN COUNTRY)	6a. MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (SPECIFY) 8a.	NAME OF SURVIVING SPOUSE (MAIDEN NAME, IF WIFE) 8b.		WAS DECEASED EVER IN U.S. ARMED FORCES? (YES/NO) 9.	
	5. SOCIAL SECURITY NUMBER 10.	USUAL OCCUPATION 11a.		KIND OF BUSINESS OR INDUSTRY 11b.	EDUCATION (SPECIFY ONLY HIGHEST GRADE COMPLETED) 12. Elementary/Secondary (0-12) College (1-4 or 5 +)	
	6. RESIDENCE (STREET AND NUMBER) 13a.	CITY, TOWN, OR ROAD DISTRICT NO. 13b.		INSIDE CITY (YES/NO) 13c.	COUNTY 13d.	
	7. STATE 13e.	ZIP CODE 13f.	RACE (WHITE, BLACK, AMERICAN INDIAN, etc.) (SPECIFY) 14a.	OF HISPANIC ORIGIN? (SPECIFY NO OR YES-IF YES, SPECIFY CUBAN, MEXICAN, PUERTO RICAN, etc.) 14b. <input type="checkbox"/> NO <input type="checkbox"/> YES SPECIFY:		
	8. FATHER-NAME FIRST MIDDLE LAST 15.		MOTHER-NAME FIRST MIDDLE LAST 16.			
	9. INFORMANT'S NAME (TYPE OR PRINT) 17a.		RELATIONSHIP 17b.	MAILING ADDRESS (STREET AND NO. OR R.F.D., CITY OR TOWN, STATE, ZIP) 17c.		
	18. PART I. Enter the diseases, injuries, or complications that caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause on each line.					APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH
1	Immediate Cause (Final disease or condition resulting in death) (a) DUE TO, OR AS A CONSEQUENCE OF				SPECIMEN	
2	CONDITIONS, IF ANY WHICH GIVE RISE TO IMMEDIATE CAUSE (a) STATING THE UNDERLYING CAUSE LAST. (b) DUE TO, OR AS A CONSEQUENCE OF					
3	(c) DUE TO, OR AS A CONSEQUENCE OF					
PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in PART I.					19a. AUTOPSY (YES/NO)	
					19b. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? (YES/NO)	
4	NATURAL, ACCIDENT, HOMICIDE, SUICIDE, UNDETERMINED, (SPECIFY) 20a.		DATE OF INJURY (MONTH, DAY, YEAR) 20b.	HOUR 20c.	HOW INJURY OCCURRED (ENTER NATURE OF INJURY MENTIONED IN PART I OR PART II, ITEM 18) 20d.	
5	INJURY AT WORK (YES/NO) 20e.	PLACE OF INJURY (AT HOME, FARM, STREET, FACTORY, OFFICE BUILDING, ETC.) (SPECIFY) 20f.	LOCATION (CITY, VIL. OR TOWN, OR TWP., OR RD. DIST. NO., COUNTY, STATE) 20g.		IF FEMALE, WAS THERE A PREGNANCY IN PAST THREE MONTHS? 20h. YES <input type="checkbox"/> NO <input type="checkbox"/>	
I CERTIFY THAT IN MY OPINION BASED UPON MY INVESTIGATION AND/OR THE INQUIRY, THIS DEATH OCCURRED ON THE DATE, AT THE PLACE AND DUE TO THE CAUSE(S) STATED, AND THAT					AT MONTH DAY YEAR	
CORONER'S - MEDICAL EXAMINER'S SIGNATURE 21a.					21b.	
CORONER'S PHYSICIAN'S SIGNATURE 22a.					DATE SIGNED (MONTH, DAY, YEAR) 22b.	
CORONER'S SIGNATURE 23a.					DATE SIGNED (MONTH, DAY, YEAR) 23b.	
BURIAL, CREMATION, REMOVAL (SPECIFY) 24a.		CEMETERY OR CREMATORY-NAME 24b.	LOCATION 24c.	CITY OR TOWN	STATE DATE (MONTH, DAY, YEAR) 24d.	
FUNERAL HOME 25a.		NAME	STREET AND NUMBER OR R.F.D.	CITY OR TOWN	STATE ZIP	
FUNERAL DIRECTOR'S SIGNATURE 25b.					FUNERAL DIRECTOR'S ILLINOIS LICENSE NUMBER 25c.	
LOCAL REGISTRAR'S SIGNATURE 26a.					DATE FILED BY LOCAL REGISTRAR (MONTH, DAY, YEAR) 26b.	

PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

Exhibit 5

		STATE OF ILLINOIS				STATE FILE NUMBER
		MARRIAGE APPLICATION AND RECORD				
TYPE / PRINT IN PERMANENT BLACK INK	COUNTY	LICENSE NUMBER				
	1. GROOM — NAME		FIRST	MIDDLE	LAST	
	2a. RESIDENCE — STREET AND NUMBER OR R.F.D.		2b. CITY, TOWN, TWP., OR ROAD DIST. NO.		2c. COUNTY	2d. STATE
	3a. DATE OF BIRTH (MONTH, DAY, YEAR)		3b. AGE	3c. BIRTHPLACE (STATE OR FOREIGN COUNTRY)	4. SOCIAL SECURITY NUMBER	
	5. USUAL OCCUPATION					
	6a. FATHER'S NAME (FIRST, MIDDLE, LAST)		6b. ADDRESS			6c. BIRTHPLACE (STATE OR FOREIGN COUNTRY)
	7a. MOTHER'S MAIDEN NAME (FIRST, MIDDLE, LAST)		7b. ADDRESS			7c. BIRTHPLACE (STATE OR FOREIGN COUNTRY)
	8a. BRIDE — NAME		FIRST	MIDDLE	LAST	
			8b. MAIDEN NAME (IF DIFFERENT)			
	9a. RESIDENCE — STREET AND NUMBER OR R.F.D.		9b. CITY, TOWN, TWP., OR ROAD DIST. NO.		9c. COUNTY	9d. STATE
GROOM	10a. DATE OF BIRTH (MONTH, DAY, YEAR)		10b. AGE	10c. BIRTHPLACE (STATE OR FOREIGN COUNTRY)	11. SOCIAL SECURITY NUMBER	
	12. USUAL OCCUPATION					
	13a. FATHER'S NAME (FIRST, MIDDLE, LAST)		13b. ADDRESS			13c. BIRTHPLACE (STATE OR FOREIGN COUNTRY)
	14a. MOTHER'S MAIDEN NAME (FIRST, MIDDLE, LAST)		14b. ADDRESS			14c. BIRTHPLACE (STATE OR FOREIGN COUNTRY)
BRIDE	15. IF PARTIES ARE RELATED TO EACH OTHER — SPECIFY RELATIONSHIP		16. THIS LICENSE EFFECTIVE ON —			
	<p>WE HEREBY CERTIFY THAT THE INFORMATION GIVEN IN THIS APPLICATION IS TRUE TO THE BEST OF OUR KNOWLEDGE, THAT WE ARE FREE TO INTERMARRY UNDER THE LAWS OF THIS STATE AND THE LAWS OF THE JURISDICTION WHERE WE RESIDE.</p>					
	17. GROOM (SIGN FULL NAME)			18. BRIDE (SIGN FULL NAME)		
	19. SUBSCRIBED AND SWORN TO BEFORE ME ON:		20. SIGNATURE OF COUNTY CLERK			
21. DATE OF MARRIAGE (MONTH, DAY, YEAR)		22. PLACE OF MARRIAGE (CITY, VILL. OR TOWN, IF RURAL, GIVE TWP. NAME OR ROAD DIST.)			23. TYPE OF CEREMONY (RELIGIOUS OR CIVIL)	
24. NAME OF OFFICIAN		25. TITLE				
MARRIAGE RECORD	26. DATE RECORDED (MONTH, DAY, YEAR)		27. SIGNATURE OF COUNTY CLERK			
			DEPUTY			
VR-600 (10/89) ILLINOIS DEPARTMENT OF PUBLIC HEALTH — DIVISION OF VITAL RECORDS (BASED ON 1989 U.S. STANDARD FORM)						
INFORMATION FOR STATISTICAL PURPOSES ONLY						
RACE		EDUCATION (SPECIFY HIGHEST GRADE COMPLETED)		NUMBER OF THIS MARRIAGE	IF PREVIOUSLY MARRIED — LAST MARRIAGE ENDED BY DEATH, DISSOLUTION OR INVALIDITY OF MARRIAGE	
SPECIFY (e.g. WHITE, BLACK, AMERICAN INDIAN, ETC.)		ELEMENTARY OR SECONDARY (0-12)	COLLEGE (1-4 OR 5+)	FIRST — SECOND ETC. (SPECIFY)	SPECIFY HOW	SPECIFY WHEN (MONTH, DAY, YEAR)
						SPECIFY WHERE (COUNTY & STATE)
GROOM	28.		29.		30a.	30b.
	31.		32.		33a.	33b.
BRIDE	34. OF HISPANIC ORIGIN? (SPECIFY NO OR YES — IF YES, SPECIFY CUBAN, MEXICAN, PUERTO RICAN, ETC.)		34a.		34b.	
			<input type="checkbox"/> NO <input type="checkbox"/> YES SPECIFY:		<input type="checkbox"/> NO <input type="checkbox"/> YES SPECIFY:	

IL 482-0010

Exhibit 6

SPECIMEN
STATE OF ILLINOIS
**CERTIFICATE OF DISSOLUTION
INVALIDITY OF MARRIAGE OR LEGAL SEPARATION**

ORIGINAL

TYPE OR PRINT IN PERMANENT INK

	Name of County	State File Number
	Court File Number	
1. Husband — Name First Middle Last		
HUSBAND	2a. Residence — City, Town, Twp., or Road District Number	2b. County
	2c. State	3. State of Birth (If Not in U.S., Name Country)
	4a. Date of Birth (Mo., Day, Year)	4b. Age Now
5a. Wife — Name First Middle Last		
WIFE	5b. Maiden Name	
	6a. Residence — City, Town, Twp., or Road District Number	6b. County
	6c. State	7. State of Birth (If Not in U.S., Name Country)
	8a. Date of Birth (Mo., Day, Year)	8b. Age Now
	9a. Date of This Marriage (Mo., Day, Year)	9b. Place of This Marriage — City
	9c. County	9d. State (If Not in U.S., Name Country)
	10. Date Couple Last Resided in Same Household (Month, Day, Year)	11a. Number of Children Born Alive of This Marriage
		11b. Children Under 18 in This Household (Specify)
	12. Petitioner-Husband, Wife, Both, Other (Specify)	
	13a. Type of Decree (Specify: Dissolution, Invalidity, or Legal Separation)	13b. Legal Grounds for Decree (Specify)
	14. Number of Children Under 18 Whose Physical Custody Was Awarded To: Husband _____ Wife _____ <input type="checkbox"/> No children Joint (Husband/Wife) _____ Other _____	
	15. Legal Representative — Name and Address (Street or R.F.D., City or Town, State, Zip)	
FOR COURT CLERK ONLY		
	16. Date of Recording Decree (Month, Day, Year)	17. Signature of Court Clerk
INFORMATION FOR STATISTICAL PURPOSES ONLY		
	Race	Number of This Marriage
HUSBAND	18. Specify (e.g. White, Black, American Indian, etc.)	19. First, Second, etc.
	20a. By Death, Dissolution, or Invalidity? Specify:	
	20b. Date (Month, Day, Year)	21a. Elementary or Secondary (0-12)
	21b. College (1-4 or 5+)	
WIFE	22. Specify (e.g. White, Black, American Indian, etc.)	23. First, Second, etc.
	24a. By Death, Dissolution, or Invalidity? Specify:	
	24b. Date (Month, Day, Year)	25a. Elementary or Secondary (0-12)
	25b. College (1-4 or 5+)	
	26a. <input type="checkbox"/> No <input type="checkbox"/> Yes Specify:	
	26b. <input type="checkbox"/> No <input type="checkbox"/> Yes Specify:	

PRINTED BY AUTHORITY OF THE STATE OF ILLINOIS

VR700 (1989) ILLINOIS DEPARTMENT OF PUBLIC HEALTH - DIVISION OF VITAL RECORDS (BASED ON 1989 U.S. STANDARD CERT.)

Appendix 2. Definitions of Terms, Rates and Ratios

AGE

Age in years as of last birthday. For infants, age may be stated in days, weeks or months.

umbilical cord has been cut or the placenta is attached.

BIRTH ORDER

The total number of births the mother has had, including live births and terminations of pregnancy, both spontaneous and induced.

LOW BIRTHWEIGHT BIRTH

A live birth or fetal death in which the weight is less than 2,500 grams (approximately 5 lb. 8 oz.) at time of delivery.

BIRTHWEIGHT

Weight of fetus or infant at time of delivery.

MATERNAL DEATH

Death for which the certifying physician has designated a complication of pregnancy, childbirth or the puerperium as the underlying cause of death.

FETAL DEATH

Death prior to the complete expulsion or extraction from its mother of a product of conception, having completed at least 20 weeks of gestation; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles.

METROPOLITAN COUNTY

A county with at least one city of 50,000 inhabitants or with "twin cities" with a combined population of at least 50,000; part of a metropolitan statistical area (MSA). Metropolitan county and MSA status are defined and determined by the U. S. Office of Management and Budget.

FIRST PARITY

The first live birth a mother delivers.

NEONATAL DEATH

Death occurring to an individual less than 28 days of age.

INFANT DEATH

Death occurring to an individual less than 1 year of age. The term excludes fetal deaths.

OCCURRENCE RATE

A rate based on the location of the event. Some rates are calculated according to where the event occurred, regardless of residence (e.g., marriage and divorce rates).

LIVE BIRTH

The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of umbilical cord or definite movement of voluntary muscles, whether or not the

PERINATAL DEATH

A fetal death or a death occurring to an individual less than 7 days of age.

RESIDENCE

Usual place of residence. For births and fetal deaths, usual place of residence of mother is used. Some rates are calculated according to place of residence, regardless of where event occurred.

UNDERLYING CAUSE OF DEATH

Disease or condition that gave rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. See Appendix 3 for the causes and ICD numbers used in this report.

Rates and Ratios

Definitions of selected rates and ratios are presented below. No attempt is made to present the method of calculating each vital rate or ratio contained in this report.

The principles applied in computing age-specific, race-specific or other category-specific vital rates may be inferred from the definitions given below for certain category-specific death rates.

(Crude) death rate =	$1,000 \text{ or } 100,000 \times \frac{\textit{number of deaths}}{\textit{total population}}$
Cause-specific death rate =	$100,000 \times \frac{\textit{number of deaths from the cause}}{\textit{population}}$
Race-specific death rate =	$100,000 \times \frac{\textit{number of deaths for the race}}{\textit{population for that race}}$
Age-specific death rate =	$100,000 \times \frac{\textit{number of deaths for the age}}{\textit{population for that age}}$
Maternal mortality rate =	$10,000 \text{ or } 100,000 \times \frac{\textit{number of maternal deaths}}{\textit{number of live births}}$
Perinatal mortality rate (sometimes designated as a ratio) =	$1,000 \times \frac{\textit{number of deaths under 7 days of age} + \textit{fetal deaths}}{\textit{number of live births} + \textit{fetal deaths}}$
Fetal death rate =	$1,000 \times \frac{\textit{number of fetal deaths}}{\textit{number of live births} + \textit{fetal deaths}}$
Fetal death ratio =	$1,000 \times \frac{\textit{number of fetal deaths}}{\textit{number of live births}}$
Infant mortality rate =	$1,000 \times \frac{\textit{number of deaths under 1 year of age}}{\textit{number of live births}}$
Neonatal mortality rate =	$1,000 \times \frac{\textit{number of deaths under 28 days of age}}{\textit{number of live births}}$
Postneonatal mortality rate =	$1,000 \times \frac{\textit{number of deaths from ages} \\ \textit{28 days through 11 months}}{\textit{number of live births}}$
Years of potential life lost (YPLL) =	$\Sigma \left(\begin{array}{l} 65 - \textit{decedent's age in years for those} \\ \textit{who died before reaching their 65th birthday} \end{array} \right)$

(Crude) live birth rate = $1,000 \times \frac{\textit{number of births}}{\textit{total population}}$

(General) fertility rate = $1,000 \times \frac{\textit{number of live births to women of all ages}}{\textit{number of women 15 to 44 years of age}}$

Age-specific birth rate = $100,000 \times \frac{\textit{number of births to women of specified age}}{\textit{number of women of that age}}$

Teenage live birth ratio = $1,000 \times \frac{\textit{number of live births to women under 20 years of age}}{\textit{number of live births to women of all ages}}$

Ratio of out- of- wedlock childbearing = $1,000 \times \frac{\textit{number of live births to unmarried women}}{\textit{number of live births}}$

(Crude) marriage rate = $1,000 \times \frac{\textit{number of marriages}}{\textit{total population}}$

(Crude) divorce rate = $1,000 \times \frac{\textit{number of divorces and annulments}}{\textit{total population}}$

Appendix 3. Cause of Death Classification

Cause-of-death data presented in this publication were classified according to the International Classification of Diseases (ICD) and coded by procedures outlined in World Health Organization regulations.

Revisions in the ICD are made about every 10 years to reflect progress in medical knowledge and changes in the experience of morbid conditions. The eighth revision of the ICD was used in Illinois from 1969 through 1978. Use of the ninth revision began in 1979 and extended through 1998. The use of the

tenth revision began in 1999. The introduction of a new revision often entails major changes in classifications that cause breaks in the continuity of mortality statistics.

When more than one cause of death is cited on the certificate, the cause designated by the certifying physician as "underlying" is, generally, the cause tabulated. When the underlying cause is unclear, the physician is queried for clarification.

ICD tenth revision category numbers for selected causes of death are given on the following pages.

CATEGORY NUMBERS FOR SELECTED CAUSES OF DEATH ACCORDING TO THE TENTH
REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES (ICD-10) ADAPTED
FOR USE IN THE UNITED STATES (1999)

I.	Certain infectious and parasitic diseases	A00-B99
	Intestinal infectious diseases	A00-A09
	Shigellosis	A03
	Tuberculosis	A15-A19
	Respiratory tuberculosis	A15-A16
	Zoonotic bacterial diseases	A20-A28
	Anthrax	A22
	Leptospirosis	A27
	Other bacterial diseases	A30-A49
	Tetanus	A33-A35
	Scarlet fever and erysipelas	A38,A46
	Meningococcal infection	A39
	Septicemia	A40-A41
	Infections with a predominantly sexual mode of transmission	A50-A64
	Syphilis	A50-A53
	Gonococcal infection	A54
	Typhus fever	A75
	Rocky Mountain spotted fever	A77.0
	Viral infections of the central nervous system	A80-A89
	Acute poliomyelitis	A80
	Sequelae of poliomyelitis	B91
	Slow virus infections of the central nervous system	A81
	Rabies	A82
	Mosquito-borne viral encephalitis	A83
	Herpesviral (Herpes simplex) infections	B00
	Varicella (chicken pox)	B01
	Zoster (herpes zoster)	B02
	Measles	B05
	Rubella (German measles)	B06
	Viral hepatitis	B15-B19
	Human immunodeficiency virus (HIV) disease	B20-B24
	Mumps	B26
	Infectious mononucleosis	B27
	Malaria	B50-B54
	Mycoses	B35-B49
	Pneumocystosis	B59
II.	Malignant neoplasms	C00-C97
	Malignant neoplasms of lip, oral cavity and pharynx	C00-C14
	Malignant neoplasm of digestive organs	C15-C26
	Malignant neoplasms of colon, rectum and anus	C18-C21
	Malignant neoplasms of respiratory and intrathoracic organs	C30-C39
	Malignant neoplasms of bronchus and lung	C34
	Malignant neoplasm of breast	C50
	Malignant neoplasm of cervix uteri	C53
	Malignant neoplasm of prostate	C61
	Malignant neoplasms of urinary tract	C64-C68
	Malignant neoplasms of meninges, brain and other parts of central nervous system	C70-C72
	Hodgkin's disease	C81
	Non-Hodgkin's lymphoma.	C82-C85
	Leukemia	C91-C95

III.	Diseases of the blood and blood forming organs	D50-D76
	Anemia	D50-D64
IV.	Endocrine, nutritional and metabolic disease	E00-E90
	Diabetes mellitus.	E10-E14
	Cystic fibrosis	E84
	Malnutrition	E40-E46
V.	Mental and behavioral disorders	F00-F99
	due to psychoactive substance abuse	F10-F19
VI.	Diseases of the nervous system	G00-G99
	Meningitis	G00,G03
	Parkinson's disease	G20-G21
	Alzheimer's disease	G30
	Epilepsy	G40
	Infantile cerebral palsy	G80
	Muscular dystrophy	G71.0
VII.	Major cardiovascular diseases	I00-I78
	Diseases of heart	I00-I09,I11,I13,I20-I51
	Acute rheumatic fever and chronic rheumatic heart diseases	I00-I09
	Hypertensive diseases	I10-I15
	Essential hypertension without mention of heart	I10,I12
	Hypertensive heart disease	I11
	Hypertensive heart and renal disease	I13
	Ischemic heart diseases	I20-I25
	Angina pectoris	I20
	Acute myocardial infarction	I21-I22
	Other acute ischemic heart diseases	I24
	Other forms of chronic ischemic heart disease	I20,I25
	Cerebrovascular diseases	I60-I69
	Subarachnoid haemorrhage	I60
	Intercerebral haemorrhage	I61
	Cerebral infarction due to thrombosis of cerebral arteries	I63.3
	Atherosclerosis	I70
	Aortic aneurysm and dissection	I71
VIII.	Diseases of the respiratory system	J00-J99
	Acute upper respiratory infections	J00-J06
	Influenza and pneumonia	J10-J18
	Influenza	J10-J11
	Pneumonia	J12-J18
	Acute bronchitis and bronchiolitis	J20-J21
	Chronic lower respiratory diseases	J40-J47
	Bronchitis, chronic and unspecified	J40-J42
	Emphysema	J43
	Asthma	J45-J46
	Other chronic lower respiratory diseases	J44,J47
IX.	Diseases of the digestive system	K00-K93
	Ulcer of stomach and duodenum	K25-K27
	Noninfective gastritis, duodenitis, enteritis and colitis	K29, K50-K52
	Hernia and intestinal obstructions	K40-K46, K56
	Chronic liver disease and cirrhosis	K70,K73-K74
	Alcoholic liver disease	K70
	Cholelithiasis and other disorders of gallbladder	K80-K82

X.	Diseases of the genitourinary system	N00-N99
	Nephritis, nephrotic syndrome and nephrosis	N00-N07,N17-N19,N25-N27
	Infections of kidney	N10-N12,N13.6,N15.1
	Hyperplasia of prostate	N40
XI.	Pregnancy, childbirth and the puerperium	000-099
XII.	Certain conditions originating in the perinatal period	P00-P96
	Factors that may be unrelated to present pregnancy	P00
	Maternal complications of pregnancy	P01
	Premature rupture of membrane	P01.1
	Multiple pregnancy	P01.5
	Complications of placenta, cord and membranes	P02
	Placental condtions	P02.0-P02.3
	Prolapsed cord	P02.4
	Other complications of labor and delivery	P03
	Birth trauma	P10-P15
	Interuterine hypoxia and birth asphyxia	P20-P21
	Respiratory distress syndrome	P22
	Fetal and neonatal hemorrhage	P50-P54
	RH incompatibility	P55.0
XIII.	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
	Nervous system	Q00-Q07
	Circulatory system	Q20-Q28
	Heart	Q20-Q24
XIV.	Symptoms, signs, and abnormal clinical and laboratory findings	R00-R99
	Senility without mention of psychosis	R54
	Sudden infant death syndrome	R95
XV.	External Causes	V01-Y98
	Accidents	V01-X59,Y85-Y86
	Transport accidents	V01-V99,Y85
	Motor vehicle accidents.	V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2, V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1, V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8, V89.0,V89.2
	Other land transport accidents	V01,V05-V06,V09.1,V09.3-V09.9,V10-V11, V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9, V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3, V89.9
	Water, air and space, and other and unspecified transport accidents and their sequelae	V90-V99,Y85
	Nontransport accidents	W00-X59,Y86
	Falls	W00-W19
	Accidental discharge of firearms	W32-W34
	Accidental drowning and submersion	W65-W74
	Accidental exposure to smoke, fire and flames	X00-X09
	Accidental poisoning and exposure to noxious substances	X40-X49
	Intentional self-harm (suicide)	X60-X84,Y87.0
	by poisoning	X60-X69
	by hanging, strangulation, suffocation, drowning or submersion	X70-X71
	by discharge of firearms	X72-X74
	by handgun	X72

Assault (homicide)	X85-Y09,Y87.1
by discharge of firearms	X93-X95
by handgun	X93
by sharp object	X99
Legal intervention	Y35,Y89.0
Events of undetermined intent	Y10-Y34,Y87.2,Y89.9
Discharge of firearms, undetermined intent	Y22-Y24
Operations of war and their sequelae	Y36,Y89.1

Appendix 4. Comparability and Measurement of Mortality Trends

Cause of Death Classification

There are periodic revisions to the International Statistical Classification of Diseases and Related Health Problems (ICD) as the understanding of diseases, their etiology and their classification changes. The ninth revision of the ICD (ICD-9) was in use in the U.S. from 1979 through 1998. (ICDA-8 was used from 1968-78, ICD-7 from 1958-67, and ICD-6 from 1949-57.) ICD-10, or the 10th revision, currently is used for cause-of-death classification, having started with 1999 events.

The World Health Organization (WHO) promulgates the International Classification of Diseases, which includes the classification (definitions) of causes of death and the mortality coding rules. The coding rules are used to determine the single underlying cause of death from the multiple causes of death that may have been reported on the death certificate by the certifying physician, coroner or medical examiner. (The ICD also specifies the format of the medical certificate of death.) The WHO collaborating center for the classification of diseases in North America, which is housed in the National Center for Health Statistics (NCHS) - one of the centers of the U.S. Centers for Disease Control and Prevention (CDC) - promotes use of the ICD in North America. NCHS applies the ICD for coding and tabulating causes of death in the U.S. and, in addition, NCHS establishes tabulation lists for mortality used in the U.S. In addition to developing the tabulation lists, NCHS also ranks leading causes of death using procedures established jointly by vital statistics programs and the U.S. Public Health Service. Each state, as well as much of the world, uses the ICD to code and classify causes of death.

The changes from ICD-9 to ICD-10 are considerable, and include revision of categories, re-groupings of diseases, renamed causes of death and modification of coding rules. There are roughly 4,000 codes in ICD-9, whereas there are approximately 8,000 codes in ICD-10. With name and definition changes arise issues of comparability. For example, heart disease is defined differently in ICD-9 from how the category "diseases of heart" is defined in ICD-10. Inasmuch as cause-of-death information using

ICD-9 definitions and coding rules would result in heart disease as the underlying cause of death, application of ICD-10 definitions and coding rules would result in some of those deaths being attributed to other causes. Similarly, under ICD-9 some deaths may have been coded to other causes of death that under ICD-10 would be coded to diseases of heart. In general, the net effect between the two ICD revisions for specific causes of death may be 99 percent or more comparable, whereas others may be 70 percent or less.

Nota bene: ICD revisions do not affect the total number of deaths or "deaths due to all causes," as this number is determined simply by the number of recorded death certificates, but they affect the size of the cause-of-death "slices" in the total-number-of-deaths pie.

Measuring Mortality Trends

It must be recognized that the number of deaths due to a particular cause in 1998 (under ICD-9) will be different in 1999 (ICD-10), at least partially because of the changes in classification. However, between any two cause-specific mortality measurements, there are other factors that come into play besides possible ICD revision differences. Most notably, there could be changes in 1) disease prevalence, 2) disease recognition by the medical community, 3) frequency of autopsy, 4) the prevalence of misreporting and other recording or certificate handling errors, 5) population size and 6) the population's age structure. If the mortality measure is population based, there are population estimation or measurement errors also to consider. It often is assumed that the difference observed is change in disease prevalence and that the amount of change from other sources, including error, is minimal. However, there are instances where one or more of these other sources would contribute substantially to differences in mortality measures over time.

Keeping these other factors of change in mind, in general, mortality measures are more comparable within a revision of the ICD than they are across revisions. To help in understanding the

differences in coding and classification due to the change in ICD revisions at the national level, NCHS did a recent comparability study. In this study, an 80 percent national sample of 1996 death certificates were cause-of-death coded twice: once using ninth revision codes, classifications and rules and again using those for the 10th revision.¹ Then, the number for each cause of death under both revisions are compared and expressed as a ratio. Each *comparability ratio* is calculated as follows:

where D_{ICD-10} is the number of deaths for a particular cause based on ICD-10 and D_{ICD-9} is the number of deaths for the same or most similar cause based on ICD-9. A comparability ratio of 1.0000 can be interpreted as the same number of deaths were found under both revisions of the ICD. A comparability ratio less than 1 means

$$CR = \frac{D_{ICD-10}}{D_{ICD-9}}$$

fewer deaths for a particular cause were coded under ICD-10 compared with the comparable cause under ICD-9. A comparability ratio greater than 1 means more deaths for a particular cause were coded under ICD-10 than the comparable cause under ICD-9. For example, the comparability ratio from this study for diseases of heart, 0.9858, means the causes of death are nearly 99 percent comparable, with a difference of over 1 percent, where there were fewer deaths due to this cause under ICD-10 compared to ICD-9. Similarly, for cerebrovascular diseases, the comparability ratio was 1.0588. This means this cause of death is about 94 percent comparable between the ICD revisions ($1 / 1.0588 \times 100 = 94.4\%$), where there were almost 6 percent more deaths under ICD-10 than under ICD-9.

It should be noted that the comparability ratio represents a *net* difference in the number of deaths classified for a particular cause between the two revisions of the ICD. That is, a cause of death may include additional deaths from a different cause while losing deaths to a third cause. One such example is diseases of heart, which had additional deaths under ICD-10 from pneumonia (compared to ICD-9), but lost deaths due to cardiac arrest, an ill-defined condition in ICD-10 (but part of heart disease under ICD-9).

Therefore, a ratio of 1.00 does not necessarily imply perfect comparability. It also is possible there are deviations from a cause-specific comparability ratio by demographic variables, such as age, sex, race and geographic region. However, these variations were not within the scope of NCHS's comparability study. See the appendix to the 1999 edition of Vital Statistics Illinois for an extract from the NCHS publication that explains results of the comparability study more fully.

Two other cautions should be mentioned when interpreting these comparability ratios. First, these ratios are based on a death certificate sample for the entire U.S. While Illinois should be well represented in this sample, it is unknown how similar or different such a study would be if it was done strictly for Illinois death certificates. Second, the study was conducted using death certificates for 1996, three years before ICD-10 was implemented in the United States. Substantial changes in comparability ratios at the national level have occurred for some causes of death, and such ratios, in general, should be less applicable the further in time from 1996. In summary, it is unknown how well the 1996 national comparability ratios apply to Illinois for 1999 mortality and beyond. However, the national comparability ratios should give a good overall indication of the direction and general magnitude of revision impacts for most causes of death in Illinois in 1999. In fact, if cause-of-death trends that cross ICD revision temporal boundaries are used in analysis, it should be *de rigueur* that comparability ratios, such as these national ones, be examined and considered for the role ICD revisions may have played in affecting the trends in numbers of deaths.

Table A-1 is a list of comparability ratios for selected causes of death and taken from the preliminary comparability study done by NCHS. There are several of the leading causes of death and their comparability ratios discussed in Appendix 4. of the 1999 edition of Vital Statistics Illinois. The complete comparability study can be found on the Internet at the following CDC web site address:

www.cdc.gov/nchs/data/nvsr/nvsr49/nvsr4902.pdf

Table A-1.
ICD-9 and ICD-10 Codes and National Comparability Ratios
for Selected Causes of Death

ICD-10		Estimated Comparability Ratio	ICD-9	
Cause of Death	Code		Cause of Death	Code
Tuberculosis	A16-A19	0.8547	Tuberculosis	010-018
Septicemia	A40-A41	1.1949	Septicemia	038
HIV disease	B20-B24	1.0637	HIV infection	042-044
Malignant neoplasms	C00-C97	1.0068	Malignant neoplasms	140-208
of lip, oral cavity and pharynx	C00-C14	0.9603	of lip, oral cavity and pharynx	140-149
of colon, rectum and anus	C18-C21	0.9993	of colon, rectum and anus	153-154
of trachea, bronchus and lung	C33-C34	0.9837	of trachea, bronchus and lung	162
of skin	C43	0.9677	melanoma of skin	172
of breast	C50	1.0056	of breast	174-175
of ovary	C56	0.9954	of ovary	183.0
of prostate	C61	1.0134	of prostate	185
of lymphoid, hematopoietic and related tissue	C81-C96	1.0042	of lymphatic and hematopoietic tissue	200-208
Non-Hodgkin's lymphoma	C82-C85	0.9781	Non-Hodgkin's lymphoma	200, 202
Leukemia	C91-C95	1.0119	Leukemia	204-208
Anemias	D50-D64	0.9559	Anemias	280-285
Diabetes mellitus	E10-E14	1.0082	Diabetes mellitus	250
Parkinson's disease	G20-G21	1.0012	Parkinson's disease	332
Alzheimer's disease	G30	1.5536	Alzheimer's disease	331.0
Major cardiovascular diseases	I00-I78	0.9981	Major cardiovascular diseases	390-434, 436-438
Diseases of heart	I00-I09, I11, I13, I20-I51	0.9858	Heart disease	390-398, 402, 404, 410-429
Hypertensive heart disease	I11	0.8028	Hypertensive heart disease	402
Ischemic heart disease	I20-I25	0.9990	Ischemic heart disease	410-414, 429.2
Essential (primary) hypertension and hypertensive renal disease	I10, I12	1.1192	Essential hypertension and hypertensive renal disease	401, 403
Cerebrovascular diseases	I60-I69	1.0588	Cerebrovascular diseases	430-434, 436-438
Atherosclerosis	I70	0.9637	Atherosclerosis	440
Influenza and pneumonia	J10-J18	0.6982	Pneumonia and influenza	480-487
Chronic lower respiratory diseases	J40-J47	1.0478	Chronic obstructive pulmonary diseases and allied conditions*	496
Emphysema	J43	0.9726	Emphysema	492
Asthma	J45-J46	0.8938	Asthma	493
Pneumonitis due to solids and liquids	J69	1.1185	Pneumonitis due to solids and liquids	507
Peptic ulcer	K25-K28	0.9696	Peptic ulcer	531-534
Hernia	K40-K46	1.0395	Hernia	550-553
Chronic liver disease and cirrhosis	K70, K73-K74	1.0367	Chronic liver disease and cirrhosis	571
Cholelithiasis and other disorders of gallbladder	K80-K82	0.9567	Cholelithiasis and other disorders of gallbladder	574-575
Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27	1.2320	Nephritis, nephrotic syndrome and nephrosis	580-589
Certain conditions originating in the perinatal period	P00-P96	1.0658	Certain conditions originating in the perinatal period	760-771.2, 771.4-779
Congenital malformations, deformations and chromosomal abnormalities	P00-P96	0.8470	Congenital anomalies	740-759
Accidents	V01-X59, Y85-Y86	1.0305	Unintentional injuries	E800-E869, E880-E929

Table A-1.
ICD-9 and ICD-10 Codes and National Comparability Ratios
for Selected Causes of Death

ICD-10	Estimated Comparability Ratio	ICD-9
Cause of Death Code		Cause of Death Code
Transport accidents V01-V99, Y85	.09978	Transport accidents E800-E848, E929.0
Motor vehicle accidents V02-V04, V09.2, V12-V14, V19.0-V19.2, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2	0.8527	Motor vehicle accidents E810-E825
Nontransport accidents W00-X59, Y86	1.0763	Nontransport accidents E850-E869, E880-E928, E929.0, E929.1
Falls W00-W19	0.8409	Falls E880-E888
Suicide X60-X84, Y87.0	0.9962	Suicide E950-E959
Homicide X85-Y09, Y87.1	0.9983	Homicide E960-E969

* COPD in ICD-9 also included 495, extrinsic allergic alveolitis

